

BROWNELLS[®]

SELECTION. SERVICE. SATISFACTION.



800-741-0015
brownells.com

1911

World's Largest Supplier of Firearms Accessories and Gunsmithing Tools™





Dear Folks:

Here's our latest 1911 Catalog – No. 8! We built this catalog on the previous one, so not only do you get all the 3,000-plus 1911 products you're used to finding in the book, you'll see dozens of new items we've found for you. We think we've got just about anything and everything you might need for working on or building these extremely popular firearms. Really an astonishing assortment of the very best in our entire industry.

As before, we've had to leave out cleaning accessories and most of the range gear, which you're going to definitely need. We just ran out of space, and we really wanted to focus on as many 1911-specific products as we could. So, for the stuff you can't find here, please go on the web at brownells.com or look in **Catalog #64**, the current edition of our "Big Book" because it will be there.

We've continued the Dream Gun section to show you actual guns that have been built, with a listing of the parts used in the project, so you can do it too. We've added some more really cool guns this time, too, including new examples from two much-respected custom makers: Nighthawk Custom and Wilson Combat, plus another by one of the great guys with us, Tony Barnes. And we just had to bring back the Ed Brown "Classic Custom" from last year's catalog. The first Dream Gun you'll see (on page 2), by Lynn Freshly, is worthy of a little extra chat.

Back last May we ran a contest on Facebook inviting folks to send us pictures of 1911s they'd built using at least eight parts purchased from Brownells. Lynn's gun was the winner. It's extra special because he built it as a graduation present for his son, Seth, who graduated from the United States Military Academy in 2009. The gun stayed in Dad's safekeeping during Seth's deployment to Afghanistan. Seth is back home safe and reunited with his pistol.

We hope you spend some time with these great pistol photos and parts lists. They're designed to give you – the table-top hobbyist or pro – ideas you can use in your next 1911 restoration or customizing project. All the parts and tools you need are packed into this catalog. Plus, if you get stuck or need to discuss a problem on the project with an expert, help from our Gun Techs is just a phone call or e-mail away.

There are specific things you can always count on with every contact you have with our company. We know it's old fashioned, but it's who we are and what we're about . . . giving you **Selection, Service** and **Satisfaction**. And a 100% Guarantee of that satisfaction forever – we really mean forever. No time limits, no hassles and never any push-backs.

All of us here really hope you enjoy – and use – this catalog. We look forward to hearing from you soon. By phone – **800-471-0015** – at brownells.com – or by "snail" mail.

Very best,

Frank B. Pete

Frank & Pete Brownell



Old John Still Has The Right Idea

"It's unwise to pay too much . . . but it's worse to pay too little. When you pay too much, you lose a little money . . . that is all. When you pay too little, you sometimes lose everything, because the thing you bought was incapable of doing the thing it was bought to do.

The common law of business balance prohibits paying a little and getting a lot. It can't be done. If you deal with the lowest bidder, it is well to add something for the risk you run. And if you do that, you will have enough to pay for something better." – JOHN RUSKIN

At BROWNELLS, The Customer Is Always

#1

Your Satisfaction Guaranteed-Period! - Here's our pledge to you - which has never changed: If you aren't completely, 100% satisfied with any purchase you receive from Brownells, for any reason, at any time, return it for a full refund or exchange. No hassle, no problem. We don't bog you down in endless paperwork. Your complete satisfaction with each and every product we sell is what's most important to us.

We do not artificially mark up our prices to cover potential increases from the manufacturers. When notified of a price adjustment, we change our price at that time. As a result, prices are subject to change without notice.



Products marked with this symbol have passed a rigorous test of function and quality, and have been awarded the American Pistol Smiths Guild "Seal of Approval."



GSA pricing available on products marked with the GSA star. Contract #: GS-07F-0139T



Stock numbers shown in red indicate the product is made in the U.S.A.

This information is not available for all items at time of catalog production; nor does it imply that foreign merchandise is of lesser quality. We will keep our website current with the latest information.

BROWNELLS is a Small Business and Veteran owned Company. Government Procurement CCR: #829833; Cage: #12238
Call for Special Procurement Needs, Over 50,000 items for you to choose from!

BROWNELLS®

SELECTION. SERVICE. SATISFACTION®


200 S. Front Street, Montezuma, IA 50171

800-741-0015 • Fax: 800-264-3068

brownells.com



The horizontal catalog format is a trademark of Brownells.®




1911 CATALOG #8 2012

© 2012, BROWNELLS

ON THE COVER: The elegantly engraved and inlaid 1911 Colt, Series 70 or earlier, was created by Master Engraver John Barraclough, a member of the Firearms Engravers Guild of America. The grips are cape buffalo with a multi-gold three-flower inlay. The remainder of the inlays are gold, with gold-plated highlights including engraved screw heads and pins, barrel bushing, and hammer. Caliber is .38 Super. The gun is featured in *Custom Firearms Engraving* by Tom Turpin and is in a private collection. John Barraclough can be reached at jbarracough@sbcglobal.net



We're the world's largest source for firearms accessories and gunsmithing tools. Take a look through any of our catalogs, or browse our website and you'll find at least one item you can't live without. Purchase that item and we'll send you our master catalog – a five dollar value – absolutely FREE! **#077-100-000DJ**



Everything you need to build, maintain, customize, and accurize an AR-15/M16, plus parts and extras for larger-caliber AR-type variants. Includes photos of "dream builds" by Brownells staff showing you how much customization you can do. **#077-100-008DJ**



For over 71 years, we've worked with our military and law enforcement to support their weapons and their efforts. We now have all the duty gear and tactical apparel to outfit those in uniform. Visit **Policestore.com** and order your FREE catalog! **#077-000-005DJ**



Sinclair International is dedicated to metallic cartridge reloading and the precision shooter. This catalog is packed with the highest quality reloading equipment, components, ammunition, and shooting supplies. Includes everything to assemble precision handloads, plus cleaning and maintenance supplies to keep your firearms shooting with match-winning accuracy. Request your FREE catalog at **Sinclairintl.com** today! **#077-400-001DJ**

HOLIDAY SCHEDULE We will be closed for the following:

2012

Memorial Day – Mon. 28 May
Independence Day – Wed. 4 July
Labor Day – Mon. 3 Sept.

Thanksgiving – Thurs. 22 Nov.
Christmas – Mon. 24 & Tues. 25 Dec.

ORDER LINE HOURS

7:30 A.M. to 5:00 P.M.
(Central Time)

GUNTECH HOURS

8:30 A.M. to 4:30 P.M.
(Central Time)

WALK-IN HOURS

7:30 A.M. to 4:30 P.M.
(Central Time)

Open Monday thru Friday. Order Recording Lines Open 24 Hours Per Day

OFFICE

641-623-5401

INTERNATIONAL ORDERS

641-623-4000

FAX LINE

641-623-3896



INDEX

Barrel Bushings.....	7-8
Barrel Links.....	8-9
Barrels.....	5-7
Books & Videos.....	58-59
Compensators.....	9
Ejectors.....	11-12
Extractors.....	11
Frames/Slides.....	1-4
Grip Safeties.....	13-14
Grips & Screws.....	33-38
Guide Rods/Buffers.....	14-16
Gunsmithing Tools.....	49-58
Holsters/Mag Pouches.....	45-48
Ignition Parts.....	16-20
Late New Arrivals.....	59-60

Magazine Releases.....	22-23
Magazines & Parts.....	23-28
Magwells.....	21-22
Mainspring Housings.....	20-21
Optic Mounts.....	44-45
Plunger Tubes.....	10-11
Range & Training Gear.....	48-49
Replacement Parts.....	31-33
Rimfire Conversion Kits.....	4
Sights.....	38-44
Slide Stops.....	9-10
Springs.....	29-31
Thumb Safeties.....	12-13
Triggers.....	28-29



CASPIAN 1911 AUTO RECEIVER

Build an outstanding, custom 1911 using one of these top-quality, single-stack receivers as the foundation. Models and features available to suit the needs of any custom 1911 project. Precision cast from stainless carbon steel, CNC machined to final dimensions. Heat treated to Rc 22-24 for optimum performance and durability. Oversize frame rails allow the gunsmith to achieve an exceptionally tight slide-to-frame fit for more consistent accuracy. Available with smooth front strap or with crisp CNC machine-cut checkering. Front strap on all models except Standard is undercut at the triggerguard to ensure the shooter an extra-secure, high-grip hold. **Standard** model offers a robust foundation for a great, all-around shooter. Available with standard feed ramp or pre-cut for barrels with Nowlin/Wilson style feed ramp. **Race-Ready** has integral, flared magazine well for fast magazine changes. Smooth contours and absence of unsightly seams give your pistol a streamlined look. **Recon** model has the strength and compactness that combat and action shooters require, with an integral accessory rail that accepts laser sights and tactical lights. **Race-Ready Recon** model includes all the features of the Recon with the addition of an integral, flared, 360° magazine well for high speed reloads. **Commander** and **Officers** are pre-cut to accept barrels with Nowlin/Wilson-style feed ramp. Officers also available in a plain, unchecked configuration that accepts standard, unramped barrels. **SPECS:** 4140 carbon steel (**CS**), in-the-white, or stainless steel (**SS**). **Race-Ready** and **Race-Ready Recon** models include mainspring housing. Gunsmith fitting required. **FFL required for purchase.**



Choose The Built-In Features You Need; Save Time & Money



CASPIAN 1911 AUTO HIGH-CAPACITY RECEIVER KIT

Build Your Own, Custom, High Capacity Competition Pistol

Kit has everything you need to convert an existing 1911 to a high capacity 9mm, .38 Super, or .40 S&W 1911 pistol—or build a new one from the ground up. Receiver has integral plunger tube, squared trigger guard, and flared, 360° magazine well. Precision cast from 4140 carbon steel and fully CNC machined to tight tolerances for highly accurate pin hole locations. Oversize frame rails allow the gunsmith to achieve a tight slide-to-frame fit for consistent accuracy. Trigger has a skeletonized aluminum shoe with a flat, serrated face, and overtravel adjustment screw. Grip safety, mainspring housing, magazine catch, and ambi safety are CNC-machined from carbon steel castings. Die-cut, wrap-around, self-adhesive “skateboard tape” grips add minimal bulk and have an aggressive, non-slip, sandpaper-like texture. Trigger, both safeties, mag catch, and grips also sold individually, below. High-capacity magazines available separately. **SPECS:** 4140 carbon steel, heat-treated to Rc 22-24, in-the-white. Gunsmith fitting required. Kit includes receiver, ambidextrous safety, grip safety, magazine catch, trigger, mainspring housing, and die-cut stick-on grips. **FFL required for purchase of receiver kit.** **#168-000-008DJ** Hi-Cap 1911 Rec'r Kit 8F352D36. \$ 454.99 **#168-000-053DJ** High-Cap Grip Safety 8F30Z56. \$ 37.99 **#168-000-129DJ** High-Cap Trik Trigger 8F24X36. \$ 29.99 **#168-000-055DJ** High-Cap Ambi-Safety 8F24Z36. \$ 32.99 **#168-000-056DJ** High-Cap Mag Catch 8F24A27. \$ 31.99 **#168-000-057DJ** High-Cap Die-Cut Grips 8F07A34. \$ 8.99



GOVERNMENT MODEL				
STOCK #	RECEIVER	CHECK	STEEL	PRICE
#168-000-002DJ	Standard	Smooth	CS	8F147D63 \$ 182.99
#168-000-003DJ	Standard	20 lpi	CS	8F213D45 \$ 266.81
#168-000-089DJ	Standard w/Nowlin	Smooth	CS	8F202Z16 \$ 249.99
#168-000-090DJ	Standard w/Nowlin	Smooth	SS	8F203Z00 \$ 254.95
#168-000-004DJ	Recon	Smooth	CS	8F208D10 \$ 269.99
#168-000-005DJ	Recon	20 lpi	CS	8F275D74 \$ 354.99
#168-100-100DJ	Race-Ready	Smooth	CS	8F198C67 \$ 234.68
#168-100-110DJ	Race-Ready	20 lpi	CS	8F263C97 \$ 312.97
#168-000-006DJ	Race-Ready Recon	Smooth	CS	8F265D58 \$ 339.99

COMMANDER & OFFICERS MODELS				
STOCK #	RECEIVER	CHECK	STEEL	PRICE
#168-000-095DJ	Comm. w/Nowlin	25 lpi	CS	8F283A31 \$ 354.99
#168-000-096DJ	Comm. w/Nowlin	25 lpi	SS	8F293A78 \$ 364.99
#168-000-103DJ	Officers	Smooth	CS	8F00AYT \$ 184.99
#168-000-104DJ	Officers	Smooth	SS	8F00UAV \$ 199.99
#168-000-097DJ	Officers w/Nowlin	25 lpi	CS	8F283A31 \$ 354.99
#168-000-098DJ	Officers w/Nowlin	25 lpi	SS	8F293A78 \$ 364.99

CASPIAN 1911 AUTO SLIDES



Superb Strength & Precise Tolerances For The Ultimate Combat Pistol

Custom-quality slides from Caspian, ready to be fitted to the frame of your choice. They start as high-quality forgings for extra strength, then are heat-treated to Rc 38-41 before machining for exceptional dimensional stability. Slides are polished, while the rest of the surface is bead-blasted for a non-glare, matte finish. Deep-cut, forward-angled rear cocking serrations prevent slippage when racking, even with a wet hand. Available in 4340 carbon steel (**CS**) and 416 stainless steel (**SS**) with .45 ACP, .40 S&W, and 9mm breechfaces. Commander and Officers models in .45 ACP only. Choose a slide without sight cuts (**NC**), or between two pre-cut dovetail options: a **Novak Lo-Mount** or **Bo-Mar BMCS** rear cut, both coupled with a Novak front cut. All slides require the use of a 9mm/.38 Super firing pin. **SPECS:** 4340 carbon steel, in-the-white, or 416 stainless steel, natural finish. **Government** model accepts 5" barrel. **Commander** accepts 4.25" barrel. **Officers** model accepts 3.5" barrel. All Caspian slides require the use of a 9mm/.38 Super firing pin.

GOVERNMENT - CARBON STEEL					
.45 ACP	.40 S&W/10mm	9mm	SIGHT CUT	PRICE	
#168-000-052DJ	#168-000-051DJ	#168-000-050DJ	NC	8F176Z86	\$ 199.99
#168-000-073DJ	#168-000-069DJ	#168-000-065DJ	Novak	8F228Z26	\$ 285.99
#168-000-071DJ	#168-000-067DJ	#168-000-063DJ	Bo-Mar	8F239Z40	\$ 313.99

GOVERNMENT - STAINLESS STEEL					
.45 ACP	.40 S&W/10mm	9mm	SIGHT CUT	PRICE	
#168-000-074DJ	#168-000-070DJ	#168-000-066DJ	Novak	8F250Z28	\$ 312.99
#168-000-072DJ	#168-000-068DJ	#168-000-064DJ	Bo-Mar	8F261Z41	\$ 339.99

COMMANDER & OFFICERS .45 ACP					
STOCK	MODEL	CS/SS	SIGHT CUT	PRICE	
#168-000-091DJ	Commander	CS	Bo-Mar	8F231A07	\$ 289.99
#168-000-101DJ	Commander	CS	Novak	8F232A79	\$ 289.99
#168-000-093DJ	Commander	SS	Bo-Mar	8F251A24	\$ 314.99
#168-000-102DJ	Commander	SS	Novak	8F251A64	\$ 314.99
#168-000-092DJ	Officers	CS	Bo-Mar	8F241A57	\$ 303.99
#168-000-099DJ	Officers	CS	Novak	8F232A79	\$ 289.99
#168-000-094DJ	Officers	SS	Bo-Mar	8F262A65	\$ 329.99
#168-000-100DJ	Officers	SS	Novak	8F251A64	\$ 314.99

DOUBLESTAR 1911 AUTO CUSTOM RECEIVER



High-Quality Forging With Popular Custom Features

Full-size carbon steel receiver comes with custom features already done to help you complete your 1911 project faster. Frontstrap has clean, 25 lpi machine-cut checkering, the magwell is fully beveled, and the rear of the frame is cut with a .250" radius for an extended beavertail grip safety. The squared-off dust cover has an integral three-slot Picatinny rail for mounting a laser or tactical weapon light. Precision machined from a 4140 steel forging to tight tolerances for hole placement and rail specs. Heat treated to Rc 22-24 for optimum strength. Requires fitting of slide to frame. **SPECS:** 4140 chrome moly steel, in-the-white, bead-blasted. Gunsmith fitting required. **FFL required for purchase.** **#100-004-484DJ** Custom Receiver, 9Z00HDZ. \$ 329.99

LES BAER CUSTOM 1911 AUTO SLIDE



Precision-Machined From Steel Bar Stock With The Custom Features You Need & Want

Bar stock slides with lowered ejection port, surface-ground flats and bead-blasted rounds. Available with rear only (R) or front and rear (DBL) serrations, and with or without (NS) sight cuts. Front sight cut accepts 65° x .330", dovetail front sights. Rear sight cuts accept the Bo-Mar (Bo-Mar) BMCS or the Novak (Novak) Low Mount Sight (.495") dovetail. Lengths listed in specs are nominal barrel lengths the slides will accept. **SPECS:** Chrome-moly steel, in-the-white (**CM**) or stainless steel (**SS**). .38 Super (**.38S**) or .45 ACP (**.45**) breech face. Long, (**L**) 6", Government (**G**) 5", Commandeche (**Cmch**) 4 1/4". ALL models require a .38 Super/9mm firing pin. **#124-055-451DJ** CM .45 ACP G/Bo-Mar/DbI Slide, 4B325Y08. \$ 405.99 **#124-055-452DJ** CM .45 G/Novak/DbI Slide, 4B324Y00. \$ 405.05 **#124-055-381DJ** CM .38S G/Bo-Mar/DbI Slide, 4B324Y00. \$ 405.05 **#124-055-462DJ** SS .45 G/Novak/DbI Slide, 4B353T35. \$ 441.65 **#124-056-453DJ** CM .45 Cmch/NS/R 4B32T00. \$ 310.75 **#124-056-452DJ** CM .45 Cmch/Novak/R 4B321T35. \$ 408.50 **#124-055-454DJ** CM .45 L/Bo-Mar/DbI Slide, 4B420T00. \$ 524.99

LES BAER CUSTOM FRAME



Precision Forged & Machined; Ready To Assemble With Custom Features

The only 1911 Auto frames available with true, custom features that save the pistolsmith time and expense. Fully forged and machined by CNC equipment to close, rigorous tolerances, fully finish-machined and ready to fit, then assemble. Available in chrome-moly steel, in-the-white, or non-galling stainless steel. These single-stack frames come standard with the extra-high front strap cut and beveled magazine well. Tang has a beavertail cut with .250" radius to fit S&A, Les Baer or Ed Brown beavertail grip safeties. Front strap features 30 lpi checkering. **SPECS:** Chrome-moly, in-the-white or stainless steel (**SS**). Stripped, govt. length receiver only. Rails are .001" oversize to the Les Baer Slides and will require fitting (mfg. suggests light filing only). **FFL required for purchase.** **#124-050-011DJ** Beavertail Cut Frame, CM, 4B440Y00. \$ 550.99 **#124-050-111DJ** Beavertail Cut Frame, SS, 4B490Y67. \$ 593.45

BROWNELLS Gift Cards & eGift Cards

When you don't know which of our many unique items to give, give a Brownells Gift Card or eGift Card. Call or order online to take advantage of the many delivery options. You'll be giving exactly what your favorite gun "tinkerer" wants.



#080-000-816DJ Brownells Gift Card, 6D00HYG. \$ Your Choice \$ **#080-000-818DJ** Brownells E-Mail Gift Card, 6D00HYG. \$ Your Choice \$

Call or Order at brownells.com

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 1



Custom Colt .45 ACP by Lynn Freshly*
Winner of the Brownells Custom 1911
Contest held on Facebook, May 2011

Courtesy of LF Custom

- A** #965-299-001DJ WILSON COMBAT DELUXE COMMANDER HAMMER See Page 18.
- B** #965-000-068DJ WILSON COMBAT BULLET PROOF® GRIP SAFETY See Page 14.
- C** #087-000-055DJ ED BROWN COCOBOLO GRIPS See Page 35.
- D** #087-113-100DJ ED BROWN FLAT MAINSPRING HOUSING See Page 20.
- E** #207-145-228DJ McCORMICK 8-RD POWER MAGAZINE See Page 25.
- F** #080-569-004DJ **BROWNELLS GRIP SCREWS & BUSHINGS** See Page 38.
#080-568-004DJ
- G** #377-000-002DJ GREIDER V-SERIES MATCH TRIGGER See Page 28.
- H** #206-000-042DJ CYLINDER & SLIDE RECOIL SPRING PLUG See Page 14.
- I** #584-571-434DJ MGW OVERSIZED BARREL BUSHING See Page 8.
- J** #662-000-022DJ NOVAK GOLD BEAD FRONT SIGHT See Page 42.
- K** #472-020-045DJ KART PRECISION BARREL See Page 5.
- L** #466-001-045DJ MILLENNIUM CUSTOM COMPETITION EXTRACTOR See Page 11.
- M** #662-260-045DJ NOVAK LO-MOUNT REAR SIGHT See Page 42.
- N** #206-000-027DJ CYLINDER & SLIDE FORGED SLIDE STOP See Page 9.
- O** #296-000-127DJ EGW HEAVY DUTY MAGAZINE CATCH See Page 22.
- P** #965-600-007DJ WILSON COMBAT TACTICAL THUMB SAFETY See Page 13.

* Lynn based this gun on an original Colt Custom Shop Series 70 pistol with custom serial number and no slide markings except for the rampant Colt. Checkering on the front strap and mainspring housing was done by Stan Chen of Legacy Custom. Ned Christiansen of M-Guns did the top serrations, ball end mill cuts, and beveling on the slide. Lynn did the hand fitting of slide to frame and all the fitting necessary to install the other upgrade parts.

STI 1911 AUTO SINGLE STACK RECEIVER



Precise Dimensions
For A Match-Grade
Fit That Gives
Superb Accuracy


Fully machined single stack receiver is ready for the slide, barrel, and fire-control components of your choice to build a rugged, precision-shooting competition, combat, or carry pistol. Gives you the high quality of STI's 2011 competition frames in a traditional, all-metal package with the popular enhancements you expect on high-performance custom 1911s. Machined to precise tolerances from high-quality 4140 carbon steel, then heat-treated to Rc 28-32 for exceptional wear resistance. Bead blasted to produce a smooth, non-reflective surface ready for the finish of your choice. Rails are cut slightly oversized, ready for honing to a tight, smooth, slop-free slide-to-frame fit to help ensure best accuracy. Holes for all pins and controls are precisely located, with a .250" tang radius to accommodate a beavertail grip safety. Available in two models, both with a standard dust cover. **Standard** model is machined from a high-grade investment casting and has a smooth, plain, front strap with a rounded, undercut triggerguard, and a Wilson/Nowlin-style feed ramp. **Forged** model is machined from a forged billet and has a straight, rounded triggerguard, and a standard ramp. Available with a plain, unchecked front strap, or with 30 lpi checkering. **Master** model is investment cast and features a squared, undercut triggerguard, a cut to accept a barrel with Wilson/Nowlin feedramp, and a squared-off dustcover that extends the full length of a 5" slide for extra weight up front.

SPECS: 4140 carbon steel, in-the-white. Hardened to Rc 28-32. **FFL required for purchase.**

#791-000-071DJ Standard Receiver 1F170P00... \$204.00
#791-000-079DJ Forged Receiver, Plain 1F235P10... 294.99
#791-000-054DJ Forged Rec'r, Checkered 1F274T95... 327.00
#791-000-081DJ Master Rec'r, Checkered 1F225P10... 284.99

STI 1911 AUTO 2011 SLIDE & FRAME KIT

Pre-Fit For
Accuracy



Full contact, sliderrails matched to the nylon and steel composite grip frame for superior fit. All are non-ramped, double-stack with checkered front strap, triggerguard and mainspring housing, plus EDM-cut breech face, lowered and scalloped ejection port and rear cocking serrations. Includes composite/titanium match trigger and magazine catch. **.38 Super** has standard length dust cover and no sight cuts. **.40 S&W** and **.45 ACP** have long and wide dust cover; cut for Bo-Mar BMCS rear and 60"x.300" dovetail front sight. **SPECS: Frame:** 4130 steel, in-the-white. Fiber-filled polymer, black. **Slide:** 4140 steel, in-the-white. 7.5" (19cm) long. Accepts 5" barrel and collar style reverse plugs. **FFL required for purchase.**

#791-210-038DJ .38 S Slide/Frame Kit, 1F567B48... \$681.00
#791-210-040DJ .40 S&W Slide/Frame Kit, 1F655B05... 786.00
#791-210-045DJ .45 ACP Slide/Frame Kit, 1F659B98... 792.00



Stock numbers shown in red indicate the product is made in the U.S.A.

This information is not available for all products at time of catalog production, but will be regularly updated on our website.

STI 1911 AUTO 2011 LONG SLIDE & FRAME



Stable Sighting Platform;
Enhanced Recoil Reduction

6 inch Slide/Frame combination adds 3.5 oz. of forward weight to help reduce recoil and muzzle rise. Bar stock slide has full contact rails, lowered ejection port, matte finished top, front and rear cocking serrations and no sight cuts. Gunsmith fitting is required. Lightweight, nylon polymer, composite double stack grip frame is checkered for a secure grip with an undercut triggerguard.

SPECS: Slide and rails, 4140 steel, in-the-white. Grip, fiber-filled nylon polymer. Frame includes nylon mainspring housing, titanium composite trigger and mag catch. Slide is 8 1/2" (21.5 cm) long, accepts 6" (15.2cm) long, Nowlin/Wilson ramped barrels. **FFL required for purchase.**

#791-113-038DJ .38 Supr 2011 Long Slide, 1G256A81... \$319.99
#791-113-040DJ .40 S&W 2011 Long Slide, 1G223A75... 279.69
#791-113-045DJ .45 ACP 2011 Long Slide 1G250A43 313.99
#791-114-000DJ 2011 Long Frame 1F537A50... 645.00

STI 1911 AUTO 2011 MODULAR FRAME

Ready-to-build, high-tech, double stack frame can be fashioned into your customer's dream, competition or self-defense pistol. The 2011's modular grip frame is made from fiber-filled, nylon composite that's married to a CNC machined, 4140 steel



Composite & Steel
Frame Kit For
Building Lightweight
Pistols


upper, for the very best combination of durability, precision fit and lighter weight. Features: 20 lpi checkering on the front strap and triggerguard; heavy-duty dust cover for scope mounting; pre-contoured to accept high-ride beavertails and aftermarket grip safeties with .250" radius; integral magazine well, oversized rails. Ready for gunsmith fitting. Frames are available in two models: **Standard** - Features a Govt. length dust cover. **Long/Wide** - Dust cover is approximately the same width and length as a Govt. length slide for increased weight. Both models are available either **Non-Ramp** - with standard, non-caliber-specific feed ramp or **Ramped** - pre-machined to accept the Nowlin/Wilson-style ramped barrels. **Tactical Rail** - Features the long/wide dust cover with a tactical rail milled into the underside that accepts all industry standard light mounts. Available in Ramped configuration only.

SPECS: Grip Frame - Fiber-filled polymer composite, black. **Upper Frame** - 4140 steel, in-the-white, matte finish. Kit includes checkered, nylon mainspring housing and pin; titanium/composite trigger (long) and blued mag catch (complete). Frames accept most 1911 Auto slide/barrel assemblies. **FFL required for purchase.**

#791-250-001DJ Standard Non-Ramp 2011 Frame, 1F349X95... \$410.00
#791-250-100DJ Standard Ramped 2011 Frame, 1F425X55... 481.99
#791-251-001DJ Long/Wide Non-Ramp 2011 Frame, 1F423X98... 502.99
#791-251-100DJ Long/Wide Ramped 2011 Frame, 1F496X35... 620.45
#791-000-075DJ Tactical Long/Wide Ramped 2011 Frame, 1F519P49... 599.95

STI 1911 AUTO 2011 MODULAR GRIPS

Lightweight & Strong Composite Provides Match-Winning Performance

Lightweight, one-piece, fiber-reinforced nylon composite grip assembly provides a drop-in fit on all STI 2011 modular frames. Keeps overall pistol weight to an absolute minimum. Checkering on the side panels, front strap, and trigger-guard ensures a positive gripping surface when hands get sweaty. Includes a factory-installed, checkered composite mainspring housing. Accepts add-on magazine wells designed to fit STI/Infinity. Grip screw kit not included, sold below. 

SPECS: Fiber-filled nylon polymer, black. 2.8 oz. (79.4g) wt.

#791-000-004DJ 2011 Modular Grips 1G95Y96 . . . \$ 119.95

2011 GRIP SCREW KIT - Factory hardware fits STI 2011 composite grip assemblies. For use when building a custom 2011 pistol or to replace lost or damaged screws.

SPECS: Stainless steel, natural finish. Kit includes: (2) grip screw bushings, (1) triggerguard sleeve, (2) long grip screws, (2) short grip screws, (2) trigger-guard screws, (1) 1/8" Allen wrench, and (2) 1/16" Allen wrenches.

#791-117-000DJ 2011 Grip Screw Kit 1G16A63 . . . \$ 20.80

STI 2011 SHORT BLOCK KIT



Pre-Fitted Slide, Frame & Barrel For Zero-Tolerance Fit

STI does the major component fitting, you add the fire control parts, sights and final finish. CNC machined slide has full contact,

parallel rails that are carefully matched to the grip frame for superior fit and reliability. Air gauged, stainless steel, button-ripped bull barrel, with link, pin and slide stop is carefully fitted to ensure consistent lockup. Short chambered for .38 Super. Full-length recoil spring guide improves reliability. Double-stack frames feature Wilson/Nowlin ramp cut, checkered front strap, triggerguard and mainspring housing. Includes composite/titanium match trigger and complete magazine catch. Slides feature EDM-cut breech face, lowered, scalloped ejection port, front and rear cocking serrations. Includes 10-round magazine. Supplied with installed, 5-port compensator blended to slide. Standard length dust cover on frame; classic slide with no sight cuts.


SPECS: Frame & Rails - 4130 steel, in-the-white, matte finish. **Grip** - Fiber-filled nylon polymer, black. **Slide** - 4140 steel, in-the-white, matte finish. 7.5" (19cm) long. **Barrel** - 416 Stainless Steel, .38 Super. **Compensator** - 3 top ports, 2 side ports. 2 3/8" (6cm) long. **FFL required for purchase.**

#791-000-001DJ .38S Short Block Kit, 1F1314Y96 . . . \$ 1,573.99

STI 1911 AUTO 2011 BAR STOCK SLIDE



CNC Machined From Bar Stock With Most Wanted Custom Features

Ready-to-fit, premium-grade slides improve function, reliability and accuracy on any 1911 Auto. Precision CNC machined from solid 4140 steel bar stock, featuring an ultra-smooth wire EDM cut breech face for improved feeding, a lowered and flared ejection port, full-contact rails, and a pre-smoothed barrel bore. These slides are machined for collar reverse plugs and all edges are radiused. All models must be used with a .38 Super/9mm firing pin and require gunsmith fitting. **Classic Slides** feature relief cuts above the recoil spring plug housing and either rear (R) or front and rear (F/R) serrations. Also available in Commander (.45 ACP only) and extended 6" (.38 Super/9mm only) lengths, both with smooth sides (NS) ready for milling custom cocking serrations. **Unique** slides are straight cut with 1/2 oz. more weight forward for better recoil control, and have rear cocking serrations only. Also available in extended 6" length, no serrations, .38 Super/9mm only. 

SPECS: 4140 steel, in the white. Semi-polished sides, matte finish top. 7 1/2" (19cm) long, accepts 5" barrels, unless otherwise indicated. and collar reverse plugs. All models must be used with .38 Super/9mm firing pin. Available with no sight cuts (NC) or with a 60° x .300" x .060" front dovetail and Bo-Mar BMCS (BMC) rear cut. **Classic Commander** - 6 1/16" (17cm) long. Accepts 4.25" barrel. .45 ACP only. **Classic 6"** and **Unique 6"** - 8 1/16" (24cm) long. Accepts 6" barrel. .38 Super/9mm only.

CLASSIC SLIDES

STOCK #	CAL.	SIGHT	SERR.	PRICE
#791-201-038DJ	.38S/9mm	NC	R	1G182V18 \$ 224.99
#791-000-077DJ	.38S/9mm-6"	NC	NS	1G223P75 \$ 279.68
#791-201-040DJ	.40 S&W	NC	R	1G179V85 \$ 220.95
#791-000-076DJ	.45 ACP-Comm.	NC	NS	1G205P00 \$ 256.25
#791-201-045DJ	.45 ACP	NC	R	1G176V25 \$ 211.50
#791-202-038DJ	.38S/9mm	BMC	R	1G226V24 \$ 271.49
#791-202-040DJ	.40 S&W	BMC	R	1G226V24 \$ 271.49
#791-202-045DJ	.45 ACP	BMC	R	1G226V25 \$ 271.50
#791-202-138DJ	.38S/9mm	BMC	F/R	1G238V87 \$ 274.99
#791-202-140DJ	.40 S&W	BMC	F/R	1G205V18 \$ 239.99
#791-202-145DJ	.45 ACP	BMC	F/R	1G232V50 \$ 290.62

UNIQUE SLIDES

STOCK #	CAL.	SIGHT	SERR.	PRICE
#791-204-038DJ	.38S/9mm	NC	R	1G178V78 \$ 214.95
#791-000-078DJ	.38S/9mm-6"	NC	NS	1G205P00 \$ 256.25
#791-204-040DJ	.40 S&W	NC	R	1G176V76 \$ 220.95
#791-204-045DJ	.45 ACP	NC	R	1G176V24 \$ 211.47
#791-205-038DJ	.38S/9mm	BMC	R	1G236V25 \$ 283.47
#791-205-040DJ	.40 S&W	BMC	R	1G236B25 \$ 283.47
#791-205-045DJ	.45 ACP	BMC	R	1G226B25 \$ 271.47

WILSON COMBAT 1911 AUTO CHECKERED RECEIVER

Precision-Machined From Forgings With Popular Custom-Pistol Performance Features



The same receiver that Wilson's legendary full-size custom 1911s are built on, with popular performance features that combat and competition shooters want. Precision machined from hardened steel forgings to ensure maximum strength and precise dimensions, including slide rails that allow a slide-to-frame fit as tight as .004" or less. Custom features include deep-cut, 30 lpi checkering on the frontstrap for a superb, non-slip grip and outstanding recoil control; deeply undercut triggerguard for a hand position high up on the receiver that also promotes fast recovery between shots; integral feed ramp; and a beveled mag well for fast magazine changes under stress. Pre-cut to accept a Wilson extended beavertail grip safety, available separately. Requires Wilson Heavy Duty Extended Ejector, also available separately. Available in high-grade carbon steel, ready for the tactical finish of your choice, or naturally corrosion-resistant stainless steel.

SPECS: 4140 carbon steel, in-the-white, or stainless steel, natural finish. **FFL required for purchase.**

#965-000-080DJ Checkered Receiver, Carbon, 2G328V28 . . . \$ 349.99

#965-000-081DJ Checkered Receiver, Stainless, 2G00VBX . . . 400.00

WILSON COMBAT 1911 AUTO PRE-FIT SLIDE/FRAME/BARREL KIT



For A Head Start In Building A High-Grade Pistol

Hand-selected 1911 slide and frame with a match grade, .45 ACP match stainless steel barrel are a great start in building a premium custom pistol. Components are precision CNC machined from high-quality carbon steel, stainless steel, or aluminum, then hand fitted by Wilson's professional gunsmiths. Exterior surfaces are prepped to receive any kind of finish from traditional bluing to the latest, high-tech finish. Features on the frame include crisp 30 lpi checkering on the frontstrap, a rounded, deeply undercut triggerguard, integral feed ramp, and beveled magazine well. Comes with a Wilson 298 grip safety, and the slide is machined to accept a Wilson 463 Combat Pyramid Sight set (available separately). **Full-Size** sets feature a Government model frame and slide with front and rear cocking serrations, plus a 5" barrel. The **Compact** model features a shortened slide with 4" barrel. Officer-size grip, and rear cocking serrations only. All kits are .45 ACP and require a .38 Super/9mm firing pin.

SPECS: Carbon steel (CS), stainless steel (SS), or aluminum (Alum) frame/slide. Stainless steel barrel, barrel bushing, barrel link, link pin. Caliber: .45 ACP only. Slides have a Novak .500 x 65° rear sight dovetail and a .300" x 60° front dovetail. Each kit includes a checkered frame, slide, match grade barrel, barrel bushing, barrel link, link pin, grip safety, and Wilson Bullet Proof® slide stop. **FFL required for purchase.**

#965-000-091DJ Full-Size CS Slide & Frame, 2G00YTP . . . \$ 859.99

#965-000-092DJ Full-Size CS Slide/SS Frame, 2G00AVB . . . 879.99

#965-000-093DJ Full-Size SS Slide & Frame, 2G00CHD . . . 899.99

#965-000-094DJ Full-Size CS Slide & AL Frame, 2G00AYT . . . 889.99


#965-000-095DJ Compact CS Slide & Frame, 2G00UAV . . . 849.99

#965-000-096DJ Compact CS Slide/AL Frame, 2G00XCH . . . 879.99

WILSON COMBAT 1911 AUTO SLIDE



Comes With Popular Custom Features To Save Time & Money; Available In Carbon Or Stainless Steel

The same premium-quality slide used in Wilson's legendary custom 1911s now available separately to form the top end of your own custom tactical, self-defense, or competition pistol. Precision machined using the latest CNC equipment from hardened steel forgings for superb strength and precise dimensions that allow a slide-to-frame fit of as little as .004". Available in unfinished carbon steel or stainless steel, these unmarked, round-top slides come with deep-cut, diagonal front and rear cocking serrations, plus a lowered, flared ejection port to minimize risk of stovepiping or other jams and help ensure spent cases are completely ejected. Also includes .300" x 60° dovetail cut for front sight; rear of slide is plain, without dovetail, so you can install the rear sight that best suits your requirements. Requires use with .38 Super/9mm firing pin, not included. 

SPECS: Carbon steel (CS), in the white, or stainless steel (SS), natural finish. Fits full-size, .45 ACP Government model frame and 5" barrel. Accepts .38 Super/9mm firing pin only. **#965-000-079DJ CS Govt Model Slide 5F00TPU . . \$ 300.00**
#965-000-078DJ SS Govt Model Slide 5F300T14 . . . 319.99

WILSON COMBAT 1911 AUTO GUNSMITH FRAME & SLIDE KIT




Custom-Matched Set With Popular Performance Features Saves Time & Money

Matched, full-size, .45 ACP set comes with much of the labor-intensive, slide-to-frame fitting already done, so you get down to final fitting and adding the custom parts right away. Both components are machined on the latest CNC equipment from high-quality carbon steel forgings before the preliminary pre-fitting fitting is done by Wilson's gunsmiths. Popular custom features on the frame include a rounded, deeply undercut triggerguard, integral feed ramp, and beveled magazine well. It's pre-cut to accept a Wilson extended beavertail grip safety and the new Heavy Duty Extended Ejector (both available separately). Unmarked, round-top slide has wide, deep-cut front and rear cocking serrations, a lowered and flared ejection port, and a .300" x 60° front sight dovetail cut. The top rear of slide is smooth, so you can mill the correct dovetail for any rear sight you choose. Exterior surfaces are bead-blast prepped to receive any kind of finish from traditional bluing to the latest, high-tech tactical treatment.

SPECS: 4140 carbon steel, in-the-white. Accepts standard 5" .45 ACP barrel. Requires .38 Super/9mm firing pin and Wilson Heavy Duty Extended Ejector, available separately. Some final fitting required. **FFL required for purchase.**

#100-004-485DJ Slide & Frame Kit 2G00TPU . . . \$ 649.99

1911 AUTO SLIDE RACKERS

BRILEY - Retro-fits pistols equipped with Bo-Mar® low-mount sights. Other slides can be machined to accept. Fits down, into the slide for a clean look. Clears popular scopes and mounts. 

SPECS: Aluminum, black anodized.

#129-400-001DJ Cocking Sight 9B30X00 . . . \$ 375.00

G & B CUSTOM SLIDE RACKER - For right- or left-handed shooters; locks into dovetail with Allen head set screw.

SPECS: Stainless steel or aluminum, matte, silver finish. Fits 60° x .359" dovetails. 1 1/2" (3.8cm) long, .318" (9.6mm) diameter.

#375-101-100DJ SS Slide Racker 5G30D80 . . . \$ 38.99

#375-101-110DJ Aluminum Slide Racker, 5G29D33 . . . 36.99



Friend us on FACEBOOK and get in on exclusive contests, promotions and giveaways!

COMMENTS FRESH FROM FACEBOOK

Pete Rock

Recently had contacted another company (not even firearms related) for some customer service. After two weeks I have still not yet resolved my issue, and the reps make you feel like they don't care.

I have contacted Brownells once and not only do the reps speak English, they are very friendly and go out of their way to resolve any issue.

I just want to say Thank You for the great customer service, and every other company should take lessons from you guys in customer service.

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 3




Ed Brown Classic Custom .45 ACP
Courtesy of Ed Brown Products, Inc.®

- A** #087-000-009DJ ED BROWN BARSTOCK HARDCORE® HAMMER See Page 17.
- B** #087-808-001DJ ED BROWN BARSTOCK HARDCORE® FIRING PIN See Page 19.
- C** #087-867-000DJ ED BROWN MEMORY GROOVE GRIP SAFETY See Page 13.
- D** #087-000-055DJ ED BROWN DOUBLE DIAMOND CHECKERED GRIPS See Page 35.
- E** #087-000-027DJ ED BROWN CHECKERED MAINSPRING HOUSING See Page 20.
- F** #087-011-004DJ ED BROWN ALLEN HEAD GRIP SCREWS See Page 38.
- G** #087-847-450DJ ED BROWN 7-ROUND MAGAZINE See Page 24.
- H** #087-000-012DJ ED BROWN NATIONAL MATCH TRIGGER See Page 28, 32.
- I** #087-045-889DJ ED BROWN TWO-PIECE GUIDE ROD See Page 14.
- J** #087-925-450DJ ED BROWN MATCH-GRADE BARREL & BUSHING See Page 5.
- K** #087-813-070DJ ED BROWN HARDCORE® EXTRACTOR See Page 11.
- L** #087-000-050DJ ED BROWN ADJUSTABLE REAR SIGHT See Page 39.
- M** #087-815-001DJ ED BROWN HARDCORE® SLIDE STOP See Page 9.
- N** #087-011-150DJ ED BROWN MAGAZINE CATCH w/OVERSIZED BUTTON See Page 23.
- O** #087-245-890DJ ED BROWN TACTICAL SAFETY See Page 12.
- P** #087-000-040DJ ED BROWN PERFECTION DISCONNECTOR See Page 19.

TJ'S CUSTOM FRAME SLOT BLANK


Fills Series 80 Frame Cutout

Fits in the firing pin block frame cuts, permitting Series 70 slides and components to be fitted to Series 80 frames. No alteration, drop-in fit.  **SPECS:** Precision ground steel, in-the-white.

#876-011-780DJ Frame Slot Filler, each 6G04U95 . . . \$ 4.99

WILSON COMBAT CHECKERED FRONT STRAP

Fast, Easy, Grip Improver

Add the secure feel of a checkered front strap to any 1911 Auto in minutes. No filing, no alterations. Remove the grips, slip the Wilson Checkered Front Strap over the frame; replace grips. 



SPECS: 2" (5.1cm) long, .006" (.1524mm) thick steel.

#965-100-001DJ Blued Front Strap 5F08A47 . . . \$ 9.99

#965-100-002DJ SS Front Strap 5F08A47 . . . 9.99

TACTICAL SOLUTIONS 1911 AUTO 2211 CONVERSION KIT

Hone Critical
Shooting Skills
Using Economical
.22 LR Ammo

 Complete .22 LR conversion system comes fully assembled and ready to install on your 1911 Government model or Commander to help you practice critical shooting skills with economical rimfire ammo. Concentrate on improving grip, sight alignment, trigger pull, breath control, and other skills without burning up expensive, full-power ammo. Simply remove the slide as if you're field stripping, and replace with the 2211 slide/barrel assembly and 10-round rimfire magazine. With the 2211 installed, the gun functions normally—the slide even locks open after the last round is fired. Precision machined entirely from high-grade steel to the same high standards of workmanship as a custom-quality competition pistol, with a lustrous, matte blued finish. Custom features include wide, crisply milled front and rear cocking serrations, 4½" bull barrel with integral feed ramp, full-length steel guide rod, and a "flattop" sight rail with front and rear competition sights already installed. Champion rear target sight is fully click adjustable for windage and elevation, with an easy-to-acquire .110" wide square notch and flat, serrated rear face. Plain black front sight has glare-inhibiting serrations on front and rear faces. Lightweight milled aluminum 10-round magazine has flared baseplate to aid positive seating in oversized magwells; base removes easily for cleaning. 

SPECS: Slide/Barrel – Steel, blued, matte finish. Magazine – Aluminum, black. 7¼" (18.4cm) overall length. 23.1 oz. (655g) total weight. Fits 1911 Govt/Commander and clones chambered in .45 ACP, .40 S&W, .38 Super, and 9mm. Also fits STI 2011 with standard-width slide and 4½" or 5" barrel; double stack magazine required, available below. Conversion kit's ejector may require fitting to ensure proper clearance of frame-mounted ejector on some pistols.

#100-003-848DJ 2211 Conversion Kit 8K00PUA . . . \$ 429.99

10-ROUND MAGAZINES – Replacement .22 LR magazines for use with your Tac Sol 2211 Conversion Kit. **Single Stack** fits 1911 Government Model/Commander and clones. **Double Stack** fits STI pistols with the 2011 high-capacity grip frame.

SPECS: Milled aluminum, hardcoat anodized, matte black. 5½" (13.6cm) long. **Single Stack** - 3.5 oz. (99g) wt. **Double Stack** - 6.9 oz. (195g) wt.

#100-006-352DJ 2211 Magazine, Single Stack, 8K58H86 . . . \$ 69.99

#100-006-353DJ 2211 Mag, Double Stack 8K76H78 . . . 89.99

KIMBER 1911 AUTO RIMFIRE TARGET CONVERSION KIT

Train With
Economical .22 LR
Ammo In Your
Full-Size Pistol

Blowback-operated sub-caliber conversion unit lets you shoot less expensive .22 LR

ammunition in any mil-spec 1911 Government model, so you can afford to practice more. Preserves pistol's weight, balance, and overall feel to help you develop specific skills and "muscle memory" to shoot better with full-power ammo. Simply remove the factory slide and barrel, replace them with the conversion unit, and load up the included .22 magazine with premium-grade high-velocity ammunition. Manufactured to the same rigorous quality standards as Kimber's full-power 1911 pistols; slide is precision machined from aluminum billet, with wide front and rear cocking serrations and Kimber's tough, scratch-resistant, KimPro II™ finish. Comes with plain black target sights installed; rear sight is click adjustable for windage and elevation, with flat, finely serrated rear face and a square notch. Includes ramped, match-grade 5" barrel with a 1:16" left-hand twist and stainless steel match-grade bushing. Reinforced polymer 10-round magazine is designed for a secure fit in a standard .45 ACP mag well, and has an anti-tilt polymer follower to ensure smooth feeding of rounds. Slide does not lock open after last shot; pistol may be dry fired with kit installed.

SPECS: Aluminum slide, steel barrel, polymer magazine. Available with matte black or silver slide. Fits 1911 Govt model pistols chambered in .45 ACP with 4" or 5" non-ramped barrels and dimensional tolerances that meet U.S. Government specs, including Series 70 and 80 Colt pistols and clones. Requires high-velocity ammunition for proper operation.



#387-000-045DJ Rimfire Target Conversion Kit, Black, 5B00ZAY . . . \$ 319.99

#387-000-046DJ Rimfire Target Conversion Kit, Silver, 5B00PUA . . . 349.99

#387-000-047DJ Spare 10-Rd Rimfire Mag 5B20X29 . 25.99

BROWNELLS 1911 AUTO RIMFIRE CONVERSION CASE

Protects Pistol & Conversion
Unit From Nicks, Dings &
Shock During Transport

 Good-looking, premium-quality pistol case protects your favorite 1911 pistol and its .22LR conversion kit from bumps, nicks, and scratches during the trip to and from the range. The generously-proportioned, fully padded rear compartment has plenty of room for the pistol, while the separate front compartment features a padded internal sleeve with a hook-and-loop closure to secure the conversion slide/barrel unit. Four separate sleeves each hold a single-stack .22 or .45 ACP magazine, and there's even room for a few boxes of .22 ammo. This case is built like our Signature Series gun cases with a tough outer shell of water-repelling 1000 denier nylon, heavy-duty YKK nylon zippers with easy-to-grasp metal pulls, a brass D-ring that lets you lock the rear compartment (padlock not included), and a double-stitched ballistic nylon carry strap that fully supports the case by looping all the way around the main compartment. A soft, nylon tricot lining in the rear compartment ensures your pistol comes out looking just like it did when it went in. Leather pocket stitched on the front holds a business card or luggage ID tag. 

SPECS: 1000 denier nylon shell, black or Coyote. 13½" (34.3cm) long, 10" (25.4cm) high, 3" (7.6cm) thick when zipped.

#084-000-337DJ Rimfire Conversion Case, Black, 4H29Y60 . . . \$ 39.99

#084-000-338DJ Rimfire Conversion Case, Coyote, 4H30Y91 . . . 40.99

BRILEY 1911 AUTO PRE-FIT BARREL & SPHERICAL BUSHING



Minimum Fitting Required For Match Accuracy

Matched components, with hood and lugs pre-cut, only minor fitting required for a true custom fit. Bottom feet are cut to lock up with a Wilson #3 link and pin. Includes Briley's Spherical Bushing with titanium-nitrided insert for better functioning. **US**
SPECS: Barrel - Stainless steel, 5" (12.7cm) long, .45 ACP **Bushing** - Stainless steel, gold, titanium nitride steel insert. Bushing O.D. : .698" (drop-in) or .703" (minor turning required).
#129-115-698DJ Bbl with .698" Bushing 9B180H00 \$ 224.99
#129-115-703DJ Bbl with .703" Bushing 9B180H00 . 224.99

BRILEY .45 BARREL & SPHERICAL BUSHING



Superb, Match-Grade Quality Stainless Steel; With Or Without A Pre-Fit Bushing

Chamber, lands and grooves are Electro-Cathode machined for closest tolerances and maximum accuracy. Precision bore is concentric with chamber and completely seals expanding gases behind the bullet for higher velocities with lower pressures. Exclusive **Spherical Bushing** with titanium nitrided insert fits perfectly to the barrel for less friction and increased accuracy. **US**

SPECS: Barrel - Stainless steel, 5" (12.7cm) or 6" (15.2cm) long, .583" ± .001" O.D. ramped (R) or non-ramped (N/R). All are .45 ACP caliber. **Bushing** - Stainless steel, gold, titanium-nitrided steel insert, O.D. must be turned to fit slide. Barrels require gunsmith fitting. Ramped barrels require machining of frame.

#129-110-245DJ 245 5" NR Bbl & Bushing, 9B180Y00 \$ 224.99
#129-110-145DJ 145 5" R Bbl & Bushing 9B201Y42 . 249.99
#129-106-235DJ 235 6" NR Bbl & Bushing, 9B180Y00 224.99

CLARK CUSTOM 1911 AUTO .460 ROWLAND CONVERSION KIT

Gives .44 Mag Power To Your 1911 Auto

Drop-in kit contains everything you need to convert a standard 1911 into a high-performance hunting pistol chambered for the hard-hitting .460 Rowland cartridge. Requires no permanent alterations to the gun, and you retain its existing trigger, hammer, firing pin, extractor, and other parts—even your standard .45 ACP magazines. Comes with a stainless steel barrel with integral dual port compensator that helps control recoil and muzzle flip. Also includes a match grade bushing that fits most slides tightly for excellent accuracy, full-length guide rod, Wolff 20 lb. and 24 lb. recoil springs, extra-power firing pin spring, recoil plug, guide rod hex wrench, bushing wrench, and installation instructions. **US**

SPECS: Barrel - Stainless steel, natural finish, with matte black finish on compensator. 7" (17.8cm) OAL, including compensator. Comp adds 1 1/2" (3.8cm) to pistol length. May require minor fitting. Factory recommends installation on full-size Colt, Kimber, Springfield Armory, Smith & Wesson, Dan Wesson, Essex, and Caspian pistols. Should not be installed on AMT, Auto-Ordnance, Charles Daly, IAI, Llama, or original USGI pistols.

#181-100-460DJ Rowland Conversion Kit, 1H261D77 \$ 326.99



CLARK CUSTOM MATCH-GRADE BARREL



Superb Clark Accuracy In Both Ramped & Standard

Hardened, heat-treated and fully machined from long-wearing, solid billet, chrome-moly steel. (Jimmy's favorite for continuous, long-wearing accuracy from full power and mid-range ammo). These are the same barrels the Clarks use to build super accurate bullseye and full-house IPSC pistols for top shooters everywhere. **Ramped** models feature an extended, integral ramp that fully supports the case head to end head separations and bulged cases. Rounds feed directly onto the ramp, no frame-to-barrel gap for bullet noses to hang up on. **US**

SPECS: 4150 CM steel, blued, Rc 34-38. 6" (15.2cm) long can be cut to fit most slide lengths. Available **Threaded and Plain, Ramped (R) and Non-Ramped (NR). Threaded .575"-40 tpi to a length of 2 1/2" from tip of muzzle to fit most cone-style compensators and bushings. Oversized hood, top lugs and bottom feet require gunsmith fitting.**

STOCK # PLAIN	STOCK # THREADED	TYPE	CALIBER
#181-200-096DJ	#181-211-109DJ	R	9mm
#181-200-386DJ	#181-211-138DJ	R	.38 Super
#181-200-106DJ	NA	R	10mm
#181-200-456DJ	NA	R	.45 ACP
#181-111-106DJ	NA	N/R	.45 ACP

— Advise # — Clark 1911 Plain Barrel 1H136V55 . . . \$ 169.99
— Advise # — Clark 1911 Threaded Bbl 1H144D83 . . . 179.99

CLARK CUSTOM 1911 AUTO DROP-IN COMP KIT



Drop Right In & It's Ready To Work

No fitting or gunsmithing required to get the increased muzzle control and accuracy of Clark's dual-port compensators and match-grade barrel. Comp helps control recoil and muzzle flip for improved accuracy and a faster follow-up shot. Match-grade, button-rifled barrel and pre-fit bushing provide a close fit on most slides for increased accuracy, function and reliability. **US**

SPECS: Steel, blued. Kit includes: 5 1/2" (14cm) barrel, threaded .580"-40 tpi, .45 ACP; blued comp; barrel bushing: .278" c-to-c link and pin. Increases pistol length by 1 1/2" (3.8cm). Fully chambered.

#181-165-000DJ .45 Comp Kit 1H228V62 \$ 279.99

ED BROWN DROP-IN MATCH BARREL & BUSHING



Delivers Match-Grade Accuracy

CNC machined with slightly oversized dimensions for tighter barrel lockup and a "Match Quality" drop-in fit. Premium stainless steel bar stock is machined, heat treated and cryo stress relieved before final rifling to improve accuracy and barrel life. Precision, broach cut rifling gives outstanding accuracy with all bullet types, including lead. Complete kit includes pre-fit, match-grade barrel, bushing, link and pin for fast installation. May require minor fitting. **US**

SPECS: T-416 SS, Cut Rifled, Rc 38-42. 3.5" (8.89 cm), Commander (CO), 4.25" (10.8cm), Government Model (GM), 5" (12.7cm) long.

STOCK #	CALIBER	FITS	PRICE
#087-928-450DJ	.45 ACP	CO	7H158C31 \$ 196.99
#087-925-450DJ	.45 ACP	GM	7H157C25 \$ 195.99

EFK FIRE DRAGON 1911 AUTO PORTED PISTOL BARRELS



Integral Comp Cuts Muzzle Flip

Stainless steel barrels offer drop-in fit and improved accuracy. Forward-angled comp ports direct muzzle blast away from shooter and reduce muzzle rise. Broached rifling and polished feed ramp handle both lead and jacketed bullets. Extends approximately one inch past front of slide. Includes bushing, link and pin, pre-fitted bushing. **US**

SPECS: 416 stainless steel. 6" (15.2cm) long.
#503-101-911DJ 1911 Govt Bbl, .45 ACP 3K166U67. \$ 204.99

KART 1911 AUTO PRECISION QUALITY BARREL



Uncompromising Quality For Added Performance & Better Accuracy

Forged from ordnance steel to strict, national match specs; rifled by a proprietary technique that holds lands and grooves to exceptionally close tolerances and leaves the surface finish mirror smooth. Air gauged to maintain .0002" tolerance through the bore. Feed ramps are throated for wadcutter ammo. **Standard Barrel** - Non-ramped, oversized hood, top and bottom lugs to achieve an exact fit for optimum match accuracy. **Ramped Barrel** - Fully supports the case head; gives direct feeding from magazine to chamber. **US**

SPECS: 4150 ordnance steel, in-the-white. Available in 5" (12.7cm) or Commander 4.25" (10.8cm) lengths. Std - Standard barrel, non-ramped. W/N - Wilson/Nowlin ramp. C/P - Clark/Para Ordnance ramp. Ramped barrels require machining of frame. Gunsmith fitting required.

5" 1911 AUTO BARREL

STOCK #	CALIBER	TYPE	PRICE
#472-020-045DJ	.45 ACP	Std	2G133Y73 \$ 149.99
#472-000-002DJ	.45 ACP	W/N	2G154A00 \$ 169.99
#472-000-004DJ	.45 ACP	C/P	2G144A00 \$ 179.99
#472-000-006DJ	.40 S&W	Std	2G154A00 \$ 169.99
#472-000-007DJ	.40 S&W	W/N	2G152A00 \$ 189.99
#472-000-008DJ	.40 S&W	C/P	2G160A00 \$ 199.99
#472-020-038DJ	.38 Super	W/N	2G152Y00 \$ 189.99
#472-020-138DJ	.38 Super	C/P	2G160Y00 \$ 199.99
#472-000-009DJ	9mm	Std	2G154A00 \$ 169.99
#472-000-010DJ	9mm	W/N	2G152A00 \$ 189.99
#472-000-011DJ	9mm	C/P	2G160A00 \$ 199.99

4.25" COMMANDER BARREL

STOCK #	CALIBER	TYPE	PRICE
#472-000-013DJ	.45 ACP	Std	2G154A00 \$ 169.99



**1911 AUTO
CUSTOMIZABLE
ACCURATE
RELIABLE
TRY ONE
FOR YOURSELF**

KART 1911 AUTO EASY FIT BARREL KIT



Achieve A Match Quality Barrel Installation Using Only Hand Tools

Install a precision quality, 5" barrel using just four small hand tools. The only fitting required is to adjust lockup with the two raised pads located on either side of the rear locking groove, cut the barrel hood to correct length and fit the bushing to the slide. A national match bushing is pre-fit to the barrel; has oversize O.D. for precise fitting to slide. Bottom lugs are fully finished and the correct length link installed to save hours of work. **US**

SPECS: 4150 ordnance steel, in-the-white. Available in 5" (12.7cm) length. (N/R) Non-ramped. (W/N) Wilson/Nowlin ramp. (C/P) Clark/Para ramp. Ramped barrels require machining of frame. Requires gunsmith fitting. Includes instructions.

5" 1911 EASY FIT BARRELS

STOCK #	CALIBER	TYPE	PRICE
#472-001-045DJ	.45 ACP	EZ fit N/R	2G157A00 \$ 194.99
#472-002-045DJ	.45 ACP	EZ fit W/N	2G173A00 \$ 214.99
#472-003-045DJ	.45 ACP	EZ fit C/P	2G180Y00 \$ 224.99
#472-001-009DJ	9mm	EZ fit N/R	2G173A00 \$ 214.99
#472-000-001DJ	.38 Super	EZ fit N/R	2G173A00 \$ 214.99
#472-002-040DJ	.40 S&W	EZ fit W/N	2G189A00 \$ 234.99
#472-003-040DJ	.40 S&W	EZ fit C/P	2G197A00 \$ 244.99

EASY FIT TOOL KIT - Includes barrel locating block, bench bushing, Swiss file and feeler gauge to help you do a precision job with Easy Fit barrels. Can be used to fit several barrels.

SPECS: Steel bench bushing. Aluminum barrel fitting block. File - 6" (15.2cm) long, .172" (4.38mm) wide. File handle included.

#472-015-000DJ Easy Fit Tool Kit, 2G35Y20 \$ 44.00



NIGHTHAWK CUSTOM 1911 AUTO MATCH GRADE BARREL & BUSHING



Custom-Quality Set Ready For Fitting To Deliver Outstanding Accuracy

Premium-quality, .45 ACP barrel is precision machined from solid 416 stainless steel barstock to tolerances +/- .001" or less in critical areas. Heat treated to Rc 40-42 to maintain those dimensions, even under the battering of hard competition. These unramped barrels are broach rifled with a left-hand 1-16" twist. Some fitting required, so you can produce a tight, no-play fit for maximum accuracy from your gun. The match grade bushing is machined from the same premium-grade stainless steel, with I.D. and O.D. left slightly oversized to allow custom fitting to your barrel, further ensuring precise lockup and excellent accuracy. **US**

SPECS: 416 stainless steel. Rc 40-42. .45 ACP, 1-16" twist, left hand. Govt - Barrel: 5" (12.7cm) long. Bushing: .829" long (21.1mm) long, .573" (14.6mm) I.D., .698" (17.7mm) O.D. Commander - 4 1/2" (10.8cm). Bushing: .515" (13.1mm) long, .573" I.D., .698" O.D. Gunsmith fitting required.

#100-003-275DJ Govt Match Grade Barrel/Bushing, 2B151P96 \$ 189.99
#100-003-274DJ Comm Match Grade Barrel/Bushing, 2B151P96 189.99



Tactical Pistol in 9mm* built by Brownells Gun Tech Tony Barnes
Courtesy of Brownells Product Marketing Manager Jeff Molaschi



- A** #206-104-000DJ CYLINDER & SLIDE HAMMER/SEAR/DISCONNECTOR See Page 17.
- B** #791-107-100DJ STI COMPETITION GRIP SAFETY See Page 13.
- C** #791-000-099DJ STI HIGH-CAPACITY 9mm MAGAZINE See Page 26.
- D** #791-252-001DJ STI MAG WELL See Page 21.
- E** #791-000-075DJ STI TACTICAL 2011 MODULAR FRAME See Page 2.
(includes Grip Frame, Trigger, Mag Catch)
- F** #152-000-041DJ SUREFIRE X300 HANDGUN LIGHT See Catalog #64, Page 362.
- G** #100-000-886DJ BROWNELLS RECOIL SPRING PLUG See Page 31.
- H** #296-410-111DJ EGW ANGLE BORED BUSHING See Page 7.
- I** #662-645-075DJ NOVAK DOVETAIL MOUNT FRONT SIGHT See Page 41.
- J** #791-204-038DJ STI 2011 "UNIQUE" SLIDE See Page 3.
- K** #466-001-009DJ MILLENNIUM CUSTOM COMPETITION EXTRACTOR See Page 11.
- L** #100-003-766DJ 10-8 PERFORMANCE U-NOTCH REAR SIGHT See Page 39.
- M** #296-000-119DJ EGW HEAVY DUTY SLIDE STOP See Page 9.
- N** #087-145-891DJ ED BROWN WIDE EXTENDED SAFETY See Page 12.
- O** #296-100-038DJ EGW EXTENDED EJECTOR See Page 12.

* With Nowlin barrel threaded for compensator, available by special order through Brownells.

LES BAER CUSTOM 1911 AUTO MATCH GRADE BARREL



Cathode Discharge Machining Increases Accuracy

Mirror-like bore increases accuracy and boosts velocity with all bullet types, plus decreases fouling with lead bullets. **SPECS:** 4350 CM steel, in-the-white. Heat treated. .578" (14.1mm) O.D. Non-ramped. .45 ACP Caliber. 5" (12.7cm) or 6" (15.2cm) lengths. Oversized for gunsmith fitting, installation requires alterations to frame and slide.

#124-011-045DJ 5", .45 ACP Plain Bbl 4B129Y75... \$ 164.99

#124-011-046DJ 6", .45 ACP Plain Bbl 4B157Y35... 199.99

NOWLIN MFG. 1911 AUTO MATCH-GRADE ECM BARREL



Ultra-Smooth Rifling Gives Superb Accuracy

Triple heat-treated, non-ramped, match-grade barrel delivers maximum accuracy. ECM machining holds groove and bore tolerances held to an amazing .0002". Unique, pre-cut design of the top lugs requires only minor fitting to achieve maximum lug engagement. Rifling is ultra-smooth, uniform, and precise. Angled edge on the driving band increases gas seal for reduced fouling with all bullet types and promotes long barrel life. Short chamber requires reaming (.4405" pilot diameter) to achieve correct headspace. **SPECS:** 416 stainless steel, hardened to Rc 40. 5" (12.7cm) long, .581" (14.7mm) O.D. .45 ACP Non-ramped. Oversize hood and feet require gunsmith fitting.

#654-000-049DJ 5" Barrel, .45 ACP 4E215U58... \$ 259.99

NOWLIN MFG. PRE-FIT MATCH-GRADE ECM BARREL KIT



Pre-Fit Complete With Bushing, Link & Pin

The easiest way to install the superb performance of Nowlin's ECM Match-Grade Barrels in your 1911 Auto. Barrel Kit comes complete with a pre-fitted, stainless steel bushing, barrel link and pin with little-to-no fitting required for installation. Barrels feature pre-fitted hood, top lugs and bottom feet that give a very close fit for increased accuracy in most 1911 Autos. Includes factory-standard link and hardened, oversize pin. **Gold Cup** has narrow, .385" width hood to fit Colt-style, Gold Cup, Enhanced and Flat Tops with narrow hood. Non-ramped, 5" long, .45 ACP only. **SPECS:** 416 stainless steel, heat treated to Rc 40. **Barrel** - 6" (15.2cm), 5" (12.7cm) or 4 1/4" (10.8cm) long, .581" (14.7mm) O.D. Available ramped or non-ramped in calibers listed. **Bushing** - .582" (14.8mm) I.D., .701" (17.8mm) O.D. **Link** - .278" c-to-c.

STK # RAMPED	STK # N-RAMPED	LENGTH	CALIBER
#654-358-109DJ	#654-605-109DJ	4 1/4"	9mm
#654-358-209DJ	#654-606-109DJ	5"	9mm
#654-358-009DJ	NA	6"	9mm
#654-358-040DJ	NA	6"	.40 S&W
#654-358-010DJ	NA	6"	10 mm
#654-358-545DJ	#654-359-545DJ	5"	.45 ACP
NA	#654-359-645DJ	6"	.45 ACP

— Advise # — Pre-Fit M/G Barrel Kit 4E205A29 \$ 259.99
#654-000-037DJ Gold Cup Barrel Kit 4E218U63... 269.99

NOWLIN MFG. 1911 AUTO ULTRA COMPACT E.C.M. BARREL



Improved Accuracy & Function For Sub-Compacts; Drop-In Fit

Improve the accuracy and the functioning capabilities of any Kimber Ultra Compact or Springfield Armory Micro semi-auto pistol by installing this match-grade barrel. Long-wearing and dependable because it's CNC-finished from a solid forging, then heat-treated. Barrel features the exclusive Nowlin ECM rifling that produces outstanding accuracy. Bull-style barrel uses the factory oversize bushing, includes pre-fit link and pin. Pre-fit external barrel dimensions at hood and feet require little to no additional gunsmithing; integral ramp will require machining of frame. **SPECS:** 416 stainless steel, heat-treated to Rc 40. 3.2" (8.1cm) long, .695" (17.65mm) O.D. at muzzle, chambered .45 ACP Chamber may require finish reaming, check with headspace gauge before firing.

#654-000-047DJ Nowlin Ultra Compact Barrel, 4E222U63... \$ 279.99

STI 1911 AUTO BULL BARREL



Match Quality Heavy Barrels

Eliminates the barrel bushing for increased lockup area and improved accuracy. Machined from billet forging, button rifled and air gaged to ensure exact bore size and finish. Fully ramped with Wilson/Nowlin-style ramp for reliable feeding. Extra material at feed ramp, hood, locking lugs and muzzle allow precise fitting. Barrels are supplied with a generic short chamber which can be opened up to accept any of the popular pistol cartridges. **SPECS:** 416 stainless steel. Installation requires machining of frame. All have .697" (17.7mm) muzzle diameter. Available in 5" (12.7cm) and 6" (15.2cm) lengths.

#791-106-400DJ 5", .400 Bull Barrel 1G160A77... \$ 199.99
#791-106-450DJ 5", .450 Bull Barrel 1G161A31... 199.99
#791-106-135DJ 6", .355 Bull Barrel 1G169U10... 209.99
#791-106-140DJ 6", .400 Bull Barrel 1G169U10... 209.99
#791-106-145DJ 6", .450 Bull Barrel 1G169U10... 209.99

STI 1911 AUTO ONE-PIECE S-2 COMP & BARREL



Minimum Recoil & Muzzle Flip; Suberb Accuracy


Non-threaded, matched combo effectively controls muzzle flip from high pressure 9mm ammunition while adding match-grade accuracy. First chamber has a 15° forward wall to increase lockup time. .932" wide cup provides clean, precise fitting to slide. Stainless steel, button rifled, bull barrel machined from a billet forging, then air gaged to ensure exact bore size and finish. Eliminates the barrel bushing for increased lockup area and improved accuracy. Fully ramped with Wilson/Nowlin-style ramp for reliable feeding. Extra material at feed ramp, hood, locking lugs and muzzle allow precise fitting. Supplied with a generic, short chamber which can be opened up to accept any of the popular, pistol cartridges. **SPECS:** 416 stainless steel. Barrel - 5.4" (13.7cm) long, .697" (17.7mm) muzzle diameter. Installation requires machining of frame. Available in 9mm only.

#791-000-052DJ .355" One-Piece Comp Barrel, 1G263T38... \$ 314.99

SCHUEMANN 1911 AUTO ULTIMATCH BULL BARREL



Integral Cone
Increases Lockup
& Accuracy

Heavy, bull-style barrel puts extra weight at the muzzle plus increases lockup area for improved accuracy and control. Precision machined on an eleven axis, CNC machining center for outstanding adherence to specification and tolerances - each and every barrel is accurate and uniform. Integral ramp helps support the round and improves reliable chambering. Available pre-threaded and short-chambered to save the pistolsmith time and inventory dollars; chamber can be finish-reamed to any appropriate semi-auto cartridge. 

SPECS: Stainless steel, .693" (176mm) diameter. **Bore dia.:** 9mm/.38-.3550", .40-.400". Available **Plain** - 5" (12.8cm) long or **Threaded** - 5½" (13.6cm) long. Threaded .685"-40 tpi to a length of .4" (10.2mm). Short chamber requires reaming to achieve correct headspace. Installation requires machining of frame.

THREADED BULL BARRELS - Wilson/Nowlin Ramp

STK # 9MM/.38	STK # .40	PRICE
#836-200-509DJ	#836-200-540DJ	3D240T00 \$ 299.99

THREADED BULL BARRELS - Clark/Para-Ordnance Ramp

#836-250-509DJ	#836-250-540DJ	3D240T00 \$ 299.99
----------------	----------------	--------------------

PLAIN BULL BARRELS - Wilson/Nowlin Ramp

#836-300-509DJ	#836-300-540DJ	3D224T00 \$ 279.99
----------------	----------------	--------------------


PLAIN BULL BARRELS - Clark/Para-Ordnance Ramp

#836-350-509DJ	#836-350-540DJ	3D224T00 \$ 279.99
----------------	----------------	--------------------

STORM LAKE 1911 AUTO DROP-IN BARRELS

Ready-To-Install
With Minimal Fitting!
Immediate Accuracy
Improvement



PRE-FIT BARREL KIT - Stainless steel, match-grade barrel comes complete with prefitted bushing, link, and pin to make building an accurate pistol easy. Locking lugs and barrel hood require little to no gunsmithing to fit most slides. Government and Officers Model in .45 ACP only. Commander available in .45 ACP, 9mm, or .40 S&W. .45 ACP Commander barrel also available with integral Wilson/Nowlin (W/N) feed ramp. 

SPECS: 416 stainless steel barrel, bushing, link and pin. Heat treated to Rc 40-42. 1-16" left-hand twist, cut-broach rifling.

STOCK # STD	FITS	LENGTH	PRICE
#842-100-045DJ	.45 ACP Govt.	5"	2D142B45 \$ 159.99
#842-100-244DJ	.45 ACP Comm.	4.25"	2D142B45 \$ 159.99
#842-000-086DJ	.45 ACP Comm. (W/N)	4.25"	2D142V45 \$ 159.99
#842-100-345DJ	.45 ACP Officers	3.75"	2D176B85 \$ 204.99
#842-000-032DJ	.40 S&W Comm.	4.25"	2D176A85 \$ 204.99
#842-000-087DJ	9mm Comm.	4.25"	2D168V85 \$ 204.99

DROP-IN COMMANDER BARREL - Stainless steel barrel is ready to drop into a 1911 Commander for an instant improvement in accuracy. Available in Standard (STD) unramped configuration or with integral Wilson/Nowlin (W/N) feed ramp. 
SPECS: 416 stainless steel. 1-16 left-hand twist. 4¼" (10.8cm) long. .45 ACP or 9mm.

#842-000-084DJ .45 Comm. Barrel, STD 2D136V00 \$ 159.99
#842-000-089DJ .45 Comm. Barrel, W/N 2D136V00 \$ 159.99
#842-000-085DJ 9mm Comm. Barrel, STD, 2D136V00 \$ 159.99




For more choices of **STORM LAKE
BARREL KITS** visit brownells.com

STORM LAKE 1911 AUTO PRE-FIT BULL BARREL



Flared Muzzle Eliminates The Barrel Bushing

Drop-in bull barrel eliminates the need for a bushing and adds weight at the muzzle for recoil control. Locking lugs and barrel hood require little to no gunsmithing to fit most slides, using barrel link and pin of your choice. Made of high-grade stainless steel and held to tolerances within .001" in the critical areas to ensure accuracy. Cut-broach rifling for superb accuracy. .45 ACP Government and Commander are non-ramped; .38 Super Government has Wilson/Nowlin ramp. 
SPECS: 416 stainless steel. 1-16 twist, left-hand. .700" O.D. at muzzle. **Government** - 5" (12.7cm) long. **Commander** - 4.29" (10.9cm) long.

#842-000-001DJ Govt. .45 ACP Pre-Fit Bull Barrel, 2D149U60 \$ 172.99
#842-000-025DJ Govt. .38 Super Pre-Fit Bull Barrel, 2D149U60 \$ 166.99
#842-000-088DJ Comm. .45 ACP Pre-Fit Bull Barrel, 2D136V00 \$ 159.99




For more choices of **STORM LAKE
BULL BARRELS** visit brownells.com

WILSON COMBAT 1911 AUTO DROP-IN BARREL & BUSHING



Pre-Fit, No-Gunsmithing
Installation Increases Accuracy


Drops right into most .45 ACP, 1911 Auto slides without fitting. You get the increased accuracy of Wilson's forged, button rifled barrels and machined bushings without gunsmithing or custom fitting. Barrel hood must be narrowed for installation on Colt "Enhanced" and Gold Cup. 
SPECS: Stainless steel, .45 ACP, 5" (12.7cm) long. Includes bushing and installation instructions.

#965-033-645DJ Drop-In Barrel/Bushing, 5F162P81 \$ 189.99

WILSON COMBAT 1911 AUTO MATCH BARREL/BUSHING SET



Stainless Steel - Match-Grade Bushing Included


Made from a one-piece, 17-4 stainless steel forging, beautifully finished to help you achieve the finest in accuracy. Matching stainless steel bushing supplied. Barrel and bushing are left slightly oversized at lockup areas to allow precise final fitting. Chamber requires finish reaming. Hardened to Rc 40. All barrels are .45 ACP and non-ramped except .38 Super which features a Wilson/Nowlin ramp to fully support .38 Super rounds. 
SPECS: Machined 17-4 stainless steel, heat treated Rc 40. Fits 1911 Auto. All require finish chambering and gunsmith fitting. .45 ACP models are non-ramped and available in 3½" (8.8cm) Officers ACP, 4.25" (10.7cm) Commander, and 5" (12.7cm) Govt./Gold Cup. .38 Super is 6" (15.2cm) long, ramped and requires machining of frame.

STOCK #	LENGTH	CALIBER	PRICE
#965-033-345DJ	3½"	.45 ACP	5F167P96 \$ 199.99
#965-033-445DJ	4¼"	.45 ACP	5F169P96 \$ 199.99
#965-033-545DJ	5"	.45 ACP	5F170P23 \$ 199.99
#965-000-032DJ	6"	.38 Super	5F186A96 \$ 219.99

BRILEY SPHERICAL BUSHING

Drop-In Fit; Superb Accuracy



Spherical, internal ring pivots on its horizontal axis inside the bushing for the closest fit available. **Drop-in Bushing/Ring** requires no fitting on the O.D. **Oversized Bushing/Ring** has an oversized skirt that requires turning to fit most slides. I.D.'s of Govt. Oversize Bushing skirts are threaded for Briley **Bushing Mandrel** that makes turning the O.D. in a lathe simple. 
SPECS: Bushing - 17-4 stainless steel. **Ring** - 17-4 stainless steel, titanium nitrided to Rc 60. Drop-in - .698" (17mm) O.D. **Oversized** - .703" (17.8mm) O.D. **Bushing Mandrel** - Stainless steel, 2" (5cm) long. To select correct bushing, measure barrel O.D. and select **Bushing/Ring** .001" larger than barrel O.D.

DROP-IN BUSHING & RING

STK # GOV'T	STK # COMMANDER	SIZE
#129-100-578DJ	NA	.578"
#129-100-579DJ	NA	.579"
#129-100-580DJ	#129-000-252DJ	.580"
#129-100-581DJ	#129-000-253DJ	.581"
#129-100-582DJ	#129-000-254DJ	.582"
#129-100-583DJ	NA	.583"

— Advise # — Drop-in Bushing 9B47A14 \$ 58.93

OVERSIZED BUSHING & RING

STK # GOV'T	STK # COMMANDER	SIZE
#129-101-578DJ	NA	.578"
#129-101-579DJ	NA	.579"
#129-101-580DJ	#129-000-246DJ	.580"
#129-101-581DJ	#129-000-247DJ	.581"
#129-101-582DJ	#129-000-248DJ	.582"
#129-101-583DJ	#129-000-249DJ	.583"

— Advise # — Oversized Bushing 9B47A14 \$ 58.93
#129-200-000DJ Bushing Mandrel 9B13D84 \$ 17.30

SPHERICAL RING ONLY

#129-150-578DJ .578"	#129-150-579DJ .579"	#129-150-580DJ .580"
#129-150-581DJ .581"	#129-150-582DJ .582"	

— Advise # — Spherical Ring, only 9B21D42 \$ 26.78

CLARK CUSTOM 1911 AUTO BARREL BUSHING

Improve Accuracy, Eliminate Excess Play




Standard fits most barrels with minor polish-fitting; **Oversize** allows custom fit to barrel that's undersized due to wear. G.I. barrel, etc. Requires gunsmith fitting. 
SPECS: Blued steel .875" (22.22mm) long, .714" (18.13mm) O.D. **Std** - .575" (14.55mm) I.D., **Oversize** - .553" (14.05mm) I.D.

#181-001-145DJ Standard Bbl Bushing 1H14V49 \$ 20.99
#181-001-045DJ Oversize Bbl Bushing 1H14V49 \$ 20.99

ED BROWN 1911 AUTO SOLID BARREL BUSHING

Precision Machined For Snug Fit


Provides a tight slide-to-barrel fit. **Drop-In** requires no fitting with Ed Brown barrel and Colt slides; other brands may require minor fitting. **Oversize** requires turning of O.D. and reaming of I.D. for a true match fit. 
SPECS: Steel, blued, or stainless steel (**SS**). **Drop-In (DI)** - .581" (14.8mm) I.D., .699" (17.7mm) O.D. **Oversize (OS)** - .575" (14.6mm) I.D., .705" (17.9mm) O.D. Commander available in **DI/SS** only.

GOVT.			
STOCK # DI	STOCK # OS	FINISH	PRICE
#087-045-832DJ	#087-046-832DJ	Blue	7H16A11 \$ 20.15
#087-045-833DJ	#087-046-833DJ	SS	7H16A96 \$ 21.20
#087-000-021DJ	Commander Bushing	7H16Y96	\$ 21.20

EGW ANGLE BORED BUSHING

Pre-Machined With The Proper Lockup Angle



Less time-consuming fitting because the proper lockup angle is pre-machined right into the bushing. **Pre-Fit** requires only minor fitting for installation onto Colt factory barrels. **Gunsmith Fit** requires fitting of both dimensions. 
SPECS: 416 stainless steel, silver or chrome-moly steel, blued. **Pre-Fit (P/F)** - .702" (17.8mm) O.D., .579" (14.7mm) I.D. **Gunsmith Fit (G/F)** - .702" O.D., .574" (14.6mm) I.D. Govt. (**Govt.**) or Commander (**Comm.**) length.

STOCK # BLUE	STOCK # SS	MODEL	LENGTH
#296-410-010DJ	#296-410-110DJ	P/F	Govt.
#296-410-020DJ	#296-410-120DJ	P/F	Comm.
#296-410-011DJ	#296-410-111DJ	G/F	Govt.
#296-410-021DJ	#296-410-121DJ	G/F	Comm.

— Advise # — WCPI Blue Bushing 6B18U67 \$ 24.50
— Advise # — WCPI SS Bushing 6B18U67 \$ 24.50

OVERSIZED 1911 BARREL BUSHINGS - Slightly oversize, machined bushings for Government Model 1911's take less time to fit because the proper lockup angle is pre-machined right into the bushing. Gunsmith fitting required. Available in **Blue** or **Stainless Steel**.

SPECS: 416 Stainless steel, silver or chrome-moly steel, blued. .703" (17.8mm) O.D., .574" (14.5mm) I.D. **.705"** (17.9mm) O.D., .563" (14.3mm) I.D.

STK # BLUE	SIZE	STK # SS	SIZE
#296-000-082DJ	.703	#296-000-083DJ	.703
#296-000-084DJ	.705	#296-000-085DJ	.705

— Advise # — BO/S Blue or SS Bushing 6B18P67 \$ 24.50

ANGLED BORED BUSHING WITH CARRY BEVEL - Beveled flange looks right on "melted" guns. Bored at an angle to prevent barrel bind for smooth cycling. Provides a snug drop-in between barrel and bushing.

SPECS: Stainless steel. .580" (14.7mm) I.D., .70" (17.8mm) O.D. **#296-000-066DJ** Carry Bevel Bshing, Govt 6B18P67 \$ 24.50
#296-000-067DJ Carry Bevel Bshing, Comm 6B18P67 \$ 24.50

EGW 1911 AUTO "MELT" BUSHING

Gives Slide A Finished Look



Large flange eliminates the sharp edges and step of conventional bushings. 1911 fits Govt.; **Comm.** fits Commander; **Off.** fits Officers ACP. 
SPECS: Machined, **Blue**, matte finish or stainless steel (**SS**). Has .575" (14.6mm) I.D. and .702" (17.8mm) O.D. Flange is .930" (23.6mm) outside dia. May require gunsmith fitting.


STOCK # BLUE	STOCK # SS	FITS	PRICE
#296-012-100DJ	#296-012-101DJ	1911	6B18Y67 \$ 24.50
#296-012-104DJ	#296-012-105DJ	Comm.	6B18Y67 \$ 24.50
#296-012-103DJ	#296-012-102DJ	Off.	6B18Y67 \$ 24.50

MELT BUSHING WRENCH - Machined Delrin®.
#296-000-001DJ Melt Bushing Wrench 6B08H46 \$ 9.99

KART 1911 AUTO NATIONAL MATCH BUSHING

Slightly Oversize To Allow Custom
Fitting For Match-Grade Performance



Match-grade bushing is designed for a tight, exact fit to the barrel and slide to ensure superb performance and accuracy. Slightly oversize O.D. and I.D. allow for custom turning of exterior and reaming of interior for precision fitting to your gun's specific slide and barrel combination. Bottom lugs are fully finished to save hours of work. Made of extra-hard ordnance steel for superb dimensional stability and wear resistance, even on hard-running competition guns. Gunsmith fitting required. 
SPECS: 4150 ordnance steel, in-the-white. .856" (21.74mm) long, .703" (17.86mm) O.D., .575" (14.61mm) I.D.

#472-000-014DJ National Match Bushing 2G12A00 \$ 15.00

Orders/Tech: 800-741-0015

www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 7



Nighthawk Custom Lady Hawk, 9mm
Courtesy of Nighthawk Custom®

- A** #100-007-587DJ NIGHTHAWK STAINLESS STEEL HAMMER See Page 18.
B #100-003-269DJ NIGHTHAWK TOOL STEEL SEAR See Page 18.
C #100-007-585DJ NIGHTHAWK BOB MARVEL HAMMER STRUT See brownells.com
D #100-001-356DJ ALUMAGRIP SLIM LINE ALUMINUM GRIPS See Page 34.
 (w/custom Nighthawk logo)
E #100-003-233DJ NIGHTHAWK FLAT MAINSPRING HOUSING See Page 21.
F #160-114-091DJ COLT 9-ROUND 9mm MAGAZINE See Page 24.
G #100-003-270DJ NIGHTHAWK LIGHTWEIGHT TRIGGER See Page 29.
H #100-003-265DJ NIGHTHAWK RECOIL SPRING See Page 30.
I #100-003-247DJ NIGHTHAWK FULL-LENGTH GUIDE ROD w/PLUG See Page 15.
J #100-003-241DJ NIGHTHAWK COMMANDER BARREL BUSHING See Page 8.
K #394-311-185DJ HEINIE TRITIUM FRONT SIGHT See Page 40.
L #NH-BAR NIGHTHAWK COMMANDER 9mm RAMPED BARREL
 (Available through Brownells by special order)
M #100-003-256DJ NIGHTHAWK 9mm FIRING PIN See Page 19.
N #394-000-034DJ HEINIE SLANTPRO® LOW MOUNT TRITIUM SIGHT See Page 40.
O #100-003-253DJ NIGHTHAWK BAR STOCK PLUNGERTUBE See Page 10.
P #100-003-246DJ NIGHTHAWK EXTENDED EJECTOR See Page 12.
Q #100-003-261DJ NIGHTHAWK BAR STOCK DISCONNECTOR See Page 19.

MGW 1911 AUTO BUSHING



Drop-In Or Oversized; 4340 Or Stainless

Installs in 1911 Autos with little to no fitting. **Drop-In** model fits snug in most slides, accepts standard barrels with no reaming. **Oversize** model has smaller I.D. that can be fitted to exactly match the barrel.

SPECS: .701" (17.8mm) O.D. 4340 CM or 416 Stainless steel. **Drop-In:** .580" (14.7mm) I.D. **Oversize:** .575" (14.6mm) I.D.

STOCK # DROP-IN	STOCK # OVERSIZE	STEEL
#584-579-434DJ	#584-571-434DJ	4340
#584-579-416DJ	#584-571-416DJ	Stainless

— Advise # — 1911 Auto Bushing 4H11U48 \$ 15.49

NIGHTHAWK CUSTOM 1911 AUTO BARREL BUSHINGS

Precise Fit Eliminates Play
For Superb Accuracy

Match grade bushings machined from same premium-grade stainless steel for a precision fit that improves accuracy and provides years of reliable service. I.D. and O.D. are left slightly oversized to allow custom fitting to your barrel, further ensuring precise lockup and excellent accuracy.

SPECS: 416 stainless steel. **Govt Bushing** - .829" long (21.1mm) long, .582" (14.8mm) I.D., .698" (17.7mm) O.D. **Commander Bushing** - .515" (13.1mm) long, .582" I.D., .698" O.D. Gunsmith fitting required.

#100-003-242DJ Govt Model Barrel Bushing, 2B15Y98 \$ 21.99

#100-003-241DJ Commander Barrel Bushing, 2B14Y36 17.95

NOWLIN MFG. 1911 AUTO STAINLESS STEEL BARREL BUSHINGS



Improves Slide-To-Barrel Fit
For Better Accuracy;
Pre-Fit & Oversized Models Available

Premium-grade, machined stainless steel bushings ensure a close slide-to-barrel fit for the tight lockup that helps produce consistent accuracy. Heat treated and hardened to stay in spec through thousands of firing cycles. **Pre-Fit** requires little or no fitting on most 1911 Autos. Quick and easy way to obtain optimum accuracy and proper lock-up. Fits Nowlin, Wilson, and other .581" O.D. barrels. **Oversized** requires turning of O.D. and reaming of I.D. to achieve a true, match-grade fit for maximum accuracy and secure lock-up. Gunsmith fitting required.

SPECS: 416 stainless steel, heat treated, natural finish. **Pre-Fit** - .701" (17.8mm) O.D., .581" (14.8mm) I.D. **Oversized** - .703" (17.9mm) O.D., .576" (14.6mm) I.D. Fits Government and Commander.

#654-000-054DJ Pre-Fit Barrel Bushing, 4E15U50 \$ 18.99

#654-000-055DJ Oversized Barrel Bushing, 4E15U50 18.99

WILSON COMBAT 1911 AUTO BARREL BUSHING

Blued Or Stainless, Target Grade

Installs in most 1911 Autos with little to no fitting. O.D.'s fit nicely in most slides. Blued version may need fitting.

SPECS: #29B Blued - .825" (20.9mm) long, .575" (14.6mm) I.D., .703" (17.9mm) O.D. #29S Stainless - .825" (20.9mm) long, .581" (14.8mm) I.D., .702" (17.8mm) O.D. #29CO Officer's Model Stainless - .695" (17.7mm) I.D., .756" (19.2mm) O.D.

#965-029-001DJ Wilson #29B Bushing 5F16P89 \$ 19.95

#965-029-002DJ Wilson #29S Bushing 5F16P89 19.95

#965-000-049DJ Wilson #29CO Officer's Model Bushing, 5F16Y46 19.99



WILSON COMBAT 1911 AUTO 588 BULLET PROOF® BARREL BUSHING

For A Full-Contact Barrel Fit

Stainless steel bushing has oversized flange for a full-contact fit and improved lockup to provide consistent accuracy. Almost as good as a custom barrel/bushing combination, yet usually requires only minor fitting. Requires the 587 Bullet Proof Recoil Spring Plug (below) for a streamlined installation. Gunsmith installation recommended.

SPECS: 416 stainless steel, natural finish. Flange - .125" (3.17mm) thick. Fits .580" (14.7cm) O.D. barrels.

#965-000-120DJ 588 Barrel Bushing 5F25Z20 \$ 29.99

587 BULLET PROOF RECOIL SPRING PLUG -

Machined stainless steel Government model plug has a .030" longer cap than a standard plug for streamlined fit and finished appearance with the 588 Bullet Proof oversized barrel bushing.

SPECS: 316 stainless steel, natural finish. 1.6" (4.1cm) OAL, including .030" extended-length cap. Fits Government model.

#965-000-125DJ 587 Recoil Spring Plug 5F12Z58. . . \$ 14.99

BROWNELLS 1911 AUTO MATCH GRADE LINK PIN

Precision Ground To .0005" Tolerance

Centerless ground, hardened steel pins accurately sized and sorted according to diameter for fast, easy selection. Oversized for rattle-free fit, chamfered on both ends for solid, problem-free installation. For best results link pin hole should be reamed.

SPECS: Steel, heat treated. .368" (9.3mm) long, .154" (3.9mm) or .156" (4mm) diameter.

#080-816-154DJ .154" Match Link Pin 8K06Y72 \$ 10.99

#080-816-156DJ .156" Match Link Pin 8K05Y86 6.99

#080-816-654DJ .154" Link Pins, 6-Pak 8K34Y13 40.99

#080-816-656DJ .156" Link Pins, 6-Pak 8K31Y43 35.99

EGW 1911 AUTO BARREL LINKS

Six Sizes To Most Barrel/Frame Combos

Hardened chrome-moly steel barrel links help correct most barrel-to-frame fit and feeding problems. Kit includes the following sizes (measured center-to-center from barrel link pin hole to slide stop hole): factory standard #3 (.278"), as well as #0 (-.015"), #1 (-.010"), #2 (-.005"), #4 (+.005"), and #5 (+.010"). #0 is for Accurail-equipped guns with rails that have been moved down. #1-#5 also available separately.

SPECS: 4140 chrome-moly steel, heat treated to Rc 39-44, blued.

#296-000-087DJ Barrel Link Kit 6B20P00. \$ 25.00

#296-000-166DJ #1 1911 Auto Barrel Link 6B04T97. . . 5.99

#296-000-167DJ #2 1911 Auto Barrel Link 6B04T97. . . 5.99

#296-000-168DJ #3 1911 Auto Barrel Link 6B04T97. . . 5.99

#296-000-169DJ #4 1911 Auto Barrel Link 6B04T97. . . 5.99

#296-000-170DJ #5 1911 Auto Barrel Link 6B04T97. . . 5.99

NIGHTHAWK CUSTOM 1911 AUTO BARREL LINKS

Multiple Sizes For Most Precise Lockup

Fully machined from solid 416 stainless steel, these premium-quality links are available in nominal Colt spec .278" between the centers of the holes, with two oversized and two undersized models in .005" increments.

SPECS: 416 stainless steel. Kit includes all five.

#100-003-276DJ .268" Barrel Link 2B06P36 \$ 7.95

#100-003-277DJ .273" Barrel Link 2B06P36 7.95

#100-003-278DJ .278" Barrel Link 2B06P36 7.95


#100-003-279DJ .283" Barrel Link 2B06P36 7.95

#100-003-280DJ .288" Barrel Link 2B06P36 7.95

#100-003-281DJ Barrel Link Kit 2B25P56 31.95

WILSON COMBAT BARREL LINK

Adjusts Lockup For Best Accuracy

Long and short barrel links kit, select the one giving best lockup and functioning. Nominal Colt spec is .278" hole center-to-center. 


SPECS: 416 stainless. Kit includes all 5.

STOCK #	C-to-C	STOCK #	C-to-C
#965-142-268DJ	.268" (6.8mm)	#965-142-283DJ	.283" (7.19mm)
#965-142-273DJ	.273" (6.9mm)	#965-142-288DJ	.288" (7.36mm)
#965-142-278DJ	.278" (7.1mm)		

— Advise # — Wilson Barrel Link 5F04U99. \$ 5.99
#965-142-000DJ Wilson Barrel Link Kit 5F22U83. 26.95

BEDELL CUSTOM 1911 AUTO PROGRESSIVE 7-PORT COMP


More Efficient Recoil Reduction
& No More Scope Hazing

Progressive 7-port design virtually eliminates muzzle flip. Each top port decreases in size gradually, offering balanced pressure release, and is angled 7° forward to eliminate scope lens hazing. Plenty of room for a relief cut on the bottom to allow a government-length guide rod and reverse plug on commander-length guns. Precision CNC machined from high-grade steel, stainless steel, and titanium. 
SPECS: Available in steel (in-the-white), stainless steel, and titanium. Threaded .685"40 tpi for bull or hybrid threaded barrels only. Measures 2.295" (5.83cm) long, .995" (2.53cm) in dia., and .930" (2.36cm) wide from flat-to-flat. Through hole must be aligned reamed to .368" (9.35mm) minimum for 9mm, .355", and .356" dia. bullets.

#100-001-156DJ Steel Progressive Comp, 3A110X67. \$ 139.99
#100-001-157DJ SS Progressive Comp 3A124X00. 149.99
#100-001-158DJ Ti Progressive Comp 3A133X33. 166.67

EFK 1911 AUTO TRIPLE PORT BUSHING COMP

Quick Installation,
Compact Profile, Reduces Recoil


Simply replace your barrel bushing for instant recoil reduction. 3 gas ports reduce muzzle flip and felt recoil; allows faster return to target and quicker follow-up shots. Fits all Government length slides, and only adds a little over an inch in length to your gun. May require minor fitting. 

SPECS: 416 stainless steel. **Matte Black Long** - Black, matte finish. 1 3/4" (4.4cm) overall length. 2.2 oz. (63 g) weight. **2-Tone Long** - Polished-and-natural finish. 1 3/4" (4.4cm) overall length. 2.2 oz. (63 g) weight. **2-Tone Short** - Polished-and-natural finish. 1 1/4" (3.7cm) overall length. 1.2 oz. (42 g) weight.

#503-100-011DJ Matte Black Long Comp 3K52U85. \$ 74.99
#503-000-001DJ 2-Tone Long Comp 3K52P88. 69.99
#503-000-002DJ 2-Tone Short Comp 3K52P42. 74.99

WILSON COMBAT 1911 AUTO MULTI-COMP

Instant Comp & Bushing Give
Muzzle Control, Less Recoil

Three full chambers and seven exhaust ports combine to help control recoil and muzzle climb to put you back on target faster. Installation is as easy as fitting a new barrel bushing. Fits all calibers of Govt.-length barrels with O.D. of .576" to .580". Requires minor fitting and a full-length, two-piece guide rod. 

SPECS: Steel, blued, matte finish. 2" (4.8cm) long.
#965-397-001DJ Multi-Comp 5F65V90. \$ 79.99

EGW 1911 AUTO SEVEN CHAMBER COMPENSATOR




Seven, Full Ports Stop Recoil & Steady Your Red Dot

Eliminates red dot bounce and recoil. Forward canted ports diminish powder fouling on scope. Available with integral cone or threaded for use with Hybrid Compensated Barrel Systems. **SPECS:** Steel, in-the-white. **Hybrid-Style** - 2.3" (5.8cm) long. Threaded .685"40 tpi. **Cone-Style** - 3 1/4" (8.2cm) long, 926" (23mm) wide, 3.4 oz. (111g). **Conversion Cone** - Stainless steel 1 3/4" (4.4cm) long. .705" (18mm) diameter. Threaded .685"40 tpi male, .575"40 tpi female. Comps available in 9mm/.38 only.

#296-114-100DJ Cone-Style Compensator, 6B120P00. \$ 150.00
#296-114-101DJ Hybrid-Style Compensator, 6B120P00. 150.00
#296-114-000DJ Conversion Cone 6B32P00. 40.00

EZ EQUALIZER 1911 AUTO BUSHING COMP


Easy Installation, Reduces Felt Recoil;
No Threading Or Alterations

Fast, simple installation gives instant reduction in felt recoil and muzzle rise for an easier shooting 1911 Auto; fits all calibers, no gunsmithing required. Heat treated for less erosion. **SPECS:** Machined 17-4 PH stainless steel, matte finish. 1 5/8" (4.1cm), .900" (22.9mm) O.D. Includes instructions. 

#720-100-000DJ EZ Equalizer Comp 2G44C76. \$ 68.85

CYLINDER & SLIDE 1911 AUTO FORGED SLIDE STOP

Forged For Superior
Strength & Reliability

High-quality replacement slide stop is produced using proven manufacturing methods to ensure this vital part won't fail you when the situation goes critical. Precision CNC machined to Mil-Spec dimensions from a true, steel forging, then heat-treated after machining for superior strength and long service life. 
SPECS: Steel, blued, matte finish.

#206-000-027DJ Forged Slide Stop 6K37B87. \$ 48.99

EMC 1911 AUTO "200 PIN" SLIDE STOP

Machined To Maximum Dimensions
For Tight Lockup

Hardened stainless steel slide stop features a perfectly round, machined pin with .200" ± .0005 outside diameter to ensure tight barrel-to-slide lockup for improved accuracy. Square-cut checkering on top of the thumb pad provides a unique custom look and helps provide positive contact for "no-slip" disengagement. Underside of pad is finished smooth with and upswept contour to prevent snagging during presentation or re-holstering. Polished surface finish requires little to no work to match the finish of your gun's stainless steel frame. **SPECS:** Stainless steel, polished finish. OAL - 1 5/16" (3.3cm). Thumb Pad - 1/2" (12.7mm) long x 1/8" (3.2mm) wide. Fits single stack and high capacity .45 ACP.
#100-004-487DJ "200 Pin" Slide Stop, Stainless, 7A17V50. \$ 21.99


HELP YOUR BOTTOM LINE



BrownellsBusinessAdvantage.com

ED BROWN 1911 AUTO SLIDE STOP

Hardened Tool Steel
For Increased Durability

Made from extra-hard, tool steel that works great, without deforming. Gives positive, last-round engagement and tight, long-lasting lockup with custom barrels. 

SPECS: Steel, blued or stainless steel. Pin diameter .200" (5.08mm) +/- .0005". Fits 1911 Auto, .45 ACP only.

#087-810-000DJ Blue ACP Slide Stop 7H24A99. . . . \$ 30.99
#087-810-100DJ Stainless ACP Slide Stop 7H25A46. . . 31.83

ED BROWN 1911 AUTO HARDCORE® SLIDE STOP

Maximum Dimensions
For Maximum Reliability


Pin is machined to maximum dimensions for a tighter lockup and increased accuracy. Oversize lip gives positive, last round engagement. Fits all .45 ACP 1911 Autos, including high-capacity. Specially heat-treated steel gives unlimited service; includes Ed's **LIFETIME GUARANTEE**. 

SPECS: Steel, blue or stainless steel, silver finish. Pin diameter .200" (5.08mm) +/- .0005".

#087-815-001DJ Blue Hardcore Slide Stop, 7H29A71. \$ 37.15
#087-815-101DJ Stainless Steel Hardcore Slide Stop, 7H30A56. 38.20

EGW 1911 AUTO HEAVY DUTY SLIDE STOP

Machined From Hardened Steel For
Maximum Strength & Durability;
Standard & Oversized Pins Available


Heavy duty slide stop is precision machined from steel bar stock, then heat-treated for superb hardness and durability. Ensures a precise fit to frame for secure, consistent lockup; prevents slop or "play" that can compromise accuracy. Available with standard .200" diameter pin or oversized .203" pin for custom fitting to ensure the tightest possible lockup for maximum accuracy. Both sizes available in blued 4140 carbon steel or stainless steel, both with a fine bead-blasted matte finish. Fine-line serrations on pad give your finger secure purchase to release the slide on the first pass. 

SPECS: Carbon steel, matte blued (BL), or stainless steel (SS), matte finish. Pin diameter: .200" (5.1mm) or .203" (5.2mm). Calibers listed in table.

STOCK #	FITS	FINISH	PIN DIA.	PRICE
#296-000-122DJ	.45 ACP	BL	.200	6B41U38 \$ 49.99
#296-000-120DJ	.45 ACP	SS	.200	6B41U38 \$ 49.99
#296-000-165DJ	.45 ACP	BL	.203	6B41T38 \$ 49.99
#296-000-164DJ	.45 ACP	SS	.203	6B41T38 \$ 49.99
#296-000-121DJ	9mm/.38 Super	BL	.200	6B41U38 \$ 49.99
#296-000-119DJ	9mm/.38 Super	SS	.200	6B41U38 \$ 49.99
#296-000-163DJ	9mm/.38 Super	BL	.203	6B41T38 \$ 49.99
#296-000-162DJ	9mm/.38 Super	SS	.203	6B41T38 \$ 49.99

STI 1911 AUTO SLIDE STOP

Hardened Steel For Durability;
Factory Original Part For STI Pistols

Standard-length slide stop of high-grade 4140 carbon steel is heat-treated to Rc 38-42 for exceptional durability and long service life, even in hard-running competition pistols. Factory original part for STI 1911 and 

order on the web

www.brownells.com

HARRISON DESIGN & CONSULTING 1911 AUTO EXTREME SERVICE SLIDE STOP

Curved, Low-Profile
Pad For Secure
Purchase & Fast,
Positive Operation



CNC-machined to precise dimensions from high-grade steel forgings, these slide stops feature a smooth, low-profile thumb pad that won't snag on holsters or clothing. Pad's unique, curved geometry still ensures positive engagement under stress, with cold hands, or when wearing gloves. Excellent choice for a concealed-carry pistol. Separate models for .45 ACP and 9mm/.38 Super/.40 S&W/10mm pistols, both models available in blued carbon steel or stainless.

SPECS: 4340 carbon steel, blued, or 410 stainless steel, natural finish. .200" diameter pin.

#100-005-833DJ .45 Slide Stop, Blued, 9B43H03. . . . \$ 51.99
#100-005-834DJ .45 Slide Stop, SS, 9B43H03. 51.99
#100-005-835DJ 9mm/.38/.40 Slide Stop, Blued, 9B43H03. 51.99
#100-005-836DJ 9mm/.38/.40 Slide Stop, SS, 9B43H03. 51.99

MASEN EXTENDED SLIDE STOP


Extra Length For Fast Release

Moves the contact pad rearward and out for fast, easy release, especially for shooters with smaller hands. Available with serrated (SR) or 20 lpi checkered (CK) thumb pad. Hardened and heat treated pin. 
SPECS: Steel, blue (BL) or stainless (SS), matte finish. Fits .45ACP only. Thumbpad - .890" (22mm) long, .250" (6.3mm) wide.

STOCK #	FINISH	PAD	PRICE
#555-105-101DJ	BL	SR	6E16Z37 \$ 19.99
#555-105-111DJ	SS	SR	6E15Z12 \$ 19.99
#555-105-201DJ	BL	CK	6E15Z00 \$ 20.50
#555-105-211DJ	SS	CK	6E17Z45 \$ 21.50

NIGHTHAWK CUSTOM 1911 AUTO TACTICAL SLIDE STOP

Fast, No-Slip
Engagement & Low-Profile

Standard-length replacement for factory slide stop gives you the benefit of an oversized stop without the added bulk. The low, deeply serrated thumb pad sits at a 90° angle to the frame for fast, solid, fumble-free engagement. Rounded edges won't snag on holster or clothing during a fast draw. Cut from a solid, carbon steel forging, then precision machined to exact dimensions and hardened for maximum strength before receiving Nighthawk's tough Perma Kote™ finish for outstanding wear resistance. Pin is machined to maximum .200" (5.1mm) diameter to give a tight barrel-to-slide lockup for better accuracy. 
SPECS: Steel, blued, matte finish. Thumb pad is .650" (16.5mm) long, .125" (3.2mm) wide.
#100-003-239DJ Tactical Slide Stop 2B47Y16. \$ 58.95

2011 pistols. Hard, black oxide finish adds surface strength to resist wear and corrosion. **SPECS:** 4140 steel, matte black oxide finish. Thumb pad is .600" (15.2mm) long x .200" (5.1mm) wide. Pin diameter .199" (5.1mm). Fits STI 1911 and 2011 pistols in all calibers; stop tab may require minor trimming for proper function in .45 ACP pistols. May be installed on non-STI frames with additional fitting.

#791-000-085DJ Slide Stop 1G20P83. \$ 24.99

Orders/Tech: 800-741-0015

BROWNELLS
... ONLY THE BEST ...

PAGE 9

1911 AUTO

SLIDE STOPS

BARREL LINKS

COMPENSATORS



- A** #965-000-030DJ WILSON BULLET PROOF® SS EXTRACTOR See Page 11.
B #965-337-002DJ WILSON BULLET PROOF® HAMMER See Page 18.
C #965-000-068DJ WILSON BULLET PROOF® GRIP SAFETY See Page 14.
D #965-092-001DJ WILSON CHECKERED MAINSPRING HOUSING See Page 21.
E #965-000-131DJ WILSON G10 FIBERGLASS "STARBURST" GRIPS See Page 60.
F #965-313-004DJ WILSON HEX HEAD GRIP SCREWS See Page 38.
G #965-000-070DJ WILSON ELITE TACTICAL 8-RD MAGAZINE See Page 26.
H #965-000-065DJ WILSON SOLID ULTRALIGHT MATCH TRIGGER See Page 29.
I #965-029-001DJ WILSON BLUED BARREL BUSHING See Page 8.
J #965-000-139DJ WILSON SNAG-FREE FIBER OPTIC FRONT SIGHT See Page 44.
K #965-000-094DJ WILSON PRE-FIT FRAME/SLIDE/BARREL KIT See Page 3.
L #965-033-545DJ WILSON MATCH BARREL See Page 7.
M #965-000-121DJ WILSON ULTIMATE SPEED REAR SIGHT See Page 44.
N #965-414-000DJ WILSON BULLET PROOF® SLIDE STOP See Page 10.
O #965-000-059DJ WILSON BULLET PROOF® MAGAZINE RELEASE See Page 23.
P #965-000-053DJ WILSON BULLET PROOF® THUMB SAFETY See Page 13.
Q #965-000-082DJ WILSON HEAVY DUTY EXTENDED EJECTOR See Page 12.
R #965-000-026DJ WILSON PLUNGERTUBE See Page 11.

* Other features include 30 lpi high-cut checkered frontstrap, rounded butt gripframe and custom contoured magazine well. Heavy machined chamfer on bottom of slide, 30 lpi slide top serrations, and 40 lpi serrations on rear of slide.

WILSON COMBAT 1911 AUTO BULLET PROOF® SLIDE STOP



Reinforced In Critical Areas For
Improved Function & Durability

Fully-machined from bar stock, then heat treated and hardened for fail-proof durability. Radiused corners won't catch on holsters or clothing. Thumb pad extends slightly at a 90° angle for increased leverage and faster, more positive engagement. Maximum-diameter pin increases barrel lockup.

SPECS: Steel, blue or stainless steel (SS), matte finish. Models for .45 ACP or .38 Super/9mm.

#965-414-000DJ Blue Bullet Proof Slide Stop, .45 ACP, 5F52V24	\$ 59.95
#965-000-010DJ SS Bullet Proof Slide Stop, .45 ACP, 5F53A98	61.95
#965-000-028DJ Blue Bullet Proof Slide Stop, .38S/9mm, 5F48A67	59.95
#965-000-039DJ SS Bullet Proof Slide Stop, .38S/9mm, 5F53Y98	61.95

WILSON COMBAT 1911 AUTO EXTENDED SLIDE RELEASE

Easy-To-Reach, To Speed
Magazine Changes



Wider and longer than the factory lever so the shooter can keep his eyes on the target during magazine changes. Reduces recovery time greatly. Deeply grooved for no-slip grip.

SPECS: 1 1/8" (2.8cm) long x 3/16" (4.8mm) wide contact area. Matte finish.

#965-601-045DJ Blue Ext. Slide Release, 5F27Z84	\$ 32.95
#965-601-145DJ SS Ext. Slide Release, 5F29Z63	35.99

WILSON COMBAT SLIDE STOP

Standard Length Preferred
By Combat Shooters



Exact reproduction of the standard-length, factory slide stop; the style and length most preferred by combat shooters. Made from long-wearing, hardened, heat treated steel. Precision machined pin and lip engagement surface ensures positive, last-round, slide lock open and tighter lockup with custom barrels.

SPECS: Steel, blued carbon or stainless (SS), matte finish. Fits 1911 Auto. No fitting required.

STK # .45 ACP	STK # .38S/9mm	FINISH	PRICE
#965-102-045DJ	#965-102-038DJ	Blue	5F25A30 \$ 29.99
#965-102-145DJ	#965-102-138DJ	SS	5F27A84 \$ 32.95

HARRISON DESIGN 1911 AUTO

EXTREME SERVICE PLUNGERTUBE

Machined From Barstock For
Exceptional Strength



Heavy duty plunger tube is precision drilled and machined from steel barstock for superb strength and years of reliable service. Exact tolerances ensure consistent dimensions for a precise fit to the receiver. Polished internal finish ensures smooth spring operation and plunger movement.

SPECS: Carbon steel, blued, or stainless steel, natural finish.

#100-004-779DJ Plunger Tube, Blued 9B12Y86	\$ 14.99
#100-004-780DJ Plunger Tube, SS 9B12Y86	14.99



ED BROWN 1911 AUTO PLUNGERTUBE

Direct Replacement
For The Factory Tube

High-quality, machined from Barstock, plunger tube that fits just like the factory part, but the studs are slightly over-length for a positive crimp.

SPECS: Steel, blued, or stainless steel, matte finish.

#087-821-000DJ Blue Plunger Tube 7H12B88	\$ 15.99
#087-821-100DJ SS Plunger Tube 7H13B56	16.95

MICHIGUNS 1911 AUTO HEAVY DUTY PLUNGERTUBE

Thick Walls & Extra Mounting Stakes
To Protect Plunger From Damage Or Misalignment



Replacement for factory plunger tube is designed to stand up to the harshest operating environments to ensure unhindered plunger function critical for reliable, positive operation of the thumb safety and correct retention of slide stop. Precision machined from solid steel barstock, with extra-thick walls for added strength, with two additional staking studs to ensure a rock-solid attachment to the frame that won't work loose under the most extreme combat or competition conditions. Smooth internal finish and exacting tolerances help guarantee reliable operation of both plungers without snagging or grittiness. Rounded exterior and radiused edges won't snag on clothing or holster—perfect for carry, combat, or competition. Easy to install using the Installation Jig available separately.

SPECS: Steel, blued, matte finish.

#100-003-822DJ Heavy Duty Plunger Tube, 3Z35T48	\$ 40.99
-------------------------------------------------	----------

INSTALLATION JIG - Use to install the Michiguns Heavy Duty Plunger. Includes drilling guide that fits into existing plunger tube holes on frame, high-speed steel drill for properly drilling additional holes, and a tube guard that lets you install your Michiguns plunger tube without risk of crushing or deforming it when staking it to the frame.

SPECS: Steel and aluminum. Includes drill guide, 2 roll pins, drill bit, and plunger tube guard.

#100-003-823DJ Installation Jig 3Z19T95	\$ 24.95
-----------------------------------------	----------

NIGHTHAWK CUSTOM 1911 AUTO BAR STOCK PLUNGERTUBE



Machined To Tight Tolerances
For Precise Fit Inside & Out

Precision machined from solid bar stock to ensure this small but critical part is strong and dimensionally accurate inside and out. Exacting internal dimensions allow smooth operation of both plungers. Extra-long staking studs provide plenty of material for a solid attachment to the frame that won't work loose.

SPECS: Steel, blued, matte finish. Fits 1911 Auto.

#100-003-253DJ Plunger Tube 2B14T04	\$ 17.55
-------------------------------------	----------

NOWLIN MFG. 1911 AUTO PLUNGERTUBE

Fully Machined, With Parallel Sides
For Accurate Installations




Machined from stock to exacting tolerances, eliminates need for time-consuming reaming. Smooth internal finish lets plunger detents function reliably. Parallel sides and extra length staking studs enhance fit so tube won't shoot loose.

SPECS: CM steel, blue or Stainless steel, matte finish.

#654-020-001DJ Blue Plunger Tube 4E14V87	\$ 17.95
#654-020-101DJ Stainless Plunger Tube 4E14V04	16.95

STI 1911 AUTO A1 PLUNGERTUBE


Precise Internal Dimensions
For Smooth Plunger Movement

Standard 1911A1-style plunger tube of high-grade 4140 carbon steel has a precision drilled tunnel with polished internal finish for smooth spring operation and plunger movement. Generous staking studs ensure a secure installation that won't work loose. Hard, black oxide finish adds strength, surface wear resistance, and corrosion protection. 
SPECS: 4140 steel, matte black oxide finish. Fits Colt 1911A1 and clones.

#791-000-084DJ A1 Plunger Tube 1G09P24 \$ 10.99

WILSON COMBAT 1911 AUTO PLUNGERTUBE

Rugged Bar Stock For Long Life

Fully machined plunger tube milled to exact specifications for a perfect fit. Smooth, internal finish for proper spring action without binding. 


SPECS: Steel, Blue or Stainless steel matte finish.

#965-000-026DJ Plunger Tube, Blue 5F15A64 \$ 17.95

#965-000-027DJ Plunger Tube, Stainless 5F16A06 18.95

MILLENNIUM CUSTOM 1911 AUTO PARA-ORDNANCE EXTRACTOR SLEEVE

Converts From Para "Power
Extractor" To Standard Extractor

Machined stainless steel sleeve lets you convert a Para-Ordnance pistol from its original factory "power extractor" to a standard 1911 extractor. Works like a shim to help ensure a tight fit with the standard extractor. Greatly expands your options for selecting the aftermarket extractor that suits your needs. 


SPECS: Stainless steel, natural finish. 2" (5.1cm) long, .25" (6.3mm) O.D., .20" (5.1mm) I.D. Requires Loctite® for final assembly. Instructions included. May require gunsmith fitting.

#100-005-329DJ Extractor Sleeve 5A24H98 \$ 29.99

BROWNELLS 1911 AUTO EXTRACTOR



Extra-Tough For Long Life & Reliable Extraction

Machined steel extractors for 70 and 80 series 1911 pistols are hardened and heat-treated for consistent operation in competition and tactical use. Available in blue or stainless steel. Stainless models have a unique copper color from the heat-treating process. Leave as is or buff off for a traditional look. 

SPECS: Heat-treated machined steel. Blue (BL) or stainless steel (SS). Available for 70 & 80 series pistols, .45 ACP.

#078-000-031DJ 70 Series Extractor, BL, 8G23A89 \$ 27.99


#078-000-032DJ 80 Series Extractor, BL, 8G25A48 29.99

#078-000-033DJ 70 Series Extractor, SS, 8G30A00 35.99

#078-000-034DJ 80 Series Extractor, SS, 8G30A77 36.99

ED BROWN 1911 AUTO HARDCORE® EXTRACTOR

Harder, Stronger For Longer Life

Pre-fitted shape helps eliminate feeding problems before they start. Made from premium-grade carbon steel and specially heat treated for longer service life and peak performance. Includes Ed's **LIFETIME GUARANTEE**. 
SPECS: 4340 tool steel, blue. Approximately 2 1/16" (6.8cm) long. Fits .45 ACP only, Series 80 (**S80**) or Series 70 (**S70**).


#087-813-080DJ S80 Hard Core Extractor, 7H24A79 \$ 30.99

#087-813-070DJ S70 Hard Core Extractor 7H23A96. 29.99

ED BROWN MATCH EXTRACTOR



Positive Extraction For Competition & Carry Pistols


Extra-deep hook with competition-style relief, smoothly engages the rim edge for positive extraction. Machined from tool steel for durability and reliable function, round after round. 
SPECS: 4340 alloy steel, blue. Approximately 2 1/16" (6.8cm) long, .080" (2mm) thick shank. Fits 1911 Auto. Series 80 cut for firing pin block.

STOCK #	CALIBER	SERIES	PRICE
#087-130-100DJ	.45 ACP	70	7H20B36 \$ 25.45
#087-130-300DJ	9mm/.38S	70	7H21B21 \$ 26.51
#087-130-200DJ	.45 ACP	80	7H21B21 \$ 26.51
#087-130-400DJ	9mm/.38S	80	7H22B06 \$ 27.58
#087-130-500DJ	.40 S&W/10mm	80	7H22B06 \$ 27.57

EGW 1911 AUTO HEAVY DUTY EXTRACTOR



Updated Design For Reliable Extraction & Long Service Life

Redesigned, ruggedly built extractor uses the tighter tolerances and improved geometry possible with 21st century materials and manufacturing technology to deliver outstanding reliability, strength, and durability. Proprietary steel alloy is precision machined with the latest CNC equipment, then vacuum heat-treated to Rc 49-51 for superb strength and tension-retaining properties. All inside corners are radiused to eliminate the sharp 90° corners where failures often occur. Claw is wider than factory specification and undercut and positioned closer to the bolt face for a tighter grip on the case rim. Body is longer, so it can be custom fitted to your slide, and nearly three times as thick as factory original for greater strength. 

SPECS: Steel, heat-treated, blued. Fits Series 70 1911 Auto pistols, .45 ACP or .38 Super/9mm.

#296-000-092DJ 1911 Auto HD Extractor, .45 ACP, 6B32P00 \$ 39.99

#296-000-133DJ 1911 Auto HD Extractor, .38 Super/9mm, 6B32Y00 39.99

NIGHTHAWK CUSTOM 1911 AUTO TOOL STEEL EXTRACTOR




Extra Strong For Positive Extraction;
Radiused Corners Prevent Stress Cracking

Tough, long-wearing extractor is precision machined from exceptionally strong, hardened tool steel to provide years of reliable, positive extraction without breakage. The perfect choice

MILLENNIUM CUSTOM 1911 AUTO ADVANCED COMPETITION EXTRACTOR



Dual Coil Springs End Extractor Failure

No-fail extractor operates with long-lasting coil springs for increased service life; provides enhanced, reliable performance for self-defense and competition. Machined from super strong, alloy steel; specially hardened and heat treated to last indefinitely. Installs easily in Series 70 1911 Autos without slide modifications. 

SPECS: Steel, in-the-white, heat treated. Includes two sets of springs, complete instructions. **NOTE on 9mm:** If your slide has a true, 9mm breech face (like the SVI interchangeable, some Caspians and Nowlins, order extractor #466-001-038. If your 9mm is built on a .38 Super Slide (most are) order extractor #466-001-009.

STOCK #	FITS	PRICE
#466-001-009DJ	9x19, 9x21, 9x23, .38S Comp	5A66B55 \$ 82.99
#466-001-038DJ	.38 Super	5A61B95 \$ 76.95
#466-001-040DJ	.40 S&W/10mm	5A61B95 \$ 76.95
#466-001-045DJ	.45 ACP	5A61B95 \$ 76.95

EXTRACTOR REPLACEMENT SPRINGS & CAP - Steel springs

replace worn springs in your Millennium Custom Advanced Competition Extractor. Steel cap replaces worn or damaged cap for restored performance. Springs available in 4-paks, caps sold each. 

SPECS: Steel springs. Steel cap. Works with Millennium Custom Advanced Competition Extractor only.

#466-000-001DJ Extractor Springs for 9x19-.40, 4-pak, 5A04B00 \$ 5.95

#466-000-002DJ Extractor Springs for .45, 4-pak, 5A04B00 5.95


#466-000-003DJ Extractor Spring Cap, each, 5A16B00 20.00

NOWLIN MFG.

"TUFF STUFF" EXTRACTOR




Fully Machined For Dependability & Long Life

The same, high-quality extractors that John uses on his own match-winning pistols. Not a casting, but fully machined from solid steel, then specially hardened and cryogenically treated for extra long life and dependable extraction, without taking a set or going flat. Contoured hook helps ensure reliable extraction and chambering. Series 80 is relieved for firing pin block. 

SPECS: Steel, machined, blue, matte finish. Fits 1911 Auto only.

STOCK #	SERIES	CALIBER	PRICE
#654-228-038DJ	70	9mm/.38	4E24A81 \$ 29.95
#654-228-045DJ	70	.45 ACP	4E24A81 \$ 29.95
#654-229-045DJ	80	.45 ACP	4E26A47 \$ 31.95


for a working gun that will be run hard in competition where a broken or poorly functioning extractor can be a disaster. All inside corners are radiused to get rid of the weak spots where stress cracks can start and lead to premature failure. The entire part is polished to further eliminate small nicks and imperfections that can lead to stress failure, then given a black, matte, oxide finish. May require minor tension adjustment. 

SPECS: Steel, black, matte, oxide finish.
#100-003-254DJ Tool Steel Extractor, 2B22T91 \$ 29.99

WILSON COMBAT 1911 AUTO BULLET PROOF® EXTRACTOR




Extra-Tough, Machined From Solid Bar Stock

Machined, not cast, from solid, Bullet Proof, barstock for durability and abrasion resistance that will last for thousands and thousands of rounds. Radiused corners on the hook help ensure extended life and reliable feeding. 
SPECS: Steel, blue, matte finish. Approximately 2 1/16" (6.8cm) long. .45 ACP only.

#965-415-070DJ Series 70 Bullet Proof Extractor, 5F26B70 \$ 31.99

#965-415-080DJ Series 80 Bullet Proof Extractor, 5F26B20 31.95

BULLET PROOF® STAINLESS STEEL EXTRACTOR - Super-


tough extractor milled from bar stock to maintain proper tension, properly extract shells, and withstand constant shock and abrasion. Fully machined to maintain optimal dimensions. Drop-in part for most Series 70 1911's; may require minor tension adjustment for proper fit. 
SPECS: Stainless steel. Approximately 2 1/16" (6.8cm) long. Fits Series 70 1911 Auto, .45 ACP.

#965-000-030DJ Bullet Proof SS Ext 5F28A81 \$ 34.99

WILSON COMBAT 1911 AUTO HEAVY-DUTY EXTRACTOR



Improved Function & Reliability In .45 ACP & .38 Super

Thicker and stiffer than the factory model with an extra-deep hook that grabs cases firmly, pulls even hot reloads out for positive ejection. Thicker-than-standard shank stops breakage. Cheap insurance for any Colt or other 1911 Autos. 
SPECS: Approximately 2 1/16" (6.8cm) long, .080" (2mm) thick shank. Blued 4140 steel. Series 80 have firing pin block notch.

#965-101-738DJ Series 70 .38S/9mm Ext. 5F25A31 . . . \$ 29.95


#965-101-838DJ Series 80 .38S/9mm Ext. 5F27A37 . . . 31.95

#965-101-070DJ Series 70 .45 Extractor 5F24A56 . . . 29.95

#965-101-080DJ Series 80 .45 Extractor 5F26A99 . . . 31.95

GSA CLYINDER & SLIDE 1911 AUTO EXTENDED EJECTOR

Delivers Reliable Ejection Of Spent
Cases; Hardened For Long Service Life


Replacement ejector is longer than the factory part to help eliminate problems associated with incomplete ejection. Positively kicks out empties for much improved reliability on carry and competition guns. Hardened to last thousands of rounds. Installs without modifications to frame; minor fitting may be required. For .45 ACP applications. 

SPECS: Hardened steel, blued. Fits 1911 Auto. .45 ACP pistols.

#206-000-037DJ Extnrd Ejector Trigger 6K23D87 . . . \$ 29.99

ED BROWN 1911 AUTO EXTENDED EJECTOR

Flips Fired Cases Clear; Helps Prevent Jams

Additional length engages and flips fired cases clear of the slide to help prevent jams and "smokestacking". Replaces the standard ejector with no modifications to frame. Machined from hardened steel to resist wear. Installation may require minor fitting. 


SPECS: Hardened steel, blued. Fits 1911 Auto.

#087-041-305DJ .45 ACP Extnd Ejector 7H18U91. \$ 23.99

#087-041-306DJ 9mm/.38S/10mm Extended Ejector, 7H18U66 24.40


EGW 1911 AUTO EXTENDED EJECTOR

Oversized At Both Ends
For Precise Fitting

Hardened, competition-grade ejector is left long at both ends so you can custom fit it to your gun. Extra long at the front, so you can cut, fit, and contour the nose to achieve the precise ejection angle and eliminate ejection-related failures. Additional metal at the rear can be ground off flush with the slide after barrel fitting, so there's no unsightly gap between the ejector and the slide. Gunsmith fitting required. 

SPECS: Carbon steel, blued. Hardened to Rc 40-42. Fits 1911 Auto, standard and high-capacity frames.

#296-100-038DJ 9mm/.38S Ext. Ejector 6B19Z20. . . \$25.20
#296-100-045DJ .45 ACP Extended Ejector, 6B19Z20 25.20


HEAVY DUTY EJECTOR - Precision machined from solid carbon steel barstock, with plenty of extra metal for exceptional strength and precise fitting. Extra width and extra-long posts mean this ejector won't budge under the pounding of thousands of rounds in hard competition and tactical operations. Longer at the front and rear, just like EGW's standard extended ejectors, to allow custom-fitting to your gun. Gunsmith fitting required. 

SPECS: Steel, heat-treated, blued. Fits .45 ACP 1911 Auto, standard and high-capacity frames.

#296-000-134DJ .45 ACP HD Ejector 6B19Y20. \$23.99

NIGHTHAWK CUSTOM 1911 AUTO EXTENDED EJECTOR

Extra Length For Reliable Ejection;
Tough, Hardened Steel
Construction


High quality replacement for your gun's factory ejector has an extended nose to ensure solid contact that consistently boots the spent case clear of the ejection port. Helps prevent jamming, smokestacking, and other ejection-related problems that compromise reliability. Cut from solid bar stock then hardened before bluing, so it'll stand up to a pounding. Part may need minor fitting; does not require modifications to frame. 

SPECS: Steel, blued. Fits 1911 Auto. Separate models for .45 ACP and 9mm/.38 Super/.40 S&W.


#100-003-245DJ .45 ACP Extended Ejector, 2B22T91 \$29.99
#100-003-246DJ 9mm/.38/.40 Extended Ejector, 2B29T39 35.99

WILSON COMBAT 1911 AUTO EXTENDED COMBAT EJECTOR

Positive Ejection;
Helps Cure "Smokestacking"

Positively kicks cases out to prevent jams caused by incomplete ejection. Replaces factory unit, no alterations to the gun. 
SPECS: Heat treated. **38 Super/9mm** - 4130 bar stock, blued. **.45 ACP** - 4130 bar stock, blued or stainless steel (SS), natural finish. Minor fitting required.


#965-034-389DJ .38S/9mm Ext. Combat Ejector, Blued, 5F25U30 \$29.95
#965-034-045DJ .45 ACP Ext. Combat Ejector, Blued, 5F25U73 29.99
#965-000-023DJ .45 ACP Ext. Combat Ejector, SS, 5F27A83 32.95

HEAVY-DUTY EXTENDED EJECTOR - Instead of traditional mounting stakes, a generous .560" long stud anchors this ejector in the frame like a rock, so even the constant pounding of the hottest +P loads won't budge it. Correct factory part for new-model Wilson Combat frames; installation on non-Wilson frames requires milling of frame. 

AMERICAN SHOOTING CENTER 1911 AUTO SWENSON THUMB SHIELD SAFETY

Extra-High Shield Prevents
Thumb-To-Slide Contact




Ambidextrous thumb safety with extra-high shield ensures a safe "high thumb" position. Prevents even the slightest thumb-to-slide contact for more consistent cycling and less chance of jams. Large, oversized thumb contact area is comfortably curved to match the natural shape of the thumb; provides increased leverage for better recoil control. 

SPECS: Stainless steel. Serrated contact pad .950" (24mm) long x .315" (8mm) wide. Fits 1911 Auto only, gunsmith fitting required.
#136-102-002DJ Ambi Thumb Shield Safety, 6C74A26 \$91.99

CASPIAN 1911 AUTO EXTENDED THUMB SAFETIES

Long Pads For Positive Thumb
Contact; Single & Ambi Models

Extended thumb paddle provides a large contact surface for fast, positive safety operation under stress. Beveled edges won't abrade the finger, snag the holster on the draw, or grab clothing during concealed carry. Deeply-grooved top surface ensures no-slip operation.  Single model gives concealed carry and tactical pistols the benefit of an extended safety with minimal protrusion out from the receiver. **Ambi** - A solid, full-length lock pin extends the width of the frame, eliminating the weak, traditional "screwdriver-style" slot usually used in ambi safeties. Integrated hammer pin fits into a captive slot machined in the right side paddle to prevent over-rotation and keep the paddle from breaking. If one lever breaks, the other will continue to function.


SPECS: Carbon steel, blued, or stainless steel (SS), natural silver, matte finish. Thumb pads are 1" (2.5cm) long, .220" (5.5mm) wide. **Ambi** models fit Caspian double-stack receivers.

#168-000-105DJ Single Extended Safety, Blued, 8F29X06 \$33.99
#168-000-106DJ Single Extended Safety, SS, 8F29X06 34.99
#168-000-107DJ Ambi Extended Safety, Blued, 8F63X53 73.99
#168-000-108DJ Ambi Extended Safety, SS, 8F60X93 74.99

CYLINDER & SLIDE 1911 AUTO HIGH GRIP THUMB SAFETY

Shaped For A High-Thumb Hold



Bottom edge matches frames contoured for high-grip beavertails. Narrow thumb pad. 
SPECS: Steel, blued or stainless steel, matte finish. **Thumbpad** - .988" (25mm) long, .145" (3.7mm) wide. Requires minor fitting.

#206-037-051DJ Blue Single Safety 6K25B20. \$31.50
#206-037-052DJ Blue Ambi Safety 6K46B62. 57.99
#206-037-151DJ Stainless Single Safety, 6K26B80 33.50
#206-037-152DJ Stainless Ambi Safety, 6K48B60 60.99


SPECS: 4130 carbon steel, in-the-white, or stainless steel, natural finish. .45 ACP only. Fits new-model Wilson Combat 1911 Auto frames; installation on non-Wilson frame requires milling of frame.

#965-000-082DJ .45 ACP Heavy-Duty Combat Ejector, Carbon 5F24H76 \$29.95
#965-000-083DJ .45 ACP Heavy-Duty Combat Ejector, Stainless 5F27H72 32.99

EGW 1911 AUTO HEAVY DUTY THUMB SAFETY

Oversized Thumb Pad For Fast,
Positive Contact




Extended thumb safety is precision machined from solid steel barstock using a state-of-the-art, four-axis CNC cutting station to ensure outstanding strength and durability. The deeply grooved, oversized pad is ergonomically shaped to ensure natural, comfortable thumb contact and provide maximum leverage for quick, positive safety engagement and disengagement under stressful conditions. Edges are beveled or rounded to prevent abrading of the finger or snagging on clothing during the draw from concealment. 

SPECS: Carbon steel, blued, or stainless steel (SS), natural silver, matte finish. Contact pad 1" (2.5cm) long, ¼" (6.4mm) wide. Gunsmith fitting may be required.

#296-000-129DJ HD Thumb Safety, Blued 6B48Y00 . . \$59.99
#296-000-130DJ HD Thumb Safety, SS 6B51Y65 60.95

ED BROWN 1911 AUTO TACTICAL SAFETY

Slender, Trimmed-Down Thumb
Pads For Carry Guns

Thinner thumb pads with the famous Ed Brown angle and slope. Works with the natural, sweeping motion of the thumb for a faster, easier safety release. Trimmed down style is lighter and more comfortable when used on concealed carry guns or with full coverage holsters. Meets all requirements for U.S.P.S.A. Limited Class. 

SPECS: Available in **Blue** and stainless steel (SS), **Single** and **ambidextrous (Ambi)**. Contact area: .150" (3.8mm) wide, 1" (2.5cm) long. Gunsmith fitting required.

#087-245-890DJ Blue Single Tactical Safety, 7H25U56. \$34.99
#087-245-891DJ SS Single Tactical Safety 7H27U26 . 34.99
#087-245-892DJ Blue Ambi Tactical Safety 7H46U81 59.99
#087-245-893DJ SS Ambi Tactical Safety 7H49U36 . . 64.99

ED BROWN 1911 AUTO WIDE EXTENDED SAFETY



Easy-To-Hit, Extra-Wide Pad
Matches Natural Thumb Angle


Big, wide, extended thumb surface slopes down and away from the gun - made to work with the natural sweeping motion used to release the safety.  Extended model replaces "left side only", adds minimum weight and bulk. **Ambi** model is great in "weak hand" matches and for both right- and left-handers.

SPECS: Blued or SS .986" (25mm) long x .276" (7mm) wide contact surface. Gunsmith fitting required.

#087-145-890DJ Blue Wide Ext Safety 7H25B56 . . . \$34.99
#087-145-891DJ SS Wide Extended Safety 7H27B26 . 34.99
#087-145-892DJ Blue Wide Ambi Safety 7H48B32 . . 62.99
#087-145-893DJ SS Wide Ambi Safety 7H49B36 64.99

GUNSITE 1911 AUTO LOW MOUNT THUMB SAFETY

Easier To Reach, Faster To Snap On & Off

Places the thumb closer to the centerline of the bore; gives greater leverage and recoil control for shooters that use a high thumb hold. For shooters with smaller hands, the lower position is easier to reach and deactivate. Serations on thumb pad help ensure positive thumb engagement. 
SPECS: Steel, blued or stainless steel, matte as-cast finish. Contact pad, 1.9" (2.8cm) long, .314" (8mm) wide. Installation requires gunsmith fitting.

#340-100-044DJ Low Mount Safety, Blue 7D33Z55 . . \$41.90
#340-100-045DJ Low Mount Safety, SS 7D33Z55. . . . 41.90

KIMBER 1911 AUTO AMBIDEXTROUS THUMB SAFETY

Captive Hammer Pin For Extra Support;
Low-Profile, No-Snag Pads




Ambidextrous thumb safety includes a unique, captive hammer pin for added support of the right paddle to provide exceptionally smooth, reliable operation. Factory replacement part for Kimber 1911 equipped with an ambi safety. Can also be installed as an upgrade part on Government Model, Commander, and clones. Low-profile pads won't snag on clothing or gear.

SPECS: Steel, matte black. ⅜" (4.8mm) wide x ⅞" (2.2cm) long left side contact area x 1" (2.5cm) long right side contact area. Fits Kimber 1911 pistols, Government Model, Commander, and clones. Gunsmith fitting required; may need to be filed for clear clearance.
#387-000-078DJ Ambi Thumb Safety 5B53C27 \$59.99

LES BAER CUSTOM 1911 AUTO AMBIDEXTROUS SAFETY

Designed To Clear
Thumb Guards & Scope Mounts



Left-side thumb pad sets slightly out from the frame to move your thumb away from most popular thumb guards and scope mounts. Large, gracefully-contoured shape with serrated top surface provides an easy-to-reach support for shooters that use a high-thumb hold. Thinner, right-side thumb pad gives true, ambidextrous operation and is less likely to snag. 


SPECS: Steel, **Blue**, matte finish or stainless steel (SS) polished finish. **Contact Areas:** Left Side - .960" (24mm) long x .400" (10mm) wide. Right Side - .960" long x .150" (3.8mm) wide.

#124-111-001DJ Blue Ambi Safety 4B49H35 \$61.65
#124-111-101DJ SS Ambi Safety 4B49H35 61.65

MUESCHKE AMBIDEXTROUS SAFETY

Either Hand Release; Minimum Bulk




Compact, non-extended safety puts a lever on both sides of gun for right- or left-handed shooters. Fits Series 70 and 80 Govt. Model, Gold Cup, Commander and Officers ACP. May require fitting. 
SPECS: Blued or stainless steel (SS), matte finish. .830" (21.1mm) long, .203" (5.2mm) wide contact area. Includes hammer and sear pin. Pin Set - Replacement hammer and sear pin.

#621-145-002DJ Blue Ambi Safety 1B25H00 \$35.70
#621-145-102DJ SS Ambi Safety 1B26H66 38.09
#621-145-901DJ Blue Pin Set, only 1B02H21 3.00
#621-145-900DJ SS Pin Set, only 1B02H00 3.00

MUESCHKE 1911 AUTO EXTENDED AMBIDEXTROUS .45 SAFETY

Longer Than Original;
Less Bulk Than Extra-Long



Same style as used by the factory on custom installations. Gives positive release of the safety from either side of Govt. Model, Commander and clones. Longer than original but less bulk than Long Extended types. Grooved, no-slip contact area. 
SPECS: Blued or stainless steel (SS), matte finish. ⅝" (3.97mm) wide x 1 ⅛" (17.6mm) long contact area. Includes hammer and sear pin. **Pin Set** - replacement hammer and sear pin.

#621-145-001DJ Blue Extended Ambi Safety, 1B18H30 \$25.99
#621-145-101DJ SS Extnd Ambi Safety 1B21H67 . . . 30.95
#621-145-901DJ Blue Pin Set, only 1B02H21 3.00
#621-145-900DJ SS Pin Set, only 1B02H00 3.00

STI EXTENDED SAFETY

Serrated Pads Give Positive Disengagement

Contoured, serrated thumb pads feature a slight downward angle that lets your thumb contact the pad in a natural, sweeping motion. Provides a comfortable thumb position for shooters using a high-thumb hold. Rounded edges resist snagging, plus give minimal bulk on carry guns. **AMBI** **SPECS:** CM steel, Blue, or stainless steel (SS), Single and Ambidextrous (Ambi). Thumb pad: .976" (24.8mm) long, .223" (5.6mm) wide. Gunsmith fitting required.

#791-000-023DJ Blue, Single Extended Safety, 1G20Y84 \$ 26.05
#791-000-024DJ Blue, Ambi Extndd Safety 1G37Y50 . . . 46.88
#791-000-025DJ SS, Single Extndd Safety 1G21T56 . . . 25.99
#791-000-026DJ SS, Ambi Extended Safety 1G37T76 . . . 46.99

WILSON COMBAT 1911 AUTO HIGH-RIDE AMBI THUMB SAFETY

Increased Comfort & Control With A "High-Thumb" Hold

Wider, longer thumb pads with a slight downward angle give increased comfort, faster safety operation, plus better recoil control for shooters that prefer a high-thumb hold. Ambidextrous for right- and left-handed shooters. **AMBI** **SPECS:** CM steel, polished blue or stainless steel bright finish. 1.05" (26.6mm) wide x .239" (6.05mm) long left-side contact area, 1.05" wide x .279" (7.7mm) long right-side contact area. Installation may require minor gunsmithing.

#965-423-001DJ Blue Ambi Safety 5F49B70 \$ 58.95
#965-423-101DJ Stainless Ambi Safety 5F49B16 59.95

WILSON COMBAT 1911 AUTO EXTENDED AMBI SAFETY

Elegant, Classy; Works With Either Hand; The Choice Of Professional Shooters & Pistolsmiths

Gracefully curved, grooved, extended safety for the 1911 and its copies makes this fine gun even better. Left and right handers benefit from the extra length - it's easier to find and release - while the ambidextrous feature makes "weak hand" shooting simpler. Beautifully contoured and finished, a first class addition to any 1911. Slightly oversized rear stud allows precise gunsmith fitting. **AMBI** **SPECS:** Blued or stainless steel. 3/16" (4.8mm) wide x 1" (2.5cm) long left side contact area, 1/8" (3.2mm) wide x 1" (2.5cm) long right side contact area.

#965-602-045DJ Blued Ambi Safety 5F51Z37 \$ 58.95
#965-602-145DJ SS Ambi Safety 5F50Z79 59.99

NEW

EGW 1911 AUTO BEAVERTAIL GRIP SAFETY

Oversized At Critical Areas For Custom Gunsmith Fitting

Beavertail grip safety machined from solid barstock is left slightly oversized at critical points to allow the gunsmith to achieve a true custom fit. Beavertail is wider than the frame so it can be fit to the frame instead of the frame to the beavertail, and helps you ensure a snug, rattle-free fit. Overall length is longer at the bottom and the angle is a match to fill the gap between the mainspring housing and the safety. Radius is .245" to fit frames that are pre-cut to .250". Pin hole is finish reamed to .158" to further improve fit and function. Large contact pad

WILSON COMBAT 1911 AUTO EXTENDED THUMB SAFETY

Wide Or Narrow For Fast, Positive Disengagement

Single side design with serrated surface provides fast, positive operation and a comfortable thumb position with minimal bulk for easier carry. **Wide** - Extra large, full-length thumb pad can be used full size for maximum thumb engagement or custom contoured to meet special requirements. **Tactical** - Shorter, slimmer thumb pad won't snag on holster or clothing; helps prevent accidental disengagement during the draw. Minimum size; best for concealed carry or tactical use. Minimum size is ideal for concealed carry. **Bullet Proof® (BP)** models are precision machined from billet steel for installations where only the best in fit, finish, strength, and durability will do. Available with traditional left-side only thumb pad or ambidextrous pads for maximum tactical efficiency. **Low Lever** - Slim, Tactical-style pad is positioned low for faster thumb contact and rapid, short-throw disengagement. **AMBI** **SPECS:** Steel, blued or stainless, matte or polished finish. Pin diameter is .002" oversize; fitting required. Pad Size: **Wide** - 1" (2.5cm) long, 3/16" (4.8mm) wide. **Tactical** - .750" (19mm) long, 1/8" (3.1mm) wide. **Bullet Proof (BP)** - .750" long x .230" (5.8mm) wide. **Low Lever** - 3/8" (2.2cm) long, 5/32" (4mm) wide.

STOCK #	STYLE	FINISH	PRICE
#965-600-006DJ	Wide	Matte Blue	5F26X98 \$ 31.95
#965-600-106DJ	Wide	Matte SS	5F27X84 \$ 33.95
#965-600-007DJ	Tactical	Matte Blue	5F27X45 \$ 31.99
#965-600-107DJ	Tactical	Matte SS	5F27X84 \$ 33.95
#965-000-053DJ	BP Tactical	Polished Blue	5F48Y76 \$ 57.99
#965-000-057DJ	BP Ambi	Polished Blue	5F117Y00 \$ 139.99
#965-000-058DJ	BP Ambi	Matte SS	5F135Y42 \$ 159.99
#965-000-054DJ	BP Low Lever	Polished Blue	5F62Y22 \$ 73.99

GSA ED BROWN 1911 AUTO MEMORY GROOVE BEAVERTAIL GRIP SAFETY

Helps Promote A Consistent, Positive Grip

Now your hand can "feel" when your grip is correct. Ed's exclusive, deep-hold grip safety drops the gun farther into the hand plus, the three memory grooves on the lower portion guide the web of the hand into the correct grip position. Raised surface area helps depress the safety and ensure positive disengagement, even for a shooter who uses a high-thumb hold. **AMBI** **SPECS:** Matte finish. .878" (22.3mm) from rear of hole to tip. Clearanced for Commander hammer. Available in blue and stainless steel (SS) to fit series 70 or 80. .250" (6.3mm) radius, requires alteration of frame.

#087-867-000DJ Blue Series 70 Safety 7H30X11 . . . \$ 36.99
#087-867-100DJ Blue Series 80 Safety 7H30X56 . . . 38.20
#087-868-000DJ SS Series 70 Safety 7H30X11 37.99
#087-868-100DJ SS Series 80 Safety 7H31X61 38.99

ensures positive engagement when the hand grasps the gun. **SPECS:** Carbon steel, blued, or stainless steel, natural silver, both with a matte finish. Fits 1911 Auto Series 70 only. Gunsmith fitting required.
#296-000-184DJ Beavertail Grip Safety, Blue, 6B48V00 \$ 59.99
#296-000-185DJ Beavertail Grip Safety, Stainless, 6B52V00 64.99

LES BAER CUSTOM 1911 AUTO BEAVERTAIL GRIP SAFETY

Lowers the Pistol In Your Hand; Contact Pad Assures Engagement

Lowers the pistol deeper into your hand for less felt recoil and more comfortable, more accurate shooting. Raised contact pad increases engagement and helps ensure proper safety operation for shooters that use a high-thumb hold. **AMBI** **SPECS:** Steel, blue or stainless steel, matte finish. Fits Series 70; modify to fit Series 80. .250" (6.3mm) radius, requires alteration of frame.
#124-152-100DJ Blue Grip Safety 4B33H35 \$ 41.65
#124-152-101DJ Stainless Grip Safety 4B33H35 41.65

McCORMICK 1911 AUTO "EXTREME CONTROL" GRIP SAFETY

Keeps Hand In Proper Position To Control Muzzle Flip

Forces the gun into your hand for excellent recoil control. Extra-wide beavertail with hammer recess prevents pinching the web of your hand. Beveled edges eliminate snags and raised palm pad ensures positive deactivation. **AMBI** **SPECS:** Steel, blued. 7/8" (22.2mm) from rear of hole to tip. .250" (6.3mm) radius requires alteration of frame.
#207-871-410DJ Extreme Control Grip Safety, 7B32T28 \$ 47.99

SMITH & ALEXANDER "E-Z FIT HI-GRIP" SAFETY

Lowers The Pistol's Line Of Sight In Your Hand

Curved shape drops the pistol deeper into the hand and lowers the line of sight for less felt recoil and a faster pointing gun. Wide beavertail shape prevents the hammer from "bit-ing" the web of the hand. Palmswell™ model features a raised pad that maintains constant hand contact for the shooter using a high thumb hold. **AMBI** **SPECS:** Steel, matte **BLUE** or satin stainless (**SS**). .866" (22mm) from rear of hole to tip. Available **Standard** or **Palmswell**. Series 70 or 80. .250" (6.3mm) radius requires alteration of frame.

STOCK # BLUE	STOCK # SS	SERIES	MODEL
#849-007-071DJ	#849-007-171DJ	70	Standard
#849-007-072DJ	#849-007-172DJ	70	Palmswell
#849-007-081DJ	#849-007-181DJ	80	Standard
#849-007-082DJ	#849-007-182DJ	80	Palmswell

— Advise # — **S&A Hi-Grip Safety 9D32X03 \$ 40.99**
GUNSMITH INSTALLATION JIG - Hardened steel "buttons" provide the correct .250" radius for perfect grip safety installation with simple hand tools. Hardened to Rc 55, includes teflon washers, lock nut and instructions.
#849-007-000DJ S&A Safety Installation Jig, 9D11X50 \$ 16.50

OWN IT? INSTALLED IT? TRIED IT?

RATE IT! ★★★★★ 5.0

Go online at www.brownells.com and review products you have used. Would you recommend it to a friend? Would you purchase it again? Have any useful tips you think others might benefit from? Share it! Your opinion matters to us!

SMITH & ALEXANDER HIGH GRIP SAFETY

.220" Radius Fits Springfield Armory Frame Contour

.220" radius eliminates the unsightly gap at the top edge of the frame tangs on Springfield Armory guns. Raised palmswell gives positive release with any style grip. Curved shape lets the pistol set lower in your hand for better recoil control. Extra width and a long trigger block arm help you get a precise, custom-looking fit. **AMBI** **SPECS:** Steel, matte **Blue** or stainless steel (**SS**) finish. .886" (22mm) from rear of hole to tip. Available in **Standard** and **Palmswell**. Fits Series 70, can be modified to fit Series 80. .220" (5.6mm) radius requires alteration of frame.

STOCK # BLUE	STOCK # SS	MODEL
#849-009-017DJ	#849-009-117DJ	Standard
#849-009-027DJ	#849-009-127DJ	Palmswell

— Advise # — **S & A .220" Grip Safety 9D28C75 . . . \$ 40.99**

GUNSMITH .220" INSTALLATION JIG - Hardened steel buttons provide correct .220" radius for perfect fit using only simple hand tools. Hardened to Rc 55, includes teflon washers and Ny-Lok nut for no scratch installation
#849-009-000DJ .220" S&A Installation Jig, 9D11X50 \$ 16.50

STI 1911 AUTO COMPETITION GRIP SAFETY

Performance Features Enhance Function & Reliability

Saves the pistolsmith hours of extra work with many functional, custom features built right in. Notched trigger stop speeds takedown and reassembly; insert and remove the safety without touching the mainspring housing. Raised locator pad and sculptured beavertail ensure positive safety engagement, even with a high thumb hold. Deeper strut channel prevents hammer strut interference. Thicker overall dimensions allow easier blending with a wide variety of custom frames. **AMBI** **SPECS:** CM steel, matte blue. Stainless steel (SS), matte finish. Fits series 70 only. .250" (6.3mm) radius, requires alteration of frame.
#791-107-101DJ Blue STI Series 70 Safety, 1G23A41 \$ 29.26
#791-107-100DJ SS STI Series 70 Safety, 1G25A60 32.00

WILSON COMBAT 1911 AUTO BEAVERTAIL GRIP SAFETY

Competition Proven Design That Ends Hammer Bite; High Grip Helps Minimize Muzzle Flip

Wide grip safety spreads recoil out over a larger area of the hand for increased comfort. High, upswept, flared tail quickly guides hand into position and totally eliminates hammer bite on the web between the thumb and finger. Pushes the wrist into a straight position for faster sight pickup and recovery. The raised pad gives positive palm contact to make certain the safety disengages. **AMBI** **SPECS:** Satin finished stainless or blued steel. .835" (21.2mm) from rear of hole to tip. Fits Series 70 & 80/90 with firing pin block. Wilson/Clark compound radius requires alteration of frame.
#965-298-001DJ Blue High-Grip Beavertail Safety, 5F31D12 \$ 37.95
#965-298-002DJ Stainless High-Grip Beavertail Safety, 5F32D93 39.99



WILSON COMBAT 1911 AUTO DROP-IN BEAVERTAIL GRIP SAFETY

High Ride Comfort For Colts,
Without Frame Cutting

Install the comfort and convenience of a high ride beavertail safety on your Colt 1911 Auto without cutting or altering the frame. Deeply curved shape lets the pistol sink farther into the web of your hand for improved recoil control and shooting comfort. Raised pad at the base ensures positive safety engagement even with a high-thumb hold. Wide beavertail eliminates painful hammer bite. All models must be used with Commander-style or bobbed hammers only. Minor fitting of trigger engagement area may be required for proper operation. **USA**

SPECS: CM steel, blue or stainless steel, matte finish. Fits Colt Series 70 and 80 1911 Auto only. **Commander** also fits Officers ACP.

STK # GOVT.	STK # COMM.	FINISH	PRICE
#965-429-100DJ	#965-429-110DJ	Blue	5F31B33 \$ 35.95
#965-429-101DJ	#965-429-111DJ	SS	5F32B03 \$ 37.95

WILSON COMBAT 1911 AUTO BULLET PROOF® GRIP SAFETY

Allows High Grip For Better
Control & To Prevent Hammer Bite

Generously proportioned and machined from high-grade steel barstock for an exceptionally precise fit and consistent operation. Builds on Wilson's popular High Ride design with a wide, heavily upswept beavertail that allows the shooter to maintain a high, straight grip, with total protection from hammer bite. Distributes recoil over a large area of the hand for excellent control and fast follow-up shots. Raised palm pad with a pronounced ridge helps ensure complete safety disengagement and gives positive, tactile feedback for consistent hand placement every time. All exposed edges are rounded to prevent snagging. Flowing Wilson/Clark compound radius blends smoothly into the frame; installation requires alteration of frame. Available in carbon steel with a uniform, matte blued finish or stainless steel natural finish. **USA**

SPECS: Carbon steel, blued, matte finish, or stainless steel, satin finish. Fits Colt Series 70, 80, and 90 pistols and clones. Wilson/Clark compound radius requires alteration of frame; also matches Caspian radius.

#965-000-068DJ Grip Safety, Blued 5F67Y96. \$ 79.95
#965-000-069DJ Grip Safety, Stainless 5F80Y80. 94.95

WILSON COMBAT 1911 AUTO BULLET PROOF® CONCEALMENT GRIP SAFETY

For Easy Carry & Snag-Free Presentation

Low-profile grip safety is designed to create a smooth, streamlined package for comfortable concealed carry and fast, no-snag presentation. Extra-wide beavertail fits comfortably in the web of the hand for excellent protection from hammer bite, improved control, and less felt recoil. Positive release tab helps ensure positive safety disengagement and provides a repeatable anchor point for consistent shooting each time you present the pistol. Precision machined from high-grade stainless steel billet for strength and long service life. Proper function requires installation of a Wilson Bullet Proof hammer, available separately.

SPECS: Machined stainless steel, polished, natural finish. Fits full-size Government model and Commander. Requires installation of Wilson Bullet Proof hammer, available separately.

#965-000-109DJ Concealment Grip Safety
5F80Z96. \$ 89.99

BRILEY 1911 AUTO REVERSE PLUG



Contains The Recoil
Spring On Cone Comp
& Bull Barrel Guns

Support plugs fill in the empty space under the muzzle on bull barrel installations. Provides support and gives a clean, finished look to the front of the slide. Standard plug retains the recoil spring and guide rod on guns using cone comps or tapered sleeve bushings. **USA**

SPECS: 17-4 Stainless steel.

#129-105-001DJ Govt. Support Plug 9B21A42. \$ 26.78
#129-105-002DJ Comm. Support Plug 9B21A42. 26.78
#129-105-003DJ Off ACP Support Plug 9B21Y42. 26.78
#129-105-103DJ Comm. Standard Plug 9B21Y42. 26.78

CYLINDER & SLIDE 1911 AUTO MIL-SPEC RECOIL SPRING PLUG

Screws Onto Recoil Spring To Prevent
Loss Of Plug During Disassembly

Machined steel recoil plug has mil-spec flange punched into the side so the recoil spring can be wound into the plug before seating in the slide. Prevents the plug from flying off spring during field stripping and getting lost or hitting the operator, possibly causing injury. Precision-turned for proper fit in full-size Government model pistols, with flat, diamond-pattern knurling on the front. If you lose the plug, your gun can't operate, and you're done for the day. Keep one or two of these in your range box or field maintenance kit for backup. **USA**

SPECS: Steel, blued. 1 1/2" (3.8cm) long. .495" (12.6mm) O.D. Fits mil-spec Government model.

#206-000-042DJ Mil-Spec Recoil Spring Plug,
6K08T29. \$ 9.99

NIGHTHAWK CUSTOM 1911 AUTO RECOIL SPRING PLUG

Fully Finished Replacement
For Worn Or Lost Factory Plug



High-quality steel replacement for a lost or dinged up recoil plug is available in both Government and Commander sizes. Blued, semi-gloss finish and fine, diamond pattern checkering on tip. Easy to lose during field stripping, and your gun won't work without it, so have a spare ready. **USA**

SPECS: Steel, blued, semi-gloss finish. **Govt.** - 1 1/2" (3.8cm) long, 1/2" (1.3cm) O.D. **Commander** - 1 1/4" (2.7cm) long, 1/2" O.D.

#100-003-258DJ Govt. Recoil Spring Plug,
2B08T13. \$ 9.99
#100-003-259DJ Commander Recoil Spring Plug,
2B08T13. 9.99

WILSON COMBAT 1911 AUTO BULLET-PROOF™ RECOIL SPRING PLUG

Durable, Good-Looking
Stainless Steel Replacement

Durable stainless steel recoil spring plug replaces a lost or damaged plug. CNC-machined from 316 stainless steel bar stock with an attractive brushed finish and a Flat uncheckered end or a Ringed end. Both styles give a sleek, elegant look and resist marring from either the bushing or bushing wrench during assembly and disassembly.

SPECS: 316 stainless steel, satin finish. 1 1/2" (3.8cm) long, 1/2" (1.3cm) O.D.

#965-000-106DJ Ringed Recoil Spring Plug,
5F12Z67. \$ 14.99
#965-000-105DJ Flat Recoil Spring Plug,
5F12Z67. 14.99

MORE REVERSE PLUGS

ACCU-LOCK - "Eared" band design fills the unsightly holes around barrel when fitting a bull barrel or cone bushing. Oversized band allows precise fitting to your slide for increased barrel support. Flange plug retrofits existing slides with cone-style bushings. Collar plug fits STI/SVI slides. **USA**

SPECS: GM: Steel, in-the-white. 1.7" (43.2mm) long, .50" (12.7mm) diameter.

#448-191-100DJ GM Collar Plug 8D24P00. \$ 29.95
#448-191-101DJ GM Flange Plug 8D24P00. 29.95

EGW COLLAR REVERSE PLUG & REAMER

Reverse Plugs include integral collar. Piloted Reamer cuts the spring guide tunnel to proper depth and diameter. **USA**

SPECS: Reverse Plugs - 1018 machined steel. 1.70" (4.3cm) long 1/2" (12.7mm) dia. body, .530" (13.5mm) dia. collar. All reverse plugs will require fitting. Long Plug - fits Govt. slides. Short Plug - face back for shortened Govt. or Commander slides. **Reamer** - Tool Steel (TS) or Carbide blades. 8" (20cm) long, 7/16" (11.1mm) dia. shank.

#296-108-102DJ Long Reverse Plug 6B13X00. \$ 16.00
#296-108-101DJ Short Reverse Plug 6B13X00. 16.00
#296-108-100DJ Tool Steel Reverse Plug Reamer,
6B00PUA. 53.35
#296-108-200DJ Carbide Reverse Plug Reamer,
6B00XCH. 80.00

STI REVERSE PLUGS - For slides with tapered bushings, bull barrels and cone-comps. 5" fits standard Govt. slides. 6" fits long slides, uses standard 5" recoil springs. **USA**

SPECS: 4140 steel, in-the-white. 5" - 1.7" (4.3cm) long. 6" - 2.7" (6.9cm) long. Requires full-length guide rod, machining of slide.

#791-000-005DJ 5" Reverse Plug 1G05Y50. \$ 6.88
#791-000-006DJ 6" Reverse Plug 1G07Y81. 9.77

CLARK CUSTOM RECOIL SPRING GUIDE

Stops Spring Bind -
Standard & Reverse Plugs

Full-length guide keeps the recoil spring from kinking and binding. You get smooth, reliable cycling and extraction. Two-piece design threads together for fast and easy takedown. Centerless ground, hardened steel, reverse plug is pre-drilled for use with tapered-leeve compensators or cone bushings. **USA**

SPECS: Steel, blued. 9/16" (79mm) diameter. Fits 1911 Auto only. Includes 5/32" Allen wrench.

STOCK #	FITS/LENGTH	PLUG	PRICE
#181-117-005DJ	Govt./5"	Standard	1H14V49 \$ 20.99
#181-117-105DJ	Govt./5"	Reverse	1H21V74 \$ 30.99

COMINOLLI FRAME SAVER GUIDE ROD



Helps Prevent Cracked Frames; Lessens Recoil

Puts a recoil-absorbing cushion on both sides of the guide rod head to help prevent shock damage to the frame and the slide. **USA**

SPECS: Machined stainless steel. Fits 1911 Auto. **Type-II** fits Frame Saver II. Red outside cushion, black inside.

STOCK #	FITS/BL LENGTH/STYLE	PRICE
#213-100-105DJ	Govt. 5" One-piece	3A25Z00 \$ 34.00
#213-105-104DJ	Sprgrld Compact 4" One-piece	3A25P00 \$ 35.00
#213-000-005DJ	Commander 4 1/4" One-piece	3A26Z00 \$ 35.00
#213-100-002DJ	Std. Guide Plug Only	3A04Z07 \$ 5.08
#213-000-002DJ	Type II Recoil Cushions 3 inside/3 outside	3A04X00 \$ 6.00
#213-000-003DJ	Type II Outside Cushions 6-pak	3A04X00 \$ 6.00

COMINOLLI 1911 AUTO TUNGSTEN GUIDE ROD



Heavyweight
Rod Fights
Recoil; Drop-In
Installation

Adds over three ounces of recoil-killing weight directly beneath the barrel for improved muzzle control and a faster follow-up shot. Machined tungsten rod includes cushioned "Frame Saver" rod head that helps prevent frame damage. One-piece rod fits all Govt. length slides with 5" barrels without modification. **USA**

SPECS: Tungsten, silver finish. 3.2 oz. (92 g) wt. Includes extra Frame Saver cushions.

#213-103-100DJ Tungsten Guide Rod 3A65Z88. \$ 86.99

TUNGSTEN GUIDE ROD PLUGS - Put additional weight right where you need it to diminish recoil by simply replacing the guide rod plug. Fully machined plugs come in two models. **Standard** fits 5", Govt. length slides. **Reverse** fits STI/SVI factory slides and other slides modified to accept collar reverse plugs.

SPECS: Tungsten, silver finish. **Standard** - 1.4" (3.6cm) long .7 oz. (20 g) wt. **Reverse** 1.6" (4.2cm) long, .9 oz. (26 g) wt.

#213-103-001DJ Standard Tungsten Plug,
3A38Z34. \$ 52.25
#213-103-002DJ Reverse Tungsten Plug 3A38Z34. 52.25

ED BROWN 1911 AUTO RECOIL PLUG & GUIDE

Quality "Factory" Replacement

Made to original specifications for rebuilding existing guns or assembling new guns built to factory Government or Commander configurations. Heat-treated, recoil spring guide resists wear and battering. Checkered recoil spring plug gives a traditional look - just like the Colt factory part. **USA**

SPECS: Govt: Plug/Guide Steel, blue matte finish. Plug - 1 1/2" (4cm) long, 1/2" (13mm) O.D. Guide - 1 5/8" (4.1cm) long. **Commander:** Plug - Steel blue matte finish or Stainless steel, bead blasted silver finish. 1 3/4" (2.7cm) long, 1/2" O.D. Guide - Steel, matte blue finish. 1 3/8" (3cm) long.

#087-881-001DJ Govt. Recoil Spring Plug, Blue,
7H06X95. \$ 8.99
#087-882-001DJ Govt. Recoil Spring Guide, Blue,
7H12X83. 15.99
#087-000-020DJ Commander Recoil Spring Plug, Blue,
7H06Y95. 8.99
#087-000-030DJ Commander Recoil Spring Plug,
Stainless 7H07T61. 9.51
#087-000-031DJ Commander Recoil Spring Guide, Blue,
7H12T83. 15.99

ED BROWN TWO-PIECE GUIDE ROD

Prevents Recoil Spring Bind;
Makes Takedown Easier

Full-length, two piece design fully supports the recoil spring to help the pistol chamber, extract and cycle smoother. Helps prevent spring bind, makes slide takedown fast and simple. Long wearing, shock-resistant head and hardened stainless steel shaft stand up to both competition and duty use. **USA**

SPECS: Stainless steel. Includes guide rod plug and 5/32" Allen wrench.

STOCK #	FITS/BL LENGTH	PRICE
#087-045-889DJ	Govt. 5"	7H23A38 \$ 29.25
#087-045-890DJ	Commander 4 1/4"	7H23A38 \$ 29.25

EFK FIRE DRAGON 1911 AUTO DUAL ACTION BUFFER SPRING SYSTEM

Softens Felt
Recoil, Tames
Muzzle Rise
& Reduces
Frame Wear



Dual action, captive-spring system cushions the recoil impulse to reduce gun wear and tame muzzle jump for fast follow-up shots and accurate shot placement. Full-length, stainless steel guide rod fully supports the recoil spring through the entire compression/expansion cycle to provide smoother cycling and improved function. A second, fully enclosed spring in the guide rod acts like a car shock absorber to slow slide velocity and reduce frame impact. Prolongs the life of frame and slide without compromising reliability. Available with recoil springs calibrated for Government model in .45 ACP, .38 Super/9mm, and .40 S&W/10mm. Easy, drop-in installation requires no alterations to gun.

SPECS: 416 stainless steel, natural matte finish. Fits full-size Government model with 5" barrel and clones. Instructions included.

#503-000-013DJ Dual Action Buffer Spring, .40
S&W/10mm 3K51U47..... \$ 64.99
#503-000-012DJ Dual Action Buffer Spring, .45 ACP,
3K50P84..... 64.99
#503-000-014DJ Dual Action Buffer Spring, .38
Super/9mm, 3K50U84..... 64.99

EGW 1911 AUTO GUIDE ROD SYSTEM



Weight-Adding
Tungsten Or
Tough Stainless
Steel

Heavy, tungsten guide rod adds muzzle-steadying weight to help counter recoil. Stainless steel model improves functioning without adding weight. **Two-piece** - full-length, centerless ground construction simplifies disassembly. **One-piece** - gives extra weight, plus superior support to recoil spring for smoother function.

SPECS: .326" (8.2mm) diameter. Fits 1911 Auto, or STI, Govt. length slides with 5" (12.7cm) barrels. **Tungsten** 3.1 oz.(88 g). **Stainless Steel** 2 oz. (57 g). All models supplied with stainless steel, standard spring plug.

#296-405-000DJ Two-Piece 1911 Auto Tungsten Rod,
6B71U20..... \$ 89.00
#296-000-003DJ One-Piece 1911 Auto Tungsten Rod,
6B71H20..... 89.00
#296-407-000DJ Two-Piece 1911 Auto SS Rod,
6B24U96..... 29.99
#296-000-047DJ Two-Piece STI Tungsten Rod,
6B75T20..... 94.00
#296-000-048DJ One-Piece STI Tungsten Rod,
6B75T20..... 94.00

EGW 1911 AUTO ONE-PIECE GUIDE ROD

Simple, Robust Design For
Smooth Function & Reliability



Simple, strong, one-piece guide rods provide smooth function and outstanding reliability on competition and carry guns. Machined from solid bar stock without through hole for extra strength and resistance to battering. Additional weight up front improves recoil control, and flat face helps recoil buffers fit securely. Short, **G.I. Style** has rounded front end that resists snagging the recoil spring. Available in Government and Commander sizes in stainless and blued carbon steel. **Full Length** stainless steel rod guards against recoil spring bind for improved feeding and extraction. True, one-piece design with takedown hole has no threads to loosen or wear. Fits Government models with 5" barrels.

SPECS: **G.I. Style** - Carbon steel, blued (**BL**), or stainless, natu-

GUN RUNNERS 1911 AUTO RECOIL SPRING GUIDE

Factory-Style Replacement For Repair,
Restoration Or Building New



Machined from tough, solid barstock to factory configuration. Heat treated, one-piece design resists recoil battering.

SPECS: Steel, blue, matte finish or parkerized, matte gray finish. 1 1/4" (4.4cm) long.

#634-000-006DJ Blue Recoil Sprg Guide 4C10B31 . \$ 12.99

#634-000-007DJ Parkerized Spring Guide 4C10B31 . 12.99

NIGHTHAWK CUSTOM 1911 AUTO FULL-LENGTH GUIDE ROD WITH PLUG



Robust, One-Piece Rod
Prevents Recoil Spring Bind

High-quality one-piece guide rod with matching, correct-size guide plug aids in smooth,

reliable cycling by completely capturing recoil spring to prevent it from binding or deforming. Also adds extra weight up front to reduce muzzle flip for improved control and fast follow-up shots. Machined from solid stainless steel, with no threads to work loose or through hole to compromise strength. Flat face provides a snug fit and aids in proper positioning of recoil buffers.

SPECS: Stainless steel, natural finish. Models for Government and Commander. Some fitting may be required.

#100-003-248DJ Government FL Guide Rod w/Plug,
2B29T56..... \$ 36.95
#100-003-247DJ Commander FL Guide Rod w/Plug,
2B29T56..... 36.95

NOWLIN CUSTOM GUIDE ROD ASSEMBLY

Extra Length For
Extra Support &
Better Cycling



Full-length design eliminates spring bind and provides more reliable feeding, extraction and ejection. 6" model provides increased support for government-length pistols equipped with full-style compensators or extended reverse plugs. Centerless ground and heat-treated for better function and decreased wear.

SPECS: 416 stainless steel. Heat treated to Rc 42. Available in **One-piece** and **two-piece** with standard (**STD**) plug or reverse (**Rev.**) plug. One-piece drilled for takedown pin. Two-piece includes Allen wrench. **Standard** or **Reverse** plug only, drilled for full-length guide rod.

STOCK #	FITS/LENGTH	PLUG/PIECE	PRICE
#654-108-151DJ	Govt./5"	Std/1-Piece	4E26Z47 \$ 31.95
#654-108-152DJ	Govt./5"	Std/2-Piece	4E28Z13 \$ 33.95
#654-108-162DJ	Comp./6"	Std/2-Piece	4E28Z96 \$ 34.95
#654-108-125DJ	Govt./5"	Rev./2-Piece	4E33Z10 \$ 39.95
#654-108-231DJ	Comm./4 3/4"	Std/2-Piece	4E28Z13 \$ 33.95
#654-108-235DJ	Govt. plug only	Standard	4E05Z96 \$ 7.99
#654-108-233DJ	Govt. plug only	Reverse	4E16Z53 \$ 19.95

ral finish (**SS**). Government: 1 3/4" (4.6cm) long. Commander: 1 1/4" (3.2cm) long. **Full Length** - Stainless steel, natural finish. 4" (10.2cm) long.

#296-000-075DJ G.I. Style Guide Rod, BL Govt.,
6B12P00..... \$ 15.00
#296-000-080DJ G.I. Style Guide Rod, BL Comm.,
6B12P00..... 14.99
#296-000-113DJ G.I. Style Guide Rod, SS Govt.,
6B16U90..... 21.99
#296-000-081DJ Full-Length Guide Rod, SS Govt.,
6B20P00..... 24.99
#296-000-114DJ G.I. Style Guide Rod, SS Comm.,
6B16U49..... 19.99

SPRINCO 1911 AUTO RECOIL MANAGEMENT SYSTEM



Reduces Felt Recoil, Muzzle Climb & Frame Damage

Drop-in sytem provides significant reduction in felt recoil and grip fatigue. Plus, it keeps the gun "flat" so your sights stay on target to help you shoot faster. Bright polished, stainless steel guide rod fitted with a chrome silicon, secondary spring that reduces slide-to-frame impact with no loss of reliable cycling. Softens the recoil impulse by gradually slowing the slide to prevent frame battering; helps extend your pistol's service life. Drop-in installation requires no modifications to your pistol.

SPECS: 17-4 stainless steel (**SS**), heat treated to Rc 38-42. Polished finish. Select Bushing Plug (**BP**) or Reverse Plug (**RP**). Includes instructions.

STOCK #	FITS	PRICE
#943-100-011DJ	1911 Govt/5" clones, SS, BP	3D67P70 \$ 89.99
#943-100-003DJ	1911 Govt/5" clones, light loads 9mm, .38S, .45 wad, SS, BP	3D67P46 \$ 89.99
#943-000-002DJ	1911 Govt/5" clones, heavy loads, (+P+) .40-45 Super, .460 Rowland, SS, BP	3D71P21 \$ 94.99
#943-000-005DJ	1911 "short" (CMP ball match legal) SS, BP	3D59P95 \$ 79.94
#943-100-012DJ	Commander and 4.25" clones, SS, BP	3D67P46 \$ 89.99
#943-000-008DJ	Delta Elite 10mm, SS, BP	3D71P22 \$ 94.99
#943-100-001DJ	1911/SVI Limited, SS, RP	3D71P21 \$ 94.99
#943-100-002DJ	1911/SVI Open Gun, SS, RP	3D71P21 \$ 94.99
#943-000-009DJ	Kimber 4" Pro Carry & Compact, SS, RP	3D67P46 \$ 89.99

STI 1911 AUTO RECOIL MASTER



Softens Felt Recoil For Smooth Cycling,
Reliable Feeding & Fast Sight Recovery

Dual-spring, guide rod system gives smooth, gentle slide movement to significantly reduce muzzle flip and felt recoil. Proprietary, tuned springs help control muzzle rise to get you back on target faster. Primary recoil spring absorbs initial slide movement as the secondary spring gently slows and stops the slide. Softens initial chambering impulse to gently strip rounds from magazine. Improves feeding reliability, reduces sensitivity to magazine lip style. **Twin-Pack** contains one light system and one heavy system. Shooter preference and experience will help determine choice of heavy or light system.

SPECS: Steel, blue finish. Fits 5" barrel guns. Includes full length guide rod, main and secondary springs, recoil plug and take down tool. **Light** - Comp guns and 9mm, plus guns with lightened slides require light system. .40/.45 caliber guns, with a loose-fit slide, can use the light system. **Heavy** - New, tightly-fitted guns and .40/.45 caliber use heavy system. Factory recommends not trimming or replacing springs.

#791-000-033DJ Bull Barrel, Light Recoil Master,
1G70T84..... \$ 88.55
#791-000-034DJ Bull Barrel, Heavy Recoil Master,
1G70T84..... 88.99
#791-000-036DJ Bushing Barrel, Light Recoil Master,
1G70T84..... 88.55
#791-000-037DJ Bushing Barrel, Heavy Recoil Master,
1G70T84..... 88.55
#791-000-038DJ Bushing Barrel, Twin-Pack,
1G125T00..... 156.25

STI 1911 AUTO ONE-PIECE GUIDE ROD



Improves Function; Relieves Spring Bind

One-piece, solid steel rod improves function and reliability of competition and carry guns. Helps prevent recoil spring bind for improved feeding and extraction. **Hollow Spring Tube** requires no slide modification to install a one-piece guide rod in bushing-equipped guns.

SPECS: 4140 steel, blue finish. **Guide Rod** - 5.1" (12.9cm) long. 1.6 oz., (.45 g). Fits 1911 Govt or 5" models. Does not include **Hollow Spring Tube**. **Hollow Spring Tube** - Steel, blue (BL) finish. 1.095" (27.8mm) long.

#791-110-001DJ Steel Guide Rod 1G13A13..... \$ 16.41
#791-000-011DJ BL Steel Hollow Spring Tube,
1G07Y65..... 9.56

WILSON COMBAT RECOIL SPRING GUIDE



Eliminate Spring Kink
& Bind; One- &
Two-Piece Styles

With a full-length guide rod in place giving no chance for recoil spring bind, a 1911 will chamber, cycle and extract more reliably. One-piece style

available for Government/Gold Cup and Commander; Two-piece for Government/Gold Cup in both standard full-length and long slide for pistols equipped with partial or full-style compensators. Reverse Plug model fits Govt. length slides altered to accept tapered sleeve bushing.

SPECS: Stainless steel. .325" (8.25mm) diameter shaft. All include correct plug.

STOCK #	FITS/BBL LENGTH/STYLE	PRICE
#965-025-002DJ	Comm/4 3/4"/1-Pc.	5F24P56 \$ 29.95
#965-025-001DJ	Govt./5"/1-Pc.	5F25P03 \$ 29.99
#965-148-500DJ	Govt./5"/2-Pc.	5F26X20 \$ 31.95
#965-025-021DJ	Govt./5"/1-Pc. w/reverse plug	5F31P19 \$ 36.95

WILSON COMBAT 1911 COMPACT FULL-LENGTH GUIDE ROD KIT

Ends Officers ACP & Springfield
Compact Spring Plug Failures



Full length rod replaces the short, factory spring plug and guide rod for increased spring support, better reliability and smoother functioning. Two-piece, hex head guide rod and one-piece recoil spring are fast and easy to install. Installation requires only slight modification to slide.

SPECS: Machined stainless steel guide rod/head and plug. Heavy duty recoil spring. **Officers ACP Rod (Officers)** - .326" (8.2mm) diameter. **Springfield Compact Rod (SC)** - .326" (8.2mm) diameter.

#965-025-003DJ Officers Guide Rod Kit 5F32P20... \$ 36.99

#965-025-004DJ SC Guide Rod Kit 5F32P20..... 36.95

CHECK OUT

Gunsmiths.com

BROWNELLS
... ONLY THE BEST ...

PAGE 15

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

WILSON COMBAT 1911 AUTO "GROUP GRIPPER" GUIDE ROD & PLUG




Easy, Drop-In Kit Squeezes Maximum Accuracy
From Standard Barrels

Exclusive Dwyer "Group Gripper" acts like an instant accurizing job for standard or factory barreled guns. Full-length guide rod with heavy, internal spring forces barrel top lugs upward into the slide. Gives maximum lug engagement, positive lockup and far more consistent shot-to-shot repeatability.

SPECS: Stainless steel. Kit includes two-piece, full-length guide rod, guide plug, barrel link and instructions. Available for Govt./Gold Cup (**G/GC**) and Commander (**CM**) length slides.

#965-203-001DJ G/GC Group Gripper,
5F41Z78 \$ 47.95
#965-203-002DJ CM Group Gripper,
5F41Z78 47.95

WILSON COMBAT 1911 AUTO SHOK-BUFF RECOIL SYSTEM



Improves Accuracy, Functioning;
Eliminates Frame Cracking From Recoil

Easy-to-install kit instantly improves cycling, reliability and accuracy without modifying the frame or the slide. Exclusive, injection-molded, polyfiber buffers slip onto the guide rod between the head and spring and keep the slide from hitting the frame. Prevents expensive frame damage and softens the felt recoil of high power competition loads. Full-length guide rod keeps the recoil spring straight for smoother functioning and longer spring life. Together they provide consistent barrel lockup and increased accuracy.

SPECS: Kit includes stainless steel full length guide rod and plug, 6 **Shok-Buff** washers, 1 light recoil spring, 1 heavy recoil spring, 1 extra power firing pin return spring. Fits 1911 Auto models and calibers listed only.

STOCK #	FITS	CALIBER	PRICE
#965-064-045DJ	Govt./Gold Cup	.45 ACP	5F33H11 \$ 38.99
#965-064-145DJ	Commander	.45 ACP	5F33H11 \$ 38.99

WILSON COMBAT 1911 AUTO SHOK-BUFF RECOIL KIT



Improves Functioning Reduces
Recoil Sharpness & Frame Battering

Balanced kit comes with two buffers and one steel recoil spring to help reduce frame cracking and battering. Buffers should be replaced every 1,000 rounds, and spring should be replaced every 2,000 rounds. When buffers are gone, replace the spring – an easy way to remember to replace the spring.

SPECS: Steel spring, plastic buffers. Fits Govt. model only.
#965-002-001DJ SHOK-BUFF Recoil Kit,
5F05A95 \$ 6.95

BUFFERTECHNOLOGIES 1911 AUTO RECOIL BUFFER™



Softens Felt Recoil, Stops Frame Battering

Polyurethane spacer fits on the recoil spring guide to cushion slide impact against the frame. Gently slows the slide; helps prevent the constant frame battering that causes premature wear or cracking. Extends the service life of competition and carry pistols. Softens felt recoil, reduces muzzle rise for faster follow-up shots. Change every 1000 rounds for best results.

SPECS: Polyurethane, gray. 1 per pack. **1911 Auto**, polyurethane, yellow. 8 per pack.

#071-000-005DJ 1911 Auto Recoil Buffer,
1G06A97 \$ 9.95

CP BULLETS 1911 AUTO SUPERTUFF RECOIL BUFFERS



Eliminates Frame Damage From Recoil

Prevents the slide from contacting the frame and causing serious damage during recoil. An absolute must for any shooter using major power factor ammunition in their 1911 Auto. Long-wearing, hard, nylon washers absorb the shock but won't flatten out and cause cycling problems as they begin to wear. Fits easily over full length or short, factory guide rods. Replace every 1,000 rounds for best results.

SPECS: Hard nylon. Fits 1911 Auto only. 5 per pak.
#169-001-000DJ CP Super Tuff Recoil Buffers,
9F03U91 \$ 6.95



DLASKARMS GSG 1911 .22 LR RECOIL BUFFER

Cushions Slide-To-Frame Contact &
Prevents Battering

Recoil buffer reduces slide/frame contact during recoil to provide shock absorption and longevity in the GSG 1911 .22 LR pistol. Each buffer is precision-cut from a sheet of tear-resistant polyurethane. Slides over the recoil spring guide between the guide and spring. Drop-in installation with no permanent alteration to firearm.

SPECS: Polyurethane, red. 6 per pak. Fits the GSG 1911 .22 LR pistol only.

#253-000-006DJ GSG 1911 .22 LR Buffer, 6-Pak,
3E06Y43 \$ 7.99

ED BROWN 1911 AUTO SLIDE BUFFERS



Prevent Slide-To-Frame
Contact & Damage

Eliminates frame damage caused by slide/frame battering during the recoil cycle. A single, extra-defense, polyurethane buffer fits between the guide rod head and the recoil spring; completely prevents the slide from contacting the frame. Precisely molded so they won't drag on the frame and cause malfunctions. For best results, change every 1,000 rounds.

SPECS: Polyurethane. Fits 1911 Auto only. 6 per pak.
#087-805-006DJ Slide Buffers,
7H05A06 \$ 6.33



**GSA DISCOUNTS APPLY
TO ITEMS WITH THIS
LOGO. CALL AND ASK
FOR PRICING**

**SATISFACTION GUARANTEED
SINCE 1939**



WILSON COMBAT 1911 AUTO SHOK-BUFFS®

Softens The Blow Of Recoil;
Helps Prevent Frame Damage

Prevents expensive frame damage when shooting high-pressure, major power factor loads. Replaceable, poly-fiber washer installs behind the recoil spring on any length guide rod. The shock absorbing action stops the slide from battering the frame. Injection molded for the optimum balance between shock absorption and longevity. Replace every 1,000 rounds.

SPECS: Poly-fiber, blue. 6 Shok-Buffs per pak. Not for use in Officer's ACP Model.

#965-002-004DJ Shok-Buffs Pak,
5F05U99 \$ 6.99

BLUE FORCE GEAR 1911 AUTO VICKERS IGNITION COMPONENTS



High-Grade,
Precision-Fit
Parts For An
Ultra-Smooth
Trigger Pull &
Crisp Letoff

High-performance ignition parts deliver an ultra-smooth trigger pull and a crisp, clean letoff without sacrificing reliability. Larry Vickers, noted American Pistolsmiths Guild member and retired 20-year veteran of the U.S. Army Special Forces, designed each component with improved geometry to provide a precise, reliable trigger job with minimal fitting. All parts are wire-EDM cut to exacting tolerances from hardened tool steel, with hand-polished sear engagement hooks, precision-milled pin holes, beveled no-sag edges, and a mirror polished surface for ultra-smooth operation. Available as complete kits with either classic Commander-type ring hammer or slotted style with a large, elongated relief hole, plus Larry's Tactical Sear and Disconnecter. Hammers, sear, and disconnecter also available separately.

SPECS: Hardened tool steel, in-the-white. Some fitting required. Gunsmith installation recommended.

#100-004-351DJ Classic Hammer/Sear/Disconnecter Kit,
7A00TPU \$ 149.99

#100-004-366DJ Slotted Hammer/Sear/Disconnecter Kit,
7A00VBX 159.99

#100-004-364DJ Classic Commander Hammer, only,
7A89V99 115.99

#100-004-586DJ Slotted Hammer, only 7A00HDZ 94.99
#100-004-367DJ Tactical Sear, only 7A37H99 51.99
#100-004-362DJ Tactical Disconnecter, only 7A24V99 31.99



CLYINDER & SLIDE 1911 AUTO 3-PIECE DROP-IN TRIGGER PULL SET

Available In Two Configurations
To Fit Your Specific Shooting Needs

Commander-style hammer, Tactical sear, and Ultra Match disconnecter drop-in to deliver reliable ignition and improved trigger function on any 1911 auto. Each component is precision EDM cut to $\pm .0005$ " tolerances from Cylinder & Slide's Special Tool Steel. All parts are honed and polished, then heat-treated to Rc 50-53 for long service life. **Tactical II Set** features the popular Tactical II chamfered hammer in-the-white with standard .018" long hammer hooks for a match-grade trigger pull. **MARSOC Set** includes a blued Tactical II-style hammer with longer .023" hammer hooks for added sear engagement and maximum reliability. Used in the U.S. Marine Corps MARSOC service pistols. Added material on the hooks allows fitting by the pistolsmith to achieve a truly custom trigger pull.



HARRISON DESIGN 1911 "RETRO"-STYLE HAMMER & IGNITION KIT

Low-Profile Bite-Free Hammer;
Top-Quality Fire Control Components



Low-profile, "bite free" hammer spur prevents hammer pinch even when used with the standard 1911A1 grip safety. "Retro" design has the look of the original military 1911A1 hammer. Available alone or in a kit with top-quality machined sear and disconnecter. All components precision machined from tool steel, heat treated, and polished for optimum fit and durability. Primary and breakaway angles on the sear are prepped and ready to go, but can be gunsmith modified to change trigger pull if desired.

SPECS: Tool steel machined to $\pm .0005$ " tolerance, heat-treated to Rc 53-56, in the white. Kit includes hammer, sear, disconnecter.

#100-008-461DJ Retro-Style Ignition Kit,
9B127Y99 \$ 159.95

#100-008-460DJ Retro-Style Hammer 9B71Y14 87.95



CYLINDER & SLIDE 1911 AUTO SAFETY FAST SHOOTING SYSTEM

Get Your Pistol Into Action Faster
Without Compromising Safety



Easy-to-install kit replaces some of your 1911's fire control components to allow cocked-and-locked Condition 1 carry with the hammer lowered. Makes pistol function like a decocker-equipped double-action pistol without altering single-action function, trigger pull, reliability, or speed from draw to first shot. Two-part hammer system leaves an internal hammer cocked while the traditional-looking external hammer rests in the "down" position. Reduces risk of hammer snagging on clothing when drawing from concealment, and eliminates visual distraction for bystanders caused by a "dangerous"-looking cocked weapon carried by uniformed law enforcement officers or other personnel authorized for visible carry. Minimal retraining required; weapon deployment from holster is the same as a non-SFS 1911. To operate SFS, insert a loaded magazine and rack the slide. Then push the hammer forward toward the traditional hammer down position. The ambi safety levers will pop up into "safe" position. The gun is completely safe. Slide is locked closed, trigger will not depress, internal hammer is physically blocked from reaching the firing pin, and the external hammer cannot be pulled back. Grip safety and passive Series 80 firing pin block (if your pistol has one) function normally. To shoot, simply depress the thumb safety, and the external hammer springs back to the visibly cocked position, ready to fire. If a live round remains in the chamber after shooting, the slide must be released and hammer pressed forward to render the pistol safe again. Trained personnel who can detail strip and reassemble a standard 1911 can install SFS with ease. No fitting, drilling, or gunsmithing required. Externally visible parts are hard-chromed to match stainless pistols.

SPECS: Carbon steel, hard-chromed, matte finish. Kit contains ambi safety, complete hammer assembly, hammer strut, slide stop, mainspring, and plunger spring, plus plunger lever and trigger bar lever for Series 80 Colt. Installation instructions included. Fits Series 70 and 80 Colt 1911 Government pistols and clones.

#206-000-041DJ Safety Fast Shooting System,
6K223T24 \$ 244.45

SPECS: Special billet alloy steel. Hardened to Rc 50-53. Includes hammer, sear, and disconnecter. **Tactical II** – All parts in-the-white. .018" long hammer hooks. **MARSOC** – Hammer blued, disconnecter and sear in-the-white. .023" long hammer hooks.



#206-000-034DJ Tactical II Trigger Pull Set,
6K93D47 \$ 99.99



#206-000-038DJ MARSOC Trigger Pull Set,
6K101D61 126.99

CYLINDER & SLIDE 1911 AUTO TRIGGER PULL KIT



Match Quality Trigger Pull In A Drop-In Kit

Each kit is tested on a Series 70-style frame to make certain it will produce the specified pull weight with little or no fitting. Parts are wire EDM cut from bar stock, honed and polished, then heat treated for years of service life. All profiles and through-holes are mechanically correct to function without hand fitting. Sear nose has correct relief angle, sear spring is narrowed to reduce pull weight. Exposed hammer edges on Ultra-Light, Super Match and Tactical II are chamfered to minimize slide drag and clothing wear. Each kit contains a hammer, sear, disconnect, sear spring and hammer spring. **ULTRA LIGHT KIT** - 3.5 lb. pull weight. Ultra light, skeletonized, hammer; relieved to prevent frame rub. Ultra light match sear and disconnect. Lightened sear spring, 18 lb. hammer spring. **ULTRA LIGHT SPEED II KIT** - 3 lb. pull weight. Low-profile, skeletonized hammer relieved to prevent frame rub; ultra-light weight cuts lock time to a minimum. Deep, crisp serrations ensure secure thumb contact for fast, positive cocking. Properly matched spring weights give the specified pull weight and ensure positive ignition. **SUPER MATCH KIT** - 3.5 lb. pull weight. Ultra match, lightened hammer. Relieved to prevent frame rub. Ultra light match sear and disconnect. Light pull sear spring, 18 lb. hammer spring. **TACTICAL II KIT** - 4 lb. pull weight. Tactical II hammer with relieved sides, ultra match sear and disconnect; light sear spring, 18 lb. hammer spring. **TACTICAL MATCH KIT** - 4.5 lb. pull weight. Tactical hammer, sear, disconnect, light pull sear spring, 18 lb. hammer spring. Great for carry guns. **WARP SPEED KIT** - 3 lb. pull weight. Very low mass hammer, relieved to prevent frame rub. Low mass sear and disconnect, 18 lb. hammer spring, light pull sear spring. **DUTY/CARRY KIT** - 4½ lb. pull weight for duty or carry pistols. Comes with classic, military-style spur hammer, for those who prefer that style or are required to have it on duty weapons. Includes sear, disconnect, 23 lb. hammer spring, and sear spring. **PROFESSIONAL KIT** - 5 lb. of pull weight and is designed for military and police shooters. Gives complete trigger control in high-stress situations. Contains hammer, sear, disconnect, 23 lb. hammer spring and tactical sear spring.

SPECS: *Ultra Light Kit:* Special die steel, in-the-white. Hammer: Rc 50-53. .39 oz. (11.1g) wt. Sear: .07 oz. (1.9g) wt. *Ultra Light Speed II:* Tool steel, in-the-white. Hammer & Sear: Rc 50-55. .7 oz. (20g) total wt. Sear: .07 oz. (1.9g) wt. *Super Match Kit:* Special die steel, in-the-white. Hammer: Rc 50-53. .47 oz. (13.4 g) weight. Sear: .07 oz. (1.9g) wt. *Tactical II Kit:* Special tool steel, in-the-white. Hammer: Rc 50-53. .5 oz. (14g) wt. Sear: .09 oz. (2.5g) wt. *Tactical Match Kit:* Special tool steel, in-the-white. Hammer: Rc 50-53. .52 oz. (14.7g) wt. Sear: .09 oz. (2.5g) wt. *Warp Speed Kit:* Special die steel, in-the-white. Hammer: Rc 50-53. .35 oz. (9.9 g) wt. Sear: .07 oz. (2g) wt. *Disconnect:* .069 oz. (1.9g). *Duty/Carry 4½ lb. Kit:* Billet alloy steel, heat treated to Rc 50-54, in-the-white. Hammer, black. Kit includes spur hammer, sear, disconnect, 23 lb. hammer spring, and sear spring. *Professional 5 lb. Kit:* Billet alloy steel, in-the-white. Hammer, Rc 50-54. .5 oz. (14.1g) wt. Sear 2 oz. (5.6g) wt. *Disconnect:* .2 oz. (5.6g) wt. 23 lb. hammer spring, tactical sear spring included.

#206-103-030DJ Ultra Light Trigger Pull Kit, 6K150D00	\$ 155.99
#206-000-039DJ Ultra Light Speed II Kit, 6K150D58	164.99
#206-103-040DJ Super Match Trigger Pull Kit, 6K133D20	144.99
#206-103-052DJ Tactical II Trigger Pull Kit, 6K102D46	109.99

CYLINDER & SLIDE ULTRA LITE, ULTRA MATCH & SUPER MATCH COMPONENTS

Premium-Quality Parts
To Produce A Long-Wearing,
Match-Quality Trigger Pull

Super Match and **Ultra Lite** components are CNC machined from aerospace-quality, maraging alloy tool steel that's age-hardened to prevent stress, warpage and tolerance loss. All profiles are mechanically correct, through-holes are properly aligned so they function the first time without time consuming fitting. Exposed hammer edges are chamfered to minimize slide drag and clothing wear. **Sets** contain either the **Ultra Lite** or the **Super Match Hammer** plus matching **Sear** and **Disconnect**.
SPECS: *Hammer and Sear* Special die steel, matte silver finish. Rc 50-53. *Disconnect* - Special tool steel. Rc 50-53.

ULTRA LITE HAMMER - Skeletonized for low mass and faster lock time without sacrificing long wearability and strength. 2 lb. trigger pulls can be achieved without shortening the hooks below .018". All engagement surfaces are highly polished and ready for installation.

#206-104-101DJ Ultra Lite Hammer 6K78D60	\$ 98.25
#206-104-000DJ Ultra Lite Set 6K134D87	160.99

SUPER MATCH HAMMER - All the great features of the **Ultra-Lite Hammer** in a conventional "commander" design that's best for assuring ignition on carry or personal defense pistols.

#206-103-001DJ Super Match Hammer, 6K66D40	\$ 83.00
#206-103-000DJ Super Match Set 6K118D73	149.99

ULTRA MATCH SEAR - Highly contoured so all excess weight is trimmed away for the absolutely lowest mass and lowest inertia. Gives reliable, positive sear engagement with lighter spring weights.

#206-103-010DJ Ultra Match Sear, 6K39D60	\$ 49.50
------------------------------------------	----------

ULTRA MATCH DISCONNECT - Machined with the correct lengths, both above and below the sear pin cutout, so you get reliable functioning without a lot of fitting or scraping.

#206-103-020DJ Ultra Match Disconnect, 6K20D12	\$ 25.15
------------------------------------------------	----------

CYLINDER & SLIDE 1911 AUTO TACTICAL HAMMER & SEAR

Hardened-Alloy Steel
For Durability & Long Life



EDM, wire cut, then CNC, finish machined from tool steel and hardened to Rc 50-53 so they hold a finely-stoned edge for thousands of rounds. Pre-prepped hooks and sear face require only final stoning to achieve a clean, crisp trigger

pull. Plus, the sear features the proper relief cut so the hammer resets firmly during cycling. **Tactical II** hammer features relieved sides and chamfered edges to reduce slide drag and clothing wear.

SPECS: Special tool steel, in-the-white, Rc 50-53.	
#206-039-001DJ Tactical Hammer 6K37B80	\$ 47.25
#206-039-002DJ Tactical Sear 6K23B40	29.25
#206-039-003DJ Tactical II Hammer 6K51B08	63.85

#206-103-050DJ Tactical Match Kit 6K89D94	99.99
#206-038-100DJ Warp Speed Kit 6K142B30	154.99
#206-000-052DJ Duty/Carry Trigger Kit, 6K131T55	159.99
#206-000-019DJ Professional Trigger Kit, 6K115B82	124.99

NOWLIN MFG. DROP-IN-TRIGGER JOB

A Professional 3½ Lb. Trigger Pull
Without The Work

Ready-to-drop-in parts put an ultra-smooth, clean breaking, professional quality trigger job in your 1911 Auto in only minutes. Fully prepared hammer and pre-ground, pre-polished sear, plus springs and fully-machined disconnect, will install into most models of 1911 Autos with little or no fitting required. Helps promote better trigger control and improved accuracy. **Pro Match & Commander Match** - feature wire EDM'd hammer and sear that are double heat treated, then finish ground for outstanding durability. 3½ lb pull weight. These will exceed the demands of all styles of competitive shooting. **Speed Demon Match** - Ultra lightweight hammer quickens lock time for the fastest possible follow-up shot. Features wire EDM'd hammer and special spring weights. 3½ lb. pull weight.
SPECS: Kit includes hammer, sear, sear spring, mainspring and disconnect. *Pro Match* - S-7 tool steel hammer, polished sides, Rc 50. *Speed Demon & Commander Match* - 420 XL stainless tool steel hammer, polished sides, Rc 50.

#654-012-110DJ Pro Match Trigger Job, 4E127A53 \$ 154.95

#654-012-111DJ Commander Match Trigger Job, 4E124A24 149.95

#654-012-112DJ Speed Demon Trigger Job, 4E132A53 159.95

DOUG KOENIG 1911 AUTO LOW MASS HAMMER

Minimal Over-Cock Travel Speeds-Up
Ignition; Pre-Cut, Pre-Polished
Hooks Speed Installation

All-steel, "Commander-style" concealed-carry hammers, ready for installation with little or no fitting required. All excess weight is removed for fast, consistent, positive ignition without cracking or breakage. Engagement areas are surface ground plus, the half-cock notch will not damage your carefully prepared sear angles. Sides narrowed for slide clearance. **Premium Match** model has additional lightening cuts for lower mass, giving the faster lock times needed for competitive shooting.

SPECS: Tool steel, in-the-white, machined. *Premium Match* - .3 oz. (9 g) wt. *Standard* - .5 oz. (14 g) wt.

#388-401-000DJ Premium Match Low Mass Hammer, 8H66V48	\$ 80.99
#388-401-100DJ Standard Low Mass Hammer, 8H64V27	80.33

ED BROWN 1911 AUTO BARSTOCK HARDCORE® HAMMER

Extra Tough & Long Wearing

Machined-from-barstock with the sear hooks cut to height, requiring only a light stoning to achieve a crisp, clean pull. Half-cock notch is narrowed and a lowered strut pin hole reduces full-cock spring pressure. Narrowed spur minimizes drag; a big opening reduces weight.
SPECS: 4140 alloy steel, blue, or 420 stainless steel, SS. Rc 52-54. .020"-.022" hook height, Gunsmith installation recommended.

#087-000-009DJ Blue Barstock Hammer, 7H43Y03	\$ 53.99
#087-000-010DJ SS Barstock Hammer, 7H46Y86	58.99

EMC 1911 AUTO HAMMERS

Precision-Machined,
Hardened Steel For
Durability; Gives Pistol
A Distinctive Look

Distinctive-looking, U.S.-made hammers are precision-machined from solid steel to ensure this critical ignition component is as reliable as it is attractive. Available in blued, high-carbon tool steel or stainless, both heat-treated to Rc 46-52 for exceptional strength and wear-resistance. Deep, crisply cut serrations on the thumb pad ensure a secure, non-slip purchase during cocking. Available in stainless or two-tone blued tool steel with sides left in-the-white. **Web** model provides much of the weight-reduction and reduced lock time of a skeletonized hammer, with a checkered, reinforcing web that adds extra rigidity and gives your pistol a unique appearance. **Ring** model is a well-executed copy of the original Colt Commander hammer, machined from high-grade stainless steel. **Wide Spur** model is machined to dimensions close to original National Bureau of Standards specifications and gives your pistol the look of an early production military 1911. Top of spur is checkered for a positive grip and sides are tapered for proper clearance.

SPECS: High-carbon tool steel, blued, or stainless steel, natural finish. Gunsmith installation recommended. *Wide Spur* - Pad: ¾" (9.5mm) wide x ¾" (19mm) long.

#100-004-490DJ Web Hammer, Blued, 7A21V25	\$ 25.99
#100-004-491DJ Web Hammer, Stainless, 7A21V25	25.99
#100-004-492DJ Ring Hammer, Stainless, 7A21V25	25.99
#100-001-777DJ Wide Spur Hammer, Blued, 7A25H14	31.99

HARRISON DESIGN 1911 AUTO EXTREME SERVICE IGNITION COMPONENTS

Hardened Tool Steel
Components For Durability,
Reliability & Precise Fit



Critical ignition parts are machined from high-grade tool steel for precise fit and reliable, consistent function under the most demanding operating conditions.

Each component is wire-EDM cut, CNC machined and honed to final dimensions with +/- .005" tolerances for drop-in fit on many 1911s, then heat-treated to Rc 53-56 to maintain those dimensions through thousands of firing cycles. Hammer hooks are pre-prepped and sear nose polished for precise contact and crisp, clean letoff. Commander-style hammer has elongated spur with deep serrations to provide extra-secure thumb purchase. Beveled edges resist snagging on clothing and protect the thumb from abrasion, and slightly narrower hammer body prevents unwanted slide contact. **Set** includes hammer, sear, and disconnect. Each component also available separately.
SPECS: Hardened tool steel, in-the-white. Hardened to Rc 53-56. Some fitting may be required.

#100-004-374DJ Extreme Service Ignition Set, 9B112Y33	\$ 139.99
#100-004-781DJ Extreme Service Hammer, 9B76Y60	89.99
#100-004-782DJ Extreme Service Sear, 9B31Y80	39.99
#100-004-783DJ Extreme Service Disconnect, 9B22Y66	26.99

Selection • Service • Satisfaction

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 17

INFINITY 1911 AUTO XCELERATOR HAMMER



**Lightweight Design;
Hard Tool Steel For Long
Lasting Performance**

Skeletonized profile removes excess weight; gives faster lock times and improved accuracy. EDM-cut from cryo-treated S7 tool steel for a lasting edge.

Narrowed body prevents slide drag; smoothes function. Half cock notch is narrowed to prevent rear damage. Square cut and polished hooks require just light, final stoning to produce a first class trigger pull. Three popular styles for competition and carry guns.

SPECS: Machined S7 tool steel, cryo-treated, hardened to Rc 54-56. Available in - Commander (**Comm**), Square (**SQ**), Spur. Polished blue. Gunsmith installation recommended.

#823-102-105DJ Commander Xcelerator Hammer, 3B62Z12 \$ 77.65

#823-102-106DJ Square Xcelerator Hammer, 3B62Z12 77.65

#823-102-107DJ Spur Xcelerator Hammer, 3B62Z12 77.65

EDM SEAR - Precision, EDM-cut from ultra-hard, A6 tool steel that holds those finely-honed edges longer for a trigger job that lasts.

SPECS: S-7 tool steel, in-the-white.

#823-103-106DJ EDM Sear 3B32Z11 \$ 40.13

MASEN 1911 AUTO HAMMER

**Quality, Affordable
Replacement Hammers**

Quality castings, CNC finish machined and hardened with custom features for all shooting styles. **Standard (Std.)** - Faithful reproduction of the original 1911 Auto hammer with long, checkered spur. **Oval Commander (OC)** - Large, oval hole lightens weight, and serrations ease hammer pull. **Wide Spur (WS)** - Bullseye hammer with an extra-wide, checkered spur for easier cocking.

SPECS: Steel, blued or stainless steel, matte finish.

#555-103-010DJ Blue Std. Hammer 6E12Z49 \$ 14.99

#555-103-110DJ SS Std. Hammer 6E13Z55 19.99

#555-103-011DJ Blue OC Hammer 6E15Z28 24.99

#555-103-111DJ SS OC Hammer 6E18Z95 24.99

#555-103-012DJ Blue WS Hammer 6E14Z42 16.99

#555-103-112DJ SS WS Hammer 6E16Z73 17.99

NIGHTHAWK CUSTOM 1911 AUTO HAMMER & SEAR

**Machined & Hardened
To Hold Dimensions & Resist Wear**

Match-grade hammer and sear are machined from solid steel bar stock, then hardened to hold precise dimensions and stand up to many thousands of rounds without wear. Hammer was designed exclusively for

Nighthawk by noted 1911'smith Bob Marvel, with precision-cut hooks and pin hole to ensure a correct fit. A large, oval cutout in the spur keep weight to a minimum, and crisp serrations prevent slippage when cocking or uncocking. Engagement surfaces on both parts are ready for final grinding and polishing to ensure a clean, reliable letoff. Gunsmith fitting required for proper function and safety.

SPECS: Hammer & Sear - Hardened tool steel, heat treated to Rc 50-53, matte black oxide finish. Hammer also available in stainless steel, natural finish.

#100-003-268DJ 1911 Hammer, Black 2B49T46 \$ 61.99

#100-007-587DJ 1911 Hammer, Stainless 2B49T46 61.99

#100-003-269DJ 1911 Sear 2B17T56 21.95

NOWLIN MFG. 1911 AUTO HAMMER



**Three Grades To Satisfy
All Types Of Shooters**

Fully prepped and ready to install. Fully-cut hooks and pre-ground engagement surfaces don't require additional work. **201 Pro** - Wire EDM'd then machined from tool steel to provide long life for competition use. Lightweight, cutaway loop. **201 CS** - Traditional, Commander-style loop.

EDM'd and fully CNC machined.

SPECS: **201 Pro** - S7 tool steel, matte finish. **201CS** - 420XL stainless tool steel, matte finish. All hammers Rc 50-53.

#654-217-201DJ 201 Pro Hammer 4E48Z81 \$ 59.95

#654-217-202DJ 201CS Hammer 4E47Z19 56.95

STI 1911 AUTO HAMMER

**Three Functional Styles In
Two Durable Materials For
Match & Carry Use**



Fully squared and cut hammer hooks, polished and ready to install as a vital part of a complete, custom trigger job. Match-quality in three of the most popular styles to meet the needs of both the competitive and self-defense shooter. Electro-discharge machined from either long-wearing tool steel to guarantee correct fit and performance.

SPECS: Tool steel, in-the-white. Available in Commander, Squared or Spur style.

#791-102-001DJ Commander Hammer 1G33U71 . . . \$ 39.99

#791-102-002DJ Squared Hammer 1G33U71 39.99

#791-102-003DJ Spur Hammer 1G33U71 39.99



*All products marked with
this symbol have passed
a rigorous test of function
and quality, and have been
awarded the American
Pistolsmiths Guild "Seal of Approval."*

WILSON COMBAT 1911 AUTO BULLET PROOF® HAMMERS



**"Skeletonized" Design, Low-Profile,
Long-Wearing Steel**

Skeletonized hammer offers a snag-resistant holster profile, with the last bit of extra weight stripped away for fast lock time to help improve accuracy. Machined from billet steel and heat-hardened to Rc 48-52 for superior strength and

long life. Sear engagement hooks pre-cut to .020" height and ground; ready to polish. Rebated width on half-cock prevents rear nose damage. Combat-style spur is serrated for fast, easy thumb grip. Narrowed body can't interfere with slide travel. **Ultralight** hammer is available in matte finish stainless or ultra-hard S7 tool steel, matte blued, with advanced RMS 8 silver finish on spur sides for a unique two-tone appearance.

Concealment model has an even lower spur profile that makes it ideal for all-day concealed carry; stainless only.

SPECS: Stainless steel (**SS**) or S7 steel, blued/RMS 8 finish. Heat treated to Rc 48-52. Fits Series 70/80 type 1911s with a Wilson/Clark compound radius on the frame. Gunsmith fitting required.

#965-337-002DJ Ultralight Hammer, Blued, 5F42A13 \$ 49.95

#965-337-001DJ Ultralight Hammer, SS 5F44A69 54.95

#965-000-110DJ Concealment Hammer, SS, 5F52Z24 59.99



WILSON COMBAT 1911 AUTO VALUE LINE HAMMER & SEAR



**Reliable Performance;
Affordable Price**

Ready to install, fully finished parts give a crisp, clean trigger pull. All engagement surfaces are correctly ground for positive hammer/sear engagement. Hammer has low-mass oval cut spur that reduces lock time. Narrowed sides improve function by reducing drag. Sear

primary angle is cut; just polish it and stone the relief angle for a super clean breaking trigger.

SPECS: MIM 4340 steel, Rc 47-52. Matte black finish.

#965-314-110DJ Value Hammer 5F23A45 \$ 29.95

#965-314-100DJ Value Sear 5F13A51 15.99

WILSON COMBAT 1911 AUTO DELUXE COMMANDER HAMMER

**Light, Narrowed;
Full-Width, Half-Cock Notch**



Grooved, fully relieved and lightened spur gives positive, no-slip thumb grip. Gold Cup-style, repositioned hammer strut hole reduces full cock spring pressure for a crisp, lighter feeling trigger pull. Hammer hooks are precision ground to .020", squared, ready for light stoning/ final polish. Narrowed half-cock notch prevents sear nose damage.

SPECS: EDM from carbon steel, bar stock. Fits Series 70 and 80. Gunsmithing required.

#965-299-001DJ Commander Hammer, 5F40D85 \$ 47.95

POWER CUSTOM 1911 AUTO HAMMER, SEAR & GRIP SAFETY SHIMS

**Eliminates Unwanted "Play" For A
Smooth, Consistent Trigger Pull**



Insert these precision-manufactured shims between the frame and the fire control parts on your 1911 Auto for a smoother, more consistent-feeling trigger pull without replacing components. Removes unwanted side-to-side movement and provides a quick fix for out-of-tolerance hammers, sears, grip safeties, and frames. Machined from stainless steel, fully hardened and tempered for long wear. Sold in 10 packs.

SPECS: Machined stainless steel, silver finish. .002" (.0051mm) thick. Fits Colt 1911 Auto and clones.

#713-000-094DJ 1911 Hammer/Grip Safety Shims, 10-Pak, 3A14B29 \$ 17.99

#713-000-095DJ 1911 Sear Shims, 10-Pak, 3A14B29 17.99

EGW 1911 AUTO COMPETITION SEAR

**Ultra-Hard, Machined Tool Steel Sear For
Long-Lasting Match-Quality Triggers**



Ultra-hard sear gives a clean-breaking, light-feeling trigger pull with little or no time-consuming stoning—can be installed straight out of the package in many cases. Precision CNC-machined from tool steel barstock, then ground for precise geometry to ensure correct sear angle for full hammer/sear engagement. Hardened to Rc 55 for exceptionally long life, so your trigger job lasts longer.

SPECS: Machined tool steel, in-the-white. Fits 1911 Auto only.

#296-100-002DJ 1911 Auto Competition Sear, 6B2Z400 \$ 30.00

ED BROWN 1911 AUTO MATCH SEAR

Extra-Hard For Long-Wear Life, Clean Break



Precision finished from 4340 alloy that will stone sharper and wear longer. Correct geometry assures positive sear/hammer engagement and helps prevent dangerous sear bounce and hammer follow. Made to

maximum 1911 Government Model specs for long life and durability.

SPECS: Steel, hardened and heat treated.

#087-812-000DJ Brown Match Sear 7H19A96 \$ 21.20

ED BROWN 1911 AUTO PERFECTION SEAR

Perfectly Mated For A Precise Trigger Pull

Ready to use as the final touch in a match trigger job. Pre-fit with primary angle already cut; simply stone the correct relief angle and install.

SPECS: 4340 tool steel, blued. Hardened to Rc 50.

#087-045-874DJ Perfection Sear 7H25A46 \$ 31.85

NOWLIN MFG. 1911 AUTO SEAR

Custom Performance With No Stoning Required

Sears that you can drop right in feature pre-ground and fully-prepped nose angles. No final stoning required for custom performance. **Factory Enhanced** - Metal injection molded; hardened, then machined for a close tolerance fit and long-lasting function. **Pro Match** - CNC machined from S7 tool steel, then double heat treated to provide non-captive sear angles that stay sharp and won't round off.

SPECS: **Factory Enhanced** - MIM steel, blued. **Pro Match** - S7 tool steel, in-the-white.

#654-270-100DJ Factory Enhanced Sear 4E13Y21 . . . \$ 15.95

#654-270-101DJ Pro Match Sear 4E19Y01 22.95

STI 1911 AUTO MATCH GRADE SEAR

**Premium Match Grade
For A Dependable, Crisp Letoff**

Electro-discharge machined to give the precision sear geometry needed for improved trigger pull. Features ground and polished angles for less work and faster installation on match-grade trigger jobs. Made from S-7, shock-grade, tool steel, then specially hardened for longer service life on competition pistols firing many thousands of rounds per year.

SPECS: Steel, S-7, in-the-white.

#791-101-110DJ Premium Grade Sear 1G17U50 . . . \$ 21.87

WILSON COMBAT 1911 AUTO SEAR

Meets The Demands Of Competition & Self-Defense



EDM cut from tool steel bar stock, heat treated for maximum hardness then ground to a beautiful, high polish to achieve a smooth, crisp, clean trigger pull.

SPECS: EDM cut from tool steel bar stock.

#965-314-000DJ Deluxe Sear 5F24A56 \$ 29.95

EMC 1911 AUTO DISCONNECTOR

**Heat-Treated, Then Polished
For A Clean, Crisp Trigger Pull**



Machined to precise dimensions, then hardened for long-lasting service with the slide notch and sear spring engagement surfaces polished for smooth, reliable function and a much improved trigger pull. No lightening cuts to guarantee maximum strength for hard-running service and competition pistols. Gunsmith installation recommended.


SPECS: Steel, blue or stainless steel (**SS**), grey.

#100-004-493DJ Disconnecter, Blue 7A11V03 \$ 13.99

#100-004-494DJ Disconnecter, SS 7A11V03 13.99

ED BROWN 1911 AUTO PERFECTION DISCONNECTOR

Precise Fit, Perfect Functioning In 1911 Triggers


Designed to work with Ed Brown's Perfection Sear and Hardcore Hammer for crisp, high performance trigger jobs. Heat treated for super durability in rugged service. All machined surfaces are finished and dimensionally precise to ensure perfect fit and smooth functioning. Gunsmith installation required. 

SPECS: Steel, blued. Fits all 1911 pistols including hi-capacity models.

#087-000-040DJ Perfection Disconnector 7H16T96 \$ 21.20

INFINITY 1911 AUTO TRI-GLIDE DISCONNECTOR

Reduced Mass & Friction,
Improves Trigger Performance


Reduced weight resets faster on guns with very light trigger pulls. Low friction head has reduced bearing area, gives trigger a smooth feel with a crisp, clean break. CNC machined from bar stock for greater strength. 

SPECS: 4140 steel, blue.

#823-109-000DJ Tri-Glide Disconnector, 3B32A11 \$ 40.13

NIGHTHAWK CUSTOM 1911 AUTO BAR STOCK DISCONNECTOR

Polished Engagement Surfaces
For A Precise, Clean-Breaking Trigger


Match grade replacement for your pistol's factory disconnector has precision ground engagement surfaces to ensure a crisp trigger without creep or mushiness. Fully machined from solid steel bar stock, then hardened to maintain precise dimensions and finished with Nighthawk's proprietary Perma Kote™ process before final polishing of slide notch and sear spring contact surfaces. 

SPECS: Hardened steel, blued. Gunsmith fitting required.

#100-003-261DJ Bar Stock Disconnector 2B16T46 \$ 19.99

NOWLIN MFG. 1911 AUTO PRO IMPROVED DISCONNECTOR

Pre-Fit & Polished For Smooth,
Dependable Function


Slide notch and sear spring surface are fully-polished after hardening to maintain the correct overall length; no further fitting required. Nowlin's exclusive, long-wearing, fully-machined, hardened disconnector made even better with pre-polished engagement surfaces for achieving that "breaking-glass" trigger pull so sought after by experienced shooters. Drops right in to any 1911 Auto for improved function or make it a part of your next trigger job. 

SPECS: 4140 steel, blue, matte-finish. 1.3" (3.3cm) long.

#654-000-048DJ Pro Improved Disconnector, 4E19U01 \$ 22.95

STI 1911 AUTO DISCONNECTOR

Precisely Dimensioned
For A Smooth, Reliable Trigger Pull


A malfunctioning disconnector can cause your 1911 to unexpectedly double or even go full auto, risking your safety and those of others around you. Replace a worn or damaged disconnector with this replacement precision formed from exceptionally strong FN 0205 nickel-steel alloy. Heat-treated to Rc 61 to resist surface wear, and given a tough, long-lasting black oxide finish. Factory original part for STI pistols; will also fit most other 1911s. Gunsmith fitting may be required. 

SPECS: Steel, blued. 1.304" (33.1mm) OAL. Fits all 1911 pistols.

#791-000-072DJ STI 1911 Disconnector 1G12P29 \$ 15.37

WILSON COMBAT 1911 AUTO BULLET PROOF® DISCONNECTOR

Machined To Tight Specs &
Polished For Smooth Trigger Pull


Designed to meet or exceed factory specifications, with lapped and polished engagement surfaces to reduce friction for a smooth, clean trigger pull. CNC machined from solid billet steel and heat-treated for hardness to help ensure precise contact between critical parts. For building custom pistols or just getting a good pistol back to original specs. Gunsmith installation recommended. 

SPECS: 1045 carbon steel, in-the-white.

#965-000-115DJ Bullet Proof Disconnector, 5F22Z68 \$ 26.99

ED BROWN 1911 AUTO HAMMER STRUT

Perfect Geometry
For Optimal Performance


Correct radius for proper clearance between the sear spring and grip safety. Ensures consistent hammer fall for maximum reliability. Heat-treated tool steel for long lasting durability. 

SPECS: Cast, 8620, tool steel, blue finish. 2.2" (5.6cm) long.

#087-823-000DJ Hammer Strut 7H06B07 \$ 7.99

EGW 1911 AUTO EXTRA-LONG HAMMER STRUT

Improved Radius For
Better Performance

Machined stainless steel and titanium struts keep the hammer under mainspring tension even at the "hammer-down" position. Improved radius prevents the strut from contacting the sear spring and prevents interference with most grip safeties. 


SPECS: Stainless steel or Titanium, matte finish, silver. 2.2" (5.5cm) long, fits 1911 Govt. & Commander.

#296-000-077DJ Hammer Strut, SS 6B08P21 \$ 9.99

#296-000-078DJ Hammer Strut, Ti 6B09P72 \$ 12.99

STI 1911 AUTO TITANIUM HAMMER STRUT

Combine With Other
Lightweight Components
For The Fastest Lock Time
Possible


An important link in a complete, lightweight 1911 Auto ignition system for increased performance and improved accuracy. EDM'd from titanium alloy; improved geometry helps eliminate interference with most grip safeties. 

SPECS: EDM titanium, 2.2" (5.6cm) long. Avg. wt. 28.5 grains.

#791-105-100DJ Ti Hammer Strut 1G12U45 \$ 14.99

EGW 1911 TITANIUM MAINSPRING CAP

Light Weight Helps Decrease Lock Time

Use as an integral part of a lightweight ignition system to reduce overall lock time and increase accuracy. Machined from solid titanium for strength and long service life. 


SPECS: Titanium, matte finish, silver, Govt./Comm. - .437" (11mm) long, .274" (6.9mm) diameter cap. Fits 1911 Govt. & Commander. Officer - .483" (12.3mm) long, .310" (7.9mm) diameter cap. Fits Officer Model and pistols with Ed Brown bobtail magazine housings.

#296-000-086DJ Ti Mainspring Cap, Govt/Comm., 6B10P46 \$ 12.99

#296-000-093DJ Ti Mainspring Cap, Officer, 6B17P33 \$ 21.67

STI 1911 AUTO MAINSRING CAP

Ready To Install; Hard Black Oxide Finish

Don't put a worn or dinged mainspring cap back in your gun when replacing the spring or mainspring housing. This cap is precision machined from high-grade 4140 carbon steel, then heat-treated for extra hardness to ensure secure, reliable spring retention. Durable, black oxide finish adds strength, surface wear resistance, and corrosion protection. Factory original part for STI 1911 and 2011 pistols. 

SPECS: 4140 steel, matte black oxide finish.

#791-000-083DJ Mainspring Cap 1G03P94 \$ 4.99

BRILEY 1911 AUTO FIRING PINS & STOPS

Correctly Sized By Caliber For Best Fit

Properly sized for each caliber to provide extremely reliable function, fit and eliminate primer flow. Radiused Stop edges prevent stress fractures. 

SPECS: Firing Pin - (FP) 17-4 Stainless steel. Hardened to Rc 38-40. Firing Pin Stop - Steel, blue, matte finish (BL), or stainless steel (SS).

#129-119-009DJ 9mm/38 Firing Pin 9B09H66 \$ 12.09

#129-119-045DJ .45 ACP Firing Pin 9B09H67 12.09

#129-120-009DJ 9mm/38 BL Firing Pin Stop, 9B13H84 \$ 17.30


#129-120-109DJ 9mm/38 SS Firing Pin Stop, 9B14H56 \$ 18.21

#129-120-045DJ .45 ACP BL Firing Pin Stop, 9B13H84 \$ 17.30

#129-120-145DJ .45 ACP SS Firing Pin Stop, 9B14H57 \$ 18.21

ED BROWN 1911 AUTO FIRING PIN

Sized To Fit
Correctly
& Eliminate
Primer Flow

High-quality firing pins that are specifically sized to reduce the chances of primer flow. Proper weight for positive ignition with heavy-duty springs. Correct tip diameters in 9mm/.38 Super provide a close, firing pin hole fit for slides built to Colt or Springfield Armory dimensions. 

SPECS: A-2 steel, blued. #824 fits Series 70/80 Colt. .45 ACP, #825 fits Series 70/80 in 9mm/.38S/10mm/.40 S&W. #826 Special size for 9mm/.38S, .45 ACP Springfield, Inc.


#087-205-824DJ #824 Firing Pin 7H05U41 \$ 6.99

#087-205-825DJ #825 Firing Pin 7H05U06 \$ 6.35

#087-205-826DJ #826 Firing Pin 7H05U06 \$ 6.35

ED BROWN 1911 AUTO HARDCORE® FIRING PIN & FIRING PIN STOP

Superior Toughness & Lifetime Replacement

Firing pin provides the correct weight for reliable ignition with all types of primers. Machine-turned from tool steel and specially heat treated to last for years. .45 ACP only. Stop is oversized for the tightest, drop-in fit available; keeps the extractor properly oriented. Both include Ed's LIFETIME GUARANTEE. 

SPECS: Tool steel, in-the-white (ITW) or stainless steel, (SS) silver finish. Stop fits all calibers of 1911 Auto and clones.


#087-808-001DJ ITW Hardcore F/P 7H08A46 \$ 10.60

#087-809-100DJ ITW Hardcore F/P Stop 7H13A56 \$ 16.95

#087-809-101DJ SS Hardcore F/P Stop 7H14A41 \$ 18.01

EGW 1911 AUTO FIRING PIN

Durable Stainless Steel;
Available In Three Diameters For Precise Clearance

Tough, durable firing pins are precision machined from extra-hard stainless steel to fit in the slide with .001" clearance to help eliminate "primer flow" with hot loads. Helps prevent jams and misfires caused by the primer backing out. Available in three diameters; select the diameter that provides just enough clearance through the hole in the firing pin stop of your gun. .068 normally fits Colt and Caspian 9mm/.38 Super/.40/10mm. .075 fits Springfield Armory 9mm/.38 Super/10mm/current-production .45 ACP. .093 fits most .45 ACP, including older-production Springfield. Fit may vary; measure your gun to be sure you select the correct size pin. 

SPECS: Stainless steel. Available in .068", .075", and .093" diameters.


#296-000-115DJ Firing Pin, .068" 6B09U68 \$ 11.99

#296-000-116DJ Firing Pin, .075" 6B09U68 \$ 11.99

#296-000-117DJ Firing Pin, .093" 6B09U68 \$ 11.99

KIMBER 1911 AUTO FIRING PIN & SPRING

Factory Part For
Kimber Pistols;
High-Quality
Upgrade For Other
Series 70 Pistols


Stainless steel firing pin is a factory-original replacement for a Kimber 1911 firing pin and can be installed as a high-quality upgrade in Series 70 type pistols from other manufacturers. Heavy-duty, extra-power spring quickly returns the firing pin to the "ready" position, and helps restrain the pin to reduce the risk of an accidental discharge if the pistol is dropped while loaded. 

SPECS: Stainless steel firing pin and high-carbon steel spring. Fits Kimber 1911 pistols, Series 70, and clones; .45 ACP only.

#387-000-079DJ Firing Pin & Spring, 5B11C11 \$ 13.99

NIGHTHAWK CUSTOM 1911 AUTO FIRING PIN & STOP

Super Strong, Sized To Help Prevent Primer
Flow & Extraction Problems

Firing Pin is machined to exact tolerances from stainless steel for a tight, precise fit to prevent primer flow. Separate models for .45 ACP and 9mm/.38 Super, so you can get the correct weight and size to ensure reliable ignition in your gun with a variety of primers. Firing Pin Stop is machined slightly oversized from solid carbon steel bar stock, allowing for custom fitting to get a solid, exact fit that keeps the extractor properly positioned for reliable extraction and feeding. Radiused edges help prevent stress cracking. 

SPECS: Firing Pin - Stainless steel. Models for .45 ACP and 9mm/.38 Super. Firing Pin Stop - Steel, blued. Fits all calibers.

#100-003-255DJ .45 ACP Firing Pin 2B12T31 \$ 15.99

#100-003-256DJ 9mm/.38 Super Firing Pin, 2B12T28 \$ 16.99

#100-003-257DJ Firing Pin Stop 2B15T65 \$ 20.99

PAY ANY WAY



VISA/MC/Discover/Am Ex/IMPAC/CrossCheck/C.O.D.

NOWLIN MFG. 1911 AUTO STAINLESS STEEL FIRING PIN



Helps Prevent Primer Flow, Jams & Misfires

Heat-treated stainless steel is precision machined to exact tolerances to help eliminate "primer flow" with hot loads. Prevents unreliable firing pin ignition and primer deformation that can lead to jams and misfires. Available for .45 ACP and 9mm/.38 Super. Drop-in fit; does not require alterations.

SPECS: 6150 stainless steel, heat treated. Fits Series 70 and 80 type 1911 pistols. **9mm/.38 Super** - .069" dia. **.45 ACP** - .091" dia. **#654-000-052DJ .45 ACP 1911 Firing Pin 4E10U81 \$ 12.99** **#654-000-051DJ 9mm/.38 1911 Firing Pin 4E10U81 \$ 12.99**

STI 1911 AUTO FIRING PIN



Long Wearing Steel & Ultra-Lightweight Titanium

Steel - Precision machined from long-wearing stainless steel; hardened and relieved for increased shock-resistance. **Titanium** - Dramatically lowers lock time. **USA**

SPECS: Stainless steel or titanium. Fits 1911 Auto Series 70 and Series 80.

STK # .38 S	STK # .45 ACP	MODEL	PRICE
#791-104-038DJ	#791-104-045DJ	Steel	1G06U25 \$ 7.82
#791-104-138DJ	#791-104-145DJ	Titanium	1G16U63 \$ 20.78

WILSON COMBAT 1911 AUTO BULLET PROOF® FIRING PIN & STOP



Machined From Bar Stock To Take A Pounding & Not Fail

Firing Pin - Machined to exact tolerances, then heat treated for many times the service life of a standard firing pin. Available for .38/9mm and .45 ACP. **Firing Pin Stop** - Machined to fit correctly in the slide; holds the extractor in proper relationship to the rim for reliable extraction. Radiused edges prevent stress risers and fatigue cracking. May require minor fitting. **USA**

SPECS: **Firing Pin** - Steel, In-the-white, fits both Series 70 and 80 Series. Models for .38/9mm and .45 ACP. **Firing Pin Stop** - Fits all calibers. 70 Series - Steel, matte blue finish or stainless steel. 80 Series - Steel, matte blue finish.

#965-416-000DJ .45 ACP Firing Pin 5F12B26	\$ 14.95
#965-416-001DJ .38/9mm Firing Pin 5F12B62	\$ 14.95
#965-399-070DJ Steel 70 Series Firing Pin Stop, 5F15V88	18.95
#965-399-001DJ SS 70 Series Firing Pin Stop, 5F16V36	19.95
#965-399-080DJ Steel 80 Series Firing Pin Stop, 5F15V88	18.95

ED BROWN 1911 AUTO FIRING PIN STOP

Heat-Treated Steel Alloy For Long Life



Won'tpeen out or lose shape because it's machined from heat-treated, alloy steel for long-wearing performance. Made to maximum factory spec to provide a tight, wobble-free fit that holds the extractor in the correct position for maximum reliability and function. **USA**

SPECS: Steel, blued or stainless steel (SS), natural finish. Fits 1911 Auto only. **#087-000-036DJ Series 70 SS F/P Stop 7H09T31 \$ 11.65** **#087-000-037DJ Series 70 Blue F/P Stop 7H08T46 \$ 10.60** **#087-000-039DJ Series 80 SS F/P Stop 7H09T31 \$ 11.65** **#087-000-038DJ Series 80 Blue F/P Stop 7H08T86 \$ 9.99**

EGW 1911 AUTO OVERSIZE FIRING PIN STOP

Helps Prevent Extractor Rotation For Improved Extraction



Machined steel firing pin stop is wider and thicker than standard, so you can gunsmith it for a tight fit that helps keep the extractor face square to the case rim for improved extraction and feeding. Bottom edge is left square, ready for final fitting to help slow slide opening and increase dwell-time with major power factor ammunition. Heat-treated to Rc 48, with radiused corners that resist cracking, for a long service life. Available in carbon steel with a tough black oxide finish and stainless steel. **Series 70** is sized specifically to give a no-gap fit on .45 ACP Colt Series 70 pistols and clones. **Series 80** fits 9mm/.38 Super/.40 S&W/.45 ACP Colt Series 80 pistols and clones. **USA**

SPECS: Carbon steel (CS), black oxide finish, or stainless steel (SS), natural finish. .48" (12mm) wide, .65" (16.6mm) high, .133" (3.3mm) thick. Gunsmith fitting required.

#296-000-058DJ Series 70 O/S Firing Pin Stop, CS, 6B12T41	\$ 14.99
#296-000-131DJ Series 70 O/S Firing Pin Stop, SS, 6B19Y99	24.99
#296-100-001DJ Series 80 O/S Firing Pin Stop, CS, 6B12Z41	14.99
#296-000-132DJ Series 80 O/S Firing Pin Stop, SS, 6B19Y99	24.99

NOWLIN MFG. 1911 AUTO FIRING PIN STOP

Oversized For Precise Fit & Reliable Extraction



Machined steel firing pin stop is oversized to allow a custom fit between the extractor face and case rim. Keeps the extractor properly oriented to help ensure a full grasp on the case rim for reliable extraction, ejection, and feeding. Gunsmith installation required.

SPECS: Steel, blued, matte finish. Fits Series 70 or 80 Colt 1911 pistol, any caliber, and clones.

#654-000-053DJ 1911 Firing Pin Stop 4E14U69 \$ 17.99

STI 1911 AUTO FIRING PIN STOP

Standard Or Trimmed To Clear Low Mount Sights



Machined to exact dimensions for precise drop-in fit; available standard (STD) or trimmed (TR) to give clearance for low mount sights. Hardened steel holds its shape; positions the extractor in correct alignment for reliable extraction. **USA**

SPECS: Steel, in-the-white. May require minor fitting.

#791-112-001DJ 9mm/.40 STD Firing Pin Stop, 1G09A58	\$ 11.98
#791-112-100DJ 9mm/.40 S&W TR Firing Pin Stop, 1G09A58	11.98
#791-112-045DJ .45 STD Firing Pin Stop 1G09A58	11.97
#791-112-145DJ .45 TR Firing Pin Stop 1G09A58	11.98

DOUBLE STAR 1911 AUTO MAINSRING HOUSING

Durable, Steel Construction; Unique Texturing For A Secure Grip



Flat mainspring housing is fully machined from steel bar stock for exceptional strength, with a uniquely textured surface that provides a superb, non-slip grip. A combination of horizontal serrations on the outer edges, plus deep 20 lpi vertical serrations in the center with shallower 20 lpi cross-cuts, gives you a solid purchase while minimizing the risk of snagging on clothing during concealed carry. Matte blued finish matches many tactical pistol finishes. **USA**

SPECS: Steel, matte blued finish. Fits full-size Government model. **#100-004-691DJ Mainspring Housing 2Z31T82 \$ 39.99**

EMC 1911 AUTO MAINSRING HOUSING

Flat Contour With Vertical Grooves For Ease Of Concealed Carry



Simple and effective mainspring housing design benefits both the competition shooter, as well as those who carry a Government or Commander model for personal protection. Features a flat, low-profile contour to help minimize "printing," while maintaining the extra-secure "feel" you get when the frame sets lower in your grip. Deep, smooth, vertical grooves help reduce lint collection during daily carry, plus won't catch on clothing and slow down your draw. Cleanly machined inner surfaces ensure free movement of the mainspring and plunger (not included). Available in matte blue or natural stainless finishes. Gunsmith installation recommended.

SPECS: Steel, blue, matte finish, or natural stainless steel (SS), matte finish. Fits Govt./Commander 1911 Auto.

#100-004-488DJ Mainspring Housing, Blue, 7A17V78	\$ 22.49
#100-004-489DJ Mainspring Housing, SS 7A17V78	22.49

ED BROWN 1911 AUTO BOBTAIL MAINSRING HOUSING

Reduced Bulk For Concealed Carry Guns



Eliminates the sharp profile at the rear of the grip that can "print" when carrying a concealed 1911 Auto. Reduces bulk without reducing magazine capacity or performance. Removes nearly 1/2" of material from the butt while maintaining correct grip position. Also requires modification of grip panels. Choose from **Smooth**, **Checkered** (25 lpi), **Snakeskin**, or **Chainlink** patterns. Installation Jig gives precise location of mainspring hole. **USA**

SPECS: Steel, blued (Blue), or stainless (SS). Mainspring Housing (MH). Installation Jig includes instructions.

#087-816-132DJ Bobtail MH Smooth, Blue, 7H45V01	\$ 56.26
#087-817-232DJ Bobtail MH Smooth, SS 7H46V71	58.40
#087-000-007DJ Bobtail MH Snakeskin, Blue, 7H53Y51	66.90
#087-000-008DJ Bobtail MH Snakeskin, SS, 7H56Y06	70.10
#087-000-023DJ Bobtail MH Checkered, Blue, 7H62Y01	77.51
#087-000-024DJ Bobtail MH Checkered, SS, 7H64T56	80.70
#087-000-048DJ Bobtail MH Chainlink, Blue, 7H53T51	66.90
#087-000-049DJ Bobtail MH Chainlink, SS, 7H56T06	70.10
#087-953-000DJ Installation Jig 7H36D13	45.16

LES BAER CUSTOM 1911 AUTO MAINSRING HOUSING

Machined After Casting For A Tight, Wobble-Free Fit



Puts an end to the unsightly gap between the mainspring housing and the frame. These are the same flat, serrated housings Les uses on his own custom 1911 Auto pistols. Cast oversized, then finish machined for a tight, gap-free fit on all commercially-available 1911 Auto frames. **USA**

SPECS: Steel, blued or stainless steel (SS), matte finish.

#124-153-100DJ Blue Mainspring Housing, 4B30H67	\$ 38.35
#124-153-101DJ SS Mainspring Housing, 4B30H67	38.35

ED BROWN 1911 AUTO MAINSRING HOUSING

Traditional Shapes, Plus Different Surfaces Let Every Shooter Get Their Favorite Grip Feel



Classic and contemporary looking mainspring housings combine form and function, so there is no compromise in grip control even though they look great. Flat shaped housings are available with popular **25 lpi** checkering preferred by many shooters, as well as the latest **Snakeskin** and **Chainlink** patterns that provide a secure gripping surface without the "sharpness" of machine cut checkering. Because they won't abrade your hand or clothing, they make the perfect addition to competition, carry, and tactical guns. Chainlink model also available with integral lanyard loop

for attaching a weapon retention device. Traditional, **Arched** housing rides high in the heel of the hand to keep it close to the bore for minimal muzzle rise and excellent recoil control, and is available with a **Grooved** surface to provide a firm grip with little drag on clothing. **Blank** models are completely smooth to allow custom checkering or engraving, and are available with flat shape only. **USA**

SPECS: Steel, blued or stainless steel (SS) natural finish. Fits Govt./Comm./Para-Ordnance P14, P15, P16.

FLAT 25 LPI CHECKERING

#087-000-027DJ Blued Flat 25 lpi MS Housing, 7H50T96	\$ 63.70
#087-000-028DJ SS Flat 25 lpi MS Housing, 7H51T13	63.99

FLAT BLANK

#087-113-100DJ Blued Flat Blank MS Housing, 7H25B46	\$ 31.85
#087-113-101DJ SS Flat Blank MS Housing, 7H25B46	31.85

FLAT SNAKESKIN

#087-000-005DJ Blued Flat Snakeskin MS Housing, 7H47Y56	\$ 59.45
#087-000-006DJ SS Flat Snakeskin MS Housing, 7H50Y96	63.70

FLAT CHAINLINK

#087-000-041DJ Blued Flat Chainlink MS Housing, 7H38T21	\$ 47.76
#087-000-054DJ Blued Flat Chainlink MS Housing, w/Lanyard Loop 7H44P16	54.99
#087-000-042DJ SS Flat Chainlink MS Housing, 7H38T21	47.76
#087-000-053DJ SS Flat Chainlink MS Housing, w/Lanyard Loop 7H44P16	54.99

ARCHED GROOVED

#087-000-025DJ Blued Arched Grooved MS Housing, 7H33T96	\$ 42.45
#087-000-026DJ SS Arched Grooved MS Housing, 7H33T96	42.45

GUNCRAFTERS INDUSTRIES 1911 AUTO LANYARD MAINSRING HOUSING

Helps Keep Your Sidearm At Your Side



Steel, flat mainspring housing has an integral lanyard loop, letting you keep your 1911 securely attached to your duty gear. Helps prevent unauthorized removal of sidearm, and gives your pistol a classic, military look. Fits government model 1911 pistols. **USA**

SPECS: Steel, blued. Fits government model 1911 pistols. **#100-002-157DJ Lanyard Mainspring Housing, 9A48V28 \$ 59.99**

MASEN 1911 AUTO CHECKERED MAINSRING HOUSING

Solid Steel, Checkered Surface
Improves Grip, Controls Recoil

20 LPI checkering greatly improves the grip and helps keep the pistol steady in the hand for improved recoil control. Finish-machined from a solid steel casting, no fitting required. **US**
SPECS: Chrome Moly blued (**BL**) or 410 stainless steel (**SS**), flat (**FL**) or arched (**AR**). Fits Govt./Commander (**GM**) 2 1/8" (5.2cm) long, .536" (13.6mm) wide.

STOCK # BL/FL	STOCK # BL/AR	STOCK # SS/FL	STOCK # SS/AR	FITS
#555-102-001DJ	#555-102-002DJ	#555-102-003DJ	#555-102-004DJ	GM
— Advise # — Govt. BL Mainspring Housing, 6E16Z44 \$ 19.99				
— Advise # — Govt. SS Mainspring Housing, 6E16Z25 20.50				

MASEN 1911 AUTO SERRATED MAINSRING HOUSING

Solid Steel, Serrated, OEM-Style
Replacement Housings

An exact reproduction of the original factory mainspring housing, complete with vertical serrations that help improve grip but won't grab clothing. Finish-machined from a solid-steel casting; excellent for restoring or building any 1911. **US**
SPECS: Blued (**BL**) or stainless steel (**SS**), flat (**FL**) or arched (**AR**). Fits Govt./Commander.

#555-101-001DJ	BL/FL MnSprg Housing	6E13V98 . . . \$ 19.99
#555-101-002DJ	BL/AR MnSprg Housing	6E13V98 . . . 19.99
#555-101-003DJ	SS/FL MnSprg Housing	6E16V38 . . . 19.99
#555-101-004DJ	SS/AR MnSprg Housing	6E16V38 . . . 19.99

NIGHTHAWK CUSTOM 1911 AUTO MAINSRING HOUSINGS

Fully
Checkered
For A Firm,
Nonslip Grip

Get a solid grip on your Govt. or Officers Model with the crisp, clean 25 lpi machine-cut checkering on these all-steel mainspring housings. Helps improved accuracy by keeping the pistol correctly positioned in the shooting hand for a consistent hold and improves recoil control. Great for combat or competition pistols. **Flat (FL)** model offers a clean, low profile that lets you get a good, solid grip. **Arched (AR)** has the bump or rounded swell toward the bottom of the housing that aids in maintaining a higher grip. **Magwell (MW)** model combines the flat housing with a separate, enlarged magazine well that helps speed magazine changes. Magwell removes easily for carry or other times when a low profile is required. Ball bearing detent eliminates play for solid contact between magwell and housing. **US**
SPECS: Steel, blued, matte finish.

#100-003-233DJ	Govt. FL MSprg Housing	2B33Y56 . \$ 41.95
#100-003-237DJ	Govt. AR MSprg Housing	2B63Y96 . 79.95
#100-003-234DJ	Govt. MW MSprg Housing	2B63Y96 . 79.95
#100-003-235DJ	Officers FL Mainspring Housing, 2B33Y56	41.95
#100-003-238DJ	Officers AR Mainspring Housing, 2B63Y96	79.95
#100-003-236DJ	Officers MW Mainspring Housing, 2B64Y82	79.99

SMITH & ALEXANDER 1911 AUTO LANYARD LOOP MAINSRING HOUSING

Provides Additional Weapon
Security & Retention

Military-type lanyard loop gives extra security, and peace of mind, that your handgun will not be accidentally dropped or lost during extreme tactical situations. Excellent for use in military re-enactments or anytime the handgun must be secured to your body or equipment. Checkered models feature non-slip, 20 LPI checkering; improves grasp and helps counter the effects of recoil. **US**
SPECS: Steel, blue finish. Fits 1911 Auto.

#849-000-005DJ	Flat Checkered 9D38B37	\$ 49.99
#849-000-006DJ	Flat Smooth 9D38B37	49.99
#849-000-015DJ	Arched Checkered 9D38B56	48.99

LANYARD LOOP - Replace lost or broken lanyard loops, or add a loop to any 1911 for improved weapon retention. Installs easily to the bottom of the mainspring housing; drill three holes and secure with supplied roll pin. Available blued or stainless to match your pistol.

SPECS: Steel, blued or stainless steel (**SS**), natural finish. 1/4" (6.4mm) long, 3/8" (9.5mm) wide.

#849-000-020DJ	SS Lanyard Loop 9D07B99	\$ 9.99
#849-000-021DJ	Blued Lanyard Loop 9D07B99	9.99

SMITH & ALEXANDER MAINSRING HOUSING

Fully-Checkered, Drop-In Fit

The combat shooters choice for increased grip and comfort. Helps keep the gun from shifting in your hand during recoil. Made from solid steel. Checkered models feature machine cut checkering in 20 lines per inch. **Smooth** models, with no checkering for concealed carry use. Available to fit the 1911 Government/Commander, Officers and Para-Ordnance P-14/P-16. No fitting required. **US**
SPECS: Steel, blued (**BL**) or stainless (**SS**), flat (**FL**) or arched (**AR**). Available to fit Govt./Commander (**GM**). Officers Model ACP (**OM**). Para-Ordnance P-14/P-16 (**PO1**).

CHECKERED MAINSRING HOUSINGS

STK # BL/FL	STK # BL/AR	STK # SS/FL	STK # SS/AR	FITS
#849-005-010DJ	#849-005-011DJ	#849-005-110DJ	#849-005-111DJ	GM
#849-006-010DJ	#849-006-011DJ	#849-006-110DJ	#849-006-111DJ	OM
#849-002-010DJ	#849-002-011DJ	#849-002-110DJ	NA	PO1

SMOOTH MAINSRING HOUSINGS

STK # BL/FL	STK # BL/AR	STK # SS/FL	STK # SS/AR	FITS
#849-001-011DJ	NA	#849-001-111DJ	NA	GM

— Advise # — S&A Mainspring Housing 9D29X55 . \$ 39.99

WILSON COMBAT 1911 AUTO MAINSRING HOUSING

Fully Checkered, No-Slip Grip

Solid steel mainspring housings with deep checkering keep the 1911 Auto firmly located in the shooting hand. **US**
SPECS: Blued steel or stainless steel. 2 1/8" (5.23cm) long, .536" (13.6mm) wide. 30 lpi checkering. **G/C** fits Govt. and Commander frames, **OM** fits Officers ACP length frames.

STOCK #	FINISH	STYLE/FITS	PRICE
#965-092-001DJ	Blue	Flat (G/C)	5F40V91 \$ 46.99
#965-092-101DJ	Stnls.	Flat (G/C)	5F42V16 \$ 48.95
#965-092-003DJ	Blue	Flat (OM)	5F40V44 \$ 46.95
#965-092-103DJ	Stnls.	Flat (OM)	5F42H16 \$ 48.95

WILSON COMBAT 1911 AUTO V-GRIP MAINSRING HOUSING

Fully Checkered, Consistent High Grip

Fully machined, drop-in mainspring housing forces the web of the hand high into a beavertail-style grip safety. Fully checkered for a positive grip. **US**
SPECS: Blued (**BL**) or stainless steel (**SS**).

#965-000-035DJ	V-Grip Mainspring Housing, BL, 5F39A40	\$ 46.95
#965-000-036DJ	V-Grip Mainspring Housing, SS, 5F42Y16	48.95

VZ GRIPS 1911 AUTO LIGHTWEIGHT MAINSRING HOUSING

Shaves Weight For A Fast Handling,
Easy-To-Carry Pistol

Flat mainspring housing machined from 6082-T6 aluminum helps achieve maximum weight reduction for shooters who want the advantages of a light, custom carry or competition gun. Weighs only 17 grams – over 2 1/2 times lighter than similar flat housings made of steel. **Checkered** model is bead-blasted, then treated with a proprietary, black or silver hardcoat anodized finish that's denser and more abrasion-resistant than traditional sulfuric anodizing; 20 lpi checkering improves grip and is less prone to snagging on clothing than extra-fine line patterns. **Plain** model is smooth without anodizing to allow custom checkering and finishing by the gunsmith. **US**
SPECS: 6082-T6 aluminum, **Checkered** - hardcoat anodized, matte Black or Silver. **Plain** - in-the-white, unanodized. **Govt** - Fits Government and Commander models. **Off** - Fits Officers model.

STOCK # GOVT	STOCK # OFF	STYLE	COLOR
#100-003-021DJ	#100-003-188DJ	Checkered	Black
#100-003-022DJ	#100-003-213DJ	Checkered	Silver
#100-003-023DJ	#100-003-214DJ	Plain	Silver

— Advise # — Lightweight MS Housing 7A34Y95 . \$ 45.00

ED BROWN 1911 AUTO DROP-IN MAXI-WELL

Easier, Faster Reloads;
Improves The Grip;
No Gunsmithing Required

Drops right onto 1911 Auto frames without gunsmithing, and the separate magazine well can be removed without disassembling the pistol. Enlarged magwell greatly increases frame opening for faster and easier magazine changes. Flat housing increases grip surface area to help keep the pistol from riding up during rapid fire. Available in blue or stainless steel with 25 lpi machined checkering that helps keep the pistol centered in your grip. Also available with the exclusive **Snakeskin** and **Chainlink** designs. Both machined-in patterns provide a very secure, non-slip gripping surface, without the "sharpness" of conventional checkering that can sometimes abrade your hand or grab at your clothing during a concealed carry draw. **US**
SPECS: Steel, blued (BL) or stainless steel (SS). Available with 25 lpi checkering or with snakeskin or chainlink patterns. Fits Government or Commander length frames.

STOCK #	COLOR/LPI	PRICE
#087-819-030DJ	SS/25	7H64V99 \$ 80.99
#087-000-047DJ	BL/25	7H62T86 \$ 78.60
#100-002-611DJ	BL/Snakeskin	7H71Y36 \$ 89.20
#100-002-612DJ	SS/Snakeskin	7H73Y06 \$ 91.35
#087-000-043DJ	BL/Chainlink	7H71T36 \$ 89.20
#087-000-044DJ	SS/Chainlink	7H75T57 \$ 90.99

order on the web

www.brownells.com

DAWSON PRECISION PARA-ORDNANCE MAGWELL & BASEPAD

Easy Installation;
Rapid Reloads &
Increased Capacity

CNC machined, T6 aircraft aluminum magwell installs quickly and easily with no special tools and helps you make lightning-quick magazine changes. Aluminum basepad slides onto the magazine body and locks into place. Removes in seconds for easy cleaning. Adds 3-4 rounds to P14 magazine and 5-6 rounds to P16 mag, depending on caliber. Requires extended magazine spring. **US**
SPECS: T6 aircraft aluminum, matte black or silver. Fits Para-Ordnance only.

#100-002-222DJ	PARA Silver Magwell	9A39C99 . . . \$ 49.99
#100-002-224DJ	PARA Black Magwell	9A39C99 . . . 49.99
#100-002-225DJ	PARA Silver Basepad	9A27C99 . . . 34.99
#100-002-223DJ	PARA Black Basepad	9A27C99 . . . 34.99

EGW SEMI-AUTO MAGAZINE WELL

Easy, Drop-In Installation
For STI/SVI Frames

Oversized well for easy, positive reloads. Installs in original magazine well with long pin, supplied. No alterations to frame. **US**
SPECS: Aluminum, black or matte silver. 1.2 oz. (32 g) weight.

#296-013-101DJ	STI/SVI Silver Mag Well	6B40Y00 . . \$ 50.00
#296-013-100DJ	STI/SVI Black Mag Well	6B40Y00 . . 50.00

EGW SEMI-AUTO MAGAZINE WELL

Drop-In Fit For Caspian Frames

Drop-in, magazine well slides over the frame lips on Caspian pistols for a tight fit that won't work loose during long shooting sessions. Precision machined 60° angle helps you make fast, positive reloads. Oversize well protects magazine if the weapon is accidentally dropped. **US**
SPECS: Aluminum, black or matte silver. 1.2 oz. (32g) weight.

#296-016-100DJ	Caspian Black Mag Well	6B40H00 . \$ 50.00
#296-000-076DJ	Caspian Silver Mag Well	6B40P00 . . 50.00

STI STI/INFINITY MAG WELL

No Fitting For Rapid Reloads

Greatly increases mag well opening and reloading speed. Minimum bulk, conforms to IPSC height requirements. Select lightweight aluminum for fast pointing, easy-to-carry guns. Stainless steel for increased durability, extra weight. Drop-on installation, fits to frame with no modifications, secured with extra length mainspring housing retainer pin. **US**
SPECS: Black, aluminum, anodized finish. 1.1oz. (31g) wt. **Silver**, stainless steel. 3 oz. (85 g) wt. 1 3/4" (4.5cm) wide, 3" (7.4cm) long. Includes retaining pin.

#791-252-001DJ	Black Mag Well	1G37X50 \$ 46.87
#791-252-010DJ	Silver Mag Well	1G66X25 82.81

SHOP ONLINE at brownells.com

Search

magwell

Product Search

Satisfaction Guaranteed!

Orders/Tech: 800-741-0015

BROWNELLS
... ONLY THE BEST ...

PAGE 21

SMITH & ALEXANDER MAG GUIDE

Extra-Wide Opening For Fast Reloads; No Alterations To Frame

Drop-in, one-piece mag well and mainspring housing makes the mag well opening 100% bigger for easier magazine insertion and faster, "can't-miss" mag changes. Increases grip length by 1/4" for additional leverage and greater recoil control. **Checked** models feature extra-defined, 20 lpi checkering on the mainspring housing for a no-slip, no-shift grip. **Smooth** models have unchecked mainspring housing. **Grooved** model has full-length vertical grooves on the mainspring housing.

SPECS: Steel. Available in **blued (BL)** or **stainless steel (SS)** with flat (**FL**) or arched (**AR**) mainspring housing to fit: 1911 Govt./Commander (**GM**); Officers Model (**OM**); Para-Ordnance P-14/P-16 (**PO**). Para-Ordnance models require minor modification of frame with hand tools; instructions included.

CHECKERED MAG GUIDES

STK # BL / FL	STK # BL / AR	STK # SS / FL	STK # SS / AR	FITS
#849-011-001DJ	#849-011-002DJ	#849-011-010DJ	#849-011-0102DJ	GM
#849-103-010DJ	#849-103-011DJ	#849-103-110DJ	#849-103-111DJ	PO
#849-200-001DJ	#849-200-002DJ	#849-200-101DJ	#849-200-102DJ	OM
- Advise # -	GM/OM Mag Guide	9D66C09		\$ 85.99
- Advise # -	Para-Ord Mag Guide	9D69C00		95.95

SMOOTH & GROOVED MAG GUIDES

STK # Smooth/BL/FL	STK # Smooth/SS/FL	STK # Grooved/BL/FL	FITS
#849-000-016DJ	#849-000-017DJ	#849-000-022DJ	GM
#849-000-023DJ	#849-000-024DJ	NA	OM
- Advise # -	Smooth FL/GM Mag Guide	9D62B50	\$ 84.99
- Advise # -	Smooth FL/OM Mag Guide	9D66B93	79.99
#849-000-022DJ	Grooved BL/FL Govt,	9D63B31	85.99

SLIM LINE MAG GUIDE - The same, 100% bigger, mag well opening for "can't miss" mag changes with narrower sides that match thinner, slim grips. Checkered 20 lpi, unless otherwise noted as **Smooth**.

SPECS: Steel. Available **blued (BL)** or **stainless steel (SS)** with flat (**FL**) or arched (**AR**) mainspring housing to fit: 1911 Govt./Commander (**GM**); Officers Model (**OM**).

STK # BL / FL	STK # BL / AR	STK # SS / FL	STK # SS / AR	FITS
#849-000-007DJ	#849-000-008DJ	#849-000-009DJ	#849-000-010DJ	GM
#849-000-011DJ	#849-000-012DJ	#849-000-013DJ	#849-000-014DJ	OM
- Advise # -	Slim Line Mag Guide	9D62B50		\$ 85.99
#849-000-018DJ	Slim Line Smooth BL/FL GM,	9D62B50		84.99
#849-000-019DJ	Slim Line Smooth SS/FL GM,	9D62B50		84.99

LOW-PROFILE PARA-ORDNANCE MAG GUIDES - One-piece, drop-in mag guide/mainspring housing increases the magazine opening at the rear without increasing the overall size of the frame. Fills the area behind the magazine base pad for a more secure grip. 20 lpi checkering; flat contour only.

SPECS: Steel, **blued (BL)** or **stainless steel (SS)** natural finish; Fits P-14/P-16 only.

#849-100-001DJ	BL Flat Mainspring Housing,	9D62C50	\$ 84.99
#849-100-101DJ	SS Flat Mainspring Housing,	9D62C50	84.99

QUESTIONS BEFORE YOU BUY?
Ask Our Full-Time Tech Staff

800-741-0015



WILSON COMBAT 1911 AUTO EZ-LOADER

Drop-In/Flared Magazine Well Opening Speeds Reloading

Provides the flared magazine well opening needed for fast, sure reloads without heating, grinding or beating on the gun. Loosen the grips, slip tabs over the stock bushings, file flush with the inside of the magazine well and replace the grips. Magazines should have "bumpers" for best functioning.

SPECS: **Blued, or Stainless Steel.** 1" (2.5cm) wide, 1 3/4" (4.4cm) lg. **#965-170-113DJ Blued EZ-Loader 5F25X30 \$ 29.99**
#965-170-213DJ Stainless EZ-Loader 5F27X84 32.95

WILSON COMBAT 1911 AUTO SPEED-CHUTE™

Mag Well & Mainspring Housing Gives Comfortable Grip; Increases Mag Well Opening

No fitting required for an improved grip and a faster, more positive magazine change. Combination, checkered mainspring housing and mag well increases mag well opening by 100%. Plus, functional, combined 20 and 30 lpi checkering greatly improves grip surface. Installs in only seconds; unit is held in place by mainspring housing pin. Separate mag well can be removed quickly for carry use. Use standard grip panels. **SPECS:** **Blued (BL)** or **stainless steel (SS)**, flat housing.

#965-366-001DJ Flat Speed-Chute, BL 5F72A21 . . . \$ 84.95
#965-366-101DJ Flat Speed-Chute, SS 5F76A46 . . . 89.95
#965-000-033DJ Officers Speed Chute, BL 5F72A21 . 84.95
#965-000-034DJ Officers Speed Chute, SS 5F76A46 . 89.95

STAN CHEN CUSTOMS 1911 AUTO MAGWELL/MAINSRING HOUSING KITS



Easier, Faster Reloads & Improved Grip

Matched magazine well and mainspring housing aid in fast, positive mag changes without adding bulk. Cutout on the front of the magwell speeds removal of stuck mags. Arched mainspring housing lets the web of the hand rest comfortably on the grip safety without pinching, and the smooth surface won't snag clothing or holster. Machined from chrome-moly or stainless steel bar stock, and heat treated to Rc 28-32 for extra strength. BevelBlock™ mainspring housing has an angled rear bevel for a gap-free fit with the magwell. Kits available in easy-to-install **Bolt-On** configuration or, for an even more streamlined installation, a **Weld/Solder** model. Installation requires machining the pistol frame and minor modification to standard grip panels. **MaxBevel** mainspring housing provides a longer magwell opening for easy reloading without adding bulk. Extra metal at the rear bevel allows shaping to a seamless fit in the factory magwell. Helps the shooter hit the "sweet spot" at the rear of the magwell during combat reloads.

SPECS: **Chrome-moly steel, in-the-white (CM), or stainless steel (SS)**, natural finish, matte. Fits all single-stack 1911 Government and Commander pistols. Includes instructions. Gunsmith installation recommended.

#100-005-372DJ Weld/Solder Kit, CM 6F150Z47 . . . \$ 177.99
#100-005-301DJ Weld/Solder Kit, SS 6F174C13 . . . 189.99
#100-005-302DJ Bolt-On Kit, CM 6F171C72 184.99
#100-005-303DJ Bolt-On Kit, SS 6F171C72 184.99
#100-005-373DJ MaxBevel MSH, CM 6F42Z00 55.00
#100-005-027DJ MaxBevel MSH, SS 6F42H00 55.00

HOGUE 1911 AUTO EXTREME SERIES MAGRIP KIT



Integral Magwell Ensures Fast, Fumble-Free Reloads Without Adding Bulk Or Extra Weight

Three-piece kit, machined from aerospace grade aluminum, installs without fitting to form an integrated magwell with no added bulk and minimal weight increase. Bottom of

each grip panel features an integral 1/8" extension that tapers up and inward at the frame's magazine well opening; a specially cut, custom mainspring housing completes the contours to form an integrated magwell. Sharp, precision-cut checkering on the grips and housing provide a positive gripping surface. Eliminates the bulk and excessive weight of oversized magazine wells used in competition, yet enlarges the surrounding magazine well opening enough to speed magazine changes in high-stress situations. An extremely low profile makes this system especially adaptable to carry guns. Models for Government/Commander and Officers frames, available with **Flat** or **Arched** mainspring housing.

SPECS: **High-grade aluminum alloy, black, matte finish.** Grips - 1/4" (6.4mm) thick. Weight (Grips & Housing) - 3 oz. (85g). Includes (2) grip panels with mainspring housing. Fits 1911 Auto Government and Commander.

#408-000-085DJ Govt/Comm Magrip, Flat MH, 8K119H52 \$ 149.95
#408-000-086DJ Govt/Comm Magrip, Arched MH, 8K119H52 149.95
#408-000-087DJ Officers Magrip, Flat MH, 8K119D52 149.95
#408-000-088DJ Officers Magrip, Arched MH, 8K119D52 149.95

TECHWELL USA 1911 AUTO EXTENDED MAGWELL/GRIP KITS

Lightning-Fast Mag Changes; Drop-In Installation; No Permanent Alterations To Pistol

Rugged, machined aluminum components enhance shooter's grip and aid in fast, positive magazine changes for an edge in competition or combat. IDPA- and USPSA-legal extended magwell helps guide the magazine for fumble-free changes when seconds count, and requires no permanent alterations to pistol frame. Full-length grips provide secure retention of the magwell, yet allow return of pistol to stock configuration simply by reinstalling the original grips. Grips have precision-cut 16 lpi full-surface checkering to help you maintain a firm hold even in the heat of competition. Excess metal is machined away from the panel interior to reduce weight without sacrificing strength. Cut for ambi safeties; panels conceal the mainspring housing pin. All models are designed to let the gun fit in the USPSA/IDPA "Box"; pistols with oversized frames or unusually high sights may need a small amount of material removed from the magwell or magazine base pad. **SP** - Designed for use with 8-round magazines with standard or extended base pads and 10-round magazines. **Carry** - Highly versatile, designed for carry or competition, with smoothly flowing exterior contours to minimize bulk and risk of snagging on clothing during the draw. Accepts same magazines as **SP**. **XT** - Wide, smooth opening gives the competitor maximum advantage in making fast mag changes with 10-round or extended-pad 8-round magazines. Used by USPSA champion Rob Leatham in 2007 Limited 10 National Championship. **TGO** - Designed by Rob Leatham with a wide, streamlined magwell opening that's nearly impossible to miss in competition, with a cutout at the front for fast access to clear stuck magazines. Used by Leatham to help him win back-to-back USPSA Single Stack Nationals in 2008 and 2009. Accepts 8-round magazines with standard or extended base pad, and extra-capacity 10-round magazines.

10-8 PERFORMANCE 1911 AUTO EXTENDED MAGAZINE CATCH



Fast, Positive Release Without Extra Bulk

Drop-in replacement for factory magazine catch has a unique, convex button surface to ensure positive finger contact for fast magazine changes under pressure. Crisp, 30 lpi serrations further aid in fumble-free engagement; .045" longer than factory part for extra leverage without creating an unwanted protrusion that snags on clothing, holster, or other gear. Tumbled and bead-blasted for a uniform, matte finish with rounded "dehorned" edges. Interior of the catch is relieved to enable instant magazine free-fall when you hit the button. Available in **Carbon Steel (CS)** with black manganese phosphate finish or natural finish **Stainless Steel (SS)**.

SPECS: **Carbon steel, black, or stainless steel, natural silver, both matte finish.** Gunsmith fitting may be required.

#100-003-706DJ Magazine Catch, CS 1B29U95 \$ 34.95
#100-003-707DJ Magazine Catch, SS 1B30U58 35.99

EGW 1911 AUTO HEAVY DUTY MAGAZINE CATCH

Extended Button & Tweaked Geometry For Extra-Secure Mag Retention



Tactical magazine catch aids in fast mag changes and secure retention to help reduce feed-related failures. Redesigned geometry ensures this catch will fit standard frame holes, while it retains a loose-fitting magazine higher in the magwell than the original catch for more reliable feeding, especially with hollow point ammo. The finely checkered, extended button is .040" higher than the original 1911A1 factory button to ensure fast positive magazine release on the first try. Precision machined on a state-of-the-art, four-axis CNC cutting station from high-grade steel barstock to ensure exact dimensions and superb strength. Available in satin blued carbon steel or natural-finish stainless for extra corrosion resistance.

SPECS: **Carbon steel, blued, or stainless steel, natural finish.** Includes magazine catch only, no lock or spring.

#296-000-127DJ HD Magazine Catch, Blued, 6B26Y00 \$ 34.95
#296-000-128DJ HD Magazine Catch, Stainless, 6B26Y00 34.95

HEX-HEAD MAG CATCH LOCK - Hex head accepts a 1/16" Allen wrench for better control during installation and to help eliminate damage caused by screwdriver slippage. Ideal for use with EGW Heavy Duty Magazine Catch. Choose **Blued** carbon steel or natural-finish **Stainless** steel. Both are heat treated for extra strength, smooth performance, and durability.

SPECS: **4140 carbon steel, blued, or 17-4 stainless steel, natural silver finish.** .503" (12.7 cm) long. Installs with 1/16" Allen wrench.

#296-000-143DJ Magazine Catch Lock, Blued, 6B04Y29 \$ 4.99
#296-000-142DJ Magazine Catch Lock, Stainless, 6B04Y29 4.99

SPECS: **Machined aluminum, anodized, black or silver.** Grips - 1.8 oz. (52g). SP magwell - .7 oz (20g) wt. Carry magwell - .4 oz (11g) wt. XT magwell - 1.2 oz (34g) wt. TGO magwell - .6 oz (18g) wt. Fits full-size Government Model and Commander pistols.

#100-003-590DJ SP Grip/Magwell Kit, Black, 7B127T01 \$ 158.99
#100-003-591DJ Carry Grip/Magwell Kit, Black, 7B127T01 158.99
#100-003-589DJ XT Grip/Magwell Kit, Black, 7B127T01 158.99
#100-004-963DJ TGO Grip/Magwell Kit, Black, 7B127H05 158.99
#100-004-964DJ TGO Grip/Magwell Kit, Silver, 7B127H05 158.99

CLYINDER & SLIDE 1911 AUTO MAGAZINE CATCH LOCK


Replaces This
Commonly Marred Part
So Pistol Looks New Again

A small, but never overlooked part on any 1911 pistol. Restores the look and function of the magazine release after years of field stripping has caused unsightly damage to the screw slot. A must-have part whenever installing a new magazine catch that does not include this critical part. Machined from hardened steel, then polished for smooth function, and given a hot blue finish. 

SPECS: Hardened steel, blue. .512" (1.3 cm) long.
#206-000-035DJ Mag Catch Lock 6K04D80 \$ 6.00

ED BROWN 1911 AUTO MAGAZINE CATCH

Replacement Catches For Faster Magazine Changes

Models in varying styles to fit most shooting needs. Standard, oversized, and extended catches available in blue or stainless steel. Rugged, hardened steel construction for carry and competition. 

1911 OVERSIZED BUTTON CATCH - Extra-long, oversize release button features 40 lpi checkering for positive grip and increased length for faster, easier mag changes with little or no change in grip. Long wearing, heat-treated, pre-drilled, hardened magazine catch comes already tapped and ready-to-install. Does not include catch lock and spring.

SPECS: Available in **Blue** catch and button or **Stainless Steel (SS)**. Button: $\frac{3}{8}$ " (9.5mm) O.D., $\frac{3}{16}$ " (4.7mm) thick, 4-40 thread.

#087-011-150DJ Blue Mag. Catch/Buttons 7H25U92 \$ 32.40

#087-011-151DJ SS Mag. Catch/Buttons 7H27U62 \$ 34.55

#087-011-160DJ Blue Mag. Catch Button, only,
7H08U07 10.10

#087-011-161DJ SS Mag. Catch Button, only,
7H08U07 10.10

1911 EXTENDED TACTICAL MAG CATCH - Permits quicker and easier magazine changes. Compact enough to fit carry holsters and not snag on clothing. Standard diameter button with crisp, machine cut checkering is .060" longer than stock for easier thumb purchase. Positive internal stop prevents over-pushing and jamming magazine in place. Machined from bar stock and heat treated for durability. Does not include catch lock and spring.

SPECS: Steel, blue finish or stainless steel (SS). Fits 1911 Autos. Button: .25" (6.3mm) O.D., .25" (6.3mm) thick.

#087-011-100DJ Blue Mag Catch 7H16U96 \$ 21.20

#087-011-101DJ SS Mag Catch 7H18U66 23.35

GUN CRAFT PARA-ORDNANCE MAGAZINE RELEASE

 All Steel; Replaces Factory Plastic
Strong, long-wearing, hardened-steel release is a drop-in fit for all Para-Ordnance high capacity frames. Available with or without a checkered, oversize mag release button that's faster to find and hit for quicker, easier magazine changes. 

SPECS: Hardened steel, matte finish. Available in blue (Blue) or stainless (SS) with or without oversize mag release button. Fits Para-Ordnance, high-capacity, 1911 Auto frames only.

#376-101-001DJ Blue Mag Catch 6G12D00 \$ 14.95


#376-101-002DJ Blue Mag Rlse w/Button,
6G18D06 22.62

#376-101-101DJ SS Mag Release 6G14D60 18.25

#376-101-102DJ SS Mag Release w/Button,
6G18D71 23.50

HARRISON DESIGN & CONSULTING 1911 AUTO EXTREME SERVICE MAGAZINE CATCH

Rugged, Reliable, Hardened Steel For
Extreme Tactical Duty

Heavy duty tactical magazine catch ensures secure mag retention and fast, reliable release under extreme service and competition conditions. Serrated button is $\frac{1}{16}$ " taller than factory button to provide positive, non-slip finger contact to help you drop the magazine on the first attempt. The interior of the catch is relieved to prevent you from over-extending the catch and trapping the spent magazine. Available in stainless or carbon steel. Does not include catch lock and spring. 


SPECS: Carbon steel, blued, or stainless steel (SS), natural finish.

#100-004-998DJ Mag Catch, Blued 9B17Y68 \$ 20.99

#100-004-997DJ Mag Catch, SS 9B19Y03 22.99

NIGHTHAWK CUSTOM 1911 AUTO TACTICAL MAGAZINE RELEASE

 Extra Length
For Faster Engagement

Tough, hardened steel mag release is approximately $\frac{1}{16}$ " longer than Colt-spec part to help you reach the button more quickly and provide extra leverage for fast, positive mag changes when fractions of a second count. Deeply serrated face ensures non-slip thumb contact, yet won't snag on holster, clothing, or other gear. Use with Nighthawk Magazine Catch Lock and Spring Kit, available separately. 


SPECS: Steel, blued, matte finish. Fitting may be required.

#100-003-252DJ Tactical Magazine Release,
2B16T46 \$ 19.99

#100-003-260DJ Magazine Catch Lock & Spring,
2B05T74 9.99

NOWLIN MFG. 1911 AUTO MAGAZINE RELEASE KIT

Extended Length
Provides The Reach You Need

Hardened, long-wearing magazine release adds $\frac{1}{16}$ " of length for increased leverage. Serrated face helps provide positive engagement. Comes complete with spring and lock. 


SPECS: Steel, blued or stainless steel, matte finish.

#654-263-003DJ Extended Blue Release Kit,
4E26Y47 \$ 31.95

#654-263-004DJ Extended Stainless Release Kit,
4E26Y47 31.95

STI 1911 AUTO MAG CATCH


All Steel For STI & Infinity Frames

Hardened steel, drop-in fit. Available drilled and tapped or undrilled. Flat, smooth button gives good thumb purchase or, add the pad of your choice. 

SPECS: Steel, matte blue finish. Tapped, 4-40 tpi.

#791-111-100DJ Tapped Mag Catch 1G37A46 \$ 46.83

#791-111-101DJ Untapped Mag Catch 1G25A64 31.99

MAG CATCH BUTTON - Extended paddle lets your thumb hit the mag button without shifting your grip. Non-slip, grooved button permits faster mag changes. Low profile keeps button close to frame. No sharp edges to snag clothing or holster. 

SPECS: Steel, blue finish. Includes Includes 4-40 tpi screw.

#791-000-010DJ Mag Catch Button 1G18Y75 \$ 22.50

SMITH & ALEXANDER 1911 AUTO AMBI-MAG CATCH

Trigger Finger Magazine Release
For Right- & Left-Handers

Get quick, positive magazine changes, without shifting your grip. Fully ambidextrous magazine release permits use of trigger finger or the thumb to release the mag; provides full left- or right-hand magazine control for Colt 1911 and clones. 

SPECS: Blued or Stainless Steel (SS). Gunsmith fitting required.

#849-008-101DJ 1911 Mag Catch, SS 9D78X00 \$ 99.00

#849-008-001DJ 1911 Mag Catch, Blue 9D78X00 99.00

WILSON COMBAT 1911 AUTO BULLET PROOF® MAGAZINE RELEASE

Extended Length & Checkered Face
Aid Fast Mag Changes;
Fully Machined For Precise Fit

Further advances the concept of Wilson's popular Tactical Magazine Release with fully machined construction from high-grade steel barstock for exceptionally smooth, consistent operation. Deeply checkered button gives you solid, non-slip thumb contact and is $\frac{1}{16}$ " longer than standard, mil-spec button to give you extra leverage. Ensures you drop the magazine fast, on the first try, every time. Available in hardened carbon steel with a uniform, matte blued finish or natural-finish stainless steel. 

SPECS: Carbon steel, blued, matte finish, or stainless steel (SS), satin finish. Mag catch only, no lock or spring. Gunsmith fitting recommended.

#965-000-059DJ Bullet Proof Mag Release, Blued,
5F24Y56 \$ 29.95

#965-000-060DJ Bullet Proof Mag Release, SS,
5F26Y20 31.95


WILSON COMBAT 1911 AUTO MAGAZINE RELEASE

Tactical, Oversized & Extended
Models For Different Needs

TACTICAL MAGAZINE RELEASE - Just slightly longer than the standard mag release, but much easier and faster to reach when every second counts. Serrated face enhances touch but won't catch on holsters or clothing. 

SPECS: Steel, blue matte finish. Mag catch only, no lock or spring.


#965-031-020DJ Tactical Mag Release 5F21P09 ... \$ 24.95

OVERSIZE MAGAZINE RELEASE - Cuts down on the hand movement required to depress the mag release so it cuts down on time too. Gives shooters with smaller hands the ability to make faster mag changes. 30 LPI checkering and rectangular shape assures a solid hit. 

SPECS: Release - steel, blue or stainless steel (SS). Both include oversize, stainless steel rectangular button, $\frac{3}{8}$ " (9.2mm) x $\frac{3}{4}$ " (19mm). Mag catch only, no lock or spring.

#965-405-100DJ Blue Oversize Mag Release,
5F28V84 \$ 34.95

#965-405-101DJ SS Oversize Mag Release,
5F32V54 38.95

EXTENDED MAG RELEASE - Oversized, extended release button for quick mag changes with little change in grip. Round button can be removed for carry, reinstalled for competition. Allen wrench included. Checkered face with 40 LPI for a positive grip and quick mag changes. 


SPECS: Release - steel, blue or stainless steel (SS). Both include oversize, stainless steel removable button. Mag catch only, no lock or spring.

#965-000-024DJ Blue Ext. Mag Release 5F30A46 ... \$ 34.95

#965-000-025DJ SS Ext. Mag Release 5F33A07 37.95

CASPIAN 1911 AUTO HIGH CAPACITY MAGAZINES

More Firepower,
Fewer Mag Changes For
Caspian Double Stack Pistols

Premium-quality magazines are manufactured to precise specifications for reliable fit and function in Caspian high capacity 1911 Autos. Provides increased firepower with fewer mag changes. Rigid, smooth-welded, polished steel body for slick feeding and positive magwell fit. High-impact nylon follower is shaped to help ensure reliable feeding. Machined aluminum base pad removes easily for cleaning. **Quick Change (Q.C.)** model has an extended base pad that boosts the round count and is easy to grasp for fast mag changes in competition. **Tactical** model has a low-profile, matte black base pad that doesn't protrude from mag well. **Base Pads** also available separately to replace a damaged pad, or convert a magazine from one configuration to the other. 

SPECS: Steel body, blued; aluminum base pad, anodized, natural silver finish (Q.C.) or matte black (Tactical); nylon follower, black.

CALIBER	Q.C. STK #	RDS.	TACTICAL STK #	RDS.
9mm	#168-000-112DJ	21	#168-000-116DJ	17
.38 Super	#168-000-109DJ	21	NA	
.40 S&W	NA		#168-000-114DJ	15
.45 ACP	#168-000-110DJ	12	NA	

— Advise # — Quick Change Magazine 8F58X59 \$ 67.99

— Advise # — Tactical Magazine 8F58X59 67.99


#168-000-087DJ Quick Change Base Pad,
8F29Z24 36.99

#168-000-085DJ .40 S&W Spring 8F02Z76 3.45

#168-000-086DJ .40 S&W Follower 8F02Z76 3.45

CHECK-MATE 1911 AUTO MAGAZINES

Unique Feed Lip Geometry Maintains A
Consistent Angle For Reliable Feeding

These high-quality magazines have a unique, straight feed lip contour that helps maintain a consistent feed angle for reliable chambering of 9mm or .38 Super ammo. Body tube is through-hardened for superior strength and durability, then polished inside and out to eliminate drag. Follower has an extended front skirt, an anti-friction dry-film finish, and proper dimple placement for precise feed and function with every round. Floorplate is pre-drilled to accept aftermarket screw-on base pads (not included) with .524" center-to-center hole spacing. High-performance spring offers outstanding reliability and long life. 


SPECS: Stainless steel, natural silver finish.

#100-004-786DJ .38 Super Magazine, 10-Rd,
3Z20Y07 \$ 21.99

#100-004-787DJ 9mm Magazine, 9-Rd,
3Z20Y07 21.99

KIMBER ULTRATEN II FACTORY PISTOL MAGAZINE

Fits Kimber Double-Stack, Polymer Compacts

Genuine, Kimber factory magazines fit the Ultra Ten II series of double-stack, polymer framed pistols. Hardened steel bodies, tempered stainless steel springs, and self-lubricating nylon followers make these magazines the very best choice. Includes unbreakable plastic slam pad. 

SPECS: Body - Tempered carbon steel, blue finish. Spring - Stainless steel. Follower - Nylon. Fits Kimber Ultra Ten II.

#387-000-041DJ 10-Rd Compact Magazine,
5B35Z95 \$ 44.95

COLT 1911 AUTO FACTORY MAGAZINES

Premium-Quality Direct From The Factory


Genuine Colt replacement magazines, manufactured to factory specifications for reliable fit and function. Long-wearing, hardened steel followers; full power, tempered steel springs. The most reliable choice for duty and self-defense use.

SPECS: Fits Colt 1911 and most copies. Available in blue (BL), Nickel (NIK) and Stainless (SS). Bright SS has high polish base pad. **Bumper** models have a rubber base pad. **Ext.** models have a one finger width grip extension that adds gripping area for large hands.

STOCK #	GUN/CAL/RDs/FINISH	PRICE
#160-114-100DJ	Delta 10mm/8/BL	6A36U74 \$ 45.93
#160-114-101DJ	Delta 10mm/8/SS	6A39U46 \$ 49.33
#160-000-231DJ	Delta 10mm/8/Bright SS	6A40D51 \$ 50.99
#160-114-470DJ	Govt .380/7/BL	6A19V95 \$ 24.94
#160-114-471DJ	Govt .380/7/SS	6A24V87 \$ 31.99
#160-114-090DJ	Govt 9mm/9/BL	6A26U39 \$ 32.99
#160-000-223DJ	Govt 9mm/9/NIK	6A28H29 \$ 35.36
#160-114-091DJ	Govt 9mm/9/SS	6A50U01 \$ 62.51
#160-114-380DJ	Govt .38S/9/BL	6A27U32 \$ 34.15
#160-000-224DJ	Govt .38S/9/NIK	6A37H67 \$ 47.09
#160-000-230DJ	Govt .38S/9/Bright SS	6A42D63 \$ 53.29
#160-114-381DJ	Govt .38S/9/SS	6A34U95 \$ 43.69
#160-000-226DJ	Govt .40 S&W/8/SS	6A33D49 \$ 41.86
#160-114-450DJ	Govt .45/7/BL	6A21U90 \$ 27.99
#160-000-222DJ	Govt .45/7/NIK	6A30H83 \$ 38.54
#160-114-451DJ	Govt .45/7/SS	6A20U71 \$ 25.99
#160-000-228DJ	Govt .45/7/Bright SS	6A27D56 \$ 34.45
#160-114-452DJ	Govt .45/8/BL	6A24U85 \$ 30.99
#160-114-453DJ	Govt .45/8/SS	6A28V91 \$ 35.99
#160-000-227DJ	Govt .45/8/Bright SS	6A29D77 \$ 37.21
#160-114-460DJ	Officers .45/6/BL	6A18V32 \$ 22.90
#160-114-480DJ	Mustang .380/6/BL	6A20V41 \$ 25.99
#160-000-234DJ	Mustang .380/6/NIK	6A23D97 \$ 29.96
#160-000-328DJ	Mustang .380/6/SS	6A31T98 \$ 39.98
#160-000-225DJ	Mustang .380/7/BL/Ext	6A27D84 \$ 34.80

ED BROWN 1911 AUTO MAGAZINE

Precision Engineered With Premium Materials
For Exceptional Reliability

Premium-quality magazine is engineered and manufactured to the highest standards to deliver outstanding reliability and smoothness in competition or combat. Virtually seamless body of heat-treated stainless steel and rounded, self-leveling all-steel follower and heavy duty spring further enhance reliability. **7-Round** - Has six witness holes, natural matte gray finish, and extended bumper pad that protects magazine if dropped on a hard surface and increases overall length to ensure positive seating. **8-Round** - Full-featured, "8-Pack"™ magazine has extended body designed to provide sufficient room for the extra round and maintain proper spring compression. Seven witness holes, with extra-large, easy-to-see round count numbers are crisply laser etched on both sides. Hydro-finish process gives body and follower an extra-slick surface that repels dirt, dust, and burned powder to eliminate unnecessary friction against the follower for consistent feeding and easier seating in magwell. Flared bumper pad of tough, impact-absorbing polymer gives a secure grip during mag changes and protects the magazine when dropped. "88" number template—like numbers on a digital clock—on the bottom of the pad lets you create any number from 00 to 99 with a dab of paint to track usage history of individual magazines. Depress the large, easy-to-operate release button to remove the pad for cleaning. 



INFINITY MAGAZINE COMPONENTS

Replacement Tube Gives Original Capacity

TIG welded, stainless steel, flat-panel wall design gives long-wearing durability. Replacement tube allows you to repair or refurbish an existing .38/9mm high-capacity magazine. Base pad, spring and follower not included. *It is a violation of the law in some states to use replacement tubes to assemble a new, high-cap magazine.*

SPECS: 124mm long, 17-rd capacity. For .38/9mm cal.

#823-338-017DJ .38/9mm Magazine Tube . 3B64T25 \$ 80.32

FOLLOWERS - Competition style followers increase magazine capacity. Smooth polymer construction for flawless feeding.


SPECS: Polymer, blue or red depending on caliber.

#823-302-338DJ Blue .38/9mm Follower 3B07T45 . . . \$ 9.32

#823-302-340DJ Red .40/10mm Follower 3B07T45 . . . 9.32

LES BAER CUSTOM 1911 AUTO PREMIUM MAGAZINES

Fully Polished Interior For Flawless Feeding

Precision formed for an exact fit in all 1911 Autos. Electro polished stainless steel body has a self-lubricating, carbon fiber follower for effortless ammunition feeding. Feed lips have rounded corners to prevent cracking, improve feeding reliability. Integral, extended base pad removes easily for cleaning. 

SPECS: 17-7 Stainless steel body, Rc 40-41. Black synthetic follower and base pad. 45ACP. Officers ACP holds 7 rounds.


#124-070-008DJ 8-Round Magazine 4B24T00 \$ 29.00

#124-070-007DJ 7-Round Magazine 4B24T00 29.00

#124-071-000DJ Officers ACP Magazine 4B24T00 . . . 29.00

METALFORM 1911 AUTO "SPRINGFIELD"-STYLE MAGAZINE

Front Ramp 9mm Magazine Gives Smooth Feeding

Springfield-style with built-in front ramp to improve round feed into chamber. Flat follower provides consistent feeding for all 1911 9mm pistols. Stainless steel tube with a welded base for durability. Bumper pad model provides additional magazine protection and clearance for extended mag wells. 9 round capacity; available with flush metal floorplate or with rubber bumper. 

SPECS: Stainless steel. Fits Government Model and Commander chambered in 9mm only.

#620-000-007DJ Spfld-Style 9mm Mag 2F22A04 . . . \$ 39.36

#620-000-008DJ Spfld-Style 9mm Mag w/Bumper, 2F25A12 44.86

SPECS: Stainless steel, natural silver finish. Polymer base pad, black. Fits .45 ACP 1911 Government and Commander models.

#087-847-450DJ 7-Round Magazine 7H25B80 \$ 31.99

#087-000-051DJ 8-Round Magazine 7H29T99 34.99

MAGAZINE BUMPERS PADS - Replace a nicked or scuffed pad to present a neat appearance when magazine is seated in the gun. Protects the magazine from damage; makes inserting mag easier. **Screw-On Extended Pad** - Original pad that comes on Ed's 7-round magazines increases overall magazine length for positive seating. .550" c-to-c hole spacing; includes two, 4-40, self-tapping screws per pad. **8-Round Bumper Pad** - Includes pad and lockplate. Fits 8-Rd magazines only.

SPECS: Polymer, black. **Screw-On Pads** - Fits Ed Brown 7-round magazines. Includes 6 pads and 12 screws. **8-Round Bumper Pad** - Includes one pad and lockplate. Fits 8-Round magazines only.


#087-807-006DJ Screw-On Bumper Pads, 6-pak, 7H07A61 \$ 9.51

#087-000-052DJ 8-Round Bumper Pad, each 7H05P99 . 9.99

METALFORM MAGAZINE

Traditional & Increased-Capacity Magazines
For 1911 Colts & Copies



Robust, high-quality U.S. made magazines in blued carbon steel and stainless steel for 1911 Auto pistols chambered in a variety of calibers. Choose from round or flat steel followers, both designed to give positive last-round feeding with all bullet types, including wadcutters. Safety orange nylon follower is concave to hold an additional round. Three floorplate configurations available: **Welded** - Flat, steel plate permanently welded to magazine body, with screw holes to accept Metalform Bumper Pads (available below). **Removable** - Steel plate detaches for easy internal cleaning of mag; also accepts Bumper Pads. **Ultramag** - Removable base pad of tough Delrin® polymer is contoured for a neat, flush fit in extended magwells. 

SPECS: Blued carbon steel or natural-finish stainless steel (Stnls). Approximately 5" (12.7cm) long. Followers - Stainless steel, natural silver or black finish, flat or round contour. Some magazines have concave safety orange nylon follower.

STOCK #	CALIBER	FINISH	CAPACITY	BASE	FOLLOWER	PRICE
#620-022-001DJ	.22 ACE	Blue	10	Removable	Rnd.	2F38V53 \$ 64.99
#620-138-001DJ	.380 Govt.	Blue	7	Welded	Flat	2F14H83 \$ 26.48
#620-045-002DJ	.45 Govt./Comm	Stnls.	7	Welded	Rnd.	2F24V57 \$ 34.99
#620-045-083DJ	.45 Govt./Comm	Blue	8	Welded	Flat	2F14H40 \$ 25.99
#620-045-001DJ	.45 Govt./Comm	Blue	7	Welded	Rnd.	2F14V52 \$ 25.93
#620-045-084DJ	.45 Govt./Comm	Stnls.	8	Welded	Flat	2F19H95 \$ 35.61
#620-245-117DJ	.45 Officers	Blue	7	Welded	Nylon	2F16H16 \$ 29.59
#620-038-001DJ	.38S Govt./Comm	Blue	9	Welded	Flat	2F14V86 \$ 26.99
#620-038-003DJ	.38S Govt./Comm	Stnls.	10	Welded	Nylon	2F20V67 \$ 36.90
#620-000-018DJ	.38S Govt./Comm.	Stnls.	10	Removable	Rnd.	2F29A33 \$ 45.97
#620-009-082DJ	9mm Govt./Comm	Stnls.	9	Removable	Flat	2F21A58 \$ 38.54
#620-009-081DJ	9mm Govt./Comm	Blue	9	Removable	Flat	2F15A96 \$ 28.99
#620-000-013DJ	9mm Govt./Comm	Stnls.	10	Ultramag	Flat	2F26A24 \$ 46.88
#620-040-018DJ	.40 S&W Govt./Comm	Stnls.	8	Removable	Flat	2F23T07 \$ 42.03
#620-040-008DJ	.40 S&W Govt./Comm	Stnls.	8	Welded	Flat	2F21T12 \$ 38.49
#620-010-008DJ	10mm Govt./Comm	Stnls.	8	Welded	Round	2F20Y44 \$ 37.24

MEC-GAR MAGAZINES

Expert Craftsmanship, Reliable Function

Made from certified, carbon steel; TIG welded and finished without seams, then heat treated for durability. Also available with a rustproof, nickel finish. These are the same magazines that are supplied by many European handgun makers as original equipment.

SPECS: Steel, blue (BL), or bright nickel (BN) finish. **RDS** indicates capacity of magazine.

STOCK #	FITS	FINISH	RDS	PRICE
#625-200-457DJ	1911 Auto .45 ACP	BL	7	5B16D27 \$ 23.99
#625-201-457DJ	1911 Auto .45 ACP	BN	7	5B17D68 \$ 26.99
#625-200-458DJ	1911 Auto .45 ACP	BL	8	5B17D85 \$ 26.99
#625-201-458DJ	1911 Auto .45 ACP	BN	8	5B18D90 \$ 28.99
#625-201-450DJ	1911 Auto .45 ACP	BN	10	5B21D96 \$ 33.95
#625-201-466DJ	Colt Officers ACP	BN	6	5B17Z68 \$ 26.95
#625-000-036DJ	Para-Ord. P14 .45 ACP	BL	14	5B23A13 \$ 31.99

SELECTION. SERVICE. SATISFACTION.

Three words that Brownells has based a
foundation of excellence on for over 70 years.

MAGAZINE FOLLOWERS - Replacement steel, round and flat top magazine followers greatly increase functioning and help reduce last round hang ups with all bullets, including wadcutters. **Flat Top 9mm** - Fits single stack, Colt 9mm magazines. **Round Top Follower** - Fits single stack, .45 Govt./Commander magazines.

SPECS: Stainless steel, silver or black finish.

#620-000-012DJ SS Flat Top 9mm Follower, 2F06A81 \$ 8.44

#620-000-003DJ Silver Rnd Top Follower 2F10A24 . . 12.93

#620-000-004DJ Black Rnd Top Follower 2F09A02 . . 11.34


MAGAZINE BUMPER PADS - Rubber pad provides protection from falls on hard surfaces and gives additional finger rest area. Precision formed to fit all Metalform magazines, bumper attaches with two screws that secure the pad to the bottom of the magazine using pre-existing holes. No modifications to the magazine required.

SPECS: Rubber, black. 505" c-to-c mounting holes with sheet metal screws supplied. Fits all Metalform 1911 Auto Magazines.

#620-000-011DJ Bumper w/Screws 2F03A06 \$ 3.96

METALFORM 1911 AUTO ELITE 8 MAGAZINE

Smooth-Running, Premium Fit & Finish,
Plus An Extra Round With No Added Bulk

Superb fit and finish ensure exceptionally smooth feeding and outstanding reliability. Full 8-round capacity in the same size package as a standard 7-round magazine. Heat-treated stainless steel body has an ultra-smooth weld seam and micro-polished interior to guarantee reliable, no-drag follower movement. Curved, non-tilt stainless steel follower and extra-power Wolff spring work together to ensure fast, positive feeding of all bullet types, including wadcutters. Tough, Delrin® base pad removes easily for cleaning and is contoured for a neat, snug fit in the mag well. Witness holes with high-visibility stamped and painted numbers give instant verification of round count. Available in a polished or non-reflective Hydro-Matte natural silver finish, or non-scratch IonBond® black. Includes nylon magazine pouch with flap closure and belt loops. 

SPECS: Stainless steel, natural silver or IonBond black finish. Black Delrin base pad. 8-rd capacity. Fits .45 ACP 1911 Auto only.

#620-000-017DJ Elite 8 Mag, Gloss Black, 2F42A33 . . \$ 66.33

#620-000-015DJ Elite 8 Mag, Matte Black, 2F38A39 60.18


#620-000-014DJ Elite 8 Mag, Polshd Silver, 2F35A63 55.83

#620-000-016DJ Elite 8 Magazine, Matte Silver, 2F31A69 49.68



McCORMICK 1911 AUTO POWER MAGAZINE

Premium, No-Fail Features
Plus Additional Rounds

Built to the very highest standards for the no-fail performance competitive and self-defense shooters demand. Feed lips are roll-formed and polished, not die cut, for added strength, and Chip's proprietary follower design provides flawless feeding with semi-wadcutters and hollow points. Powerful spring of proprietary, heat-treated Rocket Wire further ensures reliable feeding, even when left fully loaded and seated in a pistol for extended periods. Removable plastic base pad with full, front-to-back engagement, is built to withstand continual use, and numbered witness holes on both sides of the body provide a fast, visible round count. Available in 8-round capacity with slightly extended base pad that adds about 1/4" to magazine length; long-body 10-round model has base pad that wraps around exposed portion of magazine that extends beyond mag well. **Power Plus** models have an advanced anti-tilt follower for even more stable support of the round stack—extra insurance that every round feeds, first to last. Replacement **Power Mag Followers** (standard model only) and **Springs** available. 

SPECS: Stainless steel body and follower, plastic base pad. Available in 8- and 10-round capacities. Fits .45 ACP 1911 Auto single stack only.

- #207-145-228DJ **Power Magazine**, 8-Rd 7B22V76 . . . \$ 27.99
 #207-000-002DJ **Power Magazine**, 10-Rd 7B25Z29 . . . 29.99
 #207-000-024DJ **Power Plus Magazine**, 8-Rd,
 7B24Z99 34.99
 #207-000-025DJ **Power Plus Magazine**, 10-Rd,
 7B26Z56 34.99
 #207-000-011DJ **Repl. Standard .45 Cal. Follower**,
 7B06Z12 9.99
 #207-000-012DJ **Repl. Mag Spring**, 8-Rd 7B07Z72 9.99
 #207-000-013DJ **Repl. Mag Spring**, 10-Rd 7B07Z72 9.99

POWER PLUS CONVERSION KIT - Converts a McCormick Power magazine to Power Plus configuration, known for reliable function and consistent slide lock after the last shot, signaling weapon empty condition. Features stainless steel anti-tilt follower that's designed not to make contact with the receiver—perfect for aluminum frame pistols. Available for 8- and 10-round .45 ACP Power mags. **SPECS:** Stainless steel follower, steel spring. .45 ACP only.
 #207-000-028DJ **Power Plus Conversion Kit**, 8-Rd,
 7B11A72 \$ 14.99
 #207-000-027DJ **Power Plus Conversion Kit**, 10-Rd,
 7B11Z72 14.99

POWER MAG BASE PAD - Rugged, high-impact plastic pads attach to Power Mag magazines to adapt for specific uses. **Extended** pad is 1/4" longer than standard Power Mag base pad so it extends beyond the mag well to aid in positive seating for combat specialists or IDPA and IPSC competitors. **Concealment** pad shortens the top-to-bottom length of 8-round Power Mags to reduce "printing" in carry applications. Pads work with McCormick Power Mag magazines only. **SPECS:** Plastic, black. For use with McCormick Power Mag magazines only.


- #207-000-015DJ **Extended Base Pad** 7B03Z96 \$ 4.99
 #207-000-016DJ **Concealment Base Pad** 7B03Z96 4.99

MAGAZINES THAT WON'T HOLD ADVERTISED NUMBER OF ROUNDS

New magazines, and/or magazines with new springs, may not let you load them with the maximum number of rounds they should hold. Here's the solution: load them up with the maximum number of rounds you can and let them set for a few days. The new spring will take its normal "set" and allow the rest of the rounds to be loaded.

NIGHTHAWK CUSTOM 1911 AUTO STAINLESS STEEL MAGAZINE

Built To Feed Flawlessly

Extra-thick, stainless steel magazine body is formed to tight tolerances with a smooth-welded seam that's carefully polished to eliminate any rough spots or burrs that could snag the follower. Polished exterior finish eases insertion into the mag well, while the precision-formed feed lips are engineered to resist deformation even after storing the magazine fully loaded for extended periods. Numbered witness holes let you know exactly how many rounds are loaded. Smooth-moving, polymer/fiberglass composite follower is specifically contoured to keep the last round from feeding too fast and causing a jam; extra-strong spring delivers consistent force to ensure reliable feeding in all shooting conditions. **Standard** model features a .360" thick, removable, polymer composite base pad that extends .310" below the mag body for added protection when dropped. **Low Profile** version has a carbon steel, removable base pad that extends only .090" below the mag body, perfect for concealed carry. Both versions available for Government and Officers model. 

SPECS: Body - Stainless steel, natural finish. Follower - Polymer/fiberglass composite. Base Pad - Polymer or steel. **Govt.** - 8-round capacity. OAL - Standard: 5 5/8" (13.1cm); Low Profile: 5" (12.7cm). **Officers** - 7-round capacity. OAL - Standard: 4 21/32" (11.8cm); Low Profile: 4 1/2" (11.4cm).

- #100-003-671DJ **8-Rd Govt. Std Mag** 2B23H95 \$ 28.95
 #100-003-672DJ **8-Rd Govt. Low Profile Mag**,
 2B26H95 32.95
 #100-003-669DJ **7-Rd Officers Standard Mag**,
 2B23H95 28.95
 #100-003-670DJ **7-Rd Officers Low Profile Mag**,
 2B26H95 32.95

REPLACEMENT PARTS - Factory replacements for critical components help you keep your Nighthawk Stainless Steel Magazines running flawlessly. Changing the spring and follower on a regular basis ensures your weapon feeds and ejects reliably. All parts are made on the same tooling from the same premium-quality materials as the originals. **Springs & Followers** sold as sets for 7-round Officers and 8-round Govt. Model magazines. Polymer composite **Standard Base Pad** adds .310" to length of magazine; aids in seating mag in gun with extended magwell. Sold in 3-Pak. Carbon steel **Low Profile Base Pad** extends only .090" beyond mag body, perfect for concealed carry.

SPECS: Fits Nighthawk Stainless Steel 1911 Govt magazines. May fit extra-capacity single-stack magazines from other manufacturers. **Spring** - Chrome silicon steel. **Follower** - Polymer composite, black. **Standard Base Pad** - Polymer, black. Adds .310" to length of magazine. Sold in 3-Pak. **Low-Profile Base Pad** - Carbon steel, black finish. Adds .090" to length of magazine. Sold each.

- #100-003-763DJ **Govt. Spring/Follower** 2B07A95 . . . \$ 9.95
 #100-003-762DJ **Officers Spring/Follower** 2B07A95 . . 9.95
 #100-003-765DJ **Standard Base Pads**, 3-pak 2B06A49 . 7.95
 #100-003-764DJ **Low Profile Base Pad**, each 2B04A95 . 5.95



**BROWNELLS HAS OVER THREE
THOUSAND PRODUCTS JUST
FOR YOUR 1911**

NIGHTHAWK CUSTOM 1911 AUTO MAGAZINES

Precision Mags Exceed Factory Specs
For Correct Fit & Superb Reliability

Premium-quality, magazine is produced using state-of-the-art manufacturing techniques to run as flawlessly as the best custom-tuned pistol. Extra-thick, tempered steel mag body is formed to small tolerances, with a smooth-welded seam carefully polished to eliminate any rough spots or burrs that might snag the rigid, stainless steel follower. The hard, high-polish finish eases insertion into the mag well and resists attracting dust and dirt. Precision-formed feed lips are engineered to resist deforming, even when the magazine is stored fully loaded for extended periods. An extra-strong spring provides the additional force necessary to ensure reliable feeding under any conditions. A shock-resistant, polymer composite floorplate protects magazine when dropped on a hard surface, and detaches easily to disassemble the mag for cleaning. Separate, numbered witness holes let you know exactly how full your mag is.

SPECS: Steel, blued, high gloss finish. Polymer composite floorplate. **Govt.** - 5" (12.7cm) long. 8-round capacity. **Officers** - 4 1/2" (11.4cm) long. 7-round capacity.

- #100-003-267DJ **8-Rd Govt. Model Magazine**,
 2B21T17 \$ 24.99
 #100-003-266DJ **7-Rd Officers Model Magazine**,
 2B21T17 24.99

NOVAK EXTREME DUTY .45 CALIBER MAGAZINE

Specially-Engineered Feed Lips
Ensure Maximum Feeding Efficiency

Durable, 7-round magazine provides flawless operation for consistent and reliable feeding in a full-size Government Model or Commander. Heat-treated carbonized steel body and feed lips resist misshaping for a long service life. Spring is made of Type-D music wire for consistent performance. Numbered witness holes let you see how many rounds are in the magazine. Rust-resistant, electroless nickel finish. Available with a flat, flush-fit steel base plate or a molded drop pad (base pad) of chip-resistant polymer that protects the magazine from damage if dropped on a hard surface.

SPECS: Carbon steel, nickel finish. 7-round capacity. .45 ACP only.

- #100-001-111DJ **.45 Extreme Duty Magazine**, Std. Plate,
 2F19V43 \$ 29.95
 #100-001-112DJ **.45 Extreme Duty Magazine**, Drop Pad
 2F22V87 28.45

PSI ACT-MAG

Made To Better Than Factory Specs;
Won't Fail When It Matters Most

Manufactured on state-of-the-art machinery to exceed factory magazine specifications. Tempered steel bodies with hardened lips keep their shape; won't flare out, fail to feed or function. 1911 Auto models include an unbreakable polymer floorplate that cushions the magazine when it's dropped. Witness holes and round designation marks provide fast, visible round count. Para Ordnance model includes a polymer floorplate that cushions the magazine when it's dropped. Does not include witness holes.

SPECS: Steel, blue. Officers ACP & 1911 Auto - Steel follower. Para Ordnance - Polymer floorplate and follower.

STOCK #	RNDS	FITS	PRICE
#625-000-029DJ	6	Off. ACP	3K16A64 \$ 22.99
#625-000-030DJ	8	1911 Auto	3K18A78 \$ 25.99
#100-002-805DJ	14	Para Ord .45ACP	3K20Y93 \$ 31.99

PARA-ORDNANCE FACTORY MAGAZINES


The Correct Magazine For Your Handgun

Genuine factory replacement magazines guaranteed to fit and function correctly. All magazines listed are also listed in the factory parts section of our catalog. Please refer to the appropriate section for a complete listing of any models that may not be shown here.

STOCK #	FACTORY #	FITS	PRICE
#199-000-229DJ	PNM40R	10 RD, Nickel, P16/40, S16/40 LTD. .40	9A47Y53 \$ 59.99
#199-000-233DJ	PNMC45R	10 RD, Nickel, P10/45/40/9, S10/45/40/9 LTD. .45	9A47Y53 \$ 59.41

PRO MAG PARA P14 MAGAZINE

Durable Replacement Made In The U.S.A.

Made from the finest materials for strength and durability. High carbon, steel body; chrome silicon music wire spring takes a "set" and then resist gradual weakening over time. Followers and mag pads are injection molded from unbreakable polymer to stand up to rough treatment without cracking. 

SPECS: Body - Steel, blued. Spring - Chrome silicon. Follower - Nylon polymer. Fits Para P14 .45ACP. 14-round capacity.
 #687-000-005DJ **Para P14 Magazine** 7H21B54 \$ 29.99

SHOOTING STAR 1911 AUTO MAGAZINE

Extra Capacity & Reliable Feeding

Designed by champion shooter Chip McCormick with his unique, flat follower to give more capacity. All feature a fixed base that's drilled for easy pad installation. All springs are Wolff. 

MATCH GRADE - Advanced feed lip geometry gives smooth, reliable feeding with a wide selection of bullets. Held to +/- .001", 75% tighter than military spec. Extra large, numbered holes for quick round counting.

SPECS: Stainless steel, matte finish. .45 Gov't - 5" (12.7cm) long, 5 1/2" (13.3cm) with pad, 8 rounds. .45 Off. ACP - 4 1/2" (11.4cm) long, 5" with pad, 7 rounds.

- #207-145-208DJ **.45 Gov't No Pad** 7B17V96 \$ 24.99
 #207-145-218DJ **.45 Gov't w/Pad** 7B18V73 24.99
 #207-000-004DJ **.45 Off ACP No Pad** 7B17Z95 24.99
 #207-000-005DJ **.45 Off ACP w/Pad** 7B18Z73 24.99

CLASSIC - Factory replacement; made to tolerances that are 50% tighter than military spec. Non-numbered view holes.

SPECS: Steel, blue, matte finish. 5" (12.7cm) long, 5 1/2" (13.3cm) with pad, 8 round capacity.

- #207-000-006DJ **.45 Gov't Classic No Pad** 7B14Z89 . . \$ 21.99
 #207-000-007DJ **.45 Gov't Classic w/Pad** 7B16Z56 . . . 22.99

.38 SUPER & 10mm - Precision formed, with the flat follower for reliable feeding, extra capacity. Non-numbered view holes.

SPECS: Stainless steel, matte finish. 5" (12.7cm) long, 5 1/2" (13.3cm) with pad. **Capacity:** .38 Super, 10 rds; 10mm, 9 rds.

- #207-138-209DJ **.38 Super No Pad** 7B27D67 \$ 34.99
 #207-140-208DJ **10mm w/Pad** 7B28V08 39.99

MAGAZINE CONVERSION KITS - Fits standard 1911 Auto magazines; increases standard .45 ACP and 10mm capacity by one round; .38 Super by two rounds. Kits include spring and follower.

SPECS: Stainless steel follower.

- #207-100-451DJ **.45 ACP Conversion Kit** 7B11P83 . . \$ 14.99
 #207-100-381DJ **.38 Super Conversion Kit**,
 7B11P71 14.99
 #207-000-009DJ **10mm Conversion Kit** 7B11Z71 14.99

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 25

STI 1911 AUTO MAGAZINES, TUBES & REBUILD COMPONENTS

Mags & Components For Rebuilding High Capacity Magazines

Complete high capacity magazines and components to rebuild your damaged magazines so they work just like new. TIG welded, heat-treated, stainless steel bodies hold up to competition. All springs are tempered music wire and fit STI bodies without trimming. Complete mags come with polymer base pad and nylon follower for flawless feeding. **SPECS:** 410 stainless steel tubes. Fits STI, SVI, and McCormick high-cap frames only. Base pads on carry mags and 170mm mags can be used on both 140mm and 170mm tubes and still be legal for USPSA competition. Replacement tubes do not include Mag base pads. **140mm Spring** is caliber specific, **170mm Spring** is universal. Capacity shown for all models is with non-extended magazine pads.

STI HIGH CAPACITY MAGAZINES

STOCK #	CAL./LENGTH CAPACITY	PRICE
#791-000-055DJ	.38/126mm 17	1G48T00 \$ 60.00
#791-000-058DJ	.38/140mm 21	1G48P00 \$ 60.00
#791-000-061DJ	.38/170mm 27	1G80P00 \$ 100.00
#791-000-098DJ	9mm/140mm 20	1G43U42 \$ 51.99
#791-000-099DJ	9mm/170mm 26	1G74U48 \$ 89.99
#791-000-056DJ	.40/126mm 15	1G48T00 \$ 60.00
#791-000-059DJ	.40/140mm 18	1G48P65 \$ 59.99
#791-000-057DJ	.45/126mm 12	1G48T00 \$ 60.00
#791-000-060DJ	.45/140mm 15	1G48P00 \$ 60.00

STI HIGH CAPACITY REPLACEMENT TUBES

STOCK #	CAL./LENGTH CAPACITY	PRICE
#791-238-020DJ	.38/140mm 21	1G42B00 \$ 52.50
#791-238-027DJ	.38/170mm 27	1G72B00 \$ 90.00
#791-240-016DJ	.40/126mm 15	1G42B00 \$ 52.50
#791-240-018DJ	.40/140mm 18	1G42B00 \$ 52.50
#791-240-023DJ	.40/170mm 23	1G72B00 \$ 90.00
#791-245-015DJ	.45/140mm 15	1G42B00 \$ 52.50
#791-247-143DJ	140mm/38 Mag Spring 1G04B96...	\$ 6.20
#791-247-144DJ	140mm/40/45 Mag Spring 1G04X96...	6.20
#791-247-170DJ	170mm Mag Spring 1G07X32...	9.15

STI MAGAZINE PARTS

Replacement followers, base pad, and base pad retainer plate fit STI high-capacity magazine tubes only. 9mm follower includes adapter plate.

SPECS: Black polymer base pad, and retainer plate; low-friction nylon follower. Retainer plate sold singly or in 5-pak.

#791-246-170DJ	170mm Mag Pad, Black 1G05B51...	\$ 6.95
#791-000-027DJ	9mm Follower 1G05T79...	7.23
#791-000-028DJ	.38/40 Follower 1G02T21...	2.95
#791-000-029DJ	.45 ACP Follower 1G02T21...	2.95
#791-000-101DJ	Base Pad Retainer Plate 1G01U94...	2.29
#791-000-100DJ	Base Pad Retr. Plate, 5-Pk 1G06U47...	7.49

126mm 10-ROUND CARRY MAGAZINES

#791-000-051DJ	9mm 10-Rd Carry Mag 1G48T00...	\$ 60.00
#791-150-038DJ	.38S 10-Rd Carry Mag 1G48V00...	60.00
#791-150-045DJ	.45 ACP 10-Rd Carry Mag 1G48V00...	60.00

TRIPLE K 1911 AUTO MAGAZINES

High-Quality Replacements

Now you can keep your pistol shooting with these high-quality replacement magazines. 100% Made In The USA. All feature welded seams, machined followers and music wire springs. Unconditionally guaranteed to fit and feed. **SPECS:** Steel, blue, matte finish unless otherwise denoted in fits line. **RNDS** indicates capacity of magazine.



WILSON COMBAT 1911 AUTO ELITE TACTICAL MAGAZINE

Ultra-Reliable, Smooth Feeding
Of All The Rounds;
Extra-Capacity Models Available

Wilson Combat applied 30 years of experience building high-performance 1911 magazines to develop this ultra-reliable magazine for combat, competition, or self-defense. Made with state-of-the-art materials using the latest manufacturing technology, these single-stack magazines are built tough to keep running in unforgiving, real-world conditions. The body formed from extra-thick stainless steel, with the radius of each curve engineered to minimize stress points, virtually eliminates feed lip cracking and stress fatigue. Even the position of the witness slots toward the rear is designed to enhance structural integrity. A proprietary welding, deburring, and polishing process provides an unusually strong, super-smooth seam to ensure snag-free follower movement and easy insertion in the mag well. The non-tilt follower of self-lubricating polymer fully supports the ammo stack to prevent nose-dives, double feeds, and other hang-ups. The mag body design puts less tension on the spring than standard magazines, increasing spring life and making it easy to seat a fully loaded magazine with the slide closed. The polymer base pad adds minimal bulk yet ensures a firm purchase even when your hands are wet; removes easily for cleaning. Numbers 1 through 10 stamped on the bottom help you mark each of your magazines to track usage and performance. **.45 ACP** fits Gov't Model; 8 round capacity; round-count numbers stamped on body next to witness holes. Available in natural Silver or Black Oxide finish in singles or in convenient, money-saving **3-Paks** with or without a Michael's of Oregon double mag pouch of rugged, high-impact Kydex® molded polymer. **9mm** available in 10-round capacity for Gov't Model or 8-round capacity for Officers model. No round count numbers; silver finish only. **SPECS:** 17-7 stainless steel, natural silver or black oxide, finish, with black polymer follower and base pad. **Gov't .45 ACP** - 8-round capacity. **Gov't 9mm 10-Rd** - 5" (12.7cm) OAL. **Officers 9mm 8-Rd** - 4 3/8" (11.1cm) OAL. **Magazine Pouch** - Kydex, black. 4 3/8" (10.6cm) long x 3 1/8" (7.9cm) high x 7/8" (2.2cm) thick. Fits belts up to 1 3/4" wide.

#965-000-050DJ Gov't .45 Elite Tactical Mag, Silver, 5F30Y88 \$ 34.95
#965-000-151DJ Gov't .45 Elite Tactical Mag 3-Pak, Silver, 5F91A37 99.95
#965-000-152DJ Gov't .45 Elite Tact. Mag 3-Pak w/Pouch, Silver, 5F106A45 114.95
#965-000-070DJ Gov't .45 Elite Tactical Mag, Black, 5F30T88 36.99
#965-000-153DJ Gov't .45 Elite Tactical Mag 3-Pak, Black, 5F92A00 104.95
#965-000-154DJ Gov't .45 Elite Tact. Mag 3-Pak w/Pouch, Black, 5F110A00 124.95
#965-000-051DJ Gov't 9mm Elite Tactical Mag, Silver, 5F34Y81 39.95
#965-000-107DJ Officers 9mm Elite Tactical Mag, Silver, 5F37Z43 42.95

View our How-To Video Guides at
brownells.com

STOCK #	FITS	RNDS	PRICE
#486-000-004DJ	Colt Gold Cup .38 Spl.	5	6H44D04 \$ 55.99
#486-200-465DJ	Colt Ace .22	10	6H39T88 \$ 50.99
#486-000-005DJ	Colt 1911 (Stnlss) .45 ACP	7	6H11D63 \$ 14.99
#486-202-000DJ	1911 Auto Rmv. Base .45	8	6H14P29 \$ 22.99
#486-200-025DJ	1911 Auto Fxd. Base .45	7	6H10T00 \$ 12.99

**SATISFACTION GUARANTEED
SINCE 1939**

WILSON COMBAT 1911 AUTO WILSON-ROGERS MAGAZINE

Self-Lubricating, Synthetic Follower;
Improves Feeding, Won't Rust

Made from heat-treated, 17-7, aircraft-grade stainless steel to stand up to the demands of competitive and defensive shooting. Precision-formed bodies are built to very close tolerances for excellent, universal fit. Exclusive, molded, self-lubricating follower ensures reliable feeding and slide stop operation. Extra-power Wolff spring resists "spring set". Removable base, spring, and follower for fast, easy cleaning. **Black** models have black, oxide finish and removable steel base pad. Full-size natural-finish .45 ACP mags available in convenient, money-saving **3-Paks** with or without a Michael's of Oregon double mag pouch of rugged, high-impact Kydex® molded polymer. **SPECS:** 17-7 Stainless steel. **1911 Auto** and **Officers ACP** models have bright, stainless steel finish with black polymer base pad. **8-round Officers ACP** models are 5/8" longer, respectively, than factory magazines. **Black** models have black, oxide finish with steel base pad. Furnished with low profile base pad. **Magazine Pouch** - Kydex, black. 4 3/8" (10.6cm) long x 3 1/8" (7.9cm) high x 7/8" (2.2cm) thick. Fits belts up to 1 3/4" wide.

#965-047-470DJ .45 ACP 7 5F28V71 \$ 32.95
#965-047-480DJ .45 ACP 8 5F29H99 \$ 32.99
#965-000-149DJ .45 ACP, 3-Pak 8 5F84A00 \$ 94.99
#965-000-150DJ .45 ACP, 3-Pak + Pouch 8 5F104A98 \$ 114.95
#965-000-103DJ .40 S&W 9 5F33Z07 \$ 37.95
#965-047-190DJ 10mm 9 5F33P07 \$ 37.95
#965-047-310DJ .38 Super 9 5F32B20 \$ 36.95

1911 AUTO

STOCK #	CALIBER	RNDS	PRICE
#965-047-470DJ	.45 ACP	7	5F28V71 \$ 32.95
#965-047-480DJ	.45 ACP	8	5F29H99 \$ 32.99
#965-000-149DJ	.45 ACP, 3-Pak	8	5F84A00 \$ 94.99
#965-000-150DJ	.45 ACP, 3-Pak + Pouch	8	5F104A98 \$ 114.95
#965-000-103DJ	.40 S&W	9	5F33Z07 \$ 37.95
#965-047-190DJ	10mm	9	5F33P07 \$ 37.95
#965-047-310DJ	.38 Super	9	5F32B20 \$ 36.95

OFFICERS ACP

STOCK #	CALIBER	ROUNDS	PRICE
#965-047-407DJ	.45 ACP	7	5F27V84 \$ 32.95
#965-047-408DJ	.45 ACP	8	5F33V07 \$ 37.95

BLACK 1911 AUTO

STOCK #	CALIBER	ROUNDS	PRICE
#965-047-001DJ	.45 ACP	7	5F33X07 \$ 37.95
#965-047-002DJ	.45 ACP	8	5F33X07 \$ 37.95

1911 AUTO MAGAZINE w/EXTENDED PAD - The same craftsmanship and materials as the standard 1911 auto magazine, with a 5/8" thick pad to accommodate 1911s with magazine wells. Eight-round capacity. **Extended Magazine Pad** also available separately; sold in 3-Paks.

SPECS: Aircraft-grade, stainless steel. Includes a .625" magazine pad. 8-round capacity; accepts .45 ACP.

#965-000-018DJ 1911 Mag w/ Extnd Pad, 5F29A58... \$ 33.95
#965-000-019DJ Extended Mag Pad, 3-pak 5F06A80... 7.95

WILSON MAGAZINE CONVERSION KITS - W-45 fits Wilson Gov't. and Officers ACP magazines. Converts Gov't. to 8 rounds; converts Officers ACP to 7 rounds. **C-45** fits Colt and other standard Gov't. length magazines, converts to 8 rounds. **.38 Super** fits Wilson, Colt and other, standard, Gov't. length magazines; converts to 10 rounds.

SPECS: Kit contains "V2" follower.

#965-266-245DJ W-45 8/7-Rnd Convrns Kit 5F06D69 \$ 7.99
#965-266-145DJ C-45 8-Rnd Conversion Kit 5F06D81 7.95
#965-266-038DJ .38S 10-Rnd Conversion Kit 5F06D81 7.95

REPLACEMENT SPRING & FOLLOWER - Self-lubricating nylon follower and high tensile strength spring work together to deliver smooth, reliable feeding in Wilson 7-round Government model .45 ACP magazines. Also fits Colt and Metaform full-size 7-round and Officers/compact 6-round .45 ACP magazines.

SPECS: Steel spring, nylon follower, black. Fits Wilson, Colt, and Metaform 7-round full-size Government and 6-round Officers/compact magazines. .45 ACP only.

#965-000-114DJ Repl. Magazine Spring/Follower, 5F06Z69 \$ 7.99

WILSON COMBAT 1911 AUTO "BUREAUCRAT" 10-ROUND MAGAZINE

+ 2 Rounds Of .45 ACP

Wilson's outstanding quality, 47 Series magazine, lengthened to accept two additional rounds of .45 ACP. Gives increased firepower with fewer mag changes for the limited class shooter. All stainless steel construction, tempered steel spring, removable base pad for easy cleaning; welded stop prevents over-insertion. **SPECS:** Stainless steel, nylon follower and base plate.

#965-047-110DJ "Bureaucrat" Magazine, 5F33X94 \$ 38.95

WOLFF 1911 AUTO 7- & 8-ROUND MAGAZINES

Extra Power Spring For Reliable Feeding

Precision-formed, rigid steel body with an extra-power magazine spring offers maximum reliability and performance. Traditional, flat follower smoothly feeds hardball, high performance and hot, competition loads. Index holes allow you to quickly count loaded rounds. **8-Round** features a 5/8" thick, button-type, locking base pad made of impact-resistant plastic. **7-Round** includes pre-drilled base pad holes and is available with a thick, 5/8" cushioning rubber base pad secured with screws. **SPECS:** Steel, blue finish, .45ACP only. **8-Round** - 5 1/8" (13cm) long w/5/8" (79mm) thick, plastic base pad. **7-Round** - 4 3/4" (12.1cm) long w/o pad installed, 5 3/8" (13.7cm) long w/thick pad installed.

#969-000-182DJ 8-Rnd Magazine, 9F20A00 \$ 23.99
#969-000-187DJ 7-Rnd Mag w/Thick Pad, 9F19Y58 23.49

BASE PADS FOR 7-RND MAGAZINE - Thick or thin, rubber base pads attach to Wolff 7-round magazines only. Cushions base plate during tactical reloads. Includes attaching screws. Available in 3-Paks.

SPECS: Rubber, black. **Thick** - 5/8" (1.5cm) thick. **Thin** - 3/32" (7.1mm) thick.
#969-000-183DJ 7-Rnd Mag Base Pad, Thick, 9F07A50 \$ 8.99
#969-000-184DJ 7-Rnd Mag Base Pad, Thin, 9F06A92 8.29

STANDARD MAGAZINE BASE PAD - Protects base from damage, makes seating more positive. Fits Wilson-Rogers only. **SPECS:** Hard, black plastic. .350" (8.9mm) thick. Sold 3 per pak.

#965-470-000DJ Standard Wilson-Rogers Base Pads, 5F05X95 \$ 6.95

OFFICERS ACP CONVERSION BASE PAD - Sturdy, steel base pad allows Wilson-Rogers, 8-round, .45 ACP magazines to correctly seat in Officers Model pistols. Upward extension fills the gap below the frame for a comfortable grip. Compact size doesn't increase bulk, lets you use full length magazines for concealed carry. Fits Wilson-Rogers magazines only.


SPECS: Steel, black, matte finish. Sold 1 per pak.
#965-000-011DJ Officer ACP Conversion Pad, 5F08A16 \$ 9.95

LOW PROFILE STEEL MAG BASE PAD - Super-tough, steel base pad adds additional protection to magazines in competition and tactical situations. Base quickly slides onto magazine and provides additional weight for clean drops when mag change speed is essential. Fits Wilson-Rogers magazines only. **SPECS:** Steel, black manganese finish. .16" (4.1mm) thick.

#965-047-003DJ Steel Mag Base Pad, 5F04X88 \$ 5.95


ARREDONDO HIGH-CAPACITY MAG PERFORMANCE PACK

Increased Capacity & Performance

Converts pre-ban high-capacity magazines to accept additional rounds while increasing performance and reliability. Self-lubricating, "Super-Tuff", extruded nylon follower and extra power spring help ensure reliable feeding. Extended, hollow base pad increases capacity for up to three extra shots per magazine. Fits pre-ban magazines and replacement tubes only. 
SPECS: **Pack** includes base pad, spring, follower and retainer. **Base Pad** - nylon plastic, black. Extended (E) +3 rounds .38/.40 S&W, +2 rounds .45 ACP or flat (F) no change in capacity. **Follower** and **Retainer** - nylon. Para-Ordnance (PO) fits P14, P16 only. (STI) fits STI Standard and 140mm tubes.

MAGAZINE PERFORMANCE PACKS


STOCK #	FITS	CALIBER	PRICE
#069-110-138DJ	PO (E)	.38/.40	9F27H28 \$ 34.10
#069-110-145DJ	PO (E)	.45 ACP	9F27H28 \$ 34.10
#069-111-138DJ	STI (E)	.38	9F27D28 \$ 34.10
#069-111-140DJ	STI (F)	.40/.45 ACP	9F26D40 \$ 33.00

HIGH-CAP MAGAZINE SPRINGS - Stabilizes the follower to help solve feeding problems on hi-cap magazines equipped with extended base pads. Tempered music wire springs have 10% additional power. 
SPECS: 3-Paks. Installation requires fitting.

#069-115-113DJ 3-Pak Para-Ord Spring 9F14D52... \$ 18.15
#069-115-103DJ 3-Pak STI/Infinity Spring 9F14D52... 18.75

ARREDONDO SEMI-AUTO MAGAZINE FOLLOWERS

"Super Tuff" For Reliable Feeding

Caliber-specific contour follower improves feeding and reliability. Made from extruded nylon that reduces friction and wear. Color coded for easy identification. 
SPECS: Extruded nylon.


STOCK #	FITS	CAL.	COLOR	PRICE
#069-111-040DJ	STI/Infinity	.40/.45	Red	9F07H04 \$ 8.80
#069-000-001DJ	Para-Ord	.38/.45	Blue	9F07X04 \$ 8.80

TEFLON MAGAZINE FOLLOWERS - Reduces friction and wear and improves reliability. Caliber and magazine specific to ensure correct fit and reliable functioning. 
SPECS: Teflon, white.

#069-000-021DJ STI Follower, .38 Cal. 9F07C92... \$ 9.90
#069-000-022DJ STI/SVI Follower, .40 Cal. 9F07C92... 9.90

METALFORM 1911 AUTO 9mm MAGAZINE FOLLOWER

Reduces Last Round Hang Ups

Replacement, stainless steel, flat top followers greatly increase functioning and help reduce last round hang ups. Fits single stack, Colt 9mm magazines. Made in the USA. 
SPECS: Stainless steel.
#620-000-012DJ 1911 9mm Follower 2F06A81... \$ 8.44

PACHMAYR 1911 AUTO MAGAZINE FOLLOWER

Helps Prevent Last Round Jams

Re-designed to help prevent last round malfunctions so common with issue followers. Unique "round-ed-top"; replaces flat-topped follower without modification. 
SPECS: 1 3/4" (4.4cm) long. Polished stainless steel.
#692-702-000DJ Pachmayr .45 Follower 2F04C34... \$ 6.99
#692-702-038DJ Pachmayr .38S Follower 2F04C34... 6.99

ISMI PREMIUM HIGH CAPACITY MAGAZINE SPRINGS

Chrome Silicon Wire For
Superior Performance & Durability

Wound with high tensile, chrome silicon wire that's shot peened, heat treated, then stress-relieved for the longest service life possible, without cracking or failure. 
SPECS: Chrome silicon steel wire.

1911 AUTO - **SSCS** fits single-stack, 8-round .45 ACP and 10 round .38 Super magazines. **SSCS2** is for use with plastic and metal followers that require a narrow magazine spring. 7-or 8-round capacity depending on follower. **SS10** fits 10-round .45 ACP magazines. Do not use with Wilson Combat plastic followers.

#445-001-100DJ **SSCS 1911 Spring**, 5D06H71... \$ 8.95
#445-000-019DJ **SSCS2 1911 Spring**, 5D05C31... 7.95
#445-001-101DJ **SS10 1911 Spring**, 5D07H68... 10.25

PARA-ORDNANCE - Fits 19-rd. .38 super; 13-, 12- and 10-rd. .45 ACP high capacity magazine tubes. Requires trimming to fit shorter magazines.

#445-125-100DJ **Para-Ord Mag Spring**, 5D07Z68... \$ 10.25

PARA-ORDNANCE 170mm - Fits high capacity Para Ordnance magazines up to 170mm in length, can be shortened to fit other models.

#445-125-170DJ **PO170 Spring** 5D08Z61... \$ 12.75
STI/INFINITY 25-2 - Fits STI/Infinity standard magazine, all calibers, up to and including 140mm +1 and +2 round base pads. Important when using 200 gr. bullets and heavier, 11 coils.

#445-126-100DJ **ST25-2 Spring**, 5D07Z68... \$ 10.25

STI 170mm - Fits 170mm, STI, high capacity magazine tubes, 13 coils.

#445-126-170DJ **170mm STI Mag Spring**, 5D08Z41... \$ 12.75

McCORMICK 1911 AUTO POWER PLUS MAGAZINE CONVERSION KITS

Improves Reliability, Helps Ensure Slide Lock On Last Round,
Increases Capacity Of Government/Officers Mags


Replacement follower and spring convert a standard magazine or McCormick Power magazine to Power Plus configuration, known for reliable function and consistent slide lock after the last shot, signaling weapon empty condition. Features stainless steel anti-till follower that's designed not to make contact with the receiver—perfect for aluminum frame pistols. Kit for **Power** mags upgrades standard McCormick Power magazines to Power Plus. Available for 8- and 10-round mags. **Standard** kit fits full-size Government and compact Officers Model magazines, and offers the added benefit of increasing capacity by one round. Converts a 7-round magazine to 8-round capacity, and a 6-round magazine to 7-rounds.


SPECS: Stainless steel follower, steel spring. .45 ACP only.
#207-000-026DJ **Power Plus Kit for Standard Mags**, 7B11Z72... \$ 14.99
#207-000-028DJ **Power Plus Kit for Power Mags**, 8-Rd, 7B11A72... 14.99
#207-000-027DJ **Power Plus Kit for Power Mags**, 10-Rd, 7B11Z72... 14.99

WOLFF 1911 AUTO EXTRA POWER MAGAZINE SPRING


GOVT & OFFICERS ACP - .45 ACP. Extra power springs help stabilize the follower for improved feeding performance with full power loads. 8-Rd. -5% extra-power fits newer Govt/Commander, plus Shooting Star magazines, will NOT allow 8-rd capacity in Sig GSR mags; 7-Rd. - 11 lb. rating, fits Govt/Commander, Officers ACP only, except Wilson Combat.

STK # 8-RD.	STK # 7-RD.	QTY	PRICE
#969-714-610DJ	#969-713-710DJ	1	9F05V00 \$ 7.49
#969-714-630DJ	#969-713-730DJ	3	9F11V53 \$ 17.29
#969-000-145DJ	#969-000-178DJ	10	9F32A00 \$ 47.99

COLT 1911 AUTO - 9mm and .38 Super. 8 lb., 10% extra power. 7 lb. is standard. Fits Govt/Commander magazines. 
#969-000-081DJ **Colt 9mm Mag Spring** 9F05P00... \$ 7.49
#969-000-082DJ **Colt 9mm Mag Spring**, 3-pak, 9F11U53... 17.49
#969-000-083DJ **Colt .38 Super Mag Spring**, 9F05U00... 7.49
#969-000-084DJ **Colt .38 Super Mag Spring**, 3-pak, 9F11U53... 17.49

COLT .380 - 5% extra power replacement for weak, worn, or broken spring helps ensure reliable feeding in Colt 1911-style pistols chambered in .380 ACP. Govt 380/Mustang +2 fits Government Model and Mustang Plus 2 magazine. Mustang/Pony fits Mustang with standard magazine and Pony. 

#969-000-195DJ **Govt .380/Mustang +2 Mag Spring**, 9F05Y00... \$ 7.49
#969-000-196DJ **Mustang/Pony Mag Spring**, 9F05Y00... 7.49

CASPIAN - 10% extra power. Fits current production Caspian magazines. 


#969-000-053DJ **Caspian Mag Sprg**, 3-pak 9F12T33... \$ 18.49

PARA-ORDNANCE P12 - 10% extra power. P12 fits 12-round, P12 magazines and all calibers of Para-Ordnance 10-round magazines. P13 fits 13-round, preban magazines. P14/P16 fits 13-, 14- and 15-round .45ACP magazines; 17- and 20-round .38 Super magazines; 15-round 10mm/.40 S&W magazines; 18-round 9mm magazines. For 10-round magazines, order P12 magazine springs.

#969-764-730DJ **P12 Mag Spring**, 3-pak 9F11V53... \$ 17.29
#969-769-730DJ **P13 Mag Spring**, 3-pak 9F11V53... 17.29
#969-760-730DJ **P14/P16 Mag Spring**, 3-pak, 9F11V53... 17.29

WOLFF OVERSIZE HIGH-CAPACITY MAGAZINE SPRINGS

Cut-To-Fit For Precise Function

Additional coils provide precise magazine tuning for reliable feeding. High-quality, tempered wire springs are 10% increased power. 
SPECS: 1, 3 or 10 paks. Installation requires fitting.

STI/INFINITY/MCCORMICK - .38 fits .38 Super, 9x21mm, 9x23mm. .45 fits .40 cal., .45 ACP.

STOCK # .38	STOCK # .45	QTY	PRICE
#969-761-610DJ	#969-777-610DJ	1	9F05V33 \$ 7.99
#969-761-630DJ	#969-777-630DJ	3	9F12V33 \$ 18.49
#969-761-640DJ	#969-777-640DJ	10	9F33V35 \$ 50.00

PARA-ORDNANCE - Fits all calibers. P12, P13, P14, P16, cut coils to fit.


#969-763-630DJ **3-Pak O/S Mag Spring** 9F12V33... \$ 18.49
#969-763-640DJ **10-Pak O/S Mag Spring** 9F33V02... 49.50

1911 AUTO 10-ROUND - Fits all calibers of 10-round single stack 1911 Auto.

#969-774-610DJ (1) 10-Rd Mag Spring 9F05V33... \$ 7.99
#969-774-630DJ 3-Pak 10-Rd Mag Spring, 9F12V33... 18.49
#969-774-640DJ 10-Pak 10-Rd Mag Spring, 9F33V34... 49.99

A & G 1911 AUTO GRIP EXTENDER


Use Full Size Mags In Compact Guns;
Increases Shooting Comfort

Slip-on collar, fills the space between a compact frame and bottom of a full-sized magazine to make a comfortable, hand-filling grip. Contoured to match the frame for improved trigger and recoil control. Ideal when using full size magazines as backup. 
SPECS: High impact polymer, black. Use Colt 1911 magazine in Officers ACP.

#075-000-005DJ **Colt Extender** 5G09T91... \$ 13.99

ARREDONDO SEMI-AUTO MAGAZINE BASE PAD

Increase Capacity On Factory Mags

Replace the pre-ban, factory base pad with this hollow extended model and get up to four additional rounds in .38 Super and two additional in .45 ACP. Molded from high impact, unbreakable, polyethylene; includes retainer insert. 
SPECS: Fiberglass-filled nylon. 1 1/2" (3.8cm) long, 1.20" (3cm) wide.

#069-100-001DJ **Para .38/.40 Base Pad**, Black, 9F14C80... \$ 17.60


#069-100-201DJ **Para .38/.40 Base Pad**, Blue, 9F14H80... 17.60

#069-100-002DJ **Para .45 Base Pad**, Black, 9F14C80... 17.60

#069-100-003DJ **STI Base Pad**, Black 9F14H80... 17.60

CLASSIC PISTOL 1911 LOW PROFILE MAG PAD


Low Profile Design
That's Perfect For Concealment

Extra-tough plastic pad protects the 1911 magazine bases from damage when you drop them during competition or tactical exercises. Low-profile design and black color are perfect for weapon concealment. Added length makes it easy to slam a fresh magazine home. Smooth surface allows for quick, smooth draw without the hassle of snagging on clothes. 
SPECS: Plastic, black. 1/4" (6.4mm) thick. Sold in 3 Paks.

#169-500-002DJ **Low Profile Mag Pad**, 3-pak, 9F08V87... \$ 9.99

EGW CASPIAN HIGH CAPACITY BASE PAD


+ 2 Rounds In Caspian Mags

Outstanding-quality base pad adds an extra two rounds of .38 Super to high-capacity, 19-round Caspian, double-stack magazines. 
Available in black (B), or silver (S). Requires gunsmith fitting. **SPECS:** CNC machined aluminum barstock. Available in black (B), or silver (S). Follower must be cut down to fit into basepad.

#296-000-073DJ **Base Pad**, Black 6B16P00... \$ 20.00
#296-000-074DJ **Base Pad**, Silver 6B16P00... 20.00

PACHMAYR MAGAZINE BUMPER KIT

For Positive Seating
& Magazine Protection

Gives extra length needed for fast, positive magazine changes. Protects magazine from damage too. Same compound as used on Pachmayr grips. 
SPECS: Fits 1911 Auto/copies. Screw on; screws, drill and jig included. Kits include 5 bumpers.
#692-700-000DJ **MBK-Colt Bumper Kit** 2F17A01... \$ 25.99

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 27

FREED DESIGNS 1911 AUTO X-GRIP™ MAGAZINE ADAPTER



Adapts Full-Size 8-Round
Magazines To Officers Model
For Increased Firepower

Snap-on adapter converts 8-round Government model Novak, Act-Mag, and Mec-Gar magazines for use in an Officers model pistol. Gives your Officers model the capacity of a full-size pistol, so you have more ammo available when you need it. Two-piece, closed-bottom unit snaps tightly around the floorplate, but removes easily if you want to use the magazine with a full-size grip frame. Streamlined contours provide a nearly seamless mate to the grip frame. Gives added support for your little finger to improve weapon control, and offers extra cushion to protect the floorplate when dropping the mag during reloads. Made of rugged, impact-resistant polymer, so it takes a beating, yet weighs only half an ounce.

SPECS: Polymer, matte black. 2 1/2" (6.4cm) long, 1 1/64" (3cm) wide, 13/16" (2.1cm) high, 1/2 oz. (14g) weight. Adapts Novak, Act-Mag, and Mec-Gar 8-round .45 ACP Govt. model magazines for use in Officers ACP

#100-003-163DJ 1911 Auto X-Grip Adapter,
2A10Z95 \$ 19.95

STI 1911 AUTO BUMPER PAD

For Repair Or Replacement



Tough, black nylon polymer magazine pad. 170mm is legal for USPSA competition on 140mm and 170mm magazine tubes. **USA**

SPECS: Nylon polymer, black.

#791-246-170DJ 170mm Bumper Pad,
1G05B51 \$ 6.95

CYLINDER & SLIDE 1911 AUTO SERIES 80 TRIGGER PULL REDUCTION KIT

Super-Slick Parts Lighten Series 80 Pull



Titanium-nitrided parts, with an exclusive moly-disulfide coating, reduce trigger pull weight without risky modifications to Series 80 Colt's firing pin safety system. Reduces the creep and jump in the takeup that's inherent in

these guns. When used with custom, after-market parts, trigger pulls as low as 2 1/2 lbs. can be safely achieved. **USA**

SPECS: Steel, TiN and moly coated, gold color. Kit includes hammer pin, sear pin, trigger lever, plunger lever, firing pin plunger.
#206-080-000DJ Trigger Pull Reduction Kit,
6K38B40 \$ 48.00

10-8 PERFORMANCE 1911 AUTO FLAT TRIGGER

Delivers Consistent
Length-Of-Pull Regardless
Of Finger Placement



Lightweight, aluminum trigger shoe features a flat, serrated face for uniform length-of-pull regardless of index finger placement. Full width, stainless steel bow eliminates flex and is permanently staked to the shoe for added strength, making this trigger a top choice for duty and self defense guns. Stainless steel overtravel stop screw is mounted in the rear of the shoe and requires no staking or threadlocker to keep it in place – once it's set, it won't shoot loose. **USA**

SPECS: Bow - Stainless steel, polished finish. Shoe - Aluminum, silver, anodized finish. 2.2" (5.6cm) OAL. .3 oz. (8.6g) wt.
#100-003-159DJ 10-8 Flat Trigger,
1B19Z95 \$ 24.75

10-8 PERFORMANCE SPRINGFIELD EMP EMP TRIGGER



Staked Bow For High Strength
& Reliable Performance

Full width, stainless steel bow eliminates flex and is permanently staked to the trigger shoe for added strength, making this trigger a top choice for carry guns. Stainless steel overtravel stop screw is mounted in the rear of the shoe and requires no staking or threadlocker to keep it in place – once it's set, it won't shoot loose. Aluminum, serrated shoe provides a non-slip grip and positive control. Oversized shoe and overtravel stop require gunsmith fitting. **Long Curved** allows a different length-of-pull depending on index finger position; ideal for larger hands. **Long Flat** trigger features a flat, square face for uniform length-of-pull regardless of index finger position. Length-of-pull is equal to the shortest point on a traditional, "long" curved trigger. **USA**

SPECS: Bow - Stainless steel, polished finish. Shoe - Aluminum, silver, anodized finish. **Long Curved** - 2.28" (5.8cm) OAL. **Flat** - 2.13" (5.4cm) OAL. .3 oz. (8.6g) wt. Fits Springfield EMP in 9mm and .40 S&W.

#100-003-712DJ Long Curved Trigger,
1B19U95 \$ 24.95

#100-003-713DJ Long Flat Trigger,
1B19U95 24.95

CASPIAN 1911 AUTO TRIK TRIGGER

For Caspian
High-Capacity Receiver;
Overtravel-Adjustable;
Non-Slip Serrations On Shoe



Designed exclusively for use on Caspian's high-capacity 1911 receiver, this trigger features a lightweight, skeletonized aluminum shoe with flat, serrated face to ensure positive finger contact. Polished finish on bow helps provide smooth operation with minimal-friction for a consistent, non-gritty pull. Adjustable stop screw lets you set overtravel to decrease the trigger's forward reset distance and allow faster follow-up shots. **USA**

SPECS: Fits Caspian high-capacity 1911 receivers only. 2 7/16" (6.2cm) OAL. .3 oz. (8.5g) weight. Shoe - Aluminum, natural finish. 5/8" (1.5cm) long, 1/4" (6.3mm) wide, 3/4" (2.3cm) high. Bow - Stainless steel, polished finish. 1 3/4" (4.4cm) long, 1" (2.5cm) wide.

#168-000-129DJ High-Cap Trik Trigger 8F24X36... \$ 29.99

CYLINDER & SLIDE 1911 AUTO SOLID ALUMINUM MATCH TRIGGER



Replaces Sloppy-Fitting
Factory Trigger;
Smooth, Rounded Face
For Comfort

Match-grade replacement trigger improves control and increases shooting comfort for greater accuracy. Solid, aluminum alloy trigger shoe is oversized for precise fitting to your frame. Smooth, rounded face eliminates "tender finger" caused by abrasions from sharply serrated trigger faces during long shooting sessions. Transmits the actual trigger action more effectively for a better "feel" of actual pull weight and improved control of letoff. Stainless steel trigger bow is longer than factory length to reduce take up. Overtravel screw helps eliminate trigger overtravel. Available with **Short, Medium, and Long** trigger shoe. Gunsmith fitting required. **USA**

SPECS: Aluminum shoe, stainless steel bow. **Short** - 2.25" (5.72cm), **Medium** - 2.35" (5.97cm), **Long** - 2.40" (6.1cm).

#206-000-024DJ Alum. Match Trigger, Short,
6K20B80 \$ 26.00

#206-000-025DJ Alum. Match Trigger, Medium,
6K21B64 27.99

#206-000-026DJ Alum. Match Trigger, Long,
6K20B80 26.00



CLYINDER & SLIDE 1911 AUTO LONG ALUMINUM TRIGGER



Helps Ensure Correct
Finger Placement
For Best Accuracy

Long, aluminum, trigger shoe helps ensure proper placement of the index finger to sight alignment for improved accuracy. Shoe is permanently staked and drilled in a 3-hole configuration to keep weight to a minimum. Fine line serrations on the face provide a positive "feel" and help improve overall trigger control. Highly polished, stainless steel bow prevents trigger-flex and eliminates drag. Overtravel stop screw allows adjustments for creep. Gunsmith fitting required. **USA**

SPECS: Shoe - Aluminum, silver, anodized finish. Bow - Stainless steel, polished finish. 2.40" (6.1cm) OAL.

#206-000-033DJ Long Aluminum Trigger,
6K21D08 \$ 26.99

DLASK ARMS ULTRA-LIGHT TRIGGER

Magnesium & Titanium
For Strength; Adjustable
For Take-Up & Overtravel



Titanium stirrup, magnesium shoe and two-way adjustability provide the best combination of strength, low weight and crisp-feeling response for an ultra-light, match-quality trigger pull without flex, take-up or overtravel.

SPECS: Magnesium shoe, titanium stirrup, silver finish. Available in **Short** - 2.124" (5.4cm), **Med.** - 2.187" (5.6cm), **Long** - 2.335" (5.9cm), **Shoe:** 1911 and Para. - .245" (6.2cm) wide, **Gold Cup**: 352" (8.9mm) wide. .2 oz. (6 g) weight. Lightening holes not available on Short models.

STK # SHORT	STK # MED	STK # LONG	FITS
#253-102-003DJ	#253-101-003DJ	#253-100-003DJ	1911 Auto
NA	#253-101-004DJ	NA	Gold Cup
NA	#253-101-010DJ	#253-100-010DJ	Para-Ord.

— Advise # — **Ultra-Light Trigger,**
3E37T08 \$ 55.99

EGW SOLID BLANK TRIGGER



Full Length To
Accommodate Large Hands

Machined, aluminum trigger is slightly concave for shooters who like a full, nearly flat trigger. Serrated face improves grip. Requires gunsmith fitting. **Gold Cup** has wider shoe to fit Colt Gold Cup and similar pistols. **USA**

SPECS: Aluminum shoe & stainless steel bow, silver finish. 2 5/16" (5.9cm) long. **Standard** - .250" (6.4mm) wide shoe. **Gold Cup** - .350" (8.89mm) wide shoe. .4 oz. (11.3 g).

#296-000-053DJ Solid Blank Trigger, Standard,
6B24T00 \$ 30.00

#296-000-094DJ Solid Blank Trigger, Gold Cup,
6B32P00 39.99

ED BROWN 1911 AUTO NATIONAL MATCH TRIGGER

Stainless-Steel Bow
Eliminates Flex



Precision-machined, curved shoe with a finely serrated surface provides good feel and trigger control. Shoe height is slightly oversized for precise fitting. Stainless steel bow gives smooth, no-flex trigger movement. Overtravel stop screw prevents creep. Available with **Solid** shoe in long or

GREIDER PRECISION 1911 AUTO V-SERIES MATCH TRIGGER



Proven, Videki Design For
Match-Winning Performance

Lightweight, competition trigger minimizes drag and reduces pull weight for extra smooth engagement and faster return. Features the same, proven design that made the "Videki Speed Trigger" the industry standard. Extra-stiff, high-strength bow is machined using the original Class A, Videki tooling and 400 series stainless steel. Shoe is CNC-machined from top-quality, aluminum billet and left slightly oversize for custom fitting. Stop screw helps eliminate overtravel; grooved face gives excellent control. Three sizes provide the correct length-of-pull (**LOP**) for most shooters. **3-Hole** shoe features three holes to help keep pistol weight to a minimum. **USA**


SPECS: Bow - 400 Series S, polished finish. **Shoe** - Aluminum, silver. **Long** - 2 1/4" (5.7cm) long. **Medium** - 2 1/8" (5.4cm) long. **Short** - 2" (5.1cm) long.

STOCK #	LOP	SHOE
#377-000-001DJ	Long	Solid
#377-000-002DJ	Long	3-Hole
#377-000-003DJ	Medium	Solid
#377-000-004DJ	Short	Solid

— Advise # — **V-Series Match Trigger** 7G14T62 ... \$ 17.47

GUN CRAFT PARA-ORDNANCE ALUMINUM TRIGGER

Two Lengths
Fit Large & Small Hands



Lightweight, aluminum triggers give shooters with different-sized hands the proper index finger placement for easier, smoother trigger engagement. **Short** trigger helps shooters with smaller hands reach around the Para-Ordnance frame. **Long** trigger gets the placement right for shooters with larger hands. **Square** trigger is extra long and features a gentle 4" radius along the length of the face that increases surface area and gives a lighter perceived pull so the gun is easier to "double-tap". All models feature grooved face, steel bows with fitting pads and overtravel adjustment. **USA**

SPECS: Aluminum body, steel bow. **Body:** .240" (6mm) wide. **Short:** 2.3" (5.8cm) long overall, **Long:** 2.40" (6cm) long overall. **Square:** 2.40" overall length. Fits Para-Ordnance frames only, requires gunsmith fitting.

#376-100-010DJ Short Trigger, for Para-Ord,
6G24D95 \$ 29.95

#376-100-011DJ Long Trigger, for Para-Ord,
6G24D95 29.95

#376-100-111DJ Square Trigger, for Para-Ord,
6G20D67 24.95

short length to let you choose the most comfortable length of pull. Drilled, **3-Hole** shoe provides an even lighter trigger pull; long length only. **USA**

SPECS: Aluminum, silver anodized shoe; polished stainless steel bow. Shoe - 1/4" (6.3mm) wide, 1 1/16" (23.8mm) high. Overall length measured from center of shoe to end of bow. **Short** - 2 1/16" (5.2cm) OAL. **Long** - 2 1/4" (5.7cm) OAL. Gunsmith fitting required.

#087-000-012DJ 3-Hole Trigger, Long,
7H17Y19 \$ 21.99

#087-000-064DJ Solid Trigger, Long 7H17P35 \$ 19.99

#087-000-065DJ Solid Trigger, Short 7H17P35 \$ 19.99

INFINITY 1911 AUTO INTERLOCKING TRIGGER SYSTEM

Quick Change Trigger Profiles For The Best Possible Fit

Quickly customize your pistol to get the trigger feel that's right for you. Lightweight, interchangeable trigger inserts provide enhanced flexibility to trigger shape selection and overall length adjustment. Separate bow with staked-on base accepts interlocking inserts; change just the insert to match shooting conditions or course of fire without affecting your precisely-tuned trigger job. **Top and Bottom Curved** are Short-Flat style inserts available with the curve at the top or bottom. **Standard** trigger base has lightweight Titanium bow. **Tri-Glide** trigger base has a steel ball bearing inset into rear of a Titanium bow. Provides uniform contact surface and reduces friction. All base models feature overtravel and takeup adjustments. Purchase base and inserts separately. 

SPECS: Bow - Titanium. Base & Inserts - 6061 aluminum. Available to fit single stack 1911 auto and Infinity (SVI) and STI wide body frames. Infinity/STI trigger bases and inserts measure .250" (6.35mm) wide and may require enlarging the width of the trigger slot in the frame. Overall Length - **Long-Flat** 2.4" (6.1cm), **Short-Flat** 2.2" (5.6cm), **Long-Curved** 2.3" (5.8cm), **Short-Curved** 2.1" (5.4cm), .3 oz. (7g) wt.

TRIGGER INSERTS

STOCK # LONG FLAT	STOCK # SHORT FLAT	STOCK # LONG CRVD	STOCK # SHORT CRVD	STOCK # TOP CRVD	STOCK # BTM CRVD	COLOR	PRICE
#823-106-001DJ	#823-106-101DJ	#823-106-002DJ	#823-106-102DJ	#823-106-204DJ	#823-106-205DJ	Silver	3B16Z03 \$ 20.03
#823-106-021DJ	#823-106-121DJ	#823-106-022DJ	#823-106-122DJ	#823-106-224DJ	#823-106-225DJ	Black	3B19Z25 \$ 24.07
#823-106-031DJ	#823-106-131DJ	#823-106-032DJ	#823-106-132DJ	#823-106-234DJ	#823-106-235DJ	Red	3B19Z25 \$ 24.07


TRIGGER BASE

STANDARD STOCK #	COLOR	PRICE	TRI-GLIDE STOCK #	COLOR	PRICE	FITS
#823-107-000DJ	Silver	3B38A55 \$ 48.18	#823-114-000DJ	Silver	3B41Y77 \$ 52.22	Infinity/STI
#823-107-013DJ	Black	3B41A77 \$ 52.22	#823-114-013DJ	Black	3B45Y00 \$ 56.25	Infinity/STI
#823-107-014DJ	Red	3B41A77 \$ 52.22	#823-114-014DJ	Red	3B45Y00 \$ 56.25	Infinity/STI
#823-107-001DJ	Silver	3B29A96 \$ 37.45	#823-114-001DJ	Silver	3B33Y19 \$ 41.98	1911
#823-107-003DJ	Black	3B33A19 \$ 41.48	#823-114-003DJ	Black	3B36Y41 \$ 45.52	1911
#823-107-004DJ	Red	3B33A19 \$ 41.98	#823-114-004DJ	Red	3B36Y41 \$ 45.52	1911

HARRISON DESIGN & CONSULTING 1911 AUTO EXTREME SERVICE TRIGGER



Delivers A Precise,
Comfortable Trigger Pull,
Plus Strength & Reliability


High-performance trigger is built for shooters who run their guns hard, yet want a precise, smooth, consistent trigger pull. Solid aluminum shoe gives a comfortable, natural finger position to help prevent uneven pressure that can compromise accuracy. Smooth, curved face with radiused edges won't abrade the finger, and a choice of shoe lengths lets you set a length of pull that concentrates the pull force on the centerline of the trigger. Shoe is permanently staked to a non-flex bow of hardened stainless steel with a mirror-polished surface that eliminates friction with the frame. Fixed, internal overtravel stop lets you set the precise amount of overtravel when you install the trigger, and won't back out over time. Simply file the tip of the stop until it allows the sear nose to clear the hammer hooks and half-cock notch. Models available for full-size 1911 Government Model and Springfield Armory EMP in natural silver finish or wear-resistant, black IonBond DLC, an exceptionally hard coating used in high-stress industrial applications like race car engines. 

SPECS: Stainless steel bow, aluminum shoe, natural silver or black IonBond DLC finish. Shoe is .25" (6.4mm) wide. Length measured from middle of curve in shoe face to back of bow. **1911** - Short: 2.1" (5.3cm) long. Medium: 2.2" (5.6cm) long. Long: 2.25" (5.7cm) long. **Springfield EMP** - Short: 1.95" (4.9cm) long. Long: 2.14" (5.4cm) long.


#100-004-096DJ	Short 1911 Trigger, Black	9B29T65	\$ 34.99
#100-004-094DJ	Short 1911 Trigger, Silver	9B24T65	\$ 29.99
#100-004-774DJ	Medium 1911 Trigger, Black	9B29Y65	\$ 34.99
#100-004-777DJ	Medium 1911 Trigger, Silver	9B24Y65	\$ 29.99
#100-004-097DJ	Long 1911 Trigger, Black	9B29T69	\$ 34.95
#100-004-095DJ	Long 1911 Trigger, Silver	9B24T65	\$ 29.99
#100-004-775DJ	Short EMP Trigger, Black	9B29Y65	\$ 34.99
#100-004-373DJ	Short EMP Trigger, Silver	9B24Y65	\$ 29.99
#100-004-776DJ	Long EMP Trigger, Black	9B29Y65	\$ 34.99



NIGHTHAWK CUSTOM 1911 AUTO LIGHTWEIGHT TRIGGERS



Designed For Custom Fitting To
Provide A Smooth, No-Slop Pull

The same high-quality match-grade triggers Nighthawk fits to all its custom pistols. Choose from solid or skeletonized shoe. All models have crisp serrations on the face for positive, no-slip finger contact, but no sharp edges to abrade the finger pad. Overtravel adjustment screw and hex wrench also included. **Solid** trigger shoe comes in Short, Medium, and Long lengths. **Custom** model has skeletonized shoe and an extra-wide trigger bow for extra strength. 


SPECS: Stainless steel bow, aluminum shoe, natural finish.
#100-003-273DJ **Solid Trigger**, Short 2B20P56 \$ 24.99
#100-003-272DJ **Solid Trigger**, Medium 2B20P56 24.99
#100-003-271DJ **Solid Trigger**, Long 2B20P56 24.99
#100-003-270DJ **Custom Trigger** 2B20P70 24.99

NOWLIN MFG. 1911 AUTO

LIGHTWEIGHT TRIGGER

Less Mass For Lightest
Possible Trigger Pull




Lower overall weight helps deliver the lightest trigger pull possible on competition pistols. Features takeup tab and overtravel adjustment for a crisp, clean letoff without excess travel. Stainless steel bow provides the stiff, no-flex feel that match shooters need for consistent accuracy plus, it's heat treated to maintain shape and prevent magazine drag. Specially-contoured, CNC machined, aluminum alloy shoe cuts weight to an absolute minimum. **Drop-In** shoe fits 1911 Auto frames with no fitting. 
SPECS: Aluminum shoe, silver, 2.2" (5.6cm) long. .22 oz. (6.3g) weight.
#654-018-112DJ **Drop-In Light Trigger** 4E22A33 . . \$ 26.95

STI MATCH GRADE TRIGGER

Outstanding Feel,
Extremely Lightweight




Rigid stainless steel bow attached to extremely lightweight, durable shoe has tabs for take up adjustment to provide a crisp-feeling trigger. Comes equipped with an overtravel stop screw, and choice of glass-filled nylon or aluminum shoe. Precise bow tolerances maintain proper magazine clearance for smooth function. 

SPECS: Bow - 4140 stainless steel. Shoe - Glass-filled nylon or aluminum. Long Curve Trigger is 2 1/16" (6.1cm) long, .239" (6mm) wide. Short Curve Trigger is 2 1/4" (5.7cm) long, .237" (6mm) wide. Aluminum Trigger is 2 1/4" long, .217 (5.5mm) wide.
#791-000-063DJ **Long Curve Nylon Trigger**,
IG21P12 \$ 26.99
#791-000-064DJ **Short Curve Nylon Trigger**,
IG20P84 26.05
#791-000-065DJ **Lightweight Aluminum Trigger**,
IG25P00 31.25

WILSON COMBAT 1911 AUTO COMPETITION MATCH TRIGGER



Light Aluminum
Trigger Pinned To
Steel Stirrup


Drilled, lightweight, long, adjustable aluminum trigger is pinned to steel stirrup for maximum strength and long life. Grooved for positive, fingertip control. Includes overtravel adjustment screw and Allen wrench. 

SPECS: 2.4" (6.1cm) overall length, .235" (5.97mm) wide.
#965-001-045DJ **Wilson .45 Trigger**,
5F14A77 \$ 16.99

WILSON COMBAT 1911 AUTO ULTRALIGHT MATCH TRIGGER


Light Weight For A Smooth
Pull & Ultra-Crisp Letoff;
Shoes To Fit Any Finger Size




The same high-quality match-grade trigger used by the Wilson Custom Shop in its famous custom 1911 autos. Weighs a mere .2 oz. (6g) to help ensure a consistent trigger pull and ultra-crisp letoff for competition or tactical pistols. Solid shoe is precision machined from high-grade aluminum alloy, with clean, well-defined serrations on the face for positive finger contact and neatly radiused edges that won't abrade finger; attractive, low-luster finish. Three-hole **Skeletonized** model has long shoe with curved face; **Solid** model available with **Curved** face in Short, Medium, and Long lengths or **Flat** face. Customize overtravel to your pistol with the adjustable overtravel screw (hex wrench included). Stirrup is made of heat-treated stainless steel to minimize unwanted flex; polished, high-gloss finish ensures minimal friction with frame. Minor fitting may be required. 
SPECS: Aluminum shoe, stainless steel stirrup, natural finish.
#965-190-045DJ **Skeletonized Ultralight Match Trigger**,
5F29Z61 \$ 34.95
#965-000-067DJ **Solid Curved Ultralight Match Trigger**,
Short 5F29Y41 34.99
#965-000-065DJ **Solid Curved Ultralight Match Trigger**,
Medium 5F29Y33 34.95
#965-000-066DJ **Solid Curved Ultralight Match Trigger**,
Long 5F29Y33 34.99
#965-000-064DJ **Solid Flat Ultralight Match Trigger**,
5F33Y07 37.95

GSA BROWNELLS PRO-SPRINGS™ FOR ACTION TUNING MADE BY WOLFF

Replaces All The
Springs For The
Government Model
& Its Variations
"Guaranteed Superior"




Specially selected replacement springs to greatly improve functioning and reduce trigger pull form the basis of a top-quality 1911 tuning job. Five Wolff coil springs plus a factory-style, 3-leaf sear spring. Includes: Variable Power Recoil Spring which functions with a wider range of ammo than single power springs; Hammer Spring which lightens trigger pull; Extra Power Firing Pin Spring; New Magazine Catch; Series 80 Firing Pin Safety Block Spring; Plunger Tube Springs, plus the Sear Spring. Three kits - each with a different strength recoil spring. 

GM-451 - 10 lb. Recoil Spring for light loads, comp guns.
#080-665-451DJ **Kit GM-451 6K15P92** \$ 20.16
#080-665-452DJ **Kit GM-452 6K15P91** \$ 20.15
#080-665-453DJ **Kit GM-453 6K16P88** \$ 20.99
CC-454 FOR COLT COMBAT COMMANDER - Includes 1 each factory standard weight, 18 lb., variable power recoil spring and 23 lb. hammer spring, plus (1) 19 lb. RP hammer spring and (1) XP firing pin spring.
#080-665-454DJ **Kit CC-454 6K10P49** \$ 15.73

OM-456 FOR .45 ACP CALIBER OFFICERS ACP - Single recoil spring replaces the factory double spring to give crisp, reliable functioning; reduced power mainspring (hammer spring) helps reduce trigger pull. Kit includes both 20 lb. reduced power recoil spring and 24 lb. extra power recoil spring, plus an extra power firing pin spring and a 21 lb. reduced power mainspring (hammer spring). Fits guns with factory guide rod, will not fit aftermarket .330" diameter, full-length guide rods.
#080-665-046DJ **Kit OM-456 6K09T44** \$ 15.72

CLARK CUSTOM 1911 AUTO CUSTOM SEAR SPRING


Effective, Easy-To-Install Cure - Saves Carefully
Stoned Sear & Hammer Notches

Exclusive, "split" center leg of spring keeps constant forward pressure on trigger to prevent hammer/sear notch damage (which can cause dangerous "hammer follow") on guns equipped with lightened or "traditional", custom trigger jobs. Allows hammer to stand cocked under most normal conditions and will not affect trigger break or pull. Can be used with lightweight triggers or Gold Cup-style hammers. 

SPECS: Blued steel, 2 13/16" (7.1cm) long, 1/2" (12.7mm) wide. Fits all models of Colt-style 1911 Auto pistols.
#181-130-001DJ **Custom Sear Spring 1H05V19** \$ 6.99
#181-130-003DJ **3 Custom Sear Springs 1H14V24** . . 19.99

INFINITY 1911 AUTO TRI-GLIDE TITANIUM SEAR SPRING

Smooth, Reliable Pull With Light Triggers

Reduced tension rate compared to steel makes pull weights as low as 1 1/2 pounds possible. Non-stacking, linear movement reduces sear loading to allow a 1 pound reset weight without sear bounce. Steel ball bearing, inset into center leaf, reduces contact area with disconnector; provides a very smooth trigger takeup. 
SPECS: Titanium. Both springs require minor fitting. **1911** fits single stack, 1911 autos. **Hi-Cap** fits STI/Infinity and Para-Ordnance.
#823-111-000DJ **1911 Tri-Glide Sear Spring**,
3B23A73 \$ 29.99
#823-000-005DJ **Hi-Cap Tri-Glide Sear Spring**,
3B23Z57 29.47

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 29

OTHER SEAR SPRINGS

ED BROWN HARDCORE™ - Longer center leg allows precise spring tuning; helps prevent disconnector failure and provides more positive sear engagement. Specially heat treated, spring, tool steel will never fail under normal use. Includes Ed's **LIFETIME GUARANTEE**.

SPECS: Spring steel, blue.
#087-825-100DJ Hardcore Sear Spring,
7H05B91 \$ 7.40

ED BROWN SEAR SPRINGS - Assures positive sear engagement and helps prevent disconnector failure. High-quality, tempered spring features extra length on the center leg that allows precise tuning of the disconnector.
SPECS: Steel, blue, tempered.

#087-045-822DJ Sear Spring,
7H04A21 \$ 5.26

WILSON COMBAT BULLET PROOF™ - Made from the finest spring steel and correctly tempered for long service life. Maintains constant tension without taking a set.
SPECS: Spring steel, blue.

#965-417-000DJ Bullet Proof Sear Spring,
5F05B95 \$ 6.95

WOLFF SEAR SPRING - Wolff's renowned quality standards ensure uniform thickness throughout the entire spring for consistent tension on both the sear and disconnector. Correctly tempered so it won't take a set when left "cocked and locked".
SPECS: Blue steel, tempered. Sold singly or in 5, 10 and 25 paks. Fits all 1911 Autos.


#969-302-010DJ 1911 Sear Spring, Single,
9F04Z33 \$ 6.49

#969-302-020DJ 1911 Sear Spring, 5-pak,
9F19Z67 29.49

#969-302-030DJ 1911 Sear Spring, 10-pak,
9F35Z34 52.99

#969-302-040DJ 1911 Sear Spring, 25-pak,
9F80Z03 119.99

NOWLIN MFG. SPRINGS



Premium Quality For Competition Pistols

Made from premium-quality, drawn and tempered, chrome silicon wire or high-carbon steel for the very best in performance and durability. Fully tested and guaranteed to perform.
SPECS: Chrome silicon or high carbon, steel wire.

MATCH-GRADE SEAR SPRING - Best combination of tension and pressure for light, match-quality trigger jobs. High-carbon steel with skeltonized leaves for even pressure, correct travel.
#654-253-000DJ Match Sear Spring 4E06Y59 \$ 7.95

HAMMER SPRING - 19.5 lb hammer spring (mainspring) lets pistol cycle more easily, gives reliable ignition and the ability to achieve smoother, lighter trigger pull.
#654-252-000DJ 19.5 lb Mainspring 4E02Y27 \$ 2.75

HEAVY DUTY FIRING PIN SPRING - Helps assure reliable ignition and positive pin "return" when used with standard weight firing pins and lighter hammer springs.
#654-251-000DJ H/D Firing Pin Spring,
4E02Y27 \$ 2.75

RECOIL SPRINGS - Progressively wound to slow the slide gradually for less chance of frame damage and returns the slide quicker when faster cycling is needed. Government length only.

STOCK #	WEIGHT	STOCK #	WEIGHT
#654-250-008DJ	8 lb.	#654-250-016DJ	16 lb.
#654-250-009DJ	9 lb.	#654-250-018DJ	18.5 lb.
#654-250-014DJ	14 lb.		

— Advise # — Nowlin Recoil Spring 4E04A77 \$ 5.99

ED BROWN 1911 AUTO
COMPETITION MAINSPRING

Lighter Mainspring For
Match-Quality Triggers

Top-quality springs assure consistent, reliable ignition plus dependable performance. Provides the lower weight necessary to achieve the clean-breaking, light trigger sought after by 1911 aficionados everywhere.
SPECS: Steel, pak of 5. 19 lb. weight, factory is 23 lb.

#087-045-919DJ Mainspring, 5-pak 7H05A91 \$ 7.40

ED BROWN
COMMANDER RECOIL SPRING

Constant Rate Design
For Improved Ejection & Dependable Cycling

Premium-quality replacement for old, tired factory recoil springs in the 1911 Commander improves function and reliability. Constant rate design along the entire length to help keep the slide closed longer when shooting heavy loads. Reduces wear from battering and shortens the distance spent casings are ejected. High tensile strength, round wire, spring steel ensures years of reliable service. **18 lb.** is the correct, factory weight and an excellent choice for restoring your pistol to its original specs. **20 lb.** Extra power spring holds the slide closed a little longer to help solve the problem of brass ejecting too far (more than 15 feet).
SPECS: Round-wire spring steel. Approximately 5 1/8" (13cm) long uncompressed. Fits Commander-length 1911 pistols.

#087-000-045DJ 18 lb. Commander Recoil Spring,
7H08T46 \$ 10.60

#087-000-046DJ 20 lb. Commander Recoil Spring,
7H08T46 10.60

ISMI CERTIFIED SPRING



Designed For Maximum
Consistency & Reliability

CAD designed and built to aerospace specifications from chrome silicon or corrosion resistant stainless steel for maximum durability, consistency and reliable performance. Heat treated, shot peened and fully stress relieved to minimize spring set.
SPECS: Chrome silicon or stainless steel round wire.

1911 GOVT. AUTO RECOIL SPRINGS - Chrome silicon (CS), standard wound.

#445-100-109DJ 9 lb. CS Spring 5D05H31 \$ 7.95	
#445-003-010DJ 10 lb. CS Spring 5D05H31 7.95	
#445-000-001DJ 11 lb. CS Spring 5D05C31 7.95	
#445-000-002DJ 12.5 lb. CS Spring 5D05C31 7.95	
#445-100-114DJ 14 lb. CS Spring 5D05Z31 7.95	
#445-003-015DJ 15 lb. CS Spring 5D05H31 7.95	
#445-100-016DJ 16 lb. CS Spring 5D05H31 7.95	
#445-100-018DJ 18 lb. CS Spring 5D05H31 7.95	
#445-100-118DJ 18 lb. SS Spring 5D05Z31 7.95	
#445-000-015DJ 20 lb. CS Recoil Spring,	
5D05C31 7.95	

1911 AUTO MAINSPRING - Stainless steel (SS) or chrome silicon (CS); wound in the very popular 19 lb. and 17 lb. rate for lighter, consistent trigger pull with reliable ignition.

#445-004-014DJ 15 lb. CS Spring, each 5D04H27 \$ 6.25	
#445-105-017DJ 17 lb. CS Spring, each 5D04Z17 6.25	
#445-105-191DJ 19 lb. SS Spring, each 5D04Z27 6.25	
#445-105-195DJ 19 lb. SS Spring, 5-pak,	
5D18Z75 26.50	
#445-000-023DJ 22 lb. 1911 SS Spring, each,	
5D04H17 6.25	
#445-000-024DJ 22 lb. 1911 SS Spring, 5-pak,	
5D18H75 26.50	

**SATISFACTION GUARANTEED
SINCE 1939**

KIMBER 1911 AUTO
SPRINGTUNE UP KIT

Correct-Weight,
Factory Original Springs
For Reliable Cycling

Premium-quality factory springs help keep your .45 ACP/.40 S&W Kimber running as smoothly and reliably as when it left the factory. Includes a factory weight recoil spring, firing pin spring, and mainspring. **Full Size** fits Gov't Model and full-size Kimber pistols with 5" barrel; 16 lb. recoil spring. **Compact** fits Kimber Compacts with 4" barrel and short (Officers) grip frame. 22 lb. recoil spring.
SPECS: Tempered spring steel alloy.

#387-000-082DJ Spring Kit, Full-Size 5B11C11 \$ 13.99

#387-000-080DJ Spring Kit, Compact 7H11C11 13.99

NIGHTHAWK CUSTOM 1911 AUTO
SPRING KITS

For Smooth,
Reliable Function

High-quality replacement springs ensure reliable performance, including proper feeding, positive ejection, and minimal battering of frame and slide. Includes two standard weight recoil springs, an extra power recoil spring for hot or +P loads, extra power firing pin spring for positive ignition, and reduced power hammer spring.
SPECS: Spring steel. **Govt.** contains two 17 lb. recoil springs, 20 lb. extra power recoil spring, reduced power hammer spring, and an extra power firing pin spring. **Commander** contains two 20 lb. recoil springs, 22 lb. extra power recoil spring, 21 lb. reduced power hammer spring, and an extra power firing pin spring.

#100-003-264DJ Govt. Model Spring Kit 2B15T96 . . \$ 19.95

#100-003-265DJ Commander Spring Kit 2B15T96 . . . 19.95

SPRINCO 1911 AUTO
PROGRESSIVE RECOIL SPRING

Moly Treated For Consistent Performance

Varied, progressive structure provides constant pressure with greatly increased spring performance; penetrating moly increases lubricity to last longer. Wound from high endurance chrome silicon wire for maximum performance with an extended cycling range of 50,000 cycles.
SPECS: Chrome Silicon wire. Fits 1911 Autos.

STOCK #	WEIGHT	STOCK #	WEIGHT
#943-102-008DJ	8 lb.	#943-102-016DJ	16 lb.
#943-102-010DJ	10 lb.	#943-102-018DJ	18 lb.
#943-102-012DJ	12 lb.	#943-102-020DJ	20 lb.
#943-102-014DJ	14 lb.		

— Advise # — Progressive Recoil Spring 3D06U71. \$ 8.95

TACTICAL SPRINGS 1911 AUTO
RECOIL SPRINGS

For High-Stress, High-Volume Shooting

Premium-quality recoil spring helps ensure consistent, dependable operation for tens of thousands of compression cycles. Perfect for the high-volume tactical or competition shooter who needs a finely tuned spring that delivers its rated power as reliably on the 50,000th shot as it did on the first. Cryo treated to relieve internal stress and surface impregnated with molybdenum disulfide lubricating coating.
SPECS: Cryo-treated chrome silicon alloy. Fits full-size 1911 Auto Govt. Model.

#943-000-013DJ 16 lb. Recoil Spring 3D06P71 \$ 8.99

#943-000-014DJ 17 lb. Recoil Spring 3D06P71 8.99

#943-000-015DJ 18 lb. Recoil Spring 3D06P71 8.99

WILSON COMBAT 1911 AUTO
FIRING PIN RETURN SPRING

"Extra Power" Replacement Spring
Helps Prevent Accidental Discharge

Steel replacement spring helps reduce the possibility of discharge if pistol is dropped without reducing ignition reliability. Also minimizes firing pin bounce, and helps keep the firing pin stop in place. Fits all 1911 Autos.
SPECS: Steel. 2 1/8" (53mm) long.

#965-000-029DJ XP Firing Pin Return Spring,
5F02A59 \$ 2.95

WILSON COMBAT
"CUSTOMTUNE" SPRING KITS

Add Reliability,
Improve
Function



High quality springs drop-in to improve handgun performance. High tensile strength wire delivers reliable function.
SPECS: Kit contains one each of the springs listed below. **RP=** Reduced Power, **XP=** Extra Power.

#324 "C", COLT COMMANDER .45 ACP - RP 19 lb. hammer spring; XP firing pin spring; RP 12 and XP 20 lb. recoil springs.
#965-324-002DJ Wilson Kit #324C 5F11A84 \$ 13.95

#324 "G", COLT GOVT. .45 ACP - RP 19 lb. hammer spring; XP firing pin spring; RP 10 and XP 18 1/2 lb. recoil springs.
#965-324-001DJ Wilson Kit #324G 5F11A84 \$ 13.95

#325 COLT OFFICERS MODEL - RP 21 lb. hammer spring; XP firing pin spring; RP 18 1/2 lb. and XP 24 lb. recoil springs.
#965-325-000DJ Wilson Kit #325 5F12A68 \$ 14.99

WILSON COMBAT 1911 AUTO
SPRING CADDY

Kit of Recoil Springs & Accessories

Spare recoil springs, SHOK-BUFFS, bushing wrench and other guide rod accessories, all in one handy pouch that fits right in your shooting bag.
SPECS: Kit includes 1 each 8 lb., 10 lb., 12 lb., 15 lb., 17 lb., 18 1/2 lb. Govt. length recoil springs, 4 SHOK-BUFFS, nylon bushing wrench and one extra-power firing pin spring.

#965-364-000DJ Wilson Spring Caddy 5F25A30 . . . \$ 29.95

WOLFF 1911 AUTO
PISTOL SERVICE PAK

All, essential, factory weight coil springs for a Colt 1911/1911A1, .45 ACP pistol. No fitting required. Magazine spring not included.
#969-309-510DJ Colt 1911 Service Pak 9F12X00 . . . \$ 17.99

WOLFF 1911 AUTO REDUCED POWER
HAMMER SPRING PAKS

3-In-1 Tuning Choices

Various weights of reduced power hammer springs in one kit so you can precisely tune the autos listed for smoothest trigger pull and proper functioning. Contains 1 each 19 lb., 20 lb. and 21 lb. hammer springs. Factory spring is 23 lb.
#969-265-200DJ Reduced Power Hammer Spring Pak,
1911 9F06Z00 \$ 9.00

WOLFF 1911 AUTO HAMMER SPRING

Lighter & Heavier To
Tailor Trigger Pull



Lighter hammer springs are required to gain those ultralight trigger pulls demanded by competitive shooters. Heavy springs adjust trigger let-off to individual requirements.

STOCK # 1 EA.	STOCK # 3-PAK	WEIGHT
#969-262-170DJ	#969-263-170DJ	17 lb. (light)
#969-262-180DJ	#969-263-180DJ	18 lb. (light)
#969-262-200DJ	#969-263-200DJ	20 lb. (light)
#969-262-230DJ	#969-263-230DJ	23 lb. (factory)
#969-262-250DJ	#969-263-250DJ	25 lb. (heavy)
— Advise # — (1) Hammer Spring 9F02X86 \$ 4.29		
— Advise # — (3) Hammer Springs 9F06X00 8.99		

OFFICERS ACP HAMMER SPRING - 20 lb. reduced power for lighter trigger pull. Factory is 23 lb.
#969-000-054DJ (1) Off. ACP Hammer Spring, 20#, 9F02T86 \$ 4.29
#969-000-055DJ (3) Off. ACP Hammer Springs, 20#, 9F06T00 8.99
#969-000-166DJ (1) Off. ACP Hammer Springs, 23#, 9F02A87 4.29

WOLFF 1911 AUTO CHROME SILICON RECOIL SPRING



Resists Taking A Set; Choice Of Three Weights
To Match Your Gun

Chrome silicon steel recoil spring resists taking a set even after thousands of compression cycles for improved performance and reliability. Available in three power ratings, so you can match spring weight to your specific gun and the type of load you shoot. Use **Reduced Power** 14 lb. spring for target loads with lighter than standard bullets or powder charges, **Factory Standard** 16 lb. spring for all-around reliability with the widest range of ammo, and **Extra Power** 18½ lb. spring for smoother cycling and less slide battering with heavy loads. Each spring comes with an extra power firing pin spring to ensure positive ignition and an extra margin of safety in preventing accidental discharges.

SPECS: Chrome silicon spring steel. Available in 14, 16 & 18½ lb. weights. Fits 1911 Auto Government Model.

#969-000-189DJ **Reduced Power 14 lb. CS Recoil Spring**, 9F05Y31 \$ 7.99
#969-000-190DJ **Factory Std 16 lb. CS Recoil Spring**, 9F05Y00 7.95
#969-000-191DJ **Extra Power 18½ lb. CS Recoil Spring**, 9F05Y22 7.99

WOLFF VARIABLE POWER RECOIL SPRING

Variable rate springs function correctly with a wider range of loads than fixed rate springs can. Rate increases as spring is compressed; gives greater protection against frame battering, more consistent lockup and improved feeding, while allowing easier manual cycling of the action.

FOR GOVERNMENT MODEL

Recoil Calibration Pak contains 1 each of seven different springs; 16½ lb., 15 lb., 14 lb., 13 lb., 11 lb., 10 lb. and 9 lb., plus three extra power firing pin springs. **Individual Spring Pak** contains one variable power recoil spring and one extra power firing pin spring. Factory weight is 16 lb.

STOCK #	LB.	STOCK #	LB.	STOCK #	LB.
#969-424-010DJ	10	#969-424-014DJ	14	#969-424-017DJ	17½
#969-424-011DJ	11	#969-424-015DJ	15	#969-424-018DJ	18½
#969-424-013DJ	13	#969-424-016DJ	16½	#969-424-020DJ	20
— Advise # — Variable Power Spring 9F05T26 . . \$ 7.89					
#969-131-150DJ Variable Recoil Cal. Pak 9F29D34 . . 43.99					

WOLFF COMPACT 1911 RECOIL SPRING

Replacing the factory double spring with one of these Single springs eliminates binding, improves function and reliability.
SPECS: Factory standard is 22 lb. recoil spring.

OFFICERS ACP/W/FACTORY GUIDE ROD - Supplied with extra power firing pin spring. For use with factory, recoil spring guide rod only.

#969-423-220DJ **22 lb. Officers ACP Spring**, 9F05T26 \$ 7.89
#969-423-240DJ **24 lb. Officers ACP Spring**, 9F05T26 7.89

OFFICERS ACP/P-12/KIMBER COMPACT & PRO CARRY - Replaces the factory double spring on Colt Officers ACP and the single spring on Para Ordnance P12. Must be used with full-diameter (nominal .330"), full-length, after market recoil spring guide rods. Factory standard is 22 lb. Supplied with extra power firing pin spring. Also fits Kimber Compact and Pro Carry with factory guide rod.

#969-490-220DJ **22 lb. Officers/P12 Spring** 9F05A26 . \$ 7.89
#969-490-240DJ **24 lb. Officers/P12 Spring** 9F05A26 . . 7.89

SPRINGFIELD CHAMPION & COMPACT - Replaces the factory spring to improve function and eliminate binds. Works with factory or aftermarket guide rods. Comes with an extra power firing pin spring.

SPECS: Factory standard is 22 lb. recoil spring.
#969-000-103DJ **22 lb. Springfield Champ/Compact Sprg.**, 9F05U26 \$ 7.89
#969-000-104DJ **24 lb. Springfield Champ/Compact Sprg.**, 9F05U26 7.89

WOLFF 1911 AUTO SPRINGS

1911 AUTO EXTRA POWER MAG CATCH SPRING - Provides security against accidental release.

#969-000-035DJ **3-Pak XP Mag Catch Spring**, 9F05Y00 \$ 7.49

1911 AUTO REDUCED POWER MAG CATCH SPRING - Fine tune the magazine release. Try-Pak includes factory weight, plus #1 (strongest), #2, #3, and #4 (lightest) springs.

#969-271-700DJ **Reduced Power Mag Catch Spring**, Try-Pak 9F06Z00 \$ 9.00
#969-262-402DJ **10-Pak #2 Reduced Power Mag Catch Spring** 9F10X67 15.99
#969-262-403DJ **10-Pak #3 Reduced Power Mag Catch Spring** 9F10X67 15.99

1911 AUTO FIRING PIN SAFETY BLOCK SPRING - Replaces weak or broken firing pin safety springs in all Series 80 and 90 pistols with a firing pin safety block. Fits Colt 1911, 1911A1, 1991, Government, MKIV, Gold Cup, Commander and Officers models.

#969-000-121DJ **Safety Block Spring**, each 9F02A33 . \$ 3.49
#969-000-122DJ **Safety Block Spring** 3-pak, 9F05A00 . . 7.49
#969-000-123DJ **Safety Block Sprng**, 10-pak, 9F10A67 15.99

1911 AUTO PLUNGERTUBE SPRING - Eliminates slide stop and thumb safety failures caused by a broken plunger tube spring. Fits Colt 1911, 1911A1, 1991, Government, MKIV, Gold Cup, Commander (.45, Super .38 and 9mm), Officers .45 cal., and Delta Elite 10mm.

#969-000-124DJ **Plunger Tube Spring**, each, 9F02A33 \$ 3.49
#969-000-125DJ **Tube Spring**, 3-pak 9F05A00 7.49
#969-000-126DJ **Tube Spring**, 10-pak 9F10A67 15.99

FOR COLT COMMANDER

All springs are variable power. 18 lb. spring is factory standard; includes extra power firing pin spring.

STOCK #	LB.	STOCK #	LB.	STOCK #	LB.
#969-425-100DJ	10	#969-425-140DJ	14	#969-425-180DJ	18
#969-425-120DJ	12	#969-425-160DJ	16	#969-425-200DJ	20
— Advise # — Commander Variable Spring 9F05T26 . \$ 7.89					

WOLFF RECOIL SPRING

Fine Tune For Light, Standard Or Heavy Loads

Like all Wolff springs, these for the 1911 Auto in .45, .38 Super or 9mm are the finest, most reliable, longest lasting ones available. The springs of choice for most of the nation's top builders. Except where noted, all recoil springs are supplied with an extra power firing pin spring that keeps the firing pin stop in place and prevents firing pin "float"; an addition recommended by pistolsmith Bill Wilson.

TYPE A - FOR TARGET (SOFTBALL) LOADS - These were originally recommended to us by Major F. B. Conway, U.S.A. - M.T.U. Whenever lighter than standard bullets or powder charges are being used, a lighter recoil spring is a must for correct functioning; however, they MUST NOT BE USED WITH STANDARD (HARDBALL) LOADS. The 10 lb. Type A spring is the old favorite (for reduced loads) and for that reason we also make it available as a single item (without the extra power firing pin spring).

STOCK #	LB.	STOCK #	LB.	STOCK #	LB.
#969-419-070DJ	7	#969-419-100DJ	10	#969-419-130DJ	13
#969-419-080DJ	8	#969-419-110DJ	11	#969-419-140DJ	14
#969-419-090DJ	9	#969-419-120DJ	12	#969-419-150DJ	15

— Advise # — R/P Recoil Spring 9F05T26 \$ 7.89
#969-950-500DJ **10 lb. Spring**, only 9F02B42 3.99
#969-950-510DJ **10 lb. Spring**, 10-pak 9F21B46 35.60

TYPE B - FACTORY REPLACEMENT SPRING FOR HARDBALL LOADS - Exactly matches the specs of the original factory spring. **Govt. Model** does NOT come with extra power firing pin spring. **Commander** may also be used as an extra power spring for 9mm/.38 Super pistols and comes with an XP firing pin spring.

#969-950-600DJ **16 lb. Govt. Model Recoil Spring**, 9F02B42 \$ 3.99
#969-950-610DJ **16 lb. Govt. Model Spring**, 10-pak, 9F21B46 35.60
#969-000-188DJ **18 lb. Commander Recoil Spring**, 9F05Y45 7.99

TYPE C - EXTRA POWER FOR HARDBALL AND HEAVIER LOADS IN GOV'T./GOLD CUP - For these guns in both .45 ACP and .38 Super. Allows more precise tuning of individual guns for better stripping, smoother cycling. Factory weight is 16 lb. Extra power firing pin spring included.

#969-419-180DJ **18½ lb. Recoil Spring** 9F05T26 \$ 7.89
#969-419-181DJ **18½ lb. Spring**, 10-pak 9F40T14 66.90
#969-419-200DJ **20 lb. Recoil Spring** 9F05T26 7.89
#969-419-220DJ **22 lb. Recoil Spring** 9F05T54 7.99
#969-419-240DJ **24 lb. Recoil Spring** 9F05T26 7.89
#969-419-260DJ **26 lb. Recoil Spring** 9F05T26 7.89
#969-000-034DJ **28 lb. Recoil Spring** 9F05Y26 7.89

EXTRA POWER FUNCTION PAK - Consists of 5 recoil springs: 16 lb. factory standard, 18½ lb., 20 lb., 22 lb. and 24 lb., plus 3 extra power firing pin retraction springs.

#969-131-110DJ **X-Power Function Pak**, 9F21B00 \$ 31.49

TYPED - EXTRA POWER FOR HARDBALL AND HEAVIER LOADS IN COMMANDER - Provides same benefits as Type C springs, but for the shorter Commander which comes standard with an 18 lb. spring. Includes extra power firing pin spring.

#969-422-200DJ **20 lb. Recoil Spring** 9F05T26 \$ 7.89
#969-422-220DJ **22 lb. Recoil Spring** 9F05T26 7.89
#969-422-240DJ **24 lb. Recoil Spring** 9F05T26 7.89

LONG SLIDE FUNCTION PAK - Consists of 5 recoil springs #1 through #5, plus 3 extra power firing pin springs. Wolff does not specify a power rating, #1 is strongest, #5 the lightest. Fitting required.

#969-000-020DJ **Long Slide Function Pak**, 9F24A00 \$ 35.99

KIMBER® EXTRA POWER RECOIL & FIRING PIN SPRING - Fine-tunes recoil for smooth cycling in Kimber Compact and Pro-Carry 4" pistols. Includes extra-power firing pin spring to keep the firing pin stop in place, prevent firing pin "float", and to offset the increased slide thrust.

SPECS: Steel spring, 20 lb. Factory original spring averages 18 lb.
#969-000-137DJ **X-Power Recoil & Firing Pin Spring**, 9F05A27 \$ 7.89

1911 AUTO PARTS

U.S.-Made Parts For
The 1911 Auto Pistol



Each and every part is U.S.-made, high-quality and guaranteed to fit and function just like the factory part.
SPECS: Fits 1911 Auto. Carbon steel, blued (B) or stainless steel (S), natural finish. **Plunger Detent Assemblies** include Slide Stop Plunger, Safety Lock Plunger and Plunger Spring. **Mag Catch Assemblies** include Mag Catch, Mag Catch Lock and Mag Catch Lock Spring.

STOCK #	DESCRIPTION	PRICE
#100-000-857DJ	Barrel Bushing, Govt. (S)	8K11T02 \$ 14.99
#560-453-102DJ	Disconnector (S)	6E14X03 \$ 19.99
#560-451-201DJ	Extractor, .45 ACP (B)	6E11B97 \$ 14.99
#560-451-202DJ	Extractor, .45 ACP (S)	6E12B13 \$ 14.99
#560-451-302DJ	Ejector, .45 ACP (S)	6E07B26 \$ 9.99
#100-000-861DJ	Ejector Pin (B)	8K01T29 \$ 2.09
#560-451-701DJ	Firing Pin Stop (B)	6E04B10 \$ 5.99
#560-451-702DJ	Firing Pin Stop (S)	6E04B82 \$ 6.99
#560-453-501DJ	Grip Safety, Govt. (B)	6E12X69 \$ 14.99
#560-453-502DJ	Grip Safety, Govt. (S)	6E13X95 \$ 19.99
#100-000-862DJ	Hammer Pin (B)	8K01T29 \$ 2.09
#100-000-863DJ	Hammer Pin (S)	8K01T97 \$ 3.09
#560-452-701DJ	Hammer Strut (B)	6E05X03 \$ 5.99
#100-000-864DJ	Hammer Strut Pin (B)	8K01T29 \$ 2.09
#849-000-021DJ	Lanyard Loop (B)	9D07B99 \$ 9.99
#849-000-020DJ	Lanyard Loop (S)	9D07B99 \$ 9.99
#100-000-865DJ	Link Pin (B)	8K01T29 \$ 2.09
#078-450-230DJ	Magazine Catch Assy. (B)	8G16D45 \$ 20.99
#078-451-230DJ	Magazine Catch Assy. (S)	8G17D08 \$ 19.99
#100-000-995DJ	Mag Catch Lock Spring (B)	8K03D38 \$ 5.99
#100-000-867DJ	Mainspring Housing Pin (B)	8K01T29 \$ 2.09
#100-000-869DJ	Mainspring Housing Pin (S)	8K01P97 \$ 3.09
#100-000-871DJ	M/S Housing Pin Retainer (B)	8K01P29 \$ 2.09
#100-000-873DJ	M/S Housing Pin Retainer (S)	8K01P97 \$ 3.09
#100-000-875DJ	Mainspring Cap (B)	8K01P29 \$ 2.09
#100-000-877DJ	Mainspring Cap (S)	8K01P97 \$ 3.09
#100-000-878DJ	Mainspring Cap Pin (B)	8K01P29 \$ 2.09
#100-000-880DJ	Mainspring Cap Pin (S)	8K01P97 \$ 3.09
#560-450-101DJ	Plunger Tube (B)	6E07V39 \$ 9.99
#560-450-102DJ	Plunger Tube (S)	6E07V90 \$ 9.99
#078-450-234DJ	Plunger Detent Assy. (B)	8G02D35 \$ 3.99
#078-451-234DJ	Plunger Detent Assy. (S)	8G03D07 \$ 4.99
#100-000-884DJ	Recoil Spring Plug, Govt. (B)	8K05P60 \$ 8.99
#100-000-885DJ	Recoil Spring Plug, Comm. (B)	8K05P47 \$ 8.99
#100-000-886DJ	Recoil Spring Plug, Govt. (S)	8K07P43 \$ 11.99
#560-453-601DJ	Safety Lock (Thumb Safety) (B)	6E12X69 \$ 14.99
#560-453-602DJ	Safety Lock (Thumb Safety) (S)	6E13X95 \$ 19.99
#100-000-888DJ	Sear Pin (B)	8K01P29 \$ 2.09
#100-000-890DJ	Sear Pin (S)	8K01P97 \$ 3.09

BROWNELLS® WebBench™

Your #1 Internet Newsletter for Professional
Gunsmithing Information

JOIN OUR EMAIL LIST TODAY AT
brownells.com

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 31

CASPIAN
1911 AUTO PARTSUpgrade Your Current 1911
Or Build A High-Quality Custom Pistol

High-quality, precision-machined parts from the name that means "custom quality" to serious pistol shooters. Build the ultimate custom 1911 Auto for target, action-pistol, or tactical applications. Repair or return an existing gun to factory specs or assemble a racegun that fits your exact needs. Choose from parts in blued carbon steel or natural-finish stainless. **USA**
SPECS: Fits 1911 Auto. Carbon steel, blued (**B**), in-the-white (**W**), or stainless steel (**SS**) natural-finish. **TriK Trigger** has stainless steel bow and skeletonized aluminum shoe. Gunsmith fitting required. Caliber-specific parts are .45 ACP unless otherwise noted. (**SP**) indicates Speed Bump-style.

STOCK #	DESCRIPTION	PRICE
#168-000-012DJ	Disconnecter	8F20D40 \$ 24.99
#168-000-015DJ	Ejector, Extended (B)	8F14D64 \$ 20.99
#168-000-017DJ	Ejector, Extended (SS)	8F18D14 \$ 26.99
#168-000-014DJ	Ejector, Extended, 9mm/.38S/.40 S&W (B)	8F14D64 \$ 20.99
#168-000-016DJ	Ejector, Extended, 9mm/.38S/.40 S&W (SS)	8F24D22 \$ 32.99
#168-000-019DJ	Extractor, Series 70 (B)	8F16D47 \$ 20.99
#168-000-021DJ	Extractor, Series 70 (SS)	8F18D14 \$ 26.99
#168-000-018DJ	Extractor, Series 70, 9mm/.38S/.40 S&W (B)	8F16D72 \$ 20.99
#168-000-020DJ	Extractor, Series 70, 9mm/.38S/.40 S&W (SS)	8F18D41 \$ 26.99
#168-000-023DJ	Extractor, Series 80 (B)	8F18D41 \$ 26.99
#168-000-025DJ	Extractor, Series 80 (SS)	8F19D50 \$ 26.99
#168-000-022DJ	Extractor, Series 80, 9mm/.38S/10mm (B)	8F18D41 \$ 26.99
#168-000-024DJ	Extractor, 9mm/.38S, Series 80 (SS)	8F20D04 \$ 26.99
#168-000-027DJ	Firing Pin (SS)	8F06Z63 \$ 8.99
#168-000-026DJ	Firing Pin, 9mm/.38S/.40 S&W (SS)	8F06D63 \$ 8.99
#168-000-029DJ	Firing Pin Stop (W)	8F11Z77 \$ 16.99
#168-000-031DJ	Firing Pin Stop (SS)	8F15Z62 \$ 19.99
#168-000-028DJ	Firing Pin Stop, 9mm/.38S/.40 S&W (W)	8F11Z62 \$ 14.99
#168-000-030DJ	Firing Pin Stop, 9mm/.38S/.40 S&W (SS)	8F15Z62 \$ 19.99
#168-000-041DJ	Grip Safety, SP, Wilson/Caspian Contour (B)	8F30Z56 \$ 37.99
#168-000-042DJ	Grip Safety, Wilson/Caspian Contour, SP (SS)	8F41Z86 \$ 50.99
#168-000-039DJ	Grip Safety, .250 Radius/Ed Brown Contour, SP (W)	8F37Z58 \$ 45.99
#168-000-040DJ	Grip Safety, .250 Radius/Ed Brown Contour, SP (SS)	8F34Z95 \$ 42.99
#168-000-032DJ	Mag Catch (B)	8F14Z86 \$ 21.99
#168-000-033DJ	Mag Catch (SS)	8F14Z87 \$ 20.99
#168-000-013DJ	Strut	8F04D68 \$ 5.99
#168-000-036DJ	TriK Trigger	8F21Z69 \$ 26.99

ALL AMERICA 1911 AUTO PARTS



Economically Priced
Factory-Quality
Parts; Excellent For
Restoration Or
Repair

Quality parts, at an economical price, for building a new pistol or replacing worn parts. Precision made from Metal-Injected-Molded steel or stainless steel, for a drop-in fit. Hammer has narrowed sides to reduce drag; semi-prepped engagement surfaces.
SPECS: MIM carbon steel, matte blue finish. Ambi Thumb Safety - MIM stainless steel, natural finish. Recoil Spring Guide Rod is full length, 4" (10.2cm) long.

STOCK#	DESCRIPTION	PRICE
#047-000-007DJ	Sear	7D06Y57 \$ 9.99
#047-000-008DJ	Disconnecter	7D06Y57 \$ 9.99
#047-000-009DJ	Hammer	7D18Y64 \$ 24.99
#047-000-018DJ	Hammer, Sear, Disconnecter Kit	7D28T67 \$ 39.99
#047-000-010DJ	9mm Ejector	7D08Y30 \$ 11.25
#047-000-011DJ	.45 Ejector	7D08Y30 \$ 11.25
#047-000-012DJ	Recoil Spring Guide Rod	7D13Y00 \$ 19.99
#047-000-013DJ	Slide Stop	7D11Y13 \$ 15.99
#047-000-014DJ	Single Thumb Safety	7D12Y00 \$ 14.99
#047-000-015DJ	AmbiThumb Safety	7D30Y11 \$ 41.99
#047-000-016DJ	Barrel Bushing, Govt.	7D09T35 \$ 14.99
#047-000-019DJ	.45 Caliber Firing Pin	7D06T23 \$ 9.99
#047-000-020DJ	9mm Firing Pin	7D06T23 \$ 9.99
#047-000-017DJ	Firing Pin Stop	7D06T57 \$ 9.99

BROWNELLS 1911 AUTO
MAINSRING HOUSING REBUILD KIT

Helps Keep Your Pistol
Running Reliably

Handy kit contains all the parts you need to mount a new mainspring housing on your 1911, or refurbish the internal components to factory-new condition. Includes standard, factory weight (23 lb.) hammer spring to help ensure positive ignition and restore your pistol's reliability by replacing an old, weak spring. Also includes mainspring cap, cap pin, and retaining pin, so you don't ruin a good-looking new housing's appearance with old, dinged hardware. Kit available with blued or stainless external components to match your pistol's finish. Installation instructions included. **USA**
SPECS: Kit contains factory weight hammer spring, mainspring cap, cap pin, mainspring housing retainer pin, and instructions. Fits full-size 1911 Government Model, Commander, and clones.

#080-000-549DJ	Mainspring Housing Rebuild Kit, Blued, 8K07T25	\$ 8.99
#080-000-550DJ	Mainspring Housing Rebuild Kit, Stainless 8K09P27	12.99

ED BROWN 1911 AUTO REBUILD KIT



Complete Pin & Spring Assortment
For Standard & High-Capacity

Every spring and pin you need to complete or rebuild a 1911 Auto Govt. or Officers ACP. Fits standard and high-capacity frames. Kit includes one each: mainspring cap, mainspring housing pin, retainer, hammer strut pin, hammer pin, sear pin, mainspring cap pin, magazine catch lock, safety lock plunger assembly, barrel

ED BROWN 1911 AUTO
STANDARD PARTS

"Quick Index" Of Quality
Replacement Parts

High-quality parts for building the ultimate custom 1911 Auto for target, hunting, and tactical applications. All parts are carefully inspected and tested to produce the highest possible accuracy, reliability and finish. **USA**

SPECS: Stainless Steel (**SS**) or steel, blue (**B**) finish. Fits Govt. Series 70 and Series 80 unless otherwise indicated.

STOCK #	DESCRIPTION	PRICE
#087-041-306DJ	9mm/.38S/10mm Ext. Ejctr B	7H18U66 \$ 24.40
#087-041-305DJ	.45 ACP Ext Ejector, B	7H18U91 \$ 23.99
#087-130-300DJ	9mm/.38S Extract 70	7H21B21 \$ 26.51
#087-130-100DJ	.45 ACP Extract.70	7H20B36 \$ 25.45
#087-130-200DJ	.45 ACP Extract 80	7H21B21 \$ 26.51
#087-130-400DJ	9mm/.38S Extract 80	7H22B06 \$ 27.58
#087-130-500DJ	.40 S&W/10mm Ext. 80	7H22B06 \$ 27.57
#087-205-825DJ	9mm/.38S Firing Pin	7H05U06 \$ 6.35
#087-205-824DJ	.45 ACP Firing Pin	7H05U41 \$ 6.99
#087-000-019DJ	Firing Pin Spring	7H01Y70 \$ 2.15
#087-810-000DJ	Slide Stop, B	7H24A99 \$ 30.99
#087-810-100DJ	Slide Stop, SS	7H25A46 \$ 31.83
#087-045-832DJ	Govt. Barrel Bushing, B	7H16A11 \$ 20.15
#087-045-833DJ	Govt. Barrel Bushing, SS	7H16A96 \$ 21.20
#087-881-001DJ	Recoil Spring Plug, B	7H06X95 \$ 8.99
#087-000-017DJ	Recoil Spring Plug, SS	7H07Y61 \$ 9.51
#087-882-001DJ	Recoil Spring Guide	7H12X83 \$ 15.99
#087-045-203DJ	Full Lgth Guide Rod Plug, SS	7H06A76 \$ 8.45
#087-805-006DJ	Slide Buffers, 6-pack	7H05A06 \$ 6.33
#087-823-000DJ	Hammer Strut	7H06B07 \$ 7.99
#087-000-012DJ	National Match Trigger	7H17Y19 \$ 21.99
#087-812-000DJ	Match Sear	7H19A96 \$ 21.20
#087-011-100DJ	Ext. Mag Catch, B	7H16U96 \$ 21.20
#087-011-101DJ	Ext. Mag Catch, SS	7H18U66 \$ 23.35
#087-000-018DJ	Mag Catch Spring, Comp.	7H01Y70 \$ 2.15

K & J ACCESSORIES 1911 AUTO
DELUXE COMPLETION KIT

Every Pin & Spring You Need
For Building A 1911 Auto

Complete kit has every pin and spring you need when building, or rebuilding, a 1911 Auto pistol. All are made from premium, heat-treated carbon or stainless steels. Oversized hammer and sear pin are ground to maximum diameter on the 1911 print for a close fit in worn, frame-pin holes.

SPECS: Carbon steel, blued (**Blu**) or natural stainless steel (**SS**). Contains one each: link pin, ejector pin, hammer strut pin, mainspring (m/s) cap, m/s cap pin, m/s housing pin, retainer, m/s housing pin, detent plunger assembly, sear pin, hammer pin, mag catch lock, mag catch spring, sear spring, 19 lb. mainspring, xp firing pin spring, hammer strut, and long disconnecter.

#475-100-000DJ	Deluxe Completion Kit, Blu, 5G38H62	\$ 46.95
#475-100-100DJ	Delux Completion Kit, SS 5G41H96	\$ 51.95

link pin, ejector pin, mainspring housing pin, mainspring and magazine-catch spring. **USA**

SPECS: Steel, blued (**Blue**), or stainless steel (**SS**), matte finish.
 #087-814-000DJ Blue Govt. Rebuild Kit 7H12A71 \$ 15.90
 #087-814-100DJ SS Govt. Rebuild Kit 7H15A26 \$ 19.10
 #087-814-101DJ Blue Officers Rebuild Kit 7H14A41 \$ 18.01
 #087-814-102DJ SS Officers Rebuild Kit 7H16A96 \$ 21.20

WILSON COMBAT
"FACTORY PLUS" PARTS

Quality Parts
Meet Or
Exceed
Factory Specs

"Just like original" parts for building a 1911 Auto or returning a gun to factory specifications. **USA**

SPECS: Fits

1911 Auto. Stainless (**S**) and Carbon steel, blue, (**B**) matte finish. Plunger Spring Assembly includes spring, slide stop and thumb safety plungers.

STOCK #	DESCRIPTION	PRICE
#965-011-050DJ	Barrel Link Pin (B)	5F01X95 \$ 1.99
#965-011-051DJ	Barrel Link Pin (S)	5F01X95 \$ 1.99
#965-011-300DJ	Disconnecter	5F16P36 \$ 19.99
#965-011-360DJ	Ejector Pin	5F01P95 \$ 1.99
#965-000-046DJ	Extended Ejector (B)	5F24Y86 \$ 29.95
#965-011-103DJ	Firing Pin, 9mm/38S Series 80	5F13X30 \$ 14.99
#965-011-104DJ	Firing Pin, .45 ACP Series 70 or 80	5F12X98 \$ 14.99
#965-011-110DJ	Firing Pin Stop Pre-Series 80	5F14X66 \$ 16.99
#965-011-120DJ	Firing Pin Spring	5F03X29 \$ 3.99
#965-011-280DJ	Grip Screw (B) each	5F00XCH \$ 1.99
#965-011-281DJ	Grip Screw (S) each	5F00ZAY \$ 1.99
#965-011-210DJ	Hammer Pin (B)	5F01X70 \$ 1.95
#965-011-211DJ	Hammer Pin (S)	5F01X95 \$ 1.99
#965-011-190DJ	Hammer Strut	5F03X95 \$ 3.99
#965-011-200DJ	Hammer Strut Pin (B)	5F01X95 \$ 1.99
#965-011-201DJ	Hammer Strut Pin (S)	5F02X79 \$ 2.95
#965-011-150DJ	Magazine Catch (B)	5F13X79 \$ 15.99
#965-011-151DJ	Magazine Catch (S)	5F15X51 \$ 17.99
#965-011-152DJ	Magazine Catch Spring	5F01X25 \$ 1.49
#965-011-153DJ	Magazine Catch Lock (B)	5F02X95 \$ 2.99
#965-011-154DJ	Magazine Catch Lock (S)	5F02X71 \$ 2.99
#965-011-160DJ	Mainspring	5F01X70 \$ 1.95
#965-011-161DJ	Mainspring Cap (B)	5F01X60 \$ 1.95
#965-011-162DJ	Mainspring Cap (S)	5F02X95 \$ 2.99
#965-011-163DJ	M'spring Pin Retainer (B)	5F01X95 \$ 1.99
#965-011-165DJ	Mainspring Cap Pin (B)	5F01X70 \$ 1.95
#965-011-166DJ	Mainspring Cap Pin (S)	5F02X78 \$ 2.95
#965-011-170DJ	Mainspring Housing Pin (B)	5F01X95 \$ 1.99
#965-011-171DJ	Mainspring Housing Pin (S)	5F02X86 \$ 2.99
#965-011-330DJ	Plunger Spring Assembly (B)	5F03P44 \$ 3.95
#965-011-331DJ	Plunger Spring Assembly (S)	5F04P45 \$ 4.99
#965-011-332DJ	Plunger Tube (B)	5F10P36 \$ 11.99
#965-011-290DJ	Sear Spring	5F04P31 \$ 4.99
#965-011-310DJ	Sear	5F12P94 \$ 14.99
#965-011-320DJ	Sear Pin (B)	5F01P88 \$ 1.99
#965-011-321DJ	Sear Pin (S)	5F02P95 \$ 2.99

WANT MORE?

OVER 50,000
PRODUCTS
ONLINE!



www.brownells.com

WILSON COMBAT 1911 AUTO FRAME PARTS KIT

All The Parts To Turn A Bare Frame Into A Complete "Lower Half"



Convenient kit contains all the parts needed to complete a stripped, full-size .45 ACP Government Model frame so it's fully functional and ready to receive the slide of your choice. These are the same high-quality parts Wilson uses to build their custom pistols, so you can count on superb fit, finish, and reliability. Available in matte blued **Carbon Steel (CS)** or natural finish **Stainless Steel (SS)**. Includes many performance features preferred by experienced tactical pistol shooters. Ultralight skeletonized hammer and trigger aid fast locktime. Sear is wire-EDM cut from S-7 tool steel bar stock and heat treated for maximum hardness before contact surfaces are precision ground for ultra-crisp letoff. Narrow-profile thumb safety has deeply grooved pad to ensure quick, instinctive disengagement. "High-ride" beavertail grip safety allows a high hand position close to the bore axis for better recoil control. Raised "Posi-Release" tab at the base helps you locate your hand properly for positive safety disengagement, while hammer pocket protects web of hand from hammer bite. Steel mainspring housing has 30 lpi checking for a secure grip. Extended magazine release has a deeply serrated face that extends an extra 1/16" farther than factory release to aid in fast, positive magazine changes.

SPECS: Carbon steel or stainless steel. Fits full-size .45 ACP 1911 Auto frame. Kit contains: mainspring housing, mainspring, mainspring cap, mainspring retainer, trigger, hammer, hammer strut, sear, sear spring, disconnecter, grip safety, thumb safety, magazine catch, magazine catch lock, slide stop, plunger tube, safety lock plunger, slide stop plunger, grip bushings and screws, and all other retaining pins. Some parts require minor fitting. Wilson compound radius on grip safety requires alteration to frame.

#965-000-076DJ CS Frame Parts Kit 5F327T66 . . . \$ 389.99
#965-000-077DJ SS Frame Parts Kit 5F346T67 . . . 409.99

WILSON COMBAT 1911 AUTO SLIDE PARTS KIT

All The Parts To Complete A Stripped Slide



Convenient kit contains all the parts needed to complete a full-size Government Model slide so it's fully functional and ready to install on the frame of your choice. Saves time and money—no need to hunt down each item individually—and the Wilson name ensures superb fit, finish, and reliability. Kit contains 5" long, unramped, .45 caliber stainless steel barrel, barrel bushing, barrel link, link pin, recoil spring, recoil spring plug, guide rod, .38 Super/9mm firing pin, firing pin spring, and firing pin stop. Available with extractor, firing pin stop, and recoil spring plug of blued **Carbon Steel (CS)** or natural finish **Stainless Steel (SS)**. Internal parts not visible when slide is assembled are a combination of carbon steel and stainless steel.

SPECS: Carbon steel and stainless steel. Fits full-size .45 ACP 1911 Auto slide. Included firing pin fits slides that accept .38S/9mm firing pin only.

#965-000-074DJ CS Slide Parts Kit 5F226T86 . . . \$ 269.99
#965-000-075DJ SS Slide Parts Kit 5F231T90 . . . 275.99

EGW 1911 AUTO FEED RAMP INSERT

Converts Alloy Frame Pistols To Accept Hollow Point Ammo; Repairs A Damaged Ramp



Machined, hardened steel insert lets you convert alloy frame pistols to use hollow point ammunition without feeding problems or damage to frame. Also the perfect solution for repairing a frame that's been battered by hollow points or boogered up by an incorrectly cut ramp. Gunsmith installation required.

SPECS: Steel, in-the-white.

#296-000-112DJ Feed Ramp Insert, .45 ACP, 6B32U88 . . . \$ 40.99
#296-000-111DJ Feed Ramp Insert, .38 Super/9mm, 6B32U49 . . . 40.95

BROWNELLS 1911 AUTO REPLACEMENT PIN KIT

Economical Bulk Assortment



Eleven American-made, high-quality pins and other, often-replaced small parts, all in a hinge-top, plastic, bench box.

SPECS: Steel, blued. Kit contains six each of the parts listed below. Refill paks contain six each of one piece.

STOCK # EACH	STOCK # 6-PAK	DESCRIPTION
#100-000-867DJ	#100-000-868DJ	M/S Housing Pin
#100-000-862DJ	#100-000-874DJ	Hammer Pin
#100-000-864DJ	#100-000-870DJ	Hammer Strut Pin
#100-000-990DJ	#100-000-991DJ	Safety Lock Plunger
#100-000-875DJ	#100-000-876DJ	M/S Cap
#100-000-878DJ	#100-000-879DJ	M/S Cap Pin
#100-000-992DJ	#100-000-993DJ	Slide Stop Plunger
#100-000-865DJ	#100-000-866DJ	Link Pin
#100-000-861DJ	#100-000-883DJ	Ejector Pin
#100-000-888DJ	#100-000-889DJ	Sear Pin
#100-000-871DJ	#100-000-872DJ	M/S Hous'g Pin Retainer
— Advise # — 1911 Auto Pin, each 8K01T29 . . . \$ 2.09		
— Advise # — 1911 Auto Pin, 6-pak 8K07T94 . . . 12.99		
#100-001-010DJ 1911 Auto Pin Kit 8G67T75 . . . 108.45		
ONE GUN PIN SET - The little pieces to build one 1911 Auto.		
SPECS: Steel, blue. Kit contains one each of the above parts.		
#100-001-011DJ 1911 Auto One Gun Kit, 8K10T41 . . . \$ 16.00		

CASPIAN 1911 AUTO PIN SET

Replaces Every Pin In The Pistol; Heat-Hardened For Strength & Durability



Complete set of the 11 precision-ground pins and plungers for refurbishing an existing 1911 or for building a new one from scratch. Heat-treated for superb resistance to surface-wear for a long service life. Available in matte blued carbon steel or natural-finish stainless steel.

SPECS: Heat-treated carbon steel (CS), blued, or stainless steel (SS), natural finish. Set includes solid ejector pin, sear pin, hammer pin, hammer strut pin, barrel link pin, slide stop plunger, thumb safety plunger, mainspring cap, mainspring cap pin, mainspring retainer pin, and mainspring housing pin. Fits 1911 Government Model and Commander and clones; will not fit Officers Model.

#168-000-128DJ 1911 Pin Set, CS 8F14X12 . . . \$ 16.99
#168-000-127DJ 1911 Pin Set, SS 8F18X63 . . . 22.99

CLYINDER & SLIDE 1911 AUTO COMPLETE PIN SET

Replaces Every Pin In The 1911 Auto



Complete set of eleven, centerless ground pins helps you refurbish or build a new 1911 from scratch. Each is heat-treated for added wear-resistance and long service life.

SPECS: Hardened steel, blued. Fits single stack 1911 auto. Set includes: hammer strut pin, link pin, mainspring plunger, sear pin, ejector pin, mainspring housing pin, mainspring plunger, mainspring plunger retainer, hammer pin, slide stop plunger, and thumb safety plunger.

#206-000-036DJ 911 Pin Set 6K09D66 . . . \$ 12.99

EGW 1911 AUTO PIN SET

Ready To Install, Hardened For Maximum Durability



Complete, 11-piece set contains every pin for your 1911 pistol, perfect for installing a new set of pins during restoration or for building a new pistol from the ground up. Designed to provide years of reliable service without binding, distorting, or breaking. Machined from hardened drill rod to G.I. specs for exceptional durability and fit, with a good-looking, uniform, matte blued finish.

SPECS: Steel, blued, matte finish. Set contains barrel link pin, sear pin, ejector pin, hammer pin, hammer strut pin, mainspring housing pin, mainspring housing pin retainer, mainspring cap, mainspring cap pin, safety lock plunger, and slide stop plunger.

#296-000-118DJ 1911 Auto Pin Set 6B16U90 . . . \$ 21.99

NIGHTHAWK CUSTOM 1911 AUTO PIN SETS

Ready To Install; Hardened To Resist Wear, Beautifully Finished



No need to reinstall dinged, worn, or scuffed up pins when you can put in a completely new, precision machined set of hardened, beautifully blued steel replacements. This pin set is really complete, with every pin for your 1911 pistol, including the mainspring cap and pin and the safety lock plunger/slide stop plunger assembly. Sets available for **Govt.** and **Officers** models.

SPECS: Steel, blued, matte finish. Set includes barrel link pin, ejector pin, hammer pin, hammer strut pin, mainspring cap, mainspring cap pin, mainspring housing pin, mainspring housing pin retainer, plunger spring, safety lock plunger, slide stop plunger, and sear pin.

#100-003-262DJ Govt. Model Pin Set 2B12T05 . . . \$ 14.99
#100-003-263DJ Officers Model Pin Set 2B12T05 . . . 14.99

NOWLIN MFG. 1911 AUTO PIN SET

Heat Treated & Hardened For Long Life




Centerless ground, heat treated and hardened. Every 1911 pin in one pak.

SPECS: Steel, blue or stainless. Matte finish. Set includes: hammer strut pin, link pin, mainspring plunger, sear pin, ejector pin, mainspring housing pin, mainspring plunger, mainspring plunger retainer, hammer pin, slide stop and thumb safety plungers.

#654-228-001DJ Blue Pin Set 4E14Z04 . . . \$ 16.95
#654-228-002DJ SS Pin Set 4E14A04 . . . 16.95

STI 1911 AUTO PIN SET

Ready To Install In Your Frame




Every 1911 Auto pin, in one package. Centerless ground, then heat treated and hardened for durability.

SPECS: Steel, blue or stainless steel, matte finish. 1911 fits single stack, 1911 autos. STI fits STI/Infinity widebody frames. Set includes; hammer strut pin, link pin, mainspring plunger, sear pin, solid ejector pin, mainspring housing pin, mainspring housing retainer, mainspring plunger retainer, hammer pin, slide stop plunger, and thumb safety plunger.

#791-000-030DJ 1911 Pin Set 1G12T47 . . . \$ 15.58
#791-000-031DJ STI Pin Set 1G13T29 . . . 16.62

WILSON COMBAT PIN SET

Every Pin To Rebuild & Repair



High quality replacement pins for the 1911 Auto in a convenient, money-saving pak. Set of eleven pins. Oversized sear and hammer pins are hardened, then ground to maximum diameter on the 1911 Auto print to fit worn or out-of-spec frame pin holes.

SPECS: Steel, heat treated; blued (BI) or stainless. Pin Set - one each; mainspring plunger, sear pin, ejector roll pin, mainspring housing pin, link pin, mainspring housing retainer, strut pin, mainspring plunger retainer, hammer pin, slide release plunger, thumb safety plunger.

#965-315-101DJ 1911 Pin Set, Blue 5F13A52 . . . \$ 15.95
#965-315-102DJ 1911 Pin Set, Stainless 5F16A07 . . . 18.95

ACCURACY GRIP 1911 AUTO GRIP KIT

Improved Accuracy & Better Control



Endorsed by champion shooter Jerry Miculek, Grip Kits are easy to install and place the tip of your finger consistently on the trigger for better control and accuracy with every shot. Keeps your hand firmly seated on the grips and allows you to pull straight back on the trigger. 8- and 9-piece kits include five interchangeable trigger finger extenders to fit small and large hand sizes comfortably. Right-hand only.

SPECS: Molded polymer, black. 9-Piece Kit fits 1911 Government/Commander series large and medium frame pistols. 8-Piece Kit fits Colt 1911 Officers/Compact pistols.

#100-002-474DJ 1911 Gov/Comp Grip Kit, 9-Pc., 4A20C00 . . . \$ 39.95
#100-002-475DJ 1911 Off/Compact Grip Kit, 8-Pc., 4A20C00 . . . 39.95

ALL AMERICA 1911 AUTO ELEGANT PEWTER GRIPS

Cast Pewter Grips Add Weight; Improve Balance



Heavy weight gives increased recoil control. Relieved for mag catch and flush fitting grip screws. **Florentine** scroll with finely matted background shows tremendous detail. **American Eagle** has our National symbol on each grip over a Florentine scroll background.

SPECS: Cast pewter alloy, matte gray or gold finish. 4 1/8" (10.4cm) long, 4.7 oz. (132 g) wt. per pair. Fits 1911 Auto Gov't., Commander, Gold Cup. May require minor fitting. 9.3 oz. (263 g) wt.

#047-191-000DJ Gray Florentine Grips 7D54T51 . . . \$ 89.99
#047-191-100DJ Gold Florentine Grips 7D53T95 . . . 79.99
#047-000-005DJ Gray Eagle Scroll Grips 7D54Y51 . . . 89.99

AHREND'S 1911 AUTO EXOTIC WOOD GRIPS

Handsome & Functional,
For Combat, Carry, Or Display



Handsome, distinctive, exotic wood 1911 Auto grip panels, precision shaped and carefully matched. Top quality hardwoods become even more beautiful with age, and these slabs are aged for more than a year before shaping. Inletted for ambi safeties, with cutouts for mainspring housing pin, and beveled bottom edges give a neat, finished appearance. Durable polyurethane finish. **Cocobolo** is an overall reddish-brown with distinct grain stripes of dark red-brown. Dense-grained **Gaboon Ebony** is some of the finest, almost pure black ebony we've seen and just plain feels "right." Choose from four attractive styles: **Smooth** - Grain patterns show up best on smooth grips. **Combat Checkered** has full coverage, 18 lpi checkering for superb grip and control. **Diamond Checkered**, 18 lpi checkering, broken by smooth diamonds at the grip screw holes. **Skip Checkered** features a pattern of smooth diamonds separated by 18 lpi checkering.

SPECS: Approximately 1/4" (6.4mm) thick. Weight 1 1/2 oz. (42g) per pair. Natural wood color and grain patterns will vary.

STOCK #	STYLE	PRICE
#052-003-102DJ	Cocobolo Smooth	2E25Z00 \$ 36.00
#052-001-102DJ	Cocobolo Combat	2E25D00 \$ 36.00
#052-002-102DJ	Cocobolo Diamond	2E34Z95 \$ 50.00
#052-000-005DJ	Cocobolo Skip	2E25C00 \$ 36.00
#052-003-104DJ	Ebony Smooth	2E32Z50 \$ 46.00
#052-001-104DJ	Ebony Combat	2E32D50 \$ 46.00
#052-002-104DJ	Ebony Diamond	2E43Z50 \$ 60.00

TACTICAL GRIPS - Dual-purpose grips with a unique, highly functional, combination checkered/smooth surface. Smooth top section allows your hand to slide into place for a fast, unimpeded grip and a smoother draw. 18 lpi cut checkering on the bottom section gives you a solid, secure grip the instant your fingers curve around the front strap. Available in **Cocobolo**, **Gaboon Ebony**, and **Rosewood**.

SPECS: Approximately 1/4" (6.4mm) thick. Weight 1 1/2 oz. (42g) per pair. Notched for ambi safety. Natural wood color and grain patterns will vary.

STOCK #	STYLE	PRICE
#052-004-102DJ	Cocobolo Tactical Grips	2E34Z95 \$ 50.00
#052-004-107DJ	Rosewood Tactical Grips	2E34Z95 \$ 50.00
#052-004-104DJ	Ebony Tactical Grips	2E43Z50 \$ 60.00

SQUARE BOTTOM GRIPS - Squared bottom edge looks "right" on guns equipped with add-on magwells. Covers the unsightly gap between the bottom edge of the frame and the magwell, so the magwell looks like it's part of the frame. Hardwood panels are thicker than factory slabs to provide a hand-filling grip and better recoil control for more comfortable combat-style shooting. Available in **Cocobolo**, **Gaboon Ebony**, and **Rosewood**. **Combat Checkered** has full coverage 18 lpi cut checkering. **Diamond Checkered** has 18 lpi checkering broken by smooth diamonds at the grip screw holes. **Pin Covered (PC)** models do not have cutout for mainspring housing pin.

SPECS: Approximately 9/32" (7.1mm) thick. Weight 1.7oz. (46g) per pair. Notched for ambi safety. Natural wood color and grain patterns will vary.

STOCK #	STYLE	PRICE
#052-020-102DJ	Cocobolo Combat	2E24Y95 \$ 36.00
#052-040-102DJ	Cocobolo Combat PC	2E31Y95 \$ 46.00
#052-021-102DJ	Cocobolo Diamond	2E34Y95 \$ 50.00
#052-030-102DJ	Cocobolo Diamond PC	2E43Y50 \$ 60.00
#052-021-107DJ	Rosewood Diamond	2E36Y00 \$ 50.00
#052-030-104DJ	Ebony Diamond PC	2E51Y00 \$ 70.00

ALUMAGRIP 1911 AUTO ALUMINUM GRIPS

Precision Machined For Style,
Endurance, Function



Tough, machined aluminum creates exceptionally durable grips that withstand years of hard, tactical use. Faultless border-pattern checkering features unique, smooth-top diamonds with square edges for a very comfortable and secure grip that won't abrade clothing. CNC'd with all curves, angles and cutouts true and exact; cut for ambi safeties. Models available to fit full-size Govt's.

ernment, Officers, and single-action Para-Ordinance P14/16/18. Para available with checkered or smooth surface. **SPECS:** Aluminum, anodized, satin finish, black. Approx. 1/4" (6.7mm) thick. Para grips fit single-action P14, P16, and P18; available in checkered or smooth.

#100-000-507DJ	1911 Auto Grips 5K44Y54	\$ 55.99
#100-000-898DJ	Officers Grips 5K43U96	\$ 54.95
#100-004-592DJ	Checkered Para Grips 5K64Y29	\$ 79.99
#100-004-593DJ	Smooth Para Grips 5K51Y75	\$ 64.99

SLIMLINE GRIPS - Very thin aluminum grips help shooters with small hands maintain a good hold on the gun. CNC-machined checkering is cut to full depth for a superb, no-slip grip, with smooth-top diamonds that won't damage clothing. Not cut for ambi safety.

SPECS: Aluminum, anodized, satin finish, black. 153" (3.9mm) thick nominal. Not cut for ambi safety.

#100-001-356DJ	Slimeline 1911 Grips, 5K43A96	\$ 54.95
#100-001-360DJ	Slimeline Officers Grips, 5K43A96	\$ 54.95

ALUMAGRIP 1911 AUTO TACTICAL ALUMINUM GRIPS

CNC Machined For
Tactical & Competition Applications

Sturdy, machined aluminum creates extra strong, long-lasting grips that withstand years of tactical use. Checkering features smooth-top diamonds with square edges that won't drag on clothing. Provides a firm grip for a positive draw in tactical and competition situations. Half grip pattern creates a distinctive look that is fully functional and comfortable. Overall dimensions as well as screw holes, and safety cutout are CNC precision machined.

SPECS: Aluminum, anodized, black. Full Size grips fit Govt/Commander. 4 1/8" (10.5cm) long, approx. 1/4" (6.7mm) thick. Compact grips fit Officers model. 3 1/8" (7.9cm) long, approx. 1/4" thick.

#100-002-466DJ	Full Size Tactical Grips, 5K46X00	\$ 57.50
#100-002-470DJ	Compact Tactical Grips, 5K46C00	\$ 57.50

DYMONDWOOD THIN GRIPS - Reduce bulk and overall width of gun to improve grip for all shooters, regardless of hand size, and aid concealment of carry guns. Vertical grasping grooves give a secure grip without abrading or snagging on clothing. Inletted for ambi safety, with cutouts for mainspring housing pin. Thermo-set, resin-impregnated hardwood laminate is dark gray/black with a distinctive silver grain. Thin bushings and screws included.

SPECS: Laminated hardwood. .170" (4.3mm) thick. Weight 1.1 oz. (30g) per pair. Includes polished blue, replacement screws and bushings.

#052-000-037DJ	Dymondwood Thin Grips, 2E43H50	\$ 60.00
----------------	--------------------------------	----------



BAR S GRIPS 1911 AUTO TRU IVORY™ GRIPS

Handmade Pistol Grips Look &
Feel Like Genuine Ivory

Handcrafted and polished from a man-made, state-of-the-art, ivory substitute that looks and feels so much like genuine elephant ivory that only an expert can tell the difference. Available in two natural shade variations with authentic grain layering throughout the full cross-sectional density. **Natural White (NW)** mimics un-aged, virgin ivory with a beautiful off white grain pattern. **Slightly Aged (SA)** is a subtle shade darker with a hint of yellowing and natural scarring. Can be carved and checkered like natural, elephant ivory. Available in standard 1911A1 (**A1**) configuration or with square bottom (**S/B**) for proper fit to frames equipped with add-on magazine wells. **SPECS:** Manmade ivory substitute. Natural White (**NW**) or Slightly Aged (**SA**).

STK # NW	STK # SA	FITS	PRICE
#100-001-713DJ	#100-001-714DJ	1911 Govt A1	7A78U67 \$ 95.00
#100-001-717DJ	#100-001-718DJ	1911 Govt S/B	7A78U67 \$ 95.00
#100-001-715DJ	#100-001-716DJ	1911 Officers A1	7A78U67 \$ 95.00
#100-001-719DJ	#100-001-720DJ	1911 Officers S/B	7A78U67 \$ 95.00

CYLINDER & SLIDE 1911 AUTO TACTICAL GRIPS

Practical, Durable &
Good-Looking Grips For
Hard Daily Use

Textured grips made from durable engineered materials stand up to the abuse of tactical operations or competition where traditional wood grips fail—and still look good. Flat bottom eliminates the gap between the grip and extended magazine wells, and all models have a cutout for an ambi safety. **G10** - Made from layers of tough G10 fiberglass/epoxy resin laminate that's incredibly strong and almost impervious to impact, moisture, temperature extremes, and chemicals. Covers the mainspring housing pin for a neat look. Available with coarse **Rhino Hide** texturing for shooters who wear gloves or have tough hands, or "320" Pattern irregular texturing that approximates traditional 16 lpi checkering and provides an even more secure grip. Checkered **Dymond-Wood®** grips come with a mainspring housing pin cutout and are available in black or a red/black simulated wood grain pattern that looks like traditional Cocobolo wood. Resin-impregnated, laminated hardwood, DymondWood holds the 16 lpi checkering exceptionally well and is extremely resistant to impact, surface wear, and moisture. Available in traditional Double Diamond pattern, full-surface coverage, or with a unique-looking curved, smooth center section.

SPECS: G10 fiberglass composite, dark green/black, or Dymond-Wood, black or red/black Cocobolo-like (**RB**) finish. DymondWood grips available with double diamond checkering (**DD**), checkering with curved, smooth center panels (**Curve**), or full-surface checkering (**Full**). All models fit Government Model and Commander.

#206-000-045DJ	G10 Grips, Rhino Hide 6K55T67	\$ 64.99
#206-000-046DJ	G10 Grips, 320 Pattern, 6K55T67	\$ 64.99
#206-000-051DJ	DymondWood Grips, DD/Black, 6K34T24	\$ 39.99
#206-000-048DJ	DymondWood Grips, DD/RB, 6K34T24	\$ 39.99
#206-000-047DJ	DymondWood Grips, Curve/Black, 6K34T24	\$ 39.99
#206-000-050DJ	DymondWood Grips, Curve/RB, 6K34T24	\$ 39.99
#206-000-049DJ	DymondWood Grips, Full/RB, 6K34T24	\$ 39.99



BROWNELL'S PREMIER WOOD GRIPS

Traditional Elegance Of
Beautiful Hardwoods,
Three Distinct Styles



Beautifully crafted, hardwood grip panels enhance the appearance of any 1911 Auto. Premium-grade woods are carefully selected for their natural grain patterns, then properly kiln dried for superior stability, precision shaped, expertly checkered, and carefully paired. All models are inletted

for ambi safeties, with cutouts for the mainspring housing pin and crisply beveled bottom edges. A clear, semi-gloss protective finish seals the pores and protects the grip from moisture and scratches. Choose from one of four distinctive woods: **Cocobolo** is an extremely dense, reddish-brown wood tinged with orange and distinct grain stripes of dark red-brown. **Rosewood** is a richly hued medium dark brown with contrasting, almost black, grain stripes. Strong and heavy, it takes a smooth, even polish. **Walnut**, the traditional American stock wood, is light/medium brown with softly contrasting, slightly darker grain patterns. Three styles are available: **Double Diamond (D/D)** - traditional style with 16 lpi checkering, broken by smooth diamonds at the grip screw holes. **Combat** - full-coverage, 16 lpi checkering, for maximum gripping texture when hands are wet or sweaty. **Smooth** - non-abrasive, no snag surface shows off the grain pattern best.

SPECS: Approx. 1/4" (6.4mm) thick. Natural wood color and figure will vary.

#078-000-146DJ	D/D Grip, Cocobolo 7A39B99	\$ 49.99
#078-000-147DJ	D/D Grip, Rosewood 7A39B99	\$ 49.99
#078-000-148DJ	D/D Grip, Walnut 7A39B99	\$ 49.99
#078-000-152DJ	Combat Grip, Walnut 7A39X99	\$ 49.99
#078-000-155DJ	Smooth Grip, Rosewood 7A39X99	\$ 49.99

BROOKSTACTICAL AGRIP

Improves Handling & Control,
Secure Grip Helps Increase Accuracy

Pre-cut, wrap around sleeve sticks on easily with an ultra high-tech, pressure-sensitive adhesive. Won't peel off in harsh conditions, even under water. Provides a comfortable, secure grip for competition, law enforcement and tactical firearms. Non-slip and non-abrasive, with a soft feel that's not tacky. Extremely durable, resists splitting, tearing, abrasion, and wear. Flexible, conforms to Glock frames with and without finger grooves. Resistant to most oils and solvents.

SPECS: Black. Soft texture.

#100-001-234DJ	AGrip, for 1911 Auto 5K22P29	\$ 31.99
----------------	------------------------------	----------



CARBON CREATIONS 1911 AUTO CARBON FIBER GRIPS

Lightweight Hi-Tech Grips For 1911's

Strong, lightweight, durable, carbon fiber and kevlar woven together, then resin-impregnated to create a distinctive grip. Weave pattern changes with the viewing angle. Double-diamond, 18 lpi checkering. Hard, clear, synthetic finish resists cleaning solvents.


SPECS: Carbon fiber, black. Approx. 1/4" (6.3mm) thick. Models for Govt/Commander and Officers ACP.



#222-101-001DJ	Govt. Carbon Fiber Grips, 2B55P00	\$ 80.00
#222-101-002DJ	Officers Carbon Fiber Grips, 2B55P00	\$ 80.00

CRIMSONTRACE 1911 AUTO LASER GRIPS

Instant On-Off Aiming Without The Bulk
Of An Accessory Laser Unit

Laser Grips give you an immediate, decisive advantage because 80% of self-defensive shootings occur in low light conditions or complete darkness. Provides an added defensive edge in any light condition. With just a squeeze of your shooting hand the laser grip unit instantly projects a bright red aiming dot on your intended target; even in broad daylight. Makes a great training tool; provides instant feedback to shooting students learning how to achieve a steady trigger pull, consistent follow through, proper sight alignment and instinctive aiming. Grips are made from a rugged but soft, over molded rubber for increased shooting comfort. Laser units are located in the top of the grip. Laser unit on Wrap Around (W/A) models are activated from the pressure sensitive finger pads located on either side. The pressure switch located in the lower front finger groove activates laser unit on Front Activated (F/A) models. Both models include a manually activated on/off switch on the lower left side helps prevent dead batteries and accidental laser activation.  **SPECS:** Injection molded rubber, black, matte. Front Activated 1911 Auto models require shortening of right side thumb safety lever. Includes batteries, installation instructions and training manual.

STOCK #	FITS	STYLE
#100-002-590DJ	1911 Govt./Comm.	W/A
#100-002-600DJ	1911 Govt./Comm.	F/A
#100-002-601DJ	Off. ACP/Def	F/A
— Advise # — Crimson Trace Laser Grips, 4B00DZA \$ 299.00		




For more choices of **CRIMSON TRACE**
LASER GRIPS visit brownells.com

ED BROWN 1911 AUTO COCOBOLO GRIPS

Classic, Double-Diamond Style
With Precision-Cut
20 lpi Checkering



Classic, double-diamond checkered Cocobolo grips are the same high quality grips that come with Ed Brown custom pistols. Cocobolo is prized for its rich, varied grain ranging in color from orange to deep red-brown, as well as for durability

and hardness so it holds the 20 lpi checkering through years of hard use. Made from premium-grade wood with an excellent natural grain—no added stains or dyes—with a durable, satin-finish clearcoat to protect the wood from moisture and surface wear. Features include a beveled bottom edge, convenient cutout for mainspring housing pin, and a choice of **Standard** or **Bobtail** configuration to fit Ed Brown compact/concealment Bobtail frames. **Slim Grips** are 35% thinner to minimize pistol profile for concealed carry. Requires slim grip screws and bushings, available separately. **Square Bottom** grips give a neat, finished look to pistols with Ed Brown Maxi-Well installed. No cutout for mainspring housing pin. 


SPECS: .26" (6.6mm) thick. Approximately 1.3 oz. (39g) weight per pair. Natural wood color and grain patterns will vary. Fits full-size Government and Commander. Not cut for ambi safety. **Slim** — .17" (4.3mm) thick. Approximately .8 oz. (24g) weight per pair.

#087-000-055DJ	Cocobolo Grips, Standard, 7H33P06	\$ 39.99
#087-000-056DJ	Cocobolo Grips, Bobtail, 7H40P16	49.99
#087-000-058DJ	Cocobolo Grips, Slim 7H33P06	39.99
#087-000-057DJ	Cocobolo Grips, Square Bottom, 7H33P06	39.99

FALCON INDUSTRIES 1911 AUTO XT GRIPS

Extremely Tough,
Textured Grip Surface



Strong, lightweight, and extremely tough, heavily textured grips provide excellent handling and stability in all conditions. Cut for ambidextrous safeties. Install easily Government/Commander grip frame with standard grip screws and bushings. **Beveled** has a neatly beveled bottom edge that won't snag the hand during the draw and minimizes "printing" through clothing on concealed carry pistols. **Square Bottom** fits flush against magazine guides and chutes that attach to the bottom of the grip frame.  **SPECS:** Injection molded nylon-based rigid polymer, Black or O.D. Green. Available with beveled bottom edge (BB) or square bottom (SB). Fits full-size Government Model and Commander grip frame.

#573-000-046DJ	XT Grips, BB/Black, 3G19P52	\$ 24.99
#573-000-048DJ	XT Grips, BB/O.D. Green, 3G19P52	24.99
#573-000-040DJ	XT Grips, SB/Black, 3G19P52	24.99

HALPERNTITANIUM 1911 AUTO ULTRA-SLIM TITANIUM GRIPS



Machined From The
"Space Age Metal" For Highest
Strength-To-Weight Ratio,
Superior Corrosion Resistance &
An Extra Thin Profile

Ultra-slim grip panels of lightweight Titanium are precision CNC machined for a perfect fit and truly custom appearance on any full-size Colt 1911 or clone. Extra low density Ti trims unnecessary weight while maintaining steel-like strength. Corrosion-resistant — even in salt water — to maintain the original, stunning good looks day-after-day with little to no maintenance. Unique texturing pattern gives an aggressive gripping surface that "sticks" to your hand for positive control under heavy recoil. Smooth, radiused edges produce a clean transition from grip-to-frame for added comfort. Countersunk holes provide a flush-fit for the included hex head grip screws. Available with natural silver, bead-blasted finish or heat-anodized to produce a brilliant multi-color scheme of purple, blue, and copper hues.  **SPECS:** Titanium, natural silver, bead-blasted finish or multi-color heat-anodized finish. .101" (2.5mm) thick. 2.3 oz. (65g) wt. Fits 1911 Auto Government and Commander.

#100-004-603DJ	Titanium Grips, Natural Silver, 8B69H04	\$ 84.99
#100-004-604DJ	Titanium Grips, Heat Anodized, 8B69H04	84.99

HARRISON DESIGN 1911 AUTO CARRY GROOVE GRIPS

Combines A Secure Grasp With
Non-Snag Carry



Durable machined G10 fiberglass grips are almost impervious to solvents, moisture, and expansion/contraction due to temperature extremes. Five, deep, vertical grooves in each panel and fine-line diagonal texturing help you retain a solid grip on the pistol but won't snag like traditional checkering. Still allows a quick shift of grip for reloads, and also easier on clothes and your skin during carry. Beveled bottom

HOGUE 1911 AUTO PISTOL GRIPS

Hand-Filling, Versatile Designs
In Rubber & Wood



Hand-filling grips help absorb recoil by spreading the shock over a wider area of the hand. Finger groove models tighten the grip upward, into the triggerguard for better recoil control. All wood grips are cut from imported, select grades of hardwood. Molded rubber grips cushion recoil. Non-slip, pebble finish. Checkered grips are Double Diamond pattern. **SPECS:** Select model from chart. Model designations abbreviated as follows. Checkered (CH); Finger Grooves (FG); Goncalo Alves (GA); Pau Ferro (PF); Rubber (RU); Slabs (SL).

STOCK #	MODEL	FITS	PRICE
#408-602-045DJ	RU/SL	1911 Auto	8K10Z92 \$ 17.99
#408-602-145DJ	RU/FG	1911 Auto	8K16Z08 \$ 26.99
#408-000-013DJ	RU/SL/CH	1911 Auto	8K10X92 \$ 17.99
#408-605-045DJ	GA/CH/SL	1911 Auto	8K32B18 \$ 42.99
#408-606-045DJ	PF/CH/SL	1911 Auto	8K32B18 \$ 42.99
#408-602-245DJ	RU/FG	Off ACP	8K16Z08 \$ 26.99
#408-602-012DJ	RU/FG	Para-Ord P-12	8K16Z08 \$ 26.99
#408-602-014DJ	RU/FG	Para-Ord P-14	8K16Z08 \$ 26.99

HOGUE 1911 AUTO SQUARE BOTTOM GRIPS



Additional Length Fits Pistols
Equipped With Add-On Mag Wells

Extra-long grip panels, cut square at the bottom, fit flush and look great on guns equipped with add-on mag wells. Does away with the unsightly gap left by standard length grip panels. Cut slightly fuller than factory grips for extra shooting comfort and recoil control. Functional, combat-style, 18 lpi checkering provides additional, no-slip grip. **SPECS:** Approximately 1/4" (6.3mm) thick. #408-607-245DJ Pau Ferro S/B Grips 8K32B18 \$ 42.99 #408-607-345DJ Goncalo S/B Grips 8K32B18 42.99

MCCORMICK 1911 AUTO SLIM CARRY GRIPS

40% Narrower For Carry &
Concealment Comfort



Thinner-than-stock, Slim Carry grips reduce overall width to better fit shooters with small hands, and make pistol more concealable for any shooter. Exhibition grade rosewood has a reddish brown color with contrasting black grain. Right panel is relieved for ambidextrous thumb safety. Hand-cut, 18 lpi checkering with the popular, double diamond pattern to provide a positive grip. **SPECS:** Rosewood. Double diamond checkered. Fits 1911 Govt model and Commander. Approximately 5/32" (4mm) thick. Includes shorter bushings and screws. #207-559-003DJ Slim Carry 1911 Grips, 7B40H13 \$ 53.99

edge helps minimize grip profile. Includes cutout in right panel for an ambidextrous safety.

SPECS: G10 fiberglass laminate, matte black. .275" (7mm) thick. **Full-Size** fits Government Model and Commander. **Compact** fits Officers Model.

#100-005-637DJ	Carry Groove Grips, Full-Size, 9B55D71	\$ 64.99
#100-005-638DJ	Carry Groove Grips, Compact, 9B55D71	64.99

MCCORMICK 1911 AUTO EXHIBITION GRADE ROSEWOOD GRIPS

Distinctive Elegance For The Finest Pistols



Best quality, exhibition grade, rosewood, properly shaped and contoured to improve handling and grip feel for better recoil control. Hand-cut, 18 lpi, checkering in the double diamond pattern provides a positive grip. Colors vary from light reddish shades to dark burgundy with contrasting dark lines. Right panel is relieved for ambidextrous thumb safety. **SPECS:** Rosewood. Fits 1911 Auto. #207-559-001DJ 1911 Auto Grips 7B35H34 \$ 47.99

N.C. ORDNANCE 1911 AUTO "EXOTIC" GRIPS



Authentic-Looking Simulated
Ivory, Mother of Pearl & Stag

Elegant-looking reproductions of exotic grips are molded from polyurethane resin and finished by hand for a precise fit. Hard, durable resin looks and feels like classic stag antler, mother of pearl, or ivory, and won't chip, shrink, or crack over time. Pearl-like grips simulate the iridescent shimmer and feel of Mother of Pearl; available with or without gold Colt medallion.  **SPECS:** Molded polyurethane resin, simulated Ivory, Stag, or Pearl-like. Mother of Pearl. Beveled bottom has cutout for mainspring housing pin. Govt. Model Ivory right grip cut for ambi safety. All models may require minor fitting.

#100-005-009DJ	Govt Model Grips, Ivory 8B23T25 . .	\$ 29.99
#100-005-008DJ	Govt Model Grips, Stag 8B26T92 . .	34.99
#100-005-901DJ	Pearlike Govt Grips, White, 8B30V77	39.99
#100-005-903DJ	Pearlike Govt Grips, White w/Medallion, 8B53V85	69.99
#100-005-902DJ	Pearlike Govt Grips, Black, 8B30V77	39.99
#100-005-904DJ	Pearlike Govt Grips, Black w/Medallion, 8B53V85	69.99
#100-005-010DJ	Officers Model Grips, Ivory, 8B23T25	29.99

NAVIDREX CUSTOM GRIPS

Handcrafted From Genuine Westinghouse
Micarta® & Laminated Dymondwood



Long-wearing, solid, comfortable grips hand crafted and checkered from two of the best handgun grip materials ever invented; genuine Micarta and laminated Dymondwood. The Micarta is available in a gorgeous, jet Black that's close to ebony, or Ivory that has the looks and warmth of real tusk. The resin-impregnated Dymondwood looks like real Rosewood but its synthetic compound is much harder; it never wears, and resists gun solvents and bore cleaners. Double diamond pattern features hand cut, 18 lpi checkering and models to fit either Government/Commander length (STD) 1911 Auto or Officers ACP-length frames. Grips marked (S&A) are cut longer to fit flush on guns equipped with Smith & Alexander mag guides. **SPECS:** Approximately .246" (6.3mm) thick.

1911 AUTO			
STOCK # STD	STOCK # S&A	COLOR	PRICE
#647-011-001DJ	#647-011-101DJ	Black	7D30U00 \$ 40.00
#647-011-002DJ	#647-011-102DJ	Ivory	7D40U61 \$ 54.14
#647-011-003DJ	#647-011-103DJ	Rosewood	7D28U78 \$ 39.00
OFFICERS ACP			
#647-012-001DJ	#647-012-101DJ	Black	7D30U00 \$ 40.00
#647-012-002DJ	#647-012-102DJ	Ivory	7D40U61 \$ 54.14
#647-012-003DJ	#647-012-103DJ	Rosewood	7D28U78 \$ 39.00

NAVIDREX MAHOGANY GRIPS

Genuine Philippine Mahogany



A true asian hardwood with the beauty of expensive exotics, at a fraction of the cost. Deep reddish/brown color of varying intensity provides attractive contrast with blue and stainless steel guns. **Contoured (Ctd)** is relieved in the center to improve grip for persons with smaller hands. Available **Standard** or square bottom (S/B) for guns with add-on mag wells. Fits 1911 Auto and Officers Model frames.

SPECS: Approximately 1/4" (6.7mm) thick.

STK #1911	STK # OFF. ACP	STYLE
#647-025-001DJ	#647-026-001DJ	Std Double Diamond
#647-025-002DJ	#647-026-002DJ	S/B Double Diamond
#647-025-003DJ	#647-026-003DJ	Std Double Diamond Ctd
#647-025-004DJ	#647-026-004DJ	S/B Double Diamond Ctd
#647-025-005DJ	#647-026-005DJ	Std Full Checkered
#647-025-006DJ	#647-026-006DJ	S/B Full Checkered
#647-025-007DJ	#647-026-007DJ	Std Full Checkered Ctd
#647-025-008DJ	#647-026-008DJ	S/B Full Checkered Ctd
- Advise # - Mahogany Grips 7D14V00..... \$ 18.00		

NAVIDREX PARA P-14 DOUBLE DIAMOND CHECKERED GRIPS

Extra-Thin Design For Extra Comfort

Cut much thinner than the factory grips to provide increased comfort. Beautiful, hand-cut, 18 lpi double-diamond checkering enhances the grip for a solid, no-slip feel. Direct replacement for both the old- and new-style P-14 factory grip. Available in two different materials: **Micarta**® - genuine, jet-black, Westinghouse Micarta has superior wearability and strength. **Dymondwood**™ (DW) - resin-impregnated laminated hardwood that has the look and color of genuine rosewood, plus withstands solvents and wears much longer than natural wood.

SPECS: Available for **P-14 Old- or New-style**, full size Para-Ord-nance frames. May require minor fitting.

#647-013-101DJ	New Style Micarta Grips, 7D50U65.....	\$ 69.99
#647-013-102DJ	Old Style Micarta Grips, 7D50U00.....	60.00
#647-013-201DJ	New Style DW Grips, 7D50A65.....	60.99
#647-013-202DJ	Old Style DW Grips, 7D50A00.....	60.00

NIGHTHAWK CUSTOM 1911 AUTO GOLFBALL PATTERN G10 GRIPS

Popular "Grippy" Texture Keeps Gun In Your Hand Even When Wet



Tough, long-wearing, all-weather grips of nearly indestructible G10 composite provide an extra secure grip during the draw and tactical maneuvers, and ensure maximum weapon control while firing. Minimizes rotation during recoil for better accuracy and reduced likelihood of having to reposition hand for follow-up shots. Popular golfball pattern, preferred by many shooters, crisply cut into the grip surface ensures a no-slip grip even when hands are sweaty. Hard, non-reflective, glass-fiber reinforced G10 composite is impervious to extremes of heat, cold, moisture, and most solvents. Non-tapered, cut for an ambi safety. Available in **Black**, **Desert Tan** (similar to U.S.



Black Rosewood Shown

NAVIDREX SLIM GRIPS

Reduces Bulk For Easy-To-Grip Shooting & Carry Comfort

Extra-thin to reduce bulk for concealed carry and give shooters with small hands a better hold. Available **Checkered** with full coverage checkering or **Double Diamond** checkered to fit 1911 Auto and Officers ACP. All require slim bushings and screws, available separately. Black **Micarta**® gives the appearance of fine ebony. **Black Rosewood** is a deep, reddish brown with contrasting black vertical stripes. **Ebony** is very deep brown/black, almost black, with mild grain pattern.

Mahogany is deep reddish/brown color of varying intensity. **SPECS:** Approx. .165" (4.2mm) thick. **Black Rosewood** and **Ebony** are resin impregnated Dymondwood. **Mahogany** is genuine Philippine mahogany.

MICARTA			
STK # GOVT.	STK # OFF. ACP	STYLE	PRICE
#647-000-004DJ	#647-000-007DJ	Checkered	7D30P00 \$ 40.00
#647-000-005DJ	#647-000-008DJ	Double Dia.	7D30P00 \$ 40.00

BLACK ROSEWOOD			
STK # GOVT.	STK # OFF. ACP	STYLE	PRICE
#647-000-009DJ	#647-000-011DJ	Checkered	7D24P68 \$ 32.89
#647-000-010DJ	#647-000-012DJ	Double Dia.	7D24P68 \$ 32.89

EBONY			
STK # GOVT.	STK # OFF. ACP	STYLE	PRICE
NA	#647-000-015DJ	Checkered	7D24P68 \$ 32.89

MAHOGANY			
STK # GOVT.	STK # OFF. ACP	STYLE	PRICE
#647-000-017DJ	#647-000-019DJ	Checkered	7D13P34 \$ 17.80
#647-000-018DJ	#647-000-020DJ	Double Dia.	7D13P34 \$ 17.80

PEARCE SEMI-AUTO GRIPS

1911AUTOMODULARHANDGUNGRIPS-

Soft, rubber grips add both style and controllability to any full-size 1911 Auto. Thin, contoured shape provides additional support for the inside of the palm. Gives reach for shooters with smaller hands. Classic, double-diamond pattern with sharp 18 lpi checkering ensures a positive, no-slip grip. Use independently or with the finger-groove, wrap-around grip enhancement below. 

SPECS: Soft rubber, black. Reinforced backing.

#092-100-011DJ 1911 Auto Grip Panels 2K09T10 . . . \$ 14.50
#092-100-014DJ Officers ACP Grip Panels, 2K09T10 . . . 14.50

FINGER-GROOVE GRIP ENHANCEMENT - Adds increased control and repeatable finger placement. Installs easily, no permanent modifications required. May be used with the **Pearce Soft Rubber Grips** above, or your favorite aftermarket panel. 

SPECS: Soft rubber, black.

#092-100-012DJ 1911 Grip Enhancement, 2K06T90 . . . \$ 9.99
#092-100-017DJ Officers ACP Grip Enhancement, 2K06T90 . . . 9.99

military Flat Dark Earth), or **Ranger Green**. 

SPECS: G10 fiberglass composite in Black, Desert Tan, or Ranger Green. Approximately .275" (7mm) thick. Fits 1911 Government and Commander frames.

#100-003-569DJ Golfball G10 Grips, Black, 2B71D96 . . . \$ 89.95
#100-003-570DJ Golfball G10 Grips, Desert Tan, 2B71D96 . . . 89.95
#100-003-571DJ Golfball G10 Grips, Ranger Green, 2B71D96 . . . 89.95


MIL-TAC KNIVES & TOOLS 1911 AUTO TACTICAL GRIPS



GB Desert Tan TFB Black/Gray GFB Woodland Camo

Aggressive Patterns Prevent Slippage; Made From Nearly Indestructible G10 & Micarta Laminates

Fully CNC-machined from G10 fiberglass and Micarta laminates, these grips are impervious to impact, solvents, heat,


sweat, and moisture for non-degrading dimensional stability in all conditions. All models come with cutout for ambi safety. **Government Beveled (GB)** grips are machined from G10 to the standard 1911A1 configuration with beveled bottom and an aggressive diamond pattern that forms an aggressively textured gripping surface. Features a notched thumb ramp on the left panel for fast reach to the magazine release. Cutout allows access to mainspring housing pin without removing the whole grip panel. **Tactical Flat Bottom (TFB)** grips are machined from G10 with a traditional diamond checkering pattern that provides an outstanding gripping surface. Square bottom provides a proper fit for guns equipped with add-on magazine wells; covers mainspring housing pin. Includes notched thumb ramp on left panel. **Government Flat Bottom (GFB)** Micarta grips have square bottom for guns with add-on mag wells, with a cutout notch allowing access to mainspring housing pin. Wide, pronounced vertical grooves and underlying linen-like texture provide a superb grip even with wet hands, yet won't abrade the skin. No thumb ramp. 

SPECS: G10 laminate or Micarta, black, black/gray speckled, desert tan, desert camo, or woodland camo. Fits 1911 Govt. model and Commander grip frames. Cut for ambi safety. **GB** - G10 laminate. A1 configuration with cutout for mainspring housing pin. **TFB** - G10 laminate. Square bottom. **GFB** - Micarta. Square bottom with cutout for mainspring housing pin.

GB STOCK #	TFB STOCK #	GFB STOCK #	COLOR
#100-003-931DJ	#100-002-545DJ	#100-003-939DJ	Black
#100-002-546DJ	#100-003-935DJ	NA	Black/Gray
#100-003-932DJ	#100-003-936DJ	#100-003-940DJ	Desert Tan
#100-003-933DJ	#100-003-937DJ	#100-003-941DJ	Desert Camo
#100-003-934DJ	#100-003-938DJ	#100-003-942DJ	Woodland Camo
- Advise # - GB/TFB G10 Grips 5A56T00 . . . \$ 69.99			
- Advise # - GFB Micarta Grips 5A39T97 . . . 49.99			

PACHMAYR SIGNATURE GRIPS

Wrap-Around, Non-Skid, For Semi-Autos

Unique, wrap-around grips specifically designed for semi-auto pistols incorporate front strap checkering® to meet the demands of competitive shooters - as well as police officers and military personnel. Over 22 square inches of sharp diamonds molded into durable semi-soft Neoprene rubber compound for superior gripping surface, wet or dry. Checkering scientifically designed to provide a firm, non-slip grip without biting into your hand. No alteration to gun. Eliminates time-consuming job of stippling or checkering the front strap. For either right or left-handed shooters, these one-piece steel reinforced grips will complement the finest accurizing job or combat alterations. 

SPECS: Molded, black, neoprene rubber.

STOCK #	PACHMAYR MODEL #	MFG - MODEL	PRICE
#692-545-145DJ	GM-45	Colt Govt. Mod.	2F20C13 \$ 29.99
#692-545-500DJ	GM-45G	Colt Govt. Mod. Grooved	2F20C00 \$ 29.99
#692-545-400DJ	CO-45	Colt Off. Mod. .45	2F20C00 \$ 29.99

PACHMAYR COMBAT GRIPS

Faster Handling For Combat Matches


Improved features enhance handling and help shooters reload faster in action shooting events. **GM-45CS "Special"** has no thumbrest and features a "sculptured" cutaway so the thumb reaches the magazine release button quicker. **GM-45C** has flat sides, with no thumbrest or cutaway. 

SPECS: **GM-45CS "Special"** and **GM-45C** fit 1911-style Auto except Officers ACP.

#692-545-345DJ GM-45CS "Special" 2F20C00 . . . \$ 29.99
#692-545-245DJ GM-45C Grip 2F20C13 . . . 29.99

PACHMAYR 1911 AUTO AMERICAN LEGEND GRIPS

The Look & Feel Of Real Wood, Plus The Handling & Control Of Rubber


Rugged, dual-material grips combine the appearance and feel of real wood with the control and handling benefits of rubber combat grips. Smooth grip panels of attractive Pacwood, a rosewood laminate with a durable satin-finish, have neatly beveled bottom edges with cutouts for mainspring housing pin. The insert of semi-soft Decelerator® neoprene rubber has sharp diamonds molded in the side panels for superior gripping surface, wet or dry, that won't bite into your hand. Deep, molded finger grooves on the frontstrap provide maximum control and comfort. For either right- or left-handed shooters, these grips will complement the finest accurizing job or combat alterations. Installation requires no alterations to gun. 

SPECS: Smooth rosewood laminate, with black molded neoprene rubber. Fits 1911 Auto Gov't. and Commander pistols.

#692-000-022DJ Legend Finger Groove Grips, 2F30U67 . . . \$ 45.99

ROCO FIREARMTECHNOLOGY 1911 AUTO WALNUT GRIPS

Ergonomically Designed For Shooting Comfort & Accuracy

Solid walnut grips enhance your hold with their contoured swell that fills and supports the palm for increased shooting comfort. Helps accommodate differences in finger length for a more consistent trigger pull and accuracy. Stippled surface allows secure, non-slip contact with the hand without abrading the skin during recoil. Made from fancy Turkish Walnut hardened for extra strength, then beautifully finished and sealed with urethane resin. 

SPECS: Turkish Walnut. Fits Government length grip only. Inletted for ambi safety.

#100-002-551DJ 1911 Grip 3A37T03 . . . \$ 39.90

1911 MASTER GRIP - Ergonomic, wrap-around shape and formed palm swell helps ensure a consistent, optimum hold. Stippled surface in the palm area helps prevent slipping. Designed for either left or right hand shooting; increased length provides ample space for a stronger, two-hand hold.

SPECS: Turkish Walnut. Fits Govt. length grip frame only. Will not fit guns with add-on Mag wells or Springfield 1911s built before 2004. Inletted for ambi safety.

#100-002-552DJ 1911 Master Grip, 3A73T13 . . . \$ 97.50

STRIDER KNIVES 1911 AUTO SIMONICH GUNNER GRIPS


Extreme Texture For Maximum
Weapon Retention In Any Condition

Aggressive, golf-ball-like texture provides maximum grip potential to help you retain your pistol in the most extreme match or tactical situations, even when the grip is wet or oily. Features hundreds of clean-edged dimples that grab like tiny suction cups. You may have seen similar-looking grips elsewhere, but only Strider is producing these high-quality grips to the original specs by agreement with Simonich Knives. Made from tough, maintenance-free, G-10 filament glass cloth/epoxy resin composite matched to the exact colors used by the U.S. armed forces. G-10's superior impact-resistance, low moisture-absorption properties, and dimensional stability over a wide temperature range mean these grips will not fail, even under the worst weather conditions. Non-tapered, cut for ambidextrous safety. 


SPECS: G-10 laminate, Ranger Green, Coyote Brown, or Black. Approximately 1/4" (6.3mm) thick. Fits 1911 Government and Commander frames.

#100-002-450DJ Gunner Grip, Ranger Green, 4A49X66 \$ 59.99
#100-002-451DJ Gunner Grip, Coyote Brown, 4A49X66 59.99
#100-002-829DJ Gunner Grip, Black 4A49T66 59.99

UNIVERSAL OUTFITTERS 1911 AUTO COMBAT GRIPS



Unique Texturing & Materials
For An Ultra-Secure Grip &
Good Looks

Rugged grips made from advanced materials have unique, aggressive texturing patterns to provide a secure grasp on the weapon for combat or competition. Choose from lightweight, "grabby" G10 fiberglass composite or hard, non-wearing, machined Titanium for the ultimate in durability and strength. **G10** models have square-cut bottom edges, with the right-hand panel cut for an ambi safety. **Titanium** models have the inside of each panel machined out to reduce weight to approximately 3 1/2 oz. without sacrificing strength. Includes cutout for mainspring housing pin, and a cut for ambi safety with a small wall of metal at the edge of the grip. Leave the wall in place on pistols without an ambi for a neat, finished look. Simply grind away the extra metal to provide the necessary clearance for pistols with the safety. Rubber O-rings included to ensure a snug, rattle-free installation. **Lightspeed** - G10 grips with a vertical, downward radiating groove pattern. Smooth surface at the top of the grip, where you need to move your fingers to operate the controls, with a progressively rougher surface toward the bottom where you grasp the grip. **Double Diamond** - Combines modern G10 construction with the classic 1911 checkering pattern for an ultra-secure grip without abrading the hand. **Fandango** - G10 grips cut with large horizontal finger grooves for a very secure hold and an attention-getting appearance. **TiOneOn** - Titanium grips have large horizontal, front-to-back grooves, with an eye-catching holographic silver finish. **Full Checkered** - Titanium grips cut with ultra-aggressive 8 lpi checkering are ideal for operators wearing gloves. Bead-blasted for a uniform, non-reflective gray color. 

SPECS: G10 fiberglass composite, black/gray, or 6A1-4V Titanium, silver finish. Fits Government and Commander grip frames.

#100-004-477DJ G10 Grips, Lightspeed 5C43X30 . . . \$ 54.95
#100-004-478DJ G10 Grips, Dbl Diamond 5C43X30 . . . 54.95
#100-004-479DJ G10 Grips, Fandango 5C43H30 54.95
#100-004-480DJ Titanium Grips, TiOneOn, 5C138H26 170.95
#100-004-481DJ Titanium Grips, Full Checkered, 5C158H66 195.95

VZ GRIPS 1911 AUTO DOUBLE DIAMOND GRIPS

Traditional Checkering
Pattern; Sharp Texture
For Excellent Hold
& Weapon Control

Rugged grip panels made from tough G10 fiberglass are cut with a traditional double-diamond checkering pattern to give you 1911 a classic look with the durability and superior gripping texture of modern composite materials. Prevents hand from shifting and helps maintain strong recoil control for fast, accurate followup shots. Advanced G10 laminate won't absorb moisture, resists impact, and won't expand or contract due to temperature fluctuation—perfect for all-weather operations and extreme conditions. Crisp, 20 lpi checkering and smooth, diamond-shaped raised areas around screw holes are CNC machined into the laminate, then hand-finished to ensure uniform pattern depth. The laminate's hard surface allows the checkering to be cut a little sharper to give more "bite" than traditional checkered wood grips. Features inlaid for ambi safety and a square bottom with cutouts to allow access to mainspring housing pin. 


SPECS: G10 fiberglass composite, Tactical Black, Black/Desert Sand, or Brown/Black Tiger Stripe Approximately .275" (7mm) thick. Fits 1911 Auto Govt. and Commander. Inlaid for ambi safety.

#100-003-955DJ Dbl Diamond Grips, Tactical Black, 7A54P99 \$ 69.99
#100-003-956DJ Dbl Diamond Grips, Black/Desert Sand, 7A54P99 69.99
#100-003-957DJ Dbl Diamond Grips, Tiger Stripe, 7A54P99 69.99

VZ GRIPS 1911 AUTO "GATOR-BACK" GRIPS



Comfortable, Non-Slip
MICARTA® Grip

Durable Micarta® panels provide a custom look to your 1911. Available in three Micarta® types: **Paper**, which is dense in color and very decorative; **Linen**, medium grade in toughness and durability; **Canvas**, thickest of the three with canvas threads in the milled finish for additional grip texture. All resist temperature changes and have length-wise ridges that resemble alligator back hide for a distinct look and a comfortable, non-slip grip. Available in two thicknesses to fit Government models. **Bobtail** version fits frames with bobtail mainspring housing. 


SPECS: Standard is approx. .25" (6.3mm) thick, Slim is approx. .175" (4mm) thick.

GOVERNMENT		
STD. STK #	SLIM STK #	COLOR
#100-001-742DJ	#100-001-750DJ	Blast Black Canvas
#100-001-743DJ	#100-001-751DJ	Green Canvas
#100-001-744DJ	#100-001-752DJ	Black Paper
#100-001-745DJ	#100-001-753DJ	Green/Black Linen
- Advise # - Gator-Back Grip Gov't Std 7A45C00 . . \$ 56.00		
- Advise # - Gator-Back Grip Gov't Slim 7A45C00 . . 56.00		

BOBTAIL GOVERNMENT		
STD. STK #	COLOR	PRICE
#100-001-758DJ	Blast Black Canvas	7A48C00 \$ 60.00

VZ GRIPS 1911 AUTO VZ 320 GRIPS

Extremely Stable In All Weather Conditions;
Superior Gripping Texture That
Won't Snag On Clothing


Attractive, square bottom warp-proof panels of lightweight canvas Micarta laminate provide an excellent gripping surface that will not abrade or catch on clothing - the perfect addition to a carry gun. Micro CNC milling, plus a unique texturing process creates a surface texture similar to fine, 320 grit sandpaper. Laminate construction forms a resilient, solvent-resistant panel that's completely stable in all temperature and humidity extremes to maintain a custom fit indefinitely. "Blasted Black Canvas" is a versatile, medium gray color overall, highlighted with light gray strands of canvas. Grips are not relieved for ambidextrous safety. 

SPECS: Micarta laminate, Blasted Black Canvas color/texture. 3/16" (5mm) thick. Fits 1911 Auto Government and Commander models.

#100-003-191DJ VZ 320 Micarta Grips, 7A45U00 \$ 56.00

VZ GRIPS 1911 AUTO VZ OPERATOR'S GRIPS

Aggressive Texture
For Improved Pistol Control


Durable, tactical style grips provide improved pistol control during peak shooting action. Dimensionally stable, CNC machined, square bottom panels feature moderately coarse checkering and diagonal grooving for improved grip traction. Ball-cut grooves increase the available surface area to help you resist grip rotation during recoil. Hard G10 fiberglass composite is non-reflective and meets select military requirements. **Paper Micarta** has a semi-gloss finish. Both models available in black only and are not relieved for ambidextrous safety. 

SPECS: Approximately 1/4" (6.3mm) thick. Fit 1911 Auto Govt. and Commander. **G10** - Fiberglass composite, black, matte finish. **Paper Micarta** - Micarta, black, semi-gloss finish.

#100-003-189DJ G10 Operator's Grips, Black, 7A53P50 \$ 65.00
#100-003-190DJ Paper Micarta Operator's Grips, Black, 7A45U00 56.00

VINTAGE GUN GRIPS REPRODUCTION HANDGUN GRIPS

Faithful Reproductions Of The
Original, Hard, Black Rubber Grips

Modern, high-quality reproductions of the original Colt 1911 Commander grip panels make restoring that "turn-of-the-century" pistol easier and more authentic. Guaranteed to fit correctly and look "right" because the checkering pattern, rampant Colt logo, borders and decorations have all been faithfully reproduced from the originals using CAD/CAM techniques and injection molding. 

SPECS: Black, plastic. Screws and escutcheons are not included. Fits Colt 1911 Commander.

#121-100-027DJ Colt 1911 Commander Grips, 1B25A40 \$ 31.75

WILSON COMBAT 1911 AUTO COCOBOLO GRIPS

Beautiful Hardwood, Custom Crafted


Double-diamond, 20 lpi checkering, relief cut for ambi safety with Wilson "Eagle" logo. 

SPECS: Approx. 1/4" (6.3mm) thick. Fit Govt./Comm. **#965-351-102DJ Cocobolo Grips, 5F51A76 \$ 59.95**

BROWNELLS 1911 AUTO ALLEN HEAD GRIP SCREWS



No-Slip Head With A Custom Look

Puts an end to scratched and marred screw heads on 1911 Auto pistols. Machined and hardened screws use an Allen head socket to prevent the wrench from slipping and making your "master-piece" look less-than-perfect. 


SPECS: Steel, heat treated. .150"-50 x .250". Available blued (**BLU**) or stainless steel (**SS**). Sold in single and multiple paks of 4 screws, each pak contains one wrench.

STOCK #	FINISH	QTY.	PRICE
#080-831-004DJ	BLU	4	8K08P62 \$ 12.99
#080-831-104DJ	SS	4	8K10P17 \$ 13.99
#080-831-024DJ	BLU	24	8K40P50 \$ 57.99
#080-831-124DJ	SS	24	8K42P61 \$ 61.99
#080-831-048DJ	BLU	48	8K68P77 \$ 85.99
#080-831-148DJ	SS	48	8K72P94 \$ 103.99

BROWNELLS TORX® HEAD GRIP SCREWS

Distinctive Star Shape
Gives A Custom Look;
Prevents Scratched Frames & Grips



Positive wrench engagement prevents scratches and marks on 1911 Auto frames and custom grips. Miniature star shape adds a distinctive, personal touch to a favorite pistol. Machined and hardened screws fit flush in all factory and aftermarket 1911 Auto grip panels. 

SPECS: Steel, heat-treated. .150"-50 x .250". Available blued (**BLU**) or stainless steel (**SS**). Sold in single and multiple paks of 4 screws, each pak contains one wrench.

STOCK #	FINISH	QTY.	PRICE
#080-830-004DJ	BLU	4	8K09P32 \$ 13.99
#080-830-104DJ	SS	4	8K10P27 \$ 14.99
#080-830-024DJ	BLU	24	8K43P98 \$ 62.99
#080-830-124DJ	SS	24	8K48P16 \$ 69.99

BROWNELLS 1911 AUTO TiN-COATED TORX & ALLEN HEAD GRIP SCREWS



Bright Gold Accents For Your Favorite 1911

Really dresses up and accentuates the grip panels on any model of 1911 Auto; a great finishing touch for your favorite custom pistol. Brownells, **Stainless Steel Grip Screws** with ultra-hard, gold-colored, Titanium nitride coating; Allen or Torx sockets help prevent stripped or damaged screw heads. 

SPECS: Stainless steel. .150"-50 x .250" top. 4 screws per pak, includes correct wrench.

#080-833-004DJ TiN Torx Grip Screws 8K13P45. . . \$ 19.99
#080-834-004DJ TiN Allen Grip Screws 8K12P73 17.99

BROWNELLS . . . THE GUNSMITH'S CHOICE™

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 37

BROWNELLS 1911 AUTO SLIM GRIP SCREWS AND BUSHINGS

The Right Fit For Thin Grips



Replacement package of four, short socket-head screws and bushings for use with Slim Grips. Hex head looks great and prevents ragged looking screws.

SPECS: Steel, blued or electroless nickel plated (NP) to match stainless steel. Screws: .150" x 50 tpi. Bushings: .236" x 60 tpi.

#080-000-074DJ Blue Slim Grip Screws & Bushings, 8K08B90 \$ 11.99
#080-000-075DJ NP Slim Grip Screws & Bushings, 8K10B37 13.99

BROWNELLS 1911 AUTO STOCK BUSHINGS, SCREWS & TAPS

Made to Original Factory
Specs For Easy
Replacement



The 1911 Government model auto is about as rugged as a mountain mule, but when you take the grips off to polish and reblue the critter or put on another set of grips, chances are that at least one of the stock screws will need replacing, or, worse yet, the stock frame bushing will be stripped. And, when you remove the frame bushings to get the best polishing job on the frame, you'll find yourself looking for new bushings.

STANDARD STOCK BUSHING & SCREWS

Nicely made and finished, these special-sized, blued screws and bushings are packed in sets of 4 Screws or 4 Bushings. We've also had the proper sized taps made up as well.

SPECS: Blued steel. Screws - .150" x 50. Bushings - .236" x 60. Taps - High speed steel. .150" x 50 (screws), .236" x 60 (bushings). Use $\frac{3}{32}$ " tap drill for bushing; #31 tap drill for .150" x 50 screw.

#080-568-004DJ Stock Bushings, per 1 set of 4, 8K04U30 \$ 7.99
#080-568-412DJ Stock Bushings, 6 sets of 4 (24), 8K19U26 40.99
#080-568-425DJ Stock Bushings, 12 sets of 4 (48), 8K29U82 81.99
#080-569-004DJ Stock Screws, per 1 set of 4, 8K04U06 8.99
#080-569-412DJ Stock Screws, 6 sets of 4 (24), 8K17U55 54.99
#080-569-425DJ Stock Screws, 12 sets of 4 (48), 8K26U52 99.99
#080-598-150DJ 1911 Auto Screw Tap 2K29C82 38.99
#080-598-236DJ 1911 Auto Bushing Tap 2K30C50 39.99

STAINLESS STEEL STOCK BUSHING & SCREWS

Look "right" on stainless steel and nickel-plated guns. **SPECS:** .150" x 50 thread.

#078-045-104DJ SS Stock Bushings, Set of 4, 8G06C24 \$ 10.99
#078-045-412DJ SS Stock Bushings, 6 sets of 4 (24), 8G30C79 64.99
#078-045-425DJ SS Stock Bushings, 12 sets of 4 (48), 8G46C40 128.99
#080-573-004DJ SS Stock Screws, Set of 4, 8K05U00 8.99
#080-573-412DJ SS Stock Screws, 6 sets of 4 (24), 8K23U89 49.99
#080-573-425DJ SS Stock Screws, 12 sets of 4 (48), 8K40U20 95.99

YOUR **100% SATISFACTION** IS OUR GUARANTEE!!

BROWNELLS 1911 AUTO OVERSIZED STOCK BUSHINGS & TAP



Professionally & Easily Replace Stripped-Out
Bushings Holes - No Welding Or Drilling

Easily and professionally solves the problem of stripped out stock bushing holes. Special tap cleans out stripped frame threads, cuts new ones without pre-drilling. Matching bushing screws right in, uses original grip screw. Will save your life when polishing/bluing, accurizing .45's!

SPECS: Bushings - .255" x 60, blued steel. Tap - High speed steel.
#080-570-000DJ Oversized Bushing Set, Basic, 1 set of 4 (one tap 8K29U75 \$ 54.99
#080-571-100DJ Oversized Bushing Set, Deluxe, 6 sets of 4, (24) one tap 8K50U41 92.99
#080-572-012DJ Oversized .45 Bushings, per 1 set of 4, 8K07U98 12.99
#080-572-025DJ Oversized .45 Bushings, 6 sets of 4, (24), 8K38U52 59.99
#080-572-050DJ Oversized .45 Bushings, 12 sets of 4, (48), 8K61U62 97.99
#080-598-225DJ Oversized Bushing Tap, each, 8K25C12 45.45

ED BROWN

ALLEN HEAD GRIP SCREWS

Give Your 1911 Auto That High Tech Look



Beautifully machined with the correctly proportioned head and hole size, contoured to fit flush in any 1911 grip and look great. No more bugged screw heads.

SPECS: Heat-treated steel. .150" x 50 x .250". Available in blued (BI) or stainless steel (SS). Pak of 4 includes $\frac{3}{32}$ " Allen wrench.

#087-011-004DJ BI Grip Screws, 4-Pak 7H05U91 \$ 7.40
#087-011-104DJ SS Grip Screws, 4-Pak 7H06U38 7.98
#087-011-024DJ BI Grip Screws, 24-Pak 7H32U51 40.65
#087-011-124DJ SS Grip Screws, 24-Pak 7H35U06 43.83

SLIM GRIP SCREWS & BUSHINGS - Allen head screws are contoured to fit flush in your 1911 slim grips. Low-profile bushings replace your 1911's factory originals, letting you install slim grips for a minimal grip profile on concealed-carry guns or for shooters with small hands. Bushings and screws are sold separately, in paks of 4.

SPECS: Steel, heat treated, blued, or stainless (SS). Screws - .150" x 50 x .168". Pak of 4 includes $\frac{3}{32}$ " Allen wrench. Bushings - .157" long, .270" O.D., .236" x 60 external threads, .150" x 50 internal threads. Pak of 4.

#087-000-060DJ Blued Slim Grip Screws, 4-Pak, 7H11P91 \$ 13.99
#087-000-059DJ SS Slim Grip Screws, 4-Pak, 7H12P77 14.99
#087-000-061DJ Blued Slim Grip Bushings, 4-Pak, 7H09P41 10.99
#087-000-062DJ SS Slim Grip Bushings, 4-Pak, 7H11P91 13.99

EGW 1911 AUTO

GRIP SCREWS & BUSHINGS

Hex Head Prevents
Slot Stripping & Scratching



Whether you're building a custom 1911 or just upgrading grips, these high-quality, economical replacement grip screws and bushings will provide a secure, neat-looking installation. Hex-head screws tighten with an Allen wrench to reduce risk of stripping the slot or the screwdriver slipping and damaging grip or frame.

SPECS: Carbon steel, blued, or stainless steel (SS), natural finish. Sold in 4-paks. Screws - .150" x 50 tpi. Bushings - .236" x 60 tpi



SMITH & ALEXANDER 1911 AUTO ENGRAVED GRIP SCREWS

Give Your Gun A Unique, Individual Appearance

Hand engraved, polished and blued screws with an attractive floral pattern that provides a distinctive, custom look to 1911 Auto pistols. Hex head "slot" blends into the engraving pattern, plus reduces the possibility of slot damage. Blue or Stainless steel complements the finest exotic wood grips.


SPECS: Steel, polished blue or stainless steel (SS) matte finish. Four per pack.

#849-015-011DJ Blue 1911 Engraved Screws, 9D16C00 \$ 20.00
#849-015-111DJ SS 1911 Engraved Screws 9D16C80. 21.99

STI

2011 GRIP SCREW KIT

Stainless Steel Replacement
Hardware For 2011 Modular Grips



Factory hardware fits 2011 composite and aluminum grip assemblies to ensure reliable performance. Kit is the perfect option when building a 2011 pistol, or keep as a spare to replace lost or damaged screws. Includes two grip screw bushings, trigger-guard sleeve, two long grip screws, two short grip screws, two triggerguard screws, and three allen wrenches.

SPECS: Stainless steel, natural finish. Kit includes: (2) grip screw bushings, (1) trigger guard sleeve, (2) long grip screws, (2) short grip screws, (2) triggerguard screws, (1) $\frac{1}{8}$ " allen wrench, and (2) $\frac{1}{16}$ " allen wrenches.

#791-117-000DJ 2011 Grip Screw Kit 1G16A63 \$ 20.80

WILSON COMBAT 1911 AUTO HEX HEAD GRIP SCREWS

Eliminates Burred Screw Slots

Give positive purchase for removing grip screws and prevents damaged grips and screws. Fit flush with most grips.

SPECS: Steel, heat treated. .150" x 50 x .250". Available blue or stainless steel. Includes Allen wrench.

#965-313-004DJ 4 Hex Head Blue Grip Screws, 5F05C95 \$ 6.95
#965-313-024DJ 24 Hex Head Blue Grip Screws, 5F29C48 35.95
#965-313-104DJ 4 Hex Head SS Grip Scrws 5F00CHD 7.95
#965-313-124DJ 24 Hex Head SS Grip Screws, 5F32A76 39.95

GRIP SCREWS & BUSHINGS

BROWNELLS TRI-WING GRIP SCREWS - Offers positive driver purchase plus a neat way to set your 1911 Auto apart. Three recesses in a symmetrical design.

SPECS: Stainless steel, heat treated. .150" x 50 x .250". Sold 4 screws per pak. Includes Tri-wing driver.
#080-863-104DJ Tri-Wing Grip Screws 8K11B75 \$ 17.99

NOWLIN CUSTOM HEX HEAD SCREWS & BUSHINGS - Fully machined and hardened hex head grip screws in natural stainless steel that's a real eye-catcher on custom pistols.

SPECS: Stainless steel. .150" x 50 tpi x .250". Four per pak.

#654-109-104DJ SS Hex Head Screws 4E08Z24 \$ 9.95
#654-110-004DJ Grip Screw Bushings 4E05Z76 6.95

exterior threads. .150" x 50 tpi interior threads.

#296-000-138DJ Grip Screws, Blued 6B06Y43 \$ 7.99
#296-000-139DJ Grip Screws, SS 6B06Y43 7.99
#296-000-140DJ Grip Bushings, Blued 6B07Y43 8.99
#296-000-141DJ Grip Bushings, SS 6B06Y43 7.99

ARISTOCRAT 1911 AUTO T5-45 TRI-SET ADJUSTABLE REAR SIGHT

Simplified Mill-In Installation



Blends beautifully with the 1911 Auto slide. Hidden recoil shoulder prevents shoot-off. Your $\frac{1}{2}$ ", center-cut end

mill makes the necessary cuts, no dovetails. Slotted cam selects three pre-set positions for fast elevation changes.

SPECS: Blued steel, satin finish. Body - 2.2" (5.6cm) long, .700" (17.7mm) wide. Blade - .874" (22mm) wide, .432" (11mm) high. Notch - .11" (2.8mm) wide. Use approx. .215" (5.4mm) high front sight. Installation requires milling of slide.

#044-045-401DJ TS-45 Tri-Set Rear, 4D136C08 \$ 159.95

J-POINT ADAPTER MOUNT - Lightweight machined aluminum adapter base fits the slide cuts for the TS-45 to allow mounting of a J-Point, Optima, or Pride-Fowler-style red dot sight. Requires no additional modifications to slide. Kit includes all necessary hardware for easy installation.

SPECS: Aluminum, hardcoat anodized, black. 2" (5cm) long, 1" (2.5cm) wide, $\frac{3}{32}$ " (7mm) tall. .6 oz. (17g) weight.

#044-000-026DJ J-Point Adapter Mount, 4D45X48 \$ 54.99

ARISTOCRAT 1911 AUTO SIGHT RIB



Front & Rear Adjusting Ribs

Unique, Poly-Set system allows selection of three, pre-set sight elevations for standard combat distances. Can be reset to any of those distances with a quick, easy movement of the elevation cam. Also adjusts for windage. Rib top is serrated and blade notch beveled to reduce glare. Underside internally hollowed to save weight. Durable, steel front sight won't snag and break off. Available for Govt. Model and Govt. Model with long slide.

SPECS: Steel, blued. Screws and instructions included. Gunsmith installation required. Govt. Model - 7 $\frac{1}{8}$ " (18.1cm) long; fits 1911 Auto Government Model with 5" barrel. Govt. Model Long - 8 $\frac{1}{4}$ " (21cm) long; fits 1911 Auto Government Models with long slides and 6" barrel.

#044-000-023DJ Govt. Model Auto 5" Rib, 4D171X62 \$ 209.95

#044-000-024DJ Govt. Model Long Auto 6" Rib, 4D171X62 209.95

BRAZOS CUSTOM LIGHTNING ROD SIGHT

Bright Red Sight Holds Your Eye On Target



Extra long, fiber optic rod provides a glowing sight picture that draws your eye to the sight. Open center blade lets in lots of light for a bright red, easy-to-see dot. Five heights, for use with, fixed and adjustable, ghost ring, v-notch and conventional sights. Includes green, yellow and red optic rods.

SPECS: Steel, black, matte finish. Kimber/Novak, 65" x .330" x .075" dovetail. .127" (3.2mm) wide, .150" (3.8mm), .160" (4mm), .175" (4.5mm), .200" (5mm), .240" (6mm) high. .820" (21mm) long.

#985-000-001DJ .150" Lightning Rod Sight, 5H28C00 \$ 34.95

#985-000-002DJ .160" Lightning Rod Sight, 5H28C00 34.95

#985-000-003DJ .175" Lightning Rod Sight, 5H28C00 34.95

#985-100-330DJ .200" Lightning Rod Sight, 5H28C00 34.99

#985-000-004DJ .240" Lightning Rod Sight, 5H28C00 34.95

10-8 PERFORMANCE 1911 AUTO

U-NOTCH REAR SIGHT

Rugged Construction For Daily Carry, Plus A Clear, Easy-To-See Sight Picture



Fixed rear sight is precision machined from steel bar stock, so it withstands the wear and tear of daily carry, yet delivers a clear, precise sight picture. Perfect for concealed carry, duty, or combat pistols. Fully "dehorned," with rounded and chamfered edges to prevent snagging on holster, clothing, or other gear that could impede draw. Easy-to-acquire .125" high U-shaped notch aligns quickly with a wide variety of factory-height front sights, including fiber optic, tritium dot, and gold beads. Rear face of the plain black blade has 40 lpi serrations for a glare-free sight picture under almost any light conditions; front of the blade has ledge contour to aid in one-hand cocking. A hidden setscrew helps anchor the sight in the slide dovetail for extra-secure resistance to shifting under recoil. **Standard/Tall** are cut to fit the popular Novak Lo-Mount-type dovetail. **Kimber** fits dovetail on fixed-sight Kimber pistols and comes with a matching .200" high front sight. Wrench and instructions. May require minor fitting. **SPECS:** 4140 steel, matte black finish. Fits Novak-style 65° x .500" dovetail. **Standard (Std)** - .325" high, available with .125", .140", and .156" wide notches. **Tall** - .375" high, with .125" wide notch, for Officers model and other short-barrel 1911s; a direct replacement for Springfield Armory factory rear sight. **Kimber** - Rear: .360" high, with .135" wide x .125" high notch. Fits Kimber fixed-sight pistols with forward-slanting factory rear sights. Fits the dovetail on pre-Series II and Warrior series pistols that came with rear-slanting sights, but will shoot high on guns with 5" barrels. Will not fit SIS series. Front: .125" wide x .200" high.

#100-003-766DJ Std .125" U-Notch Rear 1B39A04. . . \$ 52.99
#100-003-768DJ Std .140" U-Notch Rear 1B41A66. . . \$ 52.99
#100-003-769DJ Std .156" U-Notch Rear 1B41A66. . . \$ 52.99
#100-003-767DJ Tall .125" U-Notch Rear 1B39A04 . . . \$ 52.99
#100-004-357DJ Kimber U-Notch Sight Set 1B60V79 75.99

NM U-NOTCH REAR SIGHT - National Match

style rear sight combines modern features with "retro" looks. Fits the dovetail of GI-pattern 1911 pistols, including current-production Colts—no milling required. Extra-thick blade is tall enough to work with Colt .175" high front sight or same-height aftermarket alternatives. Wide .140" notch aids in easy, fast acquisition of front sight. Ledge on front of blade aids in one-hand slide racking.

SPECS: Steel, matte black finish. .315" high, with .140" wide x .125" high notch. Fits dovetail for GI-pattern 1911 pistols, including current-production Colts with .175" high front sight.

#100-004-375DJ NM U-Notch Rear Sight 1B26Y76. \$ 33.95

AMERIGLO 1911 AUTO

TRITIUM NIGHT SIGHT SET for KIMBER®



Low-Pro Combat Sights With Easy-To-See Tritium Dots For Fast Targeting In Low Light

Fixed, low-profile combat sights for Kimber pistols have two, self-illuminating, Tritium inserts in the rear sight and one in the front blade to provide an easy-to-see, 3-dot sight picture. Helps you acquire the sights and get on target quickly under stress. Works like a simple, 3-white-dot system for enhanced visibility in daylight. Nothing to turn on: as the ambient light gets lower, the Trijicon® Tritium dots start glowing. Extra-wide rear notch allows more light around the front blade, further speeding target acquisition. Drop-in replacements for Kimber factory fixed sights have sight bodies machined from steel barstock. Wedge shaped rear sight has fully rounded edges and sits low in the slide to resist snagging on clothing during the draw. **SPECS:** Machined steel, black, matte finish. Available with green front/green rear sight (G/G) or green front/yellow rear (G/Y). Fits Kimber pistols with factory fixed sights.

#100-004-567DJ Kimber Night Sight Set, G/G, 4K85C67. \$ 109.99

#100-004-568DJ Kimber Night Sight Set, G/Y, 4K85C67. 109.99

CASPIAN

ADJUSTABLE SIGHT

3 Styles Improve Sight Picture, Target Acquisition, Visibility



Low profile body with rounded corners helps eliminate snagging. Serrated rear blade prevents glare and helps guide your eye to the sight. **Target** - narrow notch provides precise, open sighting for Bullseye or target competition. **Round Ghost Ring** - gives quick sight alignment for fast target acquisition. **Diamond Ghost Ring** - combines speed and accuracy in bright lighting conditions when used with fiber optic front sights. Fits the **BM-1** sight cut or the **LPA** sight cut found on Springfield, Para-Ord and others. Fully adjustable for windage and elevation.

SPECS: Steel, black, matte finish. Rear blade .423" (10.7mm) high. .900" (22.8mm) wide. Target notch .128" (3.27mm) wide. Installation requires machining of slide.

STOCK #	FITS	STYLE	PRICE
#168-202-100DJ	BM-1	Target	8F55A76 \$ 70.99
#168-202-101DJ	BM-1	Round	8F56A23 \$ 70.99
#168-202-102DJ	BM-1	Diamond	8F55A76 \$ 70.99
#168-202-110DJ	LPA	Target	8F55A76 \$ 70.99
#168-202-111DJ	LPA	Round	8F55A76 \$ 70.99

CASPIAN

FIBER OPTIC DOVETAIL SIGHT



Enhanced Sight Picture, Faster Sight Pickup

Light gathering, interchangeable green and red fiber optic rods really stand out against various target backgrounds. Improves front sight visibility, excels with ghost ring rear sights. **SPECS:** Steel, matte black finish. Blade .185" high, .125" wide. **60N:** 65° x .330" x .75" dovetail. **60H:** 60° x .300" x .60" dovetail.

#168-203-600DJ 60N Fiber Optic Sight 8F22A20. . . . \$ 26.99
#168-203-605DJ 60H Fiber Optic Sight 8F22A22 26.99

ED BROWN 1911 AUTO SIGHTS

Low Profile For Concealed Carry; Outstanding Sight Picture

ADJUSTABLE REAR - Low-profile rear sight replicates the dimensions and function of the proven Bo-Mar adjustable sight. Rugged design provides fine adjustability to meet the needs of the target shooter. Precise click detents provide full adjustment for both windage and elevation. Combat-style blade, with fine-line serrations on the rear face, angles backward from the top to help deflect the light for a clear, easy-to-acquire sight picture in all light conditions. Deep, square-cut notch further enhances sight picture; dog-ear cuts on top corners help reduce snagging during draw. Installation requires machining, drilling and tapping of slide. Available with plain black rear blade or night sight configuration with two glowing Tritium dot inserts to aid in precise shot placement even in low-light conditions. **SPECS:** Steel, blued. Body - 1.435" (3.6cm). Blade - .765" (19mm) x .425" (11mm) with .115" (plain) or .130" (night sight) wide notch. Both models fit pistols with 60° x .359" x .100" rear sight dovetail.

#087-000-050DJ Adjustable Rear Sight 7H60T84. . . \$ 73.99
#087-000-063DJ Adj. Rear Night Sight 7H94P24. . . 109.99

FIXED - Wedge-shaped rear sight has rounded and beveled edges to reduce the chance of catching on clothing while carrying concealed. Recessed rear notch gives fast, glare-free sight pickup and front sight acquisition. Serrated sides aid in racking the slide. Available with plain black rear face (**LMC01**) or with two Tritium dots (**LMC03**) with high-visibility white outlines to get on target fast in all lighting conditions. Matching front sight, sold separately, has a single Tritium dot. **SPECS:** Machined steel, matte black. **Rear Sights** - 1" (2.5cm) long, .70" (1.8cm) wide, .325" (8.2mm) installed height, .120" (3mm) wide notch. Fits Novak rear sight dovetail. **Front Sight** - .125" (3.2mm) wide, .180" (4.6mm) tall. Fits 65° x .330" x .075" dovetail. Front and rear Tritium sight dots: .100" (2.5mm) diameter, white outline.

#087-000-066DJ LMC01 Rear Sight 7H28P65. \$ 32.95
#087-000-067DJ LMC03 Tritium Rear Sight, 7H78P22. 89.99

#087-000-068DJ Tritium Front Sight 7H47P78. 54.99

CYLINDER & SLIDE

"STRONG" FRONT SIGHT

Extra Metal Prevents Front Sight Failure; Fits Novak Dovetail



Heavy duty front sight is over-engineered with the needs of the tactical operator in mind. Plain, black blade incorporates an integral "gusset" of reinforcing metal between the base and the blade for additional strength that helps prevent breakage. Ideal choice for pistols used during room clearing operations or close quarter battle. Fits in the standard Novak-style front dovetail cut. Pre-drilled for vertical roll pin. **SPECS:** Machined steel, matte black finish. Blade - .295" (7.3mm) high, .125" (3.1mm) wide. Fits standard .330" x 65° Novak front dovetail cut. Includes stainless steel roll pin.

#206-000-044DJ "Strong" Front Sight 6K22T01. . . . \$ 24.99



EGW

FIBER OPTIC FRONT SIGHT

Enhanced Sight Picture In Bright Or Low Light

Interchangeable, red or green, fiber optic insert glows brightly, drawing your eye to the sight for fast pickup and improved shooting performance. Open center gathers lots of light for a bright dot. Three heights match most rear sights. **Kimber** and **Para-Ord** replace factory height blades. Fits factory dovetails. **SPECS:** Steel, black, matte finish. Blade - .125" (3.2mm) wide. Models for 65° x .330" x .070", 60° x .330" x .070" dovetails, plus Kimber Classic, and Para-Ord Limited.

STK # 65°	STK # 60°	HEIGHT	PRICE
#296-065-160DJ	#296-060-160DJ	.160"	6B28Z00 \$ 35.00
#296-065-185DJ	#296-060-185DJ	.185"	6B28Z00 \$ 35.00
#296-065-200DJ	#296-060-200DJ	.200"	6B28Z00 \$ 35.00

STK # KIMBER	STK # PARA	HEIGHT	PRICE
#296-000-004DJ	NA	.150"	6B28H00 \$ 35.00
#296-000-005DJ	NA	.160"	6B28H00 \$ 35.00
#296-000-006DJ	#296-000-008DJ	.175"	6B28H00 \$ 35.00
#296-000-007DJ	#296-000-044DJ	.200"	6B28H00 \$ 35.00

REPLACEMENT RODS - Change sight colors or replace damaged rods. 4 rods per pak, 2-red and 2-green. Fits above sights. **SPECS:** Fiber optic rods. .058" (1.5mm) dia. Approx. 1/2" long.

#296-000-009DJ 4-Pak Replacement Rods 6B06H62. \$ 7.99

BIG DOT REPLACEMENT RODS - Big, glowing dot grabs your eye. 4 rods per pak, 2-red and 2-green. Fits above sights. **SPECS:** Fiber optic rods. Approx. 1/2" long. .0885" (2.25mm) dia.

#296-000-045DJ 4-Pak Big Dot Repl. Rods 6B07T34. \$ 9.78

ENTREPRISE ARMS 1911 AUTO

GHOST RING NIGHT SIGHT

Easy-to-See, Day or Night



Positions the aperture close to the slide for minimum bulk, maximum speed and accuracy. Large ring and post-style front sight with green Tritium inserts help you quickly acquire targets using the eye's natural ability to center objects in a circle. A fast, accurate sighting system. Great for self-defense pistols. **SPECS:** 4140 steel, blue, matte finish. Rear Aperture - (2) Tritium inserts. .193" (4.9mm) diameter ghost ring. Front Sight - (1) Tritium insert, wide tenon, 65° x .330" x .075" dovetail, installation requires modification to slide.

#292-011-100DJ Ghost Ring Sight Set 8C138Z06. . . \$ 190.99

#087-000-067DJ LMC01 Rear Sight 7H28P65. \$ 32.95
#087-000-066DJ LMC03 Tritium Rear Sight, 7H78P22. 89.99

#087-000-068DJ Tritium Front Sight 7H47P78. 54.99

order on the web

www.brownells.com

HARRISON DESIGN & CONSULTING 1911 AUTO

HD-001 REAR SIGHT

Smooth, No-Snag Combat Sight Fits Standard Bo-Mar Slide Cut



Rugged, solid steel fixed rear sight fits the standard Bo-Mar BMCS slide cut, perfect for converting an existing adjustable-sight 1911 to a tactical or self-defense configuration. Fully radiused edges and corners help eliminate snagging during draw from concealment, and front of blade is squared off to aid one-handed slide racking to clear jams. Deep, .135" wide notch produces a clear sight picture with more light around the front blade for faster target acquisition. Fine, 50 lpi horizontal serrations on blade rear face eliminate glare and the distorting effects of uneven ambient light. Precision machined from steel bar stock, unique two-piece design has separate base that allows mounting in both standard open BMCS cut and the "Deluxe" pocket cut. Two hardened steel screws and a hidden lug join the body to the base to ensure a rock-solid installation that will not shoot loose, even under hard use. Drift adjustable .030" left or right for windage, allowing correction of approximately 3" of error at 20 yards. Installed height is same as many popular aftermarket rear sights, so you may not need to replace your pistol's front sight. Gunsmith installation recommended. **SPECS:** Steel, blued, matte finish. Body - 1.420" (3.6cm) OAL, .690" (1.8cm) wide, .500" (1.3cm) high. Notch - .135" wide x .115" high. Fits Bo-Mar BMCS (BM #1) 60 x .359" x .100" slide cut. Hex wrench and instructions included.

#100-003-572DJ HD-001 1911 Rear Sight 9B72D00. . . \$ 90.00

HARRISON DESIGN & CONSULTING

1911 AUTO

EXTREME SERVICE REAR SIGHTS



Heavy Duty Fixed Sight With Novak Or LPA Dovetail

Rugged, fixed rear sight features a precision machined Novak or LPA dovetail for easy replacement on many duty and carry guns equipped with fragile adjustable sights. Extra-wide, .135" notch provides more light around the front blade to open up the sight picture for fast target acquisition. Radiused edges prevent holster snag. 50 lpi serrations on the rear face help eliminate glare. Allen head setscrew locks sight into slide dovetail for a rock-solid installation that won't shoot loose. Precision machined from steel bar stock. Regulates with most factory installed front sights. Minor fitting may be required. **LPA** fits Springfield Armory, Para-Ordinance and other pistols with the LPA dovetail. Will not fit Springfield TRP Operator. **Novak** fits pistols with a Novak. .495" x 65° rear sight cut. Available in standard and extra-height Plain Black, plus 1- or 2-Dot Tritium night sight configurations. Extra-height model recommended for Officers Model or shorter slides. Does not fit Kimber, Para-Ordinance, or Smith & Wesson SW1911. **SPECS:** Steel, black, matte finish. **LPA** - 1.4" (3.5cm) long, .690" (1.7cm) wide, .463" (1.2cm) high. Notch - .135" (3.3mm) wide x .115" (2.9mm) deep. Fits Springfield Armory, Para-Ordinance and others with 60° x .395" x .100" LPA sight cut. Does not fit Springfield Armory TRP Operator. **Novak** - 1" (2.5cm) long, .690" (1.7cm) wide, .325" (8.3mm) high rear blade. Extra height model has .375" (9.5mm) high rear blade. Notch - .135" (3.3mm) wide x .125" (3.17mm) deep. Fits Novak. .495" x 65° dovetail cut. Does not fit Kimber, Para-Ordinance, or Smith & Wesson SW1911.

#100-004-076DJ LPA-Cut Rear Sight 9B59T78. \$ 74.99
#100-006-568DJ Novak-Cut Rear Sight 9B45P52. . . . 54.49
#100-006-571DJ Novak-Cut Extra-Height Rear Sight, 9B47P17. 56.49
#100-006-569DJ Novak-Cut Rear Sight, 1-Dot Tritium, 9B74P48. 89.99
#100-006-570DJ Novak-Cut Rear Sight, 2-Dot Tritium, 9B92P69. 109.99

Orders/Tech: 800-741-0015

BROWNELLS
... ONLY THE BEST ...

PAGE 39

HEINIE SPECIALTY 1911 AUTO QWIK SIGHTS

Extra Wide Rear Notch
For Fast Alignment



Classic QWIK



Classic Straight Eight



SlantPro QWIK

Fixed sights feature an extra wide rear notch that promotes fast acquisition and alignment with the front blade. Perfect for competitive shooters, as well as aging eyes that need a little more daylight around the front sight. Wedge-shaped body sits low in the slide and has rounded edges to promote a smooth, snag-free draw from concealment or competition holsters. All QWIK sights feature fine-line serrations on the rear face and a plain, matte black finish to eliminate glare for excellent contrast and a crisp sight picture in bright light. Available as a front/rear set or rear sights only, in three of Heinie's most popular configurations. **Classic™** model is popular with many IPSC competitors and has a rear face that angles 1-2 degrees to the rear at the top to cut glare. **SlantPro™** rear sight face slants slightly forward with rounded corners on the front face for easy draw. Both available in plain black or **Straight Eight® Night Sight** configuration with Trijicon® self-illuminating green Tritium inserts that provide an easy-to-acquire sight picture in low light. Tritium dot on the front sight aligns vertically with the single dot on the rear in a distinctive, elongated figure eight pattern.

SPECS: Steel, matte black finish. Dovetails are cut .002"-.003" oversized to allow custom fitting. Front Sights - .300" x 60 degree dovetail. Heights vary to regulate properly with rear sight. Rear Sights - .375" x 65 degree dovetail. Notch: .156" wide x .120" deep.

#394-000-046DJ Classic QWIK Sight Set 4C59T13 . . \$ 70.99

#394-000-047DJ Classic QWIK Sight, Rear Only, 4C44T48 52.99

#394-000-048DJ Classic QWIK Straight Eight Set, 4C119P74 142.99

#394-000-049DJ Classic QWIK Straight Eight, Rear Only, 4C78P44 92.99

#394-000-050DJ SlantPro QWIK Sight Set 4C59P13 . 70.99

#394-000-051DJ SlantPro QWIK Sight, Rear Only, 4C44P48 52.99

#394-000-052DJ SlantPro QWIK Straight Eight, Rear, 4C119P74 142.99

HEINIE SPECIALTY SEMI-AUTO RAMPED DOVETAIL FRONT SIGHT

A Bold, Easy-To-See Sight Picture In
A Compact, Easy-To-Carry Shape



Serrated-ramp fronts provide a perfect match for low mount, rear sights.

Available with **Black Ramp (BR)** or **White Dot (WD)**. Installation requires machining of slide. .185" or .190" match Heinie 1911 and Bo-Mar BMCS rears. .200" front matches Heinie Browning HP Rear. **USA**

SPECS: Steel, blue, matte finish. **Blade** - .126" (3.1mm) wide, .175" (4.4mm), .185" (4.6mm), .190" (4.8mm), .200" (5mm) high, .500" (12.7mm) long. **Dovetail** - .60" x .300" x .060" with .002" taper.

STOCK # BR	STOCK # WD	HEIGHT
#394-000-002DJ	NA	.175"
#394-309-185DJ	#394-312-185DJ	.185"
#394-309-190DJ	#394-312-190DJ	.190"
#394-309-200DJ	#394-312-200DJ	.200"

— Advise # — **BR Ramped Front Sight 4C17Y72 . . \$ 22.15**
— Advise # — **WD Ramped Front Sight 4C19U49 . . 24.36**



Stock numbers shown in red indicate the product is made in the U.S.A.

This information is not available for all products at time of catalog production, but will be regularly updated on our website.



Straight Eight

Ultra Low Mount
Standard 3-DUltra Low Mount
Ledge Straight 8

shaped body has fully rounded edges and sets low in the slide for minimum profile and a smooth, snag-free draw for concealed carry. Fine-line serrations on rear of blades eliminate glare for the best possible sight picture. Dovetails are cut .002"-.003" oversized for secure fit in existing sight cuts; gunsmith fitting may be required. Setscrew locks rear sights in the slide dovetail to prevent shifting under recoil. **Straight Eight®** - One tritium dot on the front sight and one on the rear align vertically for exceptionally fast acquisition. **3-D** - One tritium dot on the front sight, and two side-by-side dots on the rear sight for a more traditional, three-dot horizontal sight picture. The rear dots are slightly smaller to help the shooter quickly identify the front sight dot and get the sights aligned on the target fast. **Ultra Low Mount** provides an even more compact profile; fits pistols with Novak-type .500" x 65° dovetail in slide. "T" suffix on model number indicates rear sight is .050" taller to provide correct sight picture on smaller short-slide pistols. **Ultra Low Mount Ledge™** - Front edge of the rear sight blade has been cut square to provide adequate purchase for one-handed slide racking. Available in standard and T models. **USA**

SPECS: Steel, matte blue finish. **Straight Eight & 3-D** - Rear notch is .125" wide. **1911 Auto** fits .375" x 65° rear dovetail and .300" x 60° front dovetail. May require milling of slide to install. Instructions included. **Kimber** and **Taurus** fit factory dovetails. May require minor fitting. **Ultra Low Mount**, including **Ledge**, fits Novak-type .500" x 65° dovetail. "T" suffix on model number indicates .050" taller height for short-slide compact pistols. May require minor fitting.

FRONT/REAR SETS

STOCK #	MODEL #	FITS	STYLE	HEIGHT		PRICE
				REAR	FRONT	
#394-102-306DJ	3005	1911 Auto	Straight 8	.450"	.190"	4C103U74 \$ 129.68
#394-102-355DJ	355	Kimber (fixed rear)	Straight 8	.375"	.185"	4C103U74 \$ 129.68
#394-000-043DJ	416	Taurus 1911	3-D	.285	.180	4C117T49 \$ 145.99

ULTRA LOW MOUNT REAR SIGHTS

STOCK #	MODEL #	STYLE	HEIGHT	NOTCH	PRICE
#394-000-008DJ	365	Standard, Straight 8	.325"	.125"	4C63Y82 \$ 79.78
#394-000-034DJ	365-T	Standard, Straight 8	.375"	.125"	4C63T82 \$ 79.78
#394-000-031DJ	362	Standard, 3-D	.325"	.125"	4C76T18 \$ 95.22
#394-000-037DJ	366	Ledge, Straight 8	.325"	.140"	4C78T44 \$ 89.99
#394-000-038DJ	366-T	Ledge, Straight 8	.375"	.140"	4C68T47 \$ 99.99

ORIGINAL-STYLE STRAIGHT EIGHT NIGHT SIGHT - Heinie's classic, low-mount, no-snag combat/competition fixed sights with Trijicon self-illuminating tritium lamps give a fast, easy-to-see sight picture in any light. The exclusive two-dot "Straight Eight" design makes sighting simple and fast. Serrated face of rear blade angles slightly toward the shooter to eliminate glare; smooth, rounded corners can't catch on clothing or holsters. Sold as a matching front and rear sight set for 1911 Auto applications.

SPECS: Steel, matte blue finish. Rear Sight - Body: 1.04" (2.6cm) x .695". Blade: .695" (17mm) x .440" (11mm). Notch: .125" (3.1mm) x .112" (2.8mm). Fits .375" x 65° dovetail. Front Sight - .190" high. Fits .300" x 60° dovetail. Installation requires milling of slide.

#394-300-000DJ Model 3000 1911 Auto Original Straight 8 Sights 4C103U74 \$ 129.68

HARRISON DESIGN & CONSULTING 1911 AUTO RETRO REAR SIGHT

Fits GI-Pattern Dovetail;
Rugged Construction For Daily Carry



Fixed rear sight fits the GI-pattern dovetail and provides an improved sight picture while maintaining your pistol's stock appearance. An extra-wide .135" notch puts more light around the front blade to aid in faster target acquisition. 50 lpi horizontal serrations on the rear face help eliminate glare. A setscrew locks the sight into the dovetail for a secure installation that won't shoot loose, yet still allows drift adjustments for windage. Rounded corners help resist snagging during the draw from concealment. Precision machined from steel barstock to look good and handle the knocks of daily carry. **USA**

SPECS: Steel, matte black finish. .344" (.87cm) length, .622" (1.58cm) base width, and .317" (.8cm) overall height. .135" (.34cm) wide x .135" high notch. Fits GI-pattern 1911 slide dovetail.

#100-004-784DJ 1911 Retro Rear Sight, 9B32Y62 \$ 39.99

HEINIE SPECIALTY 1911 AUTO SLANTPRO® NIGHT SIGHTS

No-Snag, Low-Profile With Tritium Dots
For Enhanced Visibility In Low Light

The ultimate marriage of quality and function, fixed combat sights with Trijicon® self-illuminating tritium inserts provide a fast, easy-to-acquire sight picture in all light conditions. Wedge shaped body has fully rounded edges and sets low in the slide for minimum profile and a smooth, snag-free draw for concealed carry. Fine-line serrations on rear of blades eliminate glare for the best possible sight picture. Dovetails are cut .002"-.003" oversized for secure fit in existing sight cuts; gunsmith fitting may be required. Setscrew locks rear sights in the slide dovetail to prevent shifting under recoil. **Straight Eight®** - One tritium dot on the front sight and one on the rear align vertically for exceptionally fast acquisition. **3-D** - One tritium dot on the front sight, and two side-by-side dots on the rear sight for a more traditional, three-dot horizontal sight picture. The rear dots are slightly smaller to help the shooter quickly identify the front sight dot and get the sights aligned on the target fast. **Ultra Low Mount** provides an even more compact profile; fits pistols with Novak-type .500" x 65° dovetail in slide. "T" suffix on model number indicates rear sight is .050" taller to provide correct sight picture on smaller short-slide pistols. **Ultra Low Mount Ledge™** - Front edge of the rear sight blade has been cut square to provide adequate purchase for one-handed slide racking. Available in standard and T models. **USA**

SPECS: Steel, matte blue finish. **Straight Eight & 3-D** - Rear notch is .125" wide. **1911 Auto** fits .375" x 65° rear dovetail and .300" x 60° front dovetail. May require milling of slide to install. Instructions included. **Kimber** and **Taurus** fit factory dovetails. May require minor fitting. **Ultra Low Mount**, including **Ledge**, fits Novak-type .500" x 65° dovetail. "T" suffix on model number indicates .050" taller height for short-slide compact pistols. May require minor fitting.

HEINIE SPECIALTY SLANT PRO™ SIGHT

Low Profile, Fixed Sights
Gives A No-Snag Draw



Wedge-shaped body with fully rounded edges provides a smooth, snag-free draw for concealed carry and competition guns. Sets low in the slide for minimum profile. Front and rear sight blades have fine line serrations to eliminate glare and ensure the best possible sight picture. Supplied as a front/rear set for all models listed except **Low Mount**, which is a rear sight only to fit guns with Novak dovetail dimensions. **Kimber Fixed** fits Kimber pistols with factory fixed sights. **Kimber Adj.** is a fixed sight replacement for Kimber models with factory adjustable sights. **USA**

SPECS: Steel, black, matte finish. **1911** and **Kimber** - Rear: 1" (25mm) x 1 1/16" (17mm). Front: 1/2" (13mm) x 1/8" (3mm). **Low Mount** - 1" (25mm) x 1 1/16", fits Novak dovetail only. **Rear Sight Notch** - 1/8" wide, height varies.

STOCK #	FITS	PRICE
#394-102-305DJ	1911, set	4C45U16 \$ 56.45
#394-102-350DJ	Kimber Fixed, set	4C45U16 \$ 56.45
#394-000-017DJ	Kimber Adj., set	4C46Y06 \$ 57.58
#394-000-007DJ	Low Mount, rear	4C31Y00 \$ 38.75

HEINIE SPECIALTY SEMI-AUTO TRIJICON® FRONT DOVETAIL SIGHT



Serrated Ramps & Tritium Dots For Fast Pickup

Fully-contoured, cross-dovetail sights complete with the increased, low light visibility of genuine Trijicon, tritium vials. Tapered dovetail holds the sight firmly. Fits nominal 60° x .300" x .060" front sight dovetails. **USA**

SPECS: Steel, blued, matte finish, green dot. **Blade**: .126" (3.2mm) wide, .175" (4.4mm), .185" (4.6mm), .190" (4.8mm) or .200" (5mm) high. Installation requires machining of slide.

#394-000-001DJ .175" Tritium Sight 4C39Y97 \$ 49.96

#394-311-185DJ .185" Tritium Sight 4C39U97 49.96

#394-311-190DJ .190" Tritium Sight 4C39U97 49.96

#394-311-200DJ .200" Tritium Sight 4C39U97 49.96

HIVIZ KIMBER 1911 AUTO INTERCHANGEABLE FIBER OPTIC FRONT SIGHT

Improves Visibility
With Interchangeable Red,
Green & White Rods



Advanced fiber optic sight maintains perfect sight/target contrast in all shooting conditions by allowing you to easily interchange fiber optic rods at any time from red to green, or to a solid white color as lighting conditions change. Innovative sight base uses a locking spring to keep the LitePipe secure, while allowing interchangeability in the field with the provided key. Streamlined, no snag design helps prevent holster catch that can slow down your draw. Fits Kimber 1911 dovetail and regulates with the original factory rear sight. Includes rods, carrying case, and key for interchanging the rods. Gunsmith fitting is recommended. **USA**

SPECS: Steel, black, matte finish. Includes (3) red, (2) green, (1) white rod, carrying case, and key. Overall Sight Dimensions - 3/4" (19.1cm) long, 1/8" (3.2mm) wide, .186" (4.72mm) high from top of slide. LitePipe - .092" (2.3mm) diameter. Requires 60° x .330" x .075" dovetail. Will not fit Kimber .22 rimfire.

#638-000-082DJ Kimber Interchangeable Sight, 8C23V86 \$ 37.75



For more choices of HIVIZ SIGHTS visit
brownells.com

KENSIGHT 1911 AUTO ADJUSTABLE NIGHT SIGHT

Glowing Tritium Lamps Maximize
Sight Visibility In Low Light



Genuine, Trijicon, green Tritium lamps feature polished quartz lenses for improved sight recognition in low light, plus appear as white dots for enhanced sight acquisition in bright sunlight as well. Sight bodies are EDM machined from 4140 steel, then heat-treated to Rc 38-40 and vacuum tempered to retain the extra-tight tolerances. Features precise click-adjustments for consistent changes in windage and elevation. Fine line serrations on rear blade surface cuts light reflection to enhance sight pick up.

SPECS: 4140 steel, blue, matte finish. .076" (1.9mm) diameter Tritium lamps. **BM #1** retrofits pistols modified to accept the Bo-Mar BMCS rear sight. **LPA** fits Springfield Armory, Para-Ordnance, and Charles Daly 1911 Autos using the LPA TRT dovetail. **Kimber Adjustable** fits Kimber models with adjustable factory rear sight. **Elliason** fits Colt Gold Cup, Officer's Model Match, Ace, and others originally fitted with either Accro or Elliason sights.

#100-002-627DJ BM #1 5A91Y26 \$ 116.95

#100-002-628DJ LPA 5A92Y79 121.99

#100-002-629DJ Kimber Adjustable 5A87T95 114.95

#100-003-407DJ Elliason Adjustable 5A91Z26 116.95

KENSIGHT 1911 AUTO CLASSICTARGET SIGHT

Wire EDM Produced For Precision
Fit & Function

Provides consistent accuracy through better production methods. Electro-discharge machined from 4140 steel, heat-treated to Rc 38-40, then vacuum tempered to help retain these tolerances for many years to come. One-piece blade is cut from solid steel barstock, so it won't fly apart when your shot matters most. Consistent, click-adjustable detents for windage and elevation give precise repeatability. All models feature a serrated blade for better target recognition and a rebated square notch for improved, "shadowless" front sight definition. **BM #1 Deep Notch** features a .020" deeper sight notch and finer surface serrations than standard model for easier front sight acquisition. **LPA** fits the LPA sight cut found on Springfield Armory, Para-Ordnance, Nowlin, High Standard, Olympic Arms, and Charles Daly 1911 Autos with factory-installed adjustable rear sights. **White Dot** models have rounded corners like the old Bo-Mar combat style adjustable sight, and features two, white, .070" (1.8mm) diameter dots, one on each side of rear notch.

SPECS: 4140 steel, blue, matte finish. Blade - .750" (19mm) wide, x .430" (10.9mm) high. Notch - .100" (2.5mm) deep (except BM #1 Deep Notch and LPA), .135" wide. **LPA** - Notch is .115" wide x .095" deep. **BM #1 Deep Notch** - Notch is .135" wide x .120" deep.

STOCK #	FITS DOVETAIL	PRICE
#100-002-632DJ	BM #1 Standard	5A52T05 \$ 64.99
#100-002-633DJ	BM #1 Deep Notch	5A52T50 \$ 69.95
#100-003-069DJ	BM #1 White Dot	5A54H95 \$ 69.95
#100-004-083DJ	LPA White Dot	5A54T49 \$ 69.95
#100-002-634DJ	Kimber 1911 Adj.	5A52T50 \$ 67.95
#100-002-635DJ	Ellison	5A40T00 \$ 53.95

KENSIGHT COMBAT CARRY ADJUSTABLE REAR SIGHT

Rounded Blade Edges Won't Snag
On Clothing Or Holsters

Enjoy the accuracy of a fully adjustable, competition-style rear sight in a package suitable for daily carry. Beveled edges on sight body and radiused corners on blade minimize chances of snagging on clothing or holster. Blade, sight body, and base are EDM-wire machined from high-grade, 4140 billet steel, then heat-treated to Rc 28-32 to retain the extra-tight tolerances. Front hinge pin is hardened to Rc 60 for reliable, long-lasting service without breakage. Fine serrations on the rear sight blade surface reduce light reflection to enhance sight pick up in all light conditions. Consistent, click adjustable detents for windage and elevation provide precise, repeatable settings.

SPECS: 4140 steel, blued, matte finish. **BM #1** - Fits pistols with the Bo-Mar BMCS rear sight dovetail. **BM #1 Oversized** - Dovetail is .010" oversized to allow custom-fitting in loose Bo-Mar BMCS slide cuts. **LPA Cut 1911** - Fits Springfield Armory, Para-Ordnance, Nowlin, High Standard, Olympic Arms, and Charles Daly 1911 Auto pistols with the LPA slide cut for adjustable sights.

#100-002-637DJ	BM #1 Rear Sight	5A51T50 \$ 64.95
#100-004-082DJ	BM #1 Oversized Rear Sight,	5A54T49 69.95
#100-002-638DJ	LPA Cut 1911 Rear Sight	5A52T50 . . 67.95

BROWNELLS WebBench™

Your #1 Internet Newsletter
for Professional Gunsmithing Information

KENSIGHT DEFENSIVE SIGHTS

Low Profile,
No-Snag Design
For Self Defense Pistols

No sharp edges to drag on holsters or snag clothing because these low profile sights are designed specifically for concealed carry. EDM machined from 4140 steel, then heat-treated to Rc 38-40 and vacuum tempered. Fully Adjustable (**Adj.**) models are click-adjustable for windage and elevation. Elevation Adjustable (**Elev.**) model provides the consistency of click adjustment for elevation only. Fixed (**Fxd.**) models feature no adjustments for maximum reliability and simplicity preferred by many shooters. White Dot (**WD**) model features two white, ABS plastic .070" (1.8mm) diameter dots, one on each side of rear notch. Tritium (**Trit.**) versions feature dual, self-luminous, .076" (1.9mm) diameter, green Tritium dots on both sides of the rear notch for improved sighting in low light conditions. Serrated (**Sert.**) models feature fine line serrations on the rear surface of the sight. Available to fit Novak-style dovetail.

SPECS: 4140 steel, blue, matte finish. Fits Novak-style 65° x .495" dovetail cut.

STOCK #	MODEL	PRICE
#100-002-639DJ	Lo-Mount, Adj.	5A51T50 \$ 64.95
#100-002-640DJ	Lo-Mount, Adj./Sert.	5A53T00 \$ 68.95
#100-003-068DJ	Lo-Mount, Adj./Sert./WD	5A57H42 \$ 73.99
#100-002-641DJ	Lo-Mount Elev./Trit.	5A80T71 \$ 105.95
#100-002-642DJ	Lo-Mount Adj./Trit.	5A94T16 \$ 124.95
#100-002-643DJ	Lo-Mount Fxd./Sert.	5A27T95 \$ 34.95
#100-002-916DJ	Lo-Mount, Fxd./WD	5A29H77 \$ 38.99
#100-002-644DJ	Lo-Mount Fxd./Trit.	5A57T23 \$ 81.95

MEPROLIGHT DAY/NIGHT SIGHT

For Popular HANDGUNS
Always "On"; No Batteries, No Charging

Really "shines" when other sights are useless. No switch to turn on, no batteries to wear out. Both front and rear blades have their own green tritium gas light source and provide a green/green, 3-dot sight picture. Unaffected by weather, gun solvents or oils. Used by NATO, U.S., and Israeli armies. Also ideal for law enforcement and others requiring accuracy in low-light conditions. Contains both front and rear sights. Rear sights replace the original rear entirely. Front sights replace the original. The factory warranteees TRU-DOT sights to the original purchaser for twelve years.

SPECS: Blued steel with tritium inserts. Sights marked Adj. fit guns originally equipped with factory, adjustable sights. Sights marked Fxd. fit guns originally equipped with factory, fixed/non-adjustable sights. S&W models will NOT fit guns originally equipped with plastic sights.

STOCK #	FITS	PRICE
#387-304-776DJ	1911 Auto (Fxd. Wide Tenon)	7H80T34 \$ 99.99
#387-000-008DJ	Kimber Full size (Fxd.)	7H83P12 \$ 120.99
#387-000-009DJ	Kimber Cust. Target (Adj.)	7H138P54 \$ 214.99

MEPROLIGHT FRONT SIGHTS - Single, front sights only. Replace damaged units or stake-on models after refinishing.

SPECS: Steel body, blue. Self-luminous lamp. Sights marked Adj. are for use with Meprolight Adjustable rear sights; all others are used with Meprolight Fixed sights.

STOCK #	FITS	PRICE
#387-500-011DJ	1911 Auto, Adj. (Narrow Tenon)	7H37T50 \$ 50.00
#387-500-111DJ	1911 Auto, Adj. (Wide Tenon)	7H47T63 \$ 63.99
#387-500-112DJ	Colt Gold Cup w/Wide Tenon front & Ellison rear, Adj.	7H36T04 \$ 48.99
#387-500-211DJ	1911 Auto (Narrow Tenon)	7H36T04 \$ 48.99



For more choices of MEPROLIGHT
SIGHTS visit brownells.com

KIMBER PARA ORDNANCE

MEPROLIGHT TRITIUM NIGHT SIGHT

Daytime Visibility Plus Confidence
In Low Light Conditions

Rugged, steel tritium sight gives you a bright, white dot for fast target acquisition in low light situations. Rear sight has two dots, front sight has one dot for positive sight picture. Sealed, Tritium vials aren't affected by even the most aggressive cleaning solvents.

SPECS: Blued steel with white tritium inserts. Fits Para Ordnance LDA models with fixed dovetail front/rear sights.

#387-000-038DJ Tritium Night Sight 7H75D00 . . . \$ 109.00

LPA SEMI-AUTO PISTOL SIGHT

Compact, Adjustable - Low Mount
Rears Or High-Visibility Sets



Two styles of sights, both with micro-click windage and elevation screws and all-steel construction. Available in solid black **Target** configuration; **White-Outline** rear; **2-Dot** rear sight or **3-Dot** front/rear sets.

SPECS: CNC machined steel, matte blued finish.

TPU REAR SIGHTS - Extra low profile, adjustable sight mounts down, out of the way, and increases sight radius for enhanced sight picture. Rectangular body, raised adjustment screws. Requires no alteration to the slide; fits in the standard dovetail and uses the existing front sight.

STOCK #	TARGET	STOCK #	WHITE OUTLINE	STOCK #	2-/3-DOT	FITS MODEL
#625-100-111DJ		#625-100-211DJ		#625-100-311DJ		1911 Auto .45 Govt
#625-100-112DJ		#625-100-212DJ		#625-100-312DJ		Colt 1911, 70/80/90

— Advise # — TPU Pistol Sight 3K48V32 \$ 71.99

SPR FRONT & REAR SIGHT SETS - Standard profile, adjustable sights fit factory dovetails and require no alterations to slide. Tapered body, flush adjustment screws. Front sights may require gunsmith installation.

#625-102-111DJ	#625-102-211DJ	#625-102-311DJ	1911 Auto .45 Govt.
#625-102-112DJ	NA	#625-102-312DJ	Colt 1911, Ser. 80/90

— Advise # — SPR Front/Rear Sight Set, 3K51X13 \$ 80.99

MGW 1911 AUTO FIXED SIGHT COMBO

Easy Installation, Low Profile

Mounts in factory dovetail to replace issue sights. Rear blade overhangs the back of the slide for fast pickup. Rounded corners and edges. Front sights have serrated ramp.

SPECS: Steel, blue, matte finish.

Rear Blade - .735" (18mm) wide x .345" (8.8mm) high. **Front** - .121" (3mm) wide x .195" (4.9mm) high. Available in Plain Black (**PB**) or White Dot (**WD**) style with Wide (**WT**) or Narrow (**NT**) tenon.

#584-006-145DJ	PB/NT Front Sight	4H06U75 \$ 9.11
#584-007-446DJ	PB/WT Front Sight	4H06X75 9.11
#584-006-545DJ	WD/NT Front Sight,	4H08X35 11.27
#584-007-445DJ	WD/WT Front Sight,	4H08X35 11.27
#584-003-145DJ	PB/NT Front/Rear Combo,	4H22A27 30.06
#584-003-545DJ	PB/WT Front/Rear Combo,	4H22U27 30.06
#584-003-645DJ	WD/NT Front/Rear Combo,	4H27U84 37.58
#584-003-745DJ	WD/WT Front/Rear Combo,	4H27U84 38.57

MGW SEMI-AUTO DOVETAIL FRONT SIGHT BLANK

Ready-To-Shape For Custom Applications

Long enough and high enough for most custom pistol applications. Dovetail installation is much stronger than staking, so the front sight stays put under heavy recoil or extreme use. Drilled for 1/16" diameter roll pin for more "hold". Blues easily. **SPECS:** Steel, blued. **Blade** - .268" (6.8mm) high, .128" (3.2mm) wide, .640" (16mm) long. **Dovetail** - 65° x .330" x .075".

#584-012-268DJ Dovetail Front Sight 4H09X79 . . . \$ 13.08



NOVAK 1911 AUTO ADJUSTABLE EXTREME DUTY SIGHTS

Low-Profile Mounting; Fully Adjustable

CNC-machined, steel, rear sight with Novak's famous, low-profile design and the added versatility of elevation and windage adjustments. Set screw allows drift adjustment for windage; elevation screw positively stops and audibly clicks for easy fine-tuning. Smooth, contoured edges have less chance of catching or snagging. Front sights are CNC-machined, steel and mount in factory dovetail. Available in Plain Black, White Dot, and Tritium Dot for Colt and clones, Kimber, and SW1911 pistols.

SPECS: CNC-machined steel, black, matte finish. Front (**F**) and Rear (**R**) sights available in Plain Black (**PB**), 2-Dot White (**WD**), and 2-Dot Tritium (**TR**). Rear Dimensions: 1" (2.54cm) long, 1/2" (13mm) high, 3/4" (19mm) wide. Requires matching of slide. Colt and Kimber rear sights regulate properly with .225" high front sights. SW1911 rear sights regulate correctly with .305" high front sight.

STOCK #	FITS (F/R)	TYPE	HEIGHT
#662-000-013DJ	Colt (F)	PB	.225"
#625-000-009DJ	Colt (R)	PB	
#100-001-533DJ	Colt (F)	TR	.225"
#625-000-011DJ	Colt (R)	TR	
#625-000-010DJ	Colt (R)	WD	
#662-000-044DJ	Colt (R)	FO red	
#662-000-045DJ	Colt (R)	FO grn	
#100-001-521DJ	Kimber (R)	PB	
#100-001-535DJ	Kimber (F)	WD	.225"
#100-001-522DJ	Kimber (R)	WD	
#100-001-536DJ	Kimber (F)	TR	.225"
#100-001-523DJ	Kimber (R)	TR	
#662-000-058DJ	S&W (F)	PB	.305"
#100-001-524DJ	S&W (R)	PB	
#662-000-059DJ	S&W (F)	WD	.305"
#100-001-525DJ	S&W (R)	WD	
#662-000-060DJ	S&W (F)	TR	.305"
#100-001-526DJ	S&W (R)	TR	

— Advise # — PB Front Sights 2F19C96 \$ 24.95
— Advise # — WD Front Sights 2F26X63 33.99
— Advise # — TR Front Sights 2F43X96 54.95
— Advise # — PB Rear Sights 2F55U95 69.95
— Advise # — WD Rear Sights 2F63U98 79.95
— Advise # — TR Rear Sights 2F95U96 119.95
— Advise # — FO Rear Sights 2F65D56 81.95

NOVAK SEMI-AUTO DOVETAIL MOUNT FRONT SIGHT

Strong, Easily Changed Sights For Autos

Dovetail mounted, roll-pinned sights resist shoot-off. Easily changed for different loads or conditions. Full instructions.

SPECS: Blued steel, .295" (7.5mm) high x .125" (3.17mm) wide blade. Requires milling 65° x .330" dovetail in slide. .075 size for Govt. Mod., Commander, S&W 645/745/59. .060 for Colt Officers ACP, S&W mini-guns, Browning Hi-Power, CZ-75. #662-645-075DJ .075 Novak Front Sight 2F14A00 . . \$ 17.50 #662-645-060DJ .060 Novak Front Sight 2F14A00 . . .17.50



NOVAK 1911 AUTO CARRY REAR SIGHT

Low Profile; Fits Factory Dovetails

Exclusive, wedge-shaped, "Concealed Carry" design puts the sight body and blade close to the slide for a snag-free draw and smooth, comfortable carry. Highly visible rear blade with re-bated notch gives fast, glare-free sight pickup for more accurate instinctive shooting. Available in: plain black; with two, white dots; or two tritium dots. **USA**

SPECS: Machined steel, blue, matte finish.

1911 AUTO - Fits Colt-style, 1911 auto rear dovetail, uses Series 80 factory front. Includes windage lock screw. May require slight fitting. .125" (3.1mm) wide notch. Rear blade is .630" (16mm) wide, .223" (5.6mm) high.

#662-017-004DJ Black 1911 Carry Sight, 2F27H96	\$ 34.99
#662-017-005DJ 2-Dot 1911 Carry Sight, 2F31H96	39.99
#662-001-002DJ 2-Dot Tritium 1911 Carry Sight, 2F73A65	89.99

KIMBER CLASSIC - Fits Kimber Classic dovetail, uses factory front sight. Includes windage lock screw. May require slight fitting. .125" (3.1mm) wide notch. Rear blade is .700" (17.9mm) wide, .316" (8mm) high.

#662-030-125DJ 2-Dot Kimber Sight 2F31H96	\$ 39.99
#662-002-031DJ 2-Dot Tritium Kimber Sight, 2F73Y65	89.99

NOVAK 1911 AUTO FRONT DOVETAIL SIGHTS

Low Profile Provides
Excellent Carry Performance



CNC machined, steel, dovetail front sight won't snag on your holster during presentation. Available with a large, .075" diameter white dot or gold bead for fast sight recognition, or with a plain black, serrated face for glare reduction. Requires use of a 65° x .330" dovetail cutter to cut the proper Novak dovetail; includes roll pin inserts in front to stake sight in place. Available in six heights. **USA**

SPECS: Steel, black oxide, matte finish. Fits 1911 Govt. or any gun with a 65° x .330" x .075" dovetail. Includes roll pin and complete instructions. Gunsmith installation recommended.

STK # WHITE	STK # GOLD	STK # BLACK	HGT
#662-000-019DJ	#662-000-022DJ	#662-000-021DJ	.160"
#662-000-055DJ	NA	#662-000-056DJ	.175"
#662-000-057DJ	NA	#662-000-061DJ	.180"
#662-000-062DJ	NA	#662-000-063DJ	.185"
#662-000-018DJ	NA	NA	.215"
#662-000-012DJ	NA	#662-000-013DJ	.225"
- Advise # - White Dot Front Sight 2F23H96 . . . \$ 29.95			
- Advise # - Gold Bead Front Sight 2F79H96 . . . 99.95			
- Advise # - Plain Black Front Sight 2F19H96 . . . 24.95			

NOVAK FIBER OPTIC SIGHTS



Maximizes Available Light For Fast,
Low-Light Sight Acquisition

Advanced light gathering properties of fiber optic rods make maximum use of ambient light to provide a bright glow that stands out against dark backgrounds and puts you on target fast, even in low-light or high-stress situations. Fronts and rears sold separately, so you can create a custom, three-dot, fiber optic system tailored to your shooting needs. Available with red or green inserts. Lo-Mount rear sights have radiused edges that won't snag on holster or clothing. Front sight can also be used with Novak's plain, wide-notch rear. Colt rear sight fits Government model; requires milling, installation instructions included. S&W rear sight drops in; fits both Commander and Government models. Kimber and Taurus front and rear sights are the same height as factory sights and fit factory dovetails; no machining required. **USA**

SPECS: Machined steel, matte black finish with fiber optic rods in red or green. **Colt** - Front: Blade is .64" (1.6cm) long, .127" (3.2mm) wide. Rear: 1" (2.5cm) long, .72" (1.8cm) wide, .46" (1.17cm) high, with .125" (3.2mm) wide notch. Fits Government model; milling required, instructions included. **Kimber** - Front: Red insert. Blade is .650" (16.5mm) long, .125" (3.2mm) wide. Available in .150" (3.8mm) and .175" (4.4mm) heights. Rear: Green inserts. 1.080" (2.7cm) long, .704" (1.8cm) wide, with .125" wide notch. Fits factory dovetails of Kimber 1911 pistols; minor fitting may be required. **S&W** - Front: Blade is .47" (1.19cm) long, .127" (3.2mm) wide. Rear: .94" (2.4cm) long, .69" (1.8cm) wide, .38" (9.7mm) high, with .122" (3.1mm) wide notch. Fits Government and Commander models. **Taurus** - Front: Red insert. Blade is .66" (1.7cm) long, .123" (3.1mm) wide, .150" (3.8mm) high. Rear: Green inserts. .76" (1.9cm) long, .625" (1.6cm) wide, with .135" (3.4mm) wide notch. Fits Taurus 1911 pistols; minor fitting may be required.

FRONT SIGHTS

STK # RED	STK # GREEN	HEIGHT	FITS
#662-000-036DJ	#662-000-037DJ	.175"	Colt 1911
#662-000-039DJ	#662-000-042DJ	.180"	Colt 1911
#662-000-040DJ	#662-000-043DJ	.190"	Colt 1911
#662-000-090DJ	NA	.150"	Kimber 1911
#662-000-091DJ	NA	.175"	Kimber 1911
#662-000-030DJ	#662-000-031DJ	.245"	S&W 1911
#662-000-034DJ	#662-000-035DJ	.275"	S&W 1911
#662-000-086DJ	NA	.150"	Taurus 1911
- Advise # - Fiber Optic Front Sight 2F33H56 . . . \$ 41.99			

LO-MOUNT REAR SIGHTS

STK # RED	STK # GREEN	FITS
#662-000-038DJ	#662-000-041DJ	Colt 1911
NA	#662-000-089DJ	Kimber 1911
#662-000-032DJ	#662-000-033DJ	S&W 1911
NA	#662-000-085DJ	Taurus 1911
- Advise # -	Fiber Optic Rear Sight, except Taurus, 2F39H96 \$ 49.99	
#662-000-085DJ	Taurus Fiber Optic Rear Sight, Green, 2F47Z57 58.99	

WANT MORE?

OVER 50,000
PRODUCTS
ONLINE!

www.brownells.com



NOVAK 1911 AUTO SIGHT



No-Snag Design

Competition (Comp) plain, target style, undercut blade with protected notch. Hangs

over the rear of the slide and extends sight radius for quicker, more precise sighting. **Lo-Mount (LM)** has an angled top surface with mitered edges that won't snag on holsters or clothes. Rebated blade fights glare. **Wide Notch (WN)** has enlarged, .140" notch to provide more light around the front sight for a clearer sight picture and faster target acquisition. **USA**

SPECS: Machined steel, matte black finish. .125" (3.1mm) wide notch. Available with two white dots (**WD**) or plain black (**P/B**). **Wide Notch (WN)** has .1540" (3.6mm) notch. **1911 LM** requires milling of slide, use 65° x .495" dovetail cutter. **1911 Comp** fits in factory dovetail.

PLAIN BLACK REAR SIGHTS

STOCK #	FITS/MOD.	USE FRONT SIGHT	REAR BLADE W x H
#662-250-045DJ	1911/Comp	.185"- .200"	.735"x.425"
#662-260-045DJ	1911/LM	.175"- .200"	.700"x.340"
#662-000-027DJ	1911/LM/WN	.175"- .200"	.720"x.450"
- Advise # - P/B Competition Sight 2F27C96 \$ 34.99			
- Advise # - P/B Lo-Mount Sight 2F28C05 34.99			
- Advise # - P/B Wide Notch Lo-Mount Sight, 2F27H96 34.95			

WHITE DOT REAR SIGHTS

STOCK #	FITS/MOD.	USE FRONT SIGHT	REAR BLADE W x H
#662-255-045DJ	1911/Comp	.185"- .200"	.735"x.425"
#662-255-046DJ	1911/LM	.175"- .200"	.700"x.340"
#662-000-028DJ	1911/LM/WN	.185"- .200"	.735"x.425"
- Advise # - White Dot Competition Sgt 2F31C96 . . . \$ 39.99			
- Advise # - White Dot Lo-Mount Sight 2F31C96 . . . 39.99			
- Advise # - WD Wide Notch Lo-Mount Sight, 2F31H96 39.95			

NOVAK TRITIUM DOVETAIL FRONT SIGHT



Strong, Easily Changed Sights For 1911 Autos

Dovetail mounted, roll-pinned sights (except Kimber) resist shoot-off. Easily changed for different loads or conditions. Bright Tritium dot draws your eye in low light. **Target Ring (TR)** Tritium includes a white ring surrounding a tritium dot. **Standard Tritium** has Tritium dot only. **USA**

SPECS: Steel, blue, .125" (3.17mm) wide blade. Govt. Model and Commander require 65° x .330" x .075" dovetail in slide. Colt Officers ACP requires 65° x .330" x .060" dovetail. Kimber - Requires 65° x .330" x .070" dovetail, .150" high only.

TARGET RING TRITIUM

STK # GOVT	STK # OFF ACP	HEIGHT
#662-000-020DJ	#662-007-160DJ	.160"
NA	#662-007-165DJ	.165"
#662-005-175DJ	NA	.175"
#662-005-180DJ	NA	.180"
#662-005-190DJ	NA	.190"
#662-000-026DJ	#662-000-025DJ	.215"
- Advise # - TR Tritium Front Sight 2F44H05 . \$ 54.95		
#662-006-150DJ Kimber TR Tritium Front Sight, 2F44Y05 54.95		

STANDARD TRITIUM

STK # GOVT	STK # OFF ACP	HEIGHT
#662-000-014DJ	NA	.165"
#662-000-015DJ	NA	.175"
#662-000-016DJ	NA	.180"
#662-000-017DJ	NA	.190"
- Advise # - Std Tritium Front Sight 2F47H96 . \$ 59.95		

NOVAK 1911 AUTO TRITIUM GHOST SIGHT



Fast, Clear Sight Picture; Compact,
No-Snag Size

Streamlined, rugged, all-steel sight eliminates the top half of the conventional ghost ring to quickly and naturally center the eye on the front sight. One Tritium dot is positioned below the aperture. Wedge shape prevents snagging. For use with .175"- .200" high front sights. **USA**

SPECS: Steel, blue, matte finish. 1.02" (25.9mm) long, .720" (18.3mm) wide, .325" (8.3mm) high. .345" (8.8mm) wide semi-circular ghost ring. Use 65° x .495" dovetail cutter. Retrofits to pistols already equipped with Novak sights.

#662-004-003DJ Tritium Ghost Sight 2F73Y65 \$ 89.99

NOVAK 1911 AUTO TRITIUM REAR SIGHT

No-Snag Shape, Low-Light Visibility



Two, glowing Tritium dots help you see the sight in low-light conditions. **Competition** has a plain, target-style, undercut blade with protected notch. Hangs over the rear of the slide and extends sight radius for quicker, more precise sighting. **Lo-Mount** has an angled top surface with mitered edges that won't snag on holsters or clothes. Rebated blade fights glare. **Wide Notch (WN)** has enlarged, .140" wide notch to provide more light around the front sight for a clearer sight picture and faster target acquisition. Helps aging eyes see front sight more easily. **USA**

SPECS: Machined steel, matte blue finish. .125" (3.1mm) wide notch. **Competition** fits factory 65° x .330" dovetail. **Lo-Mount** requires milling of slide, use 65° x .495" dovetail cutter. **Wide Notch (WN)** has .140" (3.6mm) wide notch.

TRITIUM REAR SIGHTS

STOCK	STYLE	USE FRONT SIGHT	REAR BLADE W x H
#662-003-002DJ	Competition	.185"- .200"	.735"x.425"
#662-002-003DJ	Lo-Mount	.175"- .200"	.700"x.340"
#662-000-029DJ	Lo-Mount WN	.175"- .200"	.720"x.450"

- Advise # - Competition/Lo-Mount Sight 2F73Y65 \$ 89.99

- Advise # - Lo-Mount WN Sight 2F73H56 91.95

NOVAK TAURUS 1911 X-MODEL TRITIUM SIGHTS



Clear, Fast Sight Picture
In All Light Conditions;
Low-Profile, No-Snag Shape


Low-profile, fixed sights for Taurus 1911 have Tritium inserts that glow in low light, so you can see the sights clearly under all conditions. Same height as original factory sights, and cut for drop-in fit to factory dovetails—no machining of slide required. Rear sight has two dots, one on each side of the notch; front sight has one dot. Wide notch in rear sight provides more light around the front sight for a clearer sight picture and faster target acquisition. White circles around the inserts further enhance visibility in daylight conditions, while rebated rear blade helps prevent glare in bright light. X-Model design with sloping top surface, rounded corners, and beveled edges that won't snag on clothing or holster—perfect for concealed-carry or tactical use. Purchase together to give your pistol an advanced three-dot night sight system or mix with other Novak sights to create a sight system customized to your shooting needs. **USA**

SPECS: Machined steel, matte black finish, with Tritium inserts. Fits Taurus 1911 pistols; minor fitting may be needed. **Front** - .610" (1.5cm) long, .125" (3.2mm) wide, .150" (3.8mm) high. **Rear** - .80" (2cm) long, .625" (1.6cm) wide, with .135" (3.4mm) wide notch.

#662-000-093DJ Tritium Front Sight for Taurus 1911, 2F44A86 \$ 54.99

#662-000-092DJ 2-Dot Tritium Rear Sight for Taurus 1911 2F82A34 99.99

NEW



NOVAK 1911 AUTO MEGA DOT® TRITIUM FRONT SIGHT

Tritium Insert With Oversize White Ring
For High Visibility Day Or Night

Replacement front sight features a highly visible white ring surrounding a self-illuminating Tritium insert that really makes the front sight stand out in all light conditions. Mounts in a standard Novak dovetail (65° x .330" x .075") and can be secured with the included roll pin. Precision-machined steel body provides maximum protection of insert. Some fitting required; gunsmith installation recommended.

SPECS: Steel, matte black. .148" (3.8mm) wide blade. Available in .160" and .180" heights. Requires 65° x .330" x .75" dovetail.

#662-000-099DJ .160" Mega Dot Sight 2F51A29 \$ 54.95

#662-000-098DJ .180" Mega Dot Sight 2F51A29 54.95

NOVAK 1911 AUTO X-MODEL REAR SIGHTS

Rugged, Fixed Combat Sight
With Aggressive Low Profile;
Plain Black & Tritium Models



Fixed rear sight combines the low profile of Novak's popular Lo-Mount sights with a wide notch for fast sight alignment and easy target acquisition. A forward-canting, horizontal ridge on the front of the blade aids in one-handed slide racking and gives your pistol a uniquely aggressive appearance. Non-serrated, recessed rear face with .145" wide notch guides your eye quickly to the front sight. Rugged, precision-machined steel construction, with smooth, rounded corners and beveled edges. Fits an existing Novak dovetail without alteration; Colt factory dovetail requires milling for proper fit. Available in **Plain Black (PB)** for a clean, traditional sight picture or **Tritium Dot (TD)** with a self-illuminating Tritium dot on each side of the notch.

SPECS: Steel, matte black finish. Works with front sights .175" to .200" high. Fits standard Novak .495" x 65° dovetail.

#662-000-064DJ PB X-Model Rear Sight,
2F35Z96 \$ 44.95
#662-000-066DJ TD X-Model Rear Sight,
2F79Z96 99.95

PSI 1911 AUTO TTF ADJUSTABLE FIBER OPTIC SIGHT SET



Easy-To-See Sight Picture In All
Light Conditions; Click Adjust
For Windage & Elevation;
Drop-In Installation

Drop-in replacements for factory front and rear sights use true fiber optic technology to give the shooter maximum sight illumination for easy target acquisition in full daylight or low-light conditions. Three-dot system, with two green dots on the rear sight and red dot on the front, helps ensure a fast, accurate sight picture in competition or combat shooting. Rear sight click adjusts for windage and elevation using the handy adjustment tool or slotted screwdriver to turn the hardened steel adjustment screws. Bright, white index markings on the top of the sight aid in selecting accurate windage setting. Sleek, practical, low-profile design with chamfered and radiused edges won't snag on clothing or other gear. Precision machined to exact dimensions from solid steel billet for strength and durability. Designed for solid, secure fit in existing factory slide cuts to prevent movement and shifting of zero under recoil.

SPECS: Steel, matte blue finish. Set includes front and rear sights, adjustment tool, Allen wrench, spare fiber optic rods, and instructions. **TTF45CT** fits Colt 1911A1 with narrow-tenon (.051") front sight. **TTF80CT** fits Colt Series 70/80/90 pistols with wide-tenon (.125") front sight.

#100-003-419DJ TTF45CT Adj. Fiber Optic Sight Set,
3K70Z62 \$ 104.99
#100-003-420DJ TTF80CT Adj. Fiber Optic Sight Set,
3K70Z62 104.99

STI SEMIAUTO 3-DOT TRITIUM SIGHT SET

Fully Adjustable, Easy To See



All steel construction, fully adjustable for windage and elevation, sight set fits Government Model 1911's with a BM-#1 cut. Easy-to-see tritium 3-dot system gives great target acquisition in all shooting environments. Low profile, flat blade rear sight is serrated to cut down on glare. Front sight is contoured on the leading edge to prevent hanging up in the holster and won't snag on clothing.

SPECS: Steel, matte black finish. Rear blade - .447" (11.5mm) high. Notch - .138" (3.5mm) wide. Front blade - .161" (4mm) high x .125" (3.1mm) wide, 65° x .300" dovetail.

#791-000-066DJ 3-Dot Trit. Sight Set,
1G103P34 \$ 129.18

STI ADJUSTABLE REAR SIGHTS

Low-Profile, Easy Carry;
Precise Sight Picture With
Full Adjustability



Precision-machined steel rear sights give ideal sight picture for target or carry, with low profile and rounded contours that resist snagging. Flush-mounted, positive-click windage and elevation screws won't get knocked from your selected settings. Flat blade with anti-glare serrations and wide notch provide a clear, fast sight picture that is easy to acquire under stress. **Adjustable** sits low on the slide for quick alignment, yet provides a precise sight image. Fits Bo-Mar BMCS slide cut. **Tactical Adjustable** combines the adjustability of a target sight with the compact, snag-free profile of a fixed tactical sight that fits a standard Novak rear sight slide cut. Beveled and rounded edges won't catch on clothes when drawing or holstering.

SPECS: Steel, matte black finish. Installation may require milling, drilling, and tapping of slide. **Adjustable** - Blade: .434" (11mm) high, .762" (19.3mm) wide. Notch: .110" (2.8mm) wide. Fits Bo-Mar BMCS (BM#1) 60° x .359" cut. **Tactical Adjustable** - Blade: .325" (8.3mm) high, .690" (17.5mm) wide. Notch: .110" wide. Fits Novak 65° x .495" slide cut.

#791-256-000DJ STI Adjustable Sight 1G47X12 ... \$ 58.99
#791-000-074DJ Tactical Adjustable Rear Sight,
1G62P08 77.60

STI 1911 AUTO RAMPED DOVETAIL FRONT SIGHT



Easy-To-See, Plain Black,
No-Snag Design

Low-profile, blued-steel front sight is the perfect match for a fixed, combat-style rear sight on a CCW or tactical pistol. Plain black face provides a straightforward, easy-to-acquire sight picture. Radiused front and angle cut on the rear face virtually eliminate chances of snagging on clothing during draw. Installation requires machining of slide.

SPECS: Steel, blued, matte finish. Blade - .470" (11.9mm) long, .110" (2.8mm) wide, .175" (4.4mm) high. For pistols with fixed rear sight and barrel lengths between 5" and 6" Dovetail - Fits 60° x .300" x .074" thick dovetail cut.

#791-000-073DJ Ramped Dovetail Front Sight,
1G12P71 \$ 16.95

TRIJICON® FRONT SIGHT

Replace Lost Or Removed Sights; Add Tritium



Front sights only, to replace those knocked off or removed for refinishing.

SPECS: Steel body, blued. Self-luminous lamp.

STOCK #	FITS	PRICE
#892-500-100DJ	1911 Auto Govt. narrow	2H37D50 \$ 48.99
#892-500-101DJ	1911 Auto Govt. wide	2H39D33 \$ 42.80
#892-501-101DJ	1911 Auto Commander wide	2H52D67 \$ 65.99
#892-502-101DJ	1911 Auto Officers wide	2H43T33 \$ 47.60

TRIJICON® TRITIUM HANDGUN SIGHTS

Low Light Handgun Sights
Without Batteries



Nighttime and low light shooting tests prove sights equipped with these glowing dots are easier to see and more accurate than instinctive shooting with standard black sights. Rugged, heavy duty, Traser®, luminous, 3-Dot tritium lamps provide their own long-lasting energy source. Lamps are mounted in silicone-sealed, metal cylinders to give maximum protection from breakage or leakage. Polished sapphire, crystal windows give a bright, crisp and perfectly round aiming dot in low light. Inlaid white rings around each sapphire make the sights appear as standard white dots in daylight. Very narrow blades do not have the white ring and will look more like a plain black blade in daylight. Most can be installed in factory dovetail or sight base. Tenon, staked, 1911 models require use of special Trijicon installation tools to prevent sight damage.

SPECS: Steel, blued with tritium inserts. Sights listed as **Adj.** are adjustable sights to fit guns originally equipped with factory, adjustable sights. Sights listed as **Fxd.** fit guns originally equipped with factory, fixed sights. **Kimber** fits Polymer Custom, Polymer Stainless, Pro Carry, Pro Carry II, Ultra Carry, Compact, Pro Eclipse II, and Ultra 10. **Para** - Fits Para-Ordnance.

STOCK #	FITS	PRICE
#892-101-001DJ	Colt 1911, Para P10, P14 (Fxd.) Wide	2H89D33 \$ 97.75
#892-101-002DJ	Colt 1911, (Fxd.) Narrow	2H97D33 \$ 106.25
#892-101-004DJ	Colt Comm., Para P13 (Fxd.) Wide	2H105D33 \$ 114.75
#892-101-006DJ	Colt Enhanced Govt.	2H108D00 \$ 117.30
#892-101-005DJ	Colt Off. ACP, Para P12 (Fxd.)	2H105D33 \$ 114.75
#892-101-103DJ	Colt Installation Tool	2H00DZA \$ 270.30
#892-000-014DJ	Kimber (see specs for fit)	2H113B33 \$ 123.50
#892-000-028DJ	S&W 1911 (Fxd.)	2H128D00 \$ 140.25

TRUGLO 1911 AUTO TFO BRITE-SITE FOR KIMBER



Gathers Light & Illuminates
For Maximum Sight Visibility
In All Conditions

Tritium/Fiber Optic (TFO) technology combines the self-illuminating properties of Tritium with the light-gathering

capabilities of fiber optics to ensure fast sight acquisition in any light conditions from daylight to complete darkness. Precision-machined, steel body provides excellent strength to handle the wear and tear of daily carry or competition. Low-profile design prevents holster snagging. Fits factory dovetails; rear sight includes setscrew for extra-secure installation on slide. Sold in front/rear pairs.

SPECS: Steel, matte black finish. Fiber optic/Tritium rods, green front/green rear (G/G) or green front/yellow rear (G/Y). Fits factory dovetails.

#902-000-116DJ TFO Sights For Kimber, G/G,
2K97H05 \$ 121.99
#902-000-117DJ TFO Sights For Kimber, G/Y,
2K97H05 121.99

WARRENTACTICAL 1911 AUTO TACTICAL SERIES SIGHTS

Gets You On Target Fast;
Plain Black &
Fiber Optic Models



Streamlined, all-steel sights fit low on the slide to resist snags that can impede the draw. Provide fast front sight recognition and enhanced field-of-view for quick target acquisition under stress—excellent for concealed carry or tactical competition. Rear sights are drift-adjustable for windage, with a locking setscrew to stay put. Some fitting may be required to install all these sights. **Front Sight** is available with a black, serrated rear face for reduced glare or interchangeable, bright red or green fiber optic rods for enhanced visibility in all light conditions. **Sevigny Competition** rear sight fits the popular Novak slide cut and features a square notch, rear face angled slightly back to eliminate glare, and nominal 3/8" radiused corners to help prevent hang-ups during the draw. Plain black finish without distracting points, edges, or serrations provides excellent contrast in bright daylight. Available alone or in set with plain or fiber optic front sight. **Tactical** rear sight for Smith & Wesson SW1911 has patent pending, "Wave Profile" contour with cut-out, concave outer corners to ensure a smooth, snag-free presentation. The U-shaped notch provides an extra wide field of view to help you find the front sight fast. Available alone or in a set with red/green fiber optic front sight.

SPECS: Hardened steel, matte black finish. **Front Sights** - Standard serrated rear face (**Std**) or Fiber optic (**FO**) with two interchangeable light rods, 1 red and 1 green, 2" long x .040" dia. **Sevigny** - Requires Novak .500" x 65° slide cut for installation. **Front Sight** - .175" high x .115" wide. **Rear Sight** - .165" wide notch. **Tactical** - Front Sight - .165" x .115" wide. **Rear Sight** - .150" wide notch. Fits Smith & Wesson SW1911 only.

#100-005-183DJ 1911 Sevigny Comp Set, w/Std Front,
5A51T77 \$ 73.95
#100-005-188DJ 1911 Sevigny Comp Set, w/FO Front,
5A58T77 83.95
#100-005-186DJ 1911 Sevigny Comp Rear Sight, Only,
5A32T87 46.95
#100-005-182DJ 1911 Sevigny Std Front Sight, Only,
5A18T87 26.95
#100-005-187DJ S&W 1911 Tactical Set, w/FO Front,
5A53T17 75.95
#100-005-185DJ S&W 1911 Tactical Rear Sight, Only,
5A27T27 38.95
#100-005-184DJ S&W 1911 Tactical FO Front Sight, Only,
5A25T87 36.95

WILLIAMS FIRE SIGHTS

Glowing Fiber Optic Dots
For Faster Sight Pickup



Direct fixed sight replacements for factory sights on Colt Series 80 and clones equipped with fixed factory sights. Gathers ambient light for superb visibility. The more light, the brighter the beads glow. 3-dot sight picture; front sight has red insert, rear has two green inserts.

SPECS: Aluminum body, black finish. Fiber optic insert. Includes front and rear sights. Fits fixed sight Colt Series 80 and clones with wide, .125" (3.2mm) front sight Tenon.

#962-563-620DJ Colt Series 80 Fire Sight Set,
2F36D95 \$ 49.95

GET PLUGGED INTO
BROWNELLS WITH
OUR E-MAIL UPDATES

Receive e-mail updates from Brownells about exciting new products, special offers and announcements. Be among the first to lay hands on the hottest new products, and receive our monthly WebBench™ e-newsletter, packed with in-depth how-to articles, technical tips, and other useful information.

In addition, your membership provides access to other great benefits, including monthly promotions, a Wish List folder to send to friends or family, access to your purchase history, easy order tracking and a Saved Cart folder for items you buy frequently.

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 43



WILSON COMBAT 1911 UTIMATE SPEED SIGHT



Oversized Notch Improves Sight Picture; No-Gunsmiting Fit To Novak-Type Dovetail

Streamlined combat sight provides snag-free carry and an extremely clear sight picture. The extra-large U-notch ensures speedy acquisition of the front sight under any conditions, even in poor light. Sloped, pyramid-shaped body obscures less of the target than standard rear sights, and won't snag on the holster during the draw. Sight slides into a standard Novak-type .495" x 65° dovetail and locks securely with a new locking bar system developed by Wilson Combat. No filing or fitting is needed.

SPECS: Hardened steel, black phosphate finish. 1-1/16" long, 3/4" wide, 1/2" high including dovetail. Fits Novak-type .495" x 65° dovetail. Requires a .200" tall front sight on standard 5" Government Model, or a .170" front sight on compact 1911s.

#965-000-121DJ Ultimate Speed Sight, 5F42Z03 \$ 49.99



Sights WILSON COMBAT 1911 AUTO SNAG-FREE SIGHTS

Low Mount, No-Snag Design For Combat Pistols



"Melted" design with no sharp corners to catch on holsters or clothing and slow your draw. Low-mount, combat sights give a crisp, easy-to-pickup sight picture that speeds sight acquisition in high stress situations. Rear sight body fits in factory dovetail. Extra-secure front sight mounts in a cross slide dovetail (machining required for installation). **3-Dot** - One front, two rear white dots give faster snap shot sight pickup. **Nite-Eyes** - Glowing Tritium inserts front and rear give increased visibility in low light. **SPECS:** Steel, blued. Rear Blade - .649" (16mm) wide, .230" (5.8mm) height with .124" (3mm) width notch. Front Blades are .125" (3.2mm) wide. **Govt.** is .173" (4.4mm) high; **Officers** is .130" (3.3mm) high. Front sight installation requires machining .300" x 60° dovetail in slide; dovetail cutter sold below. Fits 1911 Auto only.

#965-367-003DJ 3-Dot Snag-Free Sights, 5F29A61 \$ 34.99

#965-367-004DJ Nite-Eyes Snag-Free Sights, Govt., 5F101A62 119.95

#965-367-006DJ Nite-Eyes Snag-Free Sights, Officers, 5F101A62 119.95

SNAG-FREE FRONT SIGHTS

Low-profile front sights with high-visibility dots greatly enhance the eye's ability to find the front sight for fast target acquisition and consistent accuracy. **Gold Bead** is easy to see under most conditions. **Fiber Optic** - Red or Green fiber optic rods. **Nite-Eyes** Tritium - Self-illuminating dots work best under low light conditions. All models available in .170" and .190" heights.

SPECS: Sight body-steel, blue, matte finish. .300" x 60° dovetail. Installation may require machining of slide; correct-size dovetail cutter sold below.

#965-000-137DJ .170" Gold Bead 5F63A90. \$ 74.99

#965-000-138DJ .190" Gold Bead 5F63A90. 74.99

#965-000-139DJ .170" Fiber Optic, Green 5F33A61 38.99

#965-000-141DJ .170" Fiber Optic, Red 5F33A61 38.99

#965-000-140DJ .190" Fiber Optic, Green 5F33A61 38.99

#965-000-142DJ .190" Fiber Optic, Red 5F33A61 38.99

#965-000-143DJ .170" Nite-Eyes 5F38A66. 44.99

#965-000-144DJ .190" Nite-Eyes 5F38A61 38.99

60° x .290" DOVETAIL CUTTER - The correct dovetail cutter for installing all current models of Wilson Snag-Free front sights. Nominal 60° x .290" cuts the required 60° x 300 dovetail.

SPECS: High-speed steel. Nominal 60° x .290". .375" (9.5mm) diameter shaft.

#080-621-290DJ Wilson Dovetail Cutter 8K27A96 . . \$ 36.99

XS SIGHT SYSTEMS

24/7 TRITIUM EXPRESS SIGHT SET



Quick Sight Acquisition, Day or Night

Matched sight set features green tritium on both the front and rear sights for fast pickup under any light conditions. Rear sight features vertical tritium bar with a highly visible, white border; front includes tritium dot surrounded by a white ring. Rounded, low profile design won't slow your draw. Designed to directly replace factory sights. **Standard Dot** front sight has narrow, white ring around the tritium dot for precise aiming at longer distances. **Big Dot** front sight has a large, easy-to-see white ring surrounding the tritium dot.

SPECS: Machined steel, matte black. **Big Dot** .161" (4mm) diameter dot. **Standard Dot** .110" (2.8mm) diameter dot. 1911 Govt. Comm, Officers: Rnd. fits round top slides. Novak fits slides with Novak-style sight cut. 1911 front requires 65° x .330" x .075" front sight dovetail. All rear sights are secured with two set screws. **Para P13/P14 Limited** rear sight has adjustment screws for elevation. Gunsmith installation recommended.

STOCK # BD TRIT EXP SET	STOCK # STD TRIT EXP SET	FITS
#006-000-132DJ	NA	Charles Daly EMS
#006-000-052DJ	NA	Kimber Compact
#006-115-004DJ	#006-000-074DJ	Kimber Cust. & Ultra Carry
#006-115-001DJ	#006-000-063DJ	1911 Govt. Rnd
#006-000-042DJ	#006-000-064DJ	1911 Govt. Rnd Novak
#006-000-043DJ	#006-000-065DJ	1911 Comm. Rnd
#006-000-044DJ	#006-000-066DJ	Officer ACP & .380 Cal. Rnd
#006-000-120DJ	#006-000-121DJ	Para P10, P12, C6.45, C7.45
#006-000-122DJ	#006-000-123DJ	Para P13, P14 Limited, Adj.
#006-000-046DJ	#006-000-068DJ	Springfield 1911 Loaded
NA	#006-000-069DJ	Springfield Champ. & Cmpct
#006-000-048DJ	#006-000-070DJ	Sprgflid Ultra & Micro Cmpct
— Advise # — 24/7 Express Sight Set , except P13/P14 Limited 6K90P00 \$ 120.00		
— Advise # — 24/7 Express Sight Set , P13/P14 Limited, 6K112P50 150.00		

XS SIGHT SYSTEMS

TRITIUM EXPRESS SIGHT SET

Fast Sight Pickup In Low Light



High-visibility sight combinations put you on target faster in high stress or low light conditions by pulling your eyes to the front sight. Sight set includes non-tritium, white line V-notch for the rear sight, green tritium dot surrounded by a white ring for the front. Low profile, no-slag design is great for carry and combat competition guns. Matched sight sets offer direct replacement of factory sights. **Big Dot (BD)** front sight has a large, easy-to-see white ring surrounding the tritium dot. **Standard Dot (STD)** front sight has narrow white ring around the tritium dot for precise aiming at longer distances.

SPECS: Machined steel, matte black. **Big Dot** - .161" (4mm) diameter dot. **Standard Dot** - .110" (2.8mm) diameter dot. Round models fit round top slides. 1911 front sight requires 65° x .330" x .075" dovetail. All rear sights are secured with two setscrews. All sights are fixed. Gunsmith installation recommended.

STOCK # BD TRIT EXP SET	STOCK # STD TRIT EXP SET	FITS
#006-102-111DJ	#006-098-111DJ	1911 Govt. Round
#006-102-211DJ	#006-098-211DJ	1911 Govt. Round Novak
#006-000-083DJ	#006-000-094DJ	Springfield 1911 Loaded
#006-000-084DJ	#006-000-095DJ	Sprgflid Champion & Cmpct
#006-102-101DJ	NA	Kimber Cust. & Ultra Carry
NA	#006-098-102DJ	Kimber Compact
— Advise # — Tritium Express Sight Set , 6K67Z50. \$ 90.00		

XS SIGHT SYSTEMS EXPRESS SIGHT SET



Low Profile, High Visibility, Rapid Sight Picture

White line, V-notch rear sight and a white dot front post pull your eye to the front sight in high stress or low light conditions. Presents a very fast, highly visible sight picture to get you on target quickly. Low profile, no-slag design (even the top of the front sight body is rounded) is great for carry and combat competition guns. Matched front and rear sets offer direct replacement of factory sights. **Big Dot** provides improved speed when engaging targets at close range. **Standard Dot** gives better long range accuracy.

SPECS: Machined steel, matte black. **Big Dot** - .161" (4mm) diameter dot. **Standard Dot** - .110" (2.8mm) diameter dot. Round models fit round top slides. 1911 front sight requires 65° x .330" x .075" dovetail. All rear sights are secured with two setscrews. All sights are fixed. Gunsmith installation recommended.

STOCK # BD SET	STOCK # STD SET	FITS
NA	#006-100-111DJ	1911 Govt. Round
NA	#006-100-112DJ	1911 Commander Round
#006-099-113DJ	NA	Officers ACP & Mustang
#006-099-101DJ	NA	Kimber Custm, Ultra-Carry
— Advise # — Express Sight Set 6K45X00. \$ 60.00		

XS SIGHT SYSTEMS PRO EXPRESS SIGHT

Easy-To-See White Line Or Tritium



All steel, fully adjustable for wind-age and elevation, V-rear blade gives fast sight alignment. Vertical, white line, or tritium bar provides a quick focal point with the front sight. Use with a tritium or white Big Dot front sight for a bar-dot setup.

SPECS: Steel, black, matte finish. **Rear Sight:** Blade - .760" (19.3mm) wide, .385" (9.8mm) high. **Body** - 1.5" (3.7mm) long, .72" (17.5mm) wide. Fits BM-1 sight cut. Use with .180" high front sight. **Front Sight:** fits 65° x .330" x .075" dovetail. .180" high. .161" (4mm) diameter dot.

#006-000-021DJ	White Line Express Rear Sight, 6K50A00 \$ 60.00
#006-000-022DJ	Tritium Express Rear Sight, 6K75A00 90.00
#006-000-025DJ	White Big Dot Front Sight, 6K22A50 30.00
#006-000-026DJ	Tritium Big Dot Front Sight, 6K45A00 60.00



AIMTECH 1911 AUTO GRIP SCOPE MOUNT

Light, "Right Side" Scope Mount

Replaces the grip on the right side of Colt-Style semi-auto frame so it can't interfere with thumb safety operation. "Quad Lock" installation system securely attaches the mount to the frame at four points. Accepts Weaver-style rings. No drilling or tapping.

SPECS: Black-anodized, extruded aluminum. Approx. 5 1/2" long, 6" (15.2cm) high. Includes mounting pins and instructions. Cannot be used with ambi safety or ambi slide release.

#017-245-001DJ 1911 Grip Mount 7A44B82 \$ 66.99

**ALWAYS GIVING YOU MORE...
THAT'S VALUE...THAT'S
BROWNELLS®**

ALLCHIN

C-MORE COMP MOUNT



Lightweight & Rigid

Single side design helps eliminate ejection interference. Front deflector shield protects the lens from blast residue. Mounts on the dust cover using C-More hole spacing; two additional holes give increased support. Includes a removable thumb rest. Accepts C-More, Glock, slide-ride mount and Weaver-style rails.

SPECS: Aluminum, matte finish. 4.5" (11.5cm) long. 1.7 oz. (48 g). Includes screws and instructions. Gunsmith fitting recommended. **#005-100-000DJ C-More Comp Mount, 5K69Z10 \$ 89.99**

GO GUN GAS PEDAL™ COMPETITION THUMB REST

Improves Recoil Control On Guns With C-More Scope Mount



Milled aluminum thumb rest helps you control recoil on a USPSA "Open" Class or other pistol fitted with a C-More scope mount. Helps you reduce muzzle flip so you get back on target faster. Ridged contact area is large enough for even the biggest thumb and angled to provide a comfortable, natural thumb position for excellent control during competition. Pre-drilled mounting holes are spaced to let you position the pedal to fit your shooting style. Gunsmith installation recommended.

SPECS: Aluminum, natural finish. 3 1/8" (8cm) long, 1" (2.5cm) wide, 1 1/4", (3.2cm) tall. 1 oz. (28g) weight. Includes mounting screws and instructions.

#100-005-885DJ Gas Pedal Thumb Rest, 5B44T44 \$ 56.99

BURRIS

FASTFIRE™ SIGHT MOUNTS



Secure Attachment Of Burris Red Dot Sights Using Existing Dovetails

Lightweight, solid aluminum mounts let you install a Burris FastFire red dot reflex sight on your 1911 using the existing rear sight dovetail—no machining required. Models available to fit **Standard** .330" x 60° Government Model, **Novak**, and **Bo-Mar/Kimber** dovetails.

SPECS: Aluminum, matte black. Accepts original FastFire, FastFire II, and Doctor red dot sights. Mounting screws included.

#118-000-013DJ 1911 Standard FastFire Mount, 8A39Z28 \$ 49.99

#118-000-014DJ 1911 Novak FastFire Mount, 8A39Z28 49.99

#118-000-015DJ 1911 Bo-Mar/Kimber FastFire Mount, 8A39Z28 49.99

CLARK 1911 AUTO SLIDE MOUNTED SCOPE BASE

Add Optics To Existing Holes




Replaces Bo-Mar sight rib and accepts Weaver-style rings. Does not accommodate the Bo-Mar "tuner" feature.

SPECS: Aluminum, black, anodized finish. 7 1/8" (18cm) long, .874" (21.5mm) wide. 1.7 oz (48 g). Fits 5" Govt. length slides only.

#181-011-200DJ Scope Base 1H21D74 \$ 30.99

EGW 1911 AUTO DOCTER RED DOT SIGHT MOUNT


Replaces Rear Sight For Easy
Installation Of A Docter-Style Red Dot

Adapter base fits "iron" rear sight dovetails for easy mounting of a Docter or similar red dot sight with a hole pattern that fits a Docter base. No modifications to slide required. Adjustable hex-head screw ensures a secure lock in the dovetail; includes two hex-head cap screws to secure sight to base. Models available to fit Novak and Bo-Mar rear sight dovetails. 
SPECS: 7075 T6 aluminum, hardcoat anodized, black. Will not accept J-Point/Optima red dot sights.

#296-000-137DJ Novak Sight Mount 6B40Y43 \$ 49.95
#296-000-135DJ Bo-Mar Sight Mount 6B40Y43 49.95

J.P. ENTERPRISES J-POINT MOUNT


Keeps Optics Low For Fast Target
Acquisition

Gives the J.P. J-Point and the old Tasco Optima and Fire Point sights the lowest possible mount for fast eye alignment and sight pickup. No machining required; fits the factory dovetail. Four locating studs lock sight to base. **BM #1** fits slides cut for "melted-in" sight. **LPA** fits Para-Ordnance and others with LPA sight cut. 
SPECS: Aluminum, black anodized, matte finish.

STOCK #	FITS	PRICE
#452-000-002DJ BM #1	2E32P00	\$ 39.95
#452-000-018DJ 1911 Auto w/fixed sight	2E32P00	\$ 39.95
#452-000-003DJ LPA	2E32P00	\$ 39.95

WEIGAND COMBAT 1911 AUTO GP SCOPEMOUNT®


Great For All Types Of Shooting

Solid side panels and no-flex design make this mount great for shooting full power loads. Light weight helps reduce red-dot "carry over". Won't affect ejection or cycling. Accepts Weaver-style rings. 
SPECS: Extruded aluminum, silver or black, matte finish. 4 1/2" (11cm) long. Fits 1911 Auto. Installation requires drilling and tapping of frame. Includes instructions and screws.

#957-117-200DJ GP Scopemount, Silver, 7E55U96 \$ 69.95
#957-000-051DJ GP Scopemount, Black 7E55H96 69.95

WEIGAND COMBAT 1911 AUTO 3rd GENERATION SCOPEMOUNT®


Frame Mount Design
Gives Stable Sight Picture

Exclusive, forward, frame mounting positions both optical and electronic scopes low, directly over center of slide and grip frame for better balance and pointability. Lightweight, one-piece, no-flex, dependable base stands up to the demands of competitive pistol shooting. Won't interfere with ejection or cycling. Will accept the Tasco PDP4 40mm Red Dot Scope. 
SPECS: Aluminum, silver or black, anodized finish. 4 1/2" (11cm) long, 2 oz. (57 g) wt. Fits 1911 Auto, Govt. length frame. Accepts Weaver-style rings. 3.296" (8.3cm) c-to-c ring spacing. Requires drilling and tapping of frame. Includes screws and instructions.

#957-210-000DJ 3rd Gen. Scopemount, Silver, 7E79A95 \$ 99.95
#957-000-052DJ 3rd Gen. Scopemount, Black, 7E79H95 99.95

ALESSI 1911 AUTO HOLSTERS

Super-Fitting, Handmade, Top-Grade Gunleather
That'll Last A Lifetime

Each holster is individually handmade from top-grade leather for a superb made-for-your-gun fit you can depend on. They look great, last a lifetime, and are available in a variety of styles to fit your pistol and your style of carry. Meticulously hand-fitted to the contours of the gun to ensure secure retention, with a molded sight channel that protects the front sight and the holster from unwanted wear. All materials made in the USA. Requires no break-in. Nylon thread stitching with double-stitched stress points and back-tacked ends for years of service. 
SPECS: Top-grade leather, black only. Fits belts up to 1 1/2" wide. Right-hand carry only.

CQC-S HOLSTER - Features a slight forward cant for ease of presentation. Designed to be worn on the outside of the waistband just behind your hip in front of your rear pocket. Snap-closure belt loops on both sides help prevent twisting, and let you install the holster without taking off your belt. Reinforced on the front face for added stiffness and easy re-holstering.


#100-005-473DJ CQC-S Holster, Govt 7D120U69 . . . \$ 124.99
#100-005-472DJ CQC-S Holster, Commander, 7D120U69 124.99
#100-005-471DJ CQC-S Holster, Officers 7D120U69 . . 124.99

PCH HOLSTER - An extremely comfortable inside-the-waistband holster, the Professional Carry Holster features a 15° forward cant to aid in quick presentation and easy one-handed re-holstering. Designed to wear just behind the hip with an extended stabilizing tab that helps distribute weight and prevent uncomfortable rubbing. Compact, double belt loop with snap-flaps let you install the holster without taking off your belt.

#100-005-465DJ PCH Holster, Govt 7D140P00 \$ 144.99
#100-005-464DJ PCH Holster, Commander, 7D140P00 144.99
#100-005-463DJ PCH Holster, Officers 7D140P00 . . . 144.99

DOJ-S HOLSTER - Originally designed for the California Department of Justice, this outside-the-waistband holster features an extended rear wing for stability and a snug, low-profile fit to the body. An extra layer of leather, stitched to the front edge for extra support includes the integral belt loop. Vertical no-cant design for enhanced cross-draw capability.

#100-005-482DJ DOJ-S Holster, Govt, 7D120U69 \$ 124.99
#100-005-481DJ DOJ-S Holster, Commander, 7D120U69 124.99
#100-005-480DJ DOJ-S Holster, Officers 7D120U69 . . 124.99

WATCH 6 HOLSTER - Combines some of the best features of the CQC-S and PCH models for a great, inside-the-waistband holster for all-around-carry. A 15° forward cant keeps the grip from digging into your side and aids in fast, smooth presentation. An extra wide wing with a riveted polymer belt loop on each side provides excellent weight distribution. 
#100-005-490DJ Watch 6 Holster, Govt, 7D96U55 \$ 99.99
#100-005-489DJ Watch 6 Holster, Commander, 7D96U55 99.99
#100-005-488DJ Watch 6 Holster, Officers 7D96U55 . . 99.99


SHOULDER HOLSTER - Fully adjustable shoulder rig is designed to provide comfortable, concealed carry for a variety of different-sized shooters. Holster is positioned semi-horizontally between the arm



BLACKHAWK INDUSTRIES 1911 AUTO

SERPA HOLSTERS

Lightweight, Durable & Fast To Use;
Secure Level 2 Retention

Injection molded from advanced carbon fiber nylon composite to provide maximum strength, with minimal weight. Fully covered trigger guard for added safety, with a cutout trailing edge for maximum clearance during presentation. Features a Level 2 retention system with adjustable tension and an index finger-actuated, active system that won't release the triggerguard until you press on the lock while you draw. Adjustable to fit belts up to 1 1/2" (4.1cm) wide. **CQC SERPA** can be mounted using the belt loop or included paddle; both attachments are lock-adjustable for forward and rearward cant. **Tactical SERPA** thigh holster attaches to the right leg directly below the waist belt to keep the pistol within easy reach. Length adjustable, upper and lower leg straps are built from heavy duty, nylon elastic webbing and provide a firm, secure fit around your thigh. Quick-release buckles allow easy removal and installation. Dual top straps use hook-and-loop fastener for easy installation around the waist belt and include quick-release pull tabs for fast removal. Polymer swivels let the holster pivot when sitting-down, without pinching or binding. 
SPECS: Injection molded carbon fiber impregnated nylon, matte black finish. Adjusts to fit belts up to 1 1/2" (4.1cm) wide. Fits Govt. 1911 Auto. Right hand only. **CQC** - Paddle attachment. 4 oz (113g) weight. **Tactical** - Thigh pad, polymer buckles, nylon elastic webbing. 20.5 oz (581g) weight.

#100-002-891DJ CQC SERPA Holster 8K35X00 48.99
#100-003-486DJ Tactical SERPA Holster 8K99C54 . . 129.99

TRY THE ONLINE SIGHT CALCULATORS

Automatically calculate SIGHT CORRECTION
or front and rear SIGHT HEIGHT

BROWNELL'S SIGHT CALCULATOR

Visit our **GUNTECH** section at
www.brownells.com

and body, underneath the shoulder. Two integral pouches are secured to the other side of the rig to hold spare mags, speed loaders, ammo, or additional small gear; snap-flap covers keep contents secure. Unique Speed Break retention system snaps into the triggerguard for a secure hold, but still allows a fast, natural draw.

#100-005-512DJ Bodyguard Holster, Govt, 7D168A97 \$ 174.99
#100-005-511DJ Bodyguard Holster, Commander, 7D168A97 174.99
#100-005-510DJ Bodyguard Holster, Officers, 7D168A97 174.99

MAGAZINE POUCHES - Made with the same attention to detail as the Alessi's holsters. Low-cut for easy magazine access and fast reloads. Features a full-width snap-flap that wraps around the belt slides easily around the belt from underneath. Single- and double-magazine models available. 
#100-005-503DJ Single Mag Pouch 7D43A45 \$ 44.99
#100-005-504DJ Double Mag Pouch 7D53A10 54.99

BLACKHAWK INDUSTRIES 1911 AUTO

CQC MAG POUCH

High Security &
Fast Magazine Changes

Lightweight, high-strength polymer magazine holder with built-in tension spring holds your magazine firmly in place until it's needed. Compact for easy concealment, with a short profile that allows a hand-filling grasp of the exposed magazine for quick removal and fast magazine changes. One-piece, wrap around belt clip is spring-loaded to the closed position for worry-free retention. Molded polymer construction. Models available for single- and double-stack 1911 type magazines or similar size. Available in black, coyote tan, and foliage green. Fits belts up to 2" (5.1cm) wide. 
SPECS: Molded polymer, black, coyote tan, or foliage green; 1 5/8" (4.1cm) long, 1 1/8" (1.8cm) wide, 3 1/2" (8.7cm) high. Fits belts up to 2" (5.1cm) wide. Fits 1911 type magazines.

STK #	FITS	COLOR
#100-003-491DJ	Single-Stack	Black
#100-003-494DJ	Double-Stack	Black
#100-003-495DJ	Single-Stack	Coyote Tan
#100-003-496DJ	Double-Stack	Coyote Tan
#100-003-497DJ	Single-Stack	Foliage Green
#100-003-498DJ	Double-Stack	Foliage Green

— Advise # — Mag Pouch 8K16C00 \$ 20.99



BLADE-TECH 1911 AUTO INJECTION MOLDED HOLSTER & MAG POUCH

Tough, Secure,
Lightweight & Economical



Injection molded to give an exact gun/holster fit for secure carry. A built-in sight channel and low, speed-cut front provide for an ultra-fast presentation. Twin tension screws let you set precise retention force. Excellent for daily carry, practice, or competition. **Belt-IDPA** approved holster features a straight drop belt loop with shim inserts. **Paddle-Holder** Provides 3-position carry for straight drop, muzzle forward or FBI cant. Delivers optimal comfort and convenience, and permits easy mounting and removal from pants and belts. **Double Mag Pouch** holds two spare magazines for easy reach and fast reloads. Low profile design with TEK-LOK belt attachment makes concealment easy.

SPECS: Pylon, black, matte. Fits 1 1/4" to 1 3/4" wide belts. Right-hand only. **Belt model includes inserts to accommodate wide belts.**
#958-000-018DJ Belt Holster, for 1911 8K22Z36 \$ 27.95
#958-000-021DJ Paddle Holster, for 1911, 8K23Z99 29.99
#958-000-036DJ Double Mag Pouch, for 1911, 8K19A81 24.95

QUAD MAG POUCH - Securely holds four full-size single stack 1911 magazines at your fingertips for fast reloads—perfect for the competitor or tactical law enforcement shooter. Made from the same tough, injection-molded polymer as the Double Mag Pouch listed above, with two adjustable tension screws that let you set precise retention force so magazines stay in the pouch. Ambidextrous, low-profile design accommodates both left- and right-handed shooters; TEK-LOK™ belt attachment fits belt widths up to 1 3/4". 
SPECS: Injection-molded polymer, black, matte. Holds 4 full-size 1911 Auto magazines. Fits 1 1/4" to 1 1/2" wide belts.

#958-000-059DJ Quad Mag Pouch for 1911, 8K29Y95 \$ 39.95

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELL'S
... ONLY THE BEST ...

PAGE 45

BLADETECH 1911 AUTO BLACK ICE HOLSTER

Secure Weapon Retention & Fast Draw



Lightweight Kydex® competition holster has a broad "speed-cut" front opening that lets the gun clear the holster fast, even when you draw from a seated position. Enables quick rotation of the muzzle forward, toward the target, eliminating sideways movement during the draw that can endanger bystanders. Tall sight channel provides plenty of clearance for aftermarket night sights or fiber optic sights. Triggerguard tension lock ensures the weapon stays in the holster until you draw it. Tough, chemical- and wear-resistant Kydex holds its shape indefinitely and provides a super-slick, snag-free interior surface that aids a fast draw. Dual tension screws let you fine-tune the level of retention. Adjusts for three optional carry angles: straight drop, muzzle forward, or FBI cant. Adjustable **Tek-Lok** belt clip gives a choice of high- or low-ride on hip. Hinge pin and locking tab make it fast and easy to unclip from belt. **ASR** attachment system pulls gun closer to the body for better concealment.

SPECS: Thermoformed Kydex, black. Right-hand only. Fits full-size 1911 Government Model. **Tek-Lok** fits belts up to 2¼" (5.7cm) wide. **ASR** fits belts up to 2" (5.1cm) wide.

#098-000-086DJ Black Ice Holster, Tek-Lok, 8K53T755 \$ 66.99
#098-000-083DJ Black Ice Holster, ASR, 8K51T98 64.99

BLADE-TECH 1911 AUTO IDPA COMPETITION PAK

Perfect For Practical Shooting Competition Or Daily Carry; IDPA Approved;



Convenient kit has the belt gear you need to get started in practical shooting competition, plus the versatility to serve for daily carry, too. The IDPA-approved, custom-fit belt holster is heat-molded to fit your gun model from strong, flexible Kydex® thermoplastic acrylic polyvinyl chloride sheet. With a tough outer surface highly resistant to abrasion, Kydex retains its shape in extreme environments, does not squeak, and is impervious to solvents and oils—perfect for a hard-working competition holster. Twin tension screws and rubber spacers let you set the right retention force to keep your gun securely holstered and still have smooth presentation. Adjustable Sting Ray belt attachment system pulls the gun closer to the body, aiding concealment and maintaining a consistent position for fast draw during competition. May be positioned in straight drop, grip forward (FBI cant), or muzzle forward positions. Install the injection-molded paddle attachment (screwdriver required) to convert to a compact, concealable configuration for daily carry. Wide, curved paddle conforms to body and has a lower profile for better concealment. Flared base adds stability and prevents unwanted rocking motion when worn with a belt. Allows the same three angles as belt mount configuration; fits belts between 1¼" and 2¼" wide. Tough, shock-resistant, injection molded polymer magazine pouch with adjustable belt loop holds two spare mags at the ready, in easy reach for fast reloads when fractions of a second count. Single screw adjusts friction fit to prevent magazines from rattling or falling out when running. Separate models for Govt/Commander and Officers Model.

SPECS: Holster—Kydex, black. *Pouch & Paddle Attachment—Injection-molded polymer, black. All items fit belts up to 2¼" wide. For right-handed shooters only.*

#098-000-058DJ Govt Model Competition Pak, 8K59Y98 \$ 69.99
#098-000-061DJ Officers Model Competition Pak, 8K59Y95 74.95

BLADE-TECH INDUSTRIES KYDEX® HOLSTERS & POUCHES

Comfortable, Simple, Secure; Impervious To Wear

Kydex provides long-lasting weapon retention, plus it stands up to the harshest environment, does not squeak, and it's impervious to solvents and oils. Tension screws allow you to adjust retention. All models include reducers for 1½" and 1¾" belts.

STANDARD HOLSTER - Paddle model has three-way adjustment for carry angle, FBI cant, straight drop and muzzle forward. Wide, comfortable paddle with adjustable retaining keeper holds the holster to the waistband. **Belt** model has straight-up carry angle, provides fast draw and close, comfortable carry. IDPA approved.

SPECS: Kydex, black. Fits belts to 1¾" (4.4cm) wide. Fits Colt-style slides. *Oversize, aftermarket slides may not fit.*

STK # PADDLE	STK # BELT	FITS
#098-100-011DJ	#098-101-011DJ	Govt
#098-100-012DJ	#098-101-012DJ	Cmdr
— Advise # — Paddle Holster 8K50A36 \$ 62.95		
— Advise # — Belt Holster 8K50A36 62.95		

INSIDE WAIST BAND HOLSTER (IWB) - Wear between the belt and pants or inside the waist band. Adjustable for angle of carry; FBI Tilt or straight up carry position. Dual belt loops secure holster. Hammer shield prevents snagging on clothing.

SPECS: Kydex, black. Adjustable to fit belts 1¼" to 1¾" (4.4cm) wide. Fits Colt-style slides. *Oversize, aftermarket slides may not fit.*

#098-000-011DJ IWB Holster 8K44Z80 \$ 51.99

FLASHLIGHT/MAGAZINE POUCH - Holds one single stack magazine and a Surefire 6P/9P flashlight, lens down. **Tek-Lok™** quick release belt clip fits belts up to 1¾" (4.4cm) wide.

SPECS: Kydex, black, matte finish.

#098-000-016DJ Tek-Lok Light/Mag Pouch, 8K37Z07 \$ 52.95

MAGAZINE POUCHES - Single screw with rubber spacer adjusts friction fit; holds magazines without rattling. **Lock** pouches feature quick release, **Tek-Lok™** utility belt clip. **Paddle** has molded clip, adjustable for belt width, that snaps over belt or waistband.

SPECS: Kydex, black. Fits belts 1¼" to 1¾" (4.4cm). Fits single stack magazines only.

#098-116-001DJ Single Mag Pouch 8K22V37 \$ 31.95

#098-121-001DJ Dbl Mag Pouch, Lock 8K42V36 52.95

#098-120-001DJ Dbl Mag Pouch, Paddle 8K40V76 50.95

COMPETITION MAG POUCH - Retains an STI/SVI double-stack magazine securely and lets you precisely position it for fast, fluid mag changes under high-stress, competition conditions. The open front "speed cut" allows the finger to index on the magazine quickly for shorter reload times. Adjustable carry angle and tensioning screws let the shooter "dial in" his preferred pull setting with up to 75 degrees of movement from vertical. Adjustable **Tek-Lok** clip fits belts up to 2¼" wide.

SPECS: Kydex, black. RH only. Accepts double-stack STI/SVI magazines, all calibers. Fits belts up to 2¼" (5.7cm) wide.

#098-000-079DJ Competition Mag Pouch 8K30T80 \$ 35.95

CALIFORNIA COMPWORKS

5/10 TOURNAMENT POUCH

Protects & Secures Magazines During Competition



Robust, 1000 denier Cordura® nylon pouch provides convenient storage for up to ten 1911 single-stack magazines or five double-stack magazines. Overlapping cover with hook-and-



FOBUS 1911 AUTO TACTICAL ELITE HOLSTER

Comfortable Carry That's Light & Secure

Triggerguard-detent, passive retention system provides nearly snatch-proof security, and allows a quick, smooth draw. Molded from lightweight thermoplastic for an exact fit, with a molded-in sight channel to prevent snagging. Contoured paddle with a full width belt lock lets the firearm hug your body.

SPECS: RX18 thermoplastic, black. Right-hand only. **C-21** fits 5" 1911 Auto.

#100-000-286DJ C-21 Tactical Paddle Holster, 3K16Y93 \$ 27.99

MAGAZINE POUCH - Uses a friction pad retention system to keep magazine secure; prevents rattling. Paddle, with full-length belt lock, holds pouch tightly to your belt.

SPECS: RX18 thermoplastic, black. Accepts single-stack, 1911 Auto magazines.

#100-000-288DJ 1911 Auto Double Mag Pouch, 3K15Y67 \$ 24.99



GHOST PRODUCTS GHOST HOLSTER

Lightweight, Fast & Secure



Spring-loaded triggerguard lock provides positive retention without clips, buckles, muzzle cups or walk through straps. Holds the gun securely until you unlock for the draw; no more concerns about pistol retention; just run, unlock, draw and shoot. No need to re-adjust configuration to use Limited and Open guns in the same holster. Completely adjustable for height, draw angle and cant. Lock plate clamps tightly to 1" wide belt, completely eliminates movement.

SPECS: Steel, aluminum and plastic. Black, matte finish. Right hand only. **1911 -** fits 1911 Auto, STI/Infinity, Para-Ordnance.

#100-000-293DJ 1911 Ghost Holster 3K130Y41 \$ 149.99

HELLWEG BELT SLIDE HOLSTER

Slim Profile Helps Conceal Pistol

High, close carry for concealability. Top grain, unlined, wet-molded cowhide. **SPECS:** Leather, black. Right-hand only. Fits belts to 1½" wide.

#425-107-101DJ 1911 Belt Slide 3B20C97 \$ 26.22



HELLWEG KSL LIMITED HOLSTER

Limited Class Legal, Open Class Fast

Limited class holster that is fast as open class holsters. Variable tension screw holds gun securely, does not impede draw. Fully adjustable, Standard Belt Plate lets you select height and angle of carry, plus holds gun away from body for full access to grip. Made from thermo-molded Kydex® and suede leather lined so it's easy on the gun's finish.

SPECS: Kydex plastic, suede leather lining, black. Fits 5" (12.7cm) 1911 Auto. Fits belts to 1½" (3.8cm) wide. Right-hand only.

#425-105-191DJ 1911 Limited Holster 5B96C10 \$ 120.14



loop latch provides a tight seal to keep magazines clean and secure during tactical competition. High strength, double-stitched loop fits belts up to 2¾" wide. Mounts on either left- or right-hand side for easy access.

SPECS: 1000 denier Cordura nylon, black. 4½" (11.7cm) long, 2" (5.1cm) wide, 4" (10.2cm) deep. 20 oz. (567g) wt. Fits belts up to 2¾" (6.9cm) wide.

#151-000-031DJ 5/10 Mag Pouch, 1E17Y95 \$ 24.95

GALCO INTERNATIONAL 1911 AUTO PREMIUM GUNLEATHER

For Concealed Carry



Expertly crafted for superior fit and function. Cut from the top 2% of the finest, "Number One" grade, U.S. vegetable tanned steer hides, then hand-molded for a perfect fit. Hand-rubbed oil preserves the leather. Havana brown is a rich burgundy color produced by penetrating, aniline dyes. **MIAMI CLASSIC -** Includes tension-adjustable holster, 1" wide harness and double magazine carrier with tab for cuff case or tie down. Four-point spider harness pivots independently for added mobility. Flexalon, swivel back plate provides excellent support.

SPECS: Steer hide, tan. RH. Fits 1911 barrels 3" to 5" long: Colt, Kimber, S&W, Springfield, AMT Hardballer and Star PD.

#100-001-635DJ Miami Classic 7A136Z27 \$ 174.95

U.S.A. - Ultimate Second Amendment™ features the Generation III J-Hook; attaches over the waistband, behind the belt and hooks upward over the bottom of the belt for total concealment with a tucked-in shirt.

SPECS: Horsehide, natural. RH. Fits 1911 barrels 3" long only: Colt, Kimber, Springfield and Para LDA. Accepts 1¼" (3.2cm) wide belts.

#100-001-658DJ U.S.A. Holster 7A55Y96 \$ 69.95

F.L.E.T.C.H.™ - High-ride, open muzzle design with retention strap fully covers the triggerguard and protects the sights. Low cut grip access ensures fast presentation. Body-side contour gives extra comfort on the hip. Reinforced thumb break.

SPECS: Steer hide, tan. RH. **3.5"** fits 1911 barrels 3.5" long only: Colt, Kimber, Springfield, Para-Ordnance P12, C7, LDA, and Star PD. **5"** fits 1911 barrels 5" long only: Colt, Kimber, S&W, Springfield, Para C7, P14, P16, LDA, and AMT Hardballer. Accepts belts up to 1¾" (4.4cm) wide.

#100-001-640DJ 3.5" F.L.E.T.C.H. Holster, 7A66Y51 \$ 86.00

#100-001-642DJ 5" F.L.E.T.C.H. Holster 7A66Y51 86.00

CONCEALABLE™ - Low profile belt holster contours your hip for extra stability. Open top provides grip accessibility for fast presentation and holstering. Belt slots minimize shift give weapon a forward cant.

SPECS: Steer hide, Havana brown. RH. Fits 1911 barrels 4" to 4.25" long only: Colt, Kimber, Springfield and Para P13. Accepts belts up to 1½" (3.8cm) wide.

#100-001-729DJ Concealable Holster 7A88U50 \$ 99.99

YAQUI SLIDE BELT HOLSTER - Concealable under a short jacket. Features minimum bulk with plenty of security. Contoured for zero cant. Tension screws allow fitting to a variety of pistols. Belt slide has cutout for over a belt loop to prevent shifting.

SPECS: Steer hide, tan. RH. Fits all length 1911 barrels: Colt, Kimber, S&W, Springfield, Para, AMT Hardballer, Star PD. Accepts belts up to 1¾" (4.4cm) wide.

#100-001-891DJ Yaqui Holster 7A47T95 \$ 62.00

D.M.P.™ - Ambidextrous, Double Magazine Paddle holds two .45 or 10mm single-stack magazines. Dual, tension adjustment screws for maximum retention. Injection-molded, belt-lock paddle fits inside the waistband and hooks under a belt; keeps mag carrier secure and allow on/off without removing belt.

SPECS: Steer hide, tan only. Approx. 4" (10cm) long x 4" high. Fits belts up to 2" (5.1cm) wide.

#100-001-687DJ D.M.P. Magazine Carrier, 7A56P06 \$ 69.95



HOGUE SEMI-AUTO UNIVERSAL POWERSPEED™ HOLSTER

Maximum Retention; Releases Instantly
For A Lightning-Fast Draw

Modular holster securely retains your pistol, then releases instantly as you draw. Exclusive design uses three, extremely powerful rare earth magnets to hold almost any semi-auto pistol snugly on the support platform ready to draw. Separate locking mechanism secures the triggerguard in your choice of two levels of retention. Fully-Locked or Semi-Race; releases instantly with just a light push from the thumb as you draw. Disengage the lock for a completely unimpeded draw in full-race situations. Made from lightweight, unbreakable, resin impregnated plastic. Holster is fully adjustable for width at triggerguard, height of draw and left- or right-hand carry. Includes two belt mounts: Competition/Duty is adjustable for cant and angle, fits belts 1½" (3.8cm) to 3" (7.6cm) wide; High Rise fits 1½" wide belts and is designed for concealed carry. **SPECS:** Plastic, black 7.2 oz. (202 g) wt. Fits most full-size, semi-auto pistols with steel slides and a minimum barrel length of 3½". #408-300-000DJ Powerspeed Holster 8K92A06 . . . \$ 128.99



MICHAEL'S KYDEX DOUBLE MAGAZINE CASE

Injection Molded For Durability

Double magazine pouch features individually molded compartments for proper fit of single-stack, 1911-style magazines. Tension screw system lets you adjust the amount of retention for competition or carry. Rugged, Kydex construction ensures smooth insertion and removal of mags and stands up to hard use. **SPECS:** Kydex, black. 4¾" (10.6cm) long x 3¼" (7.9cm) high x 2¾" (7cm) deep x 7/8" (2.2cm) thick. Fits two single-stack 1911-style magazines. Accepts belts up to 1¾" (4.4cm) wide. #593-000-033DJ Double Magazine Case 3E18V14 . . . \$ 21.95

MILT SPARKS SEMIAUTO SUMMER SPECIAL 2

Highly Concealable, Comfortable, All-Day Carry

Classic inside the waistband holster offers optimum concealment and comfort. Open top style for a quick draw; wet molded to an exact fit for excellent retention. Steel reinforced top always remains open for easy, one hand reholstering. Rough-side-out texture grips clothing to prevent holster from shifting. Protective backflap prevents thumb safety from snagging on clothing; keeps slide from digging into your ribs. Features sewn-in sight channel and belt loops with one-way directional snaps. **SPECS:** Leather, tan. 1½" (3.8cm) belt loops. #728-002-191DJ Govt. Summer Special 8B84U86 . . . \$ 99.99 #728-002-192DJ Comm. Summer Special 8B84U86 . . . \$ 99.99 #728-002-193DJ Off. ACP Summer Special 8B84U86 . . . \$ 99.99



RESCOMP C-RVERSA POUCH

Adjust Angle & Tension For High-Speed
Magazine Changes; Ambidextrous Design

Injection-molded, competition pouch makes it easy to fine-tune the pull tension and angle of draw. Spacer inserts and knurled-head, adjusting screw provide proper fit for most single- and double-stack mags. Finger groove gives a positive, repeatable grip. Belt hanger reverses for left- or right-hand use. Fits belts to 1½" wide. **SPECS:** Molded polymer, black, red, or blue. Pouch - 1½" (4.1cm) long, 1¾" (3.5cm) wide, 2¾" (7cm) high. 3.2 oz. (90.7 g) wt. Accepts double-stack hi-cap magazines including STI, SV, SPS, Para Ordnance, Blk M5, and Caspian. #775-000-018DJ Black C-R Versa Pouch 5G37Y84 . . . \$ 46.99 #775-000-019DJ Red C-R Versa Pouch 5G37Y84 . . . \$ 46.99 #775-000-021DJ Blue C-R Versa Pouch 5G37Y84 . . . \$ 46.99



MITCH ROSEN 1911 AUTO EXPRESS LINE™ GUN LEATHER

Top-Of-The-Line Craftsmanship At An Affordable Price From
One Of The Most Innovative Names In Handgun Leather

Hand fitted from the finest quality cowhide to precisely match the contours of the firearm for a snug fit and secure retention. Nylon thread stitching with double-stitched stress points and back-tacked ends for years of service. Formed sight channel ensures the front sight never snags or pulls leather. Excellent attention to detail and design gives comfortable, all-day carry. **ARG. AMERICAN REAR GUARD** - Inside-the-waistband. Double leather and steel reinforced top for easy, one-hand re-holstering. Rides extremely low with radical rearward muzzle rake. Single rear belt loop reduces bulk; holds securely to belt. Draws the butt tightly against body for minimal printing. One-way snap for easy removal. **SPECS:** Cowhide, tan and brown. Fits 1½" belt loops. Right-hand. #100-000-465DJ ARG Holster, 1911 Auto 5K70Z00 . . . \$ 90.00



PREMIER HOLSTER - Hand-fitted from the finest quality cowhide to precisely match the contours of the firearm for a snug fit and secure retention. Holster features two snap closures for quick attachment and release without removing belt. Double nylon stitching increases rigidity for easy re-holstering. 18" forward cant gives quick presentation; rides close to the body for minimal printing. **SPECS:** Cowhide, black. Fits 1½" belts. Right-hand. #100-001-822DJ Premier Holster, Govt. 5K70Z00 . . . \$ 90.00 #100-001-823DJ Premier Holster, Comm. 5K70Z00 . . . \$ 90.00



DEUCE - Holds two magazines vertically. Attaches to the belt with two, one-way snaps, or thread your belt through the 1½" slots. Features two tension adjustment screws. **SPECS:** Cowhide, brass rivets. Black or brown. RH. Single-Stack - 9mm or .45 ACP Double-Stack - 9mm or .40 S&W. #100-000-480DJ Deuce Single-Stack, Blk 5K37A50 . . . \$ 50.00 #100-000-481DJ Deuce Single-Stack, Brown, 5K37A50 . . . \$ 50.00 #100-000-482DJ Deuce Double-Stack, Blk 5K37A50 . . . \$ 50.00



RESCOMP C-R SPEED HOLSTER; MODEL "A"

Highly Functional Design Provides
Lightning Fast Draws For 1911 Auto

Ultra-lightweight, rail-style design provides open access to grip for a fast, unrestricted draw. Exclusive, safety-locking lever engages with a flick of your thumb. Fully adjustable for overall length, degree of rake, draw tension, height and outward cant. Fits all barrel lengths, with or without scopes and comps. Can be converted for left-hand use; clamps to belts up to 1½" wide. **SPECS:** Polyethylene plastic, black. 8.8 oz. (250 g) wt. Imported from South Africa. Includes 3mm and 4mm Allen wrenches. Fits 1911 Auto, all styles and models plus, many other guns with triggerguards from ¾" (9.5mm) to .453" (11.5mm) wide. #775-000-001DJ "A" C-R Speed Holster 5G87T27 . . . \$ 109.99



C-R SPEED MUZZLE PLATFORM - Adjustable position, rigid plastic muzzle platform replaces the muzzle cup on C-R Speed Holsters to shorten draw time by that winning "whisker". Three different sized muzzle spuds are included for use with 9/38, .40, and .45 pistols and can be changed easily with a Phillips head screw driver. Platform can be reversed and mounted in two different positions on the holster for short or long pistols. **SPECS:** Polyethylene plastic, black. #775-000-031DJ C-R Speed Muzzle Platform, 5G32Y30 . . . \$ 40.37




SAFARILAND 013 COMPETITION HOLSTER

Adjustable To Fit All Barrel Lengths

One holster fits both your Limited and Unlimited pistol. Adjustable nosepiece has reduced profile with closed bottom, gives fast draw with excellent security. May be quickly adjusted to accommodate pistols with barrel or barrel/compensator combinations from 5" (12.7cm) to 7" (17.8cm) long. Aluminum body accepts all frame- or slide-mounted scope applications with no adjustment necessary. Tension-adjustable insert block locks onto the triggerguard and holds the pistol securely until you're ready to draw. A simple slide lever on the outside of the holster locks the trigger block to prevent accidental release of the pistol. Flick the slide to the rear as you start the draw to release the lock. **SPECS:** Machined aluminum & reinforced molded polymer, matte black. Right-hand only. Fits 1911 Auto, STI/SVI, EAA Witness, Para Ordnance, Caspian. CZ-75, CZ-85, McCormick/Tripp, Sphinx, Strayer-Voigt Infinity, Tanfoglio, and Springfield P-9. Fits belts up to 1¾" (4.4cm) wide. Hook and loop fasteners lock holster to belt. #797-000-133DJ 013 Holster 7G182C76 . . . \$ 265.00



ARRENDONDO MUZZLE PLATFORM - Replaces the Safariland factory muzzle strap; secures gun without restricting your draw. Muzzle rests over a nylon spud that won't lose tension with use. Spud fits 9mm/.38/.40/.45 caliber. **SPECS:** High-impact polyurethane, black, matte finish. #069-000-002DJ Muzzle Platform 9F30X08 . . . \$ 38.50



SAFARILAND 1911 AUTO 5188 PADDLE-STYLE CONCEALMENT HOLSTER

Compact & Lightweight With Low
Sides For Comfort & Ease Of Draw

Low-profile, open-top paddle holster offers minimal bulk and a low-cut front to help improve the speed of your draw. Cut-down sides won't interfere with draw and maximize comfort and concealment. Constructed of nearly indestructible Safari-Laminate™ thermal molded to the exact shape of a full-size 1911 Government model pistol for superior retention and no movement of gun while walking or running. Adjustable tension system lets you set the right amount of retention for your gun and the level of resistance during unholstering, while soft, suede lining protects the gun's finish. Self-locking paddle of injection-molded polymer readily conforms to your body for a comfortable, close to the body fit that positions the gun for smooth, fast presentation. Paddle also accepts a belt up to 1¼" wide for extra support. Approved by the International Defensive Pistol Association (IDPA) for competition use. **SPECS:** Safari-Laminate with suede leather lining, black. For Govt. Model with 5" barrel. Right hand only. Fits belts up to 1¾" (4.5cm) wide. #797-000-102DJ 5188 Paddle Holster, Govt., 7G26X90 . . . \$ 39.00



SAFARILAND 1911 AUTO 6005 QUICK-DETACH LEG STRAP

Easy, Fast Attachment &
Removal Of 6000-Series
Tactical Holsters



Upgraded, replacement leg strap with quick-release buckle allows easy, fast attachment and removal of Safariland's 6000-series tactical holsters without having to remove duty belt. Secure, positive-locking buckle of tough molded-polymer has extra lock button that must be depressed as you squeeze the side prongs to release the buckle. Virtually eliminates the danger of accidentally opening the buckle and dropping the holster. Strap made of the same super-tough nylon webbing as the original strap that

SAFARILAND 6004 TACTICAL HOLSTER

Lightweight, Rugged,
Secure Weapon Retention & Protection

Thermal-molded laminate holster protects pistol from dents and dings, and ensures retention in the most demanding tactical situations. Self Locking System (SLS) releases the weapon when you push down on the thumb lock and rotate hood forward; pulling up on the gun's grip without releasing the lock actually makes weapon more secure. With no cumbersome snaps to release, SLS design allows a smoother draw, protects weapon from attempted seizure, and is less likely to release accidentally. Molded sight track and suede liner protects sights and finish. Attaches to duty belt and secures to leg with a double strap and contoured shroud system for added comfort and stability. Setscrew allows adjustment for optimal retention force. Available in **Black, Dark Earth and Foliage Green** to match common camo colors. **SPECS:** Safari-Laminate™, nylon, ABS plastic, Black, Dark Earth, or Foliage Green. Fully lined. Right-hand only. Holster must be worn with belt up to 2¼" (5.7cm) wide. Fits full-size 1911. #797-000-074DJ 6004 Tactical Holster, Black, 7G128B97 . . . \$ 169.99 #797-000-117DJ 6004 Tactical Holster, Dark Earth, 7G127X87 . . . \$ 162.75 #797-000-121DJ 6004 Tactical Holster, Foliage Green, 7G127X87 . . . \$ 162.75



SAFARILAND 1911 AUTO 6304 TACTICAL HOLSTER

Strong, Lightweight & Adjustable;
Dual Quick-Release Retention Systems

Rugged, lightweight, thermal-molded laminate holster securely retains your pistol during the most strenuous tactical maneuvers and prevents seizure by unauthorized personnel. Dual quick-release locking systems ensure that you—and only you—can access your weapon. The Self Locking System (SLS) prohibits access until you push down on the thumb lock and rotate the protective hood forward. Upward force on the gun's grip without releasing the lock actually makes the weapon more secure. Hood also serves as a hammer blocking device on a pistol carried in Condition 1. In addition, the Automatic Locking System (ALS) automatically grips the gun from the inside every time you holster it. After releasing the SLS, your thumb is positioned to pull back on the ALS release lever and complete a straight-up draw that is natural, smooth, and faster than traditional snap-and-strap systems. The hood guard at the front of the holster further blocks unauthorized access by another person but won't interfere with your access to the controls. Nearly indestructible Safari-Laminate™ is thermal molded to encase the gun and protect it from impact, while the molded sight track and soft suede lining protect sights and finish. Setscrews allow adjustment retention force to prevent movement of gun when walking or running. Adjustable vertical strap mounts to any width duty belt, and a hook-and-loop system lets you set the exact holster height you want. A contoured leg shroud with two adjustable straps secures the holster to your leg for maximum stability and comfort. **SPECS:** Safari-Laminate™, nylon, ABS plastic, with suede lining, black. Fits full-size 1911 with 5" barrel. Right hand only. #797-000-112DJ 6304 Tactical Holster, 7G147X74 . . . \$ 194.75



came with your holster. **SPECS:** Molded polymer, nylon webbing, black. Approx. 14½" (36.8cm) long. Fits Safariland leg-shroud holsters with T-shaped 3-hole screw pattern, including 6004, 6074, 6274, 6304, and 6305. #797-000-126DJ 6005 Quick-Detach Leg Strap, 7G30C34 . . . \$ 40.00

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 47

SAFARILAND 1911 AUTO 77-53 DOUBLE MAGAZINE POUCH



Secure Magazine Retention & Protection From The Elements

Rugged pouch made of incredibly tough, abrasion-resistant synthetic material securely holds two spare magazines at the ready for fast tactical reloads. Individual snap-flaps let you access one mag while leaving the other one secured in its compartment. Designed specifically for use with the Safariland 6004/6005 Tactical Thigh Holster system, but will fit any 2 1/4" belt. Injection-molded polymer and heat-fused polymer laminate construction provides snug fit, with adjustment screw for extra secure retention. Inside of pouch back and flaps is covered with a thin layer of Safari-Suede™ to protect magazine finish and absorb oils and lubricants. Tough STX Tactical™ exterior finish blends well with other tactical and duty gear, repels water, and resists scuffs and nicks, yet looks good through years of hard use. Will not absorb water or sweat, and cleans up easily with water and mild soap.

SPECS: Molded and heat-laminated polymers, black. Fits magazines for Colt 1911 Government Model, Commander, Officers, and clones including Kimber and AMT Hardballer. Also fits H&K P7/P7M8, Sig P220, and S&W 39/3904/3906/4013/4053/439/639/909/CS9. Fits belts up to 2 1/4" wide.

#797-000-124DJ 77-53 Dbl Mag Pouch 7G27C77 . . . \$ 40.25

SAFARILAND 079 DOUBLE CARRY MAGAZINE HOLDER



Ambi Design; Cut Low For Faster Reloads

Low-cut design for easier magazine access, plus adjustable tension so each shooter can set the amount of resistance for getting the draw that feels best, without sacrificing safety.

SPECS: Safari-Laminate™, Black basketweave. Fits belts up to 1 3/4" wide. Reversible to fit either right- or left-hand. **Single-Stack** accepts 1911-style magazines, **Double-Stack** accepts Glock 20/21, Para-Ordnance, McCormick, STI, Infinity.

#797-079-057DJ Single-Stack Magazine Holder, 7G26D90 . . . \$ 39.00

#797-079-157DJ Double-Stack Magazine Holder, 7G26D90 . . . 39.00



SAFARILAND 773 COMPETITION MAG POUCH

Fully Adjustable For Fast, Smooth Draw

Thermo-molded from Safari-Laminate® for light weight and durability. Adjustable draw angle and tension. Closed front improves retention.

SPECS: Safari-Laminate, black basketweave finish for right-handed shooters. Fits belts up to 1 1/2" (3.8cm) wide. Fits: **53** - 1911 Auto, single-stack; **850** - STI/Infinity, Para-Ordnance P-14.

#797-773-001DJ Comp. Mag Pouch 53 7G27X60 . . . \$ 35.00

#797-773-005DJ Comp. Mag Pouch 850 7G27X60 . . . 35.00

BROWNELLS (mobile)

Now you can shop using your mobile device



SOFT ARMOR 1911 AUTO HOLSTERS

Lightweight Nylon Holsters For A Variety Of Carry Styles

Compact, lightweight, and versatile nylon holsters for concealed or duty carry. Rugged 600 denier nylon outer shell with foam padding underneath cradles the gun and ensures comfortable all-day carry. Soft trikot lining protects gun's finish and aids in a smooth, fast draw. Snap-closure thumbbreak nylon retention strap keeps your pistol secure when you're on the move, yet allows easy access for the draw. **Jaguar Hip Holster** offers built-in belt loops on both sides for traditional open carry on either hip. **Compak Shoulder Holster** features a wing-style harness that distributes weight evenly across the shoulders for all-day comfort. Remove the harness to convert into a hip holster. **Compak Leg Holster** is a tactical holster designed to be worn on the thigh, out of the way of body armor and rappelling gear, while preserving quick access to the sidearm. A quick-detach harness suspends it from the belt, while two wide straps keep the holster securely positioned on the leg. Right hand only. **SPECS:** 600 denier nylon, black. Fits full-size 1911 Govt. model.

#100-005-540DJ Jaguar Hip Holster 2D11V45 . . . \$ 18.99

#100-005-542DJ Shoulder Holster 2D26V88 . . . 39.99

#100-005-541DJ Compak Leg Holster 2D30V05 . . . 49.99

SPECTER GEAR TACTICAL THIGH HOLSTER

Multiple Adjustments For Comfort; Securely Retains Your Handgun & Magazine

Heavy-duty pistol holster offers almost infinite adjustability for correct fit and increased wearing comfort. Multiple adjustment points safely and securely retain your handgun at the recommended mid-thigh level for tactical duty applications. Fully adjustable, double leg straps are made with durable, 2" wide nylon webbing with interwoven rubber stitching to prevent shifting during use. Dual, quick-release side buckles with elastic inter-loops evenly distribute weight for less fatigue and expansion of the leg straps during movement. Triple routing channels for the attachment straps provide a perfect fit for all users. Vertical hanger strap with quick-release buckle is constructed of three layers of 2" wide webbing with a full length hook-and-loop pad for up to 6" of vertical drop adjustment. All stitching and seams are sewn with either #69 or #92 mil-spec nylon thread; high stress points are quadruple stitched for added strength. Adjustable hammer retention strap with additional security release flaps clear with minimum thumb pressure, yet securely retains your pistol even when low crawling or rappelling. Includes single mag pouch located at the front of the holster. **SPECS:** Ballistic nylon w/ 1000 denier cordura nylon outer shell, black. Approx. 1 lb. (.5 kg) weight. Available in right hand (RH) or left hand (LH). Fits 5" 1911 Govt.

#100-002-860DJ 1911 Thigh Holster, RH 4K63U20 . . \$ 79.99

#100-002-861DJ 1911 Thigh Holster, LH 4K63U20 . . 79.99

TUFF 1911 AUTO "IN-LINE" MAGAZINE POUCH

Secure, Space-Saving Carry Of Backup Magazines

Durable, Cordura® nylon competition pouches hold single-stack magazines exactly where you need them to get reloaded and back in action fast. Positions the mags at a 90° angle to the body, rather than flat against it, to maximize belt real estate. Designed for .45 ACP

SPECS: 1000 denier Cordura® nylon, mil-spec webbing, black. Available in 5- and 8-magazine capacities.

#100-005-572DJ 8-In-Line Mag Pouch 1C37X50 . . . \$ 49.99

#100-005-571DJ 5-In-Line Mag Pouch 1C37X50 . . . 49.99



SKYLINE TOOLWORKS UNIVERSAL CLIPDRAW

Attaches In Seconds To Most Handguns; Easily Removable For Use With Holsters

Spring steel belt clip installs to most pistols and revolvers to provide secure carry with minimum bulk for maximum concealment. Attach the pre-drilled mounting plate to a clean, flat surface on the gun using the provided high-bond, 3M double-back tape, then fasten the clip to the mounting plate with the included Allen screws. Adhesion actually increases over time. For conventional holster carry, simply unscrew and remove the clip; mounting plate will not interfere with most holster configurations. Installation requires a minimum 3"x1/4" flat surface area on the firearm. Great for any handgun with varying carry requirements. Stretch release technology makes it easy to completely remove all traces of mounting tape with no remaining residue or blemishes to your gun's metal finish.

SPECS: Steel, blue (BL) or stainless steel (SS), natural finish. 3" (7.6cm) long, 1/4" (6mm) wide, 3/8" (10mm) high. Includes adhesive strips, cleaning pads, screws, and Allen wrench.

#918-000-003DJ SS Universal Clipdraw 8A11Z95 . . \$ 19.95

#918-000-004DJ BL Universal Clipdraw 8A11Z95 . . . 19.95

SKYLINETOOLWORKS CLIPDRAW

Safe, Convenient Carry Without A Holster

Spring steel clip holds gun securely, provides an inside the waistband carry without the additional bulk of a holster. Installs easily under gun grip panel, does not interfere with gun function.

SPECS: Spring steel, black or nickel finish.

STOCK #	FITS	COLOR	PRICE
#918-011-100DJ	1911 Auto	Black	8A11Z95 \$ 19.95
#918-011-101DJ	1911 Auto	Silver	8A11Z95 \$ 19.95
#918-012-100DJ	Officers ACP	Black	8A11Z95 \$ 19.95
#918-001-100DJ	S&W J-Frame	Black	8A11Z95 \$ 19.95
#918-001-101DJ	S&W J-Frame	Silver	8A11Z95 \$ 19.95



BROWNELLS 1911 AUTO LIGHT RAIL MOUNT

Add Lights & Lasers To Non-Rail Frames

Add-on light rail makes it cost-effective to convert any 1911 Auto-type pistol without an integral frame rail to accept a wide assortment of popular weapon lights and lasers. Rail attaches permanently with the supplied screws and Acraglas Gel® to form a seamless mate with dust cover. **Aluminum** model keeps aluminum-framed pistols lightweight and maneuverable. **Steel** version provides extra strength and added weight for improved balance and recoil control, plus it can be welded into place and finish-shaped for a "built-in" appearance on steel framed pistols. Installation requires permanent alteration of frame and must be completed by a gunsmith or machinist. **SPECS:** Aluminum or steel, matte black. 1 1/8" (4cm) long, 1 3/8" (2.1cm) wide, 3/8" (9.5mm) high. Weight: Aluminum - .6 oz. (17g). Steel - 1.2 oz. (34g). Fits 1911 Auto-type pistols. Slot centers located .510" from each end.

#078-000-076DJ Alum. Light Rail Mount 8G40Y50 . . \$ 50.99

#078-000-078DJ Steel Light Rail Mount 9A40Y53 . . . 50.99

NOVAK 1911 AUTO TACTICAL LIGHT RAIL



Rock Solid Under-Receiver Mounting Of Tactical Lights & Lasers

Low-profile accessory mount attaches to underside of receiver in front of triggerguard for ultra-secure mounting of tactical lights and laser aiming devices. Gets light/laser close to the bore axis for accurate aiming, with controls in easy reach of support hand. Four precision machined slots accept any accessory designed to fit a MIL-STD 1913 Picatinny rail. Beveled and dehorned for snag-free operation; extends only 1/4" below frame to allow easy fit in any holster designed for use with light/laser-equipped pistols. Available in blued carbon steel, matte gray stainless steel, or extremely lightweight aluminum with matte black anodized finish. Mounts using three super-strong, heat-hardened hex-head screws; drilling and tapping of frame required. **SPECS:** Steel - Carbon steel, blued, or stainless, matte gray finish. 1.3 oz. (36g) weight. **Aluminum** - Anodized, matte black. .4 oz. (12g). All models 2.18" (5.5cm) long, .835" (2.1cm) wide. Extends approx. 1/4" (6.4mm) below frame when installed. Drilling and tapping of frame required. Includes mounting screws, hex wrench, and instructions.

#662-000-080DJ Blued Steel Tactical Light Rail, 2F49Z49 . . . \$ 59.95

#662-000-078DJ Stainless Steel Tactical Light Rail, 2F49Z96 . . . 59.99

#662-000-079DJ Aluminum Tactical Light Rail, 2F49Z96 . . . 59.99

RANSOM 1911 AUTO MACHINE REST

Ultimate Accuracy Tester Eliminates Human Error

The finest handgun machine rest; very well made and extremely reliable. Shows pistolsmiths, competitive shooters and accuracy buffs the true shooting potential of their guns and ammunition. Designed, thoroughly tested and performance proven to duplicate the human wrist and hand action during shooting, but without the element of human error. Positive stop pad gives exact repositioning after each shot. Adjustable for elevation. Grip insert of special polyurethane is bonded to aluminum plates to provide a secure hold. Insert available separately. **SPECS:** 9 3/8" (23.8cm) x 8" (20.3cm) x 6 3/8" (16.8cm). 7 lbs. (2.9kg). Insert fits Colt Government and clones. Will not fit wide body or double stack frames.


#164-100-000DJ Ransom Rest, only 4F354C78 . . . \$ 412.99

#164-001-002DJ Colt Govt. 1911 Insert 4F49D69 . . . 58.23

RANSOM WINDAGE BASE - Get positive control over windage with your Ransom Rest by mounting it on this fully adjustable base.

SPECS: 12 3/4" (32.4cm) x 9 5/8" (24.4cm) x 3 1/8" (8cm). 5 lb. (2.2kg).

#164-003-000DJ Ransom Windage Base, 4F197C83 . . . \$ 231.83



MASEN PARA-ORDNANCE MAGAZINE LOADER



Saves your thumbs and increases the refilling speed. Increases leverage on the follower. Works for both right- and left-handed shooters.

SPECS: High-impact plastic. Fits Para-Ordnance, STI, SVI and Glock-type magazines.

#555-203-000DJ Para Mag Loader, 6E04Z50 . . . \$ 5.95

EGW 4-CALIBER CARTRIDGE CHECKER

Helps Prevent Jams
By Making Sure Each Round Meets
Specs Before Shooting

Make sure all your ammo is in spec before you shoot that critical match. One tool lets you check four popular calibers used in practical shooting matches: 9mm, .38 Super, .40 S&W, and .45 ACP. Helps you avoid jams, misfires, feeding problems, and other malfunctions caused by out-of-spec ammo that can cost you precious points—or the whole match. Machined aluminum with check holes precision bored using the same high-quality Clymer reamers EGW chambers its barrels with.

SPECS: 6061 T6 aluminum, anodized, black. 3" (7.6cm) long, 1" (2.5cm) wide, 1 1/4" (3.2cm) high.
#296-000-125DJ 4-Caliber Cartridge Checker, 6B16Y49 \$ 21.95



BUTLER CREEK SEMI-AUTO PISTOL UPLULA MAGAZINE LOADER

Loads Pistol Magazines Fast,
Protects Fingers & Thumbs

Hand-held loader fills pistol magazines quickly and easily, so you spend less range time loading mags and more of it shooting. Smooth, positive operation protects fingers and thumbs while you load hundreds of rounds painlessly—as fast as one round per second. Also lengthens magazine life by reducing wear and tear on feed lips. Hold the magazine upright with the bottom resting on a solid surface. Place the loader over the top of the mag, press down lightly while squeezing the lever to depress the follower, drop in a round, and work the lever quickly to push it into the mag. Repeat the process until the magazine is full. Constructed from tough, reinforced, black polymer. Locks closed when not in use, so it takes up minimal space in pocket or range bag. **UpLula** fits single- and double-stack 9mm, .357 SIG, .40 S&W, 10mm, and .45 ACP magazines, plus some .380 mags. Will not load Glock 6-round single-stack, .45 caliber, Smith & Wesson 7-round single-stack 9mm, or magazines with less than 8mm between feed lips. **Baby UpLula** fits smaller single-stack pistol magazines, including most .22 LR, .25 ACP, .32 ACP, and .380 ACP. Does not fit Ruger® Mark I or 22/45™, S&W 22A/22S, or Walther P22.

SPECS: Reinforced polymer, black. **UpLula** - 2 7/8" (7.3cm) long, 1 1/4" (3.2cm) wide, 3 3/4" (8.3cm) high. Fits single and double stack magazines from 9mm to .45 ACP. **Baby UpLula** - 2 1/2" (6.3cm) long, 1 5/16" (2.4cm) wide, 3 1/4" (8.3cm) high. Fits single-stack .22 LR, .25 ACP, .32 ACP and .380 ACP (9mm Short/Kurz) magazine.

#100-003-052DJ UpLula Magazine Loader, 3E29V79 \$ 32.99

#100-005-262DJ Baby UpLula Pistol Mag Loader, 3E30X77 32.99

HKS MAGAZINE SPEEDLOADER

Load Mags Almost As Fast As You Can Shoot,
Without The Sore Fingers

Simple, easy-to-use design lets you load 1911 Auto magazines quickly without dinging the feed lips and pinching your fingers, so you spend more precious range time shooting, less loading magazines. Slide the loader over the magazine and grasp both firmly as you repeatedly depress the ribbed, no-slip thumb lever to relieve the spring pressure and insert rounds.

SPECS: Plastic, black. **450** fits standard single-stack 7-rd magazines and many 8-rd magazines. **451** fits Colt 9mm/.38 Super/.40/10mm/.45 ACP. **452** fits double-stack pistols, including Caspian, Para Ordnance, and STI.



THERMOLD PISTOL MAGAZINE LOADER

Makes Loading Fast, Easy & Painless

Molded polymer, pushbutton-operated loader helps you quickly load a centerfire pistol magazine with less wear and tear on your fingers and thumb—and the magazine. Compresses the mag spring uniformly, so inserting the rounds puts less pressure on the feed lips and helps extend magazine life. Push the spring-loaded plunger down onto the magazine follower, slide a round in the opening, release the plunger, and push the round the rest of the way into the magazine. Repeat until magazine is full.

SPECS: Zytel nylon, black. **Single-Stack** fits magazines up to .550" (14mm) wide; **Double-Stack** fits magazines up to .800" (20.3mm) wide. Not intended for Glock magazines.

#100-005-860DJ Single Stack Magazine Loader, 7C05D38 \$ 6.99

#100-005-861DJ Double Stack Magazine Loader, 7C05D38 6.99



BLADE-TECH 1911 AUTO TRAINING BARREL

Inert Barrel For Safe, Realistic
Training & Function Testing

Provide realistic, hands-on training with this replacement barrel that allows safe service pistol use during classroom demonstrations and instruction. Converts a functional pistol into a non-loading, non-firing gun, so you can still operate the slide and dry-fire the weapon during presentation drills. Easily identifiable, bright yellow color indicates the gun is safe for training. Constructed of high strength, polymer composite that's resistant to solvents for a lifetime of use.

SPECS: Polymer composite, bright yellow. Fits Govt. models.
#098-000-056DJ Govt. Training Barrel 8K11Y25 . . . \$ 13.95



CRTC SAFETY MAG

Weighted, Inert Magazine
Enhances Firearms Safety Training

Duplicates the weight and feel of a loaded magazine to provide safe, realistic training and practice of tactical reloads, dry firing, and immediate response drills. Completely eliminates the fear of accidental discharge. International Inert Blue color provides fast, easy identification.

SPECS: Solid synthetic, blue. Fits single-stack Colt 1911 and clones, and S&W .45 autos.

#182-100-001DJ 1911 Auto Safety Mag 2H14X00 . . . \$ 17.50



RING'S MANUFACTURING FIREARMS SIMULATOR

Safe, Non-Gun, For Practice &
Training

Arealistic, safe alternative to using real firearms for training exercises and weapons retention drills. Molded from actual weapons for true-to-life detail. Strong, polyurethane plastic has steel reinforcement to prevent bending and flexing; handles and balances like an actual firearm. Safety blue color signifies this is a non-firing training aid.

SPECS: Polyurethane. Safety blue color. Handgun simulators weigh approximately 11 oz. (311g) depending on model.

#100-000-664DJ 1911 Auto Simulator 3K35Y35 . . . \$ 43.75



#392-000-018DJ HKS 450 Magazine Speedloader, 2C08Y37 \$ 13.95

#392-000-019DJ HKS 451 Magazine Speedloader, 2C08Y37 13.95

#392-000-017DJ HKS 452 Magazine Speedloader, 2C08Y37 13.95

10-8 PERFORMANCE ARMORER TOOL

Sturdy Non-Marring Tool
Has Dozens Of Uses

Handy tool of extremely tough, non-marring glass-reinforced nylon is perfect for prying and pushing applications where a metal tool can damage the part or gun finish. Rigid chisel point on one end is useful for depressing springs and spring-loaded parts—even use to thread MOLLE straps through webbing—while the semi-flexible flat blade on the other end can get into tight spots or serve as a temporary shim. Great to have around during disassembly of semi-auto pistols like the 1911, Glock, or Smith & Wesson M&P or when working on service rifles like the AR-15/M16. Multiple ridges molded into the grasping area in the middle of the tool help prevent slippage when working with oily or greasy hands. Available in **Black, Flat Dark Earth, and Foliage Green.**

SPECS: Glass reinforced nylon, Black, Flat Dark Earth, or Foliage Green. Approximately 5" (12.7cm) long, 1/4" (6.4mm) diameter.

#100-003-708DJ Armorer Tool, Black 1B06U49 \$ 7.95

#100-003-709DJ Armorer Tool, Flat Dark Earth, 1B06U49 7.95

#100-003-710DJ Armorer Tool, Foliage Green, 1B06U49 7.95



10-8 PERFORMANCE 1911 AUTO ARMORER'S BLOCK

For Fast, Easy Maintenance,
While Protecting Pistol & Hands
From Damage

Handy bench block machined from super-tough, glass-reinforced nylon supports 1911 pistol components so you can perform a variety of repair, assembly/disassembly, and accurizing tasks quickly and easily. Securely holds the frame on its side, so you can work on it without risk of damaging the finish. Helps you check hammer/sear engagement, remove hammer strut pin, remove mainspring housing, and holds thumb safety for easy filing of sear stop stud engagement surface. Use to tension the extractor off the slide, so you don't risk scratching the slide, and retain the extractor while filing and honing the claw. Holds the barrel during link pin removal, with blind holes to catch the pins so they don't get lost. You can even place the frame between two blocks and clamp it in a bench vise for slide fitting.

SPECS: Glass-reinforced nylon, black. 4" long (10.2cm) x 4" wide x 1 1/4" (3.2cm) high.

#100-004-369DJ Armorer's Block 1B39H96 \$ 49.99



BROWNELLS MAGAZINE WELL FILLER

Helps Prevent Expensive Frame Damage

Fits inside and fills the magazine well to help prevent distortion caused by vise pressure.

SPECS: 7075 aircraft aluminum, silver, matte finish. **1911 Auto** available Standard (**Std**) 4" (10.2cm) long and Extended (**Ext**) 5" (12.7cm) long. Double-Stack models are Extended (**Ext**) 8" (20cm) long only. **STI** fits STI, SVI and McCormick.

STOCK #	MODEL	LENGTH	PRICE
#080-810-100DJ	1911 Auto	Std.	8K22A99 \$ 29.97
#080-810-101DJ	1911 Auto	Ext.	8K30A04 \$ 42.99
#080-925-002DJ	STI	Ext.	8K20U14 \$ 24.97



C.B. GIORNESTO 1911 AUTO THE 1911 BLOK

Frees Both Hands & Holds Pistol Securely In
Vise For Easy Cleaning & Maintenance

Solid, high-strength vise block slides into mag well and locks tight using the mag catch to hold your 1911 pistol securely for easy cleaning and maintenance. Keeps both hands free for detailed, precision work, and helps eliminate the chance of dropping the pistol and causing damage. Durable, injection-molded polymer composite construction won't mar or scratch gun and resists most common solvents. Fits Government Model, Commander, and Officers Model.

SPECS: Polymer, black. Stem - 4 1/4" (10.8cm) long.
#100-003-987DJ 1911 Vise Block 6B30H54 \$ 39.99



BAT INDUSTRIES 1911 AUTO ROTO STAND

Holds Pistol Securely In
Any Position For Two-
Hands-Free Cleaning
& Maintenance



Pistol not included

Sturdy, adjustable stand holds your 1911 securely in a wide range of positions for easy cleaning and maintenance. Frees both hands to work and gets the pistol up from the work surface to protect it from scuffs, scratches, and dings that can happen if it slips

as you work on it. Great for competitors and other high-volume shooters who need secure, unobstructed access for cleaning gunked up guns quickly. Also serves as a display stand to show off that prized custom pistol or racegun. Large, circular base is stable enough to support any single stack 1911 Auto configuration and has a lipped edge and soft, no-slip neoprene pad to prevent tools and small parts from rolling away. The insert on the ball-and-socket swivel mechanism fits in the pistol's mag well. Adjust the screw on the spring tensioner with the included hex wrench to ensure the insert grasps the pistol firmly. Unlock the swivel mechanism's release lever and rotate the gun for best access to the area you want to work on, then lock the lever and go to work. Tough, structural polymer composite base and swivel, with chemical resistant neoprene base mat.

SPECS: Injection-molded structural polymer composite with neoprene rubber mat, black. Height fully assembled, approximately 6" (15.2cm). Base diameter, 12 5/8" (32.1cm). Hex wrench and instructions included. Fits all models of single-stack 1911 Auto pistol.

#100-003-406DJ 1911 Roto Stand 6B92Z23 \$ 100.99

INNOVATIVE SHOOTING PRODUCTS 1911 AUTO REVERSE PLUG RETENTION CLIP

Retains Reverse Plug & Spring On Guide
Rod During Field Stripping

Handy steel clip slips over a full-length guide rod and securely retains the reverse plug and spring when field stripping a 1911. Acts like a "third hand" to keep the spring and plug on the rod while you remove or install the slide. Eliminates the need for improvised tools like small nails or paper clips that can fall out and cause a safety hazard by unexpectedly launching the spring, plug, or rod across the shop.

SPECS: Steel, approx. 2 1/8" (5.4cm) long.
#100-004-616DJ Reverse Plug Retention Clip, 3Z05H18 \$ 6.99



Guide rod, reverse plug & spring not included

Get Tips & Tricks At **Gunsmiths.com**

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 49



BROWNELLS

1911 ARMORER'S TOOL KIT



The Tools You Need To Do Quality Work On 1911s

This kit includes the 21 most essential tools necessary to assemble, disassemble, improve performance, and to do general maintenance on 1911-style pistols. Plus, we put them in a heavy-duty case and added a large, bench/field mat to protect guns, parts and your bench. **080-000-183DJ 1911 Armorer's Tool Kit, 8K276Y45** \$ 309.99

1911 ARMORER'S KIT

① **#81 MAGNA-TIP® SOLID HANDLE** - Rugged and hand filling with a powerful magnet for fast bit changes. Suitable for dozens of jobs when working on 1911s.
SPECS: Steel, heat treated. Fits Brownells 1911 Auto and Ruger® MkI/MkII grip screws.
#080-086-181DJ #81 Solid Handle 8K10C60 \$ 12.99

② **3/32" ALLEN BIT** - Inserts into the Magna-Tip screwdriver to remove Allen-head grip screws.
SPECS: Steel, heat treated. Fits Brownells 1911 Auto and Ruger® MkI/MkII grip screws.
#080-185-100DJ #185-1 Bit 1K02A52 \$ 2.99

③ **#240-5 SLOTTED BIT** - Inserts into the Magna-Tip screwdriver to remove slotted grip screws.
SPECS: Steel, heat treated. Fits Brownells 1911 Auto and Ruger® MkI/MkII grip screws.
#080-240-540DJ #240-5 Bit 8K02U52 \$ 2.99

④ **T15 TORX BIT** - Inserts into the Magna-Tip screwdriver to remove torx grip screws.
SPECS: Steel, heat treated. Fits Brownells 1911 Auto and Ruger® MkI/MkII grip screws.
#080-435-015DJ T15 Torx Bit 8K02A52 \$ 2.99

⑤ **MAGNA-TIP .45 BUSHING DRIVER BIT** - Supports grip bushings for easy removal; fits in the Magna-Tip Handle above.
SPECS: 1 9/16" (3.9cm) overall length, 1/4" (6.35mm) O.D.
#080-434-045DJ Magna-Tip .45 Bushing Driver Bit, 8K07A91 \$ 12.99

⑥ **1911 AUTO GRIP BUSHING STAKER** - 8-segment, 90° head gives maximum contact with bushing for most secure installation possible.
SPECS: Staker head - S5 Tool Steel with Rc 57-60 hardening. 4" (10.2cm) handle.
#080-644-000DJ 1911 Auto Grp Bshg Stkr 8K23H97 \$ 31.99

⑦ **BROWNELLS LUG IRON** - Removes rough spots and machine marks from the slide lug area of 1911 Autos.
SPECS: 8 3/4" (22.2cm) long. One-piece steel shaft and head.
#080-689-000DJ Brownells Lug Iron 8K44H74 \$ 52.99

⑧ **1911 AUTO ANODIZED BUSHING WRENCH** - Non-marring aluminum gets the tightest bushings loose. Fits Govt. and Officers.
SPECS: Aluminum, red anodized. 5 1/2" (14cm) long, 1 1/4" (3.2cm) wide, 1/2" (6.35mm) thick.
#080-045-200DJ 1911 Auto Anodized Bushing Wrench, 8K15B69 \$ 19.99

⑨ **PLUNGER TUBE CRIMPER KIT** - Easy-to-use tool lets you secure the plunger tube to the frame without fear of tube crush or frame damage.
SPECS: Steel, 7" (17cm) long. Crimper Kit includes crimper and plunger tube support. Includes external reinforcing block. Plunger Tube Support - Hardened steel. 4" (10.2cm) long, .106" (2.7mm) diameter. Step is .300" (7.6mm) long, .090" (2.3mm) diameter.
#080-806-500DJ Plunger Tube Crimper Kit, 8K57A94 \$ 74.99

⑩ **1911 AUTO SAFETY DETENT DEPRESSOR** - Slips behind the thumb safety; cupped tip won't slip off lock detent pin. Press in and pop the safety into place.
SPECS: Steel shaft, plastic handle, 5" (12.7cm) long.
#583-120-101DJ 1911 Auto Safety Detent Depressor, 3H00AYT \$ 12.99

⑪ **MAINSRING HOUSING PIN PUSHER** - Pops the mainspring housing pin out easily.
SPECS: Approx. 3" (7.6cm). RC 50 steel shank, plastic handle.
#080-850-000DJ Mainspring Housing Pin Pusher, 8K16U56 \$ 24.99

⑫ **1911 AUTO TRIGGER STIRRUP DIE** - Smooths out bends and bumps found in production triggers to match-fit them for smooth travel.
SPECS: Hardened Steel. 1 15/16" (23.8mm) long, 5/8" (15.9mm) thick, 1 1/2" (3.8cm) high.
#080-710-045DJ Trigger Stirrup Die 1911 Auto, 8K20X88 \$ 25.99

⑬ **1" NYLON/BRASS HAMMER COMBO** - Brass head for driving various pins; no-mar nylon head for soft "tapping".
SPECS: 1" (2.5cm) diameter faces. 11 1/2" (29.2cm) hickory handle. Weighs approximately 6 oz. (170.1g).
#818-600-100DJ 1" Nylon/Brass Hammer Combo, 8A00ZAY \$ 19.99

⑭ **BLUE PISTOL BENCH BLOCK** - Large, durable bench block; won't embed or mar when pounding out pins.
SPECS: Polyethylene blue, 4" (10cm) diameter, 1 1/2" (2.8cm) high.
#080-000-493DJ Blue Pistol Bench Block 8D00CHD \$ 16.99

⑮ **NYLON FRONT SIGHT PUNCHES** - Non-marring punch lets you drift the front sight right or left without damage to the sight.
SPECS: 4" (10.2cm) long. 3/16" (7.9mm) diameter. Polyenco Nylon. Sold in a set of 3.
#080-478-000DJ Set of 3 Nylon Front Sight Punches, 8K04X22 \$ 4.99

⑯ **BROWNELLS FRONT SIGHT STAKER** - Offset punch efficiently directs the full force of the hammer blow downward against the sight tenon to stake front sights tightly.
SPECS: Steel, blued. 3/16" (7.9mm) x 1/2" (12.7mm) x 4 1/2" (11.4cm) long shaft. Replaceable, hardened steel tip. Fits 1911 Auto. Includes complete instructions.
#080-817-000DJ Brownells Front Sight Staker, 8K35Y79 \$ 46.99

⑰ **1911 AUTO EXTRACTOR REMOVAL TOOL** - Dual-purpose tool prevents scarred breech faces, scratched slides and gives fast, easy extractor removal every time.
SPECS: Steel, blue, matte finish. 6" (15.2cm) long, 3/8" (9.4mm) diameter handle, 150" (3.7mm) diameter lever.
#080-923-000DJ 1911 Auto Extractor Removal Tool, 8K20P23 \$ 25.99

⑱ **#120-3 BIT** - Fits slotted magazine catch locks.
SPECS: Steel. 120" (3.1mm) shank diameter, .03" (.76mm) blade thickness.
#080-120-330DJ #120-3 Bit 8K02U52 \$ 2.99

⑲ **#185-00 HEX-HEAD BIT** - Fits hex-head (Allen) magazine catch locks.
SPECS: Steel. 1" (2.54cm) long, 1/16" (1.6mm) thick.
#080-185-002DJ #185-00 Bit 8K02A52 \$ 2.99

⑳ **.120" BRASS ALIGNMENT & PUSH PUNCH** - Helps install and remove hammer pins.
SPECS: Plastic handle, 360 alloy punch. 4 3/4" (12cm) long. Punch - 3/4" (8.2cm) long, .120" (3.05mm) diameter.
#080-000-025DJ .120" Brass Alignment & Push Punch, 8K06H97 \$ 8.99

BROWNELLS

1911 AUTO FIELD MAINTENANCE PACK



Complete, Dedicated Kit For Field Repair & Maintenance Of Tactical 1911 Autos

This compact field

maintenance pack is designed specifically for servicing combat 1911 Autos during Military Ops. And, it provides the soldier with all the required tools to field strip, repair, and maintain this pistol while on the move. This is not a run-of-the-mill cleaning kit, but carefully selected, high-quality field armorer tools dedicated to working on the 1911 pistol, so there is no confusion and no down time spent scrounging through one large field case of loose odds and ends. Individual pouches and compartments inside the water- and abrasion-resistant, denier Cordura case keeps all tools secure and separated to help minimize noise that could jeopardize your mission. Quiet, #9 YKK zippers with oversize pulls make it fast and easy to get tools in and out. Front panel features clear, I.D. card sleeve and loop strip for name tape. Includes two, nylon grab handles for easy carry. Made in the U.S.A. Field Pack Case is also available separately.

SPECS: Includes: #81 MAGNA-TIP® screwdriver handle w/ #120-3, #185-00, #185-1, #240-5, T15 Torx, and bushing driver bits; grip bushing staker; lug iron; bushing wrench; plunger tube crimper kit; safety detent depressor; trigger stirrup die; nylon/brass hammer; pistol bench block; (3) nylon punches; front sight staking tool; extractor removal tool; .092" and .120" dia. brass push punches; mainspring housing pin pusher; 12"x24" bench/field gun mat. 5 lb. 2 oz. (2.32 kg) wt.
#080-000-456DJ 1911 Auto Field Pack 8K276A46 . . . \$ 366.99

FIELD PACK CASE - The same, heavy-duty, Cordura field case included with our 1911 Auto Weapons Field Maintenance Pack. Made available separately for your additional tactical gear and accessories.
SPECS: Denier Cordura nylon, O.D. green. 12" (30.5cm) long, 10 1/2" (26.7cm) high, 3 1/2" (8.9cm) thick.
#080-000-459DJ Field Pack Case 8K48A73 \$ 64.99



All products marked with this symbol have passed a rigorous test of function and quality, and have been awarded the American Pistolsmiths Guild "Seal of Approval."

① **.092" BRASS ALIGNMENT & PUSH PUNCH** - Helps you install and remove seal pins.
SPECS: Plastic handle, 360 alloy punch shaft. 4 3/4" (cm) long. Punch - 3/4" (8.2cm) long, .092" (2.3mm) diameter.
#080-000-024DJ .092" Brass Alignment & Push Punch, 8K06H97 \$ 8.99

② **BENCH/FIELD GUN MAT** - Soft face prevents scratches and dings when working on your gun. Absorbs liquid, and includes a non-slip backing.
SPECS: Polypropylene fiber, brown, expanded, vinyl acetate backing. 12" (30.5cm) x 24" (61cm).
#084-280-001DJ 12x24 Bench/Field Gun Mat, 4H08X50 \$ 11.99

③ **TOOL BOX** - Heavy-duty, plastic box conveniently holds everything in one place. Perfect for the shop, armory, or as a take along to a match.
SPECS: High-impact plastic. 15" (38.1cm) long, 7" (18cm) wide, 5" (13cm) high.
#696-100-303DJ Tool Box 6F11D98 \$ 17.59

BROWNELLS 1911 AUTO

TRIGGER STIRRUP DIE



Trigger not included

Forms Stirrup For Precise Trigger Pull

Makes it easy to smooth out the bends and bumps found in production triggers and match-fit them for precise, no-wobble travel. Slide a trigger over the die and tap lightly around it with a small hammer. Maintains correct shape and angles. Dual use, lets you save dinged and damaged ones too. Models available for standard **Single-Stack**, as well as double-stack **Para-Ordinance** and **STI** pistols.

SPECS: Hardened Steel. **Single-Stack** - 1 15/16" (23.8mm) long, 5/8" (15.9mm) thick, 1 1/2" (3.8cm) high. **Para-Ordinance** - 1 7/8" (3.9cm) long, 1 1/16" (2.4cm) thick, 2" (5.1cm) high. **STI** - 2" long, 1 1/16" thick, 3" (7.6cm) high.

#080-710-045DJ Single-Stack Stirrup Die 8K20X88 \$ 25.99

#080-000-388DJ Para-Ord Stirrup Die 8K25Z98 \$ 38.99

#080-000-389DJ STI Trigger Stirrup Die 8K25Z98 \$ 38.99

POWER CUSTOM

SLIDE RAIL COMPOUND CLAMP

Semi-Auto Slide Tightening Made Easy

Giant, steel "pliers" have two machined "steps" that can tighten one or both rails with just a "squeeze" of a bench vise. Step one distributes pressure evenly to both rails at the same time. Step two straightens and adjusts one side at a time if the slide is bent or sprung. Stop bolt helps prevent over-tightening and damaged slides.
SPECS: Heat-treated steel, blued finish. Machined from 1 1/2" (3.81cm) square stock, approx. 7 1/2" (19cm) long. Ratio 2:1.

#713-101-000DJ Compound Clamp 3A00PUA \$ 114.99



ALPHA PRECISION 1911 AUTO SLIDE TIGHTENING TOOLS



Tighten Slide-To-Frame Tolerances Without Over-Squeezing Or Damage

Tools developed by noted pistolsmith Jim Stroh help you produce a tight slide-to-frame fit for better accuracy. Produce

a uniform slide/rail gap as small as .0005" on carbon steel guns. **Slide Tightening Blocks** use the powerful mechanical advantage of your bench-mounted vise to produce controlled, incremental squeezing of the slide to tighten its fit to the frame. Lets you tighten a stainless steel slide to run on a stainless steel frame with as little as .001"-.002" clearance without risk of galling. Should be used with the **Slide Tightening Stop** to prevent over-tightening and damage to the slide. Special heat-treated aluminum alloy won't deform under pressure and won't mar the slide; kit includes two vise blocks and steel fulcrum rod. **Slide Tightening Stop** fits between the slide rails to set correct dimensions and prevent deformation of the slide while applying pressure with the Tightening Blocks. Tighten until the stop cannot be moved in the slide, release pressure, move the stop and blocks down the slide, and apply pressure in the new location. Repeat procedure until the entire slide/frame contact area has been tightened. **Rail Gauge** - Use in conjunction with a caliper's depth-measuring feature or a depth micrometer to measure depth of frame rails for selecting a correct-size spacer bar for peening the rails to eliminate vertical slide movement.

SPECS: **Tightening Blocks** - Aluminum, 1" (2.5 cm) square, 3" (7.6cm) high. **Tightening Stop** - Steel, machined. Adjusts from .701" (17.9mm) to .852" (21.6mm) in width. **Rail Gauge** - Steel. 5 5/8" (14.9cm) long, 3/4" (1.9cm) wide. Includes instructions.


#012-101-000DJ Slide Tightening Blocks 2A45Z00 . . . \$ 49.95

#012-101-001DJ Slide Tightening Stop 2A64Z00 \$ 69.95

#012-100-093DJ Rail Gauge 2A31Z00 \$ 34.95

BROWNELLS 1911 AUTO RAIL SWAGING PUNCHES

Helps Prevent Frame
Rail Damage

Puts downward swaging pressuredirectly onto the frame rails and not on the frame. Giant steel punches with specially machined steps prevent overpeening and crushed frame rails. Single or Double design allows tightening only the specific rail area required for closer frame-to-slide fit. 

SPECS: Machined steel. 5 1/2" (56cm) long, 1" (2.5cm) diameter. Set includes 1 punch of each design.

#080-805-001DJ Single Swage Punch 8K29A98 . . . \$ 39.99


#080-805-002DJ Double Swage Punch 8K25A41 . . . \$ 30.99

#080-805-000DJ Swage Punch Set 8K49A84 . . . \$ 65.95

BROWNELLS/STARRETT 1911 AUTO SLIDE RAIL MICROMETER



Quickly Choose Correct Slide Fitting
Bar With Micrometer Accuracy


For match level accuracy, slide-to-frame fit on 1911-style autos must be closer than a gnat's whisker. This specially modified Starrett mike precisely measures the thickness of the slide's "rails". Makes choosing the correct slide fitting bar quick and accurate. No guesswork. Take measurement at three points along the slide, average readings together, and select a slide fitting bar (listed elsewhere) .001" to .002" thicker. 

SPECS: Stainless steel, 2 1/2" (6.3cm) overall. Carbide measuring faces read .0000 to .4265" (10.8mm). Includes plastic case.

#827-561-730DJ Slide Rail Micrometer, 7B00YTP . . . \$ 224.99

MARVEL 1911 AUTO SLIDE LAPPING TOOL

Makes Smooth Lapping Easy

Simplifies hand lapping a 1911 slide and frame. Oversize ball handle on a dummy "bushing" fits into the slide and makes it possible to apply a smooth back-and-forth lapping action. 

SPECS: 5 1/8" (13cm) long overall. 3 1/2" (8.8cm) long x 5/8" (15.9mm) diameter steel shaft. 2" (5cm) diameter plastic ball handle.

#583-100-000DJ 1911 Slide Lapper 3H00UAV . . . \$ 39.95

HEIRLOOM PRECISION 1911 AUTO FRAME HOLDING FIXTURE



Provides A Solid Hold
Without Bending Or
Crushing The Frame

Steel fixture completely eliminates the potential for damage caused by vise tension when working on the 1911 Auto frame. Insert in the magazine well from the top or the bottom, depending on the work being performed. Two, adjustment screws with steel bushings provide the clamping action inside the mag well to completely immobilize the frame on the fixture. Secure the shaft end of the fixture in a bench vise for full access to all sides of the frame for polishing, checkering, rail tightening, and other operations. Fits any single-stack 1911-style pistol. 


SPECS: Oil-hardened tool steel, blued, 10" (25.4cm) OAL. Fits single-stack 1911-style mag wells. Instructions included.

#100-002-983DJ Frame Holding Fixture, 9A67V74 . . . \$ 79.99

GSA BROWNELLS 1911 FIELD TOOL KIT



Fix In-The-Field Problems On The Spot

Six critical tools to do field maintenance, improve performance, and assist in assembly/disassembly on your 1911 pistol. The heavy-duty tool box provides you a convenient way to haul the tools to matches or wherever you take your 1911. To protect your gun, parts, and work surface, we also included a highly-absorbent field/bench mat to work on. 

#080-100-184DJ 1911 Field Tool Kit 8K183T06 . . . \$ 205.99

1911 FIELD TOOL KIT

① **1911 AUTO GRIP BUSHING STAKER** - 8-segment, 90° head gives maximum contact to bushing for most secure installation possible.

SPECS: Staker head - S5 Tool Steel hardened to Rc 57-60. 4" (10.2cm) handle.

#080-644-000DJ 1911 Auto Grip Bushing Staker, 8K23H97 . . . \$ 31.99

② **BROWNELLS LUG IRON** - Removes rough spots and machine marks from the slide lug area of 1911 Autos.

SPECS: 8 3/4" (22.2cm) long. One-piece steel shaft and head.

#080-689-000DJ Brownells Lug Iron 8K44H74 . . . \$ 52.99

③ **PLUNGERTUBE CRIMPER KIT** - Easy-to-use tool lets you secure the plunger tube to the frame without fear of tube crush or expensive frame damage.

SPECS: Steel, 7" (17cm) long. Crimper Kit includes crimper and plunger tube support. Includes external reinforcing block. Plunger Tube Support - Hardened steel. 4" (10.2cm) long, .106" (2.7mm) diameter. Step is .300" (7.6mm) long, .090" (2.3mm) diameter.

#080-806-500DJ Plunger Tube Crimper Kit, 8K57A94 . . . \$ 74.99

④ **1911 AUTO TRIGGER STIRRUP DIE** - Smooths out bends and bumps found in production triggers to match-fit them for smooth travel.

SPECS: Hardened Steel. 1 15/16" (23.8mm) long, 5/8" (15.9mm) thick, 1 1/2" (3.8cm) high.

#080-710-045DJ Trigger Stirrup Die 8K20X88 . . . \$ 25.99

⑤ **BLUE PISTOL BENCH BLOCK** - Large, durable bench block; won't embed or mar when pounding out pins.

SPECS: Polyethylene blue. 4" (10cm) diameter, 1 1/8" (2.8cm) high.

#080-000-493DJ Blue Pistol Bench Block 8D00CHD \$ 16.99

⑥ **BROWNELLS FRONT SIGHT STAKER** - Offset punch efficiently directs the full force of the hammer blow downward against the sight tenon to tightly fit front sights.

SPECS: Steel, blued, 5/16" (7.9mm) x 1/2" (12.7mm) x 4 1/2" (11.4cm) long shaft. Replaceable, hardened steel tip. Fits 1911 Auto. Includes complete instructions.

#080-817-000DJ Brownells Front Sight Staker, 8K35Y79 . . . \$ 46.99

⑦ **BENCH/FIELD GUN MAT** - Soft face prevents scratches and dings when working on your gun. Absorbs liquid, and includes a non-slip backing.


SPECS: Polypropylene fiber, brown, expanded, vinyl acetate backing. 12" (30.5cm) x 24" (61cm).

#084-280-001DJ 12x24 Bench/Field Gun Mat, 4H08X50 . . . \$ 11.99

POWER CUSTOM 1911 AUTO FRAME SUPPORT SYSTEM



2-Piece Set Prevents Frame Damage
During Fitting, Acts As Guide For Stippling

Stops frame "crush" while performing any of the lapping, heavy hammering or heating and bending alterations that require holding and squeezing the frame in a bench vise. Expandable **Magazine Well Support** adjusts to fill magazine opening so it can't collapse. Hardened steel **Side Plates** index off the grip bushings to take vise jaw pressure and dings, plus provide a convenient, damage-proof, straight edge guide for stippling on the front strap. Fits all types and calibers of 1911 Auto frames. 


SPECS: Heat-treated steel, blued finish. **Mag Well Support** - 4" (10cm) long, adjusts to 1 3/8" (3.5cm) wide. **Side Plates** - 3" (7.6cm) wide, 4 1/2" (11.4cm) long, 1/4" (6.3mm) thick. Includes Allen wrenches, adjustment screws and instructions.

#713-100-000DJ Frame Support System, 3A00HDZ . . . \$ 75.00

GSA WEIGAND COMBAT 1911 AUTO FRAME HOLDING FIXTURE



Clamps & Holds Frames Without
Damage

Aluminum vise jaws hold all single-stack, 1911 Auto frames for machining and rail-peening operations. Won't slide in the vise. Relieved for plunger tube/oversize mag wells. 

SPECS: Machined aluminum, silver, matte finish. 4" (10cm) square, each plate is 1/2" (12.7mm) thick. Includes instructions.

#957-122-000DJ Frame Holding Fixture, 7E00AVB . . . \$ 64.99

⑧ **TOOL BOX** - Heavy-duty, plastic case conveniently holds everything in one place. Perfect for the shop, armory, or as a take along to a match.

SPECS: High-impact plastic. 15" (38.1cm) long, 7" (18cm) wide, 5" (13cm) high.

#696-100-303DJ Tool Box 6F11D98 . . . \$ 17.59

1911 ARMORER'S ADD-ON PAK - 15 additional tools essential to assemble, disassemble, improve performance, and to do general maintenance on 1911-style pistols; turns your Field Tool Kit into an Armorer's Kit.

SPECS: Upgrade Kit includes: (1) #81 Magna-Tip® Solid Handle - 1 1/4" (3.2cm) dia., 8" (20.3cm) long overall. (1) 3/32" Allen Bit - Steel, heat treated. Fits Brownells 1911 Auto and Ruger MkI/MkII grip screws. (1) #240-5 Slotted Bit - Steel, heat treated. Fits Brownells 1911 Auto and Ruger MkI/MkII grip screws. (1) T15 Torx Bit - Steel, heat treated. Fits Brownells 1911 Auto and Ruger MkI/MkII grip screws. (1) Magna-Tip. 45 Bushing Driver Bit 1 1/16" (3.9cm) overall length, 1/4" (6.35mm) O.D. (1) 1911 Auto Anodized Bushing Wrench - Aluminum, red anodized. 5 1/2" (14cm) long, 1 1/4" wide, 1/4" (6.35mm) thick. (1) 1911 Auto Safety Detent Depressor - Steel shaft, plastic handle, 5" (12.7cm) long. (1) Mainspring Housing Pin Pusher - Approx. 3" (7.6cm). RC50 steel shank, plastic handle. (1) 1" Nylon/Brass Hammer Combo - 1" (2.5cm) dia. faces. 1 1/2" (29.2cm) hickory handle. Weighs approximately 6 oz. (170.1g). (3) Nylon Front Sight Punches - 4" (10.2cm) long. 5/16" (7.9mm) dia. Polyenco Nylon. (1) 1911 Auto Extractor Removal Tool - Steel, blue, matte finish. 6" (15.2cm) long, 3/8" (9.4mm) dia. handle, .150" (3.7mm) dia. lever. (1) #120-3 Bit - Steel. .120" (3.1mm) shank dia., .03" (.76mm) blade thickness. (1) #185-00 Hex-Head Bit - Steel. 1" long, 1/16" (1.6mm) thick. (1) #120 Brass Alignment & Push Punch - Plastic handle, brass shank, 360 alloy shaft. 4 3/4" (12cm) long. Shank - 3/4" (8.2cm) long. .120" (3.05mm) dia. (1) .092" Brass Alignment & Push Punch - Plastic handle, brass shank, 360 alloy shaft. 4 3/4" long. Shank - 3/4" long. .092" (2.3mm) dia.

#080-000-190DJ Armorer's Add-On Pak, 8K94T27 . . . \$ 104.99



Remove
Slide "Play"
Accurately &
Professionally

Surface ground and hardened tool steel bars in ten thicknesses - Recommended by agency armorers and top pistolsmiths as the most accurate way to remove vertical slide "play" from the 1911 Auto, its variations and copies. May be slower than the quick-and-dirty methods, but gives an infinitely more accurate and professional job. Basic procedure as follows: Measure gun's slide rail thickness; place closest-sized Slide Fitting Bar in frame "way"; tap frame rail with light hammer to close the "ways" space down to match the slide rail thickness. Complete instructions included. 

SPECS: 4" (10.2cm) L x 1" (2.5cm) W. stainless steel, heat treated. + .0000/- .0005" (.0127mm) tolerances. **Set** includes 10 slide fitting bars, and a hardwood divider tray, all in a tough, polypropylene bench storage box.

STOCK #	THICKNESS	STOCK #	THICKNESS
#080-745-111DJ .111" (2.8914mm)		#080-745-116DJ .116" (2.9464mm)	
#080-745-112DJ .112" (2.8448mm)		#080-745-117DJ .117" (2.9718mm)	
#080-745-113DJ .113" (2.8702mm)		#080-745-118DJ .118" (2.9972mm)	
#080-745-114DJ .114" (2.8956mm)		#080-745-119DJ .119" (3.0226mm)	
#080-745-115DJ .115" (2.9210mm)		#080-745-120DJ .120" (3.0480mm)	

— Advise # — **Single Slide Fitting Bar 8K23H98 . \$ 29.99**

#080-745-001DJ Slide Fitting Bar Box and Tray, 8K29H38 . . . \$ 41.17

#080-745-000DJ Slide Fitting Bar Set 8K277H80 . . . \$ 347.99

SLIDE FITTING BAR HOLDING FIXTURE - This is the third hand


you've been looking for when peening or swaging 1911 Auto frame rails. All-steel tool holds a single or double **Slide Fitting Bar** securely in place, without movement. Makes striking our **Rail Swaging Punches** with a hammer easier and more accurate. Designed by William A. Smith III of Marietta, Georgia. Must be used with current production **Slide Fitting Bars** equipped with through holes. 

SPECS: Steel, blued. 2.6" (6.6cm) wide. Includes two, 1/4"-28 Allen screws and washers.

#080-745-002DJ Slide Fitting Bar Holding Fixture, 8K24H25 . . . \$ 30.95

EGW FRAME & SLIDE GROOVING SAW

Make Fast, Accurate, Slide & Frame Cuts

Solid-carbide slitting saws make great-looking cuts on 1911 slides. **15°** cuts 1911A1 Govt. cocking serrations. Use **60°** for checkering and French Cuts. 

SPECS: Solid carbide. 1.250" (3.2cm) dia., 1/16" (1.58mm) thick, 1/2" (12.7mm) arbor. Feed rate for Rc 42 steel is 4" / minute, 610 RPM. Made in U.S.A. **15°** and **60°** - 24 tooth cut.

#296-040-015DJ 15° Slitting Saw 6B00DUA . . . \$ 54.00

#296-040-060DJ 60° Slitting Saw 6B00XCH . . . \$ 67.00

#296-015-050DJ Slitting Saw Arbor 6B00AVB . . . \$ 50.00



CALL FOR GSA PRICING

Orders/Tech: 800-741-0015


order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 51

BROWNELLS/YAVAPAI 1911 AUTO SLIDE JIG

**Faster, More Precise Milling
Of Popular Slide Modifications**

Securely holds all models of 1911 Auto slides for more precise milling of low-mount sight dovetails, extractor rollover cuts, front cocking serrations, French Cuts, ejection port lowering, 1° comp cuts plus, makes a great handle for power-sanding and polishing. 

SPECS: Aluminum. 5 $\frac{3}{4}$ " (14.6cm) long, 2" (10cm) wide, 1 lb. 10 oz. (759g) wt. Includes complete instructions.
#080-835-002DJ 1911 Slide Jig 8K95P10 \$ 126.99



BROWNELLS 1911 AUTO SLIDE/FRAME RAIL FILE

One File Does It All: Trues, Deburs & Squares Slide Rails


Clean up and square slide rails with one side of this file, turn it over and deburr or enlarge the rail channels with the other. Specially ground, stepped file does the job of two or more separate files and the safe edges make sure that only the areas that need to be cut, get cut. Simplifies, speeds up and adds precision to slide fitting work.

SPECS: 6" (15.2cm) long, $\frac{1}{2}$ " (12.7mm) wide. Surface ground.
#080-753-000DJ Slide/Frame Rail File,
8K39A76 \$ 50.99

BROWNELLS 1911 AUTO PIN HOLE REAMERS



**Deburr & Ream Frame
Holes For Precise Pin Fit**

Hardened steel, fluted reamers true-up pin holes in 1911 frames to help ensure a tight, smooth-operating pistol. Ideal for correcting out-of-round and under-size pin holes. Hand-filling polymer handles give you a secure purchase to transmit maximum torque smoothly and evenly to the hole. A must-have for building custom pistols. Available as a kit of six reamers, including reamers for both standard-size and under-size slide stop pin holes; individual reamers also sold separately. 

SPECS: Hardened steel shank, polymer handle. 1 $\frac{1}{2}$ " (3.8cm) cutting length. Kit contains (1) of each reamer: .157" (.98mm) hammer pin, .110" (2.8mm) sear pin, .199" (5mm) slide stop pin, .201" (5.1mm) slide stop pin, .154" (3.91mm) link pin, and .156" (3.96mm) link/safety lock pin. Includes instructions.

#080-000-699DJ Pin Reamer Kit 8K79A55 \$ 99.99
#080-000-695DJ Hammer Pin Reamer 8K14A24 17.99
#080-000-696DJ Sear Pin Reamer 8K14A24 17.99
#080-000-697DJ .199" Slide Stop Pin Reamer,
8K14A24 17.99


#080-000-698DJ .201" Slide Stop Pin Reamer,
8K14A24 17.99
#080-000-693DJ Link Pin Reamer 8K14A24 17.99
#080-000-694DJ Link/Safety Lock Pin Reamer,
8K14A24 17.99

View our How-To Video Guides at
brownells.com

1911 AUTO FITTING & DEBURRING FILE SET



**Indispensable
For Accurizing
Your Pistol For Precise
Fit & Function**

Convenient set of five, round parallel files for deburring mag release hole, slide stop hole, and other frame pin holes to ensure precise fit and smooth function of your 1911. Also use to fit, shape, and blend beavertail grip safety to frame. American-pattern, single-cut files ensure gradual, even metal removal to help you maintain precise dimensions. Indispensable for any accurizing job. 

SPECS: Hardened cutting steel. Round parallel files with approximately 6 $\frac{1}{2}$ " (15.2cm) cutting surface, 2" (5.1cm) tang. Kit contains one each $\frac{1}{8}$ " (3.2mm), $\frac{3}{32}$ " (4mm), $\frac{1}{16}$ " (4.8mm), $\frac{3}{32}$ " (5.6mm), $\frac{1}{4}$ " (6.4mm) diameter.
#191-000-002DJ 1911 File Set 1A16H36 \$ 21.99

BROWNELLS/CASPIAN ARMS 1911 AUTO POCKETSMITH

**Everything You Need
For Field Repair
In One Compact Tool**




All-in-one, stainless steel pocket tool has all the tools needed to service your 1911 at the range and on the bench. Fold-open design has a bushing wrench, pliers, and wire cutter. Additional tools in the handles are $\frac{3}{32}$ " and $\frac{1}{16}$ " Allen wrenches, three screwdriver bits with assist tabs for easy grasp when swinging out of handle, mainspring housing pin punch, file, and an easy-open knife with half-serrated, half-straight blade. Scratch-resistant, matte black hardcoat finish for exceptional strength, and grip panels of rugged G10 fiberglass composite with checkered surface pattern for a firm grasp. Nylon belt pouch included.

SPECS: Stainless steel, matte black finish, with G10 fiberglass grips, matte black. 4 $\frac{1}{8}$ " (10.5cm) OAL folded; 6 $\frac{1}{2}$ " (16.5cm) OAL extended. Includes black nylon belt pouch.
#168-000-088DJ PocketSmith Tool 8F28Z77 \$ 34.99

BROWNELLS MAINSRING HOUSING PINTOOL



Pops This Stubborn Pin Out Easily


Makes removing the 1911 Auto mainspring housing pin (it's held in by a detent) a snap. Round, plastic handle fits your palm nicely, one "rap" and the pin is out. Speeds any disassembly/reassembly job, whether doing repairs or using the "stone and try" method for trigger pull work. Fits all 1911 Autos. 

SPECS: Plastic handle. RC50 steel shank. Approximately. 3" (7.6cm) long.

#080-850-000DJ Mainspring Housing Tool,
8K16U56 \$ 24.99

AL MARVEL 1911 AUTO SAFETY DETENT DEPRESSOR

Stop Scratching Frames


Easily slips behind the thumb safety; cupped tip won't slip off the slide lock detent. 

SPECS: Steel shaft, plastic handle, 5" (12.7cm) long.
#583-120-101DJ Detent Depressor 3H00AYT \$ 12.99

BROWNELLS 1911 AUTO DISCONNECTOR SCRAPER



Deepens Disconnecter Notch For Smoother Trigger "Feel"


Super-hard, steel scraper lets you deepen the disconnecter notch to keep the disconnecter from bumping the slide. The right way to end the problem. NEVER shorten the disconnecter. 

SPECS: CPM Rex 76 steel. 5 $\frac{1}{4}$ " (13.3cm) long overall.
#080-746-002DJ Disconnect Scraper 8K11H88 \$ 16.99

BROWNELLS 1911 AUTO DISCONNECTOR STAKING TOOL

**Eliminates Lateral Movement Of The Disconnecter
For A Tighter, Cleaner Trigger Pull**




Steel punch reduces the size of the disconnecter hole in the frame to prevent lateral movement of the disconnecter and help eliminate creep from the trigger pull. Use as part of any accurizing or trigger job to produce a smoother, more precise pull and cleaner release. Concave tip ensures controlled application of staking force by letting you use the tool with the disconnecter in place to help keep the tip centered on the frame hole. 

SPECS: Tool steel hardened to Rc 58-60. 3" (7.6cm) long. Includes instructions.
#080-000-691DJ Staking Tool 8K16A02 \$ 19.99

BROWNELLS 1911 AUTO MAGAZINE LIP FORMING TOOLS



**Customizes Magazines To Properly
Feed Wadcutter Ammo**

No amount of accurizing will make a 1911 Auto shoot wadcutter ammo if the magazine's feed lips aren't right. These tools easily reform the lips to the optimum angle, curing the tendency of wadcutters to jam against the ramp. "Anvil" fits inside the magazine and establishes the angle. "Yoke" (designed by Lou Woll) fits over the lips and ensures that both sides will be identical. 

SPECS: 1018 Steel, hardened to Rc 50. **Anvil** - 2 $\frac{3}{4}$ " (70cm) x 1 $\frac{1}{4}$ " (3.2cm) x $\frac{5}{16}$ " (9.5mm). **Yoke** - 3" (7.6cm) x 1" (2.5cm) x $\frac{5}{16}$ " (41.2mm). Set includes one of each. Instructions included.

#080-810-001DJ Lip Forming Anvil 8K48A49 \$ 60.95
#080-810-002DJ Lip Forming Yoke 8K34A69 44.99
#080-810-003DJ Lip Forming Set 8K73A36 95.99

BROWNELLS 1911 AUTO GUN SPECIFIC MAGNA-TIP® SCREWDRIVER SET


**Self-Storing, Carry Along
For 'Smiths & Shooters**

We precisely matched each screw on the 1911 Auto to our MAGNA-TIP bits to give you the best possible, blade-to-slot fit, then added in a few specialty bits, plus a brand new, short-shanked, #84 MAGNA-TIP Hollow Handle for maximum control when working on your pistol. The result is a compact, take-it-anywhere field tool for the 1911 shooter or gunsmith. Contoured driver handle holds six bits: #150-4 for the magazine catch lock, #240-5 for slotted grip screws, $\frac{3}{32}$ " Allen for Allen head grip screws, $\frac{1}{16}$ " Allen for Bomar and Heine sights, 

BROWNELLS GRIP SCREW BITS



Allen®, TORX® & Slotted Bits Fit Right

Here are the three Magna®-Tip bits you'll need to install and remove our custom grip screws. Although we picked them to match our screws, they'll fit other brands too. 

SPECS: Steel, heat treated. Allen: $\frac{3}{32}$ " hex. Slotted: 240-5. TORX: T-15. Fit Brownells 1911 Auto and Ruger MkI/MkII grip screws.
#080-185-100DJ $\frac{3}{32}$ " Allen Bit 1K02A52 \$ 2.99
#080-240-540DJ 240-5 Slotted Bit 8K02U52 2.99
#080-435-015DJ T-15 TORX Bit 8K02A52 2.99

BROWNELLS MAGNA-TIP®

1911 AUTO BUSHING DRIVER™ BIT

**Supports Bushing For Easiest
Removal - & Fits Into Your
MAGNA-TIP's Hollow Handle!!**




Special bits that fit our MAGNA-TIP® and Clip-Tip handles to correctly center the blade and fully support 1911 grip bushings. Makes removal easier, faster and prevents tearing up the slot. **Regular 1911 Bushing Driver Bit** removes standard bushings; **Slim 1911 Bushing Driver Bit** removes the thin bushings used for slim grips. 

SPECS: 1 $\frac{1}{16}$ " (3.9cm) overall length, $\frac{3}{16}$ " (8mm) O.D.
#080-434-045DJ 1911 Bushing Driver Bit,
8K07A91 \$ 12.99
#080-134-001DJ 1911 Slim Bushing Bit,
8K09U34 11.99


BROWNELLS 1911 AUTO GRIP BUSHING STAKER



**8-Segment, 90° Head Gives Maximum Contact To
Frame For Most Secure Bushing Installation Possible**

1911 stock bushings get bunged up or lost in the field or, when a pro is doing a "Master Reblue Job" they get removed to permit the finest possible polishing job. Then they have to be replaced and that can be a real chore. No more. With this special Brownells 1911 Auto Grip Bushing Staker, it's now quick and easy to get them tight on the first try. Made in 8 segments with 90° cuts between for maximum bushing contact to frame. Has "handle" and deep hole in top of Staker to prevent your $\frac{3}{8}$ " punch from slipping off. (The $\frac{3}{8}$ " punch passes thru bushing center on opposite side of frame to give clean access to bushing being replaced or tightened.) NOTE: Make an anvil block to support outside of bushing while it is being staked. Works great! 

SPECS: Staker head - S5 Tool Steel hardened to Rc 57-60. 4" (10.2cm) handle.
#080-644-000DJ Grip Bushing Staker,
8K23H97 \$ 31.99
#080-644-001DJ Replacement Staker Head,
8K20H61 24.99
#891-215-640DJ $\frac{1}{16}$ " High Speed Drill,
1H03D31 3.39

$\frac{5}{16}$ " Allen for Novak sights, a mainspring housing bit, plus a .050" Allen wrench for adjusting XS sights. 

SPECS: 6 $\frac{1}{8}$ " (15.5cm) OAL, 1 $\frac{1}{16}$ " (2.9cm) dia. handle, 1 $\frac{3}{4}$ " (4.4cm) long shank. Set contains (1) each: #150-4, #240-5, $\frac{3}{32}$ ", $\frac{1}{16}$ " and $\frac{5}{64}$ " Allen bits, mainspring housing bit, and .050" Allen wrench.
#080-000-444DJ 1911 Screwdriver Set,
8K21H07 \$ 24.99
#080-000-448DJ 1911 Bits, only 8K10H61 13.99



BROWNELLS 1911 AUTO LUG FITTING KIT

Helps You Fit The Standing Lugs On Oversized Barrels



Three essential tools work together to help you successfully fit oversized barrels. The Barrel Holder locks the barrel in the slide to let you cut the excess material on the lugs with the included, carbide Barrel Lug Cutters. Plus, the Slide Pusher holds the slide forward to put a consistent pressure on the barrel while cutting. Comes in a convenient case. **SPECS:** Barrel Holder - Steel. Approximately 3.5" (9cm) long, .44" (1.1cm) O.D. Barrel Lug Cutter - Carbide. .186" cutter and .195" cutter; includes handle. Slide pusher- steel shaft, plastic handle. 6.5" (16.5cm) long.

#080-000-089DJ 1911 Lug Fitting Kit 8K134D54... \$ 179.99
#080-746-001DJ 1911 Auto Slide Pusher 8K14H68... 20.99
#080-711-100DJ 1911 Auto Barrel Holder 8K15Z56... 20.99
#080-000-058DJ Lug Cutter, Handle only 8K17Z29... 21.99
#080-000-063DJ 1911 Auto .195 Lug Cutter 8K46Z72... 57.99
#080-000-062DJ 1911 Auto .186 Lug Cutter 8K43Z99... 53.99

BROWNELLS 1911 AUTO LUG IRON



Removes Ridges & Levels Lug Area

Quickly, accurately removes wear flanges and machining ridges from the slide lug area of 1911 Autos. Ensures a precise fit, reduces barrel friction and improves accuracy. **SPECS:** 8 3/4" (22.2cm) long. One-piece steel shaft and head.

#080-689-000DJ Brownells Lug Iron 8K44H74... \$ 52.99

BROWNELLS 1911 AUTO LUG CUTTER

Recuts Lug For A Tight Fitting Barrel That Improves Accuracy



Hand operated, carbide cutter easily trims excess material from the bottom barrel lug when fitting custom or factory barrels. Cuts barrel lugs parallel, and with the correct height and radius, to aid in best possible lockup. Use .186" cutter first, then progress to the .195" cutter if more material needs to be removed. Follow with careful hand fitting to achieve a firm, non-binding barrel-to-slide fit. It is possible, with some slide/barrel combinations, that the .195" cutter could remove more material than necessary. Fits all 1911 Auto, Commander and Officers ACP, single- and double-stack frames. **SPECS:** 1" (2.5cm) dia. knob; 2.07" (5.25cm) long shank. .186" (4.72mm) or .195" (4.95mm) dia. cutters. Instructions included.

#080-000-067DJ Handle & .186" Cutter 8K59B02... \$ 78.99
#080-000-068DJ Handle & .195" Cutter 8K61B62... 82.99
#080-000-062DJ .186" Cutter, only 8K43Z99... 53.99
#080-000-063DJ .195" Cutter, only 8K46Z72... 57.99

BROWNELLS 1911 AUTO BARREL LOCKING LUG FILE

For Critical Fitting Of Match-Grade Barrel Top Lugs

Precision, #2 cut, Swiss-pattern file deepens barrel locking lugs without increasing width. Safe on two sides to let the gunsmith file to a close fit with no risk of widening lug area cuts smoothly; little or no additional stoning/polishing is needed. **SPECS:** 6" (15.2cm) long. .171" (4.35mm) square.

#080-751-000DJ Barrel Locking Lug File 8K48A20... \$ 63.99

BROWNELLS 1911 AUTO EJECTION PORT GRINDING STONE KIT

"Cobalt" Stones Easily Shape Hardened Slides



Long-lasting, Cobalt impregnated aluminum oxide stones are the ultimate for shaping the ejection port roll-over notch. **SPECS:** Cobalt impregnated aluminum oxide, 120 grit. Includes (2) B51, (2) B42 stones and instructions. 1/8" (3mm) dia. shank.

#080-810-000DJ Ejection Port Stone Kit 8K19A98... \$ 29.99

BROWNELLS 1911 AUTO CHECKERING GUIDE



Get True Diamonds On Front Strap

Clamps over the frame of a 1911 Auto to provide a solid guide for getting the front strap checkering lines started correctly. Sets up 60° or 90° diamonds. **SPECS:** 2 1/2" (6.3cm) long, 1" (2.5cm) wide. 7/16" (11.1mm) thick. Aluminum Guide and Clamp Bar. Allen head lock screw.

#080-684-000DJ 1911 Checkering Guide 9A24U01... \$ 30.99

DC ENGRAVING 1911 AUTO GRIP FRAME CHECKERING GUIDE

For Perfectly Straight, Square Cut Front Strap Checkering



Self-aligning jig system makes it easy to create perfectly straight, square-cut checkering on the front strap of any single-stack 1911. Use the horizontal jig to score precisely straight, parallel lines across the front strap. The vertical jig aligns itself by clamping into the grip frame and lets you cut four to five lines at a time. Deepen or clean up your cuts as needed with a rifler file. Portions of the jigs that the files contact are heat-hardened to prevent unwanted wear. Brass tipped locking screw on horizontal jig protects the pistol frame from marring. Accepts all wide checkering files. **SPECS:** 1018 case hardened steel, blued, matte finish. Instructions and two Allen wrenches included. Fits single-stack 1911 Auto pistol frames. For 90° file cuts only.

#100-006-290DJ Pistol Frame Checkering Guide, 2D61Z54... \$ 79.99

MARVEL PRECISION EZ CHECKERING FIXTURE

Produces Accurate, Beautiful, Hand-Cut Checkering In Any LPI Spacing



Professional-quality fixture helps you produce straight, accurate, front strap frame checkering on your very first try. Clamps to any single stack, Govt. length frame and provides repeatable indexing for vertical and horizontal cuts, plus the initial undercut. If used correctly, this CNC-machined fixture will make it very difficult to make a mistake. Accepts all wide checkering files. Includes well written, well illustrated instructions. **SPECS:** Aluminum fixture, matte, silver finish. Steel screws and indexing pins. Includes undercut rollers and Allen wrenches.

#588-100-011DJ EZ Checkring Fixture 8H00UAV... \$ 184.95

CHADWICK & TREFETHEN 1911 AUTO BARREL BUSHING REAMER




A Better-Fitting Bushing Means Enhanced Accuracy

Expandable reamers easily adjust to cut the exact I.D. dimension required for a tight barrel-to-bushing fit. "A" Reamer is used for the smaller I.D., Colt factory Commander barrels in 9mm and .38 Super. "B" Reamer is used for all factory and after-market Government-length barrels in all calibers. **SPECS:** Carbon steel, in-the-white. Dimensions and expansion ranges: "A" 5 5/8" (14.2cm) long, .218" (5.5mm) square shank, .468" (12mm) - .531" (13.5mm). "B" 5 3/4" (14.6cm) long, .282" (7.1mm) square shank, .531" - .593" (15mm).

#170-531-001DJ "A" Adjustable Reamer 7A84V55... \$ 85.99
#170-531-002DJ "B" Adjustable Reamer 7A52V62... 52.99
#170-531-102DJ "B" Replacement Reamer Blade Set, 7A50V27... 51.99

#170-531-202DJ "B" Replacement Reamer Nut, 7A00HDZ... 7.99

BROWNELLS 1911 AUTO ANODIZED BUSHING WRENCH



Non-Marring Aluminum Gets The Tightest Bushings Loose

The perfect tool for every 1911 owner's range bag or cleaning kit. Precision machined for a close fit to Government Model and Officers bushings. The extra thick, contoured handle fits comfortably in your hand; has plenty of lefth for a good, solid grip. Turns the tightest bushings without slipping. Enhanced model has a handy flange that retains the recoil spring plug as you twist the bushing free. No more flying springs or plugs! **SPECS:** Aluminum, red anodized. 5 1/2" (14cm) long, 1 1/4" (3.2cm) wide, 1/4" (6.35mm) thick.

#080-045-200DJ Anodized Bushing Wrench, 8K15B69... \$ 19.99
#080-045-300DJ Enhanced Bushing Wrench, 8K16B08... 19.99

BROWNELLS CAN'T MAR™ 1911 AUTO BUSHING WRENCH



Can't Damage Finishes • Virtually Unbreakable
 • Pocket-Sized • Versatile, Double-Ended Design

Every 1911 owner and gun shop needs a wrench to remove the barrel bushing from the 1911 Autos. Ours fits all the calibers and variations; Colt-made (including factory Officers ACP), plus copies. Made from super tough ABS "T" grade polymers, Brownells Can't Mar™ wrench has more thickness and heft than other synthetic wrenches. It gets out even the most tightly fitted, match-grade bushing WITHOUT scarring or marring the finish

BROWNELLS COLT WRENCH



1911 Auto Bushing Wrench, Plus Ratchet/Ejector Rod Wrench

An obvious "must have" tool belonging on the bench of every gunsmith or armorer who works on (or strips for rebluing) any Colt handgun. The double-ended 1911 Auto bushing wrench feature has been time proven by gunsmiths. Ours handles the traditional Government model with one end and the Colt Officer's ACP with the other. We've all sweated over the mar-free removal and reassembly of the ratchet (ejector/extractor) from the ejector rod of large and small frame Colt revolvers. Brownells Colt Wrench handles the operation properly. The hex opening fits over the ratchet of large frame Colts (including old and new Pythons) to hold the ratchet for unscrewing from the ejector rod. For small frame Colt revolvers, the slot with two small studs fits between ratchet and cylinder face; the two studs fitting into two of the ratchet cartridge extractors. The tool ratchet unscrews from rod with no mar or deformations! A lifesaver!! **SPECS:** Blued steel. 6 1/8" (15.6mm) x 1" (2.5cm) x 1/8" (3.2mm).

#080-557-000DJ Brownells Colt Wrench 8K18Y00... \$ 24.99

CYLINDER & SLIDE 1911 AUTO BUSHING WRENCH



Integral Shield Helps Prevent Search & Rescue Of Flying Parts

Simple, practical wrench includes an integral shield that blocks the recoil plug from going airborne during bushing removal on Government models and clones. Makes the entire process of field stripping your pistol faster and safer. Heavy gauge steel construction makes rotating even the tightest-fitting bushings smooth and effortless, plus eliminates bending or rounding-off of the bearing surfaces that can lead to slippage. Smooth edges around the entire circumference of the tool make it comfortable in the hand and help prevent marring of the bushing, slide, or plug. **SPECS:** Steel, matte blue. 5 1/8" (13cm) long x 1/8" (3.2mm) thick.

#206-000-043DJ C&S Bushing Wrench 6K12T00... \$ 14.99

BROWNELLS BUSHING/COMPENSATOR FITTING MANDREL

Grips & Centers For Turning O.D.



Makes uniform, precise fitting of an oversized bushing or cone style compensator fast and simple. Two-piece mandrel threads together with the bushing/comp in between. Flat seat locates front of bushing; tapered, hardened "nose" automatically centers the rear. Mount in the lathe or drill press and file or turn O.D. as needed. **SPECS:** Machined steel. 1 1/8" (17.4mm) diameter. Approximately 4" (10.2cm) long. Comes complete with "A" rod for bushing, "B" rod for cone style comps. Instructions included.

#080-804-100DJ Bushing/Compensator Fitting Mandrel, 8K46A82... \$ 61.99
#080-804-101DJ Bushing/Compensator "B" Rod, only, 8K12A48... 15.99

of the gun's bushing or slide. Virtually unbreakable, the Can't Mar™ wrench carries easily in pocket or field kit. **SPECS:** 5 1/2" (14cm) long. 1 1/4" (3.2cm) wide. .187" (4.75mm) thick. Weighs 1 oz. (28 g).

#080-045-045DJ Can't Mar™ Bushing Wrench, 8K03P95... \$ 6.99

BROWNELLS SEMI-AUTO PISTOL COMPENSATOR TAP & DIE



Make & Install Custom Compensators For Reduced Recoil And Better Control

Use die to thread custom and standard barrels to accept recoil compensators. Use plug tap to chase threads or tap your own custom compensators.

1911 AUTO COMPENSATOR TAPS AND DIES - Dies are 1 1/2" (3.8cm) diameter. Unthreaded comps should be drilled with 3/64" HSS drill then reamed to .551" before threading with either tap. Turn barrels to approximately .002" smaller than thread diameter. **.575"-40** thread matches most commercial, tapered-sleeve or integral, cone-style comps. **.581"-40** thread is same as used on Wilson, Brown and Storm Lake Machine barrels and bushing style comps. **.685"-40** thread is used to fit compensators to threaded Bull and Hybrid barrels.

SPECS: High speed steel.

#080-598-575DJ .575"-40 Compensator Tap, 2K35H70	\$ 44.99
#080-598-576DJ .575"-40 Compensator Die, 2K71H36	103.99
#891-235-640DJ 3/64" Drill Bit 1H00VBX	28.77
#080-598-581DJ .581"-40 Compensator Tap 2K34H81	49.97
#080-598-582DJ .581"-40 Compensator Die, 2K65H32	95.99
#080-598-685DJ .685"-40 Compensator Tap, 6K32D86	43.99
#080-598-686DJ .685"-40 Compensator Die, 6K53D82	79.99

DAVE MANSON PRECISION REAMERS NOWLIN CHAMBER REAMER



Fits Nowlin Tight Bore Barrels

Specially ground, reduced-diameter pilots fit the tighter bore specifications used on all Nowlin barrels. Precision ground with an integral throat and solid, fixed pilot.

SPECS: M7 high speed steel. Six straight flutes with right hand cut. 3/8" (6.3mm) square drive shank.

#513-051-909DJ 9mm Nowlin Reamer 3A00XCH	\$ 72.95
#513-051-389DJ 38S Nowlin Reamer 3A00XCH	82.95
#513-051-409DJ .40S&W Nowlin Reamer 3A00XCT	72.95
#513-051-459DJ .45 ACP Nowlin Reamer 3A00PUA	70.00

CLYMER 1911 AUTO GO/NO-GO GAUGE SETS



Headspace Gauge Sets To Check For Safe Chamber Dimensions

Convenient kits contain "Go" and "No-Go" gauges for accurately checking chamber length to make sure it meets SAAMI specs. These gauges are essential tools for ensuring a tight, accurate, safe chamber. Always have a set on hand to check for correct headspace before buying or firing a new gun. Comes in a handy, durable plastic carrying case.

SPECS: Steel, precision machined to SAAMI specs. Each set contains one go gauge and one no-go gauge in a single caliber. Sets available in .45 ACP, 9mm Luger, .40 S&W, and .22 LR.

#184-000-041DJ .45 ACP Headspace Gauge Kit, 4H00AYT	\$ 51.99
#184-000-042DJ 9mm Luger Headspace Gauge Kit, 4H00UAV	50.99
#184-000-050DJ .40 S&W Headspace Gauge Kit, 4H00AYT	50.95
#184-000-051DJ .22 LR Headspace Gauge Kit, 4H00UAV	50.95

EGW 1911 AUTO FRAME CUTTER FOR WILSON/NOWLIN RAMPED BARREL



Removes Factory Feed Ramp From Frame; Trues Up Contact Surfaces

End-mill cutter helps you quickly convert a standard 1911 frame for precise fit of a Wilson/Nowlin ramped barrel. Use in a lathe or milling machine to cleanly remove the frame's feed ramp and true up factory flaws found in many frames to allow proper contact with the barrel feed. Helps ensure a cleaner impact surface that prevents excess battering and uneven stresses on the feet for longer barrel life. Manufactured from U.S.-sourced M42 high-speed tool steel blanks for precise cutting surfaces that stay sharp. One-piece design means nothing to work loose halfway through the job. Shank is long enough to clear full-length dust covers.

SPECS: Tool steel, in-the-white. 6" (15.2cm) long, 7/16" (11.1mm) diameter cutter, 1/2" (12.7mm) diameter shank.

#296-000-124DJ Wilson/Nowlin Barrel Ramp Cutter, 6B00HDZ	\$ 60.00
-----------------------------------------------------------------	----------

NOWLIN MFG. 1911 AUTO RAMPED BARREL FRAME BRIDGE CUTTER

Speeds Ramped Barrel Installation; Ends Ruined Frames & Broken Cutters

Precision-ground cutter speeds up the time-consuming job of removing the ramp from a 1911 Auto frame prior to installing a fully ramped barrel. Custom-ground, long-shank end mill helps you get a frame that's cut clean and straight, ready to fit. Fully piloted to eliminate bind, and won't lose zero if you take the frame out of the mill-ing vise.

SPECS: High-speed steel cutter, carbon steel shank, aluminum bushing. 5 1/8" (14.3cm) OAL, 7/16" (1.1cm) diameter cutter, 1/2" (1.3cm) diameter shank. Works for all ramped barrels equipped with bottom feet cut square at the rear, like Nowlin and Wilson.

#654-105-000DJ Ramped Barrel Frame Bridge Cutter, 4E70V39	\$ 84.95
------------------------------------------------------------------	----------

1911 AUTO BARREL INSTALLATION ACCESSORIES

BARREL HOLDER - Locks the barrel to the slide, simplifying lug-to-pin fitting using either the Wilson Lug Cutter or a 3/16" diameter, parallel round file. Mounts through the bushing below the barrel, and clamps it in the full lock position with a set screw.

SPECS: 5 1/4" (14.6cm) long. 5/8" (15.9mm) diameter. Steel. Fits 9mm, .38 Super and .45 ACP.

#080-711-100DJ 1911 Auto Barrel Holder 8K15Z56	\$ 20.99
-------------------------------------------------------	----------

VISE JAWS - Multi-position, aluminum vise jaws with one horizontal and three, vertical "V"s, firmly hold 1911 Auto barrels without damage. Powerful, magnetic strip keeps the jaws in place. Also holds cylindrical parts.

SPECS: Aluminum. 4" (10.2cm) wide, 1 1/4" high face.

#080-824-000DJ 1911 Auto Vise Jaws 8K18T75	\$ 28.99
---------------------------------------------------	----------

BROWNELLS 1911 AUTO BARREL ALIGNMENT GAUGE



Fast Check For Proper Lug Engagement & Firing Pin Alignment

Valuable barrel fitting aid for the gunsmith and a great "used gun" checker for the dealer. The rod slides down the barrel and the centered tip drops into

EGW 1911 AUTO HOOD LENGTH GAUGE



Makes It Easy To Fit Hood Length On New, Oversized Barrels

Steel gauge fits in your slide to precisely measure the correct hood length down to a thousandth of an inch. Shows you how much to cut the first time and eliminates the time-consuming, file, fit, and file some more process.

SPECS: Steel, black-oxide finish. 6 3/8" (16.2cm) long, 1/2" (13mm) wide, 1/8" (3.2mm) thick. Indicates hood lengths of 1.313", 1.315", 1.318", and 1.321".

#296-000-055DJ Hood Length Gauge 6B26T67	\$ 33.33
-------------------------------------------------	----------

BROWNELLS 1911 AUTO BARREL ALIGNMENT BLOCK

Fast, Accurate Hood-To-Slide Fitting On 1911 Autos




Milled lug slot holds the barrel square in the slide for precise fitting of the hood to the bolt face slot. Provides a quick visual check for hood fit that eliminates time consuming assembly/disassembly for hood fitting. Fits between the slide rails to prevent barrel twist. Aids lockup and accuracy. May require minor fitting to slide.

SPECS: Steel, black oxide finish. 2" (5 cm) long, 3/4" (19mm) wide, 1/2" (12.7cm) high. Instructions included.

#080-000-041DJ Barrel Alignment Block 8K27D26	\$ 39.95
------------------------------------------------------	----------

EGW 1911 AUTO LOCK-UP GAUGE



Keeps Barrel True During Milling & Fitting

Aluminum gauge keeps barrel placement consistent during "mill and fit" procedure. Hole in gauge lets you place a dial indicator on barrel to make sure that it remains in proper alignment

while you check for proper lock-up.

SPECS: Aluminum, black. 3" (76mm) long, 1" (25mm) high. Slots are .362" (9.1mm) and .368" (9.3mm).

#296-000-071DJ Lock-Up Gauge 6B22P00	\$ 27.95
---------------------------------------------	----------

GUN RUNNERS 1911 AUTO PLUNGERTUBE STAKING TOOL

Easy, Two-Hand Operation Gives Tight Crimp



Combination tool clamps plunger tube firmly and accurately in place, helps prevent expensive damage to the frame or the plunger tube. Locking bar is milled for a precise fit to both 3/8", Mil-Spec, and 3/16", oversize tubes. Spot faced holes along the back of the locking bar hold tool in correct alignment for a tight crimp. Hardened point gives years of service.

SPECS: 1018 steel body, matte grey parkerized finish. Bar - 3 1/2" (8.9cm) long. Body - 2 1/4" (7cm) long.

#634-000-001DJ Plunger Tube Staking Tool, 4C23B85	\$ 34.99
----------------------------------------------------------	----------

the firing pin hole on a properly-fitted factory barrel. A little layering fluid on the breech face shows exact alignment.

SPECS: Centerless ground steel. 8 1/2" (21cm) long. **Set** includes all three gauges.

#080-804-038DJ .38 Super/9mm Gauge 8K40A08	\$ 49.99
#080-804-040DJ .40 S&W/10mm Gauge 8K36A81	44.99
#080-804-045DJ .45 ACP Gauge 8K37A89	44.99
#080-804-000DJ Barrel Alignment Gauge Set, 8K75Z99	94.99

GSA BROWNELLS 1911 AUTO PLUNGERTUBE CRIMPER KIT



Foolproof, Military Design For Tightest Tubes

Easy-to-use adaptation of a proven armor-er's tool lets you secure the plunger tube to the frame without fear of

tube crush or expensive frame damage. Adjustable to fit all makes of frames and tubes for both installing and re-tightening. Beveled jaws allow easy frame access; hardened crimping point assures long tool life. **Plunger Tube Support** slips inside plunger tube and prevents compression damage while tube is being staked to frame.

SPECS: Steel, 7" (17cm) long. **Crimper Kit** includes crimper and plunger tube support. Includes external reinforcing block. **Plunger Tube Support** - Hardened steel. 4" (10.2cm) long, .106" (2.7mm) diameter. Step is .300" (7.6mm) long, .090" (2.3mm) diameter. **Replacement Tip** - 10-32 tpi fits current crimpers, 8-32 tpi fits all older crimpers.

#080-806-500DJ Plunger Tube Crimper Kit, 8K57A94	\$ 74.99
---------------------------------------------------------	----------

#080-707-000DJ Plunger Tube Support 8K10A54	15.99
----------------------------------------------------	-------

#080-806-100DJ 10-32 tpi Crimper Replacement Tip, 8K03A12	3.99
------------------------------------------------------------------	------

#080-806-101DJ 8-32 tpi Crimper Replacement Tip, 8K03A58	4.99
-----------------------------------------------------------------	------

EGW 1911 AUTO PLUNGERTUBE STAKING TOOL



Protects The Tube & Frame From Damage; No Need To Remove Ejector

Two-piece staking tool protects the plunger tube and surrounding frame area with a block of machined Delrin® while you spread the pins with the steel staking bar. Eliminates metal-on-metal contact on exterior surfaces to prevent scratches that can mar the pistol's finish. Saves you time, too, because the staking bar has a cutout to clear the extractor, so you can stake the tube without having to remove the extractor. The staking point is a hardened steel screw that lets you adjust the staking depth. When the point wears out, simply install a new screw (spare included) to make the tool good as new. Delrin block has cutouts to support both rounded and square plunger tubes; cuts are positioned so the block always rests on a flat side to provide full support.

SPECS: Steel, black oxide finish, and machined Delrin®.

#296-000-123DJ Plunger Tube Staking Tool, 6B00AVB	\$ 25.95
----------------------------------------------------------	----------

GSA PLUNGER TUBETOOLS

Faster, Tighter Installation; Damage-Free Removal

PLUNGERTUBE SUPPORT - Slips inside plunger tube and prevents compression damage while tube is being staked to frame. Supports the tube over its full length.

SPECS: Hardened steel. 4" (10.2cm) long, .106" (2.7mm) diameter. Step is .300" (7.6mm) long, .090" (2.3mm) diameter.

#080-707-000DJ Plunger Tube Support 8K10A54	\$ 15.99
----------------------------------------------------	----------

PLUNGER TUBE REAMER - Extra long reamers return the plunger tube to correct I.D. after staking - and provide plenty of spring clearance for positive operation.

SPECS: Tool steel reamers. Approximately 7 1/2" (17.7cm) long. Includes (1) .0925" (2.34mm) and (1) .108" (2.74mm) dia. reamer.

#080-771-000DJ Plunger Tube Reamer Set, 8K19Z87	\$ 29.99
--------------------------------------------------------	----------

KRIEGER 1911 AUTO DETENT SPOTTING DRILL



Cut Positive Detents On New Thumb Safeties/Slide Stops

Combination step drill and ball end mill aligns through the plunger tube and cuts new detents using only finger pressure. **SPECS:** Drill rod, 6 1/8" (16.5cm) long, .088" (2.26mm) diameter. **#492-002-000DJ Detent Spotting Drill 2D00ZAY... \$23.65**

ED BROWN 1911 AUTO BEAVERTAIL INSTALLATION JIG



Radius Frame Ears "Just Right"
For Brown Beavertail Safeties

Neat little jig "buttons" show you just how much of the frame ears to mill/grind away when installing Ed's Beavertail Safety. Just drop in the thumb safety pivot pin hole, scribe around, grind/mill close, then hand file right down to the hardened button. Includes instructions. **SPECS:** Hardened steel, 1/2" (12.7mm) dia. x 1 3/4" (4.4cm) long. **#087-145-886DJ Brown Beavertail Jig 7H18B66... \$23.35**

HARRISON DESIGN & CONSULTING 1911 AUTO GRIP SAFETY FIXTURE

Holds Beavertail Grip Safeties
Firmly In Place While Fitting



Precision machined fixture fits in place of the trigger to hold the grip safety securely in place while fitting it to the top of the frame tangs. Adjustable screw and pin allows precise positioning and retention of the grip safety and frame. For best results, use with thumb safety and mainspring housing in place. **SPECS:** Plastic body, stainless steel screw and adjustment pin. Body is 1 3/4" (4.45cm) long x 1/4" (.64cm) thick. Adjusts out to 2 3/4" (6.9cm). **#100-002-919DJ Grip Safety Fixture 9B31H95... \$38.95**



WILSON COMBAT 1911 AUTO BEAVERTAIL FITTING JIG

Takes The Guesswork
Out Of Beavertail Fitting

Provides a precise guide for cutting the frame tangs on 1911 Auto frames; makes short work of installing Wilson High-Ride Beavertails. Install on frame and file up to guide; file will not cut the hardened jig. Remove jig and sand or file to fit. **SPECS:** Steel, in-the-white, hardened. Includes jig, fasteners and instructions. Fits Wilson and Clark beavertails. **#965-402-000DJ 402 Beavertail Jig, 5F20V46... \$24.95**

BROWNELLS 1911 AUTO EXTRACTOR REMOVAL TOOL



Fast, Damage-Free Extractor Removal

Dual-purpose tool gives fast, easy extractor removal. Handle end helps depress the firing pin to remove the stop, spring and pin. Lever end reaches easily into the slide, moves the extractor to the side, presses it to the rear for easy removal. **SPECS:** Steel, blue, matte finish. 6" (15.2cm) long, 3/8" (9.4mm) diameter handle, .150" (3.7mm) diameter lever. **#080-923-000DJ Extractor Removal Tool, 8K20P23... \$25.99**

WEIGAND COMBAT EXTRACTOR TENSION GAUGE SET

Eliminate
Extraction Problems



Accurately measure extractor/shell rim tension to help achieve reliable case feeding, extraction and ejection. Slips between the breech face and the extractor. Take measurement with your 6 lb. trigger pull gauge. **SPECS:** EDM brass, 2" (5cm) long. Set includes two double-ended gauges to fit 9mm/.38 Super, .40, 10mm/.45 ACP for most semi-auto pistols with exposed extractors and open breech faces. **#957-101-000DJ Extractor Tension Gauge Set, 7E00AYT... \$14.95**

GSA WEIGAND COMBAT 1911 AUTO EXTRACTOR TENSIONING TOOL



Improves Case Feeding,
Extraction & Ejection

Easily puts just the right bend in the extractor, without over-bending, for precise tension adjustment, right to the ounce. Use in conjunction with the Weigand Extractor Tension Gauges to fine tune the extractor for optimum extraction and feeding reliability. Carry in your range bag to keep the extractor performing its best. **SPECS:** Aluminum, natural finish, 2 3/4" long. Instructions included. **#957-000-037DJ Extractor Tensioning Tool, 7E00VBX... \$29.99**

GSA BROWNELLS 1911 AUTO TRIGGER TRACK STONE



Polish The Channel To Reduce Trigger Pull Of 1911 Autos

Precision ground to fit inside the trigger bow frame ways; polishes out the manufacturing burrs and rough edges that interfere with trigger movement. Made of premium ceramic for fast cutting action that quickly imparts a very smooth surface. Easy cleanup with soap and water. Truly essential to achieving a light, crisp, trigger. **SPECS:** Medium grit, gray ceramic, .230" (5.8mm) square, 5" (12.7mm) long. **#080-721-230DJ Trigger Track Stone, 8K12A18... \$15.99**

GSA BROWNELLS 1911 AUTO HAMMER SLOT STONE



The Right-Sized Stone For Semi-Auto Pistol & Revolver Work

Precision-cast, ceramic stone is an exact fit for smoothing the inside surface between the frame tangs on a 1911 Auto. That gives smooth hammer movement and a lighter trigger pull. We had it specially made for that one job, then, as we used it, we found that it works great for many others. It also fits the hammer slots on all Ruger "P" Series Pistols, all Ruger Revolvers plus all S&W K, L, & N frame revolvers. We didn't plan on such a versatile stone, but we're delighted it turned out that way. **SPECS:** Ceramic, brown, .302" (7.6mm) sq., 5" (12cm) long. **#080-625-002DJ Hammer Slot Stone, 8K09Y93... \$13.99**

GSA BROWNELLS 6" x 1/2" x 1/2" CERAMIC STONES



State-Of-The-Art Stones Combine Fast Metal
Removal With Fine Finish

Custom made to our specs from premium ceramic. The cutting action is very fast and the resulting surface very smooth. Perfect for all trigger work from burr removal to final finish. Use dry or with water as a lube (no messy oil); soap and water cleanup. Less fragile than Arkansas stones. Sold in two colors, **White** and **Black**. Ground sides for sharp, 90° edges and an extremely fine cutting action for polishing and smoothing triggers and sears, like the 1911 Auto, that require an exact 90° interface for best performance. **White** stones produce a finer cut than **Black**. Set contains one of each stone. **SPECS:** Steel, black oxide finish. 3 1/4" (8.3cm) long, 3/4" (1.9cm) wide. Includes .020" thick stainless steel shim and instructions. **#080-000-579DJ Sear Fixture 8K24T99... \$34.99**

STOCK #	STYLE	COLOR/CUT	PRICE
#080-721-604DJ	Ground	Black/M-Fine	\$29.99
#080-721-601DJ	Ground	White/X-Fine	\$29.99

#080-721-621DJ 2 Ceramic Stone Ground Set, 8K35U84... \$49.99

BROWNELLS HAMMER/SEAR FILE & STONE KIT - The most complete and useful selection of specially designed 1/2" x 1/2" x 6" sharp edged stones and files ever offered for 1911 Auto trigger and sear work. Our exclusive 90° Hammer Hook Squaring File w/Handle, FF-46 India Stone, Ground Black Ceramic Stone and Ground White Ceramic Stone packaged in a convenient polypropylene storage box with oak divider tray. **#080-811-000DJ Brownells Hmmer/Sear File & Stone Kit, 8K95A38... \$125.99**

NORTON 6" x 1/2" x 1/2" STONES



Traditional Gunsmithing Favorites Deliver
Excellent Surface Finishes

INDIA STONES - Fast cutting aluminum oxide stone. **Medium** is perfect for fast production cleanup of the manufacturing burrs found in almost all new guns. A few quick strokes in the jig results in a much smoother trigger pull. Lubricate with stoning/honing oil. **Fine** is a good combination of speed and smoothness of cut to put a finer finish on parts for slicker, smoother trigger pulls. A favorite of many armors. Lubricate with stoning/honing oil. Aluminum oxide. **#657-246-146DJ MF-46 India Stone 7E00BXC... \$14.99**
#657-246-246DJ FF-46 India Stone, 7E14D62... 24.99

BROWNELLS/YAVAPAI 1911 AUTO SEAR TOOL

Adjustable For Angle Of Cut;
Lets You Examine Actual Hammer & Sear
Engagement At 25X!

Precision-machined tool incorporates a roller-type, sear stoning fixture that allows incremental cutting of both primary and secondary sear angles plus, a 25 power magnifier for detailed, up-close examination and precise changes in individual hammer/sear engagement. **SPECS:** Aluminum block, 3" (7.6cm) x 1.5" (3.8cm) x 3/4" (1.9cm). Includes 25X magnifier, steel roller, hammer pin, sear pin and complete instructions. **#080-835-001DJ Brownells/Yavapai Sear Tool, 8K89P98... \$135.99**



BROWNELLS 1911 AUTO SEAR STONING FIXTURE

Helps You Adjust Primary Sear Angle
For A Perfect Trigger Pull



Easy-to-use, hand-held tool retains the sear and positions it so you can stone the contact surfaces at the correct angles to produce a smooth, clean-breaking trigger free from unwanted creep. Helps you produce precise, mirror-finish surfaces for complete, full-width contact with the hammer to ensure reliable ignition while preserving proper operation of the thumb safety. Raising or lowering the fixture's setscrew lets you change sear angle. Fixture body is machined from solid carbon steel for years of service without loss of alignment. Includes a hardened, stainless steel .020" thick shim that prevents you from removing too much material from the sear, and protects the fixture body from wear. **SPECS:** Steel, black oxide finish. 3 1/4" (8.3cm) long, 3/4" (1.9cm) wide. Includes .020" thick stainless steel shim and instructions. **#080-000-579DJ Sear Fixture 8K24T99... \$34.99**



ED BROWN 1911 SEAR JIG

Sets Critical Sear Angle
For 1911 Trigger Jobs

Contoured design fits comfortably in the palm of your hand, holds sear at the correct angle for precise stoning. Adjustable positioning screw lets you make exact sear angle changes to increase or decrease trigger pull weight. Use with 6"x1/2"x1/2" stones to achieve a mirror smooth finish for a clean, crisp letoff. Includes complete instructions and .020" shim. **SPECS:** Stainless steel, 1" (2.5cm) wide, 4 1/4" (11.1cm) long. **#087-000-011DJ Brown Sear Jig 7H31Y88... \$39.85**

MARVEL 1911 AUTO SEAR JIG

Locates Sear Precisely,
Guides Stone Accurately



CNC-machined, aluminum sear jig with stainless steel roller is preset to cut the primary and relief angles. Steel post corresponds with sear hole; side clamp holds the sear in place. Change angles by releasing the clamp and pressing down on the sear. Steel thread inserts in the drilled screw holes prevent wearing during adjustments. **SPECS:** Aluminum jig body and sear vise, natural finish. Steel roller. 3 3/8" (8.5cm) L x 1 3/4" (4.4cm) H x 1" (2.5cm) W. **#583-000-001DJ 1911 Auto Sear Jig, 3H00XCH... \$54.99**

MARVEL PRECISION ULTIMATE 1911 SEAR JIG



Roller-Guided Stoning For
Precise Sear Engagement Cuts

Aluminum jig uses two rollers to guide your stone evenly over the sear to let you get the exact angle for a crisp, clean trigger pull. Three modes allow you to pre-set, mate, and set up for secondary stoning to ensure that the hammer-sear engagement is precisely set. An adjustable angle mode is also available for experimenting with different angles. Brass rollers prevent over-stoning the sear and an adjustable insert and knob work with the sear block to lock the sear in place to prevent movement. **SPECS:** Aluminum block, brass rollers. Includes instructions. **#588-000-003DJ Ultimate 1911 Sear Jig, 8H129U99... \$132.00**

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 55

BROWNELLS SIGHT BASE CUTTERS

CUSTOM MADE DOVETAIL END MILLS IN BOTH PREMIUM CARBIDE AND HIGH SPEED STEEL

LOW MOUNT 1911 AUTO SIGHT BASE CUTTER

60° Shoulder x .495"



These cutters are specially designed by us and made to our specifications for cutting the sight base slot required to mount the **Wichita** and **Novak Lo-Mount** 1911 Auto sights. Use $\frac{1}{4}$ " carbide end mill to remove the bulk of the material (see drawing above) then make final dovetail cut. Final cut to lower rear of slide is done with an end mill and is not a part of the sight base cut. Made slightly undersized to compensate for variations in sight bases and milling tolerances on installation. With the popularity of custom 1911 Auto pistols, this cutter is one that you will use frequently in your custom work. **CAUTION: For use in milling machine only.**

HSS DOVETAIL SIGHT BASE CUTTER - 2" (5cm). .495" diameter cut. $\frac{1}{2}$ " (12.7mm) diameter shank. 65° shoulder. **DO NOT EXCEED 700 rpm, HIGHER SPEED WILL BREAKTEETH.**

#080-621-495DJ HSS Lo-Mount Sight Base Cutter,
8K38Y73 \$ 52.99

CARBIDE DOVETAIL SIGHT BASE CUTTER - Much harder and longer-lasting than HSS cutter. Use on hardened Colt factory slides. Solid carbide, 2" (5cm) long. .495" diameter cut. $\frac{1}{2}$ " (12.7mm) diameter shank. 65° shoulder.

#080-621-965DJ Carbide Lo-Mount Sight Base Cutter,
9K81Y25 \$ 114.99

FRONT SIGHT

DOVETAIL CUTTER

60° & 65° Shoulder x .300"



Cuts lengthwise dovetail required to install special handgun front sights from Jim Clark, Ed Brown, Bob Marvel and others. Slightly undersized to allow for precise final fitting and to compensate for any machine wear. **CAUTION: For use in milling machine only.**

HSS FRONT SIGHT DOVETAIL CUTTER - High speed steel. .300" (7.3mm) diameter cut. $\frac{3}{8}$ " (9.5mm) diameter shank. 60° or 65° shoulder. **DO NOT EXCEED 700 rpm, HIGHER SPEED WILL BREAKTEETH.**

#080-621-300DJ 60° HSS Front Sight Dovetail Cutter,
8K32Y13 \$ 44.99

#080-621-305DJ 65° HSS Front Sight Dovetail Cutter,
8K28Y41 36.99

CARBIDE FRONT SIGHT DOVETAIL CUTTER - Solid carbide resists wear and easily cuts through even hardened steels. .300" (7.3mm) dia. cut. $\frac{3}{8}$ " (9.5mm) dia. shank. 60° or 65° shoulder.

#080-621-960DJ 60° Carbide Front Sight Dovetail Cutter,
7A58Y97 \$ 77.99

#080-621-963DJ 65° Carbide Front Sight Dovetail Cutter,
7A53Y46 74.95

SEMI-AUTO PISTOL SIGHT BASE CUTTER

60° & 65° Shoulder x .330"



Our special 65° shoulder Sight Base Cutter designed to cut dovetails for both standard Colt factory and mil-spec 1911 Autos, and for replacement sights like Wichita Hi-Mount, older Bo-Mar and others with a 65° shoulder. Some makers use a 60° dovetail on their rear sights and we also have a cutter to match them. For low-mount adjustable sights use the **Standard Sight Base Cutter** shown on this page. Actual cutting diameter is .330" so more than one pass will be required to install most sights. This is done on purpose to allow for factory variations in base width as well as milling tolerances. **CAUTION: For use in milling machine only.**

HSS SEMI-AUTO PISTOL SIGHT BASE CUTTER - High speed steel, 2" (5cm) long. $\frac{3}{8}$ " (9.5mm) diameter shank. 60° or 65° shoulder. **DO NOT EXCEED 700 rpm, HIGHER SPEED WILL BREAK TEETH.**

#080-621-331DJ 60° HSS Semi-Auto Sight Base Cutter,
8K29Y59 \$ 36.99

#080-621-330DJ 65° HSS Semi-Auto Sight Base Cutter,
8K23Y72 31.99

CARBIDE SEMI-AUTO PISTOL SIGHT BASE CUTTER - Solid carbide cutter resists wear when cutting pistols made from hardened steel. 2" (5cm) long. $\frac{3}{8}$ " (9.5mm) diameter shank. 60° or 65° shoulder.

#080-621-066DJ 60° Carbide Semi-Auto Sght Base Cutter,
7A60Z15 \$ 85.99

#080-621-065DJ 65° Carbide Semi-Auto Sght Base Cutter,
7A57Z93 80.99

FRONT SIGHT INSERT CUTTER

60° Shoulder x .245"



We've had many requests for a small dovetail cutter that would speed up the cutting of dovetails in front sight blades when installing colored inserts. The one we've had made cuts a $\frac{1}{4}$ " wide dovetail, just right for sight inserts, and the finished product is very precise. Since the cutter is small, (it tapers to a diameter of .110"), you must make an initial cut with a $\frac{1}{8}$ " end mill (listed below). By using the end mill to remove some metal first, you'll avoid overloading the cutter and breaking it. **CAUTION: For use in milling machine only.**

HSS FRONT SIGHT INSERT CUTTER - High speed steel. $2\frac{1}{32}$ " (5.1cm) long. $\frac{1}{4}$ " (6.3cm) diameter shank. Maximum cut depth is .100" (2.5mm) 60° shoulder. **DO NOT EXCEED 700 rpm, HIGHER SPEED WILL BREAKTEETH.**

#080-621-245DJ HSS Front Sight Insert Cutter,
8K22Z03 \$ 29.99

CARBIDE SIGHT INSERT CUTTER - Solid carbide 2" (5cm) long. $\frac{1}{4}$ " (6.3cm) diameter shank. 60° shoulder.

#080-621-246DJ Carbide Sight Insert Cutter,
7A46Z42 \$ 65.99

HEINIE REAR SIGHT CUTTER

65° Shoulder x .370"



Cuts the .370 x 65° dovetail required when fitting Heinie rear sights. Solid carbide cuts the hardest slides with minimal wear.

#080-621-371DJ Carbide Heinie Rear Sight Cutter,
7A53Y58 \$ 70.99

STANDARD SIGHT BASE CUTTER

60° Shoulder x .359"



Universal Sight Base Cutter made for sights with 60° shoulder and a $\frac{3}{8}$ " base. Cuts most standard front and rear rifle sights as well as 1911 Auto low-mount, adjustable sights like E.E.A. Super Sights, Millett and Bo-Mar-style. Cutter is slightly undersized at .359" which requires that you make two cutting passes to compensate for factory variations in sight manufacture and milling tolerances. Designed with proper relief for maximum strength and clean cutting. **CAUTION: For use in milling machine only.**

HIGH SPEED STEEL STANDARD SIGHT BASE CUTTER - 2" (5cm) long. $\frac{3}{8}$ " (9.5mm) diameter shank. 60° shoulder. **DO NOT EXCEED 700 rpm, HIGHER SPEED WILL BREAKTEETH.**

#080-621-359DJ HSS Standard Sight Base Cutter,
8K27Y06 \$ 37.99

CARBIDE STANDARD SIGHT BASE CUTTER - Solid carbide. 2" (5cm) long. $\frac{3}{8}$ " (9.5mm) diameter shank. 60° shoulder.

#080-621-060DJ Carbide Standard Sight Base Cutter,
7A53Z20 \$ 75.99

SPECIAL FRONT SIGHT DOVETAIL CUTTERS

Unique Sizes For Wilson & Meprolight

WILSON SNAG-FREE DOVETAIL CUTTER - Cuts the .290" x 60° dovetail required to install all current models of the Wilson Snag-Free front sights. **CAUTION: For use in milling machine only.**



HIGH SPEED STEEL WILSON DOVETAIL CUTTER - 2" (5cm) long. .375" (9.5mm) diameter shaft. 60° shoulder. **DO NOT EXCEED 700 rpm, HIGHER SPEED WILL BREAKTEETH.**

#080-621-290DJ HSS Wilson Dovetail Cutter,
8K27A96 \$ 36.99

CARBIDE WILSON DOVETAIL CUTTER - Solid carbide 2" (5cm) long. .375" (9.5mm) diameter shaft. 60° shoulder.

#080-621-291DJ Carbide Wilson Dovetail Cutter,
7A51Y65 \$ 75.99

MEPROLIGHT® DOVETAIL CUTTER - Cuts the .250" x 74° dovetail required when altering ramp-style front sights to accept Meprolight's Universal front sight inserts. Cutter can be used to open up a standard ramp when installing Brownells Colored Sight Inserts. **DO NOT EXCEED 700 RPM. HIGHER SPEED WILL BREAKTEETH.**

#080-621-250DJ Dovetail Cutter, .250" x 74°,
8K35A88 \$ 44.99

BROWNELLS

TRIGGER ADJUSTMENT PINS



Save Repeated
Assembly/
Disassembly

Precision-
ground and hard-

ened trigger and hammer pins (.0005" tolerance) that mount on the outside of the gun frame, using the gun's own pin holes. Allows you to easily observe and adjust trigger pull and sear engagement without repeated disassembly/reassembly to "blind test" changes. Saves time and money; greatly improves chances of getting it right! **SPECS** M2 tool steel hardened to Rc 55-60. Fits 1911 Govt., Commander and Gold Cup.

#080-622-001DJ 1911 Auto Trigger Adjustment Pins,
8K21Y90 \$ 29.99

POWER CUSTOM 1911 AUTO SERIES I STONING FIXTURE



Ultimate For Hammer &
Sear Work; Accurate,
Repeatable Setup

Save time and money by providing repeatable setup and accurate and measurable adjustments for 1911 trigger jobs. To use, mount hammer or trigger/sear on adapter, set and lock at correct index mark

as instructed. Set stoning angle by counting "clicks" specified to raise or lower elevator and stoning guide. Lock guide, place stone on both roller and hammer or trigger/sear, and stone as normal. Easily adjustable to allow variations in stoning angle for exact, desired trigger pull weight. Fixture is available with or without adapter. Instructions included. You will also need a #10 machinist's clamp and 6"x $\frac{1}{2}$ "x $\frac{1}{2}$ " stones. **SPECS:** 5 $\frac{3}{16}$ " (14.1cm) long x 2 $\frac{3}{16}$ " (6.5cm) wide x 3" (7.6cm) high. $\frac{3}{4}$ " (19mm) thick base. 5 $\frac{1}{4}$ lb. (2.6 kg) Blued steel. **Fixture Complete** includes roller guide and Colt Govt. adapter. Adapter also sold separately.

#713-070-002DJ Series I Fixture Complete,
3A00VBX \$ 157.99

#713-071-002DJ Colt Govt. Adapter, only,
3A00HDZ 25.49

POWER CUSTOM SERIES II STONING FIXTURE

Precise, Controlled Stoning
Of 1911 Auto Hammer
For Perfect Trigger Pull



Eliminates the guesswork and gives an accurate, repeatable method to achieve a crisp, clean-breaking trigger pull on semi-automatic firearms. Individual, easy-to-change **Adapter** attaches to a precision-ground indexing elevator column and clamps the hammer in the right position for correct stoning with the specially ground **Series II India Stone** or **Series II Hard Arkansas Stone**. Adjustable design lets you change hammer angle to meet the shooters' precise needs. **Series II India Stone** or **Series II Hard Arkansas Stone** required for use. Purchase separately; listed below. Universal Adapter fits 1911 Auto, plus High Standard rimfires, S&W 3rd. Gen., Browning HP, SIG 226 series, Ruger single and double Actions, Ruger 10/22, Beretta, and many others. **SPECS:** Steel, blued, precision ground and hardened. 5" (12.7cm) 4" (10cm) high, 3" (7.6cm) wide. **Fixture** includes **Adapter**, hammer and sear clamp, three Allen wrenches and instructions.

#713-270-100DJ Series II Stoning Fix. w/Univ. Adapter,
3A00ZAY \$ 177.99

#080-815-000DJ Series II India Stone 8K13Y22. 20.99

#080-815-001DJ Series II Hard Arkansas Stone,
8K50Y60 64.99

TRIANGLE STONE HOLDER - Lets you use a common 4" x $\frac{1}{2}$ " triangular India stone in the Series II stoning fixture. Completely supports stone along its entire length to help prevent breakage and extend stone life. When the edge becomes dull, simply loosen the fixture and rotate the stone to present a new edge. Use as a hand-held tool for any stoning application where a flat, sharp edge is required. Rigid housing of 6061 T6 aluminum with a clamp pad and spacer of tough polyethylene securely grasp the stone and prevent slippage. Stainless steel bolts maintain proper tension while ensuring easy disassembly and adjustment.




SPECS: 6061 T6 aluminum, anodized, matte black, and polyethylene. 4" (10.2cm) long, 1 $\frac{1}{4}$ " (3.2cm) wide, 1" (2.5cm) high. Includes (1) triangular 4" x $\frac{1}{2}$ " fine grit India stone.

#713-000-082DJ Triangle Stone Holder,
3A54B95 \$ 69.95





BROWNELLS TRIGGER, HAMMER & SEAR KIT FOR 1911 AUTOS



Indispensable Tools To Help You Produce A Match Quality Trigger Job

A smooth, clean breaking trigger is one of the most important steps in fine tuning the 1911 Auto. We've brought together a complete selection of professional quality jigs, stones, files and more; plus, we've included clear, easy-to-understand instructions to help you produce that clean-as-glass trigger break and light, smooth-as-silk pull your customers want. This kit will help you modify most triggers, hammers and sears made for the Colt 1911A1, its many models and copies, including both the traditional single-stack and the popular double-stack variations. Complete kit includes each of the items listed below.

#080-785-000DJ 1911 Auto Trigger/Hammer/Sear Kit,
8K230C22 \$ 306.99

① **BOB MARVEL SEAR & HAMMER JIG** - Three-piece combination jig/vise guides stone over hammer and sear. Makes both primary and secondary sear cuts simple.
#080-823-000DJ Marvel Sear & Hammer Jig,
8K118T41 \$ 156.95

② **BROWNELLSTRIGGERADJUSTMENT PINS** - Let you test your stone cuts without repeated assembly/disassembly.
#080-622-001DJ Trigger Adjustment Pins,
8K21Y90 \$ 29.99

③ **BROWNELLS TRIGGER STIRRUP DIE** - Maintains and corrects the angle of all trigger stirrups for proper length of travel.
#080-710-045DJ Trigger Stirrup Die,
8K20X88 \$ 25.99

④ **SWISS PATTERN PILLAR FILE** - Fine cut, safe-sided file for trimming hammer hooks, angles and pads on custom triggers.
#191-399-110DJ #2 6" Swiss Pattern Pillar File,
8K00YTP \$ 19.99

⑤ **.020 SHIM STOCK** - Use with #2 Swiss Pattern Pillar File to assure correct height when trimming the hammer hooks.
#080-785-020DJ .020 Steel Shim 8K05C34 \$ 10.99

⑥ **BROWNELLS HAMMER/SEAR FILE & STONE KIT** - Specially designed 1/2"x1/2"x6" sharp edged stones and files for 1911 Auto trigger and sear work. Our exclusive 90° Hammer Hook Squaring file, FF-46 India Stone, Ground Black Ceramic Stone and Ground White Ceramic Stone, all in a storage box.
#080-811-000DJ Hammer/Sear File & Stone Kit,
8K95A38 \$ 125.99

540 BENCH BOX - Made from virtually indestructible, polypropylene plastic. Resists heat, cold, most chemicals. (Not shown.)
#084-078-501DJ 540 Bench Box,
3A06Y68 \$ 10.74

Shop

1911 tools

Search

brownells.com

BROWNELLS HAMMER/SEAR PIN BLOCK

Allows Visual
Inspection Of Hammer
& Sear Engagement



Machined steel block allows you to mate the hammer and sear (or trigger) outside of the firearm for a clear, unobstructed view of the critical point of engagement. Accepts a wide selection of hammer and sear pins sized for various handguns and rifles. Dovetailed adjustment block rides in slotted channel so pin spacing can be precisely set to match individual frames and receivers. Allen screw locks the pin setting so hammer and sear can be dropped in place relative to their actual position in the firearm. Great for cutting the engagement surfaces on new parts or fine-tuning the factory ones. Pins are individually numbered for proper identification.

SPECS: Block - Steel, blued. Pins - Stainless steel. 2 1/2" (6.4cm) long, 1 1/16" (1.7cm) wide. Block and pins sold separately.

#080-000-098DJ Hammer/Sear Block Hammer Pin,
for 1911, 8K03D99 \$ 4.99

#080-000-099DJ Hammer/Sear Block Sear/Trigger Pin,
for 1911, 8K03D99 \$ 4.99

#080-000-116DJ Hammer/Sear Pin Block, only,
8K4ZT96 \$ 75.99

BROWNELLS 1911 AUTO HAMMER SQUARING FILE



Makes A Perfect 90° Cut When Squaring The Hammer Hooks

Our specially designed, two-sided, square file greatly simplifies trigger jobs by establishing the required, precise, 90°, hammer hook angle. Saves those easily-worn stones for setting hook heights and putting on the final polish. Safe on two sides, cannot damage hammer, and safe to use with the various hammer/trigger sear jigs. Keeps its sharp corners and dead flat edges, even after extended use. Available with or without black plastic handle.

SPECS: 5" (12.7cm) lg. Tapers, .185" (4.8mm) - .180" (4.6mm).

#080-752-000DJ 1911 Hammer Squaring File,
8K25A13 \$ 34.99

#080-811-001DJ 1911 Hammer Squaring File w/handle,
8K27A96 \$ 39.99

BROWNELLS 1911 AUTO HAMMER STOP BLOCK

Saves Time, Speeds 1911 Trigger Jobs

Save time and effort, accurately evaluate trigger function and pull weight without installing and removing the slide each time. Slides onto the frame rails and locks solidly with a thumb screw; nylon pad cushions hammer fall, prevents damage to hammer and frame. Greatly simplifies action tuning and trigger work on 1911 Auto pistols. Does not interfere with safety or disconnector operation.

SPECS: Aluminum, silver, anodized finish. 1" (2.5cm) long, 1" (2.5cm) wide.

#080-929-000DJ Hammer Stop Block 8K34U73 \$ 48.99

BROWNELLS SIGHT BASE FILES

The Professional Way To Safely Widen Or Cut New Dovetails
65° - 1911 AUTO-TYPE SLOT

Designed especially for widening and final fitting after using our 65° Sight Base Cutter to cut the basic slot. Or, can open up a 60° slot to proper 65° angle if changing to a new sight design. Has true parallel cutting edges for precision filing, giving you full control over the angle of the dovetail. One cutting side only, with the other two sides "safe", so you can widen or deepen sight slots safely without fear of changing the other dimensions.

(See Sight Base Cutters listed elsewhere.)

SPECS: 7" (17.8cm) long. 3/16" (4.8mm) wide #1, medium, double-cut. #2, fine, single-cut.

#080-648-165DJ #1 65° Sight Base File 6C27Y93 \$ 34.99

#080-648-265DJ #2 65° Sight Base File 6C32Y46 \$ 39.99

BROWNELLS 1911 AUTO NIGHT SIGHT MOUNTING FIXTURE



Helps Prevent Tritium Vial Breakage;
Accepts All 1911 Stake-On Sights

Heavy, solid steel fixture securely holds the slide and the night sight in the proper, damage-free position for fast and easy staking. Simply prepare the slide to accept the night sight, clamp the slide and sight in the fixture, then clamp the fixture in your bench vise. The night sight is now ready to stake using your Brownells 1911 Front Sight Staking Tool. Can be used with both Government and Commander length slides, and all 1911 stake-on sights.

SPECS: Steel, blue. 5 1/2" (14 cm) long, 1" (2.5cm) wide handle, 3/4" (19mm) thick. Includes instructions, clamping plate and screw.

#080-000-454DJ Night Sight Mounting Fixture,
9B33A48 \$ 46.99



BROWNELLS 1911 AUTO FRONT SIGHT STAKER

Makes Sight Staking Easier



Makes front sight staking effort-less, faster and far more accurate. Improved, offset punch design efficiently directs the full force of the hammer blow downward against the sight tenon. Hardened, "V"-shaped tip easily displaces both wide and narrow tenons for a great-looking, tight-fitting front sight that won't shoot loose. Large, square shaft is easier to hold, see and hit so there's less chance of a missed hammer blow striking your customer's expensive slide.

SPECS: Steel, blued. 3/16" (7.9mm) x 1/2" (12.7mm) x 4 1/2" (11.4cm) long shaft. Replaceable, hardened steel tip. Fits 1911 Auto. Includes complete instructions.

#080-817-000DJ Front Sight Staker 8K35Y79 \$ 46.99

#080-870-213DJ Replacement Tip 8K11Z15 \$ 15.99

TRIJICON® 1911 AUTO SIGHT STAKING TOOL

Ensures Sight; Is Professionally
Mounted & Securely Staked



Install 1911 Auto, tenon sights so they won't fly off or shoot loose -- without damaging the sight or marking the slide. Solid

steel mandrel fits into front of the slide; fixture adjusts to hold sight in place. Tap the hardened steel wedges with a hammer to displace the tenon material for a secure, professional installation that won't shoot loose. Use to install all narrow and wide tenon, skirted front sights, including Trijicon and Millett, plus non-skirted front sights no less than .185" in height.

SPECS: Tool - Steel blue. Wedges - Tool steel, hardened. Kit includes tool, wide and narrow tenon wedges, cleanup shear and complete instructions. Fits all 1911 Autos except Officers ACP.

#892-101-103DJ Sight Staking Tool 2H00DZA \$ 270.30

order on the web

www.brownells.com

BROWNELLS/KAISER SHOOTING PRODUCTS

UNI-200L UNIVERSAL SIGHT MOVER

Adjusts Both Front & Rear Dovetail
Pistol Sights



Versatile sight tool fits most semi-auto slides for easy, precise installation, adjustment, or removal of front and rear dovetail sights. Clamp the slide in the tool and move sights to the left or right by turning the T-handle. Rubbed padded jaw faces prevent slippage and protect the slide finish from damage. Works on a wide variety of pistols including 1911s, Beretta, FNP, Glock, HK, Kimber, S&W automatics, SIG Sauer, Springfield XD and XDM, Taurus, and more. Also gently moves fragile aftermarket Tritium night sights. Steel frame, inserts, and clamp block handle are machined from heavy bar stock for a lifetime of service. Pusher block is tool steel hardened to Rc 62, so it won't distort under pressure. Storage case included.

SPECS: Steel, matte black & natural silver finish. 3 1/2" (8.9cm) long, 1" (2.5cm) wide, 4 1/2" (11.4cm) high. 24 oz. (680g) weight.

#080-000-688DJ Uni-200L Sight Mover,
9A126H40 \$ 159.99

MGW 1911 AUTO SIGHT MOVER



Removes, Installs & Adjusts
1911 Auto Pistol Rear Sights
Without Damage

Safely engages the standard, factory, fixed sight (some after-market fixed sights, too) and moves it right or left without deforming slide or sight.

Knurled thumbscrew locks the sight tool into the slide recesses. Hardened steel handle provides plenty of leverage to break rear sights loose from even the tightest dovetail. Bronze Oilite® bearings and extra-fine threads for smooth, precise adjustment.

SPECS: Anodized, aluminum body, steel, cross carriage bolt fits factory sights. **Colt** model: approximately 4 1/4" (12cm) wide, 3" (7.6cm) high, 3/4" (19mm) thick.

#584-045-001DJ 1911 Auto Sight Mover 4H91U43 \$ 119.99

MEPROLIGHT® UNIVERSAL SIGHT INSTALLATION TOOL

Adjust & Install Over Forty Different Semi-Auto Pistol Sights



Universal bench tool provides accurate cross-dovetail pistol sight adjustment and installation without damage to the sight or the slide. Multi-position, slide support block and separate slide clamp adjust quickly. Body is machined from a solid block of aluminum alloy. Square thread adjustment screw provides plenty of leverage to move even the most stubborn sight without damage. Includes attachment ears for bench mounting.

SPECS: Body - Aluminum, black, hardcoat anodized finish. 6" (15cm) wide, 4 1/2" (11cm) high, 2 lb. (.9kg) wt. Adjustment Screw - Hardened steel. Includes complete instructions and pistol sight reference chart. Will not install tenon-style front sights.

#387-100-000DJ Type II Univ. Sight Tool,
7H450C58 \$ 599.99

KIMBER SIGHT PUSHER - Heavy-duty steel sight pusher installs onto the screw shaft of your Type II Universal Sight Installation Tool to help you remove, install, and adjust Kimber sights. Precision-machined engagement lugs correspond with the Kimber, sight dovetail to push the sight where you want it to go.

SPECS: Steel, black oxide, matte finish. Approximately 1 3/4" (3.4cm) long, 1 1/4" (3.3cm) high, 1 1/2" (24mm) wide.

#387-000-029DJ Kimber Sight Pusher 7H50D40 \$ 62.99

P500 UNIVERSAL SIGHT TOOL



**Safely Removes & Installs
Dovetail Front & Rear Sights;
Works On Shallow,
Cross-Dovetails**

Precision-machined, steel tool safely removes, installs and adjusts front and rear sights on handguns. Clamp your slide into the tool and line up the sights with the tool's pusher tip for installation, removal, or adjustment. Mobile jaw customizes to the height of your slide and can be used from the right or left side. Delrin® liner protects slide from scratches. Includes three sight pushers that attach to the end of the sight-pushing bolt. ¼" square tip works perfectly on shallow, cross-dovetail sights. **Hold Down Clamp** helps prevent the slide from twisting in the frame of the P500 by applying extra force to the top of the slide. Provides a secure seat in the tool when working with hard-to-remove sights or slides with angled sides, like the Springfield Armory XD and the S&W M&P. **Slide Stop** speeds up the process of performing the same sight job on a large number of the same model pistol. Stop simply screws to the P500 frame and lets you position each slide in exactly the same place to perform the necessary sight adjustment quickly and easily. **P500 Universal Sight Tool Kit** combines P500 Universal Sight Tool with the Hold Down Clamp and Slide Stop to provide the ultimate of flexibility and versatility in a sight adjustment tool.

SPECS: Steel, black, powder-coat finish. Approximately 5" (12.5cm) long, 2" (5cm) wide, 1" (2.54cm) high. Instructions included. **Hold Down Clamp** - Steel, powder-coated, black. Approximately 4" (10cm) long, 1½" (3.8cm) wide, ¾" (9.5cm) high. Comes with clamp assembly, jaw screw, ½" hex wrench, and instructions. **Slide Stop** - 1018 steel, black oxide finish. Approximately 1½" (3.2cm) long, ½" (1.3cm) wide, 1" (2.5cm) high. Includes stop block, stop pin, hex wrench, (5) 6-32 setscrews, and instructions. **P500 Universal Sight Tool Kit** contains the P500 Universal Sight Tool, Hold Down Clamp, Slide Stop, and complete instructions.

#694-000-001DJ P500 Sight Removal Tool,
4F104V70 \$ 129.99
#694-000-003DJ Hold Down Clamp 4F62V07 64.99
#694-000-002DJ Slide Stop 4F20V69 24.99
#694-000-004DJ P500 Universal Sight Tool Kit,
4F187V46 219.99

BROWNELL'S RAMP SOLDERING JIG

**Spring Pressure Keeps
Ramps/Bases/.45 Sights In Place**

Cures the "ramp slips just as the solder melts" problem with a pointed, spring-loaded plunger that keeps constant pressure on the ramp or a .45 sight. Adjusts for height, angle and amount of spring pressure. Non-marring, "V" block base centers barrel under the plunger. Great torch clearance.

SPECS: 2" (5.1cm) long. aluminum Base. 4" (10.2cm) high overall.

#080-739-000DJ Ramp Soldering Jig 8K63V25 \$ 83.85




XS SIGHT SYSTEMS DOVETAIL MEASURING TOOL

Determines Sight & Dovetail Width

Takes the guesswork out of determining how wide to mill the dovetail cut. Lets you make fast, finished cuts within .0005". Measures sights and dovetails.

SPECS: Aluminum base, matte black finish. Steel pins. Base 2" (5.8cm) x 2" (5.8cm) x 1.1" (2.8cm). Includes charts, instructions.

#006-101-000DJ Dovetail Measuring Tool,
6K00XCH \$ 50.00



JERRY KUHNHAUSEN THE COLT .45 AUTOMATIC A SHOP MANUAL

200 pages. 6" x 9". Softbound. Covers the popular 1911 including the Series 80. All the step-by-steps, plus a full section on popular accurizing tricks and how to do them. Includes the only really detailed instructions on fitting barrel and link that we've seen in print. With the popularity of the .45 still growing, this book will pay for

itself many times over.

#924-200-045DJ .45 Auto Manual, Volume I,
4B00XCH \$ 29.99

JERRY KUHNHAUSEN THE U.S. M1911/M1911A1 PISTOLS & Commercial M1911 Type Pistols A SHOP MANUAL

**Volume II In The Series; Covers
Repair, Rebuilding & Customizing;
Even More Detailed Than Volume I**

207 pages. 6" x 9". Softbound. Filled with incredibly crisp, clear, cutaway drawings, exploded views, how-to pictographs, and photos; complimented by very readable, detailed text, dimensioned close ups of all the components and valuable tricks of the trade. If you want to understand the 1911, how it functions, what causes it to malfunction and how to fix it, you must have this book. Includes what are probably the best set of instructions for fitting a custom barrel available to date. Illustrates how to fit parts to the proper dimensions and install them correctly - a must whether you're building duty guns, casual plinkers, or match winners. Even the index is well laid out and useful. An excellent reference work and practical how-to manual.

#924-800-245DJ M1911 Pistols Manual, Volume II,
4B00UAV \$ 31.99



THE M1911 COMPLETE OWNER'S GUIDE

Walt Kuleck. 290 pages, 6" x 9". Softbound. Over 300 photographs and illustrations. This comprehensive, "must have" reference details the design history of the M1911, and covers detailed, down-to-the-frame disassembly/assembly, troubleshooting, maintenance, and upgrades.. Thoroughly explores the pistol's principles of operation, including chapters on holster styles and their use, ammo, magazines, and shooting.


#261-000-007DJ M1911 Complete Owner's Guide,
1F24Y79 \$ 29.99



MODEL 1911 SERIES PISTOLS GUN-GUIDE

16 pages. 5½" x 8½". Soft cover. 20 photographs. 7 illustrations, including parts schematic. Compact guide with detailed, step-by-step field stripping, disassembly, and reassembly procedures for M1911, M1911A1, Colt Series 70/80, and clones. Easy-to-read parts schematic, with concise, one-step-at-a-time disassembly instructions that use large, easy-to-see photographs. Includes special reassembly "tricks-of-the-trade" and short, historical background on the design and development of the 1911. Spiral bound to lay flat and stay open on the bench.

#100-004-412DJ Model 1911 Gun-Guide,
8A05T00 \$ 700



FIREARMS TAKEDOWN GUIDES

J. Martin. Approximately 14 pages. 8½" x 11". Covers field stripping and disassembly procedures for the 1911. Detailed, step-by-step instructions, with large photos of disassembly sequence and reassembly tips.

#551-000-004DJ 1911 Takedown Guide,
7K06Y36 \$ 7.95

KUHNHAUSEN M1911 WALL CHART

**Illustrates
Basic Function
& Cycle Of
Operation**



Illustration shows just some of 18 views

Illustrates the operating cycle of the 1911 A1 pistol. Very detailed, printed on Tan 80 lb. poster stock and covered with a leather grain, embossed plastic laminate to cut glare and protect against damage.

#924-850-172DJ 17" x 25" 1911 Chart 4B24X02 \$ 30.00
#924-850-253DJ 25" x 39" 1911 Chart 4B35X35 44.18

M1911A1 TECHNICAL DIAGRAM MANUAL



Eric A. Nicolaus. 98 pages. 8½" x 14". Softbound. This informative shop manual is very well illustrated, well written, and provides an in-depth analysis for the both the novice and professional. Documents literally every original U.S. government

blueprint for each individual component and subcomponent of the M1911A1 pistol. Original factory prints provide critical dimensions and in-depth manufacturing data to help you understand the individual sub-components. Contains a unique appendix with cross-reference guide for easy access to substitute part numbers. Cover and back of the manual are 10mil thick polypropylene for complete protection in the workshop. Spiral bound to lay flat when open so you can work on your pistol while using as a reference guide.

#100-003-759DJ M1911A1 Diagram Manual,
7B24A95 \$ 29.95

.45 AUTO CUSTOM TOUCHES

R.D. Nye. 88 pages. 8½" x 11". Softbound. Nye's down-to-earth style helps you decide how to improve your .45 to shoot better with more accuracy, dependability and comfort. Large, concise, detailed drawings show each step and operation using only basic gunsmithing skills and tools. 15 chapters cover simple to complex jobs. Plus, info on making jigs, fixtures and tools. Sources and pistolsmiths directory. An outstanding .45 book!!

#645-045-000DJ .45 Custom Touches 5D10P36 \$ 12.95



GUN DIGEST BOOK OF THE 1911

Patrick Sweeney. 334 pages. 8½" x 11". Softbound. 700 photos. Fifteen chapters are devoted to history, how to inspect a used gun, how a 1911 functions, (including malfunction cures), competition and carry, custom building and gunsmithing options, choosing magazines, shooting schools, reloading techniques, plus information on five .22 LR conversion kits. In addition, there is a very thorough evaluation, comparison and accuracy test of two dozen, semi-custom, production guns.

#491-000-008DJ The 1911 Book 1D18V64 \$ 27.95
— 6 or More — Mix of 6, each 1D16V78 23.76



WILSON COMBAT 1911 AUTO MAINTENANCE MANUAL

Bill Wilson. 67 pages. 5½" x 8½". Soft cover. Step-by-step disassembly, cleaning, inspection, lubrication and reassembly instructions. Well-illustrated with color photos. Covers guns with conventional or tapered cone bushings and shows field stripping for cleaning and detailed disassembly. Includes a troubleshooting section explaining problems, their causes and cures.

#965-401-000DJ Wilson 1911 Manual 5F08V16 \$ 9.95



AMERICAN GUNSMITHING INSTITUTE 1911 AUTO DISASSEMBLY/REASSEMBLY



1 DVD. 90 minutes. Easy-to-follow video course teaches you how to disassemble and reassemble your 1911 with complete confidence. Master gunsmith Ken Brooks gives clear, step-by-step instructions on taking the gun all the way down to the small parts. Detailed explanations of the major components help you keep your 1911 in safe, reliable, top-notch condition. Fully indexed, so you quickly access the information you're looking for. Applicable to most manufacturers, models, and calibers of the 1911. Includes coverage of Series 80 and Kimber-type firing pin blocking safeties.

#050-000-070DJ 1911 Disassembly/Reassembly
Video Course 5K19A96 \$ 33.99



AMERICAN GUNSMITHING INSTITUTE COLT 1911 ARMORER'S COURSE

Bob Dunlap. DVD format. 111 min. running time. Well lit, professionally photographed with sharply focused close-ups and good sound quality. Unique, classes go from history and design through a detailed stripping, cleaning and inspection. A How-It-Works segment is followed by detailed, one-step-at-a-time disassembly instructions. You'll learn many handy tips, like when to watch out for, and prevent, flying springs. Next, Dunlap does a thorough cleaning and oiling, pointing out things to look for which indicate problems that can be corrected before they cause a malfunction. The reassembly portion isn't just "reassembly in reverse order". You'll stop and look at the parts, learn exactly how to put the pieces back together correctly and pick up more repair tricks. Tuning Tips shows you ways to make sure the gun functions better than it did when you started.

#050-000-030DJ Colt 1911 Armorer's Course,
5K31Z96 \$ 39.95



AMERICAN GUNSMITHING INSTITUTE PROFESSIONAL GUNSMITHING VIDEO INSTRUCTIONAL SERIES

The following, separate titles are additions to the Professional Gunsmithing Series but are not included in the package price.

#308 BUILDING THE 1911 STYLE LIMITED CLASS OR CARRY GUN VOL. 1 - 4 hours, 1 DVD. Gene Shuey covers accessories and modifications, installing and fitting parts, function, tuning, feeding and troubleshooting.

#050-120-308DJ Building The 1911 Vol 1 5K63B96 . \$ 79.95

#309 BUILDING THE 1911 STYLE LIMITED CLASS OR CARRY GUN VOL. 2 - 3 hours, 1 DVD. Covers fitting slide to frame, barrel lockup, headspace and chamber reaming, ejector/extractor tuning, full length guide rods, selecting the right springs.

#050-000-001DJ Building The 1911 Vol 2,
5K63D96 \$ 79.95

#316 BUILDING THE ULTIMATE 1911 "HIGH CAPACITY PISTOL" VOL. 3 - 5 hours, 2 DVDs. Covers installing fiber optic sights, checkering and serrating steel, fitting a bull barrel with an oversize slide, setting a 1½ lb. trigger, installing an ambi safety, selecting the right finish, spring rates.

#050-000-002DJ Building The 1911 Vol 3 5K63D96 . \$ 79.95



ED BROWN'S

1911 BENCH REFERENCE CD-ROM

Ed Brown. CD-ROM. Well illustrated, step-by-step instructions cover installation of new parts and bench work the individual can perform with minimal tools. Photographs define important points. Twenty-three chapters, including one on reloading. Read on screen, enlarge the graphics, even print out for use at the bench. Runs on Mac (with Adobe Acrobat) or PC.

#087-000-002DJ 1911 Bench CD-ROM 7H27Y16 . . . \$ 33.95



WILSON COMBAT

COMBAT CUSTOMIZING THE 1911 AUTO

A Comprehensive DVD Set
That Covers Everything You Need To Know

By Bill Wilson and the pistolsmiths at Wilson's Gun Shop. A complete, video course on how to alter the 1911 Auto for increased reliability, accuracy and performance. Each DVD is a stand-alone presentation featuring one of Wilson's Master Pistolsmiths clearly showing the same modifications they make to the guns built there. *DVD formats only.*

VOLUME 1 - 2 hours. Covers disassembly, feed ramp polishing, barrel throating, ejection port flaring, extractor work, sight installation, mag well opening and beavertail grip safety installation.

#965-000-041DJ 1911 DVD, Volume 1 5F30Y55 . . . \$ 34.95

VOLUME 2 - 2 hours. Explains hammers, the "perfect" trigger job and safety installation.

#965-000-042DJ 1911 DVD, Volume 2 5F30Y55 . . . \$ 34.95

VOLUME 3 - 1 hour, 52 min. Shok-Buff/Group Gripper installation, slide tightening and barrel fitting, chamber reaming, feed ramp cutting, front sight removal, compensator installation, fitting reverse plug and checking breech face clearance.

#965-000-043DJ 1911 DVD, Volume 3 5F30Y54 . . . \$ 34.95

VOLUME 4 - 1 hour, 39 min. Serrating/checkering rear of slide, checkering front strap, making dovetail cuts, extended slide stop and mag release installation, thumbguard installation, logo etching, final prep, assembly and testing.

#965-000-044DJ 1911 DVD, Volume 4 5F30Y55 . . . \$ 34.95

#965-000-040DJ 1911 DVD, Four Vol. Set 5F105Y76 . . 119.99



GUN DIGEST 1911: THE FIRST 100 YEARS

Patrick Sweeney. 286 pages. 8 1/2" x 11". Hardcover. Eighteen chapters cover the development, history, use, and future of the world-renowned "Model 1911 U.S. Army Pistol" developed by John Moses Browning over 100 years ago. This book reviews the 1911's predecessors, covers early prototypes and development, as well as its use in wartime, present-day customized competition pistols, and ongoing development. Over 400 photographs and illustrations give you a detailed and highly-informative look at this hardy, still-going-strong centennial.

#491-000-037DJ 1911: The First 100 Years, 5S17B14 . . . \$ 19.99

PISTOLSMITHING

George C. Nonte Jr., 560 pgs. 6 1/2" x 9 1/2". Hardbound. Comprehensive, basic book on art of pistolsmithing. Covers wide variety of actions, firing systems, action feeding methods and curing common malfunctions. Divided into 30 chapters covering subjects such as: stiff cylinder rotation, double-action/single-action tuning and timing, rimfire revolver problems, making and repairing parts, tuning semi-auto pistols for high performance, changing calibers, and an excellent troubleshooting reference chart that shows malfunction-cause-cure scenarios. A fine book for the shop or serious handgunner.

#825-010-000DJ Pistolsmithing By Nonte 5B32H22 \$ 34.95



NIGHTHAWK CUSTOM 1911 AUTO

BOB MARVEL

.22 LR CONVERSION UNIT

More Trigger Time,
Lower Ammo
Expenses



With ever-increasing centerfire ammunition prices, this .22 LR conversion kit lets you get in more live-fire practice at the range without breaking the bank. Designed by noted custom 1911 pistolsmith Bob Marvel, this fully assembled unit replaces the slide and barrel of a Government model or Commander. Fits any full-size Government model holster. With the much lower recoil produced by .22 rimfire ammo, you can concentrate on improving your trigger control, grip, sight alignment, and other skills, while saving the cost of full-power ammunition. Plus, you'll retain the same trigger feel and grip position. During the firing cycle, the barrel and top of the "slide" remain fixed, while only part of the slide reciprocates. Eliminating barrel movement means outstanding accuracy. Eliason® rear sight adjusts for windage and elevation with positive "click" stops. Front and rear sights are rounded so they won't snag on clothing or gear, with serrations on the rear faces to reduce glare. Reinforced polymer 10-round magazine fits a standard single-stack mag well, and locks the slide to the rear after the last round is fired.

SPECS: 7075 aluminum slide, carbon steel barrel, polymer magazine. 1:16" twist. Fits single-stack 1911 Government/Commander; due to variances in manufacturing tolerances of Springfield Armory 1911 pistols, unit may not work with all Springfield 1911s. Full-power .22 LR ammunition recommended to ensure reliable cycling. Comes with one polymer 10-round magazine, zippered nylon carrying case, and take-down tool.

#100-007-590DJ .22 LR Conversion Kit 5S00BFE . \$ 449.99



EGW 1911 AUTO STRAIGHT-BORED BARREL BUSHING

Oversized For Precise Fitting;
Beveled To Give A Streamlined Look



Straight-bored bushing, CNC machined from solid bar stock and designed for hand-fitting to obtain the best accuracy. Extra thick, .125" flange extends slightly farther than the original factory bushing for maximum barrel protection. Contoured, beveled edge around the flange provides a nice streamlined appearance and smooth holster entry and exit. Fits slides with .699"-.705" ID and barrel with .575"-.583" OD.

SPECS: Carbon steel, blued, or stainless steel, natural finish. .7015" OD. .568 ID. Gunsmith installation required.

#296-000-181DJ Straight Bored Bushing, Blued, 6B18V40 . . . \$ 23.99

#296-000-174DJ Straight Bored Bushing, Stainless, 6B18V40 . . . \$ 23.99



NIGHTHAWK CUSTOM 1911 AUTO

10mm/.40 EJECTOR

Caliber-Specific Ejector
For Optimum Performance



Heavy-duty ejector machined from steel barstock is made specifically to enhance reliability with the high pressure 10mm and .40 S&W cartridges. Extended nose gets the case out quickly to compensate for the higher slide speeds normally associated with these rounds. Some fitting may be required.

SPECS: Steel, black oxide finish.

#100-007-586DJ 10mm/.40 Ejector 2B26Y36 . . . \$ 32.95



10-8 PERFORMANCE 1911 AUTO

GEN 2 SLIDE STOP

Re-engineered For Optimum Performance



Redesigned slide stop is machined from bar stock for strength and contoured for easy, reliable, positive operation. Features a long, wide finger pad with aggressive serrations for excellent traction, and a .200" diameter pin for secure lockup and smooth operation. The engagement surfaces contacting the magazine follower and the slide notch have been modified and optimized for performance, while the rear face is angled so the detent plunger keeps it positively in place under recoil until the magazine is empty.

SPECS: Carbon steel (CS), black oxide, matte black finish. Stainless steel (SS), matte bead blast finish. Pad is .750" (1.91cm) long; .200" (.54cm) wide.

#100-007-261DJ .45 CS Slide Stop 1B46Y31 . . . \$ 54.99

#100-007-262DJ .45 SS Steel Slide Stop 1B46Y31 . . . \$ 54.99

#100-007-263DJ .38/9mm CS Slide Stop 1B46Y31 . . . \$ 54.99

#100-007-264DJ .38/9mm SS Slide Stop 1B46Y31 . . . \$ 54.99



WILSON COMBAT 1911 AUTO

BULLET PROOF®

RECOIL SPRING GUIDES

Machined Billet Steel For High Strength
& Reliable Operation



One-piece guides are machined from solid bar stock without the "through-hole" for added strength and reliable, "bullet-proof" operation. Heat-treated and hardened to withstand the battering between the slide and frame in thousands of firing cycles. Provides the extra strength required when shooting high-performance loads in your 1911.

Government and Commander models available in 416 stainless steel with matte, natural finish or 4140 steel with a matte black Parkerized finish.

SPECS: 416 stainless steel, natural finish, matte (SS) or 4140 steel, Parkerized, black matte finish (BM). .75 oz (21g) approximate weight. Available for 1911 Govt. model or Commander.

#965-000-118DJ Govt. Recoil Spring Guide, BM, 5F06Z93 . . . \$ 7.95

#965-000-116DJ Govt. Recoil Spring Guide, SS, 5F07Z80 . . . \$ 8.95

#965-000-119DJ Commander Recoil Spring Guide, BM, 5F06Z93 . . . \$ 7.95

#965-000-117DJ Commander Recoil Spring Guide, SS, 5F07Z80 . . . \$ 8.95



WILSON COMBAT 1911 AUTO

HEAVY-DUTY +P MAGAZINE

Extra-Thick Tube Walls &
Enhanced Spring
For Outstanding Reliability



Stainless steel 47 Series magazine with an extra-power spring for better reliability under extreme conditions. Stronger spring lifts cartridges into position quickly to compensate for higher slide velocity when shooting high-performance +P ammunition. Magazine is fabricated with thick, .027" thick tube walls for strength and features a rugged low-profile steel base. Self-lubricating, non-tilting nylon follower helps ensure smooth feeding.

SPECS: Stainless steel body, nylon follower. Steel base plate, matte black finish. **Government Model (Govt.)** holds 7 rounds, **Compact (Officers)** holds 6 rounds.

#965-000-155DJ 7-Rd Govt. Model +P Magazine, 5F31A93 . . . \$ 37.95

#965-000-156DJ 6-Rd Compact +P Magazine, 5F31A93 . . . \$ 37.95



PRO MAG 1911 AUTO

.22 CONVERSION

MAGAZINE

Economical Replacement Magazine
For Popular Conversions



Polymer magazine fits Kimber, Iver Johnson, and Nighthawk Custom/Bob Marvel .22 LR conversions for the 1911 pistol. Magazine features a chrome silicon spring for long life and a removable floorplate for easy cleaning and maintenance. Side windows show number of rounds remaining. Available in 10- or 14-round capacities.

SPECS: Black polymer body, chrome silicon spring.

#687-000-072DJ 10-Rd .22 Conversion Magazine, 7H13C58 . . . \$ 18.99

#687-000-073DJ 14-Rd .22 Conversion Magazine, 7H16C08 . . . \$ 19.99



CASTILLO'S 1911 AUTO

BALL BEARING TRIGGER

Gives A Smooth-Gliding
Trigger Pull Without Fitting



Smooth, roller bearing design and drop-in installation allows the do-it-yourselfer to achieve a

light, crisp, match-grade trigger pull without special tools or complicated fitting. Permanently installed, .010" diameter ball bearings at top and bottom of trigger shoe adjust automatically for positive contact in standard and oversize trigger tracks. Anti-flex stainless steel bow is drilled for less weight; prevents sponginess for a consistent pull that helps improve accuracy. Lightweight, aluminum shoe has a stop screw to eliminate overtravel and is available with a **Smooth** or vertically **Serrated** face. For a really slick pull, polish the trigger track with Brownells Trigger Track Stone, lubricate the track and bearings, and then install the trigger.

SPECS: Stainless steel bow, aluminum shoe.

#100-004-888DJ Ball Bearing Trigger, Smooth, 2A86Z96 . . . \$ 99.99

#100-004-887DJ Ball Bearing Trigger, Serrated, 2A86Z96 . . . \$ 99.99

#080-721-230DJ Trigger Track Stone, 8K12A18 . . . \$ 15.99



STI WIDE FRAME COMPOSITE TRIGGER

Lightweight Polymer
Trigger For STI &
Para-Ordnance
Double-Stack Pistols



Feather-light, stainless steel bow, combined with a skeletonized composite polymer shoe dramatically reduces overall trigger weight to help you achieve a very light trigger pull. Made for wide frame (double stack magazine), competition pistols when trigger pull weight needs to be kept below 2 lbs. Stainless steel bow is stamped, and then machined for an accurate fit. Curved, one-piece composite shoe has an overtravel adjustment screw, and is thermo-bonded to the bow so it can't separate, even under the continuous stress of competitive shooting.

SPECS: Bow - Stainless steel, matte finish. Shoe - Polymer composite, black. Fits STI double-stack pistols.

#791-120-101DJ Wide Frame Composite Trigger, 1G36A67 . . . \$ 41.99

YOU CAN SHOP ONLINE TOO!

www.brownells.com

NEW PRODUCTS ADDED DAILY

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 59

NEW 10-8 PERFORMANCE 1911 AUTO G10 GRIP PANELS



Aggressive Checkering Keeps Your Pistol Firmly In Your Grasp

Aggressive checkering works in unison with the .250" thick body to fill your hand, increase your grip, promote consistency for improved accuracy and weapon retention. Durable, machined G10 glass/epoxy composite resists breakage, chemicals and oils. Can be dipped in bleach solution for decontamination. Flat bottom, tactical design includes a large, aggressive thumb cutaway for unrestricted access to the magazine release.

SPECS: G10 composite, black/gray, with 5 lpi or 18 lpi checkering. Fits 1911 Auto Government and Commander. Relieved for main-spring housing pin and ambidextrous safety.

#100-007-258DJ G10 Grips, 5 LPI 1B57Y10 \$68.99
#100-007-259DJ G10 Grips, 18 LPI 1B57Y10 68.99

NEW HAYESTOOLING & PLASTICS 1911 AUTO MOLDED GRIPS

Durable Checkered Grips Provide Comfort & Economy

Thermoplastic composite grips are virtually unbreakable. Molded-in checkered texture keeps the pistol properly seated to help control recoil. Available in rigid, 13% glass-filled Nylon composite or flexible, soft-feeling thermoplastic elastomer (TPE). Both models are precision formed to fit and function just like the original G.I. grip panels. Not relieved for ambidextrous safeties.

SPECS: Thermoplastic. 13% glass-filled Nylon or thermoplastic Elastomer (TPE). Available in Black, Brown and OD Green. Fits Government and Commander 1911 Auto only.

#100-006-693DJ Nylon Grips, Black 2C10U13 \$18.49
#100-006-692DJ Nylon Grips, Brown 2C10U13 18.49
#100-006-694DJ Nylon Grips, OD Green 2C10U13 18.49
#100-006-696DJ TPE Grips, Black 2C10U13 18.49
#100-006-695DJ TPE Grips, Brown, 2C10U13 18.49
#100-006-697DJ TPE Grips, OD Green 2C10U13 18.49

NEW — WILSON COMBAT 1911 AUTO G10 GRIPS



Distinctive Looks With Aggressive Texture Patterns For A Secure, Non-Slip Grip

Great-looking replacement grips are made from solid, G10 fiberglass fabric laminate for outstanding, non-slip function. Epoxy resin binder injected under high pressure renders these grips strong and highly resistant to moisture, sweat, solvents, and heat. Will not warp, crack, or chip, even when subjected to hostile conditions. Aggressive texturing offers an easy-to-grab surface that creates a bond with your hand for excellent control. Cut for ambidextrous safety and relieved with a scallop cut to improve magazine release. Models available to fit full-size Government Model/Commander and Compact (Officers) grip frames. Available in two distinctive machine patterns in either solid Black (BLK) or striking Black/Gray (B/G) mix. **Starburst Pattern** features machine cuts that extend symmetrically from the rear center point of the grip and angle to the front in a radial pattern. **Diagonal Pattern** is cut at a 45° angle across the entire surface of the grip. Both are available with the traditional **Beveled** bottom edge or **Flat** bottom that fits flush on pistols equipped with add-on, oversize magazine wells and no pin cut out.

NEW RIO GRANDE 1911 AUTO CUSTOM GRIPS



Flaming Color & "Punisher" Logo For A Truly Unique Look

Vibrant flames and a silver-gray metallic "Punisher" skull logo decorate these full-sized grips and give your 1911 Auto pistol a distinctive, attention-getting upgrade. Molded polymer is oil, salt, solvent, water, and abrasion-resistant and won't wear away - ever. Cut for ambi safety.

SPECS: Molded, polymer, orange and grayish-silver. Fits 1911 Government Model and Commander pistols. .28" (7mm) thick.

#100-007-222DJ Punisher Grips 1D53C79 \$ 64.99

NEW EGW 1911 AUTO WIDE TENON FRONT SIGHT BLANK

Stake-on Sight For Custom Applications

This .250" high, wide tenon sight blank is perfect for duplicating an old, obsolete sight or developing a new design. Blank can be shaped as desired and is high enough to allow it to be filed or machined down to regulate with almost any rear sight. Made of 1018 steel for easy shaping and bluing. Must be staked in place. Gunsmith installation recommended.

SPECS: 1018 steel, in the white. .250" (6.4mm) high excluding tenon. .125" (3.2mm) wide, .5" (12.7mm) long. Fits wide tenon slides. Gunsmith installation recommended.

#296-000-182DJ 1911 Wide Tenon Sight Blank 6B07V20 \$ 8.99

NEW BLACKHAWK SERPA CONCEALMENT HOLSTER



Rugged Minimal-Profile Holster With Active Retention System

Carbon fiber-reinforced, polymer construction makes for an extremely light yet durable holster for all-day carry of your 1911 Commander. Famous SERPA design features a finger-activated retention system that keeps the weapon secure until you release it by pressing the button on the outside of the holster during the draw. Enables easy, one-handed reholstering because pistol automatically locks in place when holstered. Includes interchangeable belt loops that fit belts up to 2 1/4" wide and easy-to-switch paddle attachment.

SPECS: Carbon fiber-reinforced injection-molded polymer, matte black finish. Right hand only. Approximate weight - 4oz. Adjusts to belts up to 2 1/4" (5.7cm) wide.

#100-100-064DJ SERPA Holster for Commander, 8K37V16 48.99



Instructional videos available at brownells.com

SPECS: G10 fiberglass laminate, black (BLK) or black/gray (B/G), all with pewter Wilson Combat logo medallion inset.

STK# GOVT.	STK# COMPACT	PATTERN/CUT	COLOR	PRICE
#965-000-127DJ	#965-000-126DJ	Starburst/Bevel	BLK	5F75Z16 \$ 89.95
#965-000-129DJ	#965-000-128DJ	Starburst/Bevel	B/G	5F75Z16 \$ 89.95
#965-000-131DJ	#965-000-130DJ	Starburst/Flat	BLK	5F75A16 \$ 89.95
#965-000-133DJ	#965-000-132DJ	Starburst/Flat	B/G	5F75A16 \$ 89.95
#965-000-135DJ	#965-000-134DJ	Diagonal/Bevel	B/G	5F68A50 \$ 69.95
#965-000-136DJ	NA	Diagonal/Flat	B/G	5F68A50 \$ 69.95

NEW COMP-TAC 1911 AUTO MINOTAUR MTAC CONCEALMENT HOLSTER



Combines The Comfort Of Leather & The Security Of Kydex; Adjustable For Custom Fit

Inside-the-waistband "deep concealment" holster of hybrid leather and Kydex® construction provides a combination of comfort and secure retention. The cowhide leather backing provides the breathability and comfort many shooters prefer, while the Kydex outer half-shell delivers the consistent draw, reholstering, and security that makes Kydex tactical holsters popular. Designed for comfortable, behind-the-hip (4 o'clock position) wear and adjustable for cant and ride height. Slim profile minimizes bulk and risk of "printing."

SPECS: Kydex and cowhide leather, black. Accepts full-size 1911 Auto Government Model with 5" barrel. Fits belts up to 1 1/2" wide. Right-hand only.

#100-009-015DJ MTAC Concealment Holster, 3D00AVB. \$ 86.99

NEW SAFARILAND 1911 AUTO SLIMLINE OPEN-TOP TRIPLE MAGAZINE POUCH

Ultra-Fast Access To Three Spare Mags; Conserves Belt Space



Durable, secure molded polymer laminate mag pouch holds three magazines "face out" rather than sideways, so they take up less belt space. Open-top design gives you ultra-fast access to a spare mag with no flap/snap to slow you down. External adjustment screw lets you set the best balance of tension to hold the mag in place while you're moving and still allow smooth removal from pouch. Mounts vertically or horizontally on belts up to 2 1/4" wide. STX Tactical® semi-rigid polymer is durable, highly resistant to abrasion, and non-reflective, for years of service.

SPECS: STX Tactical® molded polymer, black. Fits 2 1/4" wide belts. Accepts magazines for Colt 1911 Gov't Model, Commander, Officers Model, and clones, as well as SIG P220 and 220R Compact.

#797-000-134DJ Open-Top Triple Mag Pouch, 7G22C96 \$ 29.99

NEW LASERLYTE LASER TRAINING SYSTEM

Realistic, Anywhere/Anytime Practice Without Expending Ammo



Innovative training system offers a revolutionary way to train without going to the range or burning up ammo. Simply insert the laser unit into the chamber like an ordinary cartridge.

When you pull the trigger, the firing pin activates a switch that turns on the bright red laser dot to indicate the "bullet" impact point. Activates for 100 milliseconds each time the firing pin strikes. The housing is rimless, so the LTS won't be extracted and ejected when you rack the slide—perfect for tap/rack/bang malfunction drills. The soft brass housing is slightly smaller than an actual cartridge and is fitted with two rubber O-rings to prevent damage to the chamber. Runs on three Type 377 button-cell batteries (included) that are good for approximately 3,000 shots (replacements readily available locally).

SPECS: Brass, natural finish, rubber O-rings. Red laser dot. Includes three Type 377 batteries and instructions.

#100-006-951DJ 9mm Laser Trainer Cartridge, 1B83X17 \$ 94.99

#100-006-952DJ .40 S&W Laser Trainer Cartridge, 1B83X17 94.99

#100-006-953DJ .45 ACP Laser Trainer Cartridge, 1B83X17 94.99

NEW E&L MANUFACTURING 1911 AUTO BRASS CATCHER



Saves Brass & Keeps It From Hitting Nearby Shooters

Lightweight, molded polymer brass catcher attaches to your 1911 to save brass for reloading. Holds a maximum of 20 expended shells. Clamps to securely to receiver with a locking point above the grip, and won't interfere with slide operation. No gunsmithing or permanent alterations

to pistol required.

SPECS: Molded hard polymer, black. Holds up to 20 shells. Will not fit 1911s equipped with ambidextrous safety.

#100-005-438DJ 1911 Brass Catcher 2A30T81 \$ 36.99

NEW WEIGAND COMBAT 1911 AUTO ENHANCED BARREL FITTING FIXTURE



Precision Milling Machine Setup For Greater Accuracy & Repeatability

Heavy-duty, steel fixture retains and supports a 1911 barrel at the correct angles in a milling machine to make accurate, repeatable cuts for hood length, width, and bottom lug foot height. Pivoting base allows the radius and front angle to be cut on the feet with the same setup. Far more precise than hand filing, so it helps improve the fit and accuracy of finished pistols, while also saving valuable shop time. Use with a four-flute, 5mm diameter end mill, sold separately below.

SPECS: Fixture - 6061 T6 aluminum, black anodized. Instructions included. **End Mill** - High-speed steel, four-flute. 5mm (.1968") dia. x 1 1/2" (12.7mm) long cut. 2 3/8" (6cm) OAL, 3/8" (9.5mm) diameter shank.

#957-000-078DJ Weigand Barrel Fitting Fixture, 7E00YTP. \$ 279.00

#265-000-011DJ 5mm HSS End Mill 5F24Y88 24.99

NEW INSIGHT TECH-GEAR WL1-AA WEAPON LIGHT

Runs On Two Ordinary AA Batteries; Powerful 150 Lumen Output

Rugged tactical weapon light mounts to your pistol's under-receiver rail and provides 150 lumens of bright, powerful light at a touch of the ambidextrous paddle switches at the rear of the reinforced polymer housing. For extra convenience and cost-saving, the WL1-AA runs on two readily available AA lithium or alkaline batteries. Integral, quick-release Rail-Grabber mount clamps to MIL-STD 1913 Picatinny and Universal pistol rails - no tools required. Robust LED emitter stands up to shock and impact far better than traditional incandescent bulbs with fragile filaments. Light output can be set to momentary-on, constant-on, or strobe modes. Available as a light only or with a built-in red aiming laser. Laser is windage and elevation adjustable; selector switch on laser model enables laser only, light only, or simultaneous light-plus-laser operation.

SPECS: Reinforced, molded hard polymer housing, matte black. 3.6" long x 1.4" wide x 1.3" high, 1.7" high (light/laser model). 3 oz. wt., light only. 3.5 oz. wt., light/laser model. Light output: 150 lumens, 90 minute runtime. Laser: Class 3R, red. Waterproof to 1 meter for 5 minutes. 2 AA lithium batteries and instructions included.

#100-008-734DJ WL1-AA Weapon Light, 6B189Y63 \$ 199.99

#100-008-733DJ WL1-AA Weapon Light w/Laser, 6B303Y45 319.99

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
COLT				

SEE PAGE 24 FOR COLT FACTORY MAGAZINES.

INDEX:

Autoloading Pistols

1911 - Common Parts	.61
Commander, L/W Comm., Combat Comm.	.61
1911 Government Models	.61
1911 Officer's ACP	.61
1991A1 Commander, Compact	.61-.62
Model O Gold Cup - Common Parts	.62
1911 Delta Elite	.62
1911 Gold Cup, 10mm Gold Cup, Combat Target	.62
1911 Defender	.62

Unless otherwise noted, all parts are for current production 1911, Series 80 Models.

SPECS: The following abbreviations may be used in the Colt charts: Officers ACP = **Off**; Government Model = **Govt**; Commander = **Cmdr**; Delta Elite = **DeltDH**; Lightweight Commander = **LtCmdr**; Gold Cup = **GC**; Enhanced = **Enh**; Compact = **Comp**; 38Super = **.38S**; Barrel Bushing = **Brl Bush**; Target = **Tgt**; Front Sight = **Frt Site**; Rear Sight = **Rr Site**; Magazine = **MDHg**; Mainspring Housing = **Mspring Hsing**; composite = **Comp**; Stainless Steel = **SS**; Assembly = **DHssy**. Barrels marked "E" or "Enhanced" have narrow hoods for Enhanced slides only.

Autoloading Pistols

●●●●●●●● 1911 - Common Parts ●●●●●●●●

#160-103-100DJ	SP50143B	Barrel Link, Blue	All	6A04Y65	\$ 5.99
#160-103-101DJ	SP50144B	Barrel Link Pin, Blue	All	6A03T58	\$ 4.49
#160-106-100DJ	SP54636T	Disconnector	All	6A12X75	\$ 15.99
#160-107-001DJ	SP50170B	Ejector Pin	All	6A03C58	\$ 4.49
#160-108-450DJ	SP567531B	Extractor, Blue	All	6A33H14	\$ 46.99
#160-108-090DJ	SP567541B	Extractor, Blue	.38 Super	6A37D20	\$ 46.50
#160-108-091DJ	SP567542W	Extractor, Bright SS	.38 Super	6A43Z34	\$ 54.18
#160-109-045DJ	SP56758	Firing Pin, Blue	.45	6A08U53	\$ 10.99
#160-109-080DJ	SP56765T	Firing Pin Plunger	All	6A03A13	\$ 3.79
#160-109-082DJ	SP567671T	Firing Pin Plunger Lever	All	6A02V44	\$ 2.99
#160-109-081DJ	SP56764	Firing Pin Plunger Spring	All	6A03B13	\$ 3.79
#160-109-100DJ	SP50186	Firing Pin Spring	All	6A03X58	\$ 4.49
#160-109-101DJ	SP567571B	Firing Pin Stop, Blue	All	6A10C14	\$ 12.99
#160-109-102DJ	SP567571L	Firing Pin Stop, SS	All	6A09H34	\$ 11.99
#160-113-070DJ	SP55695B	Hammer, Enhanced Blue	All	6A34D51	\$ 44.99
#160-113-200DJ	SP50153B	Hammer Pin, Blue	All	6A04Z16	\$ 5.99
#160-000-123DJ	SP572352	Hammer Pin, Bright SS	All	6A04A16	\$ 5.99
#160-113-202DJ	SP50153DB	Hammer Pin, Dull Blue	All	6A04Y16	\$ 5.99
#160-113-201DJ	SP572351	Hammer Pin, Dull SS	All	6A05T94	\$ 7.99
#160-113-250DJ	SP53503B	Hammer Strut, Blue	All	6A05P48	\$ 6.99
#160-113-251DJ	SP53503L	Hammer Strut, SS	All	6A04U65	\$ 5.99
#160-113-252DJ	SP50152B	Hammer Strut Pin	All	6A03A71	\$ 4.99
#160-115-100DJ	SP54727B	Magazine Catch, Blue	All	6A14V70	\$ 18.99
#160-115-103DJ	SP547272W	Magazine Catch, Bright SS	All	6A16B78	\$ 20.99
#160-115-110DJ	SP50007B	Magazine Catch Lock, Blue	All	6A06X31	\$ 7.99
#160-115-113DJ	SP50007DB	Magazine Catch Lock, Dull Blue	All	6A05C48	\$ 6.99
#160-115-111DJ	SP572371	Magazine Catch Lock, Dull SS	All	6A07H98	\$ 9.99
#160-115-115DJ	SP50156	Magazine Catch Spring, Blue	All	6A04D08	\$ 5.99
#160-116-130DJ	SP50160B	Mainspring Cap Pin, Blue	All	6A03Z58	\$ 4.49
#160-116-131DJ	SP50160L	Mainspring Cap Pin, SS	All	6A04A16	\$ 5.99
#160-116-115DJ	SP572012	Mainspring Housing, Arched, Bright SS	All	6A45Y77	\$ 57.21

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#160-116-126DJ	SP546761	Mainspring Housing, Arched, Composite, Blue	All	6A11T64 \$ 14.99
#160-116-111DJ	SP572822	Mainspring Housing, Flat, Bright SS	All	6A41P09 \$ 51.25
#160-116-125DJ	SP546791	Mainspring Housing, Composite, Blue	All	6A08U53 \$ 10.99
#160-116-225DJ	SP546792	Mainspring Housing, Flat, Composite, Gray	All	6A08A53 \$ 10.99
#160-116-133DJ	SP50163B	Mainspring Housing Pin, Blue	All	6A04V16 \$ 5.99
#160-000-124DJ	SP572392	Mainspring Housing Pin, Bright SS	All	6A04B65 \$ 5.99
#160-116-134DJ	SP572391	Mainspring Housing Pin, Dull SS	All	6A04X16 \$ 5.99
#160-117-110DJ	SP50164B	Plunger Spring Assembly, Blue	All	6A06C31 \$ 7.99
#160-116-127DJ	SP50164L	Plunger Spring Assembly, SS	All	6A07H98 \$ 9.99
#160-117-100DJ	SP50171B	Plunger Tube, Blue	All	6A13D57 \$ 15.99
#160-121-110DJ	SP50178B	Sear Pin, Blue	All	6A04Z16 \$ 5.99
#160-000-126DJ	SP572422	Sear Pin, Bright SS	All	6A04A16 \$ 5.99
#160-121-112DJ	SP50178DB	Sear Pin, Dull Blue	All	6A04Y16 \$ 5.99
#160-121-111DJ	SP572421	Sear Pin, Dull SS	All	6A04T16 \$ 5.99
#160-121-120DJ	SP50179	Sear Spring, Blue	All	6A03P80 \$ 4.99
#160-123-450DJ	SP50195B	Slide Stop, Blue	.45	6A28U98 \$ 36.23
#160-123-452DJ	SP572462	Slide Stop, Bright SS	.45	6A52A67 \$ 65.84
#160-000-131DJ	SP573082	Slide Stop, Bright SS	.38 Super	6A46V64 \$ 58.30
#160-123-453DJ	SP50195DB	Slide Stop, Dull Blue	.45	6A29B80 \$ 37.25
#160-123-451DJ	SP572461	Slide Stop, Dull SS	.45	6A28X98 \$ 36.23
#160-123-381DJ	SP573081	Slide Stop, Dull SS	.38 Super	6A59C41 \$ 74.26
#160-000-027DJ	SP50209DB	Stock Screw, Dull Blue	All	6A05H36 \$ 6.99
#160-000-128DJ	SP572731	Stock Screw, SS	All	6A04D16 \$ 5.99
#160-000-026DJ	SP50173	Stock Screw Bushing	All	6A04Z32 \$ 5.99
#160-000-385DJ	SP558811	Trigger, 1911	All	6A24A29 \$ 30.99
#160-126-080DJ	SP56766T	Trigger Bar Lever	All	6A03Y13 \$ 3.79

1911 Commander, L/W Commander, Combat Commander

Other parts Listed Under 1911 Common Parts Web Quick-Find Schematic #138				
#160-107-346DJ	SP57171	Ejector, SS	.45	6A18P27 \$ 22.99
#160-107-138DJ	SP57366	Ejector, SS	.38 Super, 10mm	6A28U27 \$ 35.34
#160-000-230DJ	SP574482	Magazine, .38S, 9-Rnd, Bright SS	.38 Super	6A42A63 \$ 53.29
#160-114-380DJ	SP50225B	Magazine, Govt .38S, 9-Rnd, Blue	.38 Super	6A27V32 \$ 34.15
#160-114-381DJ	SP574481	Magazine, Govt .38S, 9-Rnd, SS	.38 Super	6A34B95 \$ 43.69
#160-000-226DJ	SP57532	Magazine, Govt .40, 8-Rnd, SS	.40 S&W	6A33X49 \$ 41.86
#160-114-450DJ	SP53355B	Magazine, Govt .45, 7-Rnd, Blue	.45	6A21C90 \$ 27.99
#160-000-228DJ	SP572492	Magazine, Govt, 7-Rnd, Bright SS	.45	6A27H56 \$ 34.45
#160-000-222DJ	SP53355N	Magazine, Govt .45, 7-Rnd, Nickel	.45	6A30D83 \$ 38.54
#160-114-451DJ	SP572491	Magazine, Govt .45, 7-Rnd, SS	.45	6A20Z71 \$ 25.99
#160-114-452DJ	SP54926B	Magazine, Govt .45, 8-Rnd, Blue	.45	6A24A85 \$ 30.99
#160-000-227DJ	SP574002	Magazine, Govt, 8-Rnd, Bright SS	.45	6A29Y77 \$ 37.21
#160-114-453DJ	SP574001	Magazine, Govt .45, 8-Rnd, SS	.45	6A28T91 \$ 35.99
#160-000-224DJ	SP50225N	Magazine, Govt 9-Rnd, Nickel	.38 Super	6A37P67 \$ 47.09
#160-114-090DJ	SP51032B	Magazine, Govt 9mm, 9-Rnd, Blue	9mm	6A26U39 \$ 32.99
#160-000-223DJ	SP51032N	Magazine, Govt 9mm, 9-Rnd, Nickel	9mm	6A28A29 \$ 35.36
#160-114-091DJ	SP945381	Magazine, Govt 9mm, 9-Rnd, SS	9mm	6A50V01 \$ 62.51
#160-116-100DJ	SP50158	Mainspring, Blue	.45, 10mm	6A03U58 \$ 4.49
#160-116-135DJ	SP50159B	Mainspring Cap	All	6A03A58 \$ 4.49
#160-116-132DJ	SP50162B	Mainspring Retainer Pin	All	6A03V58 \$ 4.49
#160-119-204DJ	SP50204	Recoil Spring, 32 Coils	.45, 10mm	6A06B82 \$ 7.99
#160-119-200DJ	SP50205B	Recoil Spring Guide	.45	6A12X37 \$ 15.99
#160-119-210DJ	SP50206B	Recoil Spring Plug, Blue	.38 Super, .45, 10mm	6A13C52 \$ 16.99
#160-119-211DJ	SP572471	Recoil Spring Plug, Dull SS	.45	6A14H29 \$ 17.99
#160-121-100DJ	SP54759T	Sear	All	6A20D83 \$ 25.99
#160-111-102DJ	SP54721B	Sight, Front, High Profile, w/Dot	All	6A08Z93 \$ 10.99
#160-111-011DJ	SP55011B	Sight, Front, High Profile, w/o Dot	All	6A06A31 \$ 7.99
#160-118-102DJ	SP54841B	Sight, Rear, High Profile, w/Dot	All	6A13Y68 \$ 15.99
#160-118-001DJ	SP55010B	Sight, Rear, High Profile, w/o Dot	All	6A11T98 \$ 14.99

1911 Government Models

Other parts Listed Under 1911 Common Parts Web Quick-Find Schematic #141				
#160-100-445DJ	SP577021	Barrel, 5", Enhanced, SS	.45	6A102Y49 \$129.99
#160-000-132DJ	SP573172	Barrel Bushing, Bright SS	.45, 10mm	6A25T77 \$ 32.21
#160-102-050DJ	SP50146DB	Barrel Bushing, Dull Blue	.45, 10mm	6A16P13 \$ 20.99
#160-102-051DJ	SP573171	Barrel Bushing, Dull SS	.45, 10mm	6A15U05 \$ 18.99
#160-107-245DJ	SP54881B	Ejector, Blue	.45	6A23A02 \$ 28.99
#160-107-138DJ	SP57366	Ejector, SS	.38 Super, .45	6A28V27 \$ 35.34
#160-107-145DJ	SP57459	Ejector, SS	.45	6A24B99 \$ 29.99
#160-112-110DJ	SP54849B	Grip Safety, Enhanced, Blue	All	6A30X41 \$ 38.01
#160-112-111DJ	SP574461	Grip Safety, Enhanced, SS	All	6A33C60 \$ 42.00
#160-000-230DJ	SP574482	Magazine, .38S, 9-Rnd, Bright SS	.38 Super	6A42H63 \$ 53.29
#160-114-380DJ	SP50225B	Magazine, Govt 9-Rnd, Blue	.38 Super	6A27D32 \$ 34.15
#160-114-381DJ	SP574481	Magazine, Govt .38S, 9-Rnd, SS	.38 Super	6A34Z95 \$ 43.69
#160-000-226DJ	SP57532	Magazine, Govt .40, 8-Rnd, SS	.40 S&W	6A33A49 \$ 41.86
#160-114-450DJ	SP53355B	Magazine, Govt .45, 7-Rnd, Blue	.45	6A21Y90 \$ 27.99
#160-000-228DJ	SP572492	Magazine, Govt, 7-Rnd, Bright SS	.45	6A27T56 \$ 34.45
#160-000-222DJ	SP53355N	Magazine, Govt .45, 7-Rnd, Nickel	.45	6A30P83 \$ 38.54
#160-114-451DJ	SP572491	Magazine, Govt .45, 7-Rnd, SS	.45	6A20C71 \$ 25.99
#160-114-452DJ	SP54926B	Magazine, Govt .45, 8-Rnd, Blue	.45	6A24H85 \$ 30.99
#160-000-227DJ	SP574002	Magazine, Govt .45, 8-Rnd, Bright SS	.45	6A29D77 \$ 37.21
#160-114-453DJ	SP574001	Magazine, Govt .45, 8-Rnd, SS	.45	6A28Z91 \$ 35.99
#160-000-224DJ	SP50225N	Magazine, Govt 9-Rnd, Nickel	.38 Super	6A37A67 \$ 47.09
#160-114-090DJ	SP51032B	Magazine, Govt, 9-Rnd, Blue	9mm	6A26Y39 \$ 32.99
#160-000-223DJ	SP51032N	Magazine, Govt 9mm, 9-Rnd, Nickel	9mm	6A28T29 \$ 35.36
#160-114-091DJ	SP945381	Magazine, Govt 9mm, 9-Rnd, SS	9mm	6A50P01 \$ 62.51
#160-116-100DJ	SP50158	Mainspring, Blue	.45, 10mm	6A03U58 \$ 4.49
#160-116-135DJ	SP50159B	Mainspring Cap	All	6A03A58 \$ 4.49
#160-116-132DJ	SP50162B	Mainspring Retainer Pin	All	6A03V58 \$ 4.49
#160-119-204DJ	SP50204	Recoil Spring, 32 Coils	.45, 10mm	6A06B82 \$ 7.99
#160-119-200DJ	SP50205B	Recoil Spring Guide	.45	6A12X37 \$ 15.99
#160-119-210DJ	SP50206B	Recoil Spring Plug, Blue	.38 Super, .45, 10mm	6A13C52 \$ 16.99
#160-119-211DJ	SP572471	Recoil Spring Plug, Dull SS	.45	6A14H29 \$ 17.99
#160-121-100DJ	SP54759T	Sear	All	6A20D83 \$ 25.99
#160-111-102DJ	SP54721B	Sight, Front, High Profile, w/Dot	All	6A08Z93 \$ 10.99
#160-111-011DJ	SP55011B	Sight, Front, High Profile, w/o Dot	All	6A06A31 \$ 7.99
#160-118-102DJ	SP54841B	Sight, Rear, High Profile, w/Dot	All	6A13Y68 \$ 15.99
#160-118-001DJ	SP55010B	Sight, Rear, High Profile, w/o Dot	All	6A11T98 \$ 14.99

1911 Officer's ACP

Other parts Listed Under 1911 Common Parts Web Quick-Find Schematic #282				
#160-107-346DJ	SP57171	Ejector, SS	.45	6A18X27 \$ 22.99
#160-114-092DJ	SP579991	Magazine, 7-Rnd, SS	.45	6A31H05 \$ 37.99
#160-114-460DJ	SP55723B	Magazine, Off .45, 6-Rnd, Blue	.45	6A18D32 \$ 22.90
#160-116-140DJ	SP54549B	Mainspring Cap	.45	6A03Z58 \$ 4.49
#160-116-116DJ	SP547082	Mainspring Housing, Composite, Gray	.45	6A08A53 \$ 10.99
#160-116-136DJ	SP54548B	Mainspring Retainer Pin	.45	6A03Y58 \$ 4.49
#160-000-074DJ	SP54718B	Sight, Front, w/Dot	.45	6A07T98 \$ 9.99
#160-118-102DJ	SP54841B	Sight, Rear, High Profile, w/Dot	.45	6A13P68 \$ 15.99

1991A1 Commander, Compact

Other parts Listed Under 1911 Common Parts Web Quick-Find Schematic #281				
#160-112-101DJ	SP572241	Grip Safety, Dull SS	.45	6A29U70 \$ 37.13
#160-000-241DJ	SP94722	Grip Set	.45	6A21A81 \$ 27.26
#160-113-080DJ	SP55696DB	Hammer, Dull Blue	.45	6A31C90 \$ 39.99

Orders/Tech: 800-741-0015

order on the web www.brownells.com
 ▲ NOTE: PART MAY REQUIRE FITTING ▲

BROWNELLS
... ONLY THE BEST ...

PAGE 61

COLT & PARA-ORDNANCE

Colt 1991 A1 Commander, Compact continued				
STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#160-114-380DJ	SP50225B	Magazine, Govt, 9-Rnd, Blue	.38 Super	6A27H32 \$ 34.15
#160-114-381DJ	SP574481	Magazine, Govt, 9-Round, SS	.38 Super	6A34D95 \$ 43.69
#160-000-226DJ	SP57532	Magazine, Govt, 8-Rnd, SS	.40 S&W	6A33U49 \$ 41.86
#160-114-450DJ	SP53355B	Magazine, Govt, 7-Rnd, Blue	.45	6A21A90 \$ 27.99
#160-000-228DJ	SP572492	Magazine, Govt, 7-Rnd, Bright SS	.45	6A27V56 \$ 34.45
#160-000-222DJ	SP53355N	Magazine, Govt, 7-Rnd, Nickel	.45	6A30B83 \$ 38.54
#160-114-451DJ	SP572491	Magazine, Govt, 45, 7-Round, SS	.45	6A20A71 \$ 25.99
#160-114-452DJ	SP54926B	Magazine, Govt, 8-Round, Blue	.45	6A24Y85 \$ 30.99
#160-000-227DJ	SP574002	Magazine, Govt, 8-Rnd, Bright SS	.45	6A29T77 \$ 37.21
#160-114-453DJ	SP574001	Magazine, Govt, 8-Round, SS	.45	6A28P91 \$ 35.99
#160-000-224DJ	SP50225N	Magazine, Govt 9-Rnd, Nickel	.38 Super	6A37U67 \$ 47.09
#160-114-460DJ	SP55723B	Magazine, Off .45, 6-Rnd, Blue	.45	6A18A32 \$ 22.90
#160-119-201DJ	SP51016B	Recoil Spring Guide, Blue	.45	6A16V48 \$ 20.99
#160-119-210DJ	SP50206B	Recoil Spring Plug, Blue	.45	6A13B52 \$ 16.99
#160-111-102DJ	SP54721B	Sight, Front, High Profile, w/Dot	.45	6A08X93 \$ 10.99
#160-111-011DJ	SP55011B	Sight, Front, High Profile, w/o Dot	.45	6A06H31 \$ 7.99
#160-000-074DJ	SP54718B	Sight, Front, w/Dot	.45	6A07D98 \$ 9.99
#160-118-102DJ	SP54841B	Sight, Rear, High Profile, w/Dot	.45	6A13A68 \$ 15.99
#160-118-001DJ	SP55010B	Sight, Rear, High Profile, w/o Dot	.45	6A11X98 \$ 14.99
#160-000-129DJ	SP572733	Stock Screw, Dull SS	.45	6A04C16 \$ 5.99

1911 Model O Gold Cup - Common Parts

#160-103-100DJ	SP50143B	Barrel Link, Blue	All	6A04U65 \$ 5.99
#160-103-101DJ	SP50144B	Barrel Link Pin, Blue	All	6A03A58 \$ 4.49
#160-106-100DJ	SP54638T	Disconnecter	All	6A12V75 \$ 15.99
#160-107-001DJ	SP50170B	Ejector Pin	All	6A03B58 \$ 4.49
#160-108-090DJ	SP567541B	Extractor, Blue	All	6A37X20 \$ 46.50
#160-108-091DJ	SP567542W	Extractor, Bright SS	All	6A43C34 \$ 54.18
#160-109-045DJ	SP56758	Firing Pin, Blue	All	6A08H53 \$ 10.99
#160-109-080DJ	SP56765T	Firing Pin Plunger	All	6A03D13 \$ 3.79
#160-109-082DJ	SP567671T	Firing Pin Plunger Lever	All	6A02Z44 \$ 2.99
#160-109-081DJ	SP56764	Firing Pin Plunger Spring	All	6A03A13 \$ 3.79
#160-109-100DJ	SP50186	Firing Pin Spring	All	6A05Y58 \$ 4.49
#160-109-101DJ	SP567571B	Firing Pin Stop, Blue	All	6A10T14 \$ 12.99
#160-109-102DJ	SP567571L	Firing Pin Stop, SS	All	6A09P34 \$ 11.99
#160-113-070DJ	SP55695B	Hammer, Enhanced Blue	All	6A34U51 \$ 44.99
#160-113-200DJ	SP50153B	Hammer Pin, Blue	All	6A04H16 \$ 5.99
#160-000-123DJ	SP572352	Hammer Pin, Bright SS	All	6A04D16 \$ 5.99
#160-113-202DJ	SP50153DB	Hammer Pin, Dull Blue	All	6A04Z16 \$ 5.99
#160-113-201DJ	SP572351	Hammer Pin, Dull SS	All	6A05A94 \$ 7.99
#160-113-250DJ	SP53503B	Hammer Strut, Blue	All	6A05Y48 \$ 6.99
#160-113-252DJ	SP50152B	Hammer Strut Pin	All	6A03T71 \$ 4.99
#160-115-100DJ	SP54727B	Magazine Catch, Blue	All	6A14P70 \$ 18.99
#160-115-103DJ	SP547272W	Magazine Catch, Bright SS	All	6A16U78 \$ 20.99
#160-115-110DJ	SP50007B	Magazine Catch Lock, Blue	All	6A06A31 \$ 7.99
#160-115-113DJ	SP50007DB	Magazine Catch Lock, Dull Blue	All	6A05V48 \$ 6.99
#160-115-111DJ	SP572371	Magazine Catch Lock, Dull SS	All	6A07B98 \$ 9.99
#160-115-115DJ	SP50156	Magazine Catch Spring, Blue	All	6A04A08 \$ 5.99
#160-116-135DJ	SP50159B	Mainspring Cap	All	6A03T58 \$ 4.49
#160-116-130DJ	SP50160B	Mainspring Cap Pin, Blue	All	6A03P58 \$ 4.49
#160-116-131DJ	SP50160L	Mainspring Cap Pin, SS	All	6A04U16 \$ 5.99
#160-116-115DJ	SP572012	Mainspring Housing, Arched, Bright SS	All	6A45V77 \$ 57.21
#160-116-126DJ	SP546761	Mainspring Housing, Arched, Composite, Blue	All	6A11B64 \$ 14.99
#160-116-111DJ	SP572822	Mainspring Housing, Flat, Bright SS	All	6A41X09 \$ 51.25
#160-116-125DJ	SP546791	Mainspring Housing, Flat, Composite, Blue	All	6A08H53 \$ 10.99
#160-116-225DJ	SP546792	Mainspring Housing, Flat, Composite, Gray	All	6A08D53 \$ 10.99

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#160-116-133DJ	SP50163B	Mainspring Housing Pin, Blue	All	6A04T16 \$ 5.99
#160-000-124DJ	SP572392	Mainspring Housing Pin, Bright SS	All	6A04B65 \$ 5.99
#160-116-134DJ	SP572391	Mainspring Housing Pin, Dull SS	All	6A04H16 \$ 5.99
#160-116-132DJ	SP50162B	Mainspring Retainer Pin	All	6A03U58 \$ 4.49
#160-117-110DJ	SP50164B	Plunger Spring Assembly, Blue	All	6A06A31 \$ 7.99
#160-116-127DJ	SP50164L	Plunger Spring Assembly, SS	All	6A07V98 \$ 9.99
#160-117-100DJ	SP50171B	Plunger Tube, Blue	All	6A13B57 \$ 15.99
#160-121-110DJ	SP50178B	Sear Pin, Blue	All	6A04X16 \$ 5.99
#160-000-126DJ	SP572422	Sear Pin, Bright SS	All	6A04C16 \$ 5.99
#160-121-112DJ	SP50178DB	Sear Pin, Dull Blue	All	6A04H16 \$ 5.99
#160-121-111DJ	SP572421	Sear Pin, Dull SS	All	6A04D16 \$ 5.99
#160-121-120DJ	SP50179	Sear Spring, Blue	All	6A03Z80 \$ 4.99
#160-123-450DJ	SP50195B	Slide Stop, Blue	All	6A28A98 \$ 36.23
#160-123-452DJ	SP572462	Slide Stop, Bright SS	All	6A52T67 \$ 65.84
#160-000-131DJ	SP573082	Slide Stop, Bright SS	All	6A46P64 \$ 58.30
#160-123-453DJ	SP50195DB	Slide Stop, Dull Blue	All	6A29U80 \$ 37.25
#160-123-451DJ	SP572461	Slide Stop, Dull SS	All	6A28A98 \$ 36.23
#160-123-381DJ	SP573081	Slide Stop, Dull SS	All	6A59V41 \$ 74.26
#160-000-027DJ	SP50209DB	Stock Screw, Dull Blue	All	6A05B36 \$ 6.99
#160-000-128DJ	SP572731	Stock Screw, SS	All	6A04X16 \$ 5.99
#160-126-080DJ	SP56766T	Trigger Bar Lever	All	6A03C13 \$ 3.79

1911 Delta Elite

Other parts Listed Under 1911 Common Parts Web Quick-Find Schematic #139				
#160-107-138DJ	SP57366	Ejector, SS	.38 Super, 10mm	6A28H27 \$ 35.34
#160-114-100DJ	SP54760B	Magazine, Delta 8-Round, Blue	10mm	6A36D74 \$ 45.93
#160-000-231DJ	SP573422	Magazine, Delta , 8-Rnd, Bright SS	10mm	6A40Z51 \$ 50.99
#160-114-101DJ	SP573421	Magazine, Delta, 8-Round, SS	10mm	6A39A46 \$ 49.33
#160-119-204DJ	SP50204	Recoil Spring, 32 Coils	10mm	6A06Y82 \$ 7.99

1911 Gold Cup, 10mm Gold Cup, Combat Target

Other parts Listed Under 1911 Common Parts Web Quick-Find Schematic #140				
#160-102-046DJ	SP50145B	Barrel Bushing, Blue	.45	6A15C76 \$ 19.99
#160-000-132DJ	SP573172	Barrel Bushing, Bright SS	All	6A25H77 \$ 32.21
#160-102-051DJ	SP573171	Barrel Bushing, Dull SS	All	6A15D05 \$ 18.99
#160-121-200DJ	SP52444B	Depressor, Blue	All	6A04Z65 \$ 5.99
#160-121-201DJ	SP52445	Depressor Spring, Blue	All	6A04A65 \$ 5.99
#160-107-245DJ	SP54881B	Ejector, Blue	.45	6A23Y02 \$ 28.99
#160-107-145DJ	SP57459	Ejector, SS	.45	6A24T99 \$ 29.99
#160-000-230DJ	SP574482	Magazine, 9-Round, Bright SS	.38 Super	6A42P63 \$ 53.29
#160-114-380DJ	SP50225B	Magazine, Govt, 9-Round, Blue	.38 Super	6A27U32 \$ 34.15
#160-114-381DJ	SP574481	Magazine, Govt, 9-Round, SS	.38 Super	6A34A95 \$ 43.69
#160-114-450DJ	SP53355B	Magazine, Govt., 7-Round, Blue	.45	6A21D90 \$ 27.99
#160-000-228DJ	SP572492	Magazine, Govt, 7-Rnd, Bright SS	.45	6A27Z56 \$ 34.45
#160-000-222DJ	SP53355N	Magazine, Govt, 7-Round, Nickel	.45	6A30A83 \$ 38.54
#160-114-451DJ	SP572491	Magazine, Govt, 7-Round, SS	.45	6A20Y71 \$ 25.99
#160-114-452DJ	SP54926B	Magazine, Govt, 8-Round, Blue	.45	6A24T85 \$ 30.99
#160-000-227DJ	SP574002	Magazine, Govt, 8-Rnd, Bright SS	.45	6A29P77 \$ 37.21
#160-114-453DJ	SP574001	Magazine, Govt, 8-Round, SS	.45	6A28U91 \$ 35.99
#160-000-224DJ	SP50225N	Magazine, Govt 9-Round, Nickel	.38 Super	6A37A67 \$ 47.09
#160-114-090DJ	SP51032B	Magazine, Govt, 9-Round, Blue	9mm	6A26V39 \$ 32.99
#160-000-223DJ	SP51032N	Magazine, Govt, 9-Round, Nickel	9mm	6A28B29 \$ 35.36
#160-114-091DJ	SP945381	Magazine, Govt, 9-Round, SS	9mm	6A50X01 \$ 62.51
#160-000-075DJ	SP547273W	Magazine Catch, Dull SS	All	6A15C61 \$ 19.99
#160-116-102DJ	SP51837	Mainspring, Blue	All	6A04H65 \$ 5.99
#160-119-200DJ	SP50205B	Recoil Spring Guide	All	6A12D37 \$ 15.99
#160-119-210DJ	SP50206B	Recoil Spring Plug, Blue	All	6A13Z52 \$ 16.99
#160-119-211DJ	SP572471	Recoil Spring Plug, Dull SS	All	6A14A29 \$ 17.99
#160-111-021DJ	SP54715B	Sight, Front	All	6A08Y53 \$ 10.99

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
1911 Defender				

Web Quick-Find Schematic #145

#160-000-341DJ	SP576591	Plunger Tube, SS	.45	6A20B96 \$ 26.99
#160-000-347DJ	SP577811	Recoil Spring & Guide Rod Assy	.45	6A45X21 \$ 56.51
#160-000-342DJ	SP577801	Recoil Spring Bushing	.45	6A13C98 \$ 17.99
#160-000-351DJ	SP94766	Stock Assy, Hogue, Wraparound	.45	6A37H55 \$ 46.94

PARA-ORDNANCE

INDEX:
Autoloading Pistols

P10.9/.40/.45/.45LTD	62-63
P12.45/.45LTD & P14.40 - Common Parts	.63
P12.45/.45LTD	.63
P14.40	.64
P13.45/.45LTD & P15.40 - Common Parts	.64
P13.45/.45LTD	.64
P15.40	.64
P14.45/LTD, P16.40 LTD, & P18.9 - Common Parts	.64-65
P14.45/.45LTD	.65
P16.40/.40LTD	.65
P18.9	.65
P12.45 LDA & P14.40 LDA - Common Parts	.65-66
P12.45 LDA	.66
P14.40 LDA	.66
P14.45, P16.40, & P18.9 LDA LTD - Common Parts	.66
P14.45 LDA/.45 LDA LTD	.66-67
P16.40 LDA/.40 LDA LTD	.67
P18.9 LDA/.9 LDA LTD	.67
C6.45 LDA & C7.45 LDA - Common Parts	.67-68
C6.45 LDA	.68
C7.45 LDA	.68

Genuine Factory Parts help you repair these guns correctly. Please note, many Para-Ordnance parts interchange.
SPECS: Parts supplied with factory applied finish.

Autoloading Pistols

P10.9/.40/.45/.45LTD

Web Quick-Find Schematic #787

#199-000-095DJ	0390600	Barrel, 3", Blue	.45	9A126H66 \$158.32
#199-000-096DJ	0390700	Barrel, 3", Blue	.40 S&W	9A123D26 \$154.08
#199-000-099DJ	0391000	Barrel, 3", Blue	9mm	9A123Z26 \$154.08
#199-000-200DJ	9390600	Barrel, 3", SS	.45	9A140A38 \$175.48
#199-000-202DJ	9390700	Barrel, 3", SS	.40 S&W	9A127Y55 \$159.44
#199-000-208DJ	9410001	Barrel Link, .010 Over Size, SS	.40 S&W, .45	9A04T30 \$ 5.99
#199-000-102DJ	0410001	Barrel Link, .010 Over Size	All	9A04P30 \$ 5.99
#199-000-209DJ	9410002	Barrel Link, .015 Over Size, SS	.40 S&W, .45	9A04U30 \$ 5.99
#199-000-103DJ	0410002	Barrel Link, .015 Over Size	All	9A04A30 \$ 5.99
#199-000-104DJ	0410003	Barrel Link, .020 Over Size	All	9A04V30 \$ 5.99
#199-000-210DJ	9410003	Barrel Link, .202 Over Size, SS	.40 S&W, .45	9A04B30 \$ 5.99
#199-000-101DJ	0410000	Barrel Link, Standard	All	9A04X30 \$ 5.99
#199-000-100DJ	0400000	Barrel Link Pin	All	9A03C18 \$ 3.98
#199-000-170DJ	9301000	Disconnecter, SS	All	9A14H29 \$ 17.99
#199-000-154DJ	9170200	Ejector, Long, SS	.40 S&W, .45	9A13D49 \$ 16.99
#199-000-034DJ	0170200	Ejector, Long	All	9A13Z49 \$ 16.99
#199-000-036DJ	0180000	Ejector Pin	All	9A03A52 \$ 4.49



PARA-ORDNANCE

Para-Ordnance P10.9/.40/.45/.45LTD continued				
STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#199-000-188DJ	9370100	Extractor, SS	.45	9A20V38 \$ 25.99
#199-000-189DJ	9370200	Extractor, SS	.40 S&W	9A28B54 \$ 36.99
#199-000-082DJ	0370100	Extractor	.45	9A20X38 \$ 25.99
#199-000-083DJ	0370200	Extractor	.40 S&W	9A20C38 \$ 25.99
#199-000-084DJ	0370300	Extractor	9mm	9A20H38 \$ 25.99
#199-000-186DJ	9350001	Firing Pin, SS	.45	9A07D53 \$ 9.99
#199-000-187DJ	9350002	Firing Pin, SS	.40 S&W	9A06Z90 \$ 9.99
#199-000-125DJ	0460000	Firing Pin Plunger	All	9A05A53 \$ 6.99
#199-000-081DJ	0360000	Firing Pin Spring	All	9A03Y57 \$ 4.49
#199-000-191DJ	9380100	Firing Pin Stop, SS	All	9A10T14 \$ 12.99
#199-000-085DJ	0380100	Firing Pin Stop	All	9A08P33 \$ 10.99
#199-000-142DJ	9081200	Grip Safety, Beavertail, SS, LTD	.45	9A28U95 \$ 36.19
#199-000-016DJ	0081100	Grip Safety	All	9A14A29 \$ 17.99
#199-000-270DJ	0030300	Grip Screws, Set of 4, Hex Head, LTD	.45	9A08V61 \$ 10.99
#199-000-137DJ	9030300	Grip Screws, Set of 4, Hex Head, SS, LTD	.45	9A13B31 \$ 16.99
#199-000-007DJ	0020700	Grips, Pair	All	9A41X84 \$ 52.30
#199-000-148DJ	9130500	Hammer, SS, LTD	.45	9A24C70 \$ 30.99
#199-000-283DJ	0140001	Hammer Pin, LTD	.45	9A03H30 \$ 4.49
#199-000-286DJ	9140001	Hammer Pin, SS, LTD	.45	9A04D09 \$ 5.99
#199-000-149DJ	9140000	Hammer Pin, SS	All	9A04Z03 \$ 5.99
#199-000-029DJ	0140000	Hammer Pin	All	9A03A18 \$ 3.99
#199-000-151DJ	9150200	Hammer Strut, SS	All	9A04Y42 \$ 5.99
#199-000-031DJ	0150200	Hammer Strut	All	9A04T89 \$ 6.99
#199-000-152DJ	9160000	Hammer Strut Pin, SS	All	9A04P03 \$ 5.99
#199-000-233DJ	PNMC45R	Magazine, 10-Round, Nickel	.45	9A47U53 \$ 59.41
#199-000-293DJ	0050200	Magazine Catch, Double Stack, Blue	All	9A13A85 \$ 17.99
#199-000-296DJ	9050400	Magazine Catch, Double Stack, SS	All	9A15V67 \$ 19.99
#199-000-138DJ	9060100	Magazine Catch Lock, SS	All	9A04C65 \$ 5.99
#199-000-012DJ	0060100	Magazine Catch Lock	All	9A03H96 \$ 4.99
#199-000-013DJ	0070000	Magazine Catch Spring	All	9A03Z18 \$ 3.99
#199-000-301DJ	0521400	Magazine Floor Plate Retainer, Hi-Cap	All	9A05A86 \$ 7.99
#199-000-298DJ	0520100	Magazine Floor Plate Retainer	All	9A03T50 \$ 4.49
#199-000-130DJ	0510100	Magazine Follower	All	9A07P78 \$ 9.99
#199-000-303DJ	0500500	Magazine Pad, 10-Round, Polymer	All	9A10U03 \$ 12.99
#199-000-305DJ	0500502	Magazine Pad, L/E, Hi-Cap	All	9A10A03 \$ 12.54
#199-000-128DJ	0490003	Magazine Spring	All	9A07V78 \$ 9.73
#199-000-040DJ	0190003	Mainspring	All	9A03B52 \$ 4.49
#199-000-158DJ	9200003	Mainspring Cap, SS	All	9A04X16 \$ 5.99
#199-000-045DJ	0200003	Mainspring Cap	All	9A02C87 \$ 3.99
#199-000-159DJ	9210000	Mainspring Cap Pin, SS	All	9A03H69 \$ 4.99
#199-000-046DJ	0210000	Mainspring Cap Pin	All	9A03D22 \$ 3.99
#199-000-312DJ	0220301	Mainspring Housing, Flat, Checkered	All	9A07Z69 \$ 9.99
#199-000-050DJ	0220300	Mainspring Housing, Flat	All	9A04A64 \$ 5.99
#199-000-164DJ	9230100	Mainspring Housing Pin, SS	All	9A04Y16 \$ 5.99
#199-000-051DJ	0230100	Mainspring Housing Pin	All	9A02T87 \$ 3.99
#199-000-054DJ	0240003	Mainspring Retainer	All	9A03P57 \$ 4.49
#199-000-055DJ	0250100	Plunger Lever	All	9A04U52 \$ 5.99
#199-000-057DJ	0270000	Plunger Spring	All	9A03A18 \$ 3.99
#199-000-126DJ	0470000	Plunger Spring for Firing Pin	All	9A03V19 \$ 3.99
#199-000-365DJ	0370101	Power Extractor Assembly, Black	.45	9A70B00 \$ 87.50
#199-000-367DJ	0370301	Power Extractor Assembly, Black	9mm	9A70X00 \$ 87.50
#199-000-368DJ	9370101	Power Extractor Assembly, SS	.45	9A75C71 \$ 94.64
#199-000-370DJ	9370301	Power Extractor Assembly, SS	9mm	9A75H71 \$ 94.64
#199-000-111DJ	0430004	Recoil Spring	All	9A07D78 \$ 9.99
#199-000-118DJ	0430005	Recoil Spring Assembly, Blue	All	9A26Z61 \$ 30.99
#199-000-123DJ	0450301	Recoil Spring Plug, Full Length, LTD	.45	9A08A14 \$ 10.99
#199-000-019DJ	0090200	Safety Lock, Ambidextrous, Blue	All	9A39Y56 \$ 49.45

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#199-000-144DJ	9090200	Safety Lock, Ambidextrous, SS	All	9A40T12 \$ 50.15
#199-000-143DJ	9090100	Safety Lock, SS	All	9A18P99 \$ 23.99
#199-000-018DJ	0090100	Safety Lock	All	9A18U26 \$ 22.99
#199-000-168DJ	9280000	Safety Lock Plunger, SS	All	9A04A15 \$ 5.99
#199-000-058DJ	0280000	Safety Lock Plunger	All	9A03V44 \$ 4.49
#199-000-021DJ	0100100	Sear	All	9A12B82 \$ 16.99
#199-000-146DJ	9120000	Sear Pin, SS	All	9A04X15 \$ 5.99
#199-000-026DJ	0120000	Sear Pin	All	9A03C56 \$ 4.99
#199-000-025DJ	0110103	Sear Spring	All	9A06H08 \$ 7.99
#199-000-074DJ	0330200	Sight, Front, Dovetail, Black, LTD	.45	9A17D56 \$ 21.99
#199-000-326DJ	0330300	Sight, Front, Dovetail	All	9A17Z14 \$ 21.99
#199-000-330DJ	0340500	Sight, Rear, Night	All	9A64A29 \$ 80.36
#199-000-331DJ	0320200	Slide Stop, Blue	All	9A17Y14 \$ 21.99
#199-000-333DJ	9320200	Slide Stop, SS	All	9A20T00 \$ 25.99
#199-000-169DJ	9290000	Slide Stop Plunger, SS	All	9A04P15 \$ 5.99
#199-000-059DJ	0290000	Slide Stop Plunger	All	9A03U18 \$ 3.99
#199-000-358DJ	0450500	Small Black Telescopic Plug	All	9A10A48 \$ 13.99
#199-000-336DJ	0040500	Trigger Assembly, Extended	All	9A24V60 \$ 30.99
#199-000-056DJ	0260100	Trigger Bar Lever	All	9A04B49 \$ 5.99

●●● P12.45/.45LTD & P14.40 - Common Parts ●●●

#199-000-208DJ	9410001	Barrel Link, .010 Over Size, SS	All	9A04X30 \$ 5.99
#199-000-102DJ	0410001	Barrel Link, .010 Over Size	All	9A04C30 \$ 5.99
#199-000-209DJ	9410002	Barrel Link, .015 Over Size, SS	All	9A04H30 \$ 5.99
#199-000-103DJ	0410002	Barrel Link, .015 Over Size	All	9A04D30 \$ 5.99
#199-000-104DJ	0410003	Barrel Link, .020 Over Size	All	9A04Z30 \$ 5.99
#199-000-210DJ	9410003	Barrel Link, .202 Over Size, SS	All	9A04A30 \$ 5.99
#199-000-101DJ	0410000	Barrel Link, Standard	All	9A04Y30 \$ 5.99
#199-000-100DJ	0400000	Barrel Link Pin	All	9A03T18 \$ 3.98
#199-000-170DJ	9300100	Disconnecter, SS	All	9A14P29 \$ 17.99
#199-000-154DJ	9170200	Ejector, Long, SS	All	9A13U49 \$ 16.99
#199-000-034DJ	0170200	Ejector, Long	All	9A13A49 \$ 16.99
#199-000-036DJ	0180000	Ejector Pin	All	9A03V52 \$ 4.49
#199-000-125DJ	0460000	Firing Pin Plunger	All	9A05B53 \$ 6.99
#199-000-081DJ	0360000	Firing Pin Spring	All	9A03X57 \$ 4.49
#199-000-030DJ	0150100	Hammer Strut	All	9A04C98 \$ 6.99
#199-000-152DJ	9160000	Hammer Strut Pin, SS	All	9A04H03 \$ 5.99
#199-000-293DJ	0050200	Magazine Catch, Double Stack, Blue	All	9A13D85 \$ 17.99
#199-000-296DJ	9050400	Magazine Catch, Double Stack, SS	All	9A15Z67 \$ 19.99
#199-000-138DJ	9060100	Magazine Catch Lock, SS	All	9A04A65 \$ 5.99
#199-000-012DJ	0060100	Magazine Catch Lock	All	9A03V96 \$ 4.99
#199-000-013DJ	0070000	Magazine Catch Spring	All	9A03B18 \$ 3.99
#199-000-301DJ	0521400	Magazine Floor Plate Retainer, Hi-Cap	All	9A05X86 \$ 7.99
#199-000-298DJ	0520100	Magazine Floor Plate Retainer	All	9A03C50 \$ 4.49
#199-000-130DJ	0510100	Magazine Follower	All	9A07H78 \$ 9.99
#199-000-303DJ	0500500	Magazine Pad, 10-Round, Polymer	All	9A10D03 \$ 12.99
#199-000-305DJ	0500502	Magazine Pad, L/E, Hi-Cap	All	9A10Z03 \$ 12.54
#199-000-128DJ	0490003	Magazine Spring	All	9A07A78 \$ 9.73
#199-000-159DJ	9210000	Mainspring Cap Pin, SS	All	9A03Y69 \$ 4.99
#199-000-046DJ	0210000	Mainspring Cap Pin	All	9A03T22 \$ 3.99
#199-000-164DJ	9230100	Mainspring Housing Pin, SS	All	9A04P16 \$ 5.99
#199-000-051DJ	0230100	Mainspring Housing Pin	All	9A02U87 \$ 3.99
#199-000-055DJ	0250100	Plunger Lever	All	9A04A52 \$ 5.99
#199-000-057DJ	0270000	Plunger Spring	All	9A03V18 \$ 3.99
#199-000-126DJ	0470000	Plunger Spring for Firing Pin	All	9A03B19 \$ 3.99
#199-000-366DJ	0370201	Power Extractor Assembly, Black, .40 S&W	All	9A70X00 \$ 87.50
#199-000-365DJ	0370101	Power Extractor Assembly, Black	.45	9A70C00 \$ 87.50
#199-000-367DJ	0370301	Power Extractor Assembly, Black	9mm	9A70H00 \$ 87.50

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#199-000-368DJ	9370101	Power Extractor Assembly, SS	.45	9A75D71 \$ 94.64
#199-000-369DJ	9370201	Power Extractor Assembly, SS	All	9A75Z71 \$ 94.64
#199-000-370DJ	9370301	Power Extractor Assembly, SS	9mm	9A75A71 \$ 94.64
#199-000-019DJ	0090200	Safety Lock, Ambidextrous, Blue	All	9A39Y56 \$ 49.45
#199-000-144DJ	0090200	Safety Lock, Ambidextrous, SS	All	9A40T12 \$ 50.15
#199-000-143DJ	9090100	Safety Lock, SS	All	9A18P99 \$ 23.99
#199-000-018DJ	0090100	Safety Lock	All	9A18U26 \$ 22.99
#199-000-168DJ	9280000	Safety Lock Plunger, SS	All	9A04A15 \$ 5.99
#199-000-058DJ	0280000	Safety Lock Plunger	All	9A03V44 \$ 4.49
#199-000-021DJ	0100100	Sear	All	9A12B82 \$ 16.99
#199-000-146DJ	9120000	Sear Pin, SS	All	9A04X15 \$ 5.99
#199-000-026DJ	0120000	Sear Pin	All	9A03C56 \$ 4.99
#199-000-327DJ	0330400	Sight, Front, Night	All	9A47H14 \$ 58.93
#199-000-185DJ	9320100	Slide Stop, SS	All	9A20D41 \$ 25.99
#199-000-169DJ	9290000	Slide Stop Plunger, SS	All	9A04Z15 \$ 5.99
#199-000-059DJ	0290000	Slide Stop Plunger	All	9A03A18 \$ 3.99
#199-000-056DJ	0260100	Trigger Bar Lever	All	9A04Y49 \$ 5.99

P12.45/.45LTD

Other parts Listed Under P12.45/.45LTD & P14.40 Common Parts Web Quick-Find Schematic #788				
#199-000-203DJ	9390900	Barrel, 3-1/2", SS	.45	9A140T12 \$175.15
#199-000-188DJ	9370100	Extractor, SS	.45	9A20P38 \$ 25.99
#199-000-082DJ	0370100	Extractor	.45	9A20U38 \$ 25.99
#199-000-186DJ	9350001	Firing Pin, SS	.45	9A07A53 \$ 9.99
#199-000-086DJ	0380200	Firing Pin Stop, LTD	.45	9A10V11 \$ 12.99
#199-000-192DJ	9380200	Firing Pin Stop, SS, LTD	.45	9A12B78 \$ 15.99
#199-000-191DJ	9380100	Firing Pin Stop, SS	.45	9A10X14 \$ 12.99
#199-000-085DJ	0380100	Firing Pin Stop	.45	9A08C33 \$ 10.99
#199-000-015DJ	0080200	Grip Safety, Beavertail, LTD	.45	9A27H88 \$ 34.85
#199-000-017DJ	0081200	Grip Safety, Beavertail, LTD	.45	9A25D42 \$ 34.99
#199-000-140DJ	9080200	Grip Safety, Beavertail, SS, LTD	.45	9A28Z95 \$ 36.19
#199-000-010DJ	0030200	Grip Screws, Set of 4, LTD	.45	9A08A41 \$ 10.99
#199-000-136DJ	9030200	Grip Screws, Set of 4, SS, LTD	.45	9A16Y10 \$ 20.99
#199-000-006DJ	0020501	Grips, Pair, LTD	.45	9A41T84 \$ 52.30
#199-000-005DJ	0020500	Grips, Pair	.45	9A43P10 \$ 53.87
#199-000-148DJ	9130500	Hammer, SS, LTD	.45	9A24U70 \$ 30.99
#199-000-283DJ	0140001	Hammer Pin, LTD	.45	9A03A30 \$ 4.49
#199-000-286DJ	9140001	Hammer Pin, SS, LTD	.45	9A04V09 \$ 5.99
#199-000-149DJ	9140000	Hammer Pin, SS	.45	9A04B03 \$ 5.99
#199-000-029DJ	0140000	Hammer Pin	.45	9A03X18 \$ 3.99
#199-000-344DJ	PNMS45	Magazine, 12-Round, Nickel	.45	9A44C00 \$ 49.00
#199-000-133DJ	0521300	Magazine Extension, 10-Round	.45	9A10H11 \$ 12.64
#199-000-306DJ	0490002	Magazine Spring	.45	9A07D70 \$ 9.63
#199-000-040DJ	0190003	Mainspring	.45	9A03Z52 \$ 4.49
#199-000-158DJ	9200003	Mainspring Cap, SS	.45	9A04A16 \$ 5.99
#199-000-045DJ	0200003	Mainspring Cap	.45	9A02Y87 \$ 3.99
#199-000-312DJ	0220301	Mainspring Housing, Flat, Checkered	.45	9A07T69 \$ 9.99
#199-000-050DJ	0220300	Mainspring Housing, Flat	.45	9A04P64 \$ 5.99
#199-000-054DJ	0240003	Mainspring Retainer	.45	9A03U57 \$ 4.49
#199-000-111DJ	0430004	Recoil Spring	.45	9A07A78 \$ 9.99
#199-000-352DJ	0430012	Recoil Spring Assembly, 3.5" Barrel	.45	9A23V88 \$ 29.99
#199-000-116DJ	0440300	Recoil Spring Guide	.45	9A08B48 \$ 10.99
#199-000-123DJ	0450301	Recoil Spring Plug, Full Length, LTD	.45	9A08X14 \$ 10.99
#199-000-222DJ	9450300	Recoil Spring Reverse Plug, w/Tab, SS	.45	9A09C73 \$ 12.99
#199-000-024DJ	0110102	Sear Spring	.45	9A05H03 \$ 6.99
#199-000-074DJ	0330200	Sight, Front, Dovetail, Black, LTD	.45	9A17D56 \$ 21.99
#199-000-326DJ	0330300	Sight, Front, Dovetail	.45	9A17Z14 \$ 21.99
#199-000-330DJ	0340500	Sight, Rear, Night	.45	9

PARA-ORDNANCE

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
P14.40				
Other parts Listed Under P12.45/.45LTD & P14.40 Common Parts Web Quick-Find Schematic #788				
#199-000-211DJ	9420100	Barrel Bushing, NI	.40 S&W	9A14P70 \$ 18.99
#199-000-105DJ	0420100	Barrel Bushing	.40 S&W	9A14U95 \$ 19.99
#199-000-189DJ	9370200	Extractor, SS	.40 S&W	9A28A54 \$ 36.99
#199-000-083DJ	0370200	Extractor	.40 S&W	9A20V38 \$ 25.99
#199-000-187DJ	9350002	Firing Pin, SS	.40 S&W	9A06B90 \$ 9.99
#199-000-191DJ	9380100	Firing Pin Stop, SS	.40 S&W	9A10X14 \$ 12.99
#199-000-085DJ	0380100	Firing Pin Stop	.40 S&W	9A08C33 \$ 10.99
#199-000-001DJ	0020100	Grips, Pair	.40 S&W	9A43H10 \$ 53.87
#199-000-149DJ	9140000	Hammer Pin, SS	.40 S&W	9A04D03 \$ 5.99
#199-000-029DJ	0140000	Hammer Pin	.40 S&W	9A03Z18 \$ 3.99
#199-000-131DJ	0521100	Magazine Extension	.40 S&W	9A10A15 \$ 12.99
#199-000-127DJ	0490001	Magazine Spring	.40 S&W	9A07Y33 \$ 9.99
#199-000-037DJ	0190000	Mainspring	.40 S&W	9A03T57 \$ 4.49
#199-000-156DJ	9200001	Mainspring Cap, SS	.40 S&W	9A04P17 \$ 5.99
#199-000-043DJ	0200001	Mainspring Cap	.40 S&W	9A02U87 \$ 3.99
#199-000-310DJ	0220102	Mainspring Housing, Arched	.40 S&W	9A07A70 \$ 9.99
#199-000-165DJ	9240001	Mainspring Retainer, SS	.40 S&W	9A04V65 \$ 5.99
#199-000-052DJ	0240001	Mainspring Retainer	.40 S&W	9A03B52 \$ 4.99
#199-000-219DJ	9450100	Recoil Spring Plug, SS	.40 S&W	9A09X73 \$ 12.99
#199-000-119DJ	0450100	Recoil Spring Plug	.40 S&W	9A08C14 \$ 10.99
#199-000-022DJ	0110100	Sear Spring	.40 S&W	9A06H09 \$ 7.99
#199-000-326DJ	0330300	Sight, Front, Dovetail	.40 S&W	9A17D14 \$ 21.99
#199-000-075DJ	0340100	Sight, Rear, White Dot, Low Mount	.40 S&W	9A26Z12 \$ 32.65
#199-000-336DJ	0040500	Trigger Assembly, Extended	.40 S&W	9A24A60 \$ 30.99

● ● ● P13.45/.45LTD & P15.40 - Common Parts ● ● ●

#199-000-102DJ	0410001	Barrel Link, .010 Over Size	All	9A04Y30 \$ 5.99
#199-000-209DJ	9410002	Barrel Link, .015 Over Size, SS	All	9A04B30 \$ 5.99
#199-000-103DJ	0410002	Barrel Link, .015 Over Size	All	9A04X30 \$ 5.99
#199-000-104DJ	0410003	Barrel Link, .020 Over Size	All	9A04C30 \$ 5.99
#199-000-210DJ	9410003	Barrel Link, .202 Over Size, SS	All	9A04H30 \$ 5.99
#199-000-101DJ	0410000	Barrel Link, Standard	All	9A04D30 \$ 5.99
#199-000-100DJ	0400000	Barrel Link Pin	All	9A03Z18 \$ 3.98
#199-000-170DJ	9300100	Disconnecter, SS	All	9A14A29 \$ 17.99
#199-000-154DJ	9170200	Ejector, Long, SS	All	9A13Y49 \$ 16.99
#199-000-034DJ	0170200	Ejector, Long	All	9A13T49 \$ 16.99
#199-000-036DJ	0180000	Ejector Pin	All	9A03P52 \$ 4.49
#199-000-125DJ	0460000	Firing Pin Plunger	All	9A05U53 \$ 6.99
#199-000-081DJ	0360000	Firing Pin Spring	All	9A03A57 \$ 4.49
#199-000-030DJ	0150100	Hammer Strut	All	9A04V98 \$ 6.99
#199-000-152DJ	9160000	Hammer Strut Pin, SS	All	9A04B03 \$ 5.99
#199-000-293DJ	0050200	Magazine Catch, Double Stack, Blue	All	9A13X85 \$ 17.99
#199-000-296DJ	9050400	Magazine Catch, Double Stack, SS	All	9A15C67 \$ 19.99
#199-000-138DJ	9060100	Magazine Catch Lock, SS	All	9A04H65 \$ 5.99
#199-000-012DJ	0060100	Magazine Catch Lock	All	9A03D96 \$ 4.99
#199-000-013DJ	0070000	Magazine Catch Spring	All	9A03Z18 \$ 3.99
#199-000-301DJ	0521400	Magazine Floor Plate Retainer, Hi-Cap	All	9A05A86 \$ 7.99
#199-000-130DJ	0510100	Magazine Follower	All	9A07Y78 \$ 9.99
#199-000-303DJ	0500500	Magazine Pad, 10-Round, Polymer	All	9A10T03 \$ 12.99
#199-000-305DJ	0500502	Magazine Pad, L/E, Hi-Cap	All	9A10P03 \$ 12.54
#199-000-128DJ	0490003	Magazine Spring	All	9A07U78 \$ 9.73
#199-000-159DJ	9210000	Mainspring Cap Pin, SS	All	9A03A69 \$ 4.99
#199-000-046DJ	0210000	Mainspring Cap Pin	All	9A03V22 \$ 3.99
#199-000-164DJ	9230100	Mainspring Housing Pin, SS	All	9A04B16 \$ 5.99
#199-000-051DJ	0230100	Mainspring Housing Pin	All	9A02X87 \$ 3.99

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#199-000-055DJ	0250100	Plunger Lever	All	9A04C52 \$ 5.99
#199-000-057DJ	0270000	Plunger Spring	All	9A03H18 \$ 3.99
#199-000-126DJ	0470000	Plunger Spring for Firing Pin	All	9A03D19 \$ 3.99
#199-000-366DJ	0370201	Power Extractor Assembly, Black, .40 S&W	All	9A70Z00 \$ 87.50
#199-000-365DJ	0370101	Power Extractor Assembly, Black	.45	9A70A00 \$ 87.50
#199-000-367DJ	0370301	Power Extractor Assembly, Black	9mm	9A70Y00 \$ 87.50
#199-000-368DJ	9370101	Power Extractor Assembly, SS	.45	9A75T71 \$ 94.64
#199-000-369DJ	9370201	Power Extractor Assembly, SS	All	9A75P71 \$ 94.64
#199-000-370DJ	9370301	Power Extractor Assembly, SS	9mm	9A75U71 \$ 94.64
#199-000-019DJ	0090200	Safety Lock, Ambidextrous, Blue	All	9A39A56 \$ 49.45
#199-000-144DJ	9090200	Safety Lock, Ambidextrous, SS	All	9A40V12 \$ 50.15
#199-000-143DJ	9090100	Safety Lock, SS	All	9A18B99 \$ 23.99
#199-000-018DJ	0090100	Safety Lock	All	9A18X26 \$ 22.99
#199-000-168DJ	9280000	Safety Lock Plunger, SS	All	9A04C15 \$ 5.99
#199-000-058DJ	0280000	Safety Lock Plunger	All	9A03H44 \$ 4.49
#199-000-021DJ	0100100	Sear	All	9A12D82 \$ 16.99
#199-000-146DJ	9120000	Sear Pin, SS	All	9A04Z15 \$ 5.99
#199-000-026DJ	0120000	Sear Pin	All	9A03A56 \$ 4.99
#199-000-327DJ	0330400	Sight, Front, Night	All	9A47Y14 \$ 58.93
#199-000-075DJ	0340100	Sight, Rear, White Dot, Low Mount	All	9A26T12 \$ 32.65
#199-000-185DJ	9320100	Slide Stop, SS	All	9A20P41 \$ 25.99
#199-000-072DJ	0320100	Slide Stop	All	9A17U56 \$ 21.99
#199-000-169DJ	9290000	Slide Stop Plunger, SS	All	9A04A15 \$ 5.99
#199-000-059DJ	0290000	Slide Stop Plunger	All	9A03V18 \$ 3.99
#199-000-056DJ	0260100	Trigger Bar Lever	All	9A04B49 \$ 5.99

P13.45/.45LTD

Other parts Listed Under P13.45/.45LTD & P15.40 Common Parts Web Quick-Find Schematic #789				
#199-000-198DJ	9390500	Barrel, 1-1/4", SS	.45	9A140X41 \$175.51
#199-000-256DJ	9420200	Barrel Bushing, SS	.45	9A14C29 \$ 17.99
#199-000-106DJ	0420200	Barrel Bushing	.45	9A16H11 \$ 20.99
#199-000-188DJ	9370100	Extractor, SS	.45	9A20D38 \$ 25.99
#199-000-082DJ	0370100	Extractor	.45	9A20Z38 \$ 25.99
#199-000-186DJ	9350001	Firing Pin, SS	.45	9A07A53 \$ 9.99
#199-000-086DJ	0380200	Firing Pin Stop, LTD	.45	9A10Y11 \$ 12.99
#199-000-192DJ	9380200	Firing Pin Stop, SS, LTD	.45	9A12T78 \$ 15.99
#199-000-191DJ	9380100	Firing Pin Stop, SS	.45	9A10P14 \$ 12.99
#199-000-085DJ	0380100	Firing Pin Stop	.45	9A08U33 \$ 10.99
#199-000-015DJ	0080200	Grip Safety, Beavertail, LTD	.45	9A27A88 \$ 34.85
#199-000-017DJ	0081200	Grip Safety, Beavertail, LTD	.45	9A25V42 \$ 34.99
#199-000-140DJ	9080200	Grip Safety, Beavertail, SS, LTD	.45	9A28B95 \$ 36.19
#199-000-010DJ	0030200	Grip Screws, Set of 4, LTD	.45	9A08X41 \$ 10.99
#199-000-136DJ	9030200	Grip Screws, Set of 4, SS, LTD	.45	9A16C10 \$ 20.99
#199-000-004DJ	0020301	Grips, Pair, LTD	.45	9A41H84 \$ 52.30
#199-000-003DJ	0020300	Grips, Pair	.45	9A41D84 \$ 52.30
#199-000-148DJ	9130500	Hammer, SS, LTD	.45	9A24Z70 \$ 30.99
#199-000-283DJ	0140001	Hammer Pin, LTD	.45	9A03A30 \$ 4.49
#199-000-286DJ	9140001	Hammer Pin, SS, LTD	.45	9A04Y09 \$ 5.99
#199-000-149DJ	9140000	Hammer Pin, SS	.45	9A04T03 \$ 5.99
#199-000-029DJ	0140000	Hammer Pin	.45	9A03P18 \$ 3.99
#199-000-345DJ	PNMM45	Magazine, 13-Round, Nickel	.45	9A44U00 \$ 49.00
#199-000-132DJ	0521200	Magazine Extension, 10-Round	.45	9A10A11 \$ 12.64
#199-000-306DJ	0490002	Magazine Spring	.45	9A07V70 \$ 9.63
#199-000-039DJ	0190002	Mainspring	.45	9A03B52 \$ 4.49
#199-000-157DJ	9200002	Mainspring Cap, SS	.45	9A04X16 \$ 5.99
#199-000-044DJ	0200002	Mainspring Cap	.45	9A02C87 \$ 3.99
#199-000-311DJ	0220201	Mainspring Housing, Flat, Checkered	.45	9A07H70 \$ 9.99
#199-000-049DJ	0220200	Mainspring Housing, Flat	.45	9A04D61 \$ 5.76
#199-000-166DJ	9240002	Mainspring Retainer, SS	.45	9A04Z16 \$ 5.99

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#199-000-053DJ	0240002	Mainspring Retainer	.45	9A03A57 \$ 4.49
#199-000-109DJ	0430002	Recoil Spring	.45	9A08Y09 \$ 10.11
#199-000-215DJ	9440201	Recoil Spring Guide, Full Length, SS	.45	9A16T02 \$ 20.99
#199-000-114DJ	0440200	Recoil Spring Guide	.45	9A08P49 \$ 10.99
#199-000-120DJ	0450101	Recoil Spring Plug, Full Length, LTD	.45	9A08U14 \$ 10.99
#199-000-220DJ	9450101	Recoil Spring Plug, Full Length, SS, LTD	.45	9A09A73 \$ 12.99
#199-000-023DJ	0110101	Sear Spring	.45	9A05V03 \$ 6.99
#199-000-074DJ	0330200	Sight, Front, Dovetail, Black, LTD	.45	9A17B56 \$ 21.99
#199-000-326DJ	0330300	Sight, Front, Dovetail	.45	9A17X14 \$ 21.99
#199-000-328DJ	0330600	Sight, Front, Dovetail	.45	9A17C14 \$ 21.99
#199-000-351DJ	0340400	Sight, Rear, Night Sight	.45	9A64H29 \$ 80.00
#199-000-336DJ	0040500	Trigger Assembly, Extended	.45	9A24D60 \$ 30.99

P15.40

Other parts Listed Under P13.45/.45LTD & P15.40 Common Parts Web Quick-Find Schematic #789				
#199-000-211DJ	9420100	Barrel Bushing, NI	.40 S&W	9A14Z70 \$ 18.99
#199-000-105DJ	0420100	Barrel Bushing	.40 S&W	9A14A95 \$ 19.99
#199-000-189DJ	9370200	Extractor, SS	.40 S&W	9A28X54 \$ 36.99
#199-000-083DJ	0370200	Extractor	.40 S&W	9A20C38 \$ 25.99
#199-000-187DJ	9350002	Firing Pin, SS	.40 S&W	9A06H90 \$ 9.99
#199-000-191DJ	9380100	Firing Pin Stop, SS	.40 S&W	9A10D14 \$ 12.99
#199-000-085DJ	0380100	Firing Pin Stop	.40 S&W	9A08Z33 \$ 10.99
#199-000-001DJ	0020100	Grips, Pair	.40 S&W	9A43A10 \$ 53.87
#199-000-149DJ	9140000	Hammer Pin, SS	.40 S&W	9A04Y03 \$ 5.99
#199-000-029DJ	0140000	Hammer Pin	.40 S&W	9A03T18 \$ 3.99
#199-000-131DJ	0521100	Magazine Extension	.40 S&W	9A10P15 \$ 12.99
#199-000-127DJ	0490001	Magazine Spring	.40 S&W	9A07U33 \$ 9.99
#199-000-037DJ	0190000	Mainspring	.40 S&W	9A03A57 \$ 4.49
#199-000-156DJ	9200001	Mainspring Cap, SS	.40 S&W	9A04V17 \$ 5.99
#199-000-043DJ	0200001	Mainspring Cap	.40 S&W	9A02B87 \$ 3.99
#199-000-047DJ	0220100	Mainspring Housing, Arched	.40 S&W	9A07X81 \$ 9.99
#199-000-310DJ	0220102	Mainspring Housing, Arched	.40 S&W	9A07C70 \$ 9.99
#199-000-052DJ	0240001	Mainspring Retainer	.40 S&W	9A03H52 \$ 4.99
#199-000-109DJ	0430002	Recoil Spring	.40 S&W	9A08D09 \$ 10.11
#199-000-219DJ	9450100	Recoil Spring Plug, SS	.40 S&W	9A09Z73 \$ 12.99
#199-000-119DJ	0450100	Recoil Spring Plug	.40 S&W	9A08A14 \$ 10.99
#199-000-022DJ	0110100	Sear Spring	.40 S&W	9A06Y09 \$ 7.99
#199-000-326DJ	0330300	Sight, Front, Dovetail	.40 S&W	9A17T14 \$ 21.99
#199-000-336DJ	0040500	Trigger Assembly, Extended	.40 S&W	9A24A60 \$ 30.99

● P14.45/LTD, P16.40/LTD, P18.9 - Common Parts ●

#199-000-208DJ	9410001	Barrel Link, .010 Over Size, SS	All	9A04V30	\$ 5.99
#199-000-102DJ	0410001	Barrel Link, .010 Over Size	All	9A04B30	\$ 5.99
#199-000-209DJ	9410002	Barrel Link, .015 Over Size, SS	All	9A04X30	\$ 5.99
#199-000-103DJ	0410002	Barrel Link, .015 Over Size	All	9A04C30	\$ 5.99
#199-000-104DJ	0410003	Barrel Link, .020 Over Size	All	9A04H30	\$ 5.99
#199-000-210DJ	9410003	Barrel Link, .202 Over Size, SS	All	9A04D30	\$ 5.99
#199-000-101DJ	0410000	Barrel Link, Standard	All	9A04Z30	\$ 5.99
#199-000-100DJ	0400000	Barrel Link Pin	All	9A03A18	\$ 3.98
#199-000-170DJ	9300100	Disconnecter, SS	All	9A14Y29	\$ 17.99
#199-000-036DJ	0180000	Ejector Pin	All	9A03T52	\$ 4.49
#199-000-125DJ	0460000	Firing Pin Plunger	All	9A05P53	\$ 6.99
#199-000-081DJ	0360000	Firing Pin Spring	All	9A03U57	\$ 4.49
#199-000-030DJ	0150100	Hammer Strut	All	9A04A98	\$ 6.99
#199-000-152DJ	9160000	Hammer Strut Pin, SS	All	9A04X03	\$ 5.99
#199-000-293DJ	0050200	Magazine Catch, Double Stack, Blue	All	9A13C85	\$ 17.99
#199-000-296DJ	9050400	Magazine Catch, Double Stack, SS	All	9A15H67	\$ 19.99
#199-000-138DJ	9060100	Magazine Catch Lock, SS	All	9A04D65	\$ 5.99
#199-000-012DJ	0060100	Magazine Catch Lock	All	9A03Z96	\$ 4.99

PARA-ORDNANCE

Para-Ordnance P14.45/LTD, P16.40/LTD, P18.9 continued

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#199-000-013DJ	0070000	Magazine Catch Spring	All	9A03A18 \$ 3.99
#199-000-131DJ	0521100	Magazine Extension	All	9A10T15 \$ 12.99
#199-000-301DJ	0521400	Magazine Floor Plate Retainer, Hi-Cap	All	9A05V86 \$ 7.99
#199-000-298DJ	0520100	Magazine Floor Plate Retainer	All	9A03B50 \$ 4.49
#199-000-300DJ	0520102	Magazine Floor Plate Retainer	All	9A05X00 \$ 6.99
#199-000-130DJ	0510100	Magazine Follower	All	9A07A78 \$ 9.99
#199-000-303DJ	0500500	Magazine Pad, 10-Round, Polymer	All	9A10V03 \$ 12.99
#199-000-305DJ	0500502	Magazine Pad, L/E, Hi-Cap	All	9A10B03 \$ 12.54
#199-000-127DJ	0490001	Magazine Spring	All	9A07X33 \$ 9.99
#199-000-128DJ	0490003	Magazine Spring	All	9A07C78 \$ 9.73
#199-000-037DJ	0190000	Mainspring	All	9A03H57 \$ 4.49
#199-000-156DJ	9200001	Mainspring Cap, SS	All	9A04D17 \$ 5.99
#199-000-043DJ	0200001	Mainspring Cap	All	9A02Z87 \$ 3.99
#199-000-159DJ	9210000	Mainspring Cap Pin, SS	All	9A03A69 \$ 4.99
#199-000-046DJ	0210000	Mainspring Cap Pin	All	9A03Y22 \$ 3.99
#199-000-164DJ	9230100	Mainspring Housing Pin, SS	All	9A04T16 \$ 5.99
#199-000-051DJ	0230100	Mainspring Housing Pin	All	9A02P87 \$ 3.99
#199-000-165DJ	9240001	Mainspring Retainer, SS	All	9A04U65 \$ 5.99
#199-000-052DJ	0240001	Mainspring Retainer	All	9A03A52 \$ 4.99
#199-000-055DJ	0250100	Plunger Lever	All	9A04V52 \$ 5.99
#199-000-057DJ	0270000	Plunger Spring	All	9A03B18 \$ 3.99
#199-000-126DJ	0470000	Plunger Spring for Firing Pin	All	9A03X19 \$ 3.99
#199-000-366DJ	0370201	Power Extractor Assembly, Black, .40 S&W	All	9A70C00 \$ 87.50
#199-000-365DJ	0370101	Power Extractor Assembly, Black	.45	9A70H00 \$ 87.50
#199-000-367DJ	0370301	Power Extractor Assembly, Black	9mm	9A70D00 \$ 87.50
#199-000-368DJ	9370101	Power Extractor Assembly, SS	.45	9A75Z71 \$ 94.64
#199-000-369DJ	9370201	Power Extractor Assembly, SS	All	9A75A71 \$ 94.64
#199-000-370DJ	9370301	Power Extractor Assembly, SS	9mm	9A75Y71 \$ 94.64
#199-000-019DJ	0090200	Safety Lock, Ambidextrous, Blue	All	9A39T56 \$ 49.45
#199-000-144DJ	9090200	Safety Lock, Ambidextrous, SS	All	9A40P12 \$ 50.15
#199-000-143DJ	9090100	Safety Lock, SS	All	9A18C99 \$ 23.99
#199-000-018DJ	0090100	Safety Lock	All	9A18H26 \$ 22.99
#199-000-168DJ	9280000	Safety Lock Plunger, SS	All	9A04D15 \$ 5.99
#199-000-058DJ	0280000	Safety Lock Plunger	All	9A03Z44 \$ 4.49
#199-000-021DJ	0100100	Sear	All	9A12A82 \$ 16.99
#199-000-146DJ	9120000	Sear Pin, SS	All	9A04Y15 \$ 5.99
#199-000-026DJ	0120000	Sear Pin	All	9A03P56 \$ 4.99
#199-000-022DJ	0110100	Sear Spring	All	9A06U09 \$ 7.99
#199-000-327DJ	0330400	Sight, Front, Night	All	9A47A14 \$ 58.93
#199-000-351DJ	0340400	Sight, Rear, Night Sight	All	9A64V29 \$ 80.00
#199-000-185DJ	9320100	Slide Stop, SS	All	9A20B41 \$ 25.99
#199-000-072DJ	0320100	Slide Stop	All	9A17X56 \$ 21.99
#199-000-169DJ	9290000	Slide Stop Plunger, SS	All	9A04C15 \$ 5.99
#199-000-059DJ	0290000	Slide Stop Plunger	All	9A03H18 \$ 3.99
#199-000-056DJ	0260100	Trigger Bar Lever	All	9A04D49 \$ 5.99

P14.45/.45LTD

Other parts Listed Under P14.45/LTD, P16.40/LTD, P18.9 Common Parts Web Quick-Find Schematic #790				
#199-000-193DJ	9390100	Barrel, 5", SS	.45	9A140Z13 \$175.16
#199-000-211DJ	9420100	Barrel Bushing, NI	.45	9A14A70 \$ 18.99
#199-000-105DJ	0420100	Barrel Bushing	.45	9A14Y95 \$ 19.99
#199-000-034DJ	0170200	Ejector, Long	.45	9A13P49 \$ 16.99
#199-000-188DJ	9370100	Extractor, SS	.45	9A20U38 \$ 25.99
#199-000-082DJ	0370100	Extractor	.45	9A20A38 \$ 25.99
#199-000-186DJ	9350001	Firing Pin, SS	.45	9A07V53 \$ 9.99
#199-000-086DJ	0380200	Firing Pin Stop, LTD	.45	9A10B11 \$ 12.99
#199-000-192DJ	9380200	Firing Pin Stop, SS, LTD	.45	9A12D78 \$ 15.99

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#199-000-191DJ	9380100	Firing Pin Stop, SS	.45	9A10Z14 \$ 12.99
#199-000-085DJ	0380100	Firing Pin Stop	.45	9A08A33 \$ 10.99
#199-000-015DJ	0080200	Grip Safety, Beavertail, LTD	.45	9A27Y88 \$ 34.85
#199-000-017DJ	0081200	Grip Safety, Beavertail, LTD	.45	9A25T42 \$ 34.99
#199-000-140DJ	9080200	Grip Safety, Beavertail, SS, LTD	.45	9A28P95 \$ 36.19
#199-000-136DJ	9030200	Grip Screws, Set of 4, SS, LTD	.45	9A16U10 \$ 20.99
#199-000-002DJ	0020101	Grips, Pair, LTD	.45	9A43A10 \$ 53.87
#199-000-001DJ	0020100	Grips, Pair	.45	9A43V10 \$ 53.87
#199-000-148DJ	9130500	Hammer, SS, LTD	.45	9A24B70 \$ 30.99
#199-000-283DJ	0140001	Hammer Pin, LTD	.45	9A03X30 \$ 4.49
#199-000-286DJ	9140001	Hammer Pin, SS, LTD	.45	9A04C09 \$ 5.99
#199-000-149DJ	9140000	Hammer Pin, SS	.45	9A04H03 \$ 5.99
#199-000-029DJ	0140000	Hammer Pin	.45	9A03D18 \$ 3.99
#199-000-346DJ	PNM45	Magazine, 14-Round, Nickel	.45	9A44Z00 \$ 49.00
#199-000-310DJ	0220102	Mainspring Housing, Arched	.45	9A07A70 \$ 9.99
#199-000-048DJ	0220101	Mainspring Housing, Flat, Checkered	.45	9A07Y78 \$ 9.99
#199-000-120DJ	0450101	Recoil Spring Plug, Full Length, LTD	.45	9A08T14 \$ 10.99
#199-000-220DJ	9450101	Recoil Spring Plug, Full Length, SS, LTD	.45	9A09U73 \$ 12.99
#199-000-219DJ	9450100	Recoil Spring Plug, SS	.45	9A09A73 \$ 12.99
#199-000-119DJ	0450100	Recoil Spring Plug	.45	9A08V14 \$ 10.99
#199-000-074DJ	0330200	Sight, Front, Dovetail, Black, LTD	.45	9A17B56 \$ 21.99
#199-000-326DJ	0330300	Sight, Front, Dovetail	.45	9A17X14 \$ 21.99
#199-000-076DJ	0340200	Sight, Rear, Adjustable, LTD	.45	9A57C56 \$ 71.95
#199-000-075DJ	0340100	Sight, Rear, White Dot, Low Mount	.45	9A26H12 \$ 32.65
#199-000-336DJ	0040500	Trigger Assembly, Extended	.45	9A24D60 \$ 30.99

P16.40/.40LTD

Other parts Listed Under P14.45/LTD, P16.40/LTD, P18.9 Common Parts Web Quick-Find Schematic #790				
#199-000-197DJ	9390400	Barrel, 5", SS	.40 S&W	9A140Y82 \$175.99
#199-000-211DJ	9420100	Barrel Bushing, NI	.40 S&W	9A14T70 \$ 18.99
#199-000-105DJ	0420100	Barrel Bushing	.40 S&W	9A14P95 \$ 19.99
#199-000-154DJ	9170200	Ejector, Long, SS	.40 S&W	9A13U49 \$ 16.99
#199-000-034DJ	0170200	Ejector, Long	.40 S&W	9A13A49 \$ 16.99
#199-000-189DJ	9370200	Extractor, SS	.40 S&W	9A28V54 \$ 36.99
#199-000-083DJ	0370200	Extractor	.40 S&W	9A20B38 \$ 25.99
#199-000-187DJ	9350002	Firing Pin, SS	.40 S&W	9A06X90 \$ 9.99
#199-000-086DJ	0380200	Firing Pin Stop, LTD	.40 S&W	9A10C11 \$ 12.99
#199-000-192DJ	9380200	Firing Pin Stop, SS, LTD	.40 S&W	9A12H78 \$ 15.99
#199-000-191DJ	9380100	Firing Pin Stop, SS	.40 S&W	9A10D14 \$ 12.99
#199-000-085DJ	0380100	Firing Pin Stop	.40 S&W	9A08Z33 \$ 10.99
#199-000-015DJ	0080200	Grip Safety, Beavertail, LTD	.40 S&W	9A27A88 \$ 34.85
#199-000-017DJ	0081200	Grip Safety, Beavertail, LTD	.40 S&W	9A25Y42 \$ 34.99
#199-000-140DJ	9080200	Grip Safety, Beavertail, SS, LTD	.40 S&W	9A28T95 \$ 36.19
#199-000-010DJ	0030200	Grip Screws, Set of 4, LTD	.40 S&W	9A08P41 \$ 10.99
#199-000-136DJ	9030200	Grip Screws, Set of 4, SS, LTD	.40 S&W	9A16U10 \$ 20.99
#199-000-002DJ	0020101	Grips, Pair, LTD	.40 S&W	9A43A10 \$ 53.87
#199-000-001DJ	0020100	Grips, Pair	.40 S&W	9A43V10 \$ 53.87
#199-000-148DJ	9130500	Hammer, SS, LTD	.40 S&W	9A24B70 \$ 30.99
#199-000-283DJ	0140001	Hammer Pin, LTD	.40 S&W	9A03X30 \$ 4.49
#199-000-286DJ	9140001	Hammer Pin, SS, LTD	.40 S&W	9A04C09 \$ 5.99
#199-000-149DJ	9140000	Hammer Pin, SS	.40 S&W	9A04H03 \$ 5.99
#199-000-029DJ	0140000	Hammer Pin	.40 S&W	9A03D18 \$ 3.99
#199-000-347DJ	PNM40	Magazine, 16-Round	.40 S&W	9A44Z00 \$ 49.00
#199-000-310DJ	0220102	Mainspring Housing, Arched	.40 S&W	9A07A70 \$ 9.99
#199-000-048DJ	0220101	Mainspring Housing, Flat, Checkered	.40 S&W	9A07Y78 \$ 9.99
#199-000-109DJ	0430002	Recoil Spring	.40 S&W	9A08T09 \$ 10.11
#199-000-120DJ	0450101	Recoil Spring Plug, Full Length, LTD	.40 S&W	9A08P14 \$ 10.99

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#199-000-220DJ	9450101	Recoil Spring Plug, Full Length, SS, LTD	.40 S&W	9A09U73 \$ 12.99
#199-000-219DJ	9450100	Recoil Spring Plug, SS	.40 S&W	9A09A73 \$ 12.99
#199-000-119DJ	0450100	Recoil Spring Plug	.40 S&W	9A08V14 \$ 10.99
#199-000-074DJ	0330200	Sight, Front, Dovetail, Black, LTD	.40 S&W	9A17B56 \$ 21.99
#199-000-326DJ	0330300	Sight, Front, Dovetail	.40 S&W	9A17X14 \$ 21.99
#199-000-076DJ	0340200	Sight, Rear, Adjustable, LTD	.40 S&W	9A57C56 \$ 71.95
#199-000-075DJ	0340100	Sight, Rear, White Dot, Low Mount	.40 S&W	9A26H12 \$ 32.65
#199-000-336DJ	0040500	Trigger Assembly, Extended	.40 S&W	9A24D60 \$ 30.99

P18.9

Other parts Listed Under P14.45/LTD, P16.40/LTD, P18.9 Common Parts Web Quick-Find Schematic #790				
#199-000-206DJ	9391100	Barrel, 5", SS	9mm	9A140Z82 \$175.99
#199-000-211DJ	9420100	Barrel Bushing, NI	9mm	9A14A70 \$ 18.99
#199-000-154DJ	9170200	Ejector, Long, SS	9mm	9A13Y49 \$ 16.99
#199-000-034DJ	0170200	Ejector, Long	9mm	9A13T49 \$ 16.99
#199-000-190DJ	9370300	Extractor, SS	9mm	9A20P38 \$ 25.99
#199-000-084DJ	0370300	Extractor	9mm	9A20U38 \$ 25.99
#199-000-187DJ	9350002	Firing Pin, SS	9mm	9A06H90 \$ 9.99
#199-000-191DJ	9380100	Firing Pin Stop, SS	9mm	9A10D14 \$ 12.99
#199-000-085DJ	0380100	Firing Pin Stop	9mm	9A08T33 \$ 10.99
#199-000-001DJ	0020100	Grips, Pair	9mm	9A43P10 \$ 53.87
#199-000-149DJ	9140000	Hammer Pin, SS	9mm	9A04U03 \$ 5.99
#199-000-029DJ	0140000	Hammer Pin	9mm	9A03A18 \$ 3.99
#199-000-348DJ	PNM9	Magazine, 18-Round, Nickel	9mm	9A44V00 \$ 49.00
#199-000-310DJ	0220102	Mainspring Housing, Arched	9mm	9A07B70 \$ 9.99
#199-000-315DJ	0430007	Recoil Spring	9mm	9A07X98 \$ 9.99
#199-000-316DJ	0430011	Recoil Spring	9mm	9A07C70 \$ 9.99
#199-000-219DJ	9450100	Recoil Spring Plug, SS	9mm	9A09H73 \$ 12.99
#199-000-119DJ	0450100	Recoil Spring Plug	9mm	9A08D14 \$ 10.99
#199-000-326DJ	0330300	Sight, Front, Dovetail	9mm	9A17Z14 \$ 21.99
#199-000-076DJ	0340200	Sight, Rear, Adjustable, LTD	9mm	9A57A56 \$ 71.95
#199-000-336DJ	0040500	Trigger Assembly, Extended	9mm	9A24Y60 \$ 30.99

●●● 12.45 LDA & 14.40 LDA - Common Parts ●●●

#199-000-208DJ	9410001	Barrel Link, .010 Over Size, SS	All	9A04T30	\$ 5.99
#199-000-102DJ	0410001	Barrel Link, .010 Over Size	All	9A04P30	\$ 5.99
#199-000-209DJ	9410002	Barrel Link, .015 Over Size, SS	All	9A04U30	\$ 5.99
#199-000-103DJ	0410002	Barrel Link, .015 Over Size	All	9A04A30	\$ 5.99
#199-000-104DJ	0410003	Barrel Link, .020 Over Size	All	9A04V30	\$ 5.99
#199-000-210DJ	9410003	Barrel Link, .202 Over Size, SS	All	9A04B30	\$ 5.99
#199-000-101DJ	0410000	Barrel Link, Standard	All	9A04X30	\$ 5.99
#199-000-100DJ	0400000	Barrel Link Pin	All	9A03C18	\$ 3.98
#199-000-258DJ	0160100	Cocking Cam Assembly	All	9A12H41	\$ 15.49
#199-000-259DJ	0160200	Cocking Cam Pin	All	9A02D56	\$ 3.29
#199-000-170DJ	9300100	Disconnector, SS	All	9A14Z29	\$ 17.99
#199-000-262DJ	0640000	Drawbar	All	9A06A70	\$ 8.99
#199-000-263DJ	0600000	Drawbar Platform Spring	All	9A03Y44	\$ 4.49
#199-000-313DJ	0650000	Drawbar Support Platform	All	9A05T75	\$ 7.99
#199-000-154DJ	9170200	Ejector, Long, SS	All	9A13P49	\$ 16.99
#199-000-034DJ	0170200	Ejector, Long	All	9A13U49	\$ 16.99
#199-000-264DJ	0180100	Ejector Pin	All	9A03A03	\$ 3.99
#199-000-359DJ	0090500	Extended LDA Black Ambi Safety	All	9A39V43	\$ 49.29
#199-000-362DJ	0461000	Firing Pin Plunger, LDA	All	9A04B39	\$ 5.99
#199-000-125DJ	0460000	Firing Pin Plunger	All	9A05X53	\$ 6.99
#199-000-081DJ	0360000	Firing Pin Spring	All	9A03C57	\$ 4.49
#199-000-085DJ	0380100	Firing Pin Stop	All	9A08H33	\$ 10.99
#199-000-265DJ	0080400	Grip Safety, Beavertail, Blue	All	9A27D88	\$ 34.85

PARA-ORDNANCE

Para-Ordnance 12.45 LDA & 14.40 LDA continued				
STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#199-000-266DJ	9080400	Grip Safety, Beavertail, SS	All	9A28Z57 \$ 35.71
#199-000-282DJ	0140500	Hammer Assembly Pin	All	9A03T94 \$ 4.93
#199-000-287DJ	9140100	Hammer Pin, SS	All	9A03P50 \$ 4.49
#199-000-284DJ	0140100	Hammer Pin	All	9A03U04 \$ 3.80
#199-000-289DJ	0140400	Hammer Return Spring	All	9A03A94 \$ 4.99
#199-000-290DJ	0150300	Hammer Strut	All	9A03V64 \$ 4.99
#199-000-292DJ	0160001	Hammer Strut Pin	All	9A02B56 \$ 3.29
#199-000-293DJ	0050200	Magazine Catch, Double Stack, Blue	All	9A13X85 \$ 17.99
#199-000-296DJ	9050400	Magazine Catch, Double Stack, SS	All	9A15C67 \$ 19.99
#199-000-138DJ	9060100	Magazine Catch Lock, SS	All	9A04H65 \$ 5.99
#199-000-012DJ	0060100	Magazine Catch Lock	All	9A03D96 \$ 4.99
#199-000-013DJ	0070000	Magazine Catch Spring	All	9A03Z18 \$ 3.99
#199-000-301DJ	0521400	Magazine Floor Plate Retainer, Hi-Cap	All	9A05A86 \$ 7.99
#199-000-130DJ	0510100	Magazine Follower	All	9A07Y78 \$ 9.99
#199-000-303DJ	0500500	Magazine Pad, 10-Round, Polymer	All	9A10T03 \$ 12.99
#199-000-305DJ	0500502	Magazine Pad, L/E, Hi-Cap	All	9A10P03 \$ 12.54
#199-000-128DJ	0490003	Magazine Spring	All	9A07U78 \$ 9.73
#199-000-159DJ	9210000	Mainspring Cap Pin, SS	All	9A03A69 \$ 4.99
#199-000-046DJ	0210000	Mainspring Cap Pin	All	9A03V22 \$ 3.99
#199-000-164DJ	9230100	Mainspring Housing Pin, SS	All	9A04B16 \$ 5.99
#199-000-051DJ	0230100	Mainspring Housing Pin	All	9A02X87 \$ 3.99
#199-000-314DJ	0250200	Plunger Lever	All	9A04C39 \$ 5.99
#199-000-057DJ	0270000	Plunger Spring	All	9A03H18 \$ 3.99
#199-000-126DJ	0470000	Plunger Spring for Firing Pin	All	9A03U19 \$ 3.99
#199-000-366DJ	0370201	Power Extractor Assembly, Black, .40 S&W	All	9A70A00 \$ 87.50
#199-000-365DJ	0370101	Power Extractor Assembly, Black	.45	9A70V00 \$ 87.50
#199-000-367DJ	0370301	Power Extractor Assembly, Black	9mm	9A70B00 \$ 87.50
#199-000-368DJ	9370101	Power Extractor Assembly, SS	.45	9A75X71 \$ 94.64
#199-000-369DJ	9370201	Power Extractor Assembly, SS	All	9A75C71 \$ 94.64
#199-000-370DJ	9370301	Power Extractor Assembly, SS	9mm	9A75D71 \$ 94.64
#199-000-364DJ	9090500	Safety, Ambi, Extended, SS, LDA	All	9A40Z00 \$ 50.00
#199-000-320DJ	9090400	Safety Lock, Extended, SS	All	9A22A86 \$ 28.99
#199-000-319DJ	0090400	Safety Lock, Extended	All	9A17Y86 \$ 22.99
#199-000-321DJ	0620000	Safety Lock Lever	All	9A13T23 \$ 16.99
#199-000-168DJ	9280000	Safety Lock Plunger, SS	All	9A04P15 \$ 5.99
#199-000-058DJ	0280000	Safety Lock Plunger	All	9A03U44 \$ 4.49
#199-000-322DJ	0100300	Sear	All	9A12A38 \$ 15.99
#199-000-324DJ	9120100	Sear Pin, SS	All	9A04V33 \$ 5.99
#199-000-323DJ	0120100	Sear Pin	All	9A03B30 \$ 4.49
#199-000-325DJ	0110300	Sear Spring	All	9A05X25 \$ 6.99
#199-000-326DJ	0330300	Sight, Front, Dovetail	All	9A17D14 \$ 21.99
#199-000-327DJ	0330400	Sight, Front, Night	All	9A47Z14 \$ 58.93
#199-000-361DJ	0040600	Skeletonized SA Single Stack w/Overtravel Stop	All	9A24A29 \$ 30.99
#199-000-185DJ	9320100	Slide Stop, SS	All	9A20Y41 \$ 25.99
#199-000-072DJ	0320100	Slide Stop	All	9A17T56 \$ 21.99
#199-000-169DJ	9290000	Slide Stop Plunger, SS	All	9A04P15 \$ 5.99
#199-000-059DJ	0290000	Slide Stop Plunger	All	9A03U18 \$ 3.99
#199-000-360DJ	0630000	Straddle, LDA	All	9A05A83 \$ 7.99
#199-000-338DJ	0040400	Trigger Assembly	All	9A17D14 \$ 21.99
#199-000-339DJ	0040401	Trigger Pin	All	9A03Z04 \$ 3.99
#199-000-340DJ	0040402	Trigger Return Spring	All	9A03A03 \$ 3.99

12.45 LDA

Other parts Listed Under 12.45 LDA & 14.40 LDA Common Parts
Web Quick-Find Schematic #791

#199-000-203DJ	9390900	Barrel, 3-1/2", SS	.45	9A140P12 \$175.15
#199-000-188DJ	9370100	Extractor, SS	.45	9A20U38 \$ 25.99

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#199-000-082DJ	0370100	Extractor	.45	9A20A38 \$ 25.99
#199-000-186DJ	9350001	Firing Pin, SS	.45	9A07V53 \$ 9.99
#199-000-133DJ	0521300	Magazine Extension, 10-Round	.45	9A10B11 \$ 12.64
#199-000-306DJ	0490002	Magazine Spring	.45	9A07X70 \$ 9.63
#199-000-040DJ	0190003	Mainspring	.45	9A03C52 \$ 4.49
#199-000-158DJ	9200003	Mainspring Cap, SS	.45	9A04H16 \$ 5.99
#199-000-045DJ	0200003	Mainspring Cap	.45	9A02D87 \$ 3.99
#199-000-312DJ	0220301	Mainspring Housing, Flat, Checkered	.45	9A07Z69 \$ 9.99
#199-000-050DJ	0220300	Mainspring Housing, Flat	.45	9A04A64 \$ 5.99
#199-000-054DJ	0240003	Mainspring Retainer	.45	9A03Y57 \$ 4.49
#199-000-352DJ	0430012	Recoil Spring Assembly, 3.5" Barrel	.45	9A23T88 \$ 29.99
#199-000-222DJ	9450300	Recoil Spring Reverse Plug, w/Tab, SS	.45	9A09P73 \$ 12.99
#199-000-330DJ	0340500	Sight, Rear, Night	.45	9A64U29 \$ 80.36
#199-000-357DJ	0450400	Small Black Telescopic Plug	.45	9A10A48 \$ 13.99

14.40 LDA

Other parts Listed Under 12.45 LDA & 14.40 LDA Common Parts
Web Quick-Find Schematic #791

#199-000-211DJ	9420100	Barrel Bushing, NI	.40 S&W	9A14V70 \$ 18.99
#199-000-105DJ	0420100	Barrel Bushing	.40 S&W	9A14B95 \$ 19.99
#199-000-189DJ	9370200	Extractor, SS	.40 S&W	9A28X54 \$ 36.99
#199-000-083DJ	0370200	Extractor	.40 S&W	9A20C38 \$ 25.99
#199-000-187DJ	9350002	Firing Pin, SS	.40 S&W	9A06H90 \$ 9.99
#199-000-268DJ	0610000	Grip Safety Lever, Regular	.40 S&W	9A03D85 \$ 4.99
#199-000-274DJ	0020102	Grips, Pair	.40 S&W	9A41Z43 \$ 51.79
#199-000-131DJ	0521100	Magazine Extension	.40 S&W	9A10A15 \$ 12.99
#199-000-127DJ	0490001	Magazine Spring	.40 S&W	9A07Y33 \$ 9.99
#199-000-037DJ	0190000	Mainspring	.40 S&W	9A03T57 \$ 4.49
#199-000-156DJ	9200001	Mainspring Cap, SS	.40 S&W	9A04P17 \$ 5.99
#199-000-043DJ	0200001	Mainspring Cap	.40 S&W	9A02X87 \$ 3.99
#199-000-047DJ	0220100	Mainspring Housing, Arched	.40 S&W	9A07C81 \$ 9.99
#199-000-310DJ	0220102	Mainspring Housing, Arched	.40 S&W	9A07H70 \$ 9.99
#199-000-165DJ	9240001	Mainspring Retainer, SS	.40 S&W	9A04D65 \$ 5.99
#199-000-112DJ	0440100	Recoil Spring Guide	.40 S&W	9A08Z59 \$ 10.99
#199-000-219DJ	9450100	Recoil Spring Plug, SS	.40 S&W	9A09A73 \$ 12.99
#199-000-119DJ	0450100	Recoil Spring Plug	.40 S&W	9A08Y14 \$ 10.99
#199-000-075DJ	0340100	Sight, Rear, White Dot, Low Mount	.40 S&W	9A26T12 \$ 32.65
#199-000-357DJ	0450400	Small Black Telescopic Plug	.40 S&W	9A10P48 \$ 13.99

14.45LDA/LTD, 16.40LDA/LTD, 18.9LDA/LTD - CP

#199-000-208DJ	9410001	Barrel Link, .010 Over Size, SS	All	9A04U30 \$ 5.99
#199-000-209DJ	9410002	Barrel Link, .015 Over Size, SS	All	9A04A30 \$ 5.99
#199-000-210DJ	9410003	Barrel Link, .202 Over Size, SS	All	9A04V30 \$ 5.99
#199-000-100DJ	0400000	Barrel Link Pin	All	9A03B18 \$ 3.98
#199-000-258DJ	0160100	Cocking Cam Assembly	All	9A12X41 \$ 15.49
#199-000-259DJ	0160200	Cocking Cam Pin	All	9A02C56 \$ 3.29
#199-000-170DJ	9300100	Disconnecter, SS	All	9A14H29 \$ 17.99
#199-000-261DJ	0300200	Disconnecter Lever	All	9A03D64 \$ 4.99
#199-000-262DJ	0640000	Drawbar	All	9A06A70 \$ 8.99
#199-000-263DJ	0600000	Drawbar Platform Spring	All	9A03T44 \$ 4.49
#199-000-313DJ	0650000	Drawbar Support Platform	All	9A05A75 \$ 7.99
#199-000-359DJ	0090500	Extended LDA Black Ambi Safety	All	9A39Y43 \$ 49.29
#199-000-362DJ	0461000	Firing Pin Plunger, LDA	All	9A04T39 \$ 5.99
#199-000-265DJ	0080400	Grip Safety, Beavertail, Blue	All	9A27P88 \$ 34.85
#199-000-266DJ	9080400	Grip Safety, Beavertail, SS	All	9A28B57 \$ 35.71
#199-000-268DJ	0610000	Grip Safety Lever, Regular	All	9A03X85 \$ 4.99
#199-000-282DJ	0140500	Hammer Assembly Pin	All	9A03C94 \$ 4.93
#199-000-289DJ	0140400	Hammer Return Spring	All	9A03H94 \$ 4.99
#199-000-290DJ	0150300	Hammer Strut	All	9A03D64 \$ 4.99

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#199-000-292DJ	0160001	Hammer Strut Pin	All	9A02Z56 \$ 3.29
#199-000-293DJ	0050200	Magazine Catch, Double Stack, Blue	All	9A13A85 \$ 17.99
#199-000-296DJ	9050400	Magazine Catch, Double Stack, SS	All	9A15Y67 \$ 19.99
#199-000-138DJ	9060100	Magazine Catch Lock, SS	All	9A04T65 \$ 5.99
#199-000-012DJ	0060100	Magazine Catch Lock	All	9A03P96 \$ 4.99
#199-000-013DJ	0070000	Magazine Catch Spring	All	9A03U18 \$ 3.99
#199-000-131DJ	0521100	Magazine Extension	All	9A10A15 \$ 12.99
#199-000-301DJ	0521400	Magazine Floor Plate Retainer, Hi-Cap	All	9A05V86 \$ 7.99
#199-000-130DJ	0510100	Magazine Follower	All	9A07B78 \$ 9.99
#199-000-303DJ	0500500	Magazine Pad, 10-Round, Polymer	All	9A10X03 \$ 12.99
#199-000-305DJ	0500502	Magazine Pad, L/E, Hi-Cap	All	9A10C03 \$ 12.54
#199-000-127DJ	0490001	Magazine Spring	All	9A07H33 \$ 9.99
#199-000-128DJ	0490003	Magazine Spring	All	9A07D78 \$ 9.73
#199-000-037DJ	0190000	Mainspring	All	9A03Z57 \$ 4.49
#199-000-156DJ	9200001	Mainspring Cap, SS	All	9A04A17 \$ 5.99
#199-000-043DJ	0200001	Mainspring Cap	All	9A02Y87 \$ 3.99
#199-000-159DJ	9210000	Mainspring Cap Pin, SS	All	9A03T69 \$ 4.99
#199-000-046DJ	0210000	Mainspring Cap Pin	All	9A03P22 \$ 3.99
#199-000-164DJ	9230100	Mainspring Housing Pin, SS	All	9A04U16 \$ 5.99
#199-000-051DJ	0230100	Mainspring Housing Pin	All	9A02A87 \$ 3.99
#199-000-165DJ	9240001	Mainspring Retainer, SS	All	9A04V65 \$ 5.99
#199-000-052DJ	0240001	Mainspring Retainer	All	9A03Z52 \$ 4.99
#199-000-314DJ	0250200	Plunger Lever	All	9A04A39 \$ 5.99
#199-000-057DJ	0270000	Plunger Spring	All	9A03Y18 \$ 3.99
#199-000-126DJ	0470000	Plunger Spring for Firing Pin	All	9A03T19 \$ 3.99
#199-000-366DJ	0370201	Power Extractor Assembly, Black, .40 S&W	All	9A70P00 \$ 87.50
#199-000-365DJ	0370101	Power Extractor Assembly, Black	.45	9A70U00 \$ 87.50
#199-000-367DJ	0370301	Power Extractor Assembly, Black	9mm	9A70A00 \$ 87.50
#199-000-368DJ	9370101	Power Extractor Assembly, SS	.45	9A75V71 \$ 94.64
#199-000-369DJ	9370201	Power Extractor Assembly, SS	All	9A75D71 \$ 94.64
#199-000-370DJ	9370301	Power Extractor Assembly, SS	9mm	9A75Z71 \$ 94.64
#199-000-112DJ	0440100	Recoil Spring Guide	All	9A08A59 \$ 10.99
#199-000-364DJ	9090500	Safety, Ambi, Extended, SS, LDA	All	9A40T00 \$ 50.00
#199-000-320DJ	9090400	Safety Lock, Extended, SS	All	9A22C86 \$ 28.99
#199-000-319DJ	0090400	Safety Lock, Extended	All	9A17D86 \$ 22.99
#199-000-321DJ	0620000	Safety Lock Lever	All	9A13Z23 \$ 16.99
#199-000-168DJ	9280000	Safety Lock Plunger, SS	All	9A04A15 \$ 5.99
#199-000-058DJ	0280000	Safety Lock Plunger	All	9A03Y44 \$ 4.49
#199-000-322DJ	0100300	Sear	All	9A12T38 \$ 15.99
#199-000-324DJ	9120100	Sear Pin, SS	All	9A04P33 \$ 5.99
#199-000-323DJ	0120100	Sear Pin	All	9A03U30 \$ 4.49
#199-000-325DJ	0110300	Sear Spring	All	9A05A25 \$ 6.99
#199-000-327DJ	0330400	Sight, Front, Night	All	9A47V14 \$ 58.93
#199-000-361DJ	0040600	Skeletonized SA Single Stack w/Overtravel Stop	All	9A24B29 \$ 30.99
#199-000-185DJ	9320100	Slide Stop, SS	All	9A20X41 \$ 25.99
#199-000-072DJ	0320100	Slide Stop	All	9A17C56 \$ 21.99
#199-000-169DJ	9290000	Slide Stop Plunger, SS	All	9A04H15 \$ 5.99
#199-000-059DJ	0290000	Slide Stop Plunger	All	9A03D18 \$ 3.99
#199-000-360DJ	0630000	Straddle, LDA	All	9A05Z83 \$ 7.99
#199-000-338DJ	0040400	Trigger Assembly	All	9A17A14 \$ 21.99
#199-000-339DJ	0040401	Trigger Pin	All	9A03Y04 \$ 3.99
#199-000-340DJ	0040402	Trigger Return Spring	All	9A03T03 \$ 3.99

14.45LDA/.45LDA LTD

Other parts Listed Under 14.45LDA/LTD, 16.40LDA/LTD, 18.9LDA/LTD Common Parts
Web Quick-Find Schematic #792

#199-000-193DJ	9390100	Barrel, 5", SS	.45	9A140U13 \$175.16
#199-000-211DJ	9420100	Barrel Bushing, NI	.45	9A14A70 \$ 18.99
#199-000-105DJ	0420100	Barrel Bushing	.45	9A14V95 \$ 19.99



PARA-ORDNANCE

Para-Ordnance 14.45LDA/.45LDA LTD continued					
STOCK #	FAC.#	DESCRIPTION	CAL./GA.		PRICE
#199-000-102DJ	0410001	Barrel Link, .010 Over Size	.45	9A04B30	\$ 5.99
#199-000-103DJ	0410002	Barrel Link, .015 Over Size	.45	9A04X30	\$ 5.99
#199-000-104DJ	0410003	Barrel Link, .020 Over Size	.45	9A04C30	\$ 5.99
#199-000-101DJ	0410000	Barrel Link, Standard	.45	9A04H30	\$ 5.99
#199-000-034DJ	0170200	Ejector, Long	.45	9A13D49	\$ 16.99
#199-000-264DJ	0180100	Ejector Pin	.45	9A03Z03	\$ 3.99
#199-000-188DJ	9370100	Extractor, SS	.45	9A20A38	\$ 25.99
#199-000-082DJ	0370100	Extractor	.45	9A20Y38	\$ 25.99
#199-000-186DJ	9350001	Firing Pin, SS	.45	9A07T53	\$ 9.99
#199-000-125DJ	0460000	Firing Pin Plunger	.45	9A05P53	\$ 6.99
#199-000-081DJ	0360000	Firing Pin Spring	.45	9A03U57	\$ 4.49
#199-000-191DJ	9380100	Firing Pin Stop, SS	.45	9A10A14	\$ 12.99
#199-000-085DJ	0380100	Firing Pin Stop	.45	9A08V33	\$ 10.99
#199-000-010DJ	0030200	Grip Screws, Set of 4, LTD	.45	9A08B41	\$ 10.99
#199-000-136DJ	9030200	Grip Screws, Set of 4, SS, LTD	.45	9A16X10	\$ 20.99
#199-000-274DJ	0020102	Grips, Pair	.45	9A41C43	\$ 51.79
#199-000-275DJ	0020103	Grips, Pair	.45	9A41H43	\$ 51.79
#199-000-281DJ	9130400	Hammer, SS	.45	9A34D29	\$ 42.86
#199-000-279DJ	0130400	Hammer	.45	9A32Z86	\$ 41.08
#199-000-287DJ	9140100	Hammer Pin, SS	.45	9A03A50	\$ 4.49
#199-000-288DJ	9140101	Hammer Pin, SS	.45	9A04Y61	\$ 5.76
#199-000-284DJ	0140100	Hammer Pin	.45	9A03T04	\$ 3.80
#199-000-285DJ	0140101	Hammer Pin	.45	9A03P30	\$ 4.49
#199-000-047DJ	0220100	Mainspring Housing, Arched	.45	9A07U81	\$ 9.99
#199-000-310DJ	0220102	Mainspring Housing, Arched	.45	9A07A70	\$ 9.99
#199-000-048DJ	0220101	Mainspring Housing, Flat, Checkered	.45	9A07V78	\$ 9.99
#199-000-108DJ	0430001	Recoil Spring	.45	9A07B97	\$ 9.99
#199-000-120DJ	0450101	Recoil Spring Plug, Full Length, LTD	.45	9A08X14	\$ 10.99
#199-000-220DJ	9450101	Recoil Spring Plug, Full Length, SS, LTD	.45	9A09C73	\$ 12.99
#199-000-219DJ	9450100	Recoil Spring Plug, SS	.45	9A09H73	\$ 12.99
#199-000-119DJ	0450100	Recoil Spring Plug	.45	9A08D14	\$ 10.99
#199-000-074DJ	0330200	Sight, Front, Dovetail, Black, LTD	.45	9A17Z56	\$ 21.99
#199-000-326DJ	0330300	Sight, Front, Dovetail	.45	9A17A14	\$ 21.99
#199-000-076DJ	0340200	Sight, Rear, Adjustable, LTD	.45	9A57Y56	\$ 71.95
#199-000-075DJ	0340100	Sight, Rear, White Dot, Low Mount	.45	9A26T12	\$ 32.65

16.40LDA/.40LDA LTD

Other parts Listed Under 14.45LDA/LTD, 16.40LDA/LTD, 18.9LDA/LTD Common Parts Web Quick-Find Schematic #790					
#199-000-197DJ	9390400	Barrel, 5", SS	.40 S&W	9A140P82	\$175.99
#199-000-211DJ	9420100	Barrel Bushing, NI	.40 S&W	9A14U70	\$ 18.99
#199-000-105DJ	0420100	Barrel Bushing	.40 S&W	9A14A95	\$ 19.99
#199-000-102DJ	0410001	Barrel Link, .010 Over Size	.40 S&W	9A04V30	\$ 5.99
#199-000-103DJ	0410002	Barrel Link, .015 Over Size	.40 S&W	9A04B30	\$ 5.99
#199-000-104DJ	0410003	Barrel Link, .020 Over Size	.40 S&W	9A04X30	\$ 5.99
#199-000-101DJ	0410000	Barrel Link, Standard	.40 S&W	9A04C30	\$ 5.99
#199-000-154DJ	9170200	Ejector, Long, SS	.40 S&W	9A13H49	\$ 16.99
#199-000-034DJ	0170200	Ejector, Long	.40 S&W	9A13T49	\$ 16.99
#199-000-264DJ	0180100	Ejector Pin	.40 S&W	9A03P03	\$ 3.99
#199-000-082DJ	0370100	Extractor	.40 S&W	9A20U38	\$ 25.99
#199-000-187DJ	9350002	Firing Pin, SS	.40 S&W	9A06A90	\$ 9.99
#199-000-125DJ	0460000	Firing Pin Plunger	.40 S&W	9A05V53	\$ 6.99
#199-000-081DJ	0360000	Firing Pin Spring	.40 S&W	9A03B57	\$ 4.49
#199-000-191DJ	9380100	Firing Pin Stop, SS	.40 S&W	9A10A14	\$ 12.99
#199-000-085DJ	0380100	Firing Pin Stop	.40 S&W	9A08Y33	\$ 10.99
#199-000-010DJ	0030200	Grip Screws, Set of 4, LTD	.40 S&W	9A08T41	\$ 10.99
#199-000-136DJ	9030200	Grip Screws, Set of 4, SS, LTD	.40 S&W	9A16P10	\$ 20.99
#199-000-274DJ	0020102	Grips, Pair	.40 S&W	9A41U43	\$ 51.79
#199-000-275DJ	0020103	Grips, Pair	.40 S&W	9A41A43	\$ 51.79

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#199-000-281DJ	9130400	Hammer, SS	.40 S&W	9A34V29 \$ 42.86
#199-000-279DJ	0130400	Hammer	.40 S&W	9A32B86 \$ 41.08
#199-000-287DJ	9140100	Hammer Pin, SS	.40 S&W	9A03X50 \$ 4.49
#199-000-288DJ	9140101	Hammer Pin, SS	.40 S&W	9A04H61 \$ 5.76
#199-000-284DJ	0140100	Hammer Pin	.40 S&W	9A03D04 \$ 3.80
#199-000-285DJ	0140101	Hammer Pin	.40 S&W	9A03Z30 \$ 4.49
#199-000-229DJ	PNM40R	Magazine, 10-Round, Nickel	.40 S&W	9A47A53 \$ 59.99
#199-000-047DJ	0220100	Mainspring Housing, Arched	.40 S&W	9A07Y81 \$ 9.99
#199-000-310DJ	0220102	Mainspring Housing, Arched	.40 S&W	9A07T70 \$ 9.99
#199-000-048DJ	0220101	Mainspring Housing, Flat, Checkered	.40 S&W	9A07P78 \$ 9.99
#199-000-108DJ	0430001	Recoil Spring	.40 S&W	9A07U97 \$ 9.99
#199-000-315DJ	0430007	Recoil Spring	.40 S&W	9A07A98 \$ 9.99
#199-000-120DJ	0450101	Recoil Spring Plug, Full Length, LTD	.40 S&W	9A08V14 \$ 10.99
#199-000-220DJ	9450101	Recoil Spring Plug, Full Length, SS, LTD	.40 S&W	9A09B73 \$ 12.99
#199-000-219DJ	9450100	Recoil Spring Plug, SS	.40 S&W	9A09X73 \$ 12.99
#199-000-119DJ	0450100	Recoil Spring Plug	.40 S&W	9A08C14 \$ 10.99
#199-000-074DJ	0330200	Sight, Front, Dovetail, Black, LTD	.40 S&W	9A17H56 \$ 21.99
#199-000-326DJ	0330300	Sight, Front, Dovetail	.40 S&W	9A17D14 \$ 21.99
#199-000-076DJ	0340200	Sight, Rear, Adjustable, LTD	.40 S&W	9A57Z56 \$ 71.95
#199-000-075DJ	0340100	Sight, Rear, White Dot, Low Mount	.40 S&W	9A26A12 \$ 32.65
18.9LDA/.9LDA LTD				
Other parts Listed Under 14.45LDA/LTD, 16.40LDA/LTD, 18.9LDA/LTD Common Parts Web Quick-Find Schematic #790				
#199-000-206DJ	9391100	Barrel, 5", SS	9mm	9A140Y82 \$175.99
#199-000-211DJ	9420100	Barrel Bushing, NI	9mm	9A14T70 \$ 18.99
#199-000-102DJ	0410001	Barrel Link, .010 Over Size	9mm	9A04P30 \$ 5.99
#199-000-103DJ	0410002	Barrel Link, .015 Over Size	9mm	9A04U30 \$ 5.99
#199-000-104DJ	0410003	Barrel Link, .020 Over Size	9mm	9A04A30 \$ 5.99
#199-000-101DJ	0410000	Barrel Link, Standard	9mm	9A04V30 \$ 5.99
#199-000-010DJ	0030200	Grip Screws, Set of 4, LTD	9mm	9A08B41 \$ 10.99
#199-000-136DJ	9030200	Grip Screws, Set of 4, SS, LTD	9mm	9A16X10 \$ 20.99
#199-000-275DJ	0020103	Grips, Pair	9mm	9A41C43 \$ 51.79
#199-000-281DJ	9130400	Hammer, SS	9mm	9A34H29 \$ 42.86
#199-000-279DJ	0130400	Hammer	9mm	9A32D86 \$ 41.08
#199-000-288DJ	9140101	Hammer Pin, SS	9mm	9A04Z61 \$ 5.76
#199-000-285DJ	0140101	Hammer Pin	9mm	9A03A30 \$ 4.49
#199-000-048DJ	0220101	Mainspring Housing, Flat, Checkered	9mm	9A07Y78 \$ 9.99
#199-000-315DJ	0430007	Recoil Spring	9mm	9A07T98 \$ 9.99
#199-000-120DJ	0450101	Recoil Spring Plug, Full Length, LTD	9mm	9A08P14 \$ 10.99
#199-000-220DJ	9450101	Recoil Spring Plug, Full Length, SS, LTD	9mm	9A09U73 \$ 12.99
#199-000-074DJ	0330200	Sight, Front, Dovetail, Black, LTD	9mm	9A17A56 \$ 21.99
#199-000-076DJ	0340200	Sight, Rear, Adjustable, LTD	9mm	9A57Y56 \$ 71.95
●●● C6.45 LDA & C7.45 LDA - Common Parts ●●●				
#199-000-208DJ	9410001	Barrel Link, .010 Over Size, SS	All	9A04B30 \$ 5.99
#199-000-209DJ	9410002	Barrel Link, .015 Over Size, SS	All	9A04X30 \$ 5.99
#199-000-210DJ	9410003	Barrel Link, .202 Over Size, SS	All	9A04C30 \$ 5.99
#199-000-258DJ	0160100	Cocking Cam Assembly	All	9A12H41 \$ 15.49
#199-000-259DJ	0160200	Cocking Cam Pin	All	9A02D56 \$ 3.29
#199-000-170DJ	9300100	Disconnecter, SS	All	9A14Z29 \$ 17.99
#199-000-261DJ	0300200	Disconnecter Lever	All	9A03A64 \$ 4.99
#199-000-262DJ	0640000	Drawbar	All	9A06Y70 \$ 8.99
#199-000-263DJ	0600000	Drawbar Platform Spring	All	9A03T44 \$ 4.49

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#199-000-313DJ	0650000	Drawbar Support Platform	All	9A05P75 \$ 7.99
#199-000-154DJ	9170200	Ejector, Long, SS	All	9A13U49 \$ 16.99
#199-000-264DJ	0180100	Ejector Pin	All	9A03A03 \$ 3.99
#199-000-359DJ	0090500	Extended LDA Black Ambi Safety	All	9A39V43 \$ 49.29
#199-000-188DJ	9370100	Extractor, SS	All	9A20B38 \$ 25.99
#199-000-186DJ	9350001	Firing Pin, SS	All	9A07X53 \$ 9.99
#199-000-362DJ	0461000	Firing Pin Plunger, LDA	All	9A04C39 \$ 5.99
#199-000-125DJ	0460000	Firing Pin Plunger	All	9A05H53 \$ 6.99
#199-000-081DJ	0360000	Firing Pin Spring	All	9A03D57 \$ 4.49
#199-000-191DJ	9380100	Firing Pin Stop, SS	All	9A10Z14 \$ 12.99
#199-000-085DJ	0380100	Firing Pin Stop	All	9A08A33 \$ 10.99
#199-000-266DJ	9080400	Grip Safety, Beavertail, SS	All	9A28Y57 \$ 35.71
#199-000-353DJ	0080500	Grip Safety, Snag Free, Carry, Small, Black	All	9A27T81 \$ 34.76
#199-000-273DJ	9030501	Grip Screw Bushing, SS	All	9A06P67 \$ 8.99
#199-000-272DJ	9030500	Grip Screws, Set of 4, SS	All	9A06U67 \$ 8.99
#199-000-282DJ	0140500	Hammer Assembly Pin	All	9A03A94 \$ 4.93
#199-000-287DJ	9140100	Hammer Pin, SS	All	9A03V50 \$ 4.49
#199-000-284DJ	0140100	Hammer Pin	All	9A03B04 \$ 3.80
#199-000-289DJ	0140400	Hammer Return Spring	All	9A03X94 \$ 4.99
#199-000-290DJ	0150300	Hammer Strut	All	9A03H64 \$ 4.99
#199-000-292DJ	0160001	Hammer Strut Pin	All	9A02D56 \$ 3.29
#199-000-294DJ	0050300	Magazine Catch, Single Stack, Blue	All	9A10Z77 \$ 13.99
#199-000-297DJ	9050300	Magazine Catch, Single Stack, SS	All	9A11A92 \$ 14.99
#199-000-138DJ	9060100	Magazine Catch Lock, SS	All	9A04Y65 \$ 5.99
#199-000-012DJ	0060100	Magazine Catch Lock	All	9A03T96 \$ 4.99
#199-000-013DJ	0070000	Magazine Catch Spring	All	9A03P18 \$ 3.99
#199-000-301DJ	0521400	Magazine Floor Plate Retainer, Hi-Cap	All	9A05U86 \$ 7.99
#199-000-299DJ	0520101	Magazine Floor Plate Retainer	All	9A05A00 \$ 6.99
#199-000-302DJ	0510200	Magazine Follower	All	9A07V48 \$ 9.35
#199-000-303DJ	0500500	Magazine Pad, 10-Round, Polymer	All	9A10B03 \$ 12.99
#199-000-305DJ	0500502	Magazine Pad, L/E, Hi-Cap	All	9A10X03 \$ 12.54
#199-000-159DJ	9210000	Mainspring Cap Pin, SS	All	9A03C69 \$ 4.99
#199-000-046DJ	0210000	Mainspring Cap Pin	All	9A03H22 \$ 3.99
#199-000-164DJ	9230100	Mainspring Housing Pin, SS	All	9A04D16 \$ 5.99
#199-000-051DJ	0230100	Mainspring Housing Pin	All	9A02Z87 \$ 3.99
#199-000-054DJ	0240003	Mainspring Retainer	All	9A03A57 \$ 4.49
#199-000-314DJ	0250200	Plunger Lever	All	9A04Y39 \$ 5.99
#199-000-057DJ	0270000	Plunger Spring	All	9A03T18 \$ 3.99
#199-000-126DJ	0470000	Plunger Spring for Firing Pin	All	9A03P19 \$ 3.99
#199-000-366DJ	0370201	Power Extractor Assembly, Black, .40 S&W	All	9A70U00 \$ 87.50
#199-000-365DJ	0370101	Power Extractor Assembly, Black	.45	9A70A00 \$ 87.50
#199-000-367DJ	0370301	Power Extractor Assembly, Black	9mm	9A70V00 \$ 87.50
#199-000-368DJ	9370101	Power Extractor Assembly, SS	.45	9A75B71 \$ 94.64
#199-000-369DJ	9370201	Power Extractor Assembly, SS	All	9A75Y71 \$ 94.64
#199-000-370DJ	9370301	Power Extractor Assembly, SS	9mm	9A75T71 \$ 94.64
#199-000-364DJ	9090500	Safety, Ambi, Extended, SS, LDA	All	9A40P00 \$ 50.00
#199-000-320DJ	9090400	Safety Lock, Extended, SS	All	9A22U86 \$ 28.99
#199-000-319DJ	0090400	Safety Lock, Extended	All	9A17A86 \$ 22.99
#199-000-321DJ	0620000	Safety Lock Lever	All	9A13V23 \$ 16.99
#199-000-168DJ	9280000	Safety Lock Plunger, SS	All	9A04B15 \$ 5.99
#199-000-058DJ	0280000	Safety Lock Plunger	All	9A03X44 \$ 4.49
#199-000-322DJ	0100300	Sear	All	9A12C38 \$ 15.99
#199-000-324DJ	9120100	Sear Pin, SS	All	9A04H33 \$ 5.99
#199-000-323DJ	0120100	Sear Pin	All	9A03D30 \$ 4.49
#199-000-325DJ	0110300	Sear Spring	All	9A05Z25 \$ 6.99
#199-000-326DJ	0330300	Sight, Front, Dovetail	All	9A

PARA-ORDNANCE

Para-Ordnance C6.45 LDA & C7.45 LDA continued

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#199-000-334DJ	9320300	Slide Stop, SS	All	9A20U00 \$ 25.99
#199-000-169DJ	9290000	Slide Stop Plunger, SS	All	9A04A15 \$ 5.99
#199-000-059DJ	0290000	Slide Stop Plunger	All	9A03V18 \$ 3.99
#199-000-360DJ	0630000	Straddle, LDA	All	9A05B83 \$ 7.99
#199-000-338DJ	0040400	Trigger Assembly	All	9A17X14 \$ 21.99
#199-000-339DJ	0040401	Trigger Pin	All	9A03C04 \$ 3.99
#199-000-340DJ	0040402	Trigger Return Spring	All	9A03H03 \$ 3.99

C6.45LDA

Other parts Listed Under C6.45 LDA & C7.45 LDA Common Parts
Web Quick-Find Schematic #786

#199-000-200DJ	9390600	Barrel, 3", SS	.45	9A140D38 \$175.48
#199-000-267DJ	9080500	Grip Safety, Bobbed	.45	9A28Z57 \$ 35.71
#199-000-269DJ	0610100	Grip Safety Lever, Small	.45	9A03A85 \$ 4.99
#199-000-277DJ	0020600	Grips, Pair	.45	9A70Y40 \$ 88.00
#199-000-350DJ	PNM645P	Magazine, 6-Round	.45	9A49T66 \$ 62.07
#199-000-040DJ	0190003	Mainspring	.45	9A03P52 \$ 4.49
#199-000-158DJ	9200003	Mainspring Cap, SS	.45	9A04U16 \$ 5.99
#199-000-045DJ	0200003	Mainspring Cap	.45	9A02A87 \$ 3.99
#199-000-050DJ	0220300	Mainspring Housing, Flat	.45	9A04V64 \$ 5.99
#199-000-111DJ	0430004	Recoil Spring	.45	9A07B78 \$ 9.99

C7.45LDA

Other parts Listed Under C6.45 LDA & C7.45 LDA Common Parts
Web Quick-Find Schematic #786

#199-000-203DJ	9390900	Barrel, 3-1/2", SS	.45	9A140X12 \$175.15
#199-000-253DJ	0390102	Barrel, 5", Blue	.45	9A122C86 \$153.58
#199-000-254DJ	9390102	Barrel, 5", SS	.45	9A140H32 \$175.40
#199-000-211DJ	9420100	Barrel Bushing, NI	.45	9A14D70 \$ 18.99
#199-000-102DJ	0410001	Barrel Link, .010 Over Size	.45	9A04Z30 \$ 5.99
#199-000-103DJ	0410002	Barrel Link, .015 Over Size	.45	9A04A30 \$ 5.99
#199-000-104DJ	0410003	Barrel Link, .020 Over Size	.45	9A04Y30 \$ 5.99
#199-000-101DJ	0410000	Barrel Link, Standard	.45	9A04T30 \$ 5.99
#199-000-034DJ	0170200	Ejector, Long	.45	9A13P49 \$ 16.99
#199-000-082DJ	0370100	Extractor	.45	9A20U38 \$ 25.99
#199-000-265DJ	0080400	Grip Safety, Beavertail, Blue	.45	9A27A88 \$ 34.85
#199-000-268DJ	0610000	Grip Safety Lever, Regular	.45	9A03V85 \$ 4.99
#199-000-276DJ	0020200	Grips, Pair	.45	9A43B26 \$ 54.08
#199-000-355DJ	PCN745	Magazine, 7-Round, Nickel	.45	9A28X57 \$ 35.71
#199-000-309DJ	0490006	Magazine Spring	.45	9A06C83 \$ 8.99
#199-000-039DJ	0190002	Mainspring	.45	9A03H52 \$ 4.49
#199-000-157DJ	9200002	Mainspring Cap, SS	.45	9A04D16 \$ 5.99
#199-000-044DJ	0200002	Mainspring Cap	.45	9A02Z87 \$ 3.99
#199-000-311DJ	0220201	Mainspring Housing, Flat, Checkered	.45	9A07A70 \$ 9.99
#199-000-049DJ	0220200	Mainspring Housing, Flat	.45	9A04Y61 \$ 5.76
#199-000-352DJ	0430012	Recoil Spring Assembly, 3.5" Barrel	.45	9A23T88 \$ 29.99
#199-000-357DJ	0450400	Small Black Telescopic Plug	.45	9A10P48 \$ 13.99

FOR A COMPLETE LISTING OF FACTORY PARTS

GO ONLINE!

WWW.BROWNELLS.COM

ALWAYS GIVING YOU MORE!



The image shows two catalogs. The left one is the 'Brownells Law Enforcement' catalog, featuring a cover with three police officers in tactical gear. The right one is the 'Sinclair International' catalog, featuring a green Sinclair reloading press and various reloading components. Both catalogs are prominently displayed against a dark, textured background.

THAT'S VALUE...THAT'S BROWNELLS.



BROWNELLS
LE • DEFENSE • SECURITY






Sinclair
INTERNATIONAL
A BROWNELLS Company

Shop online at brownells.com

It's Simple, 100% Secure, and now
Faster than ever. Here's how:

Ordering an item from the Brownells Online Store is fast and easy. For example, let's say you are looking for J-B® Bore Bright.

- 1 Open your web browser and type **brownells.com** in the address box to access the Brownells website homepage.
- 2 In the **Search** box, type the product name or stock number (from your Brownells catalog) of the item you wish to find. Click the **Search** button. Your search results will appear. Click on the product image to view the product page. If you do not have the stock number or know the name of your item, you can also browse by category using the top tabs or left navigation menu.
- 3 Scroll to the bottom of the product page to view the **Stock Number, Description, Quantity, and Price**. If there are specific restrictions for the product, these will also appear under the **Notice** link. If you wish to purchase the product, click the **Add** button. The merchandise will automatically be added to your Shopping Cart. You can also add them to your Wish List or Favorites for fast re-ordering.
- 4 When you are finished shopping, click the **View Cart** link at the top right-hand corner of the screen to begin the Checkout process.
- 5 The Checkout screen allows you to view all selected merchandise in your Shopping Cart, modify your order, if needed, and confirm your order total. When you are ready to checkout, click the **Checkout** button.



Just **\$12.95** to ship your order anywhere in the United States including Hawaii, Alaska, Puerto Rico and U.S. Virgin Islands. Fill your order with as many items as you can (limit 5 lbs.), it's still just \$12.95.



- With our **One-Rate Shipping Program**, our Order Takers can give you your complete total at the end of your call. No guessing at total shipping charges. **It's \$12.95**
- Back Order Shipping Charges are **FREE!** Back Ordered items will be shipped by **Standard** service.

You also have three more great options for delivery:

- **2nd Day Shipping** - For just \$12.00 more (total of \$24.95) you can upgrade to 2nd Day Shipping for faster service at a low, low price.
- **Next Day Air** - If you really need your order in a hurry, it's just \$39.95 total to get your order there the very next day.
- **Special Small Package Rate** - For only \$5.95 you can ship any order with a packaged weight of 16 oz. or less.

CUSTOMER PRIVACY & SECURITY POLICY

When you do business with Brownells you don't have to worry that your personal information will become common knowledge because we value your trust above all. Our privacy and security policy is very simple. **We do not sell, distribute or give out customers' names or other private information to anyone at any time.** It has always been our policy to hold all customer information in the strictest confidence.

When you decide to use your credit card to pay for any purchase, your credit card and personal information are completely safe, and private, with us. Credit card security for our Website is handled by VeriSign, Inc., the world's leading provider of digital trust services. We make use of the latest 128-bit security encryption technology any time we ask for your name, address, e-mail address, credit card info or telephone number. Our servers are equipped with the latest dual application firewalls, hack detection and anti-virus technology to make certain your private information stays private and secure.

TOLL-FREE ORDER LINE:
800-741-0015

BROWNELLS®

SELECTION. SERVICE. SATISFACTION.®

World's Largest Supplier of Firearms Accessories and Gunsmithing Tools™

200 S. Front St. Montezuma, IA 50171

800-741-0015 • brownells.com



BROWNELLS mobile

Scan this QR code into your web enabled mobile phone to surf and make purchases at the mobile version of **Brownells.com**. All with the complete security and convenience you've come to expect from Brownells!

Customer Number



Source Code



PRSR STD
U.S. POSTAGE
PAID
Brownells



NEW

1. MINOTAUR MTAC HOLSTER

\$86.99 - See Page 60

2. KART PRECISION BARREL

\$149.99 - See Page 5

NEW

3. WL1 AA WEAPON LIGHT

\$199.99 - See Page 60

4. MAINSPRING HOUSING PIN TOOL

\$24.99 - See Page 52

5. 1911 AUTO SEAR STONING FIXTURE

\$34.99 - See Page 55

6. WILSON COMBAT 1911 MAGAZINE KIT

\$94.99 - See Page 26