

BROWNELLS®

SELECTION. SERVICE. SATISFACTION.



AR-15 M16

& AR-TYPE .308

800-741-0015 • brownells.com



World's Largest Supplier of Firearms Accessories and Gunsmithing Tools™



Dear Folks:

We're delighted to be sending you our latest AR-15/M16 catalog – #8 in the series. The amazing popularity of the AR platform as a sporting and competition rifle has been fun to see develop. And, the awe-inspiring updates, innovations, and accessorizing that have come out lately allow you to trick it out into almost any configuration you can imagine – not only the traditional .223/5.56 platform, but now .22 LR, 6.8, and .308.

In this catalog we have 96 pages packed with over 2,000 AR-specific products for you to choose from, plus about 250 brand new ones not in previous catalogs. Featuring such things as new Custom build-out guns, this year including a "Zombie" upper receiver – a real hit at the SHOT Show – complete with Zombie Ammo, some highly refined products from light mounts to mid-length gas systems, modular handguards with optional rails, and lots of things for the .308 platform as well.

We also have some new optics and low-power illuminated scopes with reticles specifically designed for the AR. Plus, two pages dedicated just to ammo – stuff everyone loves to look at and pick over. Your customers are becoming more savvy about all the trendy add-ons and accessories, and we've got it all for you. Just in case you haven't noticed, the AR platforms are more and more popular in the field, and they're always part of the 3-gun matches that are becoming today's fastest growing competitions.

If you're not building them for your own use or doing custom builds for your customers, you're missing out on a whole lot of fun. The options available and the amazing number of ways you can customize, configure and tweak them is staggering. Use our **AR15builder.com** site to make it simple and easy, and to see the final gun fitted out exactly the way you want. Just an extraordinary way to "pre-build" your dream gun and keep fiddling with it until you get it exactly right without any bench time or money spent. You'll love working with it. Oh, and you can order by calling **800-741-0015** or from **brownells.com**. We'd love to hear from you.

Selection. Service. Satisfaction. Principles that were important to my dad, when he started the company back in 1939 – and they're especially important to Pete and me now. Old-fashioned ideas, I know. But it's what you want and expect from us.

Our commitment to having the widest Selection of products and the very best customer Service is why we prepay shipping on back-ordered items, handle returns without restocking charges, and accept any size order without extra fees. You reach a real person on the phone and bench-trained Gun Techs to help you get your projects right. And our *guarantee – it's not just 100%... it's forever.* Full refund or exchange, your choice.

Very Best,

Frank B. Pete

Frank Brownell Pete Brownell



The horizontal catalog format is a trademark of Brownells.®

INDEX

Accessory Mounts	77-80
Ammunition	95-96
Barrels	15-16
Bipods	91-93
Bolt & Mag Releases	26-27
Bolts & Carriers	9-11
Books & Videos	76-77
Caliber Conversions	7-9
Charging Handles	25-26
Cleaning Supplies	66-68
Comps/Flash Hiders	16-20
Gas Blocks & Tubes	11-14
Gas Piston Kits & Uppers	14-15
Gun Cases	64-65
Gunsmithing Tools	68-76
Handguards	36-42
Late New Arrivals	93-94
Lights/Lasers	85-86
Lower Receivers	4-7
Magazine Accessories	51-54
Magazines & Parts	45-51
Optics & Accessories	86-91
Optic Mounts	80-85
Ordering & Information	49-50
Parts Kits	28-31
Pistol Grips	42-43
Range & Training Gear	65-66
Recoil Buffers	24-25
Safety Selectors	27-28
Sights	54-58
Slings & Adapters	59-64
Springs	23-24
Stocks	31-36
Triggerguards	22-23
Triggers	20-22
Upper Receivers	1-4
Vertical Grips	43-45

BROWNELLS®

SELECTION. SERVICE. SATISFACTION®

200 S. Front Street, Montezuma, IA 50171

800-741-0015 • Fax: 800-264-3068

brownells.com

AR-15/M16 CATALOG - #8

© 2012, BROWNELLS



5.56mm M855 AMMO & CAN

420-Round Pack Of The Cartridge Designed For Your AR-15/M16

Bulk-packed 5.56 x 45mm NATO ammunition is first run, first-quality ammo with the green-tip M855 (NATO SS109) 62 grain FMJ steel core penetrator bullet. Comes in 10-round stripper clips packed in a steel M19A1 ammo can. Manufactured at the Lake City Army Ammunition Plant to Federal Cartridge Company specifications for commercial ammunition. The boxer-primed, reloadable brass case is headstamped with the Federal symbol and date of manufacture. Water-resistant lacquer-sealed primer. Every cartridge is visually inspected before packing. For use only in rifles with chambers designed for 5.56mm x 45 ammunition. Stripper clip guide included.

#105-000-002EK 420 Rds Federal 5.56 w/Ammo Can
2E00PUA \$ 169.99



See our video at
Brownells.com

ON THE COVER: "Zombie Hunter" 5.56 Carbine, for more information see page 8.

NEW

ADAMS ARMS AR-15/M16 EVO ULTRALITE UPPER RECEIVER



Carbine-Length

Mid-Length

Complete Piston System In A Super-Light Package

The Evo Ultralite upper combines Adams Arms's proven gas piston operating system with a small-contour barrel and the lightweight Samson Evolution handguard system for a gun that's easy to carry for extended periods. This is a complete upper, ready to snap onto the lower of your choice. Adjustable piston-driven system keeps gas and residue from being blown into the action, so bolt and receiver stay cleaner, reducing malfunctions related to fouling. The skinny 16" barrel is chambered in 5.56mm NATO with an Adams Arms compensator to control muzzle rise so the Evo's light weight doesn't mean you have to cope with more felt recoil or sacrifice speed of follow up shots. Continuous rail across receiver and top of handguard, plus two bolt-on rails that let you put accessories where you need them. Available in **Carbine-Length** or a **Mid-Length** gas piston configuration that taps gas from farther up the barrel than a standard carbine length gun for smoother cycling and easier extraction. ■

SPECS: 6061 T6 aluminum receiver and handguard, Type III hardcoat anodized, matte black, with dry-film lubricant coating. Gas Block, Piston Tube, Bolt Carrier - Steel, black oxide finish. Piston - Stainless steel. Barrel - Chrome-moly steel, Melonite® hardcoated, matte black, 16" long, .625" O.D. at gas port, .550" O.D. behind muzzle. Chambered in 5.56mm NATO, 1-7" rifling.

#100-009-250EK **Evo Ultralite Upper, Carbine-Length,**
4Z00UAV \$ 929.99

#100-009-251EK **Evo Ultralite Upper, Mid-Length,**
4Z00XCH 939.99

ARMALITE®/EAGLE ARMS AR-15/M16 A4 FLATTOP RECEIVER

Superb Quality, Forged
Receiver For Building
AR-15 Rifles



Made to the same high quality and mil-spec standards as the original ArmaLites. Fully machined from heat-treated, aircraft-grade aluminum forgings for superior strength and durability. Tough, mil-spec, hard-anodizing resists chipping and abrasion. Comes complete with forward assist and ejection port cover. Integral Stanag/Weaver-compatible accessory rail accepts optics or flip-up sights. ■

SPECS: Aluminum, anodized finish, matte black. .250" (6.3mm) diameter pivot and takedown pin holes.

#062-203-250EK **A4F/T Upper Assy 2F158A06** \$ 194.99

DANIEL DEFENSE AR-15/M16 A4 UPPER RECEIVER



Forged For Strength,
Final-Machined For
Precision Fit

Flattop upper receiver is forged from high-grade 7075 T6 aluminum for strength and durability, then final machined to USGI or better tolerances for building a custom AR rifle. Hardcoat anodized finish minimizes abrasion wear. M4 feed ramp cuts ensure reliable feeding. 13-slot Picatinny rail provides a full 5" for mounting an optic, while the etched position numbers in rail slots ensure repeatability of mounting position. Comes with forward assist and ejection port cover fully assembled and installed. ■

SPECS: 7075 T6 aluminum, Type III hardcoat anodized, matte black. .250" dia. pivot/takedown pin holes.

#100-005-851EK **A4 Upper Receiver 2S118B69** ... \$ 129.00

NEW

BROWNELLS AR-15/M16 "ZOMBIE HUNTER" UPPER RECEIVER



Colorful Markings For A
Zombie-Stopper Rifle That
Makes A Truly Personal
Statement

Stripped A3-style upper receiver is boldly emblazoned with "Zombie Hunter" laser etched on the left side of the receiver and engraved on the inside of the ejection port cover. You also get an over-sized magazine release button and extended takedown/pivot pins all laser-etched with the international bio-hazard symbol. Pins have easy-to-grasp, oversized heads for fast, easy removal to separate the receiver halves; no need for a pin punch that can slip and scratch the receiver. Receiver is precision machined from an aluminum forging to mil-spec dimensions, with M4-type feed cuts and alphanumeric T-markings stamped in the rail slots. Hard-anodized, with a dry-lube surface coating that resists scuffs and reduces friction between bolt carrier and receiver walls for ultra-smooth operation. Endorsed by the Center For Zombie Awareness. ■

SPECS: Receiver - 7075 T6 aluminum, hardcoat anodized, dry-lube finish, matte black. .250" takedown/pivot pin holes. Pins - 6061 T6 aluminum, hardcoat anodized, matte black. Port Cover - 1045/1055 cold-rolled carbon steel, Parkerized, matte black. Must be installed on receiver. Comes with detent installed; hinge pin, spring, snap ring required (sold separately).

#080-000-830EK **"Zombie Hunter" Upper Receiver Kit,**
8K147A27 \$ 174.99

NEW

BROWNELLS AR-15/M16 LASER-ETCHED FLATTOP UPPER RECEIVER



Colorful Mottos For Building
A Custom Rifle That Makes A
Truly Personal Statement

Stripped A3-style upper receiver laser-etched with colorful mottos in bold, white lettering: "Zombie Hunter", "This Is My Rifle" (Rifleman's Creed), "We The People", or "Tac Driver". "We The People" and "This Is My Rifle" receivers also available as kits with dust covers that open to display "Don't Tread On Me" or "Join Or Die" engraved inside, plus magazine release button and takedown/pivot pins all laser-etched with the American flag. These receivers are precision machined from aluminum forgings to mil-spec dimensions, with M4-type feed cuts and alphanumeric T-markings stamped in the rail slots. Hard-anodized, with a dry-lube surface coating that resists scuffs and reduces friction between bolt carrier and receiver walls for ultra-smooth operation. ■

SPECS: 7075 T6 aluminum, hardcoat anodized, dry-lube finish, matte black. .250" takedown/pivot pin holes.

#080-000-814EK **"Zombie Hunter" Rec'r**
8K00HDZ \$ 124.99

#080-000-815EK **"This Is My Rifle" Rec'r**
8K00YTP 124.99

#080-000-848EK **"Tac Driver" Rec'r 8K00PUA** 124.99

#080-000-847EK **"We The People" Rec'r 8K00ZAY** 124.99

#080-000-866EK **"We The People/Don't Tread On Me,"**
Upper Receiver Kit 8K165D00 174.99

#080-000-867EK **"We The People/Join Or Die,"**
Upper Receiver Kit 8K165D00 174.99

#080-000-831EK **"This Is My Rifle/Join Or Die,"**
Upper Receiver Kit 8K147D27 174.99

#080-000-832EK **"This Is My Rifle/Don't Tread On Me,"**
Upper Receiver Kit 8K147D27 174.99

BUSHMASTER AR-15/M16 CARBON 15 FLATTOP UPPER RECEIVER ASSEMBLY



Lightweight, Tough Aerospace Composite;
Build A Fast-Handling Tactical Carbine

Carbon fiber composite upper comes fully assembled and ready to install on your choice of lower to build a light, fast-handling tactical carbine. Low-profile, flattop upper receiver made from carbon fiber reinforced polymer composite keeps weight to a minimum. Originally developed for the aerospace industry, this chemical- and heat-resistant composite is as strong as milled aluminum. Machined aluminum Picatinny-style rail gives maximum accessory-mounting flexibility. M4-profile, 16" chrome-lined barrel is button rifled with 1:9" right-hand twist for optimal accuracy with a wide variety of commercial .223/5.56mm ammunition. Includes A2 front sight with square, elevation-adjustable post, bayonet lug, and front sling swivel. Bushmaster's "Izzy" compensator diverts hot combustion gases through three longitudinal gas ports to minimize muzzle flash and help control muzzle rise during rapid fire; closed bottom prevents kicking up dust during prone shooting. Steel components are manganese phosphate Parkerized with a uniform matte black finish. Military type carbine-length ribbed handguard included. ■

SPECS: Receiver - Carbon fiber reinforced polymer, black. Barrel, Bolt/Carrier, Front Sight - Steel, parkerized, matte black. Charging Handle - 7075 T6 aluminum. Handguard - Plastic, black.

#100-003-602EK **Carbon 15 Upper Receiver,**
9B00VBX \$ 645.99

COLT AR-15/M16 UPPER RECEIVER



Stripped Flattop Upper
Genuine Colt Factory Part

Build your next custom AR-15 with an original Colt factory flattop upper fully finished and ready for installation. Made from a high-quality aluminum alloy forging machined to precise tolerances for correct fit on Colt lowers and clones. Hardcoat anodized for added surface strength, abrasion resistance, and corrosion protection, with a uniform, matte black finish that matches other factory components and easily accepts alternate finishes. The forward assist and ejection port cover already installed, so you can select the bolt assembly, carrier, gas key, and other components to suit your specific needs. White alphanumeric position markers on rail slots aid in removal and reinstallation of sights without loss of zero. ■

SPECS: Aluminum, hard anodized, matte black. Fits standard Colt AR-15 lowers and clones with .250" pivot pins.

#160-302-053EK **Flattop Upper Rec'r w/Assist &**
Cover 6A157C00 169.99

DPMS COMPETITION UPPER RECEIVER

Quality, Rugged, Match
Grade Upper Unit



High Rider



Lo-Pro

Fully machined from aircraft grade aluminum alloy, with extra material around the bolt carrier to provide a strong, rigid, platform for mounting heavy match barrels. Integral Picatinny-style scope rail gives complete flexibility for mounting all types of sight systems. Accepts Weaver-style rings. Eliminates the forward assist and ejection port cover for easier operation and smoother profile. **High Rider** - 1" high rail height

BUSHMASTER AR-15/M16 V-MATCH UPPER RECEIVER

Extra-Strong Alloy For Durability;
Fully Machined For Precise Fit



Stripped, A3-style flattop upper receiver is carefully machined to mil-spec or better dimensions to serve as the foundation for a top-quality AR rifle customized to your exact requirements. Just add the bolt/carrier, charging handle, ejection port cover, and forward assist of your choice to complete the upper. Precision machined from a forging of 7075 T6 aluminum that is almost 40% stronger than the alloy used in standard AR-15 receivers, so it stands up to the unrelenting tempo of competition or tactical operations. After machining, a dark gray, non-reflective, hard-anodized finish is applied for strength and corrosion resistance, with a baked-on dry-lube coating inside to reduce wear and ensure exceptionally smooth carrier operation. Integral 5 1/2" long Picatinny rail maximizes the versatility of your rifle by letting you take advantage of the wide variety of optics, red dot sights, and other accessories for the AR platform. ■

SPECS: 7075 T6 aluminum, hardcoat anodized, dry-lube finish, matte dark gray. .250" (6.3mm) diameter pivot pin holes.

#100-003-667EK **V-Match Upper Rec'r 9B164H27** . \$ 181.99

DANIEL DEFENSE AR-15/M16 DDMRv2 UPPER RECEIVER GROUP

Complete & Loaded With Top-Of-Line Tactical Accessories



Fully assembled upper receiver comes decked out with top-of-the-line Daniel Defense tactical

accessories, ready to install on a mil-spec lower receiver. Every DDMRv2 is test fired before it leaves the factory to ensure correct fit and function. A4-type flattop receiver is machined from a high-quality 7075 T6 aluminum forging, with M4-style feed ramps. Bolt and carrier group has a chrome-lined carrier and is magnetic-particle inspected to ensure there are no hidden flaws. Omega X 7.0 free-float handguard has four MIL-STD 1913 Picatinny rails with slots indexed with white letters and numbers for precise positioning and remounting of accessories. Textured nylon vertical grip clamps to the handguard bottom rail. Detachable, windage adjustable A1.5 Rear Sight clamps to the top rail and has a flip-type aperture with separate peeps for short- and long-range targeting. M4-profile 16" barrel is cold hammer forged from ordnance-grade steel for exceptional strength, with a chrome-lined bore, 5.56mm NATO chamber, 1-7" right-hand rifling, and a standard A2 "bird cage" flash suppressor. A2-style "F" marked" front sight/gas block has a standard, elevation-adjustable A2 post; includes sling swivel and bayonet lug. ■

SPECS: Receiver - 7075 T6 aluminum, hardcoat anodized, matte black. .250" dia. pivot/takedown pin holes. Barrel - 4150 chrome-moly carbon steel alloy, manganese phosphate finish, matte black. 16 1/2" long, .700" O.D. at muzzle, chambered for 5.56mm NATO, 1-7" twist. Omega X 7.0 Handguard/A1.5 Rear Sight - 6061 T6 aluminum, hardcoat anodized, matte black. Vertical Grip - Injection-molded nylon, black. Approx. 4 1/2" (11.4cm) long.

#100-005-753EK **DDMRv2 Upper Receiver,**
8K855B71 \$ 929.00

is correct for scope mounting with low rings. No need for a cheek pad; permits large objective scopes to clear the hand guards. **Lo-Pro** - Standard height rail allows use of detachable carry handles. Convenient mounting for electronic dot sights. **SPECS:** Aircraft aluminum alloy, black, hard-anodized, Teflon coated. .250" (6.3mm) pivot pin dia. .254" (6.47mm) thick slide walls.

#231-015-110EK **High Rider Receiver 1C80H00** . \$ 125.00

#231-015-111EK **Lo-Pro Receiver 1C88H89** 125.00

Orders/Tech: 800-741-0015


order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 1

AR-15/M16

UPPER RECEIVERS



AMERICAN DEFENSE MFG, LLC.
WEAPONS ACCESSORIES FEATURING THE PATENT PENDING QD AUTOLOCK™ SYSTEM

JP Enterprises, Inc.
Performance Tactical Gear



- A** #100-008-453EK **IMPACT WEAPONS QD SLING MOUNT** See Page 94.
- B** #100-003-535EK **MAGPUL MOE BUTTSTOCK** See Page 34.
- C** #100-004-799EK **A.R.M.S. FLIP-UP REAR SIGHT** See Page 55.
- D** #100-003-654EK **AMERICAN DEFENSE QD SCOPE MOUNT** See Page 80.
- E** #100-007-284EK **VORTEX VIPER PST 4-16x50 SCOPE** See Page 94.
- F** #100-005-798EK **DANIEL DEFENSE 7.62 LITE RAIL HANDGUARD** See Page 36.
- G** #100-002-077EK **YANKEE HILL FOLDING FRONT SIGHT/GAS BLOCK** See Page 14.
- H** #100-006-977EK **FULTON ARMORY LIGHTWEIGHT 18.5" BARREL** See Page 16.
- I** #152-000-057EK **SUREFIRE FH762K03 FLASH SUPPRESSOR** See Page 19.
- J** #100-004-338EK **TROY INDUSTRIES BATTLE RAIL COVERS** See Page 41.
- K** #452-000-128EK **JP ENTERPRISES JPBC-4BA LOW-MASS BOLT/CARRIER** See Page 11.
- L** #100-004-161EK **MAGPUL .308/7.62 PMAG** See Page 47.
- M** #100-006-309EK **TANGO DOWN BG-17 BATTLEGRIP** See Page 43.
- N** #231-000-266EK **DPMS A3-STYLE .308 UPPER RECEIVER** See Page 93.

DPMS AR-STYLE .308 LR-308 FLATTOP UPPER RECEIVER



**Complete Top End Includes Barrel,
Free-Float Handguard, Bolt & Carrier**

Ready to install .308/7.62 NATO upper receiver comes fully assembled with bolt/carrier, charging handle, free-float handguard, gas block, and barrel. Lets you change your LR-308 from a sporter to a match rifle or long-range varmint in just minutes—or build a completely new gun customized to your exact needs. Beefy, thick-walled receiver of extruded 6066 T6 aluminum is hardcoat anodized to military standards for extra surface strength, with a hard, black Teflon coating to resist scuffs and scratches. Free-floated forend of smooth, rigid machined aluminum gives plenty of air space to protect your hand from a hot barrel during sustained shooting. Includes swivel stud and QD sling swivel. All barrels have 1-10" twist for proper bullet stabilization. **Bull Barrel** models have a heavy .920" O.D. barrel with recessed 90° target crown. Snag-free, smooth-side receiver without ejection port cover, shell-deflector, or forward assist; an elevated Picatinny rail allows easy scope mounting without adding a riser mount. Lightweight, aluminum gas block has plenty of metal to withstand the hot gasses from thousands of firing cycles; topside Picatinny rail lets you mount the front sight of your choice, including flip-up models. Available with 18" barrel of 4140 chrome-moly (CM) carbon steel alloy and 7¼" carbine-length forend, or 24" bull barrel of 416 stainless steel (SS) with 12" rifle-length forend. **AP4 Carbine** has A3-style Lo-Rider receiver with forward assist and ejection port cover. 16" USGI-style, light contour barrel of 4140 chrome-moly, with M203 mount cutout, 7¼" forend, and A2-type gas block/front sight tower with bayonet lug and sling swivel. Includes Panther flash suppressor with gas-dispersing helical ports and aggressive, serrated CQB tip.

SPECS: Receiver/Handguard/Gas Block/Charging Handle – 6066 T6 aluminum, anodized and teflon coated, black. Bolt/Carrier – 4140 steel, parkerized, matte black. Barrel – 4140 chrome-moly steel, parkerized, matte black, or 416 stainless steel, natural finish. Fits DPMS LR-308 lower receivers only.

DPMS AR-15/M16 STRIPPED UPPER RECEIVER



**Carry Handle & Flattop Models
For Custom Builds; Machined
From High-Grade Forgings**

Fully machined and finished, military style uppers ready for you to install your choice of barrel, carrier, bolt, forearm, and lower to

build a custom AR-15. Choose from rugged A2 carry handle style, complete with cuts for mounting A2 rear sight, or A3 flattop with M4-type feed ramp cuts and Picatinny accessory rail for mounting a scope, holographic sight, or flip-up "iron" sights. Both models feature shell deflector, forward assist housing, and provisions for installing an ejection port cover. Precision machined from a premium-grade aluminum forging and hardcoat anodized for extra strength, with a tough, scratch-resistant Teflon coating. **SPECS:** Aluminum, hard anodized, Teflon coated, matte black. Fits mil-spec AR-15 lower receiver with .250" pivot pins.

- #231-000-152EK **Stripped A2 Upper Receiver, 1C82A24** \$ 99.99
- #231-000-053EK **Stripped A3 Flattop Upper Receiver, 8L94H44** 125.00



- #231-000-237EK **LR-308 Upper w/18" CM Bull Bbl, 3B667Z66** \$ 739.99
- #231-000-236EK **LR-308 Upper w/24" SS Bull Bbl, 1C682Z54** 749.99
- #231-000-238EK **LR-308 Upper w/16" AP4 Carbine CM Bbl 1C00ZAY** 799.99

DPMS AR-15 UPPER RECEIVER w/BARREL



Easy-To-Swap, Complete, Fully Assembled Top Ends; Carry Handle & Flattop Models; Lots Of Options

Complete, ready-to-install, semi-auto receivers let you change your AR-15 from a sporter to a match rifle or long-range varmint in just minutes—or add to a lower receiver to complete a parts gun. All barrels have six-groove, 1-9" right-hand twist rifling and M4-type feed ramp. Pre-ban style standard (Std) barrels are chambered for 5.56mm NATO, with A2 flash suppressor, military-style polymer handguard, and A2 front sight housing that includes bayonet lug and riveted sling loop. **AP4** adds to Std configuration the cutout for M204 grenade launcher mount to replicate the contours of the USGI M4 carbine barrel. **Bull** barrels are stainless steel, post-ban style, and chambered for .223 Remington, with low-profile Picatinny gas block, aluminum free-float handguard, and non-threaded muzzle with target crown. Most models available with standard manganese-phosphate **Parkerized** bolt or **Chrome**-plated bolt for additional lubricity and wear resistance.

SPECS: **Receiver** - aluminum, anodized and Teflon® coated, black. **A2** carry handle with adjustable rear sight or **Flat Top (FT)** rail. **Barrel** - **Std** - 4140 steel, Parkerized finish, dark gray. .725" dia. at muzzle. **AP4** - 4140 steel, Parkerized finish, dark gray. .725" dia. at muzzle. **Bull** - 416 stainless steel, natural finish. .925" dia. at muzzle.

STOCK #	CAL/ SIGHT	BBL	BOLT	PRICE
#231-000-201EK	5.56/A2	16" Std	Chrome	3B527H14 \$ 569.99
#231-000-253EK	5.56/A2	16" Std	Parkrzd	3B452Z77 \$ 499.99
#231-000-172EK	5.56/FT	16" Std	Chrome	3B476A13 \$ 494.99
#231-000-171EK	5.56/FT	16" AP4	Chrome	3B532A18 \$ 599.99
#231-000-019EK	.223/FT	16" Bull	Chrome	3B592X36 \$ 629.99
#231-000-254EK	.223/FT	16" Bull	Parkrzd	3B548Z36 \$ 579.99
#231-000-199EK	5.56/A2	20" Std	Chrome	3B512H86 \$ 549.99
#231-000-251EK	5.56/A2	20" Std	Parkrzd	3B453Z79 \$ 499.99
#231-000-200EK	5.56/FT	20" Std	Chrome	3B478H66 \$ 529.99
#231-000-252EK	5.56/FT	20" Std	Parkrzd	3B438Z66 \$ 459.99
#231-000-020EK	.223/FT	20" Bull	Chrome	3B578X46 \$ 649.99
#231-000-255EK	.223/FT	20" Bull	Parkrzd	3B578Z66 \$ 599.99

D.S. ARMS AR-15/M16 FLATTOP UPPER RECEIVER



Precision Forged From High-Strength 7075 Alloy For High-Quality Custom Builds

M4/A3-style upper receiver is available stripped

or with the forward assist and ejection port cover already installed. Precision machined from a 7075 T6 aluminum alloy forging to USGI dimensions, and ready to mate with the mil-spec lower and internal components of your choice. Includes M4-type feed cuts and alphanumeric position markers stamped into the rail slots. Hardcoat anodized to resist wear, add strength, and protect from corrosion. Hard dry-lube surface treatment protects the anodizing from scuffs and reduces friction between bolt carrier and receiver walls for ultra-smooth operation, less wear, and longer service life.

SPECS: 7075 T6 aluminum, hardcoat anodized, dry-lube finish, matte black. .250" takedown/pivot pin holes. Steel forward assist and ejection port cover; black oxide finish.

#274-000-019EK **Stripped Flat Top Upper Receiver**, 4G69U70..... \$ 89.99
#274-000-021EK **Upper Receiver w/Cover & Fwd Assist**, 4G85U52..... \$ 99.99

EGW

A4 FLATTOP UPPER RECEIVER

Flat Top Rail Lets You Mount Scopes & Accessories



A4-style flattop upper receiver is forged from extra-strong 7075 T6 aluminum, with a 5" long rail to accept your tactical accessories, including Weaver-style rings. Finished with mil-spec, hardcoat, black anodizing for protection from scratches, mars, and abrasion. **SPECS:** 7075 T6 aluminum, hardcoat anodized, black, matte finish. .250" (6.3mm) diameter pivot pin holes.

#296-000-054EK **A4 Flat Top Upper Receiver**, 6B115H07..... \$ 139.99

HIGH STANDARD AR-15/M16 HSA-15 FLATTOP UPPER RECEIVER



Ready To Install On Your Choice Of Lower; Stripped & Completely Assembled Models

Complete, fully assembled M4-type upper receiver is ready to install on your lower of choice. Add a rear sight or scope, and you're ready to go shooting. Perfect for converting a rifle to a carbine, or build a completely new gun customized to your exact requirements. Manufactured in the U.S. from top-quality materials to original Colt specs; each part is gauge-checked during assembly for correct tolerances under MIL-STD 105D. Forged from 7075 T6 aluminum alloy, then hardcoat anodized for added strength and wear resistance. Includes a standard military contour, 16" barrel with six-groove, 1-9" twist rifling, plus an A2 gas block/front sight with bayonet lug and 1 1/4" wide sling loop. A2-style flash suppressor has five ports on top and a solid bottom to prevent dust signature when shooting prone. Flattop accepts a detachable carry handle, scope, or red dot sight; laser-etched white index numbers aid in temporary removal and replacement of sight without loss of zero. M4 handguard is molded from tough, high-impact polymer that resists moisture, temperature extremes, and chemicals. **SPECS:** Receiver - Forged 7075 T6 aluminum, hardcoat anodized, matte black. Barrel - 4140 steel, parkerized finish, black. 16" (40cm) long. .725" O.D. at the muzzle. Handguard - Hard polymer, black. #430-000-528EK **HSA-15 Upper Rec'r** 3D494Y36... \$ 549.99

#430-000-528EK **HSA-15 Upper Rec'r** 3D494Y36... \$ 549.99

WILSON COMBAT AR-15/M16

STRIPPED FLATTOP UPPER RECEIVER



M4-Style Upper With Popular Features; CNC Machined From 7075 Aluminum Forging

The same high-quality M4-style flattop upper

Wilson uses in their custom AR-15s is now available to serve as the foundation for your own custom build. Comes ready for you to install the required components to meet your—or your customer's—exact needs. Includes integral receiver rail cut to MIL-STD 1913 Picatinny specs, M4-type feed cuts, shell deflector, forward assist housing, and provisions for installing an ejection port cover, if desired (available separately). Precision CNC-machined to final dimensions from a U.S.-sourced forging of high-grade 7075 T6 aluminum alloy, prized by AR shooters for its exceptional strength, hardness, and resistance to surface wear. Hardcoat anodized for additional surface hardness, with a durable matte black finish. **SPECS:** 7075 T6 aluminum, hardcoat anodized, matte black. .250" takedown/pivot pin holes.

#965-000-084EK **Stripped Flat Top Upper** 5F95A54. \$ 109.99

STAG ARMS AR-15

LEFT-HANDED UPPER RECEIVER & COMPONENTS

Custom Components To Accommodate The Left-Handed Shooter




Purpose-designed upper receiver components are mirror images of the mil-spec right-handed parts, so rounds eject from the left side of the weapon. Now you can build a gun adapted to you, and not have to adapt yourself to the gun. Forged aluminum **Left-Handed Upper Receiver** comes with the forward assist on the left for comfortable operation by naturally left-handed shooters. Installed ejection port dust cover flips upwards to clear the bolt release on the lower receiver. 13-slot Picatinny rail provides a full 5" for tactical accessories, while the etched position numbers in rail slots ensure repeatability of optic mounting position. Complete **Bolt/Carrier** assembly is specifically designed for the left-handed upper receiver, with a chrome-lined carrier for superb wear resistance and easy cleanup. M4-style **Ambidextrous Barrel Extension** has specially-chamfered lugs for use with the left-handed bolt assembly. Also works with standard, right-handed bolts. Gunsmith installation required. **SPECS:** **Receiver** - Forged 7075 T6 aluminum, hardcoat anodized, black. .250" dia. pivot/takedown pin holes. **Bolt** - Carpenter 158 steel, Parkerized, black. **Carrier** - 8620 steel, Parkerized, black. **Ambi Barrel Extension** - 8620 steel, heat-treated and stress-relieved, in-the-white. Gunsmith installation required.

#100-005-750EK **LH Upper Receiver** 3D151B72... \$ 179.99
#100-005-751EK **LH Bolt/Carrier** 3D140B74... 159.99
#100-005-752EK **Ambi Barrel Extension** 3D17B93... 21.99

YANKEE HILL AR-15/M16

BLACK DIAMOND SPECTER UPPER RECEIVER



Complete Flattop Upper With High-End Features

Flattop upper comes with high-end custom features and accessories already installed, ready to snap on the mil-spec lower receiver of your choice. Comes fully assembled with bolt/carrier, charging handle, tactical handguard, gas block, and barrel. Features a free-floated Diamond handguard with uniquely patterned holes machined between the rails to reduce weight and enhance barrel cooling. Four full-length MIL-STD 1913 Picatinny rails have individually marked slots for quick reference. The handguard bridges the gap to the front of the receiver to form one continuous, uninterrupted top rail; extends over the low-profile gas block for a smooth, streamlined appearance. Chrome-lined, 16" barrel has a unique diamond-pattern fluting that increases surface area for superior cooling. 1-9" rifling twist works with a wide variety of bullet weights. 5.56 NATO chamber accepts commercial .223 or mil-spec 5.56mm ammunition. Also includes a Yankee Hill Phantom 5C2 flash suppressor/compensator, plus YHM-9383 low-profile gas block, YHM-9627 flip-up front sight, and YHM-9680 windage-adjustable flip-up rear sight with A2-style long- and short-range apertures.

SPECS: Receiver - 7075 T6 aluminum alloy, mil-spec Type III hardcoat anodized finish, matte black. Barrel - Chrome-moly vanadium steel alloy, heat treated to Rc 25-32, matte black finish. Chrome-lined. 16" (40.6cm) long. 1-9" twist, chambered for 5.56mm NATO. Handguard - 6061 T6 aluminum, hardcoat anodized, matte black. Sights - Steel, Parkerized, matte black. 4.8 lbs. (2.2kg) total weight. Fits mil-spec AR-15/M16 lower receiver with .250" pivot/takedown pins. #100-005-754EK **Black Diamond Specter Upper Rec'r**, 9A816B55... \$ 899.99

VLTOR AR-15/M16

MODULAR UPPER RECEIVER

Extra Metal For Superb Strength & Rigidity; Mil-Spec Dimensions For Compatibility



The MUR is a flattop upper receiver with thicker walls than a standard upper to provide a more rigid platform for greater stability, better accuracy, longer service life, and improved reliability. Precision machined from a fully heat-treated and cryogenically stress-relieved aluminum forging, before hand finishing to final dimensions. All critical interface points are 100% compatible with mil-spec select-fire AR-15/M16/M4 components and lower receivers, and will fit most commercial semi-auto lowers. A slick, dry-lube coating over the hard-anodized finish further guards against surface wear and helps ensure smooth operation of bolt/carrier and other internal components. Comes with true MIL-STD 1913 Picatinny rail with 13 cross-slots, plus forward assist and ejection port door pre-installed. Gunsmith installation recommended. **SPECS:** 7075 T6 aluminum, Type II, Class 3 hardcoat anodized, dry lube coating, matte black. .250" dia. pivot/takedown pin holes.

#100-004-042EK **MUR Upper Receiver** 3A173P30... \$ 189.95

VLTOR

VIS UPPER RECEIVER



Rock Solid Integrated Receiver & Railed Handguard Ensures Alignment Of Rails

Forged flattop receiver and machined, free-float handguard are fused into a single component to provide a rock solid, quad-rail platform for maximum flexibility in mounting optics, backup sights, lights, vertical grips, and other accessories. The Versatile Interface Structure (VIS) offers a perfectly aligned top rail that cures the indexing problems common with flattop receivers and separate railed forends. Features four, MIL-STD 1913 Picatinny rails with side and bottom rails on the handguard. The continuous top rail from the back of the receiver to the front of the handguard eliminates the need for an extended base to mount a long eye-relief optic. Easy-to-remove bottom rail section assists in cleaning and maintenance, and allows attachment of an M203 grenade launcher, flare gun, tear gas launcher, or other SOPMOD component. Compatible with mil-spec lower receivers, bolt/carrier assemblies, and charging handles. Accepts any standard AR-15 barrel with a low profile gas block. Required barrel nut and wrench are included. Available with carbine (**VIS-1**), mid-length (**VIS-2**), extended mid-length (**VIS-2a**), or rifle-length (**VIS-3**) handguard. **SPECS:** 7075 T6 (Receiver) and 6061 T6 (Handguard) aluminum, Type III hardcoat anodized, matte black. **VIS-1** - 14.5" (36.8cm) O.A.L. 7" (17.8cm) handguard length. 21.5 oz. (609g) wt. **VIS-2** - 16.5" (41.9cm) O.A.L. 9" (22.8cm) handguard length. 25 oz. (709g) wt. **VIS-2a** - 17.5" (44.4cm) O.A.L. 10" (25.4cm) handguard length. 26 oz. (737g) wt. **VIS-3** - 19.875" (50.5cm) O.A.L. 12" (30.5cm) handguard length; 29 oz. (822g) wt.

#100-004-949EK **VIS-1 Carbine Upper** 3A520P00... \$ 569.95
#100-004-950EK **VIS-2 Mid-Length Upper** 3A636P51... 699.99
#100-004-947EK **VIS-2a Ext. Mid-Length Upper** 3A00DZA... 593.70
#100-004-948EK **VIS-3 Rifle Upper** 3A590P00... 679.95

BROWNELLS WebBench™

Your #1 Internet Newsletter for Professional Gunsmithing Information

Orders/Tech: 800-741-0015


order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 3



- A** #100-003-526EK MAGPUL UBR BUTTSTOCK Page 33.
- B** #100-004-248EK MIDWEST INDUSTRIES MCTAR-ERS FLIP-UP REAR SIGHT Page 57.
- C** #892-000-066EK TRIJICON TA31-ECOS ACOG/RED DOT SIGHT SYSTEM Page 91.
- D** #939-000-001EK LES BAER NATIONAL MATCH BOLT CARRIER Page 11.
- E** #100-003-456EK TROY INDUSTRIES MRF-M MODULAR RAIL FOREND Page 41.
- F** #100-003-445EK TROY INDUSTRIES FOLDING FRONT BATTLE SIGHT Page 57.
- G** #152-000-074EK SUREFIRE M952V MILLENNIUM WEAPON LIGHT Page 86.
- H** #100-004-419EK FALCON INDUSTRIES NEVER QUIT GRIP Page 6.
- I** #100-003-305EK MAGPUL 30-RD PMAG Page 47.
- J** #080-000-529EK **BROWNELLS** OVERSIZE MAGAZINE RELEASE Page 27.
- K** #100-004-157EK MAGPUL MOE TRIGGERGUARD Page 22.
- L** #100-003-516EK MAGPUL MOE PISTOL GRIP Page 43.
- M** #231-015-012EK DPMS AMBI SAFETY/SELECTOR Page 27.



ROCK RIVER ARMS AR-15 UPPER & LOWER RECEIVER SET



Hand Picked &
Precisely Matched For Exact Fit

Forged flattop upper and lower receiver are CNC machined to tighter than mil-spec tolerances, with critical contact points held to +/- .0005". Hand selected and matched to ensure a tight, movement-free, lockup between the upper and lower halves. Accepts all aftermarket and mil-spec internal parts. Weaver-style base allows direct mounting of optics or match sights.

SPECS: 7075-T6 aluminum, black, hardcoat anodized, matte finish. Small pin, hammer/trigger and pivot/takedown holes. .154" (3.9mm) diameter hammer/trigger pin holes. .250" (6.3mm) diameter pivot/takedown pin holes. **FFL required for purchase.**

#739-000-002EK NM A4 Receiver Set 9C00UAV... \$ 379.99

DOUBLE STAR AR-15 LOWER RECEIVERS

Mil-Spec Lowers
Ready For Your Next
AR-15 Project



Forged receiver has extra reinforcement around the front pivot pin, a reinforcing ridge over the buffer tube area, and a full fence around the magazine catch button stand up to rugged use. Safe and Fire are engraved on both sides for guns with ambi safeties. Complete receiver include triggerguard, magazine catch button, mil-spec trigger group and pistol grip. Available with M4 or A2 stock configuration, complete without buttstock, and as a stripped receiver only. Made in USA with mil-spec parts only.

SPECS: 7075-T6 forged aluminum, CNC machined to Mil-Spec. Hard coat anodized, Teflon coating, matte black. **FFL required to purchase.**

- #100-002-315EK M4 Lower, Complete 9Z234C00... \$ 292.00
- #100-002-314EK A2 Lower, Complete 9Z235C00... 295.00
- #100-002-313EK Lower, Complete w/o Stock, 9Z180C00... 225.00
- #100-002-312EK Lower, Stripped 9Z113C84... 139.99

BUSHMASTER AR-15 LOWER RECEIVERS



M4-style



A2-style



Stripped

Rugged, High-Quality
Machined Forging
For Building
A Custom Rifle

Semi-auto, small pin lower receivers are premium-quality forgings machined to precise dimensions and ready to serve as the foundation of a fully customized tactical, competition,

or hunting rifle. Exceptionally strong, rigid 7075 T6 aluminum forging has extra metal in the right places for added strength without unnecessary bulk. Features a beefy, M16A2-

pattern reinforced area around the front pivot pin, a strengthening ridge over the receiver extension threads, and a ridge around the mag release button to guard against accidental magazine drop by preventing unintentional button activation. Bead blasted after machining to ensure a uniform, non-reflective surface before application of lusterless black military hardcoat A8625, Type III, Class 2 anodized finish that adds surface strength and resists abrasion. A final, nickel acetate seal coat provides extra protection against corrosion. Available as a complete, fully assembled lower, with fire control system, pistol grip, receiver extension, buffer, spring, and buttstock installed and ready for the upper receiver of your choice. Choose adjustable, six-position M4-style buttstock of high-impact, molded polymer, or fixed, A2 buttstock with "trapdoor" storage compartment just like original USGI rifles. Both stocks include sling loop at the toe. **Stripped Lower** is the perfect companion for Bushmaster Lower Receiver Parts Kit, available separately, and the receiver extension/buttstock system of your choice.

SPECS: Receiver - 7075 T6 aluminum, hardcoat anodized, matte black. Buttstock - Reinforced molded polymer. .154" hammer/trigger pin holes. .250" pivot pin holes. **FFL required for purchase.**

- #100-003-636EK Complete M4-Style Lower Receiver, 1F329H95... \$ 360.00
- #100-003-637EK Complete A2-Style Lower Receiver, 1F299H95... 335.00
- #100-003-638EK Stripped Lower Receiver, 1F179H95... 195.95

CMMG AR-15/AR-STYLE .308 LOWER RECEIVERS

Stripped Or Fully Assembled With Precision Trigger Group

MOD4SA LOWER RECEIVER –

Semi-auto AR-15 receiver made from a high-quality, mil-spec forging is built to handle the hard use and reliability requirements of tactical and competitive shooting. Available **Stripped** without any additional parts for full, custom build projects or **Complete** and fully assembled with all receiver components installed including trigger group, bolt release lever, mag release button, aluminum triggerguard, and polymer A2 pistol grip. Available with single, left side-mounted safety selector or ambidextrous safety selector; does not include buttstock or related parts.

SPECS: Forged 7075 T6 aluminum, hardcoat anodized, Teflon coated, matte black. .223/5.56mm" stamped on side of magwell. .154" hammer/trigger pin holes. .250" pivot pin holes. **FFL required for purchase.**

#100-004-106EK Stripped Receiver, only, 3B139H99..... \$ 149.99

#100-004-243EK Complete Receiver, Single Safety, 3B00YTP..... 339.99

#100-004-098EK Complete Receiver, Ambi Safety, 3B00VBX..... 359.99

STRIPPED AR-STYLE .308 LOWER RECEIVER – Semi-auto lower receiver is precision machined from solid aluminum billet, with an integral, oversized "winter" triggerguard for use in environments where gloves are required. Extra-thick triggerguard is milled as part of the receiver to provide exceptional structural rigidity. Beveled magwell aids in positive mag seating under stress. Accepts .308/7.62mm upper receivers from DPMS, Remington, Bushmaster, and Patriot Ordnance Factory, and uses H&K G3 7.62mm magazines; requires minor milling of upper receiver for magazines to properly seat and feed. Drop-in ready for the AR-15 trigger/fire control components of your choice.

SPECS: Machined 7075 T6 aluminum, hardcoat anodized, Teflon coated, matte black. "762" stamped on side of magwell. .154" (3.9mm) hammer/trigger pin holes. .250" (6.3mm) pivot/takedown holes. **FFL required for purchase.**

#100-004-001EK Stripped .308 Rec'r 3B406Z97 ... \$ 459.95



D.S. ARMS AR-15

ZM4 STRIPPED LOWER RECEIVER



Precision Forging From High-Strength Alloy For Custom Builds

Stripped, small-pin semi-auto lower receiver is precision machined from an aluminum alloy forging to the same dimensions as USGI receivers to ensure proper fit of components and accessories designed for mil-spec receivers. An affordable platform for any type of custom gun you want to build—from a fast-handling tactical carbine to a match-grade competition rifle. Simply add the upper, fire control components, buttstock assembly, and pistol grip of your choice. Extra hard 7075 T6 alloy gives superior strength and stands up to the battering of thousands of firing cycles; hardcoat anodized surface resists wear and actually adds strength. Holes, inletting, and pin locations have already been cut to final dimensions. .154" hammer and trigger pin holes accept the most readily available fire control components, with standard .250" pivot and takedown pin holes.

SPECS: 7075 T6 aluminum, hardcoat anodized matte black. 9 oz. (255g) weight. .154" hammer/trigger pin holes. .250" takedown/pivot pin holes. **FFL required for purchase.**

#274-000-017EK ZM4 Lower Receiver 4G135B71 .. \$ 169.64

DPMS AR-15 AR-15 LOWER RECEIVER

High-Quality,
Forged Lower
For Precision Fit
& Function

Forged, fully assembled lower is ready for your choice of upper. Precision machined from 7075-T6 aircraft-grade, aluminum alloy, mil-spec hardcoat anodized, then Teflon-coated black for superior wear and scratch resistance. Includes mil-spec trigger group and pistol grip. **A-2** model features a fixed, black Zytel buttstock with rear sling mount and trapdoor buttplate for storage of backup parts and cleaning supplies. **M4** version is equipped with a 6-position, collapsible, carbine stock made of impact-resistant polymer.

SPECS: Receiver - Forged, 7075-T6 aluminum, hard anodized, Teflon-coated black. A2 Buttstock - Zytel, black. M4 buttstock - plastic, black. **FFL required for purchase.**

#231-000-180EK A2 Lower Receiver 1C00VBX.... \$ 244.99

#231-000-205EK M4 Lower Receiver 1C00DZA 244.99



DPMS AR-15 FORGED LOWER RECEIVER

Forged Construction
Adds Toughness To The Rifle
You're Building

7075-T6, aircraft-grade aluminum receiver is forged and tempered for strength, just like the M16 lowers used by the U.S. military. CNC machined and ready to be the foundation for your match, tactical or hunting rifle. Hard coat anodized to mil-spec 8625 for durability; Teflon® coating gives additional lubricity and an attractive, matte, black finish.

SPECS: 7075-T6 aluminum, Teflon, black, matte finish. 8.6 oz. (244 g.) wt. **FFL required for purchase.**

#231-000-113EK Forged Lower Rec. 1C99A98 \$ 119.99

HSA-15 CARBINE LOWER RECEIVER

Extra Strong, Mil-Spec
Receiver With Custom-Quality
Trigger Group

Complete, semi-auto M4-type lower receiver with trigger group A2 pistol grips and collapsible stock is ready to accept the upper that meets your exact needs. A supplier to the U.S. military since WWII, High Standard's name means top-quality materials and workmanship throughout. All parts are manufactured in the U.S. to original Colt specs, and each part is gauge-checked for correct tolerances in accordance with MIL-STD 105D during assembly. Receiver is forged from 7075 T6 aluminum alloy, which has nearly twice the tensile strength of the standard 6061 alloy. The steel trigger/hammer group's precision-ground engagement surfaces provide a crisp, near-match-grade trigger pull. M4-style, 6-position collapsible buttstock includes buffer tube, buffer, recoil spring, receiver lock plate, lock nut, and rear sling swivel. **Lower Receiver w/o Buttstock** includes lower receiver assembly with trigger group and pistol grip fully assembled for those who wish to install their own buttstock.

SPECS: Receiver – Forged 7075 T6 aluminum, hardcoat anodized, matte black. Buttstock/Pistol Grip – High-impact polymer, black. **FFL required for purchase.**

#100-002-328EK HSA-15 Lower Receiver, w/Buttstock, 3D240C00..... \$ 269.99

#100-003-220EK HSA-15 Lower Receiver, w/o Buttstock, 3D193X24..... 239.99



DPMS AR-STYLE .308 LR-308 LOWER RECEIVER

High-Quality,
Machined
Lower For
Precise Fit &
Smooth
Function




Rugged, fully machined lower is ready to be the foundation of a hard-hitting long-range tactical, competition, or hunting rifle built to meet your exact specifications. Available stripped or complete with fire control group, buttstock, and pistol grip, ready for your choice of upper. Precision milled from a solid billet of high-grade 7075 T6 aluminum, with extra metal in the right places to handle thousands of rounds of full-power ammo without flexing or stress-cracking. Mil-spec hardcoat anodized for extra surface strength and corrosion resistance. Complete lowers also have a proprietary Teflon coating for outstanding resistance to surface wear and scratches. Beveled mag well aids in fast reloads, and the integral, straight triggerguard milled from the billet with the rest of the receiver provides clearance for a gloved trigger finger while adding to the structural strength of the receiver. **Fixed** model features an A2 pistol grip and an A2-style, black Zytel buttstock with rear sling mount and trapdoor buttplate for storage of backup parts or cleaning supplies. **Collapsible** model is equipped with an A2 grip and a 6-position, M4-style adjustable stock made of heavy-duty impact-resistant polymer. **Stripped** "small-pin" lower comes with a matte black hard-anodized finish.

SPECS: Receiver - 7075 T6 aluminum, hardcoat anodized, Teflon-coated, black. Pistol Grip – Injection-molded polymer, black. Accepts AR-style .308/7.62mm upper receivers and magazines from DPMS, Bushmaster, Patriot Ordnance Factory, and Remington Arms. **Fixed** - Zytel, A2-style buttstock, black. **Collapsible** – Polymer M4-style buttstock, black. **Stripped** – Matte black, hard-anodized finish. .154" (3.9mm) hammer/trigger pin holes. .275" pivot/takedown pin holes. **FFL required for purchase.**

#231-000-234EK LR-308 Lower w/Fixed Buttstock, 1C00BXC..... \$ 519.99

#231-000-233EK LR-308 Lower w/Collapsible Buttstock, 1C00PUA..... 519.99

#231-000-245EK LR-308 Stripped Lower Receiver, 1C00PUA..... 274.99



J.P. ENTERPRISES AR-15 FORGED LOWER RECEIVER

Teflon Coated For
Superior Scratch &
Wear Resistance



Stripped, small-pin lower receiver is forged from ultra-strong 7075 T6 aluminum to serve in the ultimate semi-auto tactical, competition,

or varmint AR-15 rifle. Mil-spec hard-anodized for excellent surface strength and corrosion-resistance. A special Black Teflon® coating provides lubricity for smooth operating components and helps resist scuffs and scratches, so your gun stays nice-looking. Built to mil-spec dimensions for correct fit to any mil-spec upper receiver, internal components, and aftermarket accessories. **SPECS:** 7075 T6 forged aluminum, hardcoat anodized, Teflon-coated, matte black finish. .154" (3.9mm) hammer/trigger pin holes. .250" (6.3mm) pivot/takedown holes. **FFL required for purchase.**

#100-004-482EK Forged Lower Rec'r 7G163A82 ... \$ 200.99

EXTREME SHOCK AR-15/M16 GRIPWELL

Speeds Magazine Changes &
Improves Weapon Control



Hand-filling polymer grip clamps around the mag well to provide an extra wide "funnel" that aids in fast magazine reloads in high-stress situations. Ergonomic exterior features three contoured finger grooves for a secure, comfortable hand-hold that helps you counteract recoil to stay on target during rapid fire. Enables a tight, elbow-in grip for positive weapon retention during CQB operations, and minimizes hand fatigue during long periods in the ready position. Molded from nearly indestructible polymer composite; secures to the weapon with three steel hex-head screws for a tight hold even during continuous recoil. **SPECS:** Reinforced injection-molded polymer, black. 4 1/4" (10.8cm) long, 1 3/4" (4.4cm) wide, 2 3/4" (7cm) high. 2.8 oz (79g) weight.

#100-004-632EK Gripwell 5B24Y29 \$ 26.99

OWN IT? INSTALLED IT? TRIED IT?

RATE IT! ★★★★★ 5.0

Go online at www.brownells.com and review products you have used. Would you recommend it to a friend? Would you purchase it again? Have any useful tips you think others might benefit from? Share it! Your opinion matters to us!

PATRIOT ORDNANCE FACTORY AR-15/AR-STYLE .308 MACHINED LOWER RECEIVER



Machined From 7075
Aluminum Billet
For Precise Dimensions &
Superb Strength

Stripped, semi-auto lower receiver is fully machined from U.S.-sourced 7075 T6 aluminum billet for superb strength and precise dimensions. Extra metal in the right places gives a big payoff in added support and rigidity with minimal extra weight. Available in AR-15 (**P-415**) and AR-style .308 (**P-308**) sizes, both models accept mil-spec and aftermarket components, so you can select the upper, trigger group, pistol grip, receiver extension, and buttstock that best serve your needs—the perfect foundation for a custom tactical rifle. Integral, oversized triggerguard machined as part of the receiver further enhances structural rigidity and provides plenty of clearance for trigger finger when wearing gloves. Radiused inside and outside edges protect finger from cuts and scrapes when mounting weapon quickly or during extended fire. Flared magwell with smoothly radiused inside corners helps ensure fast reloads, without fumbling, when seconds count. Cut for ambidextrous bolt release to allow strong- or weak-hand operation; right-side button included with receiver. Laser etched, international "fire" and "safe" symbols give the operator instant, intuitive feedback on the weapon's safety status in high-stress situations.

SPECS: 7075 T6 aluminum, hardcoat anodized. Small-pin, .154" (3.9mm) hammer/trigger pin holes. **P-415** - Matte black Teflon® finish. Accepts mil-spec AR-15/M16 rifle or carbine upper receiver and internal components. .250" (6.3mm) pivot/takedown holes. **P-308** - Matte black finish. .250" pivot/takedown pin holes. Accepts DPMS LR-308 or Knight's Armament SR-25 AR-style .308/7.62mm upper receiver. Uses standard small-pin AR-15 trigger, pistol grip, takedown pin, and receiver extension. Requires .308 buffer, buffer spring, pivot pin. **FFL required for purchase.**

#100-004-193EK P-415 AR-15 Lower Receiver, 1G322X15..... \$ 325.99

#100-004-349EK P-308 AR-Style .308 Lower Receiver, 1G412T16..... 449.99

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 5

AR-15/M16

LOWER RECEIVERS


GEISSELE™
AUTOMATICS

WILSON COMBAT™

- A** #100-002-457EK **MAGPUL PRECISION RIFLE STOCK** See Page 33.
- B** #093-249-020EK **BADGER ORDNANCE TACTICAL LATCH** See Page 26.
- C** #100-005-955EK **VORTEX VIPER PST 1-4x24 SCOPE** See Page 94.
- D** #080-000-810EK **BROWNELLS PICATINNY SCOPE RINGS** See Page 85.
- E** #434-000-011EK **I.O.R. VALDADA HI-RISE EXTENDED RISER** See Page 84.
- F** #100-007-254EK **DANIEL DEFENSE MODULAR FLOAT RAIL 12.0** See brownells.com
- G** #965-000-148EK **WILSON COMBAT 6.8 SPC RECON TACTICAL BARREL** See Page 93.
- H** #100-003-564EK **PRIMARY WEAPONS SYSTEMS FSC30 COMPENSATOR** See Page 18.
- I** #100-003-220EK **HIGH STANDARD HSA-15 LOWER RECEIVER** See Page 5.
- J** #714-000-010EK **PRECISION REFLEX 15-RD 6.8 MAGAZINE** See Page 48.
- K** #100-007-545EK **GEISSELE SD-3G SUPER DYNAMIC THREE-GUN TRIGGER** See Page 93.

SUPERIORARMS AR-15 S-15 LOWER RECEIVER

Strong, Forged Receiver; Perfect Foundation For A Custom Rifle Or Carbine

Stripped, semi-auto, lower receiver delivers custom shop quality without the typical custom shop price. Perfect platform for building the ultimate, mission-specific, AR-15 rifle or carbine. Made from a high-strength, 7075 T6 aluminum forging for reliable performance and outstanding durability. Mil-Spec, hard anodized finish adds extra strength to the receiver walls and delivers superior abrasion-resistance for rugged field use. Precision-machined to ensure drop-in installation of Mil-Spec, aftermarket components. Secondary setscrew in pistol grip allows trigger preset adjustment to eliminate creep for a crisp, clean break. Features standard, .250" diameter takedown and pivot pin holes.

SPECS: 7075 T6 aluminum, hard-anodized, black finish. 9 oz. (255 g) wt. **FFL required for purchase.**

#100-003-161EK S-15 Lower Receiver 6F96T00 . . . \$ 139.99



YANKEE HILL AR-15 YHM-15 LOWER RECEIVER

Mil-Spec Dimensions & Finish For Superb Fit & Maximum Compatibility

Semi-auto lower is precision machined entirely at Yankee Hill's manufacturing facility from a high-strength 7075 aluminum alloy forging. The perfect foundation for almost any kind of AR you want to build: tactical, competition, sporting—even a non-standard caliber. Mil-spec dimensions ensure superior fit and maximum compatibility with a Stripped wide range of available uppers, aftermarket parts, and accessories. Slightly oversized magwell chamfers help ensure fast, positive magazine changes when the pressure is on. YHM logo stamped on left side of mag well. Accepts standard .154" hammer/trigger pins and .250" takedown/pivot pins. Available as a **Stripped** lower receiver or with a polymer **A2** pistol grip and all internal components installed, including mil-spec trigger group, safety selector, bolt catch, mag release button, aluminum triggerguard; add the receiver extension tube, buffer components, and buttstock of your choice.



SPECS: Receiver - Forged 7075 T6 aluminum, hardcoat anodized, matte black. Accepts .154" hammer/trigger pins and .250" takedown/pivot pins. A2 Pistol Grip - Reinforced molded polymer, black.

FFL required for purchase.

#100-004-301EK Stripped Lower Receiver, only, 5G120C00 . . . \$ 139.99

#100-004-350EK Assembled Lower Receiver, w/A2 Grip, 5G239T74 . . . 249.99

FALON INDUSTRIES AR-15/M16

NEVER QUIT GRIP

Helps Promote A Secure, Non-Slip Grip For The Support Hand On The Magwell



Ergonomically shaped rubber grip enhancer helps promote a secure, comfortable, non-slip grip for the tactical shooter who prefers to position his support hand on the magazine well. Encourages the operator to maintain a firm grasp on the magwell, not the magazine, for improved recoil control and fast followup shots. Oil, dirt, and UV-resistant Santoprene™ thermoplastic elastomer is textured to fit the hand and cushion it from recoil. The surface is just "grippy" enough for a secure hand-hold and to keep the grip from moving on the magwell. Installs easily on any AR-15/M16 rifle or carbine with a standard triggerguard. Just depress the forward pin, swing the guard out of the way, and the Never Quit Grip over the magwell,

and reinstall the pin. **SPECS:** Santoprene synthetic rubber, black, desert tan, or O.D. green. Fits AR-15/M16/M4 and clones with removable triggerguard.

#100-004-418EK Never Quit Grip, Black 3G18H76 . . . \$ 24.99

#100-004-419EK Never Quit Grip, Desert Tan, 3G18H76 . . . 24.99

#100-004-420EK Never Quit Grip, O.D. Green, 3G18H76 . . . 24.99



**SATISFACTION GUARANTEED
SINCE 1939**

SPIKE'S TACTICAL AR-15 LOWER RECEIVER



High-Quality Forgings
Machined to Mil-Spec
Dimensions; Stripped &
Assembled Models

T6 aluminum forging to mil-spec dimensions for precise fit and outstanding performance. Rug-gezied hardcoat anodized finish resists scuffs, scratches, and wear. Stamped and color-coded bullet selector position markings notify operator when weapon is in "safe" or "semi-auto." A "full-auto" position is not selectable but gives this semi-auto lower receiver the appearance of being multi-burst capable. Magazine well features Spike's spider logo and multi-cal engraving. **Complete Lower w/ Buttstock** includes stainless steel trigger, black oxide finished triggerguard and hammer assembly, pistol grip, six-position mil-spec buffer tube (1.146" O.D.), ST-T2 tungsten heavy buffer, mil-spec 17-4 stainless steel buffer spring, and Spike's M4 stock. **Complete Lower w/o Buttstock** includes trigger/hammer group and all other internal components ready for the receiver extension and buttstock of your choice. **Stripped Lower** comes as a standalone component without trigger group, mag release, selector, or bolt release.

SPECS: Receiver - 7075 T6 aluminum, hardcoat anodized, matte black finish. Buttstock - Reinforced molded polymer, black, .154" hammer/trigger pin holes. .250" takedown/pivot pin holes. **FFL required for purchase.**

#100-004-686EK Complete AR-15 Lower Receiver w/ Buttstock 3H243C24 \$249.99
#100-004-687EK Complete AR-15 Lower Receiver w/o Buttstock 3H186C21 199.99
#100-004-685EK Stripped AR-15 Lower Receiver, 3H00AVB. 89.99

BLACK DOG MACHINE AR-15/M16 UPPER RECEIVER BOLT SAVER



Prevents .22 LR Conversion Bolt
From Falling Out Of Disassembled Receiver

Molded polymer cover fits in the underside of a disassembled .22 LR conversion upper receiver to prevent the bolt from falling out. Keeps dirt and debris out of internal components, too. Slide over the takedown and pivot pins, then secure in place with the two included cotter pins. Can be installed on any disassembled centerfire upper as well to protect the bolt carrier. **FFL required for purchase.**

SPECS: Polymer, black. Fits AR-15/M16/M4 upper receiver and .22 LR conversions.
#100-005-586EK Bolt Saver 1B02A31 \$2.99

BrownellsBusinessAdvantage.com

57 CENTER AR-15/M16 AR57 UPPER RECEIVER



Magazine sold
separately

Converts Any AR-15 To Shoot 5.7 x 28mm

Complete upper receiver lets you shoot economical, gentle-recoiling 5.7 x 28mm ammunition in your AR. The innovative, low-profile 50-round magazine (sold separately) is positioned conveniently above the barrel for optimum weight distribution. Spent cases are ejected straight down through the magwell to avoid striking other shooters and for easy range cleanup. Simple, reliable blowback operation with a free-sliding bolt that's the only moving part means there's no gas system to foul or clog

CMMG AR-15/M16 DEDICATED 9mm LOWER RECEIVER

Integral 9mm Mag Well
Requires
No Conversion Block



Semi-auto lower receiver lets you build a dedicated 9mm AR that doesn't look like a conversion—because it isn't. The magazine well is machined to accept only Colt or modified Uzi-style 9mm magazines. Eliminates the need for a separate conversion block and the reliability problems that can result from converting a standard .223/5.56mm lower with add-on parts. Comes with feed ramp, bolt catch, and ejector all designed for best function with the 9mm pistol cartridge. Plus, the flush-fit mag well gives your gun a clean, uncluttered look. All holes, inletting, and pin locations have been machined to final dimensions. Add the trigger group, buttstock, and 9mm buffer/spring of your choice. Ideal for use with CMMG Enhanced 9mm Bolt/Carrier assembly, available separately. Machined from high-grade 7075 T6 aluminum billet that provides superb strength and rigidity. Hardcoat anodized, then Teflon® coated for excellent resistance to scuffs, scratches, surface abrasion, and discoloration from cleaning solvents and gun oils. **FFL required for purchase.**

SPECS: 7075 T6 aluminum, hardcoat anodized, Teflon coated, matte black. .250" diameter pivot/takedown pin holes. **FFL required for purchase.**

#100-004-879EK 9mm Lower Receiver 3B155D56 . . . \$174.99

CMMG AR-15/M16 DEDICATED .22 LR BARREL



For Improved Accuracy in Rifles
Fitted With .22 LR Conversion Systems

M4-contour barrel converts a standard .223/5.56 upper receiver to a dedicated .22 LR upper when used in conjunction with a CMMG, Ciener, or other Atchison-style .22 rimfire conversion kit (sold separately) and magazine (CMMG or Black Dog). Solves the accuracy problems sometimes caused by firing rimfire ammo in the .224" bore of the centerfire barrel. Comes with a chamber adapter and pre-installed barrel extension with locator pin. Installs on a mil-spec upper receiver using a standard or free-float barrel nut. Requires removal of the conversion unit's .223/5.56-to-.22 LR chamber adapter, using caution to avoid "springing" the unit's rails, and replacement with the barrel's chamber adapter. Standard 1/2" x 28 tpi muzzle threads let you install AR-15/M16 muzzle components.

SPECS: Chrome-moly steel, black oxide finish on barrel, Parkerized adapter, matte black. 16" OAL. .750" O.D. at position where gas port is normally located. 1-16" twist rifling. 1/2" x 28 tpi muzzle threads. **#100-006-726EK AR-15 .22 LR Barrel 3B88A28 \$99.99**

with carbon. Ultra-rigid, monolithic receiver/handguard rail is machined from a single block of aluminum, with nearly 3 feet of Picatinny rail space for mounting optics and other accessories. Plenty of vent holes in the handguard ensure maximum cooling during sustained fire. Free-floating, 4140 chrome-moly steel barrel is 16" long, with a unique, multi-port flash suppressor. Comes with a correct-weight recoil buffer for use with 5.7 x 28mm ammo; fits in the receiver extension of an M4-style stock. **FFL required for purchase.**

SPECS: 25" (63.5cm) O.A.L. 4 lbs, 9 oz. (2.1kg) weight. Receiver/Handguard - 7075 T6 aluminum, hardcoat anodized, matte black. Barrel - 4140 chrome-moly steel, Parkerized, matte black. 16" (40.4cm) long, 1-8.5" twist. **Magazine** - Molded polymer, translucent, smoke. 10 3/4" (27.3cm) long. 4.8 oz. (136g) weight. 50-round capacity. **#100-004-892EK AR57 Upper Receiver 2C00TPU . . . \$695.99**
#100-004-891EK 50-Rd Magazine 2C23T78 25.99

.22 EVOLUTION CONVERSION KIT



Use Economical .22 LR Ammo
To Practice More & Hone Critical Shooting Skills

Drop-in .22 LR conversion system comes fully assembled and ready to install in any semi-auto AR-15 to help you practice critical shooting skills with economical rimfire ammunition. Installs in seconds and requires no gunsmithing or permanent alterations to your rifle. Simply replace the bolt and carrier with the conversion unit, load up the included magazine with high-velocity round-nose .22 LR ammo, and you're ready to shoot. Precision machined from high-grade carbon or stainless steel for reliable function in any mil-spec AR-15 rifle or carbine chambered in 5.56mm NATO, including many gas piston systems. **Forward Assist** model has a built-in polymer adapter that lets you use your rifle's forward assist to help seat the bolt if it fails to go into battery. **Kit** comes with conversion unit and one smoke-tinted 26-round or 10-round magazine; conversion unit also available separately, without magazine. Magazines are molded from impact-resistant polycarbonate and are available in translucent smoke tint or solid black. Self-lubricating anti-tilt follower and constant-force spring help ensure reliable feeding. Follower holds bolt open after last round is fired. 26-round magazines are the size and shape of a USGI-style 30-round AR-15 magazines; 10-round magazines are the size of a standard straight-body 20-round AR-15 magazine. **FFL required for purchase.**

SPECS: **Kits** include conversion unit, plus one (1) smoke-tinted 26-rd or 10-rd magazine. Conversion Unit - Carbon steel, Parkerized, matte black finish (**CS**), or stainless steel, natural polished finish (**SS**). Designed for high-velocity, round nose .22 LR ammunition only. Fits semi-auto AR-15 rifle or carbine chambered for 5.56mm NATO, including gas piston conversions where the piston enters the receiver no more than 1 1/8". **Magazines** - Injection-molded polycarbonate, Smoke tint or Black. Capacities listed in table.

.22 EVOLUTION CONVERSION KITS

STOCK #	DESCRIPTION	CAPCTY	PRICE
#080-000-558EK	CS Kit w/Mag	26	8K163P53 \$189.99
#080-000-557EK	CS Kit w/Mag	10	8K167P76 \$189.99
#100-003-921EK	CS Kit, Only	NA	3B150T21 \$169.99
#080-000-722EK	SS Kit w/Mag	26	8K176V67 \$199.99
#080-000-723EK	SS Kit w/Mag	10	8K180V90 \$199.99
#100-005-395EK	SS Kit, Only	NA	3B164P29 \$179.99
#100-006-143EK	SS Fwd Assist Kit w/Mag	26	3B210H35 \$239.97
#100-006-144EK	SS Fwd Assist Kit w/Mag	10	3B207H20 \$239.95
#100-006-142EK	SS Fwd Assist Kit, Only	NA	3B180H00 \$209.99

.22 LR CONVERSION MAGAZINES

#080-000-548EK 26-Rd Magazine, Smoke 2B23T33 . . . \$25.00
#080-000-547EK 26-Rd Magazine, Black 2B23T33 25.00
#100-003-673EK 10-Rd Magazine, Smoke 1B23Y33 25.00

22 STARTER PAK - SAVE 20% - Get a carbon steel conversion unit, three 26-round smoke-tint magazines, and 525 rounds of Federal .22 LR 36 grain copper-jacketed hollow-point ammo - and SAVE 20% off what you'd pay for these items separately.

#100-007-781EK .22 Conversion Starter Pak, 8K00ZAY \$219.99

CHRISTIE & CHRISTIE MAGAZINE LOADER - Helps you load up a lot of magazines quickly, without pinched fingers, so you spend precious range time shooting your .22 LR AR-15 conversion, not loading mags.

SPECS: Molded polymer, black. Fits Brownells, Black Dog Machine, and Ciener magazines for .22 LR AR-15/M16 conversions.

#100-004-398EK .22 LR Mag Loader 8A07D99 \$14.99

BROWNELLS/ROCK RIVER ARMS CAR-15/M49mm LOWER RECEIVER CONVERSION KIT



Drop-In Kit Converts A Stock Lower Receiver
To Accept A Sub-Caliber Upper

One-stop, drop-in solution with the parts you need to convert a mil-spec small pin (.154" dia.), .223 lower receiver with collapsible stock to accept a 9mm upper receiver assembly. Kit includes a replacement hammer, recoil spring, and buffer optimized to handle the reduced recoil force of the 9mm Luger round, as well as a Magwell Conversion Block that installs in your rifle's magazine well to allow it to accept Rock River's 25-round 9mm magazines, available separately. To use the Kit on a full-size rifle with fixed A1/A2-style buttstock, install the separately available Delrin® Spacer in buffer tube behind recoil spring. **FFL required for purchase.**

SPECS: **Hammer & Buffer** - Steel, matte black oxide finish. **Action Spring** - High tensile strength spring steel. **Magwell Conversion Block** - Steel with matte black oxide finish and aluminum with matte black, hardcoat anodized finish. Fits CAR-15/M4 collapsible stock models with .154" diameter receiver pin holes. **Spacer** - Machined Delrin. 2 1/8" (5.4cm) long. Fits buffer tube for standard, fixed A1/A2-style AR-15/M16 buttstock. Not included in kit; must be purchased separately.

#080-000-442EK 9mm Lower Receiver Conversion Kit, 8K192Y80 \$219.99
#739-000-018EK 9mm Magwell Conversion Block, 9C00PUA 175.00
#739-000-015EK 9mm Hammer 9C00BXC 20.00
#739-000-016EK 9mm Carbine Buffer 9C00ZAY 25.00
#739-000-019EK 9mm Fixed Stock Spacer 9C00B89 8.99
#739-000-005EK Carbine Recoil Spring 9C00PUA 4.00
#739-000-014EK 9mm Magazine, 25-Rd 9C00PUA 35.00

CMMG AR-15 .22 LR BOLT HOLD OPEN UPGRADE PARTS



Locks Bolt Open After Last
Round; Preserves Bolt Catch
Button Function

Drop-in parts for rifles fitted with a CMMG or Atchison-style .22 LR conversion kit work with the existing

bolt catch to lock the bolt to the rear after the last round is fired. Molded polymer **Bolt Hold Open Actuator** fits into the top of the magazine well to precisely align a CMMG 25-round .22 LR magazine for reliable bolt lock open. Alignment can be further fine-tuned by adjusting the actuator's steel bolt-stop plate with the included hex wrench. Requires the spring and follower set sold below. No permanent rifle modifications required; simply lift out the actuator to return to shooting centerfire ammo. **Follower/Spring Set** upgrades a 25-round CMMG magazine with a follower that activates the Bolt Hold Open Actuator when the last round is fired. Includes an extra-power spring to ensure reliable feeding. Works only with the Bolt Hold Open Actuator installed. Each 25-rd magazine requires one Spring/Follower Set. **SPECS:** **BHO Actuator** - Molded polymer body, black. 1018 carbon steel catch. 2 1/2" (6.3cm) long, 1 5/16" (2.4cm) wide, 3/4" (1.9cm) high. 1/2 oz. (14g) weight. Installation instructions and wrench included. **Spring/Follower Set** - Carbon steel wire spring. Molded polymer follower, black. Not for use in 10- or 15-round magazines.

#100-006-725EK .22 Conversion Bolt Hold Open Actuator, 3B15V17 \$19.95
#100-006-724EK Bolt Hold Open Spring/Follower Set, 3B06V50 7.99

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 7

AR-15/M16

LOWER RECEIVERS

CALIBER CONVERSIONS

"Zombie Hunter" 5.56 Carbine,
as seen on the front cover



- A** #100-002-946EK MAGPUL CTR BUTTSTOCK See Page 33.
- B** #100-006-787EK MAGPUL MBUS GEN 2 FLIP-UP REAR SIGHT See Page 56.
- C** #100-004-286EK EOTECH G23.FTS MAGNIFIER See Page 88.
- D** #100-008-575EK SPIKE'S TACTICAL NICKEL-BORON BOLT/CARRIER See Page 93.
- E** #080-000-971EK BROWNELLS/EOTECH CQB T-DOT SIGHT See Page 94.
- F** #100-009-696EK TROY INDUSTRIES TRX ALPHA BATTLERAIL See Page 94.
- G** #100-006-791EK MAGPUL MBUS GEN2 FLIP-UP FRONT SIGHT See Page 56.
- H** #100-008-514EK BATTLECOMP 2.0 See Page 17.
- I** #100-005-830EK TACTICAL SUPPLY DEPOT EXTENDED P/T PINS See Page 28.
- J** #100-005-625EK HARFORD ENGRAVED EJECTION PORT COVER See Page 30.
- K** #100-004-687EK SPIKE'S TACTICAL LOWER RECEIVER See Page 6.
- L** #100-003-144EK MAGPUL 30-RD MAGLEVEL PMAG See Page 47.
- M** #408-150-000EK HOGUE PISTOL GRIP See Page 42.
- N** #100-004-450EK MAGPUL ASAP SLING ADAPTER See Page 62.
- O** #100-002-212EK SOG ARMORY CHARGING HANDLE w/TACTICAL LATCH See Page 26.
- P** #231-000-236EK DPMS OVERSIZED SELECTOR LEVER See Page 2.
- Q** #100-004-755EK MAGPUL B.A.D. LEVER See Page 26.

ROCK RIVER ARMS AR-15/M16 9mm UPPER RECEIVER ASSEMBLY



Easily Convert Your .223 AR Into A Fast-Shooting 9mm

Sub-caliber upper assemblies allow fast and simple conversion of ARs chambered in .223 to 9mm Luger. True, dedicated, complete upper receivers are assembled from military specification components; includes a Wilson, 1-10 twist barrel, bolt and carrier, charging handle, shell deflector, heat-shield lined handguards, sling swivel, and A1-style flash hider. Additional items not included but required for conversion to 9mm are a 9mm magazine, (sold below), magazine adapter, action spring, and recoil buffer, sold separately. A2 configuration has A2 adjustable sights regulated for 9mm. A4 unit has flattop receiver that accepts most aftermarket accessories designed to fit a Picatinny rail.

SPECS: Barrel - 4140 steel, blue, matte finish, 16" (40.6cm) long, .725" (18cm) O.D. Receiver - Aluminum, anodized finish, matte black. Designed to fit lower receiver with .25" (6.3mm) diameter takedown pins.

#739-000-012EK A2 9mm Upper Rec. 9C00BXC . . . \$ 506.99

#739-000-013EK A4 9mm Upper Rec. 9C00ZAY . . . \$ 486.99

25-ROUND 9MM MAGAZINE - High-capacity UZI-type design has been specifically modified for use in 9mm AR-15 conversions. Robust, all-steel construction with metal follower and tough Parkerized finish for years of smooth, reliable service. Requires the Brownells/Rock River Lower Receiver Conversion Kit, sold separately.

SPECS: Steel, Parkerized matte dark gray finish. 25-round capacity.

#739-000-014EK 9mm Magazine, 25-Round, 9C00PUA . . . \$ 35.00

NEW

SPIKE'S TACTICAL AR-15/M16 "HAVOC" 37mm FLARE LAUNCHER



Adds Another Tactical/
Training Capability To
Your AR

Breech-loading 37mm flare launcher clamps securely to the bottom rail of any 7" or longer Picatinny handguard. Lets you use 5¼" U.S. Coast Guard approved flare, smoke, or gas rounds for field operations or training. A single push of the button quickly opens the launcher to remove a spent round and insert a fresh cartridge. STZ pushbutton cylindrical breech lock is far stronger than lever locks typically used on this type of launcher. 9" Launcher has pivoting tube that swings to the side for loading. 12" Launcher tube slides forward for rear feed. Mounting hardware and instructions included.

SPECS: 6061 T6 aluminum, hardcoat anodized, and 1018 cold-rolled steel, oxide coated, black. 9" Launcher - 9½" (23cm) OAL, 5½" (14cm) tube length. 2 lb., 5 oz. (1kg) wt. 12" Launcher - 12½" (32cm) OAL, 9" (22.8cm) tube length. 2 lb., 14 oz. (1.4kg) wt.

#100-007-033EK Havoc 9" Launcher 3B00YTP . . . \$ 349.95

#100-007-034EK Havoc 12" Launcher 3B00AVB . . . \$ 299.95

SELECTION • SERVICE • SATISFACTION

BUTLER CREEK "LULA" MAGAZINE LOADER/UNLOADER - A must for loading Rock River's 25-round 9mm AR-15 mags! As you move the lever back and forth, loader securely grasps each round for effortless loading/unloading. Reduces wear and tear on magazine feed lips—and your fingers. Fits in your pocket. Loader is made in U.S.A.

SPECS: Reinforced polymer, black. Fits Rock River 25-round 9mm AR-15 magazines, as well as 20-, 25-, 32-, and 40-round 9mm Uzi metal magazines.

#593-000-045EK 9mm AR-15/UZI Mag Loader 3E28P53 . . . \$ 34.95

NEW Items **ZEL CUSTOM AR-15/M16 TACTILITE UPPER RECEIVER**



Complete Bolt Action Uppers For Long-Range AR-Type Rifles

Bolt action upper receiver combines with any off-the-shelf AR-15 lower to create a professional-quality, ultra-long range rifle. Receiver is fully machined from a single piece of 4140 steel barstock, heat treated for superb strength, Parkerized, and then top-coated with a tough, corrosion-blocking CeraKote™ ceramic finish. Heat-treated 4340 steel bolt uses the time-tested two lug push-feed design for tremendous strength and reliability. Machined 7075 aluminum handguard has integral MIL-STD 1913 Picatinny quad-rails for mounting a full range of accessories, including a bipod and, on the extended top rail, any type of long-range optic. Button-rifled barrel is free-floated for consistent accuracy and available in 4140 or LW19 chrome-moly steel, depending on model. All models feature an integrated muzzle brake for reduced felt recoil and fast follow-up shots. **T1 Duty** is chambered in .416 Barrett and designed for tactical operations. This single-shot features a LW19 chrome-moly steel Lothar-Walther barrel with a match-grade chamber for sub-MOA performance using match ammo. 29" barrel only. **T1 Ultralite** is a single shot chambered for the popular .50 BMG cartridge, with a 24" or 29" Mossberg-made 4140 chrome-moly barrel. U.S. mil-spec standard chamber. **T2 Ultralite** is a .50 BMG repeater with the same features as the T1 and a side-mounted, 5-round Accuracy International magazine. U.S. mil-spec standard chamber; 24" or 29" barrel.

SPECS: Receiver - 4140 chrome-moly steel hardened to Rc 42-45, Parkerized, with a CeraKote topcoat, matte black. Bolt - 4340 chrome-moly steel hardened to Rc 42-45, Parkerized, matte black. Bolt Handle - ETD 150 steel, Parkerized/CeraKote finish, matte black. Firing Pin - 4142 chrome-moly steel, Parkerized, black. Hammer - 1018 carbon steel hardened to Rc 42. Handguard - 7075 T6 aluminum, CeraKote finish, matte black. All models fit mil-spec AR-15 lower receiver (not included), no gunsmithing required. **Duty** - Barrel: LW19 chrome-moly steel, with 12L14 steel muzzle brake, Parkerized, matte black. Available in .416 Barrett only; 6-groove, 1-11" twist rifling. Total weight: 17.3 lbs. (78kg) weight. **Ultralite** - Barrel: 4140 chrome-moly steel, Parkerized, matte black. Available in .50 BMG only; 8-groove, 1-15" twist rifling. Total weight: 15 lbs (6.8kg) w/24" barrel; 16.7 lbs (7.6kg) w/29" barrel.

#100-005-532EK	T1 Duty .416 Barrett, 29" Bbl, 2B2368H81	\$ 2,549.99
#100-005-530EK	T1 Ultralite .50 BMG, 24" Bbl, 2B1863H13	1,999.99
#100-005-531EK	T1 Ultralite .50 BMG, 29" Bbl, 2B1913H54	2,049.99
#100-005-533EK	T2 Ultralite .50 BMG, 24" Bbl, 2B2368H81	2,549.99
#100-005-534EK	T2 Ultralite .50 BMG, 29" Bbl, 2B2419H25	2,599.99

MP ADAPTER - Machined aluminum adapter lets you mount a Pachmayr recoil pad to a Magpul AR-15/M16/AR-308 PRS Stock for additional recoil control on a Tactilite Upper Receiver. Adapter available alone or with a Pachmayr F325 Large Field Pad. PRS Stock sold separately.

SPECS: Adapter - 6061 aluminum, hardcoat anodized, matte black. Accepts recoil pads with 3.1" hole spacing. Rubber recoil pad, black. 2" wide, 5/8" (14.2cm) high. 1.1 lbs. wt. Pad and adapter add 2" (5.1cm) to L.O.P.

Adapter w/Pad Installed

NEW 100-006-323EK	MP Adapter/Recoil Pad Combo, 2B65V39	\$ 79.95
NEW 100-006-322EK	MP Adapter, Only 2B48V28	59.99

DPMS AR-15/M16 BOLT ASSEMBLY



Replaces Factory Bolt; Use For Building Custom Sporter & Varmint Rifles

Steel, Teflon-coated, to eliminate bind on bearing surfaces which can prevent reliable cycling. Mil-spec bolt assembly is

TACTICAL SOLUTIONS AR-15/M16 AR-22 UPPER RECEIVER ASSEMBLY



Complete, Dedicated .22 LR Upper Ready To Drop On Your Lower & Shoot

Dedicated .22 LR flattop upper lets you do live-fire training with affordable rimfire ammo while retaining the weight, balance, and feel of your rifle. Replace your existing upper with the AR-22, load the included Black Dog .22 LR magazine, and you're ready to shoot. You practice with your existing trigger and fire control components, so the trigger pull feels the same. The mil-spec receiver has a standard MIL-STD 1913 Picatinny rail, charging handle, forward assist (non-functioning), and ejection port cover. Inside, the standard bolt/carrier assembly is replaced by a dedicated "bolt rail" of hardened tool steel with a blowback operated stainless steel bolt inside. Both components are built to run hard and handle the abuse of long practice sessions. **M4** has the appearance and weight of a USGI M4 upper, with correct contour barrel, standard M4 handguard, A2-type flash hider, and a gas block/front sight tower with bayonet lug, sling loop, and square front sight post. **LT** has a lightweight, free-floated aluminum barrel with a button rifled, 1-16" twist chrome-moly steel liner. Muzzle is threaded to accept any compensator or flash suppressor that fits an AR-15/M16/M4. The included screw-on muzzle cap with 11" target crown gives a clean, finished appearance when a muzzle accessory isn't installed. The Hogue machined aluminum mid-length forearm has bands of aggressive knurling for a firm, non-slip grasp.

SPECS: Receiver - 7075 T6 aluminum, hardcoat anodized, matte black. .250" pivot/takedown pin holes. Bolt - Heat-treated 416 stainless steel. Bolt Rail - Tool steel. Magazine - Injection-molded polycarbonate, translucent smoke. 26-round capacity. **M4** - 24" (61cm) OAL. 3 lbs, 15 oz. (1.8kg) weight. Barrel - Chrome-moly steel, Parkerized, matte black. 16.1" (41cm) long. 1-16" twist. 1/2"-28 tpi muzzle threads. **LT** - 23" (58.4cm) OAL. 2 lbs, 14 oz. (1.3kg) weight. Barrel - Aluminum with chrome-moly steel liner, hardcoat anodized exterior, matte black. 16 1/2" (41.9cm) long. .920" O.D. 1-16" twist. 1/2"-28 tpi muzzle threads.

#100-005-202EK	AR-22 M4 Upper Receiver, 8K528Y00	\$ 579.99
#100-005-203EK	AR-22 LT Upper Receiver, 8K551Y47	599.99

PRO MAG AR-15/M16 9mm MAGAZINE ADAPTER



Converts .223/5.56 Magwell To Accept 9mm Colt/Uzi Magazines

Magazine well insert converts a standard .223/5.56 AR-15 lower receiver to accept Colt SMG and modified Uzi-type 9mm magazines for use with a dedicated 9mm upper receiver. Friction-fit, top-down installation with steel hooks that fit over the top of the lower receiver to keep the adapter in place. Durable polymer body with Parkerized steel fixtures for added support. Bolt hold-open after last shot with Colt magazines only.

SPECS: Polymer body, black. Steel feed ramp, bolt stop, ejector, Parkerized, matte black. Armorer installation recommended. Fits Mil-Spec AR-15/M16 lower receivers; Olympic arms rifles require ejector removal.

#687-000-033EK 9mm Mag Adapter 7H41Z15. \$ 53.50

machined to strict tolerances for a drop-in fit and requires no gunsmithing.

SPECS: Steel, Teflon-coated, matte black. Meets mil-spec #8448510.

#231-000-196EK Bolt Assembly 3B39H00. \$ 44.99

HAHN PRECISION AR-15 9mm CONVERSION BLOCK

Reliable Feeding With A Host Of Ammo Types; Models For Every Shooting Application

One-piece, machined aluminum block converts AR-15 lower receiver to 9mm. Compatible with all Colt-type, 9mm upper receivers, the feed ramp is cut for reliable feeding with all types of ammo, including hollow point and frangible ball. Roller retention device holds block securely in receiver, prevents accidental release. Hardened steel ejector, feed ramp and bolt hold open give long service life; last-round-hold open feature on bottom-loading model works when used with Colt magazines. Also works with modified UZI magazines but last-round-hold open will not function. No receiver modification required. **Top-Loading** Block installs from the top of the lower receiver (no hold open feature) and **Bottom-Loading** Block installs from the bottom of the lower receiver.



SPECS: Aluminum, black, matte finish.

#100-000-920EK	Top-Loading 9mm Conversion Block, 6K140P00	\$ 175.00
#100-000-443EK	Bottom-Loading 9mm Conversion Block, 6K160Z00	200.00

DEDICATED 9mm CONVERSION BLOCK - Designed, manufactured, and field-tested specifically for law enforcement personnel who require an AR-15/M16 dedicated to 9mm ammo using Colt and modified Uzi-type magazines. Integral "leg" hooks over the top of the lower receiver to prevent accidental fall-out during actual combat situations where reliability is paramount. Two-piece, aluminum body features extra tight, mating surfaces to minimize the collection of carbon and brass buildup; scalloped hold-actuator allows unburned powder and other debris to pass through for uninterrupted cycling. Hold actuator is wire EDM-machined from high grade, 01 tool steel and functions with the standard 5.56mm bolt hold-open, which is strong, reliable and more readily available than the 9mm version. (Last round hold-open feature functions with Colt magazines only.) Ejector is of standard, Colt configuration for easy replacement by any department armorer. Funneled magazine well ensures smooth entry for rapid mag changes and limits rotational movement caused by variances in magazine taper. Spring-loaded roller maintains constant tension against the lower receiver well to prevent free play. Steel, feed ramp is heat-treated for extra strength and superior wear-resistance; provides consistent round delivery with most bullet types. Armorer installation recommended.

SPECS: Body - 6061-T6 billet aluminum, Mil-Spec black anodized finish. **Components** - Steel, parkerized finish. Fits all Mil-Spec AR-15/M16 receivers. Armorer installation recommended.

#100-002-321EK	Dedicated 9mm Conversion Block, 6K160C00	\$ 200.00
----------------	--	-----------



BUSHMASTER AR-15 BOLT & CARRIER

Machined To Mil-Spec Or Better Tolerances For Precise Fit & Smooth Cycling

Bolt and carrier assemblies provide smooth, efficient cycling and improved reliability in any AR-15 application. Precision

machined from the highest quality ordnance-grade steels to current military—or higher—tolerances, then hardened and magnetic particle inspected to ensure there are no microscopic cracks or flaws that could lead to premature failure. **Bolt** made from high-strength Carpenter 158 steel alloy is heat-treated for exceptional surface hardness to handle the battering of thousands of cycles. Includes extractor, gas rings, ejector, pins, and springs; does not include firing pin. **Carrier** of 8620 steel is chrome lined to ensure smooth bolt function and superb wear resistance for years of reliable service. Comes with chrome-lined carrier key installed. **Complete Kit** includes bolt and carrier assemblies, plus the firing pin, cam pin, and firing pin retaining pin.

CMMG AR-15/M16 ENHANCED 9mm BOLT/CARRIER

Lets You Keep The .223/5.56mm Hammer In Your 9mm Conversion



Complete, drop-in carrier/bolt assembly is ramped on the bottom to provide clearance for a factory .223/5.56mm hammer in your 9mm conversion. Eliminates the need to install a dedicated 9mm hammer, so the original fire control system stays intact for easier conversion back to original caliber. Precision machined from high-grade ordnance steel, the one-piece design combines bolt and carrier as a single unit to provide outstanding strength, durability, and reliability. Includes a staked-on carrier key.

SPECS: Steel, black oxide finish. Fits rifles and carbines with Rock River Arms and Colt-style 9mm blow back system.

#100-004-363EK 9mm Bolt/Carrier 3B159D99. \$ 199.99

DOUBLE STAR AR-15/M16 BOLT/CARRIER ASSEMBLY



Mil-Spec Dimensions For Drop-In Fit; MPI Inspected For Soundness

Complete bolt/carrier assembly comes ready to

drop in your rifle—ideal as a replacement, in a custom build, or as a backup for extra insurance during competition. Machined from high-grade 8620 carbon steel to mil-spec dimensions, with hard-chrome plated steel firing pin and chrome-lined, staked gas key for added durability. Carrier is notched for forward assist. Magnetic particle inspection (MPI) during manufacture ensures each component is solid and free of internal flaws.

SPECS: 8620 steel, Parkerized, matte black.

#100-004-911EK	Bolt/Carrier Assembly, 2Z124H14	\$ 149.99
----------------	---------------------------------	-----------

DANIEL DEFENSE AR-15/M16 COMPLETE BOLT/CARRIER GROUP

Drop-In Assembly With Strength & Durability Features For Dependable Service



Complete, mil-spec assembly with bolt, bolt carrier, and firing pin ready to drop into the rifle or carbine upper of your choice. Features a shot-peened bolt for increased surface strength and durability, and an extractor booster to ensure reliable cycling during rapid semi-auto or full-auto fire. Each assembly is magnetic particle inspection tested to ensure it's free from imperfections that can lead to premature failures. Properly staked gas key prevents gas leakage that can lead to short stroking. M16-style carrier has full-length shroud for tripping auto sear, so this carrier may be installed on full-auto law enforcement and military rifles. Carrier is chrome lined for smooth cycling and resistance to wear from hot combustion gases for years of dependable service.

SPECS: Steel, Parkerized, matte black finish. Fits mil-spec semi-auto and full-auto AR-15/M16 upper receiver chambered for .223/5.56mm.

#100-004-634EK	Complete Bolt/Carrier Group, 8K00YTP	\$ 149.99
----------------	--------------------------------------	-----------

SPECS: Steel, parkerized, dark gray, matte finish.

NEW 100-009-490EK	Complete Bolt/Carrier Kit, 9B122A07	\$ 134.99
#100-003-605EK	Bolt Assembly 9B56Y76	64.99
#100-003-604EK	Bolt Carrier 9B93Y74	99.99

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 9

AR-15/M16

BOLTS & CARRIERS

CALIBER CONVERSIONS



DANIEL DEFENSE

BROWNELLS
SELECTION. SERVICE. SATISFACTION.



TangoDown
LLC

Aimpoint



- A** #100-003-529EK **MAGPUL ACS BUTTSTOCK** See Page 33.
- B** #100-004-756EK **NOVESKE QD RECEIVER END PLATE** See Page 62.
- C** #100-006-787EK **MAGPUL MBUS GEN 2 FLIP-UP REAR SIGHT** See Page 62.
- D** #100-003-734EK **AIMPOINT COMPM4S RED DOT SIGHT** See Page 87.
- E** #100-003-460EK **TROY INDUSTRIES MRF-DI HANDGUARD** See Page 41.
- F** #100-003-742EK **A.R.M.S. #41 BL SILHOUETTE FOLDING FRONT SIGHT** See Page 12.
- G** #100-004-633EK **DANIEL DEFENSE M4 BARREL** See Page 15.
- H** #100-003-114EK **VLTOR VC-1 FLASH SUPPRESSOR/COMPENSATOR** See Page 20.
- I** #071-000-041EK **TANGODOWN STUBBY VERTICAL GRIP** See Page 45.
- J** #100-008-575EK **SPIKE'S TACTICAL NICKEL-BORON BOLT/CARRIER** See Page 93.
- K** #078-000-107EK **BROWNELLS 30-RD MAGAZINE** See Page 46.
- L** #408-150-000EK **HOGUE PISTOL GRIP** See Page 42.
- M** #100-005-841EK **BATTLE ARMS AMBIDEXTROUS SAFETY SELECTOR** See Page 27.
- N** #100-004-757EK **NOVESKE QD SLING SWIVEL** See Page 62.

DPMS AR-15 BOLT & BOLT CARRIER COMBO



**Matched Set
Provides Smooth,
Reliable Cycling**

Steel bolt and bolt carrier combos are available in three ultra-hard, wear-resistant, self-lubricating finishes. Choose from hard **Chrome** plating, Titanium Nitride (TiN) coating, or IonBond **Diamond Coat** for natural lubricity, positive cycling, and easy cleaning. Economical yet durable Diamond Coat consists of an ion-thick layer of carbon deposited on the bolt, carrier, gas key firing pin and cam pin for increased hardness and wear resistance over a traditional phosphate finish. Machined to military specs to ensure correct fit and operation in standard, mil-spec semi-auto receivers, these parts are function-tested before leaving the factory and may exhibit some light fouling.

SPECS: Machined, heat-treated Carpenter 158 alloy (bolt) and 8620 chrome moly (carrier) steel, with Hard Chrome, Titanium Nitride, or black Diamond Coat finish. Fits semi-auto .223/5.56mm AR-style rifles.

#231-000-177EK Bolt/Carrier, Chrome, 1C159V72. . . \$ 169.99
#231-000-178EK Bolt/Carrier, TiN 1C189V36 199.99
#231-000-262EK Bolt/Carrier, Diamond Coat, 1C179Z24 184.99

PRIMARY WEAPON SYSTEMS AR-15/M16 TOOL STEEL CARRIER

**Isonite™ Coated For
Extreme Wear Resistance;
Easy Cleaning**



Tool steel carrier features an ultra-hard, self-lubricating Isonite™ coating for increased wear resistance, easier cleaning and longer service life. A combination of flat and angled surfaces reduce weight, while oversized skid pads reduce the number of contact points for less friction and more clearance for debris to keep your rifle running longer between cleanings. Comes with carrier key installed and staked. Includes forward assist

FAILZERO AR-15 BOLT/CARRIER GROUP



**Self-Lubricating
Surface Treatment
Provides Smooth,
Reliable Function**

Drop-in bolt and carrier group has a self-lubricating surface that eliminates the need to apply oil or grease that can attract dirt, dust, unburned powder, and carbon and lead to cycling failures. Proprietary EXO treatment produces an exceptionally hard surface that's 40% more wear resistant than chrome plating, with an ultra-low friction coefficient. Surface is actually harder than the substrate underneath and will not peel, flake, gall, or rub off. EXO-treated bolt/carrier groups have been tested to function reliably without additional lubrication up to 50,000 rounds. Reduced friction also means less heat generated by metal-on-metal contact, so the gun runs cooler and parts last longer. Easy to clean, too—fouling brushes right off. Before treatment, parts are shot peened for surface uniformity and magnetic particle inspected to make sure there are no hidden flaws. Gas key is hardened to USGI specs, chrome lined to resist erosion, and comes already staked to the carrier. **Complete Bolt/Carrier Group** comes fully assembled and ready to drop into any mil-spec AR-15 upper receiver. Includes bolt, bolt carrier, small pin (.154") hammer, firing pin, extractor, cam pin, and gas key. Every kit is test fired for proper function before leaving the factory. Separately available **Carrier** comes with gas key installed and staked. **Bolt** includes extractor, ejector, and gas rings installed. Add the firing pin of your choice.

SPECS: Heat-hardened carbon steel, EXO-treated surface, silver finish. Fits mil-spec AR-15 upper receiver. Carrier does not have provision for auto sear trip.

#100-004-449EK AR-15 Bolt/Carrier Group w/Hammer, 8B00AYT. \$ 249.99
#100-004-475EK AR-15 Bolt 8B102U02. 124.95
#100-004-476EK AR-15 Carrier 8B142U65. 159.99

notches, cut for dust cover use, and has full-length shroud on underside to activate auto sear on full-auto/burst rifles.

SPECS: S7 tool steel, hardened to Rc 57, Isonite™ coated, matte black finish. 9.8 oz. (278g) weight.

#100-006-642EK Tool Steel Carrier 4B82P76 \$ 99.99



NRA LIFE OF DUTY TV
PRESENTED BY
BROWNELLS
SELECTION. SERVICE. SATISFACTION.

News, features, and video programs
important to the men and women who
risk their lives for their fellow citizens.

Visit brownells.com/LOD

JP ENTERPRISES AR-15/M16/AR-STYLE .308 ENHANCEDBOLT™ BOLT ASSEMBLY

Designed For Extra-Long
Service Life

Complete bolt assembly is precision machined from an ultra-strong steel alloy to last up to 10 times longer than a standard carbon steel bolt, minimizing the risk of bolt failure during a critical engagement. SAE 9310 steel has a tough, ductile inner core highly resistant to stress fracturing, with a hard outer surface that resists galling and wear, to ensure a service life of up to 60,000 rounds. This is the same steel used in the transmission gears of Formula 1 race cars, so it's ideal for high-impact, high-heat applications like sustained full-auto fire. Meticulously machined radiuses on all 90-degree corners on the locking lugs help distribute impact force evenly and further reduce risk of premature wear and cracking. Fully supported extractor face and precise extractor engagement further ensure smooth, reliable cycling. **SAE 9310 nickel-chromium-molybdenum steel, in-the-white. Fully assembled with extractor, gas rings, ejector, pins, and springs installed. .223 fits AR-15/M16 and clones. Fully compatible with any mil-spec bolt carrier. .308 fits JP LRP-07 and DPMS LR-308 rifles only.**

#452-000-111EK .223 EnhancedBolt 2E101A34 ... \$ 109.99
#452-000-113EK .308 EnhancedBolt 2E129A73 139.99



JP ENTERPRISES AR-15 STAINLESS STEEL BOLT CARRIER

Burnished & Hand
Polished For Smooth,
Reliable Operation

Custom, stainless steel bolt carrier features a 100% increase in bearing surface for smooth cycling and outstanding reliability. Includes forward assist serration and dust cover notch for tactical duty or any application requiring absolute "no-fail" operation. Expanded, exterior, bearing surfaces are hand polished and ensure precise alignment in upper receiver for less wear. Non-plated carrier bore is roller burnished for low-drag movement. Rear of carrier is designed in the AR-15, semi-auto configuration with longer, mil-spec cocking pad in the front. Five-step QPQ process produces an exceptionally hard, wear-resistant high-lubricity black finish. Comes with steel gas key installed. **SPECS: 416 stainless steel, polished, black QPQ finish. Includes steel key, 9 oz. (255g).**

#452-000-022EK SS Bolt Carrier 2E164H38 \$ 199.99



SMITH ENTERPRISE CHROME PLATED BOLT & PARTS

Hard-Chromed For Reduced Wear
& Easier Cycling

Combine with the Smith Enterprise Match Bolt Carrier to have a complete, long-wearing bolt carrier assembly for your AR-15 or M16. High-quality, mil-spec components are heat treated and hardened, then hard-chrome plated to reduce friction coefficient and make the surface of the part almost impervious to wear. Magnetic particle inspected for flaws before leaving factory. **SPECS: 8620 steel, hard-chrome plated, silver color. Fits all AR-15 and M16 bolt carriers. Complete Bolt includes extractor spring and pin and ejector spring and pin; does not include carrier key or cam pin.**

#851-111-000EK Complete Hard-Chromed Bolt, 1E87A84 \$ 108.99
#851-111-002EK Hard-Chromed Extractor 1E31A54 . 40.99
#851-111-003EK Hard-Chromed Cam Pin 1E22A39 .. 29.99



JP ENTERPRISES AR-STYLE .308 JPBC-4BA LOW-MASS BOLT/CARRIER ASSEMBLY

Helps Reduce Felt Recoil
On Large-Caliber AR
Platform Rifles

Reduced-weight bolt/carrier assembly helps tame felt recoil on an ArmaLite®, DPMS, or Remington AR-style .308 rifle. Carrier features the same type of weight-reducing cuts found on the original JPBC-3 AR-15 bolt carrier to give the same benefits your .308. Wide carrier rails have extra bearing surface to improve bolt alignment and reduce wear. Forward assist serrations have been omitted for competition use and further weight reduction. Comes with a complete JP EnhancedBolt™ (also available separately), designed to stand up to high-heat, high-impact use. Carrier key is already installed and staked. **SPECS: Carrier - 416 stainless steel, polished, black QPQ finish. Bolt - 9310 nickel-chromium-molybdenum steel. For use as a complete assembly only in ArmaLite AR-10, DPMS LR-308, and Remington R-25 rifles. Not for use with Rock River Arms or Bushmaster rifles. For use as a complete assembly only; DO NOT install components from other manufacturers on bolt or carrier.**

#452-000-128EK JPBC-4BA Bolt/Carrier 2E377Y15 \$ 429.95



LES BAER AR-15 BOLT/CARRIER GROUP

Complete, Mil-Spec;
Ready To Drop In
& Run
Like Clockwork

Complete, .223/5.56mm AR-15 bolt and carrier assembly comes with all the parts, fully assembled, and ready to go. Drop it in your AR, check headspace, and you're ready to shoot. Precision-machined in Les Baer's state-of-the-art manufacturing facility from durable, high-grade 8620 nickel-chromium-molybdenum alloy steel billet. Mil-spec dimensions ensure proper fit and function in a wide variety of OEM and aftermarket upper receivers. All components, including bolt and gas key, have a uniform matte black Parkerized finish for extra strength and corrosion resistance. Interiors of the carrier and carrier key are hard-chromed for additional durability and to aid in clockwork reliability. Carrier and stripped bolt also available separately. **Bolt** - Stripped bolt allows you to build up a custom, high-performance bolt to suit your exact needs by installing the firing pin, extractor, ejector, gas rings, pins, and springs of your choice. **Carrier** - Comes with gas key installed and staked. **SPECS: 8620 carbon steel, Parkerized, matte black. Fits mil-spec AR-15 upper receiver. Carrier does not have provision for auto sear trip.**

#124-000-001EK Bolt/Carrier Group 4B203X72 ... \$ 249.99
#124-000-002EK AR-15 Bolt, only 4B32X85. 39.99
#124-000-003EK AR-15 Bolt Carrier, only 4B94X71 .. 109.99



SMITH ENTERPRISE AR-15/M16 MATCH BOLT CARRIER

Hard-Chromed
For Less Friction,
Easier Cycling

True, match-spec bolt carriers increase cycling efficiency for greater dependability and less chance of malfunction. Machined to military specs, heat treated and hardened to Rc 58, then hard-chrome plated for a much lower friction coefficient between the upper receiver and carrier. Inside surfaces of bolt recess are polished and also hard-chromed for a better gas seal and less carbon build-up. Includes hard-chromed gas key and stainless steel screws. **SPECS: 8620 steel, hard-chrome plated, silver color.**

#851-110-015EK AR-15 Match Bolt Carrier, 1E133A90 \$ 159.99
#851-110-016EK M16 Match Bolt Carrier 1E133A90 159.99



SMITH ENTERPRISE AR-15 MIL-SPEC BOLT/CARRIER ASSEMBLY

Standard Dimensions
For Drop-In Fit &
Reliable Operation
In Mil-Spec Receivers

Complete bolt/carrier assembly delivers the strength and durability that have made Smith Enterprise components favorites of competitors and tactical shooters. Mil-spec tolerances ensure proper fit and smooth, reliable function in the widest range of semi-auto commercial rifles for competition, duty, and field applications. Machined from high-grade 8620 carbon steel alloy for consistent dimensions and heat-treated for superb strength and hardness. Bolt recess in the carrier is hard-chromed and polished for smooth bolt movement and resistance to carbon build-up. **SPECS: 8620 steel, Parkerized, matte black. Fits mil-spec semi-auto AR-15s chambered for .223/5.56mm.**

#851-000-081EK Bolt/Carrier Assembly 1E220Z83 \$ 269.99



DPMS AR-15 GAS SYSTEM KIT

Critical Replacement Parts To Keep Your AR-15 Functioning

The essential parts you need to repair and maintain rifle and carbine gas systems. Ideal for emergency repairs, or use to build a new rifle. Includes gas tube, roll pin, bolt carrier key and screws, plus three gas rings. **Mid-Length Gas Tube** - Use when modifying a rifle or carbine for a mid-length gas system or for repairing an existing mid-length installation. Includes tube only. Retain the rifle's existing roll pin, carrier key, screws, and gas rings. **SPECS: Stainless steel gas tube and gas rings. Remaining parts steel, black, matte finish. Mid-Length Gas Tube - 11 3/4" (29.9cm) long.**

#231-000-045EK Rifle Gas System Kit 1C22H00 ... \$ 29.99
#231-000-046EK Carbine Gas System Kit 1C22H00 .. 29.99
#231-000-244EK Mid-Length Gas Tube, only 1C11P70 14.99



M16 CLINIC AR-15/M16 PIGTAIL GASTUBE

Controls Gas Pressure
To Cure Cycling & Feed-
ing Problems For Rifles,
Carbines & Handguns

Extra-length tube lengthens the gas pressure curve to help prevent bolt bounce, short-stroke and feeding jams. Helps prevent cycling problems common to carbines and pistols. Slows bolt carrier to improve feeding reliability and reduce wear and battering. Gives softer recoil impulse, decreases cyclic rate in full-auto fire. Fits under free float tubes and handguards. **Carbine** fits all 10 inch to 16 inch barrels. **Pistol** fits 7.5 inch barrels only. **SPECS: Stainless steel, cryo treated.**

#100-000-553EK Carbine AR-15/M16 Pigtail, 6K86P67 \$ 108.99
#100-000-554EK Pistol AR-15/M16 Pigtail 6K86P67 .. 108.99



FULTON ARMORY AR-15 MCFARLAND™ BOLT GAS RING

Stops Gas Leaks & Eliminates
Sluggish Bolt Performance

Single spiral of spring steel loops around the bolt three times and leaves no path for gas leakage. Replaces conventional three-piece "piston ring"-style sets that can accidentally line up, causing a major leak from the gas expansion chamber in the carrier. **SPECS: Polished spring steel.**

#100-001-257EK McFarland Gas Ring 3K03U26 \$ 3.99



SPIKE'S TACTICAL AR-15/M16 BOLT & CARRIER SETS

Ultra-Smooth Operation & Enhanced Reliability In Semi-Auto
& Select-Fire Rifles; 5.56 & 6.8 SPC Models Available

Complete, fully assembled, bolt/carrier group is machined to mil-spec dimensions using the latest manufacturing techniques and quality-control testing to deliver superb reliability in both semi-auto and select-fire rifles. Carrier of hardened 8620 carbon steel has an M16-type full-length shroud on the underside to trip the auto sear on full-auto/burst rifles. Bolt is machined from ultra-hard Carpenter 158 steel alloy and magnetic particle inspected (MPI) to ensure there are no internal flaws to compromise structural integrity and cause premature failure. Bolt exterior is shot peened to produce an exceptionally uniform surface that aids in smooth movement through carrier. Fully staked carrier key and tool steel extractor further aid reliable cycling. Laser-engraved Spike's Tactical logo on the side of the carrier is visible when the ejection port door is open. **.223/5.56mm** fits standard AR-15/M16/M4 rifles; **6.8mm SPC** enables conversion to the hard-hitting performance of the 6.8mm SPC round. A 6.8 barrel and magazine (both available separately) are necessary to complete the caliber conversion. **SPECS: Bolt - Carpenter 158 steel alloy. Carrier - 8620 carbon steel, chrome lined. All major components have mil-spec phosphate finish, matte black. 6.8mm SPC - Use with rifles chambered for 6.8 SPC cartridge only.**

#100-007-035EK .223/5.56mm Bolt/Carrier Set, 3B109A81 \$ 119.99
#100-007-020EK 6.8 SPC Bolt/Carrier Set, 3B158T52 179.95



SINCLAIR = RELOADING
Shop online at reloading.com

MGI MILITARY AR-15/M16 AR-15 REGULATED GASTUBE

Adjust Gas Flow For Heavy Or Light Loads

Tiny valve on top of the tube lets you adjust gas flow and bolt speed to match individual loads. Dial down to slow bolt for softer recoil impulse, close completely for single shot operation, or open up more for reliable cycling with light loads. Reduces gas port erosion, as well as wear and battering of recoil system. Helps control secondary recoil movement so rifle stays on target for quick follow-up shots. Easy to install—just like changing the factory gas tube. Includes hex wrench for operating the valve. **SPECS: Stainless steel. Fits AR-15/M16/M4 and clones. Requires no other modification to rifle.**

#741-000-001EK Rifle Gas Tube 1D40Z87 \$ 59.99
#741-000-006EK Mid-Length Gas Tube 1D41Z03. 59.99
#741-000-002EK Carbine Gas Tube 1D40Z87 59.99



DPMS AR-15 4 RAIL GAS BLOCK

Versatile Platform
For Sighting & Lighting Accessories

Four Picatinny rails allow you to mount the right accessories for the task at hand. Lets you attach an iron sight, laser, night vision device and flashlight, all at the same time. Accepts Picatinny or Weaver-style rings. Attaches with dual set screws. Models for standard, .750" diameter barrels and .936" diameter, heavy, match barrels. **SPECS: Aluminum, black, anodized, matte finish. 1 3/4" (4.5cm) long, 1 1/2" (3.5cm) wide, .750" (19mm) or .936" (23.8mm) I.D.**

#231-000-197EK .750" 4 Rail Gas Block 3B26H22 ... \$ 39.99
#231-015-026EK .936" 4 Rail Gas Block 3B26V42. 39.99





A.R.M.S. AR-15/M16 #41-BL SILHOUETTE FOLDING FRONT SIGHT

Strength & Appearance Of Standard Sight;
Folds Down When Not Needed

Integral gas block and folding front sight replicates the strength and appearance of the classic factory AR-15/M16 front sight tower, yet folds neatly out of the way when it's not needed. Patent-pending, weight-saving, all-in-one design; no need to purchase a railed gas block and a separate rail-mount folding sight. Deploys and locks securely open with the flick of a finger—as fast as any flip-up combat sight. To fold, press straight down on the top of the diagonal rear support to release the lock while pulling back on the sight tower. Standard, A2-type sight post is the same height as factory post, so it works with any factory height rear sight. Easy to install; dual clamping rings fit standard .750" diameter barrels, and hex-head bolts (hex wrench included) provide plenty of clamping force to make sure the sight doesn't shift and change point of aim. Base/gas block of rugged, precision machined steel provides exceptional strength and resistance to erosion by hot gases. Includes bayonet lug, and rear clamping ring drilled to accept sling swivel pin. Aluminum sight post minimizes weight while still providing plenty of strength. Uniform, black finish matches most factory gun finishes. **SPECS:** Steel and aluminum, matte black finish. Fits barrels that are .750" O.D. at the gas port.

#100-003-742EK #41-BL Silhouette Folding Front Sight,
3A128P57 \$ 153.50



For more choices of A.R.M.S. SIGHTS
visit brownells.com

BADGER ORDNANCE AR-15/M16 ULTRA LOW PROFILE GAS BLOCK

Provides Maximum Clearance
For Optics Or Free-Float Handguards

Slim, low-profile replacement for factory front sight gas block provides maximum clearance for optics and free-float handguards. Streamlined profile reduces forward weight and improves your rifle's appearance. Set screws, gas tube mounting pin, and installation instructions included. **Parkerized Gas Block** is an exact copy of the gas manifold on the Mk12 Mod 1 Special Purpose Rifle used by the U.S. Army and Navy. Made from 4140 ordnance steel with a tough, wear-resistant Parkerized finish and fits barrels with .750" O.D. **Stainless Gas Block** is made from 416 stainless steel and has the same appearance as the Mk12 Mod 1 gas manifold, and fits barrels with .875" O.D. **SPECS:** Parkerized—4140 steel, matte black. 1" (25.4mm) long, .75" (22.2mm) wide, 1.16" (36.5cm) high. Fits .750" (19mm) O.D. barrels. **Stainless**—416 stainless steel, natural finish. 1" (25.4mm) long, 1" wide, 1.16". Fits .875" (22.2mm) O.D. barrels.

#093-000-026EK Parkerized Steel Mk 12 Gas Block,
3K53B73 \$ 65.00
#093-000-027EK Stainless Steel Mk 12-Style Gas Block,
3K59B07 69.00

DPMS AR-15 4 RAIL GAS BLOCK

Versatile Platform
For Sighting & Lighting Accessories

Four Picatinny rails allow you to mount the right accessories for the task at hand. Lets you attach an iron sight, laser, night vision device and flashlight, all at the same time. Accepts Picatinny or Weaver-style rings. Attaches with dual set screws. Models for standard, .750"



BROWNELLS AR-15/M16 LOW-PROFILE GAS BLOCK



Lightweight, Minimal Profile
To Fit Under Tactical Handguards
& Free-Float Tubes

Low-profile gas block fits under just about any extended handguard while ensuring proper gas flow to keep your rifle cycling reliably. Precision machined from lightweight, yet tough, 6061 T6 aluminum, so it won't add unwanted forward weight. Slide over the barrel and anchor in position by tightening the three, flush-mounted steel hex screws on the underside to ensure it won't shift even under sustained full-auto fire. For installations where the gas block is exposed, rounded edges give a "melted" profile that won't snag on foliage or other gear. Hardcoat anodized for additional strength and resistance to surface wear; matte black finish blends with most factory gun finishes. **SPECS:** 6061 T6 aluminum, hardcoat anodized, matte black. Includes (3) hex-head screws and instructions. **.750"** - Fits barrel with .750" O.D. at gas port. 1.25" (3.2cm) long, 1.35" (3.4cm) overall height, .95" (2.4cm) outside width. .8 oz. (23g) weight. **.936"** - Fits barrel with .936" (2.38cm) O.D. at gas port. 1.25" long, 1.5" (3.8cm) overall height, 1.15" (2.9cm) outside width. 1 oz. (28g) weight. **#080-000-528EK .750" Gas Block** 8K25U00 \$ 34.99
#080-000-700EK .936" Gas Block 8K27B02 36.99

BROWNELLS AR-15/M16 MODULAR GAS BLOCK

Unique, Modular Design
For Ultimate Customization

Easy-to-install gas block features an integral fixed rail and a modular design that allows fast installation and removal of up to three, additional Picatinny rails for mounting lasers, lights, night vision optics, back-up sights, and a variety of other tactical accessories. Side and bottom rails attach easily with two screws, so you can configure the unit for each mission's requirements. Precision-machined from rugged, 6061 billet aluminum for superior strength without weighing down your weapon. Mounts securely to barrel with three, hardened steel setscrews. **SPECS:** Aluminum, matte black, hardcoat anodized finish. Fits standard .750" (19mm) dia. barrels. **Gas Block - 1"** (4.8cm) long, 1" (2.5cm) wide, 1.16" (3.6cm) high. **Gas Block Kit** - Includes modular gas block with three add-on rails. 1.75" long, 2.64" (5.3cm) wide, 2" (5.0cm) tall.

#080-000-382EK Modular Gas Block, only 8K29X06 \$ 33.99
#080-000-383EK Modular Gas Block Rail, 1 each, 8K10X98 13.99
#080-000-384EK Modular Gas Block Kit 8K44X62 ... 54.99

BAYONET LUG - Bolts directly to Modular Gas Block to allow installation of a mil-spec bayonet or lug-mounted bipod on your AR-15. Installs and removes easily with an Allen wrench so you can configure your rifle's accessory package at any time to fit mission requirements. Precision machined from 4140 steel for optimal strength and rigidity. Includes mounting screws. Modular Gas Block not included. **SPECS:** Steel, matte black Parkerized finish. 2.916" (5.9cm) long, 1/2" (1.3cm) wide, 2.64" (8.3mm) tall. Allen wrench not included.

#080-000-439EK Modular Gas Block Lug 8K09Y99. \$ 14.99

diameter barrels and .936" diameter, heavy, match barrels. **SPECS:** Aluminum, black, anodized, matte finish. 1.34" (4.5cm) long, 1.12" (3.5cm) wide, .750" (19mm) or .936" (23.8mm) I.D. **#231-000-197EK .750" 4 Rail Gas Block** 3B26H22 ... \$ 39.99
#231-015-026EK .936" 4 Rail Gas Block 3B26V42. 39.99

DOUBLE STAR AR-15/M16 ACCESSORY RAIL GAS BLOCKS



Secure Forward Accessory
Mounting With Minimal
Weight & Bulk;
2- & 4-Rail Models

Lightweight gas blocks with integral MIL-STD 1913 Picatinny rails expand your AR's accessory mounting options without adding excess weight or bulk. Lets you mount a backup iron sight, weapon light, laser sight, folding bipod, vertical grip, and other tactical accessories. Standard models fit barrels with .750" O.D. at gas port. **2-Rail** - Two-piece, clamp-on design with top and bottom rails doesn't require removal of flash hider to install or remove. Clamps securely in place with four hex-head cap screws for a rock-solid installation that won't shift under recoil. Circular cutouts in the sides reduce weight without compromising strength. **4-Rail** - Innovative, slim-line design adds side rails, yet is only .05" wider than the 2-Rail model and actually weighs less. Slides over barrel and anchors in place with three recessed hex-head screws for a tight friction fit. Installation requires removal and re-installation of muzzle attachment. **SPECS:** Standard - 6061 T6 aluminum, hardcoat anodized. Fits barrels with .750" O.D. **2-Rail** - Matte black finish. 1.75" (4.8cm) long, 1.2" (3cm) wide, 1.34" (4.5cm) high. 2.6 oz. (74g) weight. **4-Rail** - Satin black PTFE-impregnated finish. 1.75" long, 1.4" (3.2cm) wide, 1.34" high. 2.2 oz. (63g) weight. **#100-004-516EK 2-Rail Std. Gas Block** 2Z56Y92 \$ 61.99
#100-004-517EK 4-Rail Std. Gas Block 2Z56Y92 61.99

J.P. ENTERPRISES AR-15/M16 ADJUSTABLE GAS BLOCK

Pressure Adjustable For Smooth Cycling

Replaces the factory front sight/gas block and allows you to tune the gas system for smoother cycling and operation. Especially critical on match and varmint rifles when shooting both factory and custom-loaded ammunition. Simple setscrew lets you control the gas flow, so you can customize the setting for each load. Hex head setscrews clamp the block securely to the barrel. Installation instructions included. **Standard** model features a topside Picatinny rail for mounting flip-up front sights and other accessories. Available in lightweight aluminum or stainless steel for additional muzzle weight. Fits barrels with .750" O.D. at gas block. **Heavy** - Aluminum, with rail, fits heavy barrels with .936" O.D. **Low Profile** model fits under handguard on .750" barrels. Rugged, all-steel construction resists gas erosion and helps maintain rifle's weight distribution. **Heavy Low Profile** aluminum block fits under handguard on barrels with .936" O.D. Eight Torx T15 screws securely clamp the block to the barrel. **A2-Style** - Retains the classic look of military rifles and carbines. Two side-mount hex head screws clamp the block securely to barrels with .750" O.D. at the gas block position. Rugged, stainless steel construction resists gas erosion and helps maintain rifle's weight distribution. **SPECS:** Standard - Available in 6061 T6 aluminum, hardcoat anodized, matte black, or 416 stainless steel, natural silver or black oxide finish. 1.75" (4.7cm) long, .950" (2.4cm) wide. .750" (19mm) I.D. **Heavy** - Aluminum, hard anodized, matte black. 1.75" long, 1.4" (3.2cm) wide. .936" (2.37mm) I.D. **Low Profile** - 416 stainless steel, matte black finish. 1.75" long, 1" (2.5cm) wide. .750" I.D. **Heavy Low Profile** - Aluminum, hardcoat anodized, matte black. 1.75" (4.7cm) long, 1.16" (3.6cm) wide. .936" I.D. 2.6 oz. (74g) weight. Minimum 1.750" handguard I.D. recommended for proper clearance. **A2-Style** - 416 stainless steel, matte black oxide finish. 1.75" long, 1.75" (2.2cm) wide, 3.75" (8.6cm) high, .750" I.D.



DOUBLE STAR AR-15/M16 PICATINNY RAIL GAS BLOCK



Ensures Reliable Gas Flow;
Models For Three Popular
Barrel Diameters

Compact gas block clamps securely to barrel with a unique three-point attachment system to provide a solid accessory mounting platform and ensure proper gas system alignment for reliable cycling. Precision machined from high-grade 6061 T6 aluminum for an ideal combination of strength and low weight, with an integral MIL-STD 1913 Picatinny rail on the topside. Anchors to the barrel with a pair of hex-head setscrews on the underside, plus a third screw on top to ensure a superior gas seal and resist unwanted movement that can impair gas system function. Streamlined design has clean, good-looking, angular lines with all exposed edges radiused to eliminate sharpness. Mil-spec hardcoat anodized for superior surface strength and wear resistance with an even, matte black finish that matches most manganese phosphate Parkerized barrel finishes. Models available to fit three common barrel outside diameters: hard-to-find **.625"** for A1 barrels, **.750"** for H-Bar and similar-style barrels, and **.937"** for bull barrels. **SPECS:** 6061 T6 aluminum, hardcoat anodized, matte black. All models 1.875" (cm) long. Rail heights are measured from top of barrel to top of rail. **.625"** - 1" (2.5cm) wide, 1.5" (3.8cm) overall height, .600" (1.5cm) rail height. 3 oz. (84g) weight. **.750"** - 1" wide, 1.5" overall height, .545" (13.8cm) rail height. 2.6 oz. (73g) weight. **.937"** - 1.25" (3.2cm) wide, 1.625" (4.1cm) overall height, .445" (11.3cm) rail height. 2.5 oz. (71g) weight. **#100-004-537EK .625" Picatinny Gas Block,** 2Z22T87 \$ 29.99
#100-004-536EK .750" Picatinny Gas Block 2Z22T87. 29.99
#100-004-535EK .937" Picatinny Gas Block 2Z22T87. 29.99

DOUBLE STAR AR-15 FRONT SIGHT HOUSING

Forged Steel Replacement
With Integral Bayonet Lug

High-quality replacement for factory front sight housing includes bayonet lug, so you can upgrade a rifle manufactured during the now-expired Assault Weapons Ban to authentic military appearance. Forged from C1137 steel, then heat-treated for superior strength before final machining to military specifications. Ready to accept an A1- or A2-type front sight post, spring, and detent of your choice. Hole for sling swivel rivet is predrilled. Holes must be drilled for setscrews or taper pins for precise fit to your gun. Matte black Parkerized finish matches standard mil-spec finish. **HBAR** fits both M16A2 and M4 contour heavy barrels currently used by the U.S. Military. **A1** fits lightweight M16A1 contour barrel only. **SPECS:** Forged C1137 steel, matte black Parkerized finish. Height from top of barrel to top of sight housing without blade installed - 1.9" (4.8cm). **HBAR** - Fits .750" (19.1mm) OD M16A2 and M4 contour barrels. **A1** - Fits .625" (15.9mm) OD M16A1 contour barrels only. **#100-002-413EK HBAR-Type AR-15 Front Sight Housing,** 2Z23Y83 \$ 32.45
#100-002-414EK A1-Type AR-15 Front Sight Housing, 2Z27Y50 37.44



#452-015-110EK Standard Gas Block, Aluminum, 2E56P38 \$ 69.99
#452-000-023EK Standard Gas Block, Stainless, 2E64H86 79.99
#452-000-068EK Standard Gas Block, Black Stainless, 2E64Z86 79.99
#452-015-111EK Heavy Gas Block 2E67P20 79.99
#452-000-148EK Low-Profile Gas Block 2E56A76. 69.99
#452-000-122EK Heavy Low-Profile Gas Block, 2E66Y21 79.99
#452-000-065EK A2-Style Gas Block 2E105Z88 119.99



Model MIDWEST INDUSTRIES AR-15/M16

STEEL GAS BLOCKS

One-Piece Design & Tough Steel Construction

LOW PROFILE - One-piece, low profile, steel gas block fits under most free-float handguards for a clean, uncluttered look. Models available to fit .625", .750" and .936" O.D. barrels. Locks securely to barrel with three steel setscrews.

SPECS: 4140 billet steel, manganese Parkerized finish, matte black. **.625"** - 1³/₁₆" (4.6cm) long, 1³/₁₆" (3.4cm) high. 2.5 oz. (71g) wt. **.750"** - 1³/₁₆" (4.4cm) long, 1³/₁₆" high. 3.6 oz. (102g) wt. **.936"** - 1³/₁₆" long, 1¹/₂" (3.8cm) high. 3.6 oz. wt.

100-008-248EK .625" Low Profile Gas Block, 2A37Y24	\$ 39.99
#100-002-854EK .750" Low Profile Gas Block, 2A35T00	45.00
#100-004-908EK .936" Low Profile Gas Block, 2A37H24	39.99

PICATINNY RAIL GAS BLOCK - Steel gas block with integral Picatinny rail has extra height that lets you mount a flip up or co-witness front sight on the same plane as the receiver rail of your flattop AR-15/M16. Add a Picatinny rail handguard to have a continuous rail extending from the receiver to the gas block for superb accessory mounting flexibility. Precision machined from tough 4140 billet steel to stand up to tens of thousands of rounds without eroding. Fits .750" O.D. barrels, and locks securely to barrel with three setscrews.

SPECS: 4140 steel, dark gray Parkerized finish. 1¹/₁₆" (4.6cm) long, 1¹/₁₆" high. Fits .750" O.D. barrels. 6.2 oz. (175g) weight.

#100-003-073EK Steel Picatinny Rail Gas Block, 2A55Y25	\$ 69.99
---	----------



PRECISION REFLEX AR-15 ADJUSTABLE LOW-PROFILE GAS BLOCK

Lets You Tailor Extraction & Ejection To Individual Loads



Lightweight, aluminum gas block features an adjustable gas port that lets you tune the amount of gas for reliable extraction and ejection to match your ammo. Adjustment screw closes or opens the port in the block and not the gas tube; drilling of the gas tube is not required. Fits under free float tubes and does not interfere with sight picture through scopes or red-dot sights. Dual set screws on bottom of the block securely locks the block onto the barrel.

SPECS: Aluminum, hardcoat anodized, matte black. 1" (2.5cm) long, 1.37" (3.4cm) high, 1 oz. (28g) wt. Fits barrels .750" OD at the gas block position.

#714-000-019EK Adjustable Low-Profile Gas Block, 4A60U69	\$ 69.99
---	----------

VULCAN ARMS AR-15/M16 GAS BLOCK

Picatinny Rails On Three Sides Hard-Coat Anodized Per Mil Spec 8625

Machined, aircraft-grade, aluminum, gas block with picatinny rails attaches easily and lets you mount accessories to three sides. Grit blasted for a durable matte finish and hard-coat anodized as per mil spec 8625.

SPECS: Aircraft-grade aluminum. Black, matte, anodized finish. Fits barrels with .750" (19mm) diameter.

#997-000-002EK Gas Block 7Z38P89	\$ 44.99
---	----------



TROY INDUSTRIES AR-15/M16 LOW-PROFILE GAS BLOCK

Won't Interfere With Extended-Length Tactical Forearms



Minimal-profile replacement for factory front sight/gas block won't interfere with extended-length tactical forearms, while ensuring proper function of gas system for reliable cycling. Protrudes only .420" above barrel, covers less than 1" of barrel length, and adds only 1.4 oz. of weight. Compatible with M4-style carbines and M16A2/A3/A4-style rifles with any length, .750" O.D. barrel. Two steel setscrews keep the block securely anchored to the barrel to prevent shifting even under the force of full-auto recoil. Black oxide finish matches most factory barrel finishes.

SPECS: Carbon steel, oxide finish, matte black. .950" (24mm) long, 1.375" (3.5cm) overall height, 1.4 oz. (41g) weight. Fits AR-15/M16 with .750" O.D. barrel at gas block mounting position. Includes hex-head setscrews.

#100-004-062EK Low-Profile Gas Block 3B45U00	\$ 49.99
---	----------

YOUNG MANUFACTURING AR-15/M16 FRONT SIGHT GAS BLOCK

Provides Instant Back-Up Sight When You Need It

Flip-up front sight deploys instantly when you need it, folds down when you don't. Down position allows unobstructed sight path when using optics. Detent, front post elevation adjustment. Protective ears guard against damage. Gas block locks onto standard diameter barrels with three set screws; includes single, Weaver-style rail for mounting flashlight or other small tactical accessories.

SPECS: Aluminum, black anodized. 3" (7.6cm) long, 1" (2.5 cm) wide. Sight Ramp: 2¹/₂" (6.4cm) high when raised. Fits .750" (1.9cm) standard barrels. Weight - 3.6 oz (102 g). Requires AR-15 type front sight blade spring and plunger, not included.

#939-000-004EK Front Sight Gas Block 9C82D04	\$ 97.99
---	----------



SADLAK INDUSTRIES AR-15/M16 GAS BLOCKS

Minimal Profile To Fit Under Handguard; Models With Integral Accessory Rail

Aluminum or steel gas blocks give the choices you need to create a custom-built rifle with a mission-specific configuration. Mounts securely to barrel with included setscrews. Clamp-on models squeeze around the barrel as you tighten the side-mounted setscrews. Slip-on models are anchored by setscrews on the underside. **Low Profile** fits under a free-float handguard and lets you use a longer on carbine-length barrels for a clean, streamlined look with more gripping surface. **Extended Nose** is like Low-Profile, but with an extended sleeve that covers taper pin holes left by the issue A2-style sight tower. **Varmint** fits heavy .936" O.D. barrels. **Bull Barrel** includes a 3-slot, low or high Picatinny rail for mounting accessories.

SPECS: 6061 T6 aluminum, hardcoat anodized, black, or 1018 alloy steel, Parkerized, black. Barrel O.D. measured at gas port.

STOCK #	TYPE	ATTACHMENT	BBL O.D.	MATERIAL	LENGTH	WIDTH	HEIGHT	WEIGHT	PRICE
#100-006-899EK	Low-Profile	Slip-On	.625"	Steel	.95" (24mm)	.775" (19.6mm)	1.3" (33mm)	1.4 oz. (40g)	6A30X00 \$ 34.99
#100-005-337EK	Low-Profile	Slip-On	.750"	Steel	.95" (24mm)	.90" (23mm)	1.4" (36mm)	1.4 oz. (40g)	6A22B26 \$ 26.99
#100-006-900EK	Low-Profile	Slip-On	.875"	Steel	.95" (24mm)	1.0" (25mm)	1.4" (36mm)	1.6oz. (45g)	6A35X15 \$ 40.99
#100-005-339EK	Low-Profile	Clamp-On	.750"	Steel	.95" (24mm)	.90" (23mm)	1.5" (38mm)	1.8 oz. (51g)	6A38B07 \$ 45.99
#100-008-732EK	Extended Nose	Slip-On	.750"	Steel	1.8" (46mm)	.90" (23mm)	1.4" (36mm)	1.9 oz. (54g)	6A37Z24 \$ 44.99
#100-005-340EK	Varmint	Clamp-On	.936"	Aluminum	1.4" (36mm)	1.2" (30mm)	1.7" (43mm)	1.4 oz. (40g)	6A39B72 \$ 47.99
#100-005-342EK	Bull, Low Rail	Clamp-On	.936"	Aluminum	1.7" (43mm)	1.2" (30mm)	1.7" (43mm)	2.3 oz. (65g)	6A46B34 \$ 55.99
#100-005-341EK	Bull, High Rail	Clamp-On	.936"	Aluminum	1.7" (43mm)	1.2" (30mm)	1.9" (48mm)	2.6 oz. (74g)	6A46B34 \$ 55.99



Low Profile Slip-On



Extended Nose



Bull, High Rail



Low Profile Clamp



Varmint



Bull, Low Rail

VLTOR AR-15/M16 LOW-PROFILE GAS BLOCK

Clamp-On One-Piece Design Fits Under Free-Float Handguards



Slim, streamlined, clamp-on replacement for cumbersome USGI front sight/gas block tower features a low profile for a more streamlined appearance and less chance of snagging on vegetation and other gear. Covers only 1" of barrel length and reduces

weapon's forward weight for improved handling and maneuverability. Machined from high-grade 4140 carbon steel to precise tolerances to fit on barrels with a .750" O.D. at gas block mounting position. Hard, manganese phosphate Parkerized finish adds strength and resists surface abrasion; matches most factory barrels. Will not fit under small diameter freefloat handguards or some models with an exposed bottom rail channel on the inside of the handguard.

SPECS: 4140 carbon steel, Parkerized, matte black. Includes hex-head mounting bolts and gas tube pin. Fits AR-15/M16 with .750" O.D. barrel at gas block position. Will not fit under small diameter freefloat tubes or those with an exposed bottom rail channel on the inside of the handguard such as the VLTOR VIS and models manufactured by Daniel Defense and LaRue Tactical.

#100-003-996EK Vltor Low-Profile Gas Block, 3A54Z99	\$ 69.99
--	----------

G.B. SYSTEMS AR-15/M16 GAS MANIFOLD

Fits Match Diameter Barrels



Lightweight, machined aluminum, replaces front sight bridge on flattop rifles equipped with large diameter match barrels. Permits use of free float tubes and match sights or scopes. Attaches to barrel with two set screws.

SPECS: Aluminum, black, matte finish. 1.9" (4.8cm) long. Fits barrels .750" (19mm) or .940" (23.8mm) diameter.

#100-000-041EK .750" Gas Block 1K29C95	\$ 39.95
#100-000-042EK .940" Gas Block 1K29C95	\$ 39.95

VLTOR AR-15/M16 VST SIGHT TOWER

Built Like A Tank To Withstand The Rigors Of Battle



Vltor Sight Tower (VST) is precision machined from solid tool steel to provide reliable function of the gas system and the option for emergency back-up sight deployment during battle conditions. Dual clamping rings fit a standard .750" diameter barrel and can withstand up to 100 ft.-lbs of rotational torque without failure. Hex head clamping screws can be staked after installation for added security. Short Picatinny rail on top of the gas block is the same height as a standard M4 flattop rail and allows mounting of small tactical accessories when sight is folded. To avoid damage, the front sight tower is non-locking and uses spring-loaded plungers and detents for automatic disengagement if struck during combat, AK-style, front sight post is easy-to-adjust with the included sight tool. **VST-1C** has a stainless steel receptacle for right- or left-side attachment of QD push-button sling loops. **VST-2C** has the same great features as the VST-1C but without QD sling socket.

SPECS: Steel, magnesium phosphate finish, matte black. 2" (5cm) long. **VST-1C** - 5.4 oz. (153g) weight. **VST-2C** - 4.5 oz. (128g) weight. Includes AK-style front sight adjustment tool. Fits .750" (1.9cm) diameter barrels.

#100-003-221EK VST-1C Sight Tower, w/QD Socket, 3A186X00	\$ 213.75
#100-005-391EK VST-2C Sight Tower 3A186P00	213.75

WILSON COMBAT AR-15/M16 FLIP-UP FRONT SIGHT

Tactical Back-Up Sight For Optic-Equipped Rifles



Rugged, all steel, flip-up front sight (FUS) provides dependable backup in the event your primary optical sight fails. Designed from the ground up to be exceptionally robust, accurate, and reliable, the perfect match for Wilson's Flip-Up Rear Sights (FURS). Pushbutton-activated mechanism deploys instantly for immediate use, so you

can adapt to quick changes in fluid tactical situations. Minimal profile and weight; folds down out of the line of vision when you don't need it. Spring-loaded, detent locks positively in the up or down position to further guard against unintentional raising or lowering of sight. Precision-machined from ordnance-grade steel, with a protective "fence" machined into the side of the sight post to shield the button from damage or accidental activation. Two, massive, side posts protect the elevation-adjustable A2-style sight post from damage. All edges are radiused to resist snagging. Replaces factory gas block and front sight on .750" O.D. barrels. Clamps to barrel with two hidden setscrews on underside.

SPECS: Steel, black, matte finish. 2.25" (5.72cm) long, 2.26" (5.74cm) deployed height from top of barrel to top of post, .825" (2.1cm) folded height. Fits .750" O.D. barrels. Muzzle accessories must be removed to allow installation.

#965-000-072EK Wilson Combat FUS, 5F125H96	\$ 146.99
---	-----------

EGW AR-15/M16 CLAMP-ON GAS BLOCK

Low Profile Provides Clearance For Optics & Free-Float Tubes



Machined aluminum gas block properly directs gas and won't interfere with optics, accessories, or free-float tubes. Installs easily with hex screws. Gives your gun a sharp, clean look.

SPECS: Aluminum, anodized, black, matte finish. 1¹/₂" (3.8cm) long, .875" (22.2mm) I.D.

#296-000-079EK .875" Clamp-On Gas Block, 6B40P00	\$ 50.00
---	----------

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 13

YANKEE HILL MACHINE AR-15/M16 GAS BLOCK



Picatinny Or Low Profile
Options To Fit Your Application

Unique, all-steel gas blocks expand the versatility of your rifle by providing a variety of accessory rail and handguard mounting options. Especially helpful in customizing short-barreled tactical rifles. Machined from bar stock for extra strength and rigidity, then mil-spec Parkerized for exceptional wear- and corrosion-resistance. One-piece, **4-Rail** model features top/bottom and side rails that accept Weaver or Picatinny mounted, tactical accessories, including the Yankee Hill Gas Block Front Flip Sight. Secures to barrel with included setscrews. **Low Profile** version is a low and narrow, one-piece block designed to fit inside most free-float handguards; allows use of rifle length forearms on carbine length barrels for a clean, streamlined look and added gripping surface. Secures to barrel with included setscrews. **2-Rail** gas block is an easy-to-install, two-piece unit that clamps around the barrel using four hex screws; includes machined top and bottom Picatinny rails only. **Single-Rail w/Lug & Swivel** adds a top-side Picatinny rail for mounting accessories, and provides a bayonet lug and sling mount like an A2 gas block/front sight tower. Two-piece design clamps your rifle's standard contour, .750" diameter barrel with four, capscrews—no need to remove muzzle brake or flash suppressor to install. Bayonet lug accepts a mil-spec bayonet or lug-mounted bipod, and pivoting, rubber-coated sling swivel accepts tactical slings up to 1 1/4" wide. **Single-Rail A1** fits skinny .625" O.D. M16A1-style barrel and provides four Picatinny rail slots to let you install a clamp-on auxiliary "iron" sight or other accessory. Slides over barrel (flash hider must be removed to install) and clamps with two hex head screws. **Specter** model provides plenty of clearance to mount a free-float forearm that extends over the gas block, including Yankee Hill Specter handguards. Fits under any forearm with an inside diameter of 1 1/8" or greater. Easy to install two-piece design eliminates the need to remove a pinned or welded-on flash hider or muzzle brake. Clamps securely to barrel with four, hardened steel, hex-head cap screws. **SPECS:** Steel, mil-spec phosphate finish. Unless otherwise noted, fits .750" diameter barrels. **4-Rail** - 1 1/8" (4.8cm) long, 1 1/4" (3.2cm) wide, 1 3/4" (4.4cm) high. 5.7 oz. (162 g) wt. **2-Rail** - 1 3/4" long, 1 1/4" wide, 1 3/4" high. 5.4 oz. (153 g) wt. **Single-Rail w/Lug & Swivel** - 1 1/8" (4.8cm) long, 1 3/8" (3cm) wide, 1 3/4" (4.5cm) high. 5.5 oz. (155g) weight. **Single-Rail A1** - 1 1/8" (4.8cm) long, 1" (2.5cm) wide, 1 5/8" (4.1cm) overall height, 3/8" (1.5cm) rail height. 5.1 oz. (145g) weight. Fits M16A1-style barrels with .625" O.D. at the gas port. **Low Profile** - 1 1/8" long, 1" (2.5cm) wide, 1 1/8" (3.3cm) high. 4.4 oz. (125 g) wt. **Specter** - 1 1/8" (4.7cm) long, 1 1/2" (3.8cm) wide. 4.4 oz. (125 g) weight. Fits barrel with .750" O.D. at gas port.

#100-002-074EK 4-Rail Gas Block 9A60T05 \$ 80.00
#100-002-075EK Low Profile Gas Block 9A49T46 64.00
#100-002-076EK 2-Rail Gas Block 9A50T75 72.00
#100-003-172EK Single-Rail Gas Block w/Lug & Swivel, 9A52V78 76.99
#100-005-965EK Single-Rail Gas Block for A1 Barrel, 9A52H00 64.99
#100-004-501EK Specter Gas Block 9A32H78 39.99

BrownellsBusinessAdvantage.com

YANKEE HILL MACHINE AR-15/M16 CLAMP-ON FRONT SIGHT GAS BLOCK



Immediate
Response
Sighting
For Tactical
Emergencies



Multi-purpose front sight works as a fully functional gas block, plus delivers lifesaving backup when primary optics fail or become hindered by low light or poor weather conditions. Machined, steel body features a spring-loaded pushbutton that locks sight in the deployed position. When not in use, simply depress the button and fold down for an unobstructed view through your optics. Protective ears guard the sight post from blows incurred during duty. Split, barrel clamp design allows easy mounting to standard contour barrels without removal of flash hiders or muzzle brakes. Hex cap screws pull clamping halves tight to barrel for complete sight immobilization when properly tightened. Durable, mil-spec, phosphate finish resists rust and corrosion. **YHM-9394** includes bayonet lug and pivoting sling swivel that accepts tactical slings up to 1 1/4" wide. Rubber coating prevents swivel from rattling and giving away your position while on patrol. **YHM-9395** has sling swivel, no bayonet lug. **YHM-9835A** has Picatinny-style under-rail that accepts lights, lasers, and other forward-mounted accessories. No sling swivel. **SPECS:** Steel, phosphate-coated finish, dark gray. 1 1/8" (4.8cm) long, 1 1/8" (3cm) wide. Sight Post - 2 1/4" (5.7cm) high when raised. Fits standard, .750" diameter barrels. **YHM-9394** - 6 oz. (170g) wt. **YHM-9395** - 5.5 oz. (156g) wt. **YHM-9835A** - 7.7 oz. (219 g) wt.

#100-002-237EK YHM-9394, w/lug, 9A67V86 \$ 79.99
#100-002-077EK YHM-9395, no lug 9A67T86 79.99
#100-003-174EK YHM-9835A, w/Rail 9A87V50 109.99

OSPREY DEFENSE AR-15/M16 OPS-416 GAS PISTON KIT

For Smoother, Cooler
Operation, Reduced Recoil,
& Less Frequent Cleaning

Drop-in gas piston conversion kit installs in only five minutes and improves the reliability and function of your AR-15 by eliminating fouling caused by gas venting into receiver. Rifle runs cooler, with less frequent need for cleaning and less wear on carrier and bolt - resulting in longer service life from these critical parts. The unique, kidney-shaped cross-section of the piston and piston chamber provides extra mass and surface area to evenly spread out gas pressure and reduce felt recoil, allowing you to stay on target for rapid follow-up shots. Installs in minutes on both semi- or full-auto/burst rifles with a barrel O.D. of .875" or less. No need to remove gas block/sight tower, and no permanent alterations to barrel or upper receiver - reinstall original parts at any time. Replacement bolt carrier with integral lug is machined from a single piece of steel for a lifetime of use. Models available to fit Carbine and Rifle gas systems. **SPECS:** Steel, black oxide finish. Handguard - Reinforced polymer composite, black. Kit includes preassembled piston assembly, bolt carrier, handguard, and instructions. **Carbine** fits 11 1/2" to 16" barrels with .875" O.D. or smaller, and carbine-length gas system. **Rifle** fits 20" barrels with .875" or smaller O.D. and rifle-length gas system.

#100-005-291EK Carbine Piston Kit 1F292D41 ... \$ 329.00
#100-005-290EK Rifle Piston Kit 1F292D41 329.00



ADAMS ARMS AR-15/M16 GAS PISTON CONVERSION KIT

Makes Rifle Run Cooler
& Cleaner
With Less Felt Recoil



Kit has everything you need to replace the standard gas system in your AR-15 and convert it to a reliable, positive-

cycling, gas piston system. Eliminates venting of hot gases and powder residue into the bolt carrier and receiver for reduced fouling and less wear on the action. Feeds more smoothly, maintenance is easier, and the gun runs cooler, too. Short-stroke piston shaft eliminates concussive gas expansion in the upper receiver for less violent cycling and reduced felt recoil. Easy to adjust for three levels of gas release: normal fire, firing with a suppressor attached, or a single round fired without cycling. Picatinny rail on the gas block provides mounting space for a variety of front sights. Installation requires removal of original gas block, but no permanent alterations to barrel or upper receiver. Remove the piston system at any time and reinstall the original parts. Replacement handguard provides extra internal clearance for piston rod and has internal shield to protect your hand from heat buildup during sustained fire. Separate models for three popular gas system lengths: **Carbine, Mid-Length, and Rifle. Tactical Carbine** kit comes with a Midwest Industries free-float quad-railed, Picatinny handguard (standard M4-style plastic handguard also included). **SPECS:** Gas Block, Piston Tube, Bolt Carrier, Handguard Retainer Cap - Steel, black oxide finish. Piston - Stainless steel. Handguard - Reinforced polymer composite, black. Kit contains piston assembly, gas block, one-piece bolt carrier, handguard, handguard retainer, and installation instructions. Fits rifles with .750" O.D. barrel at gas port. Requires removal of original gas block. Gunsmith installation recommended. MI Free-Float Carbine Handguard - Machined 6061 T6 billet aluminum, hardcoat anodized, matte black. 7" (17.8cm) long, 2 1/2" (6.4cm) dia. Installation of this handguard requires removal of the delta ring.

#100-004-907EK Gas Piston Kit, Carbine 4Z298H57 \$ 379.99
#100-004-922EK Gas Piston Kit w/Tactical Handguard, EKEKEKCarbine 8K450T00 549.99
#100-004-923EK Gas Piston Kit, Mid-Length, 4Z298H57 379.99
#100-004-923EK Gas Piston Kit, Rifle 4Z298H57 379.99

CMMG AR-15/M16

GAS PISTON CONVERSION KIT

Makes Rifle Run Cooler, Cleaner, Smoother For Improved Function, Reduced Recoil & Less Frequent Cleaning



Drop-in conversion kit replaces

the standard direct impingement gas system with a reliable, positive cycling piston system. Updates the AR to the type of operating system used on advanced weapons like the FN SCAR, Heckler & Koch G36, and HK416, as well as the highly reliable, classic FAL and AK-series rifles. Makes weapon run cooler, smoother, and more reliably, with less wear and easier maintenance. Because the gas no longer vents inside the receiver, fouling and carbon buildup are greatly reduced, requiring less frequent disassembly for cleaning. Less fouling and lower operating temperatures mean reduced wear on bolt, carrier, and receiver interior for fewer malfunctions caused by worn parts. Piston's cushioning effect reduces felt recoil to help you stay on target for better control during rapid fire and fast, accurate follow-up shots. "Straight-line" design of the replacement gas block further ensures reliable operation by venting gas pressure directly on the operating rod. Rod transmits the force directly



ADAMS ARMS AR-15/M16 COMPLETE GAS PISTON UPPER RECEIVER



Ready To Install To
Make A Reliable, Clean-
Running Piston
Carbine Or Pistol

Complete upper receiver assembly comes ready to install on mil-spec lower receiver to produce a reliable, positive-cycling gas piston gun. Adams Arms' proven piston system doesn't vent hot gases and burned powder into the bolt carrier and receiver, so the gun runs cooler, with less fouling and wear on the action, and easier maintenance. Short-stroke piston shaft eliminates concussive gas expansion in the upper receiver for less violent cycling, smoother feeding, and reduced felt recoil. The receiver is forged from 6061 T6 aluminum and features M4 feed ramp cuts and a 13-slot Picatinny-cut flattop rail. The adjustable gas block allows three levels of gas release: normal fire, firing with a suppressor attached, or a single round fired without cycling. Picatinny rail on top of gas block accepts a variety of clamp-on tactical sights. All models have chrome-lined barrels chambered for 5.56mm NATO, with an A2 flash hider. **Carbine** - 16" barrel and M4-style carbine handguard. **Pistol** - 7 1/2" barrel and two-piece, machined aluminum handguard with four, 3" Picatinny rails. Barrel is black Melonite coated for better wear and scuff resistance and up to 60% more corrosion resistance than traditional phosphate-coating. **Pistol Extended Rail** - 7 1/2" Melonite-coated barrel, and an extended, aluminum handguard with 6" side rails, a 5 3/4" bottom rail, and a 4 1/4" top rail that forms a continuous 12" rail with the receiver flattop and gas block. Side rails include integral sockets for QD sling swivels. **All NFA rules apply.** **SPECS:** Receiver/Pistol Handguards - 6061 T6 aluminum, hardcoat anodized, black. Barrel - Chrome-moly steel. Gas Block, Piston Tube, Bolt Carrier - Steel, black oxide finish. Piston - Stainless steel. **Carbine** - 16" (40.6cm) barrel, Parkerized, matte black. 1-9" rifling. Reinforced polymer composite handguard, black. 4.2 lb. (1.9kg) total weight. **Pistol** - 7 1/2" (19cm) barrel, Melonite coated, matte black. 1-8" twist rifling. 3.6 lb. (1.68kg) total weight. **Pistol Extended Rail** - 7 1/2" barrel, Melonite coated, matte black. 1-8" twist rifling. 3.8 lb. (1.7kg) total weight.

#100-005-989EK Gas Piston Upper Rec'r, Carbine, 4Z58T00 \$ 699.99
#100-005-990EK Gas Piston Upper Rec'r, Pistol, 4Z71T02 839.99
#100-005-991EK Gas Piston Upper Rec'r, Pistol Extnd Rail, 4Z86H97 999.99


to a lug on the top side of the one-piece bolt carrier. Redesigned carrier is machined from a solid billet of steel with an integral impingement lug to eliminate breakage that can occur with a standard carrier modified for use with a gas piston system. A knob on the gas block allows gas flow to be shut off to allow use of a suppressor or a .22 LR conversion kit. Picatinny cuts on top of gas block accept aftermarket, bolt-on front sights. Kit may be installed on semi-auto and burst/full-auto rifles, as well as ARs chambered in non-standard calibers, including 6.8 SPC and 5.45 x 39. Models available to fit rifles with Carbine-length and Mid-Length gas systems. Requires no permanent alterations to barrel or upper receiver; remove piston system any time and reinstall the original parts. Gunsmith installation recommended. **SPECS:** Piston Tube, Bolt Carrier, Handguard Retainer Cap - Steel, black oxide finish. Piston - Steel, hard-chromed. Gas Block - Aluminum, hardcoat anodized, matte black. Includes mounting hardware and installation instructions. Does not include bolt assembly. **Carbine** kit fits semi-auto and burst/full-auto rifles with carbine-length gas system and .750" O.D. barrel at gas port. Includes reinforced polymer composite handguard, black. **Mid-Length** kit fits semi-auto and burst/full-auto rifles with mid-length gas system and .936" O.D. barrel at gas port. Requires free-float handguard (not included) with adequate internal clearance for piston mechanism.

#100-004-370EK Gas Piston Conversion Kit, Carbine, 3B00PUA \$ 299.99
#100-005-840EK Gas Piston Conversion Kit, Mid-Length, 3B276P07 299.99

PRIMARY WEAPONS SYSTEMS AR-15/M16 DC-16 GAS PISTON UPPER RECEIVER



**Converts Your AR To A Smooth, Clean, Reliable
Piston-Operated Tactical Carbine**

Drop-in ready upper receiver assembly is the fast, easy way to convert your AR to a gas piston operated tactical carbine with a low-profile accessory rail system. The DC (Defensive Carbine) uses a "long stroke" piston to reduce felt recoil and provide smooth, consistent cycling for more comfortable shooting, and faster return-to-target for follow-up shots. Improves reliability, too, by keeping carbon fouling out of the receiver. The quad rail system clamps the barrel securely to the receiver to produce an ultra-rigid, yet compact platform that keeps the piston system properly aligned. Provides over 40" of accessory mounting space, including 16" of uninterrupted top rail that extends forward of the gas block. The bottom rail and each side rail has a receptacle at the rear for push-button, single-point sling attachment. Comes with plenty of Tangodown SCAR rail covers to cover unused portions of the rail. The hammer forged, chrome-lined 16" barrel is chambered for 5.56mm NATO ammo, with M4-type feed ramp cuts in the barrel extension to aid in reliable chambering. A PWS FSC556 flash suppressor/compensator minimizes muzzle flash and counteracts muzzle rise, further aiding in fast follow-up shots. 


SPECS: 25 1/4" (64cm) OAL. 4 lbs. 10 oz. (2.1 kg) weight. Fits mil-spec semi-auto and select-fire lower receiver with .250" pivot/takedown pin holes. Receiver/Rails - 7075 T6 aluminum, hardcoat anodized, dry film lubricated, matte black. Barrel - 4150 chrome-moly steel, Parkerized, matte black. 16" (40.6cm) long. Chrome lined, 1-7" twist, chambered for 5.56mm NATO.

#100-004-882EK DC-16 Upper Receiver, 4B00DZA..... \$ 1,199.99

DANIEL DEFENSE AR-15/M16 PISTON OMEGA RAIL™

**Free-Float Quad-Rail
Handguard Fits Over
Gas-Piston Systems;
No Gunsmithing**




Free-float handguard with four MIL-STD 1913 Picatinny rails is engineered specifically for AR-15s with gas piston systems. The Piston Omega Rail features additional internal clearance for weapons with piston systems and a removable top rail for access to piston components. Installs in minutes with absolutely no permanent modifications to weapon. Two-piece design allows installation without removing the gas block, using only a common flat-head screwdriver and the included hex key. Tighten the four Allen-head screws against the barrel nut with the hex key to eliminate movement and align the extended top rail with the receiver rail for an exceptionally long expanse of accessory mounting space. **Mil-Spec** model fits AR-15s with carbine-length gas piston systems from Adams Arms, Ares Defense, LWRC International, and Primary Weapons Systems. **Large Diameter** model has additional internal clearance to accommodate Bushmaster, CMMG, and Patriot Ordnance Factory (POF) carbine-length gas piston systems. Plenty of ventilation cuts keep barrel cool and minimize weight—perfect for short tactical carbines where every ounce saved improves speed and maneuverability. Rail slots are indexed with white letters and numbers for precise positioning and remounting of accessories. Receptacles for push-button QD sling swivels in the side rails have built-in rotation limiters. Precision CNC machined from 6061 T6 aluminum and mil-spec Type 3 hardcoat anodized for added strength and a rock-hard surface that resists wear and scuffing. 

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. Includes mounting screws, Allen key, and instructions. Approximately 6 3/8" (16.2cm) long, 1 1/8" (4.8cm) wide, 2 1/2" (6.4cm) high. Top Rail - 7" (17.8cm) long, 8 oz. (226g) wt. **7.0 Mil-Spec** - fits rifles with carbine-length gas piston systems from Adams Arms, Ares Defense, LWRC, and Primary Weapons Systems. **7.0 Large**

MIDWEST INDUSTRIES AR-15/M16 GAS PISTON CARBINE FREE-FLOAT FOREND

**Eliminates Stress
On Barrel & Maximizes
Accessory Mounting Options
On Guns With Gas Piston
Operating Systems**



Clamp-on forend has proper internal clearance to fit AR-15/M16 carbines fitted with gas piston operating systems from CMMG, Bushmaster, and others. Free-float design clamps directly to the factory barrel nut, so the forend doesn't put any accuracy-compromising external stress on the barrel. No need to remove the barrel or front sight to install; simply cut off the delta ring and clamp the forend firmly in place with the included mounting hardware. Each of the four MIL-STD 1913 Picatinny rails has 15 mounting slots for lasers, lights, vertical grips, bipods, and other tactical accessories. Slots are laser etched with white alphanumeric position markings to aid in fast mounting and remounting of accessories. Large vent holes reduce weight and allow plenty of air circulation for barrel cooling. Bottom rail can be removed to provide clearance for a grenade launcher, tear gas launcher, or shotgun. 

SPECS: Machined 6061 T6 billet aluminum, hardcoat anodized, matte black. 7" (17.8cm) long, 2 1/2" (6.4cm) diameter. Fits AR-15/M16/M4 and clones with carbine-length gas piston operating system and 1/2" diameter gas cylinder. Mounts over existing factory barrel nut without removing front sight base. Requires removal of Delta ring.

#100-004-464EK Gas Piston Carbine Free-Float Forend, 2A182U86..... \$ 205.99

BEAVER CREEK ARMORY AR-15/M16 CARBINE BARRELS



M4-Style Barrels Available In Three Popular Contours

Carbine-length barrels machined from high-grade 4140 carbon steel come with gas port pre-drilled, barrel extension with M4-style feed ramps, and 1/2"-28 tpi muzzle threads to accept a wide range of flash hiders and muzzle brakes. Chambered for 5.56mm NATO, with 1-9" rifling. **Standard** model replicates the dimensions of the original, mil-spec M4 barrel, perfect for a lightweight, fast-handling tactical carbine. **Heavy** model is .115" thicker under the handguard for extra rigidity to resist accuracy loss caused by barrel overheating during sustained fire; identical to the Standard model forward of the gas port. **Target** model is .210" thicker under the handguard than the Standard barrel for even greater resistance to heat-induced distortion. All models have a hard, MIL-DTL-13924-D black oxide finish that adds surface strength and corrosion resistance.

SPECS: 4140 chrome-moly steel, matte black oxide finish. 16 1/2" long, .750" O.D. at gas port, .700" O.D. at muzzle. Chambered for 5.56mm NATO, 1-9" twist. Not chrome lined. **Standard** - .665" O.D. under handguard. 28 oz. (794g) weight. **Heavy** - .780" O.D. under handguard. 32 oz. (907g) weight. **Target** - .875" O.D. under handguard.


#100-004-999EK Std. Carbine Barrel 1D127U14... \$ 139.99
#100-004-483EK Heavy Carbine Barrel 1D184A00... 229.99
#100-005-409EK Target Barrel 1D127U14..... 149.99

Diameter - fits rifles with carbine-length gas piston systems from Bushmaster, CMMG, and Primary Ordnance Factory.

#100-004-458EK Piston Omega Rail 7.0 Mil-Spec, 8K270U00..... \$ 293.00

#100-004-459EK Piston Omega Rail 7.0 Large Diameter, 8K270U00..... 293.00

BROWNELLS/DPMS AR-15 BARREL



Match Quality, Drop-In, Ready-To-Shoot

High-quality barrels improve accuracy while maintaining the mil-spec look and feel. Front sight tower and barrel nut are pre-installed for ease of installation (sight post, spring and detent must be purchased separately). Each barrel is stress relieved, headspaced and phosphate finished, ready to fit to your rifle. Button rifled with versatile 6 groove, 1-9" twist to stabilize a wide range of bullet weights. All, except BL-11-M4 and BL-AP4, are heavy barrel contour, turned to .960" diameter under the handguards, with bayonet lug and 1/2"-28 threaded muzzle. **BL-10P** and **BL-11P** have crowned muzzle and no bayonet lug. Carbine-style **BL-11-M4** is .640" diameter under handguard. **BL-12B** is 11 1/2" long and **BL-AP4** is .700" diameter under the handguard and 14 1/2" long to provide a more compact, maneuverable package for M4 carbines; **all NFA rules apply.**

SPECS: 4140 chrome moly steel. Matte dark gray manganese phosphate Parkerized finish. Not chrome lined. **BL-10/BL-10P** - 20" (50cm) long. **BL-11/BL-11P/BL-11-M4** - 16" (40cm) long. **BL-12B** - 11 1/2" (29.2cm) long, uses standard carbine length handguard and gas tube. **BL-AP4** - 14 1/2" (36.8cm) long; carbine-length gas tube and handguard required.

#231-000-021EK BL-10P AR-15/M16 Barrel, 3B164X60..... \$ 179.99

#231-000-022EK BL-10 AR-15/M16 Barrel 3B162X36 179.99

#231-000-023EK BL-11P CAR-15/M4 Barrel, 3B156X96..... 169.99


#231-000-024EK BL-11 CAR-15/M4 Barrel 3B156X94 169.99

#231-000-025EK BL-11-M4 CAR-15/M4 Barrel 3B169X44..... 184.99

#231-000-219EK BL-12B M4 Barrel 3B156T46..... 164.99

#231-000-239EK BL-AP4 AR-15/M16 Barrel, 1C183P56..... 199.99

BROWNELLS Gift Cards & eGift Cards

When you don't know which of our many unique items to give, give a Brownells Gift Card or eGift Card. Call or order online to take advantage of the many delivery options. You'll be giving exactly what your favorite gun "tinkerer" wants. 



#080-000-816EK Brownells Gift Card, 6D00HYG..... \$ Your Choice \$

#080-000-818EK Brownells E-Mail Gift Card, 6D00HYG..... \$ Your Choice \$

Call or Order at brownells.com

DPMS AR-15 .204 RUGER VARMINT/TARGET BARREL



Convert Your AR-15 To A Fast, Flat-Shooting .204 Ruger

Extra-heavy contour, stainless steel barrel changes any AR-15 into a well-balanced, easy-shooting, highly accurate .204 Ruger target/varmint rifle. Full 24" length for maximum accuracy. Button rifled with a six-groove, right-hand, 1-12 twist for outstanding accuracy with a variety of bullet weights. On the outside, six precision-machined, longitudinal flutes let you enjoy the benefits of a bull barrel with less weight to lug around. Stepped target crown provides excellent protection for rifling at the muzzle. Solid, precision machined aluminum gas block included. Must be used with a free-float handguard.


SPECS: Barrel - 416 stainless steel, natural finish. Chambered for .204 Ruger, 1-12" twist. 24" (61cm) long, 1.05" (2.67cm) O.D. under handguard, .92" (2.34cm) O.D. ahead of gas block. Gas Block - Aluminum, hardcoat anodized, matte black, .936" (2.38cm) I.D.

#231-000-215EK 24" SS .204 Ruger Barrel, 3B219T93..... \$ 274.91

EVOLUTION AR-15 MATCH BARREL



Streamlined Shape, Superb Accuracy

Button rifled and fully machined to very tight tolerances for unmatched accuracy. Integral muzzle brake and a sleek, contoured gas block for an unobstructed view. Legal for installation on both pre- and post-ban receivers.  **SPECS:** 410 stainless steel, bright-machined finish. .223 Rem. 1-9" twist, nominal 16" (40cm) or 20" (50cm) long, .951" (24mm) dia. under the handguard. Includes gas block and barrel extension.


#298-015-016EK 16" Match Barrel 8B341X25..... \$ 452.75

#298-015-020EK 20" Match Barrel 8B375X10..... 449.99

DANIEL DEFENSE AR-15/M16 HAMMER FORGED CARBINE BARRELS



**Cold Hammer-Forged For Superb Accuracy;
Chrome-Lined For Long Life**

M4-profile 16" barrel is cold hammer forged from high-grade chromium-molybdenum-vanadium alloy steel for exceptional strength and accuracy potential—like a high-end, match rifle barrel. Magnetic particle inspected (MPI) to ensure there are no internal flaws in the metal before application of the durable, heavy-duty manganese phosphate finish for superb resistance to corrosion and surface abrasion. These barrels come with the barrel extension and front sight tower installed, and are fully chambered for the military 5.56mm NATO cartridge, with a 1-7" right-hand twist. Bore is chrome-lined for extra protection from corrosion. Barrel extension has M4 feed ramp cuts, and sight tower includes bayonet lug and sling swivel attachment point (swivel not included). Gas port is drilled and muzzle is pre-threaded to accept a 1/2"-28 tpi flash suppressor. **Standard** model replicates the USGI M4 barrel, complete with cut for M203 grenade launcher. **Lightweight** model offers a slimmer profile for a fast-handling, "pencil" barreled tactical or personal defense carbine. **Mid-Length** model offers the USGI M4 profile on a barrel that will fit a rifle with a commercial mid-length gas system; straight barrel, no grenade launcher cut. 

SPECS: 4150 chrome-moly-vanadium carbon steel alloy, manganese phosphate finish, matte black. 16 1/2" (40.6cm) O.A.L. Chambered for 5.56mm NATO, 1-7" twist. 1/2"-28 tpi muzzle threads. **Standard** - .645" O.D. under handguard, .750" O.D. at gas port position, .700" O.D. at muzzle. 2 lbs. 1 oz. (931g) wt. **Lightweight** - .645" (1.6cm) O.D. under handguard, .625" (1.6cm) O.D. at gas port, .620" O.D. at muzzle. 272 oz. (771g) wt. **Mid-Length** - .630" O.D. under handguard, .750" O.D. at gas port position, .700" O.D. at muzzle. 2 lbs. 3 oz. (916g) wt.

#100-005-853EK Standard M4 Carbine Barrel, 8K260U68..... \$ 293.00

#100-005-852EK Lightweight Carbine Barrel, 8K260U68..... 293.00

#100-005-854EK Mid-Length Carbine Barrel, 8K260U68..... 293.00

STRIPPED M4 BARREL - Stripped, M4-profile 16" barrel delivers features you expect to find on a premium-grade rifle at a remarkably economical price. Machined from ordnance-grade 4150 chromium-molybdenum alloy steel for exceptional strength, and magnetic particle inspected (MPI) for flaws. Chambered for 5.56mm NATO, with 1-7" right-hand twist cut rifling in the chrome-lined bore. Includes pre-installed barrel extension with M4 feed ramp and locator pin. Gas port is drilled and muzzle is pre-threaded to accept 1/2"-28 tpi accessories.

SPECS: 4150 chrome-moly carbon steel alloy, manganese phosphate finish, matte black. 16 1/2" long, .640" O.D. under handguard, .750" O.D. at gas port, .700" O.D. at muzzle. Chambered for 5.56mm NATO, 1-7" twist.

#100-004-633EK Stripped M4 Barrel 8K164Y00... \$ 176.95

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 15

DOUBLE STAR CARBINE BARRELS

A1 and HBAR Factory Contours;
Two Lengths To Choose From



16" and 11 1/2"
A1 barrels
shown

Ready-to-install barrels let you customize your AR-15/M16/M4/CAR-15 or replace a "shot-out" factory barrel with one that preserves your gun's original specs and appearance. Machined from 4140 steel, with a dark gray, military-type Parkerized finish. Button-cut, six groove rifling with 1:9 right-hand twist provides superb accuracy with most bullet weights. Barrel extension has M4-type feed ramps to help ensure smooth feeding and prevent jams. Barrel nut and handguard retainer cap included. Forged front sight housing has integral bayonet lug, and muzzle is threaded to accept the flash hider or compensator of your choice. Choose from **Chrome Lined** for maximum bore life or **Standard** (unlined) for an extra edge in accuracy. **A1** has the correct dimensions and contours of the original M16A1 barrel in shorter, more compact 16" and 11 1/2" lengths. Offers a substantial weight reduction (10 1/4 oz. in 16" configuration) for carrying ease and faster deployment in combat, with accuracy equal to the heavier HBAR barrel out to 100 meters. Front sight housing is purpose-manufactured to fit the .625" forward barrel, not a modified .750" housing, to maintain correct appearance. **All NFA rules apply to 11 1/2" barrels.**

SPECS: 4140 steel, dark gray Parkerized finish. **A1** - .675" (1.71cm) OD under handguard, .625" (1.59cm) at front sight housing, 1/2"-28 tpi threaded muzzle with .600" (1.52cm) dia. shoulder behind threads. **HBAR** - .870" (2.21cm) OD under handguard, .750" (1.91cm) at front sight housing, .730" (1.85cm) at muzzle.

#100-002-665EK Std 16" A1 Barrel 2Z176V06 \$ 189.99
#100-002-666EK Std 16" HBAR Barrel 2Z176V06 \$ 189.99
#100-002-667EK Chrome Lined 16" A1 Barrel, 2Z216V22 \$ 249.99
#100-002-668EK Chrome Lined 16" HBAR Barrel, 2Z214V05 \$ 249.99
#100-002-669EK Chrome Lined 11 1/2" A1 Barrel, 2Z227V42 \$ 259.99
#100-002-670EK Chrome Lined 11 1/2" HBAR Barrel, 2Z226V61 \$ 259.99

SHILEN AR-15/M16
DROP-IN BARREL/BOLT SET

Custom-Fitted For Match-Grade Performance

Stainless steel barrel is precision machined to match-grade tolerances and custom-fit to its own bolt to give your rifle the exceptional accuracy of a custom-shop barrel in a drop-in package. Each barrel is assigned a bolt before any machining begins, then chambered to the correct headspace for that bolt. Button rifled for superior land-to-groove dimensions required for match-rifle accuracy, with a recessed 90° target crown, and gas block shank machined to .001" tolerances for precise fit. Comes with M4-style barrel extension installed; extension has pre-cut feed ramp to help ensure reliable chambering of rounds. Available chambered in .204 Ruger with 24" heavy varmint/target barrel or .223 Wylde with 20" service-rifle contour barrel. Wylde chamber delivers enhanced accuracy and reliability with the widest variety of .223 or 5.56 NATO ammunition.

SPECS: Stainless steel, natural finish. 6-groove rifling. **.223 Wylde** - 20" (50.8cm) long, .750" O.D. at gas block. 1-8" twist. **.204 Ruger** - 24" (60.1cm) long, .936" O.D. at gas block. 1-9" twist.

#787-000-034EK .223 Wylde Barrel/Bolt 7H399D99 . \$ 484.99
#787-000-035EK .204 Ruger Barrel/Bolt 7H396D70 . \$ 484.99

FULTON ARMORY AR-STYLE .308 BARRELS



At Last! - .308 Barrels In Carbon Steel & Stainless
For Custom Builds Or Rebuilds

Stripped, .308 Winchester-chambered barrel fits Fulton Armory, DPMS, and Remington upper receivers—perfect for an upgrade or a custom build. Button rifled with a 1-10" twist rate to stabilize most bullet weights. Gas port is drilled for rifle-length gas systems, and muzzle is pre-threaded to accept 5/8" x 24 tpi flash suppressors or brakes. Includes barrel extension with M4-style feed cuts and locator pin. Gunsmith installation recommended. **Lightweight** - Chrome-moly steel, with a contour that resembles that of the M4 carbine. Chrome lined for excellent bore life, and durable, corrosion-resistant matte black Parkerized finish. **National Match** - Stainless steel with a heavier contour, available in 16" and 18 1/2" lengths.

SPECS: Chambered for .308 Winchester. 1-10" rifling twist. Muzzle threaded 5/8" x 24 tpi. Fits Fulton Armory FAR-308, DPMS LR-308, and Remington R-25 upper receivers. **Lightweight** - Chrome moly steel (CM), Parkerized, matte black. 18 1/2" (47cm) long. .750" diameter at gas port. 2.4 lbs. (1.1kg) wt. Chrome lined. **National Match** - Stainless steel (SS), natural silver finish. .936" diameter at gas port. Two lengths: 16" (40.6cm) long, 2.75 lbs. (1.2kg) wt. or 18 1/2" (47cm) long, 2.9 lbs. (1.3kg) wt.

#100-006-977EK Lightweight CM .308 Barrel, 18 1/2", 3K328H28 \$ 339.95
#100-006-975EK National Match SS .308 Barrel, 16", 3K275H86 \$ 289.95
#100-006-976EK National Match SS .308 Barrel, 18 1/2", 3K275H86 \$ 289.95

Shop

barrel parts

Search

brownells.com

DPMS AR-15 BARREL EXTENSION

Fit The Special Barrels
Your Customer Requests



Fully machined barrel extension makes it possible to fit truly custom barrels to AR-15 rifles and carbines. Provides the custom rifle builder additional options when selecting caliber, contour or twist rate.

SPECS: 4140 cm steel, in-the-white. .8125"-16UNF thread.

#231-015-032EK AR-15 Barrel Extension 3B21X14 . \$ 26.99

FAILZERO AR-15/M16

EXO™ BARREL EXTENSION



Self-Lubricating Surface Promotes
Smooth, Consistent Feeding

M4-type barrel extension has a self-lubricating EXO finish that aids in smooth, consistent feeding and helps prevent hang-ups. High-tech coating lasts the life of the weapon, and won't rub off, flake off, or gall. Helps dissipate heat for cooler operation, too. Precision machined from 8620 steel to USGI specifications with integral M4-type feed ramps and predrilled locator pin hole.

SPECS: 8620 carbon steel, EXO coated, silver-gray. .998" O.D., 1.168" shoulder O.D. .8125"-16UNF thread. Barrel locator pin required, available separately.

#100-005-443EK EXO Barrel Extension 8B22V54 . . \$ 27.99

BROWNELLS AR-15/M16
M4 BARREL EXTENSION

For Custom Barreling Projects; Includes Feed
Ramp Cut For Reliable Chambering

Specifically designed for carbine installations, this is a correct-spec M4 barrel extension with feed ramp and pre-drilled hole for locator pin. Perfect for custom builds, rebarreling jobs, and caliber conversion projects. Integral feed ramp is required for proper chambering in carbine configurations and adds an extra measure of insurance for smooth, reliable feeding in rifles. Fully machined from high-grade 4140 chrome-moly steel for precise fit, strength, and durability.

SPECS: 4140 carbon steel, in-the-white.

#080-000-574EK M4 Barrel Extension 8K20A58 . . . \$ 24.99

WHITWORTH TOOL AR-15/M16
M4 BARREL EXTENSION

Fits Rifle Or Carbine Barrels;
Ramped To Help Guide
Rounds Into Chamber



Economical, high-quality M4 barrel extension is machined to mil-spec standards with integral feed ramps and predrilled locator pin hole for fast, easy barrel installations. Machined from 4140 chrome-moly steel and head-treated for additional surface hardness to resist erosion by hot combustion gases for years of reliable service. Great for custom barrel jobs and caliber conversions.

SPECS: 4140 chrome-moly steel, in-the-white. .8125"-16UNF thread. Barrel locator pin required, available separately.

#100-004-728EK M4 Barrel Extension 5B16X18 . . . \$ 19.99

BROWNELLS AR-STYLE .308
CRUSH WASHERS

Ensures Proper Fit of Flash
Suppressor Or Muzzle Brake



High-quality stainless steel crush washer ensures correct alignment of flash suppressor, compensator or muzzle brake. Replace a broken, corroded, or dinged up washer to guarantee proper fit and indexing of an aftermarket muzzle accessory. Fits AR-style .308 barrels.

SPECS: 17-4 PH stainless steel. 25 ft. lbs torque. 7/8" (2.2cm) outer dia. Fits 5/8" O.D. threads.

#080-000-755EK AR-Style .308 Crush Washer, 8K02T70 \$ 3.49

BROWNELLS AR-15/M16
PEEL WASHER

Easy, Precise Alignment Of Flash
Suppressors Or Muzzle Brakes



Mil-spec washers split apart to allow exact alignment of A2-style flash suppressors or other brakes that require indexing.

SPECS: Steel. Sold in paks of 5 each. Fits 1/2" O.D. threads.

#078-015-005EK Peel Washers 8G15T29 \$ 24.99

SOG ARMORY AR-15/M16

MUZZLE CAP

Guards Muzzle From
Elements, Dings & Fouling



Rubber cap slides over A2 flash hider to keep dirt, dust, debris, and water from entering the barrel. Protects the muzzle from impact during carry or transport in a vehicle. Four stretchable ribs let you pull the cap away from the muzzle to shoot, while

PWS AR-15/M16/AR-STYLE .308
MUZZLE DEVICE ALIGNMENT SHIMS

Ensures Correct Alignment Of
Flash Hiders, Compensators & Muzzle Brakes



Hardened steel shims ensure precise fit and correct alignment of flash suppressors, muzzle brakes, and compensators. Large (thick) shim allows 90° of rotation and can be used as a spacer for barrels not having a relief cut behind the threads. Medium shims add approximately 45° of rotation. Small shims used with large and medium shims provide smaller degrees of rotation for finely-tuned, critical alignment.

SPECS: Steel. Sold in 10 paks (1 small, 1 large, 8 medium). **.223** - .748" O.D. Fits muzzles threaded 1/2"-28 tpi. **.308** - .837" O.D. Fits muzzles threaded 5/8"-24 tpi.

#100-005-378EK .223 Shim Set 4B04T23 \$ 4.95

#100-005-379EK .308 Shim Set 4B04T23 \$ 4.95

YANKEE HILL MACHINE AR-STYLE .308
CRUSH WASHER

For Accurate Alignment Of Flash
Suppressors & Other Muzzle Accessories



Precision machined steel washer ensures exact alignment of flash suppressors and other muzzle accessories that require a washer. Fits AR-style .308 rifles with 5/8" threaded muzzles.

SPECS: Steel, blued. 5/8" (.625"/1.59cm) I.D. 1 1/8" (.813"/2.06cm) O.D.

#100-003-123EK 5/8" Crush Washer 9A02T50 \$ 3.99

PRO MAG AR-15/M16
MUZZLETHREAD PROTECTOR

Prevents Damage While
Muzzle Device Is Removed



Blued-steel thread protector prevents damage while muzzle device is removed for maintenance, repair, or replacement. Fits all barrels with 1/2" x 28 tpi threaded muzzle. Knurled exterior aids in installation and removal.

SPECS: Steel, blued. 1 1/8" (1.7cm) long. 3/4" (1.9cm) O.D. Fits barrels with 1/2"-28 tpi muzzle threads.

#687-000-036EK Thread Protector 7H17Z21 \$ 22.50

SCHERER AR-15
THREAD ADAPTER

Put Threaded Muzzle Brakes
On Non-Threaded Barrels



Steel adapter allows you to install muzzle brakes and flash hiders on tactical rifles with an unthreaded barrel. No machining necessary; four setscrews secure adapter to barrel in seconds. **C-5 Adapter** has 1/2-28 threads for installation on Colt sporter and similarly contoured, AR-15 barrels.

SPECS: Steel, blued finish. 1 3/16" long, .708" (18mm) I.D., .978" (25mm) O.D. Fits Colt AR-15.

#861-000-012EK C-5 Thread Adapter 1F05A35 \$ 7.01

it remains attached to the barrel farther back. In an emergency, the weapon can be fired without removing the cap. The thin material over the muzzle will be blown out, but accuracy at 50 yards won't be affected. Raised gripping ridges on the exterior give you a secure grasp, even in the rain.

SPECS: Rubber, black. 4" (10.2cm) long. Fits AR-15/M16/M4 fitted with A2 or similar-sized flash hider. Also fits FN FAL L85, Steyr AUG, M249 light machine gun, Heckler & Koch G3/G33/G36.

#100-005-978EK Muzzle Cap 9A02H68 \$ 3.19

ADVANCED ARMAMENT AR-15/M16 BLACKOUT FLASH HIDER

Reduce Muzzle Flash & Stay On Target

Three equally spaced, horizontal slots efficiently reduce muzzle flash and help prevent the blinding effect of a bright flash in complete darkness for improved target acquisition during night ops. Flat, smooth muzzle face with rounded corners prevents hang-ups and allows unencumbered weapon deployment. Two machined flats allow simple installation with a standard-size wrench. Precision machined from heat-treated 17-4 stainless steel and given a proprietary SCARmor™ coating for high surface hardness and durability. Fits 5.56 NATO (.223) caliber, threaded barrels only. **#100-000-010EK Blackout Flash Hider 6G49T99 . . . \$ 59.99**

NEW

BATTLECOMP ENTERPRISES AR-15/M16 BATTLECOMP

Multi-Mode Compensator
Reduces Muzzle Climb &
Suppresses Flash

Multi-purpose compensator reduces muzzle climb, so you stay on target between shots during rapid fire engagements. Reduces flash signature and produces less concussion than the standard A2 flash hider for a smaller dust signature when shooting prone. **1.0/1.5/2.0** fit .223/5.56 rifles with 1/2"-28 tpi muzzle threads. **1.5** is pre-drilled for permanent pinning to a 14.5" barrel to extend it to a civilian-legal 16.1" OAL. **2.0** has the correct dimensions to accept add-on muzzle devices that fit over the standard A2 flash suppressor, including Gemtech Halo and AAC OMNI suppressors; does not accept blank firing adapter (BFA). **BA** fits barrels chambered in calibers up to .308/7.62mm, including 6.5 Grendel, 6.8 SPC, 7.62x39mm, and .300 AAC Blackout. **SPECS:** Machined 17-4 PH stainless steel with MIL-DTL 13924D Class IV black oxide finish. All models include required crush washer and/or shims. **1.0/1.5/2.0** fit .223/5.56 barrels with 1/2"-28 tpi muzzle threads. **1.0/2.0** - 1 3/4" (4.5cm) OAL. **1.5** - 2 1/8" (5.4cm) OAL. **BA** - 2 5/8" (6.7cm) OAL. Fits barrels with 5/8"-24 tpi muzzle threads, chambered in calibers up to .308/7.62mm.

#100-008-511EK BattleComp 1.0 3G114V29 . . . \$ 139.99
#100-008-512EK BattleComp 1.5 3G121V42 . . . 145.00
#100-008-514EK BattleComp 2.0 3G128V58 . . . 155.00
#100-008-517EK BA BattleComp 3G170V38 . . . 209.99

CAVALRY ARMS AR-15/M16 CAV COMP

Reduces Muzzle Rise & Recoil

Machined from bar stock with an integral, solid baffle that won't shoot out. Top and side ports counter recoil and muzzle rise. Solid bottom controls dust printing. A-2-style looks correct on pre- and post-ban rifles. **SPECS:** Steel, black, matte finish. 1 3/4" (4.4cm) long, 3/4" (19mm) diameter, 1/2"-28 tpi. For .223 (5.56 NATO) caliber. **#100-000-189EK .223 Cav Comp 2K24A30 . . . \$ 27.00**

DOUBLE STAR AR-15/M16/AR-STYLE .308 CARLSON ADJUSTABLE MUZZLE BRAKE

Lets You Control Gas Release
To Counteract Muzzle Rise

Adjustable gas venting system lets you control the amount of muzzle rise to help you make fast, accurate follow-up shots. Knurled, spring-loaded outer sleeve rotates to align one of three



BROWNELLS AR-15/M16/AR-STYLE .308 TACTICAL FLASH SUPPRESSOR & MUZZLE BRAKE

Kill Muzzle Flash Or Tame Felt Recoil;
"Pain Compliance" Tip For CQB

Low-profile, screw-on muzzle accessories meet the needs of the most demanding tactical and competition shooters. Developed by Brownells' in-house engineering team with plenty of input from the many dedicated shooters on our staff to give you the choice of a powerful flash suppressor that also helps reduce muzzle rise or a muzzle brake that substantially reduces felt recoil without the penalty of increased flash. Unique "posthole digger" muzzle has cuts that form four chisel-points to provide a backup pain compliance weapon for hand-to-hand combat without creating unusually sharp projections that snag on other objects or cause unintentional injury during routine weapon handling. Precision machined from 4140 carbon steel bar stock and hardened to Rc 38-42. **#100-000-534EK .223 Tactical Flash Suppressor, 8K39T99 . . . \$ 59.99**

FLASH SUPPRESSOR - Disperses combustion gases through five longitudinal vents to reduce the blinding, football-sized fireball of an unsuppressed rifle to a low-intensity golf ball sized burst. Greatly lowers the chance of muzzle flash giving away the operator's position day or night, and helps preserve night vision. Vent walls are cut at an angle for maximum surface area to help cool gas and redirect it to counteract muzzle rise for fast follow-up shots. Solid underside prevents dust signature that can obscure the shooter's view of the target or give away his position when shooting prone. **SPECS:** 4140 steel, black oxide finish, matte black. **.223** - 2 3/8" (6cm) long, .859" (2.2cm) O.D. 3.3 oz. (94g) weight. 1/2"-28 tpi RH thread. Fits .223/5.56 NATO AR-15-type rifles and carbines. **.308** - 2 1/2" (6.3cm) long, .903" (23mm) O.D. 3.3 oz. (94g) weight. 5/8"-24 tpi RH thread. Fits AR-style rifles chambered in .308/7.62mm.

#080-000-672EK .308 Tactical Flash Suppressor, 8K44Y90 . . . 59.99

MUZZLE BRAKE - Sixteen tuned oblong ports arranged in pairs evenly spaced around the brake redirect gas to counteract recoil force. Delivers outstanding reduction of felt recoil and minimizes recovery time for fast follow-up shots. Helps you produce tighter groups at long range during sustained fire. Precisely angled walls in the ports direct the gas evenly to the sides, above, and below the muzzle, rather than back at the shooter, without increasing muzzle flash. An internal expansion chamber provides a slight delay in gas release to spread the recoil impulse over a longer time. **SPECS:** 4140 steel, black oxide finish, matte black. **.223** - 2 3/8" (6cm) long, .859" (2.2cm) O.D. 3.2 oz. (90g) weight. 1/2"-28 tpi RH thread. Fits .223/5.56 NATO AR-15-type rifles and carbines. **.308** - 2 1/2" (6.3cm) long, .903" (23mm) O.D. 3.3 oz. (94g) weight. 5/8"-24 tpi RH thread. Fits AR-style rifles chambered in .308/7.62mm.

#080-000-551EK .223 Tactical Muzzle Brake, 8K40P95 . . . \$ 59.99
#080-000-657EK .308 Tactical Muzzle Brake, 8K44H90 . . . 59.99

different sized ports over the hole in main body of the brake to let you "dial in" the exact amount of compensation you need. Designed by Greg Carlson, a dedicated Class 3 shooter, for shooters and reloaders who want to experiment with different loads or alter their load for different types of shooting. Fits a variety of calibers, from .223/5.56mm up to .308. Solid bottom prevents kicking up dust signature when shooting prone. **SPECS:** 1045 steel, Parkerized, matte black. 2" (5.1cm) long, .995" (2.5cm) O.D. 3.7 oz. (105g) wt. Fits AR-15/M16 rifles chambered in .223/5.56mm up to .308/7.62mm with 1/2"-28 tpi threaded muzzle. **#100-005-778EK Adj. Muzzle Brake 2Z47C14 . . . \$ 59.99**

DOUBLE STAR AR-15/M16 CARLSON MINI COMPENSATOR

Redirects Combustion Gas
To Reduce Felt Recoil & Muzzle Rise

Low-profile compensator has five longitudinal vents on top to redirect muzzle blast for steady placement of follow-up shots on the target and improved accuracy. Post-ban compliant design acts like an AK-47 slant brake to reduce felt recoil and counter muzzle rise. Solid bottom minimizes dust printing. **SPECS:** 1018 steel, Parkerized, matte black finish. 1 5/8" (3.3cm) long x .900" (2.3cm) O.D. 2 oz. (57g) weight. Fits AR-15/M16 chambered in .223/5.56mm with 1/2"-28 tpi muzzle threads. Installation on some rifles may require peel or crush washer (not included). **#100-004-969EK Carlson Mini Comp 2Z27P86 . . . \$ 34.99**

DPMS AR-15 A2 FLASH SUPPRESSOR

Reduces Muzzle Flash; Dissipates Gas

Machined steel, five-port flash suppressor effectively controls muzzle flash to minimize shooter exposure in both daytime and low-light situations. Ports are located along the top of the suppressor and bottom is solid to reduce dust printing when shooting prone. **SPECS:** Machined steel, matte black. 1 3/4" (4.4cm) long, 7/8" (2.2cm) O.D. 1/2"-28 tpi. Requires peel washer (not included) for proper indexing. **#231-000-198EK A2 Flash Suppressor 3B06H43 . . . \$ 8.99**

DPMS AR-15/M16 LEVANG LINEAR COMPENSATOR

Reduces Muzzle Jump
Without Hurting Ears

Directs all of the muzzle blast and noise away from your ears. Large, single expansion chamber helps control muzzle flip and recoil. **SPECS:** Steel, blue, matte finish. 2 1/8" (5.3cm) long, .971" (24.6mm) diameter, 1/2"-28 tpi. **#231-015-022EK Linear Comp 3B27H45 . . . \$ 34.31**

DPMS AR-15 MICULEK COMP

Six-Port Design Directs Blast
Away From Shooter

Three large baffles with six side ports and no top vents direct muzzle gases to the side, away from the shooter. Effectively counters muzzle rise and recoil, minimizes felt muzzle blast. High volume shooters will appreciate reduced noise and ease of cleaning. Solid bottom minimizes dust printing when shooting prone. Easy installation, secured with the supplied lock-nut. Designed and used by Jerry Miculek. **SPECS:** Steel, parkerized finish. 2" (5cm) long, .925" (23.5mm) diameter, 1/2"-28 tpi. **#231-000-038EK AR-15 Miculek Comp 1C35H71 . . . \$ 39.99**

DREADNAUGHT INDUSTRIES AR-15/M16 F2 COMPENSATOR

Reduce Muzzle Climb
& Stay On Target

Three large expansion chambers, asymmetric baffles along with four unique top ports redirect muzzle gases to reduce muzzle rise and allow you to stay on target. CNC machined from 416-series stainless steel and black oxide coated for durability. Fits 5.56 NATO (.223) caliber, 1/2"-28 tpi threaded barrels only. **SPECS:** Stainless steel, matte black. For 5.56 NATO (.223) caliber. 1/2"-28 tpi. 3" (76cm) long x 1" (2.5cm) dia. 4.1 oz. (116g) weight. **#100-003-655EK F2 Compensator 7B74H98 . . . \$ 99.99**

EGW AR-15/M16 SPACE COMP

Tames Felt Recoil, Reduces Muzzle
Rise For Fast Follow-Up Shots &
Tighter Groups

Machined steel compensator has four equally spaced vents on each side that redirect combustion gases upward and to the sides for a significant reduction in felt recoil. Helps you keep the muzzle down and the sights on the target for fast follow-up shots and smaller groups. Solid bottom prevents kicking up ground debris when shooting prone, while solid top keeps muzzle flash and venting gas from obstructing your view of target. Precision machined from carbon steel bar stock, with a hard, matte black, Parkerized finish that resists heat and abrasion. Legal for USPSA Limited Division competition. **SPECS:** Carbon steel, Parkerized, matte black finish. 2" (5.1cm) long x .990" (2.5cm) O.D. 3.4 oz. (96.4g) wt. **.223/5.56mm** - 1/2"-28 thread. **9mm** - 1/2"-36 thread. Gunsmith installation recommended. **#296-000-106EK .223/5.56mm Space Comp 6B70C83 \$ 89.99**
#296-000-107EK 9mm Space Comp 6B70C83 . . . 89.99

THREAD PROTECTOR - Guards threads from damage and gives muzzle a finished look when compensator or flash hider isn't installed. Precision turned on a CNC lathe from steel barstock, then given crisp, diamond-pattern knurling that makes it easy to tighten and loosen protector on barrel. Available to fit 1/2"-28 and 5/8"-24 threads. **SPECS:** Carbon steel, blued. 1/2"-28 - .650" (1.6cm) long x .810" (2.1cm) O.D. 5/8"-24 - .800" (2cm) long, .960" (2.4cm) O.D. **#296-000-104EK 1/2"-28 Thread Protector 6B12C86 . . \$ 15.99**
#296-000-105EK 5/8"-24 Thread Protector 6B12C86 . . . 15.99

JOJO'S GUNWORKS AR-15/M16 MUZZLE BRAKE

Counteracts Muzzle Climb;
Retains Appearance Of USGI A2
Flash Hider

Low-profile muzzle brake has an internal expansion chamber and five longitudinal vents that direct combustion gases upward to counteract muzzle rise. Tames muzzle climb during full- and semi-auto fire to help you keep the sights on the target for fast, accurate follow-up shots. Classic A2 profile replicates the external appearance of the USGI A2 flash hider, so your AR keeps an "as-issued" look and will continue to accept blank-firing adapters, sound suppressors, and other muzzle devices that fit the original A2 hider. Precision machined from A2 chromium-molybdenum alloy tool steel, heat-treated for additional hardness to resist erosion from hot gases, with a durable, black oxide finish. **SPECS:** A2 tool steel, black oxide finish. 1.925" (4.9cm) long, .905" (2.3cm) O.D. 2.4 oz. (68g) weight. 1/2"-28 tpi RH thread. Fits AR-15/M16-type rifles and carbines chambered in .223/5.56mm. **#100-004-591EK AR-15/M16 Muzzle Brake 1B48Z65 . . . \$ 59.99**



If you aren't 100%
satisfied with your
purchase from
Brownells, return it
for a full refund or
exchange.

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 17

AR-15/M16

COMPS/FLASH HIDERS

GOGUN AR-15/M16/AR-STYLE .308 TALON BRAKE

Powerful Recoil Control
Keeps You On Target



Hardened steel muzzle brake vents gas up and to the sides through nine ports to counteract recoil and keep you on target even in full auto fire. Distinctive "claws" at muzzle give your rifle an aggressive appearance, but won't cut bare skin unless intentional force is applied, making the Talon an excellent CQB backup device. Precision machined from pre-hardened chrome-moly steel or stainless steel. Chrome-moly available with Parkerized finish or Lava Shield, an extremely hard, chemical- and corrosion-resistant ceramic coating. **SPECS:** 17-4 stainless steel, polished finish, or chrome-moly carbon steel, or matte black Parkerized or Lava Shield finish. 2.9" (7.4cm) overall length. 1.2" (3cm) O.D. Approximately 6.5 oz. (184g) weight. Crush washer included. .223/5.56 fits barrels with 1/2"-28 tpi RH threads. .308/7.62 fits barrels with 5/8"-24 tpi RH threads.

- #100-005-069EK .223/5.56 Talon Brake, Parkerized, 5B71A85 \$ 88.99**
#100-005-070EK .223/5.56 Talon Brake, Lava Shield, 5B69A29 82.50
#100-005-939EK .223/5.56 Talon Brake, Stainless, 5B66Y90 78.50
#100-005-529EK .308/7.62 Talon Brake, Parkerized, 5B66C90 78.50

JP ENTERPRISES AR-15/M16/AR-STYLE .308 RECOIL ELIMINATOR

Wipes Out Recoil & Muzzle Lift

Dual, curved restrictor plates with a tremendous amount of surface area stop exiting barrel gases and pull the barrel forward to counteract recoil and muzzle flip. The front sight or scope stays right on target for a faster second shot, plus less felt recoil and shooter fatigue. Models available for rifles chambered in .223/5.56mm and .308/7.62mm. **SPECS:** Steel, blued, matte finish. 1 1/2" (3.8cm) dia., 2 1/4" (5.7cm) long. .223 - 5.3 oz. (149g) wt. Fits 1/2"-28 tpi muzzle threads. .281" exit hole accommodates bores up to .243/6mm without modification; may be enlarged for bores up to .358". .308 - 4.8 oz. (136g) wt. Fits 5/8"-24 tpi muzzle threads. .350" exit hole may be enlarged to fit bores up to .416".

- #452-015-120EK JP .223 Recoil Eliminator, 2E80B00 \$ 99.95**
#452-000-066EK JP .308 Recoil Eliminator, 2E80Y00 99.99

OPS INC

R3E2C MUZZLE BRAKE

Maximum Recoil Reduction
With Reduced Blast



Single, large expansion chamber with forward baffle, traps and redirects muzzle gases to greatly reduce muzzle rise and blast. Dust printing and muzzle rise are all but eliminated. Stainless steel construction for superior resistance to powder corrosion. For all calibers center hole is .030" over bullet diameter. May be gunsmith enlarged to larger diameter. Exclusive supplier to elite U.S. military forces. **SPECS:** 304 stainless steel, polished finish. 2.6" (6.8cm) long. .866" (22mm) diameter, 1/2"-28 tpi. .224 caliber, muzzle hole can be enlarged for other calibers.

- #504-100-022EK R3E2C Muzzle Brake 4K90D00 . . . \$ 115.00**

J.P. ENTERPRISES AR-15/M16 BENNIE COOLEY TACTICAL COMPENSATOR



Efficient Reduction Of Felt Recoil; Standard Profile
For Tactical Matches Or Large Profile
For Maximum Recoil Reduction

Low-profile steel compensator redirects and harnesses combustion gas energy to reduce felt recoil by as much as 70% compared to an uncompensated barrel. Helps the shooter stay on target for accurate follow-up shots and fast transition to the next target. Built to the exacting requirements of noted professional weapons instructor and tactical competition shooter Bennie Cooley to combine the recoil reduction of J.P.'s popular Recoil Eliminator muzzle brake in a slim, streamlined compensator that meets the 1" x 3" size requirements of SOF, WC 3-Gun, USPSA Limited, and other tactical rifle competitions. Large, flat interior baffle surfaces allow the bullet to pass through while redirecting the rapidly expanding gas to the sides and slightly forward through the square-cut side vents to create forward thrust that counteracts bullet recoil. The higher the pressure, the more counteracting force the comp actually provides. In addition, four tuned ports on top minimize muzzle rise, further helping the shooter keep the sights on target. Solid bottom prevents kicking up a dust signature when shooting prone. Precision-machined from high-grade carbon steel, with a tough matte black oxide finish, or stainless steel with a brightly polished surface. All models fit rifles chambered in .223/5.56mm; can be bored out for larger calibers. **Standard Profile** available for barrels with .750" or .875" O.D. at muzzle. **Large Profile** is a beefed-up version of Standard model for .875" O.D. bull barrels and has extra baffle surface area for maximum reduction of felt recoil while retaining the cosmetics of the Standard series. Not legal for Limited Tactical Division competition. **SPECS:** Carbon steel, matte black oxide finish, or stainless steel, polished finish. All models bored for .223/5.56mm with 1/2"-28 threads. .281" I.D. exit hole may be enlarged to fit other calibers. Installation instructions included. **Standard Profile** - 2 1/4" (5.9cm) long, .989" (2.5cm) O.D. Models to fit .750" (1.9cm) and .875" (2.2cm) O.D. barrels. SOF, WC 3-Gun, and USPSA Limited competition legal. **Large Profile** - 2 3/4" (7cm) long, 1.22" (3.1cm) O.D. Fits .875" O.D. barrels. Not Limited Tactical Division competition legal.

- #452-000-055EK Standard .750" Comp, Black, 2E72A00 \$ 89.95**
#452-000-056EK Standard .750" Comp, Stainless, 2E75A52 89.99
#452-000-057EK Standard .875" Comp, Black, 2E72A97 89.99
#452-000-058EK Standard .875" Comp, Stainless, 2E72A00 89.95
#452-000-059EK Large .875" Comp, Stainless, 2E96A00 99.99



For more choices of J.P. TACTICAL
COMPENSATORS visit brownells.com

Need a Replacement Part?



Shop the Factory Parts
section in this catalog

Schematics also
available online



NOVESKE AR-15/M16 KX3 FLASH SUPPRESSOR



Reduces Muzzle Flash & Protects
Nearby Personnel From Side Blast

Unique design redirects concussion forward to provide better flash suppression than standard A2 suppressor on short-barreled AR-15/M16/M4 and other centerfire gas-operated weapons. Virtually eliminates side blast to protect nearby personnel during CQB, building entries, and when shooting from inside vehicles. Lessens felt recoil and reduces muzzle rise to help keep sights on the target for fast follow up shots and superior recoil management on full-auto assault rifles, especially with barrels 13" or shorter. High-carbon steel with matte black manganese phosphate finish stands up to the heat and pressure of thousands of rounds. Convenient, 3/4" wrench flats allow easy installation with the same wrench used to remove factory flash suppressor. Crush washer included. Each unit individually serial numbered for quality control. **SPECS:** Heat-treated steel, phosphate finish, matte black. 1/2"-28 tpi. 3 3/32" (8.3cm) O.A.L. 1 1/32" (3.4cm) diameter. 72 oz. (g) weight. Fits AR-15/M16/M4 rifles in 5.56mm/.223.

- #100-003-335EK KX3 Flash Suppressor, 1A120H99 \$ 129.99**

SMITH ENTERPRISE AR-15/M16/AR-STYLE .308 MUZZLE BRAKE

No-Gunsmithing Recoil Control



Puts an end to muzzle flip and reduces felt recoil for more comfortable shooting and faster follow-up shots. Models available to fit rifles chambered in calibers ranging from .223/5.56mm to .308/7.62mm with standard threaded muzzles. No machining, cutting, or fitting required to install on most guns. Just remove the factory brake and screw this one on. **SPECS:** Machined steel, mil-spec manganese phosphate finish, black. Lock nut included. .223 - 2" (5cm) long, 3/4" (19mm) O.D. Fits rifles with 1/2"-28 tpi threads and chambered in .223/5.56mm, 6.5mm, or 6.8mm. .308 Models - 1" (2.5cm) O.D. Fits rifles with 5/8"-24 tpi threads and chambered in .308/7.62mm. .308 Long - 2 1/2" (7.3cm) long. .308 Short - 2" (5.1cm) long.

- #851-100-015EK .223 Muzzle Brake 1E51H70 \$ 66.25**
#851-000-083EK .308 Muzzle Brake, Long 1E76A39 . . . 89.99
#851-000-086EK .308 Muzzle Brake, Short 1E62A07 . . . 74.99

MICOR INDUSTRIES AR-15/M16 FLASH SUPPRESSOR



Angled Ports Align
With Bullet Gas Path For Increased
Accuracy & Less Muzzle Flash














Five helical ports align with the bullet gas path and enable complete venting of combustion gasses for improved accuracy with reduced muzzle flash. Precision machined ports are angled to match the 1-7" or 1-9" twist rate commonly used in AR-15/M16 barrels, while eliminating accuracy-robbing back pressure. Rigorous testing showed group sizes decrease by almost one-third when compared to a standard A2 flash suppressor. Helps preserve night vision and prevent pin-pointing the shooter's position. Precision machined from 4140 steel-alloy bar stock, then heat-treated to Rc 28-32 for added strength before application of an advanced Melonite™ finish for durability and corrosion resistance. Compatible with most blank firing adapters and noise suppressors. **SPECS:** 4140 steel, Melonite finish, matte black. 2" (5.1cm) long, 7/8" (21.8mm) O.D. 1/2"-28 tpi threads. Approximately 2.4 oz. (68g) wt. Includes crush washer. Fits AR-15/M16 rifles chambered in .223/5.56mm.

- #100-004-354EK 1-9" Flash Suppressor 3Z47A78 . . . \$ 59.99**
#100-005-242EK 1-7" Flash Suppressor 3Z49V82 . . . 59.99

PRIMARY WEAPONS SYSTEMS AR-15/M16/AR-STYLE .308

TACTICAL COMPENSATORS

Tames Muzzle Jump For Improved
Weapon Control During Rapid Fire



Aggressive, scallop-type cuts deliver superior gas dispersion to help stabilize the muzzle during periods of sustained fire. Special internal blast chamber with side-facing ports helps reduce recoil with no adverse effect on gas system function. Also provides enough flash suppression to keep flash out of the shooter's line of sight. Wrench flats directly over the internal threads ease installation. All models include a peel washer for precise indexing of the sideports. **FSC556** fits rifles chambered in .223/5.56mm. **FSC556 QDSS** serves as a mount for the Yankee Hill Machine Phantom and Knight Armament QDSS-NT4 quick-attach/detach sound suppressors. Provides the same compensation/flash reduction as the standard FSC556 when the suppressors are removed. **SM566** is a specialized adapter version of the FSC556 that accepts the Gemtech HALO and Knight's Armament QDSS-NT4 suppressors. **FSC30** fits rifles chambered in calibers from 6.8mm up to .308/7.62mm. Threaded for muzzles with 5/8"-24 tpi thread; includes a screw-on adapter for installation on rifles with 1/2"-28 tpi threads. The **QB556** is designed primarily for entry teams and other operators working in confined spaces like buildings. Directs the entire force of the muzzle blast forward to protect the shooter and team members next to him from hot gasses and concussion. Also helps suppress muzzle flash and provides some recoil compensation. **SPECS:** Steel, black, matte finish. Includes washer. **FSC556, SM566** and **QB556** models fit AR-15/M16/M4 and clones chambered in .223/5.56mm, with 1/2"-28 tpi RH muzzle threads. **FSC556** - 2 1/8" (5.4cm) long x 7/8" (2.2cm) diameter. 2.2 oz. (62g) wt. **FSC556 QDSS** - 1 7/8" (4.8cm) long x 7/8" (2.2cm) diameter. 2.3 oz. (64g) wt. **SM566** - 2 1/2" (6.3cm) long x 7/8" (2.2cm) diameter. 2.5 oz. (71g) wt. **FSC30** - Fits AR-style rifles in 6.8mm, .270, and .308/7.62. 2 3/4" (7cm) long x .960" (2.4cm) diameter. 3.6 oz. (101g) wt. 5/8"-24 tpi RH thread. Includes 1/2"-28 adapter. **QB556** - 2 3/4" (7cm) long x 1 3/8" (3.5cm) diameter. 9.1 oz. (258g) wt. 1/2"-28 tpi RH thread.

- #100-003-302EK FSC556 Compensator 4B90A28 . . . \$ 104.99**
#100-004-608EK FSC556 QDSS Compensator, 4B133T49 166.99
#100-006-643EK SM566 Compensator 4B106Y38 . . . 128.99
#100-003-564EK FSC30 Compensator 4B99P95 . . . 119.99
#100-004-609EK QB556 Compensator, 4B133T49 166.99

SMITH ENTERPRISE AR-15/M16

DIRECT CONNECT COMPENSATOR

Reduces Felt Recoil, Improves
Control & Increases Accuracy




Easy to install compensator substantially reduces felt recoil and muzzle flip for smooth shooting, better control, and improved accuracy. Screws directly to any barrel with standard 1/2"-28 tpi muzzle threads - no crush washer or peel washer required. Twelve recessed gas ports redirect combustion gases to counteract recoil force. Made from the same 8620 steel bar stock as the popular Vortex Flash Eliminator, and heat-treated to a surface hardness of Rc 60 to resist gas erosion. Rounded edges give a streamlined profile and minimize risk of snagging on other gear. Accepts Smith Enterprise quick-detach sound suppressors. **SPECS:** 8620 steel, Parkerized, matte black finish. 2 1/16" (5.9cm) long, .860" (2.2cm) dia. 3.4 oz. (97g) wt. Fits 5.56mm/.223 barrels with 1/2"-28 tpi threaded muzzles. No washers required.

- #851-000-080EK Direct Connect Compensator, 1E54A26 \$ 69.99**



SMITH ENTERPRISE AR-15/M16 VORTEX FLASH ELIMINATOR

Helical Flutes Dissipate Gas, Hide Muzzle Flash

Four, specially angled flutes hide nearly 100% of muzzle flash, even during full-auto fire, by dissipating gas and retaining unburned powder for increased residual burn. Constructed of the same 8620 bar stock steel used in the manufacture of AR-15/M16 bolts and carriers, then case-hardened to provide a high-strength core and tough, outer shell. Special, helix design helps align exiting barrel gas to improve accuracy with all bullet types. 

AR-15/M16 G6-A2 VORTEX - Skirt extension conceals gap between barrel shoulder and flash hider on AR-15, M16, and M4 rifles. Grooved base ring allows integration of Blank Firing Attachment (BFA) used by law enforcement trainers, and permits installation of the Smith Enterprise M4DC CQB sound and flash suppressor (available factory direct to USG/LE and FMS customers). Thread-on design requires no washer. Torque to 10 ft. lbs. maximum, self-tightens as weapon is fired. Use M-193, SS-109 (M855), and MK 262 service ammo for highest degree of flash suppression. Can be permanently attached to 14.5" long, M4 barrels for an overall length of 16.1".

SPECS: 8620 steel, Parkerized, black, matte finish. 1/2"-28 tpi. 2.31" (5.9cm) long, .858" (22mm) dia. 2.9 oz. (82 g) weight. Fits AR-15, M16, and M4.

#851-000-047EK AR-15/M16 Vortex 1E48U37 \$ 52.99

6.8mm/.30 CAL. VORTEX - Provides the Vortex system's superior flash hiding benefits for 6.8mm/7.62mm/.30 caliber AR-15-type rifles and carbines. Clean, streamlined design with rounded edges minimizes snagging; skirt extension conceals gap between barrel shoulder and flash eliminator. Thread-on design requires no washer. Models available to fit rifles with 1/2"-28 tpi and 5/16"-24 tpi threaded muzzles.

SPECS: 8620 steel, Parkerized matte black finish. 2 1/4" (5.7cm) long, .859" (22mm) O.D. 2.9 oz. (81 g weight). Fits AR-15/M16/M4 type rifles.

#851-000-072EK 6.8mm/.30 Cal. Vortex, 1/2"-28 tpi, 1E47A14 \$ 59.99

#851-000-070EK 6.8mm/.30 Cal. Vortex, 5/16"-24 tpi, 1E47A66 59.99

.308 VORTEX - Streamlined unit reduces muzzle flash with four, 15° helical flutes. Provides Vortex technology for AR-style .308 and Remington 700 Tactical rifles. Grooved to accept a Smith Enterprise Direct Connect sound suppressor. Comes in standard 5/16"-24 thread pitch with standard .735" thread length or .635" thread length to fit DPMS, Noveske, and other AR-style .308 rifles with the shorter thread spec. Also fits 6.8mm SPC rifles with these muzzle thread specs.

SPECS: 8620 steel, Parkerized, black, matte finish. 5/16"-24 tpi. .735" - 2 1/16" (7.5cm) long, .905" (2.3cm) dia. 3.9 oz. (112g) weight. Fits AR-style .308 and Rem 700 Tactical with .735" thread length. .635" - 3" (7.6cm) long, .905" dia., .635" thread length. 4.6 oz. (130g) weight. Fits DPMS, Noveske, and other AR-style .308 rifles with .635" thread spec; also fits Savage 110 FCP bolt action.

#851-000-032EK .308 Vortex, 5/16"-24 x .735" 1E73U83 \$ 91.99

#851-000-084EK .308 Vortex, 5/16"-24 x .635" 1E75A86 . . 89.99

9mm SMGVORTEX - The very best choice to achieve maximum low light visibility when using tactical entry carbines. Fits AR-15 carbines chambered in 9x19mm with muzzles threaded to the original Colt 1/2"-36 tpi. Exit hole is properly cleared to provide minimum blow-by flash without bullet interference. Rigid, unique Vortex helical flutes capture exiting gasses for improved final burn and significant reduction in muzzle flash.

SPECS: 8620 steel, military magnesium phosphate finish, black. 1/2" x 36 tpi. 2 1/16" (5.9cm) long, .860" (2.1cm) dia. 3 oz. (81g) weight.

#851-000-067EK 9mm SMG Vortex 1E48A28 \$ 59.99

Selection • Service • Satisfaction

SUREFIRE AR-15/M16/AR-STYLE .308 MUZZLE BRAKES, FLASH SUPPRESSORS & COMPENSATORS

Get The Right Combination Of Recoil Control & Flash Suppression

Complete line of thread-on muzzle devices gives the tactical rifle shooter a variety of options for recoil reduction, flash suppression, or a combination of both to meet his exact needs. Precision CNC machined to exact tolerances from high-quality stainless steel alloy that withstands extreme heat and gas particle erosion, even after thousands of rounds. Stands up to the intense tempo of combat conditions without loss of performance. Easily replaces factory flash suppressor on military-configuration AR-15/M16/M4/AR-style .308 rifles with no permanent modifications to gun. Install on other assault rifles, semi-autos, and bolt actions with muzzle threaded to accept the device. Not only improves the performance and enhances the appearance of your rifle, but also provides a rock-solid mounting platform for SureFire Fast-Attach® sound suppressors. Each kit includes a set of

varying-thickness crush washers for proper indexing.

SPECS: Heat-treated stainless steel, matte black finish. Fits rifles with threaded muzzles only. Crush washer set, tube of Rocksett heat-resistant thread locker, and complete instructions included.

MUZZLE BRAKES - Substantially reduces muzzle rise and provides outstanding felt recoil reduction for better shot follow-through, improved accuracy, and faster follow-up shots. Advanced Impulse Diffusion™ technology diffuses muzzle blast to the sides, virtually eliminating gas dispersion back to the shooter and minimizing felt concussion to help keep the sights firmly on the target.



MUZZLE BRAKES

STOCK #	MODEL	FITS	CALIBER	THREADS	LENGTH/DIA.	ADD'L BBL LENGTH	PRICE
#152-000-045EK	MB556K	M16/M4/Colt Commando; any rifle w/unobstructed barrel exterior .170" behind muzzle threads & O.D. less than .800".	5.56/.223	1/2-28	2.5" (6.4cm) / .865"	1.9" (4.8cm)	2E00AYT \$ 149.00
#152-000-046EK	MB68AR	6.8 Rem SPC rifle w/unobstructed barrel exterior 2.15" behind muzzle threads & O.D. less than .749".	6.8mm	5/8-24	4.2" / .865"	1.6" (4.1cm)	2E00UAV \$ 149.00
#152-000-047EK	MB68K	6.8 Rem SPC rifle w/unobstructed barrel exterior .170" behind muzzle threads & O.D. less than .800".	6.8mm	5/8-24	2" (5.1cm) / .865"	1.3" (3.3cm)	2E00XCH \$ 149.00
#152-000-049EK	MB762SSAL/RE	AR-Style .308 and any rifle w/unobstructed barrel exterior 2.15" behind muzzle threads & O.D. less than .775".	7.62/.308	5/8-24	4.2" / .865"	1.6" (4.1cm)	2E00XCH \$ 149.00

FLASH SUPPRESSORS

STOCK #	MODEL	FITS	CALIBER	THREADS	LENGTH/DIA.	ADD'L BBL LENGTH	PRICE
#152-000-052EK	FH556K	AR-15/M16/M4/HK416/Colt Commando and any semi-auto or bolt action rifle w/threaded muzzle.	5.56/.223	1/2-28	2.3" (5.8cm) / .865"	1.7" (4.3cm)	2E00BXC \$ 129.00
#152-000-057EK	FH762K03	AR-Style .308, including ArmaLite® AR-10®, Bushmaster BAR-10, DPMS LR308, and any semi-auto or bolt action rifle w/threaded muzzle.	7.62/.308	5/8-24	2.8" (7.1cm) / .865"	2.2" (5.6cm)	2E00YTP \$ 129.00

COMPENSATORS

STOCK #	MODEL	FITS	CALIBER	THREADS	LENGTH/DIA.	ADD'L BBL LENGTH	PRICE
#152-000-042EK	CAM4FA556	AR-15/M16/M4 w/12 1/2" or longer barrel and any rifle w/unobstructed barrel exterior 2.15" behind muzzle threads & O.D. less than .749".	5.56/.223	1/2-28	3.8" (9.7cm) / .865"	1.25" (3.2cm)	2E00YTP \$ 129.00
#152-000-040EK	CAR556AR203	M4 w/QD M203 grenade launcher or 1 1/2" Commando barrel w/o bayonet lug.	5.56/.223	1/2-28	3.8" / .865"	1.7" (4.3cm)	2E00VBX \$ 129.00
#152-000-043EK	CA76233AL/RE	AR-style .308 rifle and any rifle w/unobstructed barrel exterior 2.15" behind muzzle threads & O.D. less than .775".	7.62/.308	5/8-24	3.8" / .865"	1.25" (3.2cm)	2E00AVB \$ 129.00


TRIANGLE SHOOTING SPORTS

AR-15/M16/AR-STYLE .308

BENNY HILL "ROLLING THUNDER" COMPENSATOR



Eliminates Muzzle Rise For
Fast Follow Up Shots

Heavy-duty compensator designed by noted custom gunsmith and 3-gun competitor Benny Hill employs a unique internal expansion chamber to redirect some combustion gas out a topside gas port to virtually eliminate muzzle climb. The sights stay on the target, so you can make exceptionally fast follow up shots. Machined from a solid billet of high-grade stainless steel, with large side ports that vent more gas to help reduce felt recoil. Solid bottom prevents dust signature when shooting close to the ground. Perfect for USPSA and 3-gun competition where seconds count, and for varmint hunters who want the sight to stay the target when they take a shot. Models available for rifles chambered in .223 and .308. 

SPECS: Stainless steel, natural finish. .223 fits AR-15 chambered in .223/5.56 with 1/2"-28 tpi muzzle threads. .308 fits AR-style rifle chambered in .308/7.62 with 5/8"-24 tpi muzzle threads.

#100-003-689EK .223 Rolling Thunder 3Z81V91 . . . \$ 98.99


#100-003-981EK .308 Rolling Thunder 3Z92Y53 . . . 108.99

TROY INDUSTRIES AR-15/M16

MEDIEVAL MUZZLE DEVICES



Choice Of Flash Suppression
Or Recoil Reduction
To Suit Your Mission;
Aids In Hand-To-Hand Combat

Muzzle attachments specifically designed to enhance your CQB effectiveness install on any AR-15 rifle or carbine with 1/2"-28 tpi muzzle threads. Aggressive, diamond-shaped teeth aid in effective less-lethal muzzle strikes during hand-to-hand combat, while wide strike face lessens danger of a penetrative wound on contact. Also serves as a stand-off device for body contact shots. Precision formed from 8620 steel, heat hardened to resist erosion by combustion gases, with a tough, parkerized finish that matches most black/dark gray rifle finishes. **Flash Suppressor** minimizes muzzle flash by dispersing and cooling gases through three irregularly shaped vents. Prevents flash from giving away your position at night or in low-light situations. **Muzzle Brake** helps you stay on target by venting gases upward to counteract muzzle rise for fast follow-up shots; improves control and accuracy during full-auto fire. Accepts most over-the-barrel sound suppressors and actually increases their effectiveness. 

SPECS: Steel, parkerized, matte black finish. .860" (2.2cm) O.D.,

FLASH SUPPRESSORS - Advanced design provides superior muzzle flash reduction to help conceal the shooter's position and preserve night vision. Rugged stainless steel construction gives exceptional strength and durability, with a variety of styles to fit AR-type rifles and carbines in both 5.56/.223 and 7.62/.308, as well as other assault rifles, semi-autos, and bolt actions.


COMPENSATORS - Stainless steel compensators offer a carefully balanced combination of effective flash suppression and a muzzle brake's recoil reduction benefits. Externally resembles the birdcage-style flash hiders used by the U.S. military to preserve the stock appearance of your weapon.



WILSON COMBAT AR-15/M16 ACCU-TAC FLASH HIDER



Effectively Suppresses Flash
With No Loss Of Accuracy

State of the art, three-prong flash suppressor effectively dissipates combustion gas to suppress muzzle flash without sacrificing accuracy. External acurizing flutes improve muzzle harmonics to minimize blast signature and dissipate flash. Precision machined from 4140 steel bar stock and heat hardened for extra resistance to blast erosion, with a durable matte black Parkerized finish to match most factory barrel finishes. 

SPECS: 4140 steel, Parkerized, matte black finish. 2" (5.1cm) long, .865" (22mm) O.D. 2.4oz (68g). Fits rifles chambered in .223/5.56mm with 1/2"-28 tpi RH muzzle threads.

#965-000-086EK Accu-Tac Flash Hider 5F42V53 . . . \$ 49.99

2 1/2" (6.4cm) long. 3.1 oz. (81g) wt. Fits barrels with 1/2"-28 tpi right-hand threads.

#100-003-440EK Medieval Flash Suppressor, 3B41V79 \$ 44.99

#100-003-441EK Medieval Muzzle Brake 3B45V00 . . 49.99

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 19

AR-15/M16

COMPS/FLASH HIDERS



VAIS AR-15/M16 MUZZLE BRAKE

Superior Recoil Control & Muzzle Blast Reduction

An incredible maze of gas dispersing holes limits muzzle rise with no increase in muzzle blast. Multiple venturi expansion chambers disperse and redirect gases for effective recoil control, while limiting blast effects. Unique design features attenuating holes that are both horizontal and perpendicular to the centerline of the bore to disperse gas and sound equally to all sides. Available in steel with Parkerized finish or stainless steel with matte finish.

SPECS: Stressproof® steel, manganese phosphate Parkerized finish, matte black, or 416 stainless steel, matte finish. 2" (5.8cm) long x ¾" (19mm) O.D., ½"-28 tpi thread. 1.6 oz. (46 g) wt. Fits .223/5.56mm caliber rifles.

#927-000-028EK Steel Muzzle Brake 7B109P00 . . . \$144.95
#927-000-027EK Stainless Steel Muzzle Brake, 7B116P00 . . . 154.95



VLTOR AR-15/M16/AR-STYLE .308 FLASH SUPPRESSOR/COMPENSATOR

Dissipates Hot Gas
To Minimize Muzzle Flash,
Reduces Muzzle Jump

Highly-efficient internal helical design uses ten precisely contoured longitudinal ports combined with a unique, cloverleaf-shaped exit port to trap unburned powder particles long enough for full burn and dissipation of hot combustion gasses. Muzzle flash cancels itself out to minimize shooter exposure during daytime and low-light situations. Also serves as a compensator by directing venting gasses to help reduce muzzle jump and improve shooter control for better shot placement. 2½" overall length brings a 14½" barrel up to legal length for civilian use when flash suppressor is permanently pinned or welded in place. Accepts most sound suppressors and Blank Firing Attachments designed to fit a M16/M4 flash hider. **VC-1** fits .223/5.56mm AR-15/M16/M4 rifles; **VC-301** fits .308/7.62mm AR-style rifles.

SPECS: Steel, matte black Parkerized finish. 2½" (5.4cm) long, .856" (2.2cm) O.D. Includes peel washer. **VC-1** fits .223/5.56mm AR-15/M16/M4 rifles with ½"-28 tpi threaded muzzle. **VC-301** fits AR-style .308/7.62mm rifles with ½"-24 tpi threaded muzzle.

#100-003-114EK VC-1 Flash Suppressor/Compensator, 3A50Y92 . . . \$59.99

#100-003-997EK VC-301 Flash Suppressor/Compensator, 3A50V92 . . . 59.99



BUSHMASTER AR-15 COMPETITION TRIGGER

Two-Stage Design
For Ultra-Precise Release

Ready-to-install, match-grade trigger kit gives a light, ultra-smooth, two-stage trigger pull and exceptionally clean, precise let-off for superb accuracy. Adjustable spring plunger on the safety selector allows you to set the second-stage release, while an adjustable setscrew on the selector lets you eliminate trigger overtravel. Full-width hammer and trigger engagement surfaces are precision-ground to eliminate grittiness. Available in **Standard** configuration with single, left-side safety lever or **Ambi** with ambidextrous safety lever. Kit includes trigger, trigger spring, disconnect, disconnect spring, hammer, hammer spring, safety lever with adjustment screws, hex wrench, and instructions.

SPECS: Steel, black phosphate finish. Will not fit large-pin lowers or Colt lowers with safety block.

#100-003-600EK Std Trigger Group 9B127T99 . . . \$139.99
#100-003-601EK Ambi Trigger Group 9B148T95 . . . 159.95

YANKEE HILL MACHINE AR-15/M16 PHANTOM MUZZLE ACCESSORIES

Dedicated Flash Suppressor Or Comp/Flash Suppressor Combo; Aggressive Front End Cuts For CQB Maneuvers

PHANTOM FLASH SUPPRESSOR - Longitudinal ports help minimize the blinding effects of muzzle flash in low light for improved target acquisition during night operations. Screw-on design for threaded barrels only. Includes crush washer for proper timing of vents. **.223** model has four ports and aggressive, serrated notches at the tip that provide extra insurance in hand-to-hand combat. Integral rings at the base accept military sound suppressors and allow mounting of Blank Firing Attachments (BFAs) for training exercises. **.308** has five ports and smooth, non-serrated muzzle tip; no BFA ring at base.

SPECS: Steel, mil-spec phosphate coating. **.223** - ½"-28 tpi. 2¼" (5.7cm) long, ¾" (2.2cm) diameter. 2.3 oz. (65 g) wt. **.308** - ½"-24 tpi. 2½" (6.4cm) long, 1" (2.5cm) diameter. 4.5 oz. (127 g) wt.

#100-002-070EK .223 Phantom Flash Suppressor, 9A21V48 . . . \$30.99
#100-003-227EK .308 Phantom Flash Suppressor, 9A36V05 . . . 47.99

PHANTOM 5C1 COMP/FLASH SUPPRESSOR - Flat, non-serrated muzzle face helps prevent catching or snagging muzzle tip during storage or deployment. Five, longitudinal vents help hide flash while dispersing gases up and outward; tames muzzle rise and keeps your front sights on target. Outward facing ports and solid panel on bottom help eliminate dust signature when shooting in the prone position. For threaded barrels only, includes crush washer. **.223** model has grooved, base rings that accept training attachments and sound suppression devices for LE and military personnel.

SPECS: Steel, mil-spec phosphate coating. **.223** - ½"-28 tpi. 2¼" (5.7cm) long, ¾" (2.2cm) diameter. 2.1 oz. (60 g) wt. **.308** - ½"-24 tpi. 2½" (6.4cm) long, 1" (2.5cm) diameter. 4.5 oz. (127 g) wt.

#100-002-859EK .223 Phantom 5C1 Comp/Flash Suppressor 9A22Z07 . . . \$29.99
#100-003-228EK .308 Phantom 5C1 Comp/Flash Suppressor 9A36B05 . . . 47.99

PHANTOM 5C2 COMP/FLASH SUPPRESSOR - Five, straight, longitudinal vents hide flash while dispersing gases up and outward to tame muzzle rise. No downward facing port helps eliminate dust signature when shooting in the prone position. For threaded barrels only, includes crush washer. **.223** model has grooved base rings that accept training attachments and sound suppression devices for LE and military personnel. Chisel-shaped front notches keep muzzle planted on your attacker during CQB situations.

SPECS: Steel, mil-spec phosphate coating. **.223** - ½"-28 tpi. 2¼" (5.7cm) long, ¾" (2.2cm) diameter. 2.1 oz. (60 g) wt. **.308** - ½"-24 tpi. 2½" (6.4cm) long, 1" (2.5cm) diameter. 4.5 oz. (127 g) wt.

#100-002-071EK .223 Phantom 5C2 Comp/Flash Suppressor 9A21V79 . . . \$30.99
#100-003-229EK .308 Phantom 5C2 Comp/Flash Suppressor 9A36B05 . . . 47.99

¾" CRUSH WASHER - Precision machined steel washer ensures exact alignment of flash suppressors and other muzzle accessories that require a washer. Fits AR-style .308 rifles with ¾" threaded muzzles.

SPECS: Steel, blued. ¾" (.625"/1.59cm) I.D. 13/16" (.813"/2.06cm) O.D.

#100-003-123EK ¾" Crush Washer 9A02Y50 . . . \$3.99

WE NOW HAVE AMMO!

VISIT THE AMMO ADVISOR™
AT BROWNELLS.COM

GEISSELE AUTOMATICS



AR-15/M16/AR-STYLE .308

HI-SPEED TRIGGERS

Two-Stage Trigger With
Ultra-Fast Lock Time;
Adjustable & Pre-Set Models

Fully adjustable trigger gives a smooth, two-stage pull with a precise "icicle sharp" break and ultra-fast lock time to minimize accuracy loss caused by gun movement during trigger pull. Set first stage pull weight by bending the legs of the trigger spring; set second-stage weight within a pre-set range by turning its adjustment screw. Another screw on the trigger lets you adjust overtravel for clean, crisp letoff. Lightweight hammer provides a 50% reduction in lock time over factory hammer, yet uses standard weight hammer spring to ensure sufficient energy transfer for reliable primer ignition, even on AR-style .308 weapons. Trigger shoe is positioned ¼" farther forward than factory shoe for comfortable finger position during the squeeze. All contact surfaces are wire EDM cut to exact dimensions for full, precise engagement free of unwanted play. Available to fit both large (.169") and small (.154") pin receivers; small pin models include spare hammer pin to aid in proper fit on receivers with slightly oversized holes. **Service** model provides nominal 4½ lb. pull weight required for NRA High Power Service Rifle competition and is also approved for CMP-sanctioned competitions. Most of the pull weight is loaded on the first stage, followed by a quick, clean second-stage break. First stage, 3.2 to 5 lb.; second stage, ½ to 1½ lb. **Match** model allows a very low combined pull weight for superb trigger control on highly modified raceguns used in unlimited NRA High Power Rifle competition. Helps you shave those extra hundredths of an inch from your groups for a competitive edge. First stage, 1.3 to 3 lbs.; second stage, 4 oz. to 14 oz. **Designated Marksman Rifle (DMR)** combines the light first stage of the Match trigger with the heavier Service second stage to reduce risk of premature release in high stress situations. Perfect for precision tactical and competitive shooting where trigger pull is not regulated. Allows a high rate of semi-auto fire; an experienced shooter can fire 30 rounds in as little as 4½ seconds. First stage, 1.3 to 3 lbs.; second stage, ½ to 1½ lbs.

SPECS: Steel, black finish. Available for receivers with .154" (military, current aftermarket, older Colt) and .169" (current Colt without rear block) hammer and trigger pins. Kit includes trigger and hammer assemblies, plus oversized hammer pin, compact pin punch, three hex wrenches, tube of GA No. 1 grease, bottle of GA No. 2 oil, and complete illustrated instructions.

#100-003-614EK .154" Hi-Speed Service Trigger, 7B00AVB . . . \$279.99

#100-003-613EK .154" Hi-Speed DMR Trigger, 7B00YTP . . . 279.99

#100-003-615EK .169" Hi-Speed DMR Trigger, 7B00HDZ . . . 279.95

#100-003-611EK .154" Hi-Speed Match Trigger, 7B00HDZ . . . 279.99

#100-003-617EK .169" Hi-Speed Match Trigger, 7B00YTP . . . 279.99

SSA TRIGGER - Super Semi-Automatic (SSA) 2-stage combat trigger has a fixed 4½ lb. total pull weight, non-adjustable sear engagement, and additional safety features ideal for CQB and mid-range carbine work. A secondary "safety sear" captures the hammer if the primary sear accidentally releases due to hard impact, ensuring the rifle can fire only when the shooter actually pulls the trigger. Trigger pull is optimized for both deliberate, aimed fire and quick, "snap shooting." The first stage builds gradually to 2½ lbs., with a 2 lb. second stage that breaks clean, so the shooter can stay on target throughout the pull. A lightweight hammer driven by a full-power hammer spring speeds locktime and delivers positive ignition of all ammo types. All contact surfaces are wire-EDM cut to exact dimensions for precise engagement free of play. Direct replacement for factory trigger; may be installed without removing the safety. Operation and parts layout

AMERICAN TRIGGER CORP.

AR-15/M16/AR-STYLE .308

GOLD TRIGGER MODULE

Drop-In Fire Control System
Gives A Light, Safe,
Match-Grade Pull



Self-contained trigger/assembly installs in minutes and delivers a light, smooth, match-grade trigger pull free of grittiness, with an ultra-crisp letoff and short reset. Simply remove factory trigger and safety selector, drop in the module, reinstall selector and pins, and you're ready to shoot. Completely new engagement geometry produces a light 3-lb. pull and crisp release without compromising reliability or safety. The two-stage design is adjustable for sear engagement, with a first-stage takeup of approximately 6 ounces, followed by actual sear movement taking up the rest of the weight—the reverse of the military two-stage AR trigger pull profile. Instead, the shooter can build force steadily, maintaining precise control and keeping his attention on the target. After release, reset travel is only .030", less than half the .070" typical of standard match triggers, to aid in fast, accurate follow-up shots. The sear captures the hammer at the back instead of near the pivot point to help produce the light pull and maintain safety. A second, independent, intercepting sear is positioned to block the hammer if it slips off the primary sear, as when the weapon is dropped or suffers hard impact. If the intercepting sear captures the hammer, pulling the trigger will still fire the rifle, though with a heavier pull weight. In addition, the Gold system uses the rifle's factory safety to positively capture the hammer, like an M1 Garand, and roll it back below the primary sear for an extra margin of safety. A lightweight aluminum housing contains the entire system and maintains the correct tolerances between the working parts. The receiver pins serve only to anchor the module in the receiver, with no effect on trigger function.

SPECS: Trigger/Hammer - Wire EDM cut S7 tool steel. Housing - Aluminum, anodized, black. **AR Gold** fits any mil-spec AR-15 with .154" trigger and hammer pin holes. Will not fit rifles with Colt-type sear block or AR-style .308 rifles. **SR Gold** fits ArmaLite® AR-10®, DPMS LR-308, Knight's Armament SR-25, and similar AR-style .308 rifles with .154" trigger and hammer pin holes.

#100-004-262EK AR Gold Modular Trigger, 5A273H97 . . . \$279.99
#100-004-933EK SR Gold .308 Modular Trigger, 5A273D97 . . . 279.99

J.P. ENTERPRISES AR-15 SPEED HAMMER

Faster Ignition; Cleaner Pull

Low-mass hammer is 36% lighter than the standard hammer for shorter lock time, faster ignition and, a crisp trigger pull. Works great with the standard trigger group, or install along with the J.P. Enterprises **Adjustable Trigger Kit** (available separately) for even better performance.

SPECS: Hardened steel, Parkerized finish, contact surfaces in-the-white. .7 oz (20g) weight. Available to fit rifles with either the .154" (military and current aftermarket) or .169" (current Colt) diameter hammer pins. Measure your pins and select the correct kit.

#452-015-100EK .154" Speed Hammer 2E40V54 . . . \$49.99

#452-015-101EK .169" Speed Hammer 2E40V00 . . . 49.95

#100-003-620EK .154" SSA Trigger 3L00XZH . . . \$175.99

is similar to the USGI M16 trigger for easy maintenance. All springs are captive to simplify field disassembly for cleaning. Hammer and trigger pins are a close slip-fit in nominal .154" (small pin) mil-spec receiver holes to enable installation with basic tools.

SPECS: Steel, black finish. Fits semi-automatic AR-15/M16 receivers with .154" diameter hammer and trigger pin holes. May be installed in AR-style .308 rifles that accept AR-15 triggers. Kit includes trigger and hammer assemblies, springs, hammer pin, tube of grease, and illustrated instructions.

CMCTRIGGERS AR-15 TACTICAL TRIGGER GROUP

Drop-In Trigger Module Is Factory Tuned For A Super-Smooth, Clean-Breaking Pull

Self-contained, drop-in trigger module replaces the heavy factory trigger found in many commercial AR-15s and delivers a crisp, pre-set 3½ lb. pull. Designed by competition shooter Chip McCormick to provide all the advantages of a fine, match-grade, single-stage trigger without having to fit and adjust multiple components. Rigid, steel, trigger housing holds all the factory-tuned, internal components in proper alignment for easy, fast installation. Generous, precision-ground sear/hammer engagement surfaces provide a remarkably clean, crisp release while preserving reliable function. Each trigger assembly is tweaked at the factory to minimize take-up and over-travel. Threaded sleeves provide ultra-smooth pivot surfaces for the hammer and trigger. Two, slightly oversized center pins replace the standard, trigger/hammer pins to save wear, reduce friction, and prevent trigger wobble; E-clips at both ends prevent pin walk. Available with traditional **Curved** trigger shoe, or skel-tonized **Flat** shoe that provides a different feel some shooters prefer and gives your AR a distinctive look.

SPECS: Hammer/Trigger - Steel, blued finish. Housing - Steel, in-the-white. 3½ lb. fixed pull weight. Includes (2) center pins w/E-clips. Fits AR-15 with .154" diameter trigger and hammer pins.
#207-000-017EK Tactical Trigger Group, Curved, 7K159Y31 \$ 184.99
#207-000-018EK Tactical Trigger Group, Flat, 7K159Y31 184.99

CMMG AR-15 GENERATION II DROP-IN TRIGGER

Easy-To-Install, Two-Stage Trigger With A Precise, Match-Grade Pull

Drop-in trigger/hammer system requires no gunsmithing to give your small-pin AR-15 a rugged, reliable trigger with a smooth, consistent two-stage pull. CMMG's engineers custom designed fixtures for final grinding 10 separate contact points on the trigger, disconnector, and hammer for a crisp, precise hammer release. Brass bushings reduce friction to help ensure an

ultra-smooth pull and exceptionally fast locktime. Rounded, low-mass hammer further speeds locktime and reduces wear on contact surfaces. Each trigger is function tested before it leaves the factory to ensure correct operation. Works equally well in .22 LR conversions and AR-style .308 rifles. Standard-weight trigger and hammer springs included; will work with aftermarket reduced-power springs.

SPECS: Steel, black oxide finish. Brass bushings. Kit includes pre-assembled trigger/disconnector unit, hammer, trigger spring, hammer spring, and instructions. Fits AR-15/AR-style .308 with .154" trigger and hammer pins.

#100-005-850EK Drop-In Trigger 3B100A00 \$ 119.99



Orders/Tech: 800-741-0015



JARD AR-15 ADJUSTABLE TRIGGER KIT

Four-Way Adjustment; Improves Trigger Function & Accuracy

Single-stage trigger kit reduces pull weight to improve accuracy, without gunsmith fitting. 2, 3, and 4.5 lb. models provide the perfect pull weight for hunting or competition. Adjustments for sear engagement, trigger over-travel, disconnector engagement and safety lets you achieve a smooth, consistent trigger pull. Sear engagement point located behind the hammer improves leverage to reduce pull weight; low mass hammer gives faster lock time. Engagement surfaces are hardened and polished for a smooth, clean-breaking pull. Trigger requires gunsmith fitting in receivers with a sear block.

SPECS: Steel, black, matte finish. 2 lb. (1 kg), 3 lb. (1.4 kg), or 4.5 lb. (2 kg) pull weight. Includes hammer, hammer spring, trigger, trigger spring and sear engagement screw. Available to fit rifles with .154" or .171" hammer and trigger pins.

STOCK # .154"	STOCK # .171"	WEIGHT
#100-000-208EK	#100-000-209EK	2 lb.
#100-001-695EK	#100-001-697EK	3 lb.
#100-001-696EK	#100-001-698EK	4.5 lb.

— Advise # — AR-15 Adj. Trigger Kit 2K121D22 . \$ 149.99

ADJUSTABLE TRIGGER FOR ARMA LITE AR-10 - Jard's proven, single-stage design greatly improves trigger feel and function so you can concentrate on your shots instead of a stiff, factory trigger pull. Sear engagement point behind the hammer provides added leverage for a clean-breaking, 2, 3, or 4 lb. pull weight. Sear and disconnector engagement, overtravel and safety movement adjustments allow fine-tuning for ultimate crispness and less stress on parts. Engagement surfaces are precision-ground and honed to minimize drag, then heat-treated to prevent wear. Includes hard striking, low mass hammer to reduce locktime.

SPECS: Steel, matte black. 2 lb. (.9kg), 3 lb. (1.4kg), or 4 lb. (1.8 kg) pull weight. For ArmaLite® AR-10® rifles with .154" hammer and trigger pins.

#100-003-124EK	Adj. Trigger for AR-10, 2 lb., 2K132Y00	\$ 165.00
#100-001-948EK	Adj. Trigger for AR-10, 3 lb., 2K132Y00	165.00
#100-003-125EK	Adj. Trigger for AR-10, 4 lb., 2K132T00	165.00

JARD AR-15 NON-ADJUSTABLE TRIGGER KIT

Provides A Fast, Easy Trigger Upgrade Without Complicated Tuning

Easy to install, non-adjustable, AR-15 trigger replaces the heavy, gritty-feeling, factory hammer and trigger for a smooth, clean-breaking pull that's sure to improve accuracy. Unique, single-stage design positions the sear engagement point behind the hammer for added leverage and a dependable, 3-pound pull weight. High-performance, low mass hammer reduces lock time. Precision-cut engagement surfaces are heat-treated for low wear. Requires gunsmith fitting in receivers with a sear block.

SPECS: Steel, black matte finish. Includes hammer, hammer spring, trigger and trigger spring. Non-adjustable, 3 lb. (1.4 kg) pull weight. Available for .154" or .171" hammer and trigger pins.

#100-001-567EK	.154" Non-Adjustable Trigger, 2K119B60	\$ 148.99
#100-001-597EK	.171" Non-Adjustable Trigger, 2K118X80	148.50

J.P. ENTERPRISES AR-15/AR-STYLE .308 ADJUSTABLE TRIGGER SYSTEM

Smooth, Even Trigger Pull, Precise Letoff; Easy Installation

Easy-to-fit replacement for factory trigger is fully adjustable for engagement and overtravel, and is available with pull weight as light as 3.5 lbs. Redesigned sear geometry and advanced metallurgy result in a precision-ground sear edge that delivers a precise, consistent letoff and prevents the kind of wear that causes doubling and other problems. Extremely short reset enables fast follow-up shots, a critical advantage on tactical and competition rifles. Machined to exceptionally tight tolerances from hardened steel, and installs in minutes with no permanent alterations to the rifle. Lets you upgrade an AR-15 or an AR-style .308 rifle that uses an AR-15 trigger, while keeping your current hammer and pins. Disconnector spring, engagement screw, and overtravel screw are already installed; also includes disconnector, trigger return spring, hammer spring, and .050" hex key. Use with J.P. Enterprises Speed Hammer (available separately) for best performance. Comes with a standard weight hammer spring, for a trigger pull of between 3 and 3.5 lbs.—perfect for competition and recreational shooting—plus a "tactical" spring that gives a 3.5 to 4 lb. for applications demanding a high level of ignition reliability, including police/military use, mil-spec ammunition with hard primers, and in AR-style .308 rifles. **JPFC-1** fits rifles with standard .154" diameter trigger/hammer pin holes; **JPFC-2** fits rifles with .169" diameter pin holes.

SPECS: Steel, Parkerized finish. Models for rifles with either .154" (military and current aftermarket) or .169" (current Colt) diameter trigger pins. Measure your pins and select the correct kit. Includes complete instructions and a CD-ROM with 35-minute video showing step-by-step installation.

#452-015-000EK JPFC-1 Adj. Trigger Kit, .154" Pins, 2E99V31 \$ 119.99

#452-015-001EK JPFC-2 Adj. Trigger Kit, .169" Pins, 2E99V31 119.99

EZ TRIGGER™ SYSTEM - Complete trigger system installs in five minutes without fitting or modification of parts on the trigger or your receiver. All adjustments are made with setscrews, eliminating the risk of ruining the trigger due to errors in fitting. Includes the JP Speed Hammer for fast lock time, plus "anti-walk" pins with button head cap screws for easy removal and reinstallation of the trigger system. Overtravel adjustment screw lets you set your trigger for a clean, crisp, single-stage release. Comes with two hammer springs: install the yellow spring to get a 3 to 3½ lb. pull for competition or recreational shooting with non-military ammunition. The red spring gives a 3½ to 4 lb. pull and more hammer force for use with the harder primers found on military (5.56mm NATO) ammo and for law enforcement duty use. The red spring should be used in any installation on an AR-style .308 rifle. For a heavier, 4½ lb. pull for tactical applications or NRA Service Rifle competition, install the JPS4.5 spring kit (available below). **JPFCP-1EZ** fits small pin (.154") receivers; **JPFCP-2EZ** fits large pin (.169") receivers. Pins are slightly oversized to ensure a tight, no-slop fit.

SPECS: Steel, black oxide finish. Models available for rifles with .154" dia. (military and current commercial rifles) or .169" diameter (Colt rifles) hammer and trigger pin holes. Measure your pins and select the correct kit. NOTE: Will not fit Colt rifles with pinned-in full-auto sear block. JP recommends JPFC-2 trigger (listed above) for those installations. Kit includes trigger, hammer, disconnector/sear trigger spring, yellow hammer spring, red hammer spring, safety assembly, (2) anti-walk pins, disconnector spring, instructions, and DVD with video showing step-by-step installation.

#452-000-120EK JPFCP-1EZ Trigger Kit, .154" Pins, 2E215P17 \$ 259.99

#452-000-121EK JPFCP-2EZ Trigger Kit, .169" Pins, 2E215P17 259.99

JPS4.5 SERVICE RIFLE SPRING KIT - Replacement spring for the JP Adjustable Trigger Kit lets Service Rifle, law enforcement

JEWELL AR-15 RIFLE TRIGGER

Fully Adjustable, Finest Quality For A Light, Reliable Trigger Pull

Redesigned trigger mechanism provides outstanding reliability, function, and performance for benchrest, varminting, and other types of precision shooting. All internal components are CNC machined from stainless steel, then heat-treated to Rc 58 for extended service life. Adjustment screws are fitted with a nylon insert to maintain your trigger settings without using thread locking compounds. Features a two-stage pull that is uniquely adjustable from above the lower receiver for first stage pull weight, second stage sear engagement, second stage pull weight, and overtravel. Models to fit rifles with small or large hammer/trigger pins.

SPECS: Internal Components - 440 stainless steel, hardened to Rc 58. Housing - 300 Series stainless steel sheet, .050" (1.2mm) thick. 1 lb. to 7 lb. pull weight, available for nominal trigger pin diameters of .154" and .169". Installation instructions included.

#100-002-557EK AR-15 .154" Pin Trigger, 5A00HDZ \$ 214.99
#100-002-558EK AR-15 .169" Pin Trigger 5A00YTP . . 214.99

DPMS AR-15/M16 FIRE CONTROL CONVERSION KIT

The Right Parts To Convert An M16 To An AR-15

Capable of semi-auto fire only, four trigger parts convert a full-auto, M16 to semi-auto configuration. Helps local departments/agencies take advantage of military surplus guns without having to train officers for full-auto fire. OEM-style to function correctly. Hardened steel, with black oxide finish, maintains factory function and appearance. Kit includes trigger, disconnector, hammer and selector. Gunsmith or armorer fitting recommended.

SPECS: Steel, black, matte finish.
#231-000-165EK M16 to AR-15 Fire Control Conv. Kit, 1C30A21 \$ 49.99

ROCK RIVER ARMS AR-15 NATIONAL MATCH 2-STAGE TRIGGER

Lightens & Smoothes Trigger Pull For Improved Accuracy

Drop-in, match grade trigger provides a crisp, 4½ to 5 lb., 2-stage, trigger pull to improve accuracy for competition or varmint shooting. Sear engagement point is located behind the hammer to reduce pull weight. Low mass hammer speeds lock time. Includes trigger and hammer pins. Fits AR-15 receivers with .154" hammer and trigger pins.

SPECS: Steel, matte black finish. Fits AR-15 receivers with .154" hammer/trigger pins only.

#739-000-011EK .154" 2-Stage Trigger 9C00YTP . . . \$ 120.00

and tactical shooters achieve a clean-breaking, 4.5 lb. trigger when used with JP components. Can also be used with factory or aftermarket triggers and hammers to improve felt trigger pull.

SPECS: High tensile strength steel spring wire. Includes (1) hammer and (1) trigger spring.

#452-000-015EK JPS4.5 Spring Kit 2E08B00 \$ 9.95

order on the web

www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 21

AR-15/M16

TRIGGERS

TIMNEY AR-15/AR-STYLE .308 DROP-IN TRIGGER MODULE



Obtain A Super-Smooth
Pull & Crisp Letoff
In Minutes

Self-contained module is ready to install in your small-pin AR and deliver an exceptionally smooth, crisp, creep-free single-stage trigger pull that feels more like a traditional bolt action than a combat rifle trigger. 100% drop-in—no gunsmithing, fitting, or adjusting required. All components are captive in the lightweight, aluminum alloy housing. Hammer is wire-EDM machined from S7 tool steel that combines hardness to resist wear with superior impact resistance to withstand heavy use without chipping or breaking. Other components are EDM cut from A2 tool steel, then heat treated to Rc 56-60 for long service life. Precision-ground engagement surfaces ensure superb reliability and a crisp, clean hammer release. Installs using your rifle's original hammer/trigger pins; proprietary design eliminates pin walkout. **AR-15** model has a fixed, factory-set 3 lb. pull weight, available with standard solid trigger shoe, or a distinctive-looking, lighter-weight skeletonized shoe. **AR-.308** model has a factory-set 4 lb. pull weight, a solid shoe, and more hammer mass to ensure positive ignition of harder .308/7.62mm primers.

SPECS: Hammer—S7 tool steel, natural color, Teflon-Nickel coated. Trigger/Internal Components—Hardened A2 tool steel, black oxide finish. Housing—6061 T6 aluminum, gold anodized finish. Fits rifles with .154" diameter hammer/trigger pin holes. Will not fit Colt-manufactured AR-15s with sear block. **AR-15**—non-adjustable 3 lb. pull weight. **AR-.308**—non-adjustable 4 lb. pull weight. Fits AR-style .308 rifles that accept small-pin AR-15 trigger components.

#883-000-024EK AR-15 Trigger Module, Solid Shoe, 3H188A23 \$ 209.99
#883-000-026EK AR-15 Trigger Module, Skeleton Shoe, 3H233A95 269.99
#883-000-023EK AR-.308 Trigger Module, Solid Shoe, 3H217A43 234.99

J & L RESEARCH AR-15 DROP-IN TRIGGER ADJUSTER

Improves The Factory Trigger



Trigger adjuster replaces the factory grip screw to reduce trigger creep, lessen pull weight, and improve hammer break for better accuracy. Use alone or as part of a complete trigger job. **SPECS:** Stainless steel. Gunsmith installation recommended.

#072-000-001EK Trigger Adjuster 2G34P90 \$ 44.20



BROWNELLS AR-15/M16 TACTICAL TRIGGERGUARD



Fast, Unobstructed Access To Trigger;
End Of Trigger Pinch

Oversized, drop-in replacement for factory triggerguard provides plenty of extra room to get your finger on the trigger quickly, even when you're wearing gloves. Comfortable, compound-curve shape helps prevent finger from being pinched between trigger pad and guard, while gently radiused edges protect finger from cuts or abrasions. Rugged, machined aluminum construction handles the abuse of intensive tactical operations. Installs easily using the original triggerguard's plunger, spring and roll pins; compatible with factory and aftermarket pistol grips. **SPECS:** 7075 T6 aluminum, hardcoat anodized, matte black. Fits AR-15/M16 rifles with mil-spec lower receivers. Uses existing plunger, spring and roll pins.

#080-000-535EK Tactical Triggerguard 8K14T71 ... \$ 17.99



WILSON COMBAT AR-15/M16 TACTICAL TRIGGER UNIT

Match-Grade Pull From A Rugged,
Reliable Drop-In Module



Drop-in trigger module fits any mil-spec small-pin AR-15 and delivers a light, superbly crisp trigger pull right from the box, with no adjustment or fine-tuning. Safe enough for tactical operations and combat, yet light enough to ensure an ultra-clean break that's closer to a bolt action than a typical tactical rifle. Exceptionally short, positive reset gets you back on target and ready to take the next shot almost instantly. Unique hammer geometry keeps weight to a minimum for ultra-fast lock time, yet provides plenty of kick to ensure reliable ignition, even on hard military primers. A secondary "rescue" sear grabs the hammer if the primary sear fails when the weapon is dropped or severely jarred—meets military specifications for drop safety. CNC-machined, hardened tool steel hammer, sear, and trigger body with precision-ground contact surfaces are built to run hard in competition or combat, all contained in the rugged machined aluminum housing. **TR-TTU** - Single-stage 4 lb. pull has zero take-up and an ultra-clean break. **TR-TTU-MIL** - Single stage, 5 to 5½ lb. pull. **TR-TTU-M2** - "Semi" two-stage, match-grade 4 lb. trigger has an abbreviated initial stage that establishes sear engagement for safe, reliable operation in high-stress tactical environments, followed by a clean second-stage release.

SPECS: Trigger/Hammer/Sear—Hardened tool steel, matte gray finish. Housing—Aluminum, anodized, matte black. Fits AR-15 with .154" trigger and hammer pins. Includes two .154" pins and installation instructions.

#965-000-071EK TR-TTU Tactical Trigger Unit, 5F249B99 \$ 269.99
#965-000-145EK TR-TTU-MIL Tactical Trigger Unit, 5F238A30 269.95
#965-000-088EK TR-TTU-M2 Tactical Trigger Unit, 5F249V99 269.99

TACTICAL FIRE CONTROL UPGRADE KIT -

Convenient kit supplements the TR-TTU trigger module with two control enhancements that give you an edge in competition or tactical situations. A Battle Arms Development ambidextrous safety selector and a Magpul B.A.D. Lever. Extended B.A.D. Lever clamps onto the factory bolt release and lets you operate it with the trigger finger—without breaking your grip on the pistol grip. Factory bolt catch retains normal function.

SPECS: Safety - 12L14 steel, Parkerized, black. B.A.D. Lever - Anodized aluminum, black. Kit fits mil-spec AR-15 receiver with factory bolt release lever and .154" trigger and hammer pin holes. Installation instructions included.

#080-000-940EK AR-15 Fire Control Upgrade Kit, 8K310H00 \$ 349.99

MAGPUL AR-15/M16

ENHANCED TRIGGERGUARD

Keeps Trigger Accessible,
Even With Gloves



Aluminum triggerguard replaces factory guard and gives full access to the trigger, even when you're wearing gloves. Ends the complication of having to drop the triggerguard in cold weather environments in order to get to the trigger. Triggerguard gives you an oversized opening and is held in place with standard roll pins and set screws. Eliminates need for gap plug and works with most grips. **SPECS:** Aluminum, matte black. Fits AR-15/M16 rifles. Includes roll pin and set screw.

#100-002-198EK AR-15/M16 Enhanced Triggerguard, 3K16B99 \$ 19.99

BROWNELLS AR-15/M16 OVERSIZED TRIGGERGUARD

Protects Trigger During Rough
Handling & Allows Fast Access
Even When Wearing Gloves



Heavy duty machined aluminum triggerguard provides generous clearance for fast, unobstructed access to the trigger under any conditions, even when you're wearing heavy winter gloves. Open geometry makes the trigger face easily accessible but protects the trigger finger from getting caught behind the trigger shoe. Extra-wide design has plenty of metal to protect the trigger from impact during rough handling or jostling inside vehicles. Machined from the same lightweight yet ultra-hard 7075 T6 aluminum alloy as many premium-quality AR-15 receivers, with smooth, rounded edges that won't scratch or cut your hand. Evenly spaced holes reduce weight and give your rifle a distinctive appearance while preserving the structural strength of a solid piece of metal.

SPECS: 7075 T6 aluminum, hardcoat anodized, matte black. Fits AR-15/M16 rifles with mil-spec lower receivers. Uses existing plunger, spring and roll pins. Instructions included.

#080-000-692EK Oversized Triggerguard, 8K17C09 \$ 24.99

MAGPUL AR-15/M16 MOE™ TRIGGERGUARD



Provides Extra Clearance
When Wearing Gloves;
Drop-In Installation

Enhanced triggerguard has a shallow "V" shape that provides extra clearance for a shooter wearing gloves, and eliminates the gap at the rear of the USGI triggerguard that can trap or pinch finger. Smooth, ergonomically contoured surface and rounded edges protect the trigger finger from abrasion and won't snag on the operator's glove to impede the speed of target engagement. Replaces factory guard in minutes and requires no permanent alterations to receiver; reinstall original guard any time. Manufactured from high-grade, reinforced polymer that's lightweight, almost as strong as aluminum, and resistant to heat, cold and moisture. Fits mil-spec AR-15/M16 and clones, as well as many AR-style .308 models; installation instructions included.

SPECS: Reinforced molded polymer, Black, Dark Earth, O.D. Green, or Foliage Green. Includes roll pin, set screw, installation instructions. Fits most AR-15/M16 and AR-style .308 rifles including ArmaLite® AR-10®, Knight SR-25, and DPMS LR-308. Due to variances in manufacturer specs, minor fitting may be required on some rifles.

#100-004-156EK MOE Triggerguard, Black, 3K06A90 \$ 8.99
#100-004-157EK MOE Triggerguard, Dark Earth, 3K06A90 8.99
#100-004-158EK MOE Triggerguard, O.D. Green, 3K06A90 8.99
#100-004-159EK MOE Triggerguard, Foliage Green, 3K06A90 8.99

WILSON COMBAT AR-15/M16 TACTICAL TRIGGERGUARD

Oversized Opening
For Easy Trigger Access;
Prevents Trigger Finger Pinch



Drop-in upgrade for AR-15 triggerguard provides an oversized opening for easy trigger access when wearing gloves. Also prevents finger from getting caught between trigger shoe and triggerguard, eliminating the need for a gap plug. Smooth contours and beveled edges won't scrape finger or snag on other gear. Precision machined from a solid billet of 6061 T6 aluminum and

KNS PRECISION AR-15/M16 NON-ROTATING HAMMER & TRIGGER PINS



Precision-Machined
To Upgrade Your Existing Hammer
& Trigger Pins;
Available Standard & Oversized

Redesigned hammer pin and anti-rotation links provide the strongest possible system to eliminate pin rotation, and will withstand the additional force exerted by 9mm conversions and suppressed .223 upper receivers. Helps prevent wear to receiver holes, which is especially important for increasingly-valuable M16 and pre-ban receivers. Notched hammer pin locks into slots in the anti-rotation links; trigger is secured with locking screws, and includes lube ports so adequate lubrication reaches the trigger. Anti-rotation links fit on the outside of the receiver to prevent all movement. Pins are CNC-machined, centerless ground for uniformity and heat treated for durability. Available in Standard .154", Oversized .155", and .170" for larger receivers. **Oversized Pins** help improve accuracy and trigger control by tightening up any trigger slack that may exist in worn or new receivers. Standard-sized pins drop-in and require no modification to the receiver; oversized pins require the use of the **3.95mm Reamer** listed below.

SPECS: 416 stainless steel pins. .900" (22.8mm) long, .154" (3.91mm), .155" (3.93mm), or .170" (4.31mm) diameter. **Set** includes (1) hammer pin, (1) trigger pin, (2) screws, (2) anti-rotation links, hex wrenches, and installation tool. **Anti-Rotation Links** - Steel, Parkerized finish. **Retaining Screws** - Steel, black oxide finish. **3.95mm Reamer** - Steel. .1555" (3.95mm) diameter cut.

#923-000-036EK .154" Non-Rotating Trigger Pins, 3B25P52 \$ 29.99
#923-000-040EK .155" Non-Rotating Trigger Pins, 3B25P52 29.99
#923-000-037EK .170" Non-Rotating Trigger Pins, 3B25P52 29.99
#317-000-008EK 3.95mm Reamer 7A22Z70 29.99

GEN. 2 MOD. 2 NON-ROTATING PIN SET - Identical function as the standard sets listed above, but with ultra-low-profile links that protrude even less above the receiver. Available with standard .154" diameter pins, oversized .155" pins, or .170" pins for large-pin receivers; .155" pins require use of the 3.95mm reamer listed above.

SPECS: 416 stainless steel pins, carbon steel anti-rotation links and retaining screws, matte black finish. Kit includes hammer pin, trigger pin, (2) low-profile anti-rotation links, (2) screws, hex wrenches, and installation tool.

#923-000-046EK .154" Gen. 2 Mod. 2 Non-Rotating Pin Set, 3B26P43 \$ 32.99
#923-000-047EK .155" Gen. 2 Mod. 2 Non-Rotating Pin Set, 3B25P69 32.99
#923-000-048EK .170" Gen. 2 Mod. 2 Non-Rotating Pin Set, 3B25U25 32.00

M16/M4 NON-ROTATING SEAR PIN - Steel pin replaces original pin and locks into place against the take-down pin on M16/M4 rifles to prevent rotation and wear on receiver holes. Drop-in installation requires no tools or gunsmithing.

SPECS: Steel, matte black phosphate finish. Fits M16/M4 receivers only.

#923-000-043EK M16/M4 Non-Rotating Sear Pin, 3B23P25 \$ 29.50

BrownellsBusinessAdvantage.com

then hardcoat anodized for maximum durability. **SPECS:** 6061 T6 aluminum, hardcoat anodized, matte black. **#965-000-102EK Tactical Triggerguard 5F17U86** ... \$ 19.99


PHASE 5 TACTICAL AR-15/M16/AR-STYLE .308 WINTER TRIGGERGUARD



Provides Extra Clearance For Gloved Fingers & Gives Rifle A Truly Unique Look

Uniquely shaped, machined aluminum triggerguard provides plenty of clearance to let you operate your rifle with gloves on during cold weather. Drop-in replacement for the factory has an usual "bat wing" shape that helps your rifle stand out visually from the rest of the pack. Larger opening makes this an excellent companion modification for use with the Phase 5 EBRv1 and EBRv2 extended bolt releases. Also fits the DPMS LR-308 and similar AR-style .308 rifles that use an AR-15 type triggerguard.
SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. Steel roll pin and screw, black.
#100-005-732EK Winter Triggerguard 1C19U13 . . . \$ 24.99

FALCON INDUSTRIES AR-15/M16 LOWER RECEIVER SPRING KIT



Finish A Stripped Receiver Or Replace Worn, Fatigued, Or Corroded Factory Springs

All the factory-weight springs needed to finish building up a stripped lower

receiver or refurbish an existing lower to like-new function. Replace worn, corroded, or fatigued springs before they fail—inexpensive insurance against game-ending stoppages caused by spring failure during competition or tactical operations. Kit includes springs for trigger, hammer, disconnect, safety selector, magazine catch, bolt catch, buffer retainer, and takedown pin detents.
SPECS: Spring steel.
#573-000-053EK Lower Receiver Spring Kit, 3G04B99 . . . \$ 6.99

POWER CUSTOM AR-15/M16 HAMMER/TRIGGER SHIMS

Eliminates Unwanted Play Between Trigger Components

Tempered stainless steel shims eliminate excess lateral movement of the hammer, trigger, and disconnect for a smoother, more consistent trigger pull. Helps keep the components from "walking" along the pins during long courses of fire.
SPECS: Stainless steel, heat-hardened. 10 shims per set. Fits rifles with .153" hammer and trigger pins.
#713-000-109EK Hammer/Trigger Shims 3A14U49 . . \$ 17.99

J.P. ENTERPRISES AR-15 REDUCED POWER SPRING KIT

Gives A Smooth, Light Trigger Pull

Reduced-power springs provide a 3.5 pound trigger pull when used with J.P. triggers, and a pull of 4.5 to 5 pounds when used with standard trigger components. Includes hammer spring, trigger return spring, and disconnect spring. Installation instructions also explain engagement surface polishing to obtain a smooth, reliable trigger.
SPECS: Steel, yellow-coded hammer and trigger springs.
#452-000-007EK AR-15 Spring Kit 2E08Z57 . . . \$ 9.99

JP ENTERPRISES AR-15

JPS3.5T ENHANCED RELIABILITY SPRING KIT

For Smooth, Light Trigger Pull & Reliable Ignition

Precision-calibrated springs give produce a consistent 3.5 to 4 lb. pull on a stock JP M15 rifle trigger, while preserving ignition reliability with U.S.-manufactured ammunition. Can also be used with properly prepared (instructions included) mil-spec trigger/hammer components to produce a 4- to 5-lb. pull with a smooth "roll off" feel and good control.
SPECS: Spring steel. Kit includes red-coded hammer spring, yellow-coded trigger return spring, and disconnect spring. Not for use on AR-style .308 rifles; not for defense or duty applications.
#452-000-104EK JPS3.5T Spring Kit 2E08T00 . . . \$ 9.99

SUPERIOR SHOOTING SYSTEM AR-15 HAMMER & TRIGGER SPRING SET



Reduced Power Plus Consistent Pull Weight

10% reduced power set made from heat-treated, chrome silicon wire that's stress relieved and shot peened; reduces compression weight while maintaining striking power.
SPECS: Chrome silicon wire.
#840-000-039EK Hammer/Trigger Springs 4H13D00 \$ 16.25

WOLFF AR-15/M16

EXTRA-POWER HAMMER SPRING

Helps Eliminate Common Ignition Problems; Great When Using Ammo With Hard Primers

Durable, steel springs provide extra hammer power to ensure proper ignition. Replaces factory spring.
SPECS: Steel. Approximately 2" (5.1 cm) long.
#969-000-100EK XP AR-15 Hammer Spring 9F03T34 \$ 4.99
#969-000-101EK XP AR-15 Hammer Spring, 3-pak, 9F09T37 . . . 13.99
#969-000-102EK XP AR-15 Hmr Spring, 10-pak, 9F20T09 . . . 29.99

DPMS AR-15 SPRING KIT



Genuine Mil-spec AR-15 replacement springs on handy blister pak cards.

SPECS: One each of springs for: trigger, hammer, ejector, extractor, bolt catch, disconnect, selector, takedown pin detent, (2) mag catch, front sight, ejection cover, forward assist.
#231-015-002EK AR-15 Spring Kit 1C09A22 . . . \$ 14.99


DPMS AR-15/M16 CARBINE BUFFER SPRING

Manufactured To Military Specifications For Long-Lasting Service

Stainless steel carbine buffer spring manufactured to MIL-S-1357 specification for replacement on rifles with M4-type receiver extension tube for collapsible carbine buttstock. Replace a fatigued spring, or use as part of the rifle-to-carbine stock conversion. Cold drawn to ASTM A313 standard for heat- and corrosion-resistance, and case hardened for improved resistance to surface wear.
SPECS: 631 stainless steel. Fits AR-15/M16 rifles chambered in .223/5.56mm with M4-type receiver extension.
#231-000-261EK Carbine Buffer Spring 3B04H19 . . . \$ 5.29

BROWNELLS

AR-15/M16/M4 SPRINGS



Assorted Replacement Springs Restore Performance In Tactical Rifles

Put the zing back into the rifle you thought was past its prime. Manufactured to precise tolerances, these high quality, replacement springs help keep your AR-15 functioning properly. Great for emergency spares or for assembling a parts rifle. Available singly, or in 3-paks.

SPECS: Materials and finish at least equal to OEM parts. Chrome silicon springs indicated by (CS).
#078-101-113EK AR-15 A2 Action Spring (CS), each, 8G03P06 . . . \$ 4.99

#078-000-102EK AR-15 A2 Action Spring (CS), 3-pak, 8G07A35 . . . 11.76

#078-101-112EK AR-15 A-2 Action Spring, each, 8G02P44 . . . 3.99

#078-000-093EK AR-15 A-2 Action Spring, 3-pak, 8G05C69 . . . 8.99

#078-101-114EK AR-15 Auto Sear Spring, each, 8G00P6199

#078-000-089EK AR-15 Auto Sear Spring, 3-pak, 8G01C31 . . . 2.09

#078-101-115EK Bolt Catch Spring, each 8G00P6099

#078-000-096EK Bolt Catch Spring, 3-pak 8G01C21 . . . 1.99

#078-101-116EK Bolt Gas Ring, each 8G00P6699

#078-000-099EK Bolt Gas Ring, 3-pak 8G01C36 . . . 2.19

#078-101-117EK AR-15 Buffer Retainer Spring, each, 8G00P6299

#078-000-084EK AR-15 Buffer Retainer Spring, 3-pak, 8G01C26 . . . 1.99

#078-101-118EK AR-15 A2 Charging Handle Latch Spring, each 8G00P6299

#078-000-094EK AR-15 A2 Charging Handle Latch Spring, 3-pak 8G01C26 . . . 1.99

#078-101-119EK AR-15 Detent Takedown Spring, each, 8G00P74 . . . 1.99

#078-000-100EK AR-15 Detent Takedown Spring, 3-pak, 8G01C55 . . . 4.99

#078-101-120EK AR-15 Disconnect Spring, each, 8G00P65 . . . 1.03

#078-000-095EK AR-15 Disconnect Spring, 3-pak, 8G01C79 . . . 2.99

#078-101-121EK AR-15 Ejection Port Cover Spring, each, 8G00P6199

#078-000-091EK AR-15 Ejection Port Cover Spring, 3-pak, 8G01C51 . . . 2.49

#078-101-123EK AR-15 Ejector Spring (CS), each, 8G00P96 . . . 1.55

#078-000-103EK AR-15 Ejector Spring (CS), 3-pak, 8G02A40 . . . 3.99

#078-101-122EK AR-15 Ejector Spring, each 8G00P66 . . . 1.07

#078-000-098EK AR-15 Ejector Spring, 3-pak 8G01C66 . . . 2.69

#078-000-112EK AR-15 Elevation Index Spring A3, 3-pak, 8G01A46 . . . 1.99

#078-000-086EK AR-15 Extractor Spring, 3-pak, 8G01C71 . . . 2.79

#078-101-125EK AR-15 Extractor Spring (CS), each, 8G00P72 . . . 1.16

#078-000-104EK AR-15 Extractor Spring (CS), 3-pak, 8G01A81 . . . 2.99

#078-101-126EK AR-15 Forward Assist Spring, each, 8G00P6199

#078-000-080EK AR-15 Forward Assist Spring, 3-pak, 8G01X21 . . . 1.99

#078-101-127EK AR-15 Front Sight Detent Spring, each, 8G00P6199

#078-000-082EK AR-15 Front Sight Detent Spring, 3-pak, 8G01C26 . . . 1.99

#078-101-129EK M4 Action Spring, each 8G02P24 . . . 3.58
#078-000-105EK M4 Action Spring, 3-pak 8G05A81 . . . 8.99

TTI INTERNATIONAL CUSTOM SHOPPE AR-15/M16 REDUCED POWER ACTION KIT



Lighten AR-15/M16 Trigger Pull

Three-spring kit lightens trigger pull and smoothes letoff. Drops in, requires no modifications to gun.

SPECS: Stainless steel, spring steel. Kit includes hammer, trigger, and disconnect springs. Fits AR-15/M16.

#989-000-001EK AR-15/M16 Reduced Power Action Kit, 9H03V13 . . . \$ 4.99

DPMS AR-15/M16 EXTRACTOR SPRING ASSEMBLY

Helps Ensure Proper Extraction

Matches the original equipment specs to keep the extractor under the correct tension. Rubber insert gives stability to the spring and lengthens service life.

SPECS: Steel, 3/16" (4.7mm) long.

#231-000-071EK Extractor Spring Assembly, 3B01D50 . . . \$ 1.99

AFM AR-15/M16 HEAVY DUTY EXTRACTOR SPRING



For Positive, Consistent Extraction Even On Carabines & SBRs

Extra-strong extractor spring increases extractor's grip on case groove and helps ensure reliable, complete extraction. Especially effective for improving reliability of an AR-15 style carbine, pistol, or short barreled rifle (SBR) where a weak extractor spring can cause extractor lift, leading to failure to fully extract the spent case before the fresh round is fed from the magazine, resulting in a stoppage. Heavy-grade, high-quality spring steel and a proprietary heat-treating process ensure long service life with less weakening over time than ordinary springs.

SPECS: Tempered spring steel. Fits all AR-15/M16/M4-style rifles, carbines, and pistols.

#100-004-041EK Heavy Duty Extractor Spring, 2C02H87 . . . \$ 3.99

#078-101-130EK M4 Action Spring (CS), each, 8G02T94 . . . 4.70

#078-000-087EK M4 Action Spring (CS), 3-pak, 8G07Y35 . . . 11.76

#078-101-132EK AR-15 Mag Catch Spring, each, 8G00T5080

#078-000-083EK AR-15 Mag Catch Spring, 3-pak, 8G01Y25 . . . 2.00

#078-101-133EK AR-15 Rear Sight Elev Knob Spring, each, 8G00T6096

#078-000-090EK AR-15 Rear Sight Elev Knob Spring, 3-pak 8G01T50 . . . 2.40

#078-101-134EK AR-15 Rear Sight Index Spring, each, 8G00T5893

#078-000-085EK AR-15 Rear Sight Index Spring, 3-pak, 8G01Y45 . . . 2.32

#078-101-136EK Trigger Spring, each 8G00T70 . . . 1.12

#078-000-088EK Trigger Spring, 3-pak 8G01T75 . . . 2.80

#078-101-135EK AR-15 Triggerguard Spring, each, 8G00T4877

#078-000-097EK AR-15 Triggerguard Spring, 3-pak, 8G01T20 . . . 1.92

#078-101-137EK AR-15/M16 Hammer Spring, each, 8G00P78 . . . 1.25

#078-000-077EK AR-15/M16 Hammer Spring, 3-pak, 8G01Y95 . . . 3.12

#078-000-092EK M16 Clutch Spring, 3-pak 8G01T25 . . . 2.00

#078-101-128EK M16/M4 Burst Fire Hammer Spring, each, 8G00T95 . . . 1.50

#078-000-081EK M16/M4 Burst Fire Hammer Spring, 3-pak 8G02Y20 . . . 3.52

JP ENTERPRISES AR-15/M16 TUNED BUFFER SPRING



Extra Power For Smoother, Quieter, More Reliable Cycling

Flat music wire buffer spring delivers 7% more compression tension than a factory-spec spring for a longer operating lifespan, more reliable cycling, and elimination of the "raspy" noise during cycling. After extensive testing, the folks at JP concluded that the extra power produces a faster, more controllable recoil impulse and enables the weapon to press fully into battery with even with a lot of fouling present. Outer-diameter is ground and polished for smooth, quiet movement in the buffer tube. Rifle fits fixed stock rifles with A1/A2 buffer tube. Carbine fits collapsible M4-type carbine-length buffer tube.

SPECS: Steel, polished finish. Rifle – 13 1/4" (34cm) long. Carbine – 11 3/4" (30cm) long.

#452-000-118EK Tuned Buffer Spring, Rifle, 2E15T56 \$ 19.99

#452-000-119EK Tuned Buffer Spring, Carbine, 2E15P56 19.99

SOG ARMORY AR-STYLE .308 BUFFER SPRING



Critical For Reliable, Positive Cycling

Tempered steel spring has correct tension for proper cycling of AR-style rifles chambered in .308/7.62mm. Use as a replacement for a fatigued factory spring or in a new-build custom rifle.


SPECS: Tempered spring steel. .950" (2.4cm) diameter. Carbine – 11" (27.9cm) long. Fits collapsible stock carbine receiver extension.

Rifle – 12 1/2" (31.8cm) long. Fits fixed A2-style receiver extension.

#100-005-351EK Rifle Buffer Spring 9A09Y66 \$ 10.99

#100-005-352EK Carbine Buffer Spring 9A06T40 7.99

SUPERIOR SHOOTING SYSTEMS AR-15/CAR-15/AR-STYLE .308 CHROME SILICON SPRINGS



Flat Wire Construction
For Maximum Reliability & Performance

These flat wire, high-quality action/buffer springs from champion shooter David Tubb will perform flawlessly and are duty rated for 500,000 compression cycles at maximum performance. Made to "extra power" specs without the extra material, these springs are surprisingly lightweight, yet extremely durable. Gives correct timing and resistance on the recoil stroke and a controlled rebound ensures reliable feeding with consistent forward thrust on every shot. Keeps the bolt locked a little longer to allow pressures more time to subside for perfect cycling.

SPECS: Chrome silicon steel. AR-15 fits both fixed and collapsible stocked AR-15 rifles and carbines without modification to spring or gun. AR-Style .308 fits standard length rifles only.

#840-000-048EK AR-15 CS Buffer Spring 4H20D21 . . . \$ 24.99


#840-000-047EK AR-Style .308 CS Buffer Spring, 4H22D60 29.99

AR-15/CAR-15 EXTRACTOR/EJECTOR SPRING SET - Replacement, drop-in fit chrome silicon extractor and ejector springs from David Tubb provide long term durability and up to 80% more power than factory springs in AR-15 rifles. Precision manufacturing and high quality steel give extremely consistent compression cycle for smooth operation over thousands of rounds.

SPECS: Chrome silicon steel.

#840-000-051EK CS Extractor/Ejector Spring Set, 4H09D95 \$ 12.95

WOLFF AR-15/M16 TUNE-UP KITS & INDIVIDUAL SPRINGS



Kits & Individual Springs
To Improve Functioning

Service Pak returns the rifle to original Colt factory specifications. Includes extra power (XP) action/buffer spring that improves reliability and function.

SPECS: Includes one each of the following: XP buffer spring, bolt catch spring, buffer retainer spring, charging handle latch spring, disconnect spring, dust cover spring, ejector spring, extractor spring, forward assist spring, front sight retainer spring, hammer spring, magazine catch spring and trigger spring.

#969-304-500EK AR-15 Service Pak 9F23D33 \$ 34.99

#969-165-000EK Std XP Buffer Spring, only 9F10P00 14.99

#969-165-010EK CAR-15 XP Buffer Sprng, only, 9F10P00 14.99

WOLFF AR-15/M16

EXTRA POWER EXTRACTOR SPRING

Improves Extraction & Ejection Reliability



Stronger spring prevents "extractor bounce" during rapid semi-auto or full-auto fire. Provides extra force against case rim to give AR-15 rifles and carbines reliable extraction from a dirty chamber; ensures fired case is completely extracted and ejected from gun. Recommended for use with black, carbine, extractor spring insert.

#969-000-032EK AR-15/M16 XP Extractor Spring, 3-pak, 9F07A33 \$ 10.99

WOLFF AR-15/M16

REDUCED POWER ACTION SPRING



Helps Reduce Bolt "Bounce" For Improved Feeding

High-quality, reduced power, action spring helps cure feeding problems caused by excessive bolt "bounce" in rifles configured for 3-shot burst or full-auto modes of fire. Helps shooters fine-tune action cycling for light, target/varmint loads in semi-auto rifles.

SPECS: Tempered, spring steel. Fits .223 cal. AR-15/M16 rifles.

#969-000-140EK Reduced Power Action Spring, 9F10D34 \$ 14.99

TACTICAL SPRINGS AR-15/M16/CAR-15/M4 BUFFER SPRING RELIABILITY KIT



Consistent Performance For High-Stress,
High-Volume Shooting

Premium-quality buffer spring helps ensure consistent, dependable operation for tens of thousands of compression cycles. Perfect for the high-volume tactical or competition shooter who needs a finely tuned spring that delivers its full power as reliably on the 50,000th shot as it did on the first. Made from chromium-silicon steel alloy selected specifically for its hardness, heat resistance, and ability to withstand high stresses—the same alloy used for valve springs on automobile engines. Cryogenically treated to relieve internal stress, and surface impregnated with proprietary Plate+ molybdenum disulfide lubricating coating. Carbine model for CAR-15/M4 available in Standard Weight that matches your gun's original factory spec or Extra Power that keeps the bolt closed a bit longer, which helps some car-

BUFFER TECHNOLOGIES RIFLE RECOIL BUFFER

Cushions Rifle Bolt & Receiver,
Prevents Excess Wear



Shock-absorbing, polyurethane buffer helps extend the service life of your rifle; gives better muzzle stability, reduces action noise. Provides a gentle cushion that gradually slows the bolt and helps prevent expensive receiver damage. Installs easily; no permanent modifications required. AR-15 replaces the synthetic pad on factory buffer assembly. Requires drilling the recoil buffer for cross pin.

SPECS: Polyurethane, clear.

#071-000-010EK AR-15 Recoil Buffer 1G06Y97 \$ 9.95

DPMS CAR-15 COUNTERWEIGHT BUFFER



Improves Reliability & Control,
Softens Felt Recoil

Extra-heavy to soften felt recoil on semi-auto and full-auto guns; added mass reduces cyclic rate during full-auto fire. Provides smoother function for faster follow-up shots to help improve on-target accuracy. Stops bolt bounce on full-auto CAR-15's to increase feeding and extraction reliability. Drop-in installation, uses standard recoil spring. Fits AR-15/CAR-15 with collapsible stock only.

SPECS: Steel body. 3 1/4" (8.3cm) long. 5.4 oz. (155 g) wt.

#231-000-039EK Counterweight Buffer 3B36H64 . . . \$ 89.99

ADVANCED ARMAMENT AR-15/M16 CYCLIC RATE REDUCER



Slows Rate Of Fire Up To 50%; Save Ammo, Increase Accuracy

Easy-to-install, machined-steel unit slows rate of fire and reduces felt recoil to increase full-auto accuracy and reduce ammunition use. Virtually eliminates muzzle climb, helps you control sustained, full-auto fire. Simple installation requires no permanent modifications, installs in just seconds.

MODEL M16SS - Fits A1 and A2 standard or heavy barrel M16 with fixed stock. Approximately 475 RPM rate of fire. Includes buffer, buffer spring, insertion/extraction tool and instructions. **SPECS:** Recoil Buffer- stainless steel, tungsten, matte finish. **#276-016-001EK M16SS Cyclic Rate Reducer, 6G63T20 \$ 79.00**

MODEL M16CS - Fits standard and heavy barrel M16 with collapsible stocks, both .223 and 9mm carbines. Approximately 650 RPM rate of fire. Includes buffer, buffer spring, insertion/extraction tool and instructions.

SPECS: Recoil Buffer - stainless steel, tungsten, matte finish.

#276-016-003EK M16CS Cyclic Rate Reducer, 6G63T20 \$ 79.00

biners cycle better and eject more positively. Standard-weight A2 Rifle spring fits fixed-stock rifles with A1/A2 receiver extension tube. All kits include an extra-power extractor spring that aids in complete extraction and ejection of spent shells, even from a tight or dirty chamber.

SPECS: Cryo-treated chrome silicon alloy. Carbine fits CAR-15/M4 carbine and AR-15/M16 fitted with M4-type collapsible buttstock. A2 Rifle fits AR-15/M16 rifle fitted with fixed stock using A1/A2 receiver extension tube.

#943-000-018EK Carbine Reliability Kit, Standard, 3D19Y12 \$ 23.95

#943-000-017EK Carbine Reliability Kit, Extra Power, 3D19Y12 23.95

#943-000-019EK A2 Rifle Reliability Kit 3D19Y43 . . . 23.99

BROWNELLS/ENIDINE AR-RESTOR™

Tames Felt Recoil &
Suppresses Bolt Bounce
For Maximum Reliability,
Accuracy & Service Life



Seldom do you find an AR-15 product that's so simple to install, yet offers the many advantages this buffer delivers. Our Gun Techs tested these units, and were so impressed with the performance, we teamed-up with the weapon experts at Enidine to offer them directly to you. Quite possibly, the AR-RESTOR is the biggest breakthrough in rate-reducing, recoil reduction systems available for the AR-15. Best of all, it installs in minutes, without any modifications to your weapon. Long known for their successful development of recoil absorption devices for the U.S. Military's M240B, M249, and M2 machine gun, Enidine now produces these easy-to-install, direct replacements for the conventional, inertia mass type buffers currently in production today. Never before has it been this easy and economical to manage recoil and rate of fire in full- or semi-automatic modes of fire, while improving the overall reliability of your AR-15. Each steel buffer assembly features a sealed hydraulic cylinder with a high-impact striker cap and smooth running, nickel-plated cylinder rod – all of which work in unison with your factory recoil spring to cushion carrier impact, lessen felt recoil, and minimize the overall beating your rifle and optics endure when shooting. You also get significantly reduced muzzle rise during rapid fire maneuvers. These benefits are amplified with short-barreled carbines. For rate of fire reduction, nothing works better – AR-RESTOR has been tested by the U.S. Army and proven to drop cyclic rates from 900 rounds per minute to 650 – 700! AR-15 Collapsible fits rifles with M4-type collapsible buttstock. AR-15 Fixed fits rifles with fixed A1/A2-type stock.

AR-308 Standard Collapsible fits collapsible stock ArmaLite® AR-10® and other AR-style .308 rifles with 3/4" recoil buffer. **AR-308 Shorty Collapsible** fits collapsible stock DPMS Panther LR-308 carbine and other AR-style .308 rifles with 2 1/2" recoil buffer. **AR-308 Fixed** fits ArmaLite® AR-10® and other AR-style .308 rifles with fixed A2-style stock and full-length rifle buffer.

SPECS: Steel, black oxide finish. **AR-15 Collapsible** – 3 3/8" (7.6cm) long. 4.3 oz. (122g) wt. **AR-15 Fixed** – 6 1/4" (15.9cm) long. 5.9 oz. (167g) wt. **AR-308 Standard Collapsible** – 3 3/8" (7.9cm) long. 5 oz. (140g) wt. **AR-308 Shorty Collapsible** – 2 1/2" (6.4cm) long. 4 oz. (112g) wt. **AR-308 Fixed** – 5 3/4" (14.6cm) long. 6 oz. (168g) wt.

#100-002-389EK AR-15 Collapsible AR-Restor, 4A86P64 \$ 92.99

#100-002-390EK AR-15 Fixed AR-Restor, 4A79P99 99.99

#100-003-634EK AR-308 Standard Collapsible AR-Restor, 4A79V96 99.95

#100-003-212EK AR-308 Shorty Collapsible AR-Restor, 4A80V77 99.99

#100-004-878EK AR-308 Fixed AR-Restor 4A80D77 . . 99.99

DOUBLE STAR AR-15/M16 TWANG BUSTER



Stops Annoying Buffer Noise During Recoil

Low-friction Delrin disk fits on the end of the buffer spring, opposite the buffer, and stops the annoying "twang" of the buffer hitting the rear of the receiver extension during recoil. Quick, easy installation, with no permanent alterations to gun. Simply remove buffer and spring, insert Twang Buster, then reinstall buffer and spring.

SPECS: Machined Delrin thermoplastic, black. Fits A2 rifle and M4-style carbine buffer spring/receiver extension tubes.


#100-005-392EK Twang Buster 2Z03P96 \$ 4.99



**WANT MORE NEW PRODUCTS?
SHOP ON LINE!
PRODUCTS ADDED DAILY**

HAHN PRECISION AR-15/CAR-15/CAV-15 PISTOL CALIBER BUFFER

Reduces Recoil, Improves
Controllability, Extends Receiver Life


Drop-in replacement for factory buffer shortens stroke and reduces recoil on pistol caliber AR-15 conversions with collapsible M4 carbine-type stocks. Extra weight behind carrier reduces cyclic rate for improved controllability, feeding, and extraction on full-auto carbines. Self-contained unit with long head consists of long-wearing, precision-machined, cold-rolled Parkerized steel exterior, fully enclosed 8 oz. lead insert, and polyurethane bumper. Will not work with rifle caliber uppers. Installation of this buffer is mandatory on Cavalry Arms CAV-15 Mk II receivers converted to .45 ACP with the Hahn Precision Grease Gun Adapter to prevent elongation of the receiver hole that eventually renders rifle unusable. 

SPECS: Cold-rolled steel exterior, Parkerized, matte dark gray; lead insert; polyurethane bumper. 3 1/16" (9.4cm) long. Fits rifles and carbines with pistol caliber upper receiver and collapsible M4 carbine-type stock.

#100-002-513EK Pistol Caliber AR-15 Buffer,
6K49V97 \$ 59.97

J.P. ENTERPRISES AR-15/M16 LOW-MASS RECOIL BUFFER

Reduces Recoil Impulse
For Precision Competitive
Shooting


Lightweight, aluminum alloy buffer reduces the reciprocating mass of the operating system to reduce the overall recoil impulse felt by the shooter. Helps the competitive shooter keep the sights on the target for precise follow-up shot placement and tight groups. Designed for competition rifles with full-length receiver extension tubes and lightweight titanium or aluminum alloy bolt carriers, as well as any conventional mil-spec carrier where reduced mass is desired. Combine with a lightweight carrier to virtually eliminate felt recoil and increase bolt velocity without significantly impairing reliability. 

SPECS: Aluminum, anodized, red. 3 oz. (86g) weight. Fits AR-15 chambered in .223/5.56mm with rifle-length receiver extensions for fixed buttstock. For competition only; not recommended for duty weapons.

#452-000-063EK Low-Mass Recoil Buffer 2E40Y00. \$ 49.95

SUPERIOR SHOOTING SYSTEMS AR-15 CARRIER WEIGHT SYSTEM

Slows & Softens Recoil


Stainless steel sleeve, plus stainless and tungsten inserts help cure cycling problems caused by high-pressure, heavy-bullet loads. More weight keeps the bolt locked longer, improves brass life. 

SPECS: Sleeve, steel, black, matte finish. 2 1/8" (5.4cm) long. 1.54 oz. (43.7 g) wt. Stainless steel insert 1.25 oz. (35.4 g) wt. Tungsten insert 2.51 oz. (71.1 g) wt. May require minor fitting.

#840-000-024EK Carrier Weight System 4H46C67 . \$ 58.33

M16 CLINIC AR-15/M16/AR-10 AR BUFFER PAD

Prevents Battered Buffers & Carriers;
Simple, Stick-On Installation


High-strength polymer part protects expensive buffers and bolt carriers for a fraction of their cost. Round disc adheres to the buffer and eliminates metal-to-metal contact between the bolt carrier and buffer. 

SPECS: Polymer, white. .95" (24mm) diameter, .14" (3.6mm) thick.

#100-001-469EK AR-15/AR-10 Buffer Pad 6K04X00. \$ 5.25

MGI MILITARY AR-15/M16/M-4 RATE REDUCING BUFFER

Reduces Bolt & Receiver Wear;
Absorbs Recoil
For Improved Accuracy

Steel, rate-reducing buffer system slows down recoil two ways to improve accuracy and control. Extra weight lowers velocity for less wear on your bolt and receiver. Internal spring compresses to absorb additional recoil before it reaches your shoulder. As a bonus, the **D-Fender D-Ring** is included to improve extractor spring tension on your AR-15/M16. 


SPECS: Steel, black, matte finish. 3/4" (19mm) tube diameter, 3 1/2" (9cm) long. **Rifle** includes polymer extension tube. Available for both Rifle and Carbine.

#741-000-003EK Rifle Rate Reducing Buffer,
1D137H27 \$ 171.58

#741-000-004EK Carbine Rate Reducing Buffer,
1D132H00 164.99

SOG ARMORY AR-STYLE .308 RECOIL BUFFER

Correct Types For Reliable
.308 Carrier Operation

Direct replacement buffer works with factory recoil spring to cushion carrier impact, lessen felt recoil, and minimize the overall beating your rifle and optics endure when shooting. **Carbine** fits collapsible stock DPMS Panther LR-308 carbine and other AR-Style .308 rifles with 2 1/2" recoil buffer. **Rifle** fits ArmaLite® AR-10® and other AR-Style .308 rifles with fixed A2-style stock and full-length rifle receiver extension. 

SPECS: Steel body, tungsten insert, polyurethane tip. **Carbine** – 2 1/2" (6.3cm) long. 3.9 oz. (110g) weight. **Rifle** – 5 5/8" (13.5cm) long. 5.4 oz. (153g) weight.


#100-005-350EK .308 Carbine Buffer 9A31Y43. \$ 36.99

#100-005-349EK .308 Rifle Buffer 9A26Y21. 29.99

ASK ABOUT OVERNIGHT DELIVERY!

SPIKE'S TACTICAL AR-15/M16 CARBINE RECOIL BUFFERS

Helps Control Felt Recoil & Bolt
Bounce

Machined aluminum recoil buffer comes in three weights, so you can select the buffer that gives the best combination of recoil control and reliability in your carbine with an M4-type adjustable stock. All have a mil-spec polyurethane bumper, durable hard-anodized finish, and the Spike's logo. **ST-T1** is a standard-weight (3 oz.) buffer filled with low-density tungsten powder (LDTP) that eliminates the noise and shock caused by the hard reciprocating weights found in the original-style factory buffer. Aids in smoother cycling and helps minimize bolt bounce. **ST-T2** is filled with high-density tungsten powder (HDTP) for extra weight (4.1 oz.) behind the carrier to reduce cycle rate. Help you stay on target in rapid-fire semi-auto operation and improves controllability in full-auto. **ST-T3** gives the most aggressive reduction of felt recoil and bolt bounce with ultra-dense tungsten bar stock weights inside (5.4 oz.) for maximum recoil control in full-auto mode, suppressed weapons, or rifles that suffer from overgassing. 

SPECS: Aluminum, hardcoat anodized, black. Polyurethane bumper. 3 3/4" (8.2cm) long. **ST-T1** – 3 oz. (85g) wt.; **ST-T2** – 4.1 oz. (117g) wt.; **ST-T3** – 5.4 oz. (153g) wt. Fits AR-15 carbines with M4-type collapsible stock only.

#100-008-580EK ST-T1 Standard Weight Buffer,
3B25X19 \$ 29.95

#100-006-812EK ST-T2 Heavy Buffer 3B27Y14. 29.99

#100-008-581EK ST-T3 Extra-Heavy Buffer 3B00XCH 34.95

AR-15/M16 TACTICAL CHARGING HANDLES

All The Parts
Needed To
Assemble A
Tactical Charging
Handle

Easy-to-build kits contain all the components needed to assemble a tactical charging handle that aids in fast action drills, efficient jam clearing, and smooth operation. All kits are built around a stripped DPMS factory charging handle machined to stringent mil-spec standards for proper fit and dependable function. Each kit also comes with latch spring and roll pin. **Badger** kit features an oversized latch that's easy to find and operate with the left hand. **Badger GEN II** kit comes with a mid-sized latch for those seeking a larger grasping surface that won't interfere with optics. **M&A Ambi** kit includes a large, extended latch lever that's easy to grab and allows rapid operation of the handle with either hand. 

SPECS: Aluminum charging handle, matte black finish. **Badger** – Steel latch, matte black. Latch approx. 1 1/2" (3.8cm) long, 5/8" (1.6cm) high. **Badger GEN II** – Steel latch, matte black. Latch approx. 1 1/4" (3.2cm) long. **M&A Ambi** – Aluminum latch, matte black. Latch approx. 2 3/8" (6cm) long.

#080-000-600EK Badger Kit 8K29X89. \$ 39.99

#080-000-618EK Badger GEN II Kit 8K29C89. 39.99

#080-000-619EK M&A Ambi Kit 8K25C78. 32.99

BADGER ORDNANCE AR-15/M16 LEFT-HAND CHARGING HANDLE

Gives Left- Or Right-Handed Shooters
A Tactical Advantage


Machined aluminum charging handle has an extended latch on the right side to enable fast, positive operation by left-handers. Gives both left- and right-handed shooters a tactical advantage in combat or competition to clear jams quickly, and operate the handle even if one hand becomes incapacitated. Extended right-side latch is machined from ordnance-grade steel and features a large, 5/8" square contact pad that projects 3/4" from the handle. It's easy to find under stress and provides extra leverage to release the latch and cycle the handle quickly. Also useful on a rifle with a large scope that limits access to the standard charging handle. 

SPECS: Aluminum, hardcoat anodized, matte black finish. Extended Latch – Steel, black oxide finish. Fits mil-spec AR-15/M16/M4 and clones.

#093-000-036EK Left-Hand Charging Handle,
3K63Z67 \$ 69.99


BROWNELLS AR-15/M16 PARATROOPER CHARGING HANDLE

Folds Against
Receiver For
Storage; Easy To Grasp For Fast Cycling

Tactical charging handle has an oversized lever on the left side that folds against the receiver to present a slim, no-sag profile during carry or storage. Opens instantly to give you a larger grasping surface than the standard-issue handle, so you can find it and cycle it faster. Deeply serrated front face ensures non-slip hand contact for positive operation on the first attempt in all conditions. Lever angles down slightly when retracted, so it won't interfere with a scope or sight mounted on the receiver rail. Drop-in ready for a mil-spec AR-15/M16 upper 

BRAVO COMPANY AR-15/M16 BCM GUNFIGHTER CHARGING HANDLE

Unique Latch Mechanism Reduces
Wear & Prevents Breakage

Heavy-duty charging handle has an innovative, oversized latch that distributes pull force evenly across the handle to aid in fast, smooth, reliable operation with the support hand. Prevents the critical roll pin from breaking and rendering the latch inoperable. Machined from 7075 T6 billet aluminum with extra metal reinforcing the stress points to stand up to hard operational use. Available with **Medium** length extended latch or **Large** latch that's 1/4" longer for an even bigger, "can't miss" grasping surface. 


SPECS: 7075 T6 aluminum, mil-spec Type III hardcoat anodized, matte black finish. 6 7/8" (17.5cm) long.

#100-005-369EK BCM Charging Handle, Medium,
1E41T03 \$ 44.95

#100-005-368EK BCM Charging Handle, Large,
1E41T03 44.95


ARMAMENT DYNAMICS AR-15/M16 ACLM™ AMBIDEXTROUS CHARGING HANDLE

Operate The Bolt With Left Or Right Hand
For Extra Tactical Advantage

Fully ambidextrous charging handle lets the operator charge the weapon from any position for a critical tactical advantage that can make the difference between winning or losing in competition or combat. Helps you maintain peak readiness, clear jams quickly, and operate the handle even if the strong hand is incapacitated. The standard factory handle requires two separate motions: releasing the latch on the left side of the hand grip, then pulling back on the grip to retract the bolt. The Advanced Combat Latching Mechanism (ACLM™) requires only a single, intuitive, continuous backward pull—easier to perform under stress. Simply grasp the handle from either side with either hand, and as you pull back in one smooth motion, a proprietary camming mechanism automatically releases the retaining latch from the upper receiver. Continue pulling to retract the bolt; when you release the handle and the bolt closes, the ACLM relatches securely. Aggressive grasping grooves help your fingers locate the handle quickly and ensure that they won't slip off even when wet or cold. Manual override button lets you operate the latch when the bolt carrier is locked open or removed. Precision machined from premium-grade aluminum billet with MIL-A-8625 Type III Class 2 hardcoat anodized finish for extra strength and resistance to surface wear. Long-wearing internal components of ordnance-grade steel, and PTFE inserts to ensure smooth operation without lubrication—perfect for dusty operating environments. 

SPECS: Aluminum, hardcoat anodized, matte black finish. Fits .223/5.56mm AR-15/M16/M4 and related weapons.

#100-004-341EK ACLM Ambi Handle 6C69X39 . \$ 84.99

receiver; no gunsmithing required. Machined from billet 7075 T6 aluminum—the same material USGI receivers are made from—for superb strength and reliability. Hardcoat anodized to resist corrosion and surface wear; matte black finish matches most factory receiver finishes. 

SPECS: 7075 T6 aluminum, hardcoat anodized, black. 2 1/2" (6.35cm) wide open, 1 5/8" (3.4cm) wide folded.

#080-000-819EK Paratrooper Handle 8K87Y00 . \$ 99.99

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 25

AR-15/M16

CHARGING HANDLES

RECOIL BUFFERS

NEW**BROWNELLS AR-15/M16
TACTICAL CHARGING HANDLE****Heavy-Duty Materials for Long Life**

Tough, aluminum charging handle stands up to rough handling and includes a steel, tactical latch, with an easy-to-find, oversized surface for brisk operation under stress or even in the dark. Great for three-gun shooters, and

legal for NRA High Power Match Rifle competition. Requires assembly. Installation instructions included.

SPECS: Aluminum charging handle, matte black finish. Fits mil-spec AR-15/M16 upper receivers. Latch – steel, Parkerized. $\frac{5}{8}$ " (15.9mm) square contact area.

#080-000-813EK Tactical Handle 8K26V83 \$ 36.99

**DPMS AR-15/M16
STEEL CHARGING HANDLE****Tough, Steel For Competition & Tactical Use**

Machined steel won't bend or break during rapid loading drills or left-hand slap, stoppage clearing. Complete and fully assembled with latch, ready to drop into your rifle.

SPECS: Steel, parkerized finish. $6\frac{3}{4}$ " (17.1cm) long. Fits all AR-15 upper receivers.

#231-000-166EK Steel Charging Handle 1C56A45. . . \$ 70.99

**DOUBLESTAR AR-15/M16
CHARGING HANDLE ASSEMBLY****Slick Teflon® Finish For Ultra-Smooth Operation**

Cycle loads with ease using this

military-style charging handle assembly, complete and ready to drop-in any mil-spec upper receiver. Machined from 6061 T6 aluminum, then hardcoat anodized, with slick, self-lubricating Teflon® coating for exceptionally smooth operation.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. $6\frac{7}{8}$ " (17.5cm) long. Fits mil-spec AR-15/M16 upper receivers.

#100-004-996EK Charging Handle 2Z13U97. \$ 17.99

**SOG ARMORY AR-15/M16
CHARGING HANDLE
WITH TACTICAL LATCH****Extra Leverage For One-Hand Operation**

When you have to cycle the charging handle quickly, you need to be able to find it easily.

$\frac{5}{8}$ " square steel pad extends $\frac{1}{16}$ " from the charging handle, providing an easy-to-find surface that helps you cycle the bolt quickly when seconds count. Replaces existing charging handle with no gunsmithing and no modifications to the rifle. **Tactical Latch** also sold separately upgrade an existing charging handle.

SPECS: Aluminum charging handle, steel tactical latch, matte black. Tactical latch pad is $\frac{5}{8}$ " (15.8mm) square and extends $\frac{1}{16}$ " (2.6mm) from charging handle.

#100-002-212EK Charging Handle w/Tactical Latch, 9A34X99 \$ 46.99

#100-005-353EK Tactical Latch, only 9A14T55 19.99

MECHARMOR DEFENSE**AR-15/M16/AR-STYLE .308****TACOPS-1 CHARGING HANDLE****Clears Large Optics & Aids In Charging Weapon From Unconventional Positions**

Extended ambidextrous charging handle is large enough to clear oversized sniper/target optics. Easy to operate with minimal body

movement in confined spaces, under concealment, or even in the prone position. Lets you to maintain a "high ready" rifle position for constant visual contact with the target during mag changes, jam clearance, and other high-stress CQB situations. Wide, ergonomically shaped grasping surface provides an ultra-secure purchase and extra leverage for normal charging, yet won't interfere with the forward assist or oversized optics. Dual-mode latch has a second release button in the center rear of the handle for easy operation with the firing hand. Heavy-duty latch roll pin resists breakage under hard use, and the stainless steel latch spring ensures the latch locks down tightly to resist potential blowback—and stays locked—until you release it.

SPECS: 7075 T6 aluminum, hardcoat anodized, black. .223 fits AR-15/M16/M4. .308 fits AR-style .308 rifles.

#100-005-306EK .223 TacOps-1 Handle 6F107A14 . . \$ 119.99

#100-005-307EK .308 TacOps-1 Handle 6F107A14 . . . 119.99

**PRECISION REFLEX, INC. AR-15/M16
GAS BUSTER CHARGING HANDLE****Keeps Gas Blowback Away From Shooter's Face**

Extra-thick handle includes a gas deflection groove to protect shooter from gas blowback. Extended finger latches aid in fast jam clearing. **Flat Latch** has a deep hook contour. **Military (Mil.) Latch** has smooth face with round edges that are easy on fingers.

SPECS: Aluminum, black, matte finish.

#556-000-002EK Flat Latch Charging Handle, 4A82H37 \$ 108.99

#556-000-003EK Mil. Latch Charging Handle, 4A89H99 99.99

#556-000-004EK Flat Latch, only, 4A17H40 22.99

#556-000-005EK Military Latch, only, 4A19H13 23.99

**M & A PARTS AR-15/M16
AMBIDEXTRIOUS TACTICAL LATCH****Light, Quick-Grab Design; Gives Extra Leverage**

Large, extended latch levers are easy to find and grab, even on flat top receivers with low-mounted optics; gives superior leverage for bolt retraction. Allows rapid, ambidextrous operation of charging handle. Made of rigid aluminum for durability and light weight. Replaces factory latch easily, without fitting.

SPECS: Aluminum, black, anodized. $2\frac{1}{16}$ " (11mm) long.

#553-000-006EK Ambi Tactical Latch 3E00UAV . . . \$ 13.99

**TAC-LATCH USA AR-15/M16 ADVANCED
DESIGN CHARGING HANDLE****Easy To Grasp Ambi Handle For Fast Charging & Easy Jam Clearance**

Tactical charging handle can be operated by either hand from almost any position to ensure fast, easy

weapon charging and jam clearance. Large, 1" long extension on the right side is easy to access under stress, even with an oversized optic on the receiver. Provides plenty of leverage to operate the handle with the trigger hand in one, fluid motion without having to separately release the latch on the left side. Comfortable finger groove in the extension helps you operate the handle by feel, without taking your eyes off the target.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. $7\frac{1}{8}$ " (20.8cm) long, 3" (7.6cm) wide across grasping surface. 1.9 oz. (53g) wt.

#100-005-308EK Tac-Latch Charging Handle, 6F68A57 \$ 79.99

**BADGER ORDNANCE AR-15/M16
TACTICAL LATCH****One Hand Operation Of Charging Handle**

Oversized for quick access from all shooting positions. Allows brisk, easy operation with left hand. Makes the charging handle easier to find and operate, especially on scope-mounted flat top receivers. Great for three gun shooters; expedites reloads and immediate action drills. Legal for NRA High Power, Match Rifle shooters. Works on all AR-15/M16-type rifles including the AR-10 and SR-25. Easy, no-gunsmithing installation.

SPECS: Steel, matte blue. 1.46" (37.3mm) long, .644" (16.3mm) high contact area. Instructions included.

#093-249-020EK Tactical Latch 3K17U99 \$ 19.99

GEN II TACTICAL LATCH - Mid-sized latch for those who want a size between standard and oversized. Makes the charging handle easier to find for brisk operation with the left hand without protruding too far. Works on all AR-15/M16-type rifles including the AR-10 and SR-25. Easy, no-gunsmithing installation.

SPECS: Steel, matte blue. 1.25" (32mm) long, 1.25" wide. Instructions included.

#093-000-024EK Gen II Tactical Latch 3K15Z87 . . . \$ 19.99

**MAGPUL AR-15/M16
B.A.D. LEVER™****Lets You Release The Bolt With The Trigger Finger; Improves Readiness & Efficiency**

The Magpul Battery Assist Device (B.A.D.) is an extended bolt release that allows the shooter to keep his hand in the ready position on the pistol grip and operate the bolt catch with the trigger finger. Streamlines bolt catch manipulation to get the weapon into battery more quickly for improved operator readiness and weapon handling efficiency. Easy to install and remove—no weapon disassembly required. The B.A.D. lever clamps securely to the factory bolt release with a Torx® head screw and extends a paddle through the front of the triggerguard to the right-hand side of the weapon. Trigger finger can stay outside the triggerguard as you operate the lever, and factory bolt catch retains normal function with B.A.D. installed. Made of a high-grade aluminum alloy, hardcoat anodized to MIL-A-8625F, Type III, Class 2 spec for extra strength and wear resistance.

SPECS: Aluminum, hardcoat anodized, matte black. Torx wrench and installation instructions included. Fits mil-spec AR-15/M16 receiver with factory bolt release lever.

#100-004-755EK Magpul B.A.D. Lever 3K24Y79. . . . \$ 29.99

**BROWNELLS AR-15/M16
OVERSIZED
CHARGING HANDLE
LATCH****Easy To Grasp For Fast Release Of Handle Under Stress**

Tactical charging handle latch has an extra-large, deeply grooved finger pad for positive contact that helps you charge the weapon quickly under stress. Pad angles out 90° from the receiver so you can slap at the latch and get a secure grasp even with gloves on. Made from extra-strong 4340 chrome-moly steel hardened to Rc 38-45, with a tough manganese phosphate Parkerized finish for added surface strength and corrosion resistance. Fits mil-spec AR-15/M16 charging handle.

SPECS: 4340 chrome-moly steel, Parkerized, matte black. Finger pad is $\frac{5}{8}$ " x $\frac{5}{8}$ ". 0.4 oz. (11.3g) weight.

#080-000-758EK Oversized Charging Handle Latch, 8K14D69 \$ 17.99

**PHASE 5 TACTICAL AR-15/M16
AMBI CHARGING HANDLE LATCH****For Fast, Efficient Charging Handle Operation With Either Hand**

Heavy-duty latch enables fast, efficient, unimpeded operation of the charging handle with either hand, even when wearing gloves. Extended, off-side design with gently rounded tips won't interfere with sling or catch on other equipment. Installs in place of your rifle's existing charging handle latch using existing spring and detent. Machined from steel for exceptional strength in extreme operating environments.

SPECS: Steel, matte black. $2\frac{1}{2}$ " (6.3cm) long. Includes replacement pivot roll pin.

#100-004-897EK Ambi Latch 1C18H18 \$ 19.99

**DPMS AR-15
TACTICAL BOLT RELEASE****Easy-To-Locate Thumb Pads Give Positive Operation**

Large, serrated, thumb pads are easy to feel and activate in the dark. Extended lower pad gives your thumb positive purchase to quickly lock the bolt carrier to the rear. Easy, no-gunsmithing installation. Includes new roll pin. **SPECS:** Steel, black, parkerized finish. Clears the mag release. $1\frac{3}{4}$ " (4.4cm) long. $\frac{3}{4}$ " (19mm) wide.

#231-000-027EK AR-15 Tactical Bolt Release, 1C06X99 \$ 13.99

**WILSON COMBAT AR-15
TACTICAL
BOLT RELEASE****Versatile, 3-Position Button Accommodates Individual Shooting Styles**

Innovative, two-in-one design is the perfect choice for setting up AR-15s that double as tactical and sporting rifles. Large, tactical button installs vertically or horizontally removes quickly and easily by loosening the setscrew and sliding it off. Small, serrated pad underneath prevents snags on brush and clothing; will not interfere with your carry sling. CNC-machined from bar stock for added strength and reliability.

SPECS: Steel bar stock, parkerized finish. Removable Button - $1\frac{1}{8}$ " (28.6mm) x $\frac{3}{4}$ " (19mm). Fixed Button - $\frac{1}{2}$ " (12.7mm) long x $\frac{1}{4}$ " (6.4mm) wide.

#965-000-037EK Tactical Bolt Release 5F25V78 . . . \$ 29.99

PHASE 5 TACTICAL AR-15/M16/AR-STYLE .308 EXTENDED BOLT RELEASE

Catch & Release Bolt
With Trigger Finger For
Fast Mag Changes
& Jam Clearing

Extended release lever speeds magazine changes and enhances the shooter's ability to clear jams, double feeds, and malfunctions quickly and safely. Lets you catch and release the bolt with the trigger finger inside the trigger guard, instead of with your off hand. Push upward on the lever to lock the bolt rearward; push lightly downward to release it. Both operations can be performed without removing your hand from the pistol grip. **EBRv1** clamps to your rifle's existing bolt release. Can be installed or removed in minutes with no permanent alteration to your rifle. **EBRv2** is a one-piece, direct replacement for the factory bolt release that offers the lowest possible profile. **EBRv2/308** is the same low-profile, drop-in replacement for the factory release on all models of the DPMS LR-308 series and the Remington R-25 in .308, .243, and 7mm-08. **SPECS:** Machined steel, matte black finish. 2 1/4" (5.3cm) long. 1/2 oz. (14g) wt.

#100-004-898EK EBRv1 Bolt Release 1C23H08 . . . \$ 29.99
#100-004-899EK EBRv2 Bolt Release 1C45H52 . . . \$ 49.99
#100-005-733EK EBRv2/308 Bolt Release 1C46U90 . . \$ 49.99

ASSAULT PLANET AR-15/AR-STYLE .308 MAG LOCK BULLET-BUTTON®



Makes Your Rifle Conform With
California Requirement For
Permanently-Attached Magazine

Drop-in replacement for factory magazine release button retains the magazine in the lower receiver to conform with California Code of Regulations §978.20(a). Prevents rapid magazine removal, so your gun can meet the requirement for a permanent, non-detachable magazine. Installs in minutes. **Magazine capacity can be no more than 10 rounds. Laws and regulations can change at any time; the user is responsible for making sure his rifle stays compliant.**

SPECS: 7075 T6 aluminum, hardcoat anodized, black. Screws - carbon steel, black. Fits AR-15 and clones, SIG 556, and AR-style .308 rifles including ArmaLite® AR-10®, Bushmaster, Hess, Iron Cross, and J.D. Machine. Includes mounting hardware and instructions. #100-005-867EK Bullet-Button 4E00AVB . . . \$ 18.95

NORGON AR-15/M16 AMBI-CATCH™

Rapid Reloads With The Non-Firing Hand

Quicker, easier reloads for right- or left-hand shooters. Lets you activate the magazine release with the thumb of the non-firing hand while keeping the rifle on target. Distinctive design is the same size and configuration as factory part; won't snag on clothes or branches, and does not interfere with rifle function. Drop-in installation. **SPECS:** Steel, Parkerized. 1.45" (37mm) long, .246" (6.3mm) wide.

#635-001-015EK Ambi-Catch 5C79X99 . . . \$ 89.99

POWER CUSTOM AR-15/M16 EXTENDED OVERSIZED MAGAZINE RELEASE

Large Diameter & Extended Length
Ensure Fast, Easy Reloads



Machined, steel magazine release extends more than half an

POWER CUSTOM AR-15 OVERSIZE, AMBI MAG RELEASE

Easy, One-Finger Operation

Push the giant, oversize button's checkered face with the right-hand trigger finger or the extra large, paddle shaped, off-side thumb lever with the left hand. No permanent alterations to lower receiver. **SPECS:** Steel, blue, matte finish. **Right Side Button** - .625" (15.8mm) diameter. **Left Side Lever** - .750" (19mm) x .625". #713-215-002EK Ambi Mag Release 3A81X25 . . . \$ 96.99

BROWNELLS AR-15/M16 OVERSIZE MAGAZINE RELEASE

"Can't Miss" Release Button Aids
In Ultra-Fast Magazine Changes



Extended, drop-in replacement for factory part offers a wide, flat finger pad for fast, "can't miss" magazine changes. Perfect for competition, tactical operations, and self-defense—a high-stress situation where the speed of a magazine change makes the difference between success and failure. Nearly three times the surface area of the factory button with crisp, 24 lpi checkering for positive, nonslip finger contact, so you release the mag on the very first try. Stands .225" higher to give you extra leverage that ensures the mag catch disengages completely. Precision machined from 4140 steel and heat treated for added hardness and wear resistance, with a tough, black oxide finish. May require minor fitting. **SPECS:** Steel, oxide finish, matte black. Fits any AR-15/M16/CAR-15/M4 with a USGI-spec magazine release.

#080-000-529EK Oversize Mag Release 8K15T89 . . \$ 19.99

ARREDONDO AR-15/M16 OVERSIZE MAGAZINE RELEASE BUTTON

Change Mags Quickly
Without Fumbling To Find The Release



Oversized magazine release button allows fast mag changes in competition or combat, in daylight or total darkness. Serrated surface and slightly angled configuration draws your finger immediately to the button and enables positive, no-slip release in all weather conditions. Two-piece design replaces the factory mag release button with no gunsmithing required. **SPECS:** Molded polymer, black. 5/8" (1.6 cm) long x 5/8" wide.

#069-000-027EK Oversize Magazine Release Button, 9F22H60 . . . \$ 27.99

VALKYRIE TACTICAL AR-15/M16 SKULL MAGAZINE RELEASE BUTTON

3-D Skull Shape With Unique, No-Slip Feel



Aluminum, 3-D skull magazine release button with vertical, milled grooves gives positive contact. No gunsmithing needed, replaces stock release button. **SPECS:** 6061 aluminum, anodized, black. Fits any gun that uses the release button of the AR-15/M16/M4 rifle series.

#100-006-845EK Skull Mag Release Button, 7B13Z79 . . . \$ 15.99

inch and has a checkered oversized button for quick reloads. Installs just like the factory part. Includes replacement spring. **SPECS:** Steel, black oxide finish. 3/32" (14mm) long, 5/8" (16mm) diameter. Spring - 1 3/8" (3.5cm) long.

#713-215-003EK Ext. O'sized Mag Release 3A16X15. \$ 19.99

TACTICAL SUPPLY DEPOT AR-15/M16 OVERSIZED MAGAZINE RELEASE

Large Pad For Fast,
Easy Operation;
Gives Rifle A Unique Look



Extended length, machined aluminum button has an oversized contact pad for fast, easy operation under stress. Comes laser etched with a distinctive logo that reflects your personality and dresses up your rifle. Drop-in replacement for the original release; uses the factory magazine release spring. Logos will not fade or wear off. Available with patriotic **American Flag**, aggressive death's-head **Punisher** logo, international **Biohazard** symbol, or **"Infidel"** logo. **SPECS:** Machined 6061 T6 aluminum, hardcoat anodized, matte black. Approximately 5/8" (1.6cm) long, with 5/8" diameter pad. Fits AR-15/M16 with mil-spec magazine release.

#100-005-831EK Mag Release, U.S. Flag 4C14U55 . . \$ 19.99
#100-005-832EK Mag Release, Punisher 4C14U55 . . \$ 19.99
#100-006-313EK Mag Release, Biohazard, 4C14A55 . . \$ 19.99
#100-006-314EK Mag Release, Infidel, 4C14A55 . . . \$ 19.99

BATTLE ARMS DEVELOPMENT AR-15/M16 AMBIDEXTROUS SAFETY SELECTOR



Oversized, Deeply Grooved Levers
For Positive Operation
With Either Hand

Machined, heat-treated steel safety selector puts oversized levers on both sides of the receiver for easy ambidextrous operation. Large surface area lets you operate the safety while wearing gloves, and eliminates fumbling in the dark. Pads are deeply grooved for an ultra-secure grip under stress or when hand is wet. Can be customized by positioning the larger pad on either side of the receiver, or by applying high-visibility paint. Mounting hardware included. **SPECS:** 12L14 steel, Parkerized, black. Includes Torx® screws and L-key wrench.

#100-005-841EK Ambidextrous Safety Selector, 6D48U28 . . . \$ 53.99

BATTLE ARMS DEVELOPMENT M16/M4 AMBIDEXTROUS FULL-AUTO SAFETY SELECTOR

Oversized, Deeply Grooved Levers For
Positive Operation With Either Hand



Full-auto safety selector is machined from heat-treated steel with oversized levers on both receiver sides for easy ambidextrous operation. Large surface area lets you operate the safety while wearing gloves, and eliminates fumbling. Deeply grooved pads provide an ultra-secure grip under stress or when hand is wet. Larger pad can be positioned on either side of the receiver for ambidextrous operation. Mounting hardware included. **All NFA rules apply.**

SPECS: 12L14 steel, Parkerized, black. Includes Torx screws and L-key wrench. #100-006-839EK Full-Auto Ambi Selector, 6D82Z76 . . . \$ 99.99

AR15BUILDER.COM

DPMS AR-15 OVERSIZED SELECTOR SWITCH

Large, Can't Miss, Thumb Pad
Gives Fast, Sure Operation



Long, wide thumb pad provides fast, sure safety operation when wearing gloves, or when speed is important. Upturned lip ensures positive thumb engagement for full selector travel. Drop-in installation. **SPECS:** Steel, gray, parkerized finish. Heat treated. Fits AR-15 only. Thumb pad - 1.2" (3.5cm) long, .525" (13.3mm) wide.

#231-000-036EK Oversized Selector 3B14H95 . . . \$ 29.99

DPMS AR-15 AMBI SAFETY/SELECTOR

Easier Engagement
For Left-Handed Shooters



Puts the same, easy-to-operate safety lever on both sides of the receiver for fast, easy operation by left-handed shooters or when shooting with the weak hand. Swings through the same arc as the standard safety; will not interfere with grip position or thumb placement. **LR-08B** - Ambi safety lever for semi-auto AR-15s. **LR-08C** - Ambi selector/safety lever for full-auto AR-15/M16s only.

SPECS: Steel, black finish. **LR-08B** - .650" (16.5mm) long, .234" (6mm) wide contact area. Fits semi-auto rifles only. **LR-08C** - .675" (17.7mm) long, .234" wide contact area. Fits full-auto rifles only.

#231-015-012EK LR-08B AR-15 Ambi Safety, 3B28A15 . . . \$ 35.19
#231-000-231EK LR-08C Full-Auto AR-15 Ambi Selector, 1C24Y32 . . . \$ 29.99

JP ENTERPRISES AR-15 JPFC-SA ADJUSTABLE/REVERSIBLE/ AMBI SAFETY SELECTOR

Eliminates "Fitting" The Safety;
Works With Factory & Aftermarket
Triggers



Easy-to-install, reversible safety selector ensures ultra-reliable engagement and eliminates the time-consuming job of "fitting the safety" to a factory or aftermarket trigger—the perfect upgrade to accompany a JP Adjustable Trigger. Eliminates the risk of damaging the trigger during fitting and shortens installation time by as much as one-third. An adjustment screw on the selector drum lets you quickly and easily set the correct trigger/safety relationship to completely block trigger movement when the selector is set to "safe." A second screw inside the drum ensures the adjustment screw stays locked in place. Deeply grooved control pad gives positive thumb engagement even when wearing gloves, and can be installed in the standard position on the left-side of the receiver or on the right side for fast, natural operation by left-handed shooters. Includes a low-profile ambi lever for the other side that adds minimal bulk while giving you the flexibility to operate the safety with the off hand in an emergency or if the strong hand is injured. **SPECS:** Steel with aluminum control pads, matte black finish. Installation instructions included.

#452-000-043EK JPFC-SA Selector 2E63A46 . . . \$ 69.95

ROCK RIVER ARMS AR-15 STAR SAFETY SELECTOR

Round Profile Rolls Under Your Thumb



Round thumb pad gives fast, positive operation; ideal when wearing gloves. **SPECS:** 4140 steel, black, matte finish. For AR-15 only. #739-000-007EK Star Safety Selector 9C00HDZ . . . \$ 9.00

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 27

AR-15/M16

BOLT & MAG RELEASES

SAFETY SELECTORS

DPMS AR-15/M16 ACCESSORIES

COLT PUSH PIN - Steel pin with ball detent speeds takedown. Replaces the two-piece, threaded pin on Colt AR-15s with Hartford "Horse" logo on the lower receiver.

SPECS: Steel, matte black. 1.4" (3.5cm) long. **Old** - .315" nominal (8mm) diameter. **New** - .250" (6.3mm) diameter.

#231-015-011EK Old Colt Push Pin, 3B08A26 \$ 10.99
#231-015-013EK New Colt Push Pin 3B06A77 8.46

RECEIVER ADAPTER - Use this off-set bushing and pivot-pin screw to adapt pre-ban and current after-market, upper receivers that accept the .250" dia. pivot pin to Colt Sporter lower receivers that take the larger (.315" dia.) pivot pin. Installation requires no alterations to either unit. **Measure your pivot pin before ordering.**

SPECS: Steel, blued.

#231-015-016EK AR-15 Receiver Adapter 1C05A17 ... \$ 7.99

PIVOT-PIN ADAPTER BUSHING - Eccentric, steel bushing fits tightly inside .315" upper-receiver, pivot-pin holes reducing the internal diameter to correspond with .250" lowers. Matches the military finish of your gun. **Measure your pivot pin before ordering.**

SPECS: Steel, parkerized, .380" (9.6mm) OAL.

#231-000-181EK Pivot-Pin Adapter Bushing, 1C02H50 \$ 3.19

DREAMPLASTICS AR-15/M16 QUICK-TAKEDOWN RECEIVER PIN SET

Easy-To-Remove Pins For Fast & Easy Receiver Separation

Takedown pin has an easy-to-grasp, oversized head, with a removable, key ring style ring that lets you pull the pin quickly to open up your receiver for cleaning or inspection. No scrambling to find a punch or trying to use a .223 round. Both pins have slightly under-sized shafts to ensure universal fit in any receiver, even one with slightly out of spec, narrow holes.

SPECS: Steel, black oxide finish. Fits receivers with nominal .250" diameter takedown and pivot pin holes.

#100-005-419EK Quick-Takedown Pin Set 1D16U75 \$ 19.99

J.P. ENTERPRISES AR-15 ANTI-WALK PINS

Eliminate Hammer & Trigger Wobble

Oversize pins hold hammer and trigger in precise alignment without free play to help ensure consistent trigger letoff. Moly impregnated to reduce friction. Sizes for large or small pin receivers. Hex-head screws locate pins to frame, eliminate the hammer J spring. Installation may require reaming hammer for proper fit.

SPECS: Tool steel, moly coated. **Small** - .156" (3.9mm), **Large** - .172" (4.3mm) diameter. 1" (2.5cm) long. Pack of two pins.

#452-015-028EK Small Anti-Walk Pins 2E08V00 \$ 9.95

#452-015-029EK Large Anti-Walk Pins 2E10V00 12.99

BROWNELLS E-CLIPS FOR OLD MODEL ANTI-WALK PIN - Replacement steel E-Clips for old model J.P. Enterprises Anti-Walk Pins. Clips keep pin in frame. Sold in paks of four.

SPECS: Steel, black. Sold in paks of 4. Fit old model J.P. Anti-Walk Pins only.

#080-000-320EK E-Clip For Anti-Walk Pin, (4), 8K00H90 \$ 2.99

J.P. ENTERPRISES AR-15/AR-10/SR-25 REARTENSIONING PIN

Removes Upper/Lower Stop For Increased Accuracy

Takes out the play between upper and lower AR-15 receivers; provides a rock-solid lockup for more consistent accuracy and improved trigger pull. Thread-adjustable, all stainless steel pin installs quickly, replaces the push pin and will not alter or enlarge existing hole dimensions.

SPECS: Stainless steel. **AR-15** - .250" (6.3mm) nominal diameter. Fits receivers with .250" diameter receiver takedown pin holes. **AR-10/SR-25** - Pin diameter .274" to .276" on pin ends.

#452-015-105EK AR-15 Rear Tensioning Pin, 2E28V00 \$ 34.95

#452-015-106EK AR-10/SR-25 Rear Tensioning Pin, 2E32V00 39.95

KNS PRECISION AR-15/M16 PUSH-BUTTON RECEIVER PINS

Quick-Release For Fast Takedown Without Tools; Pivot Pin Available With Swivel Stud

Steel, push-button pins give a positive lock that quickly release with finger pressure for easy access to the inside of your AR-15's upper and lower receivers. Three, spring-loaded detent balls hold pins in place and prevent wear or binding in the pivot hole or receiver hole when removed.

Pivot Pin replaces the factory front pivot pin and is available for receivers drilled for .315" or .250" pivot pins. **Swivel Stud Pivot Pin** has a convenient sling swivel stud on one side for easy sling mounting close to your weapon's point of balance on the left side of the receiver. Detent balls lock into the base of the stud, yet leave it free to rotate a full 360°. **Takedown Pin** replaces the rear, factory takedown pin to eliminate the need for a punch or other tools to disengage the pin.

SPECS: Steel, black oxide finish. **Pivot Pin** - Available for receivers with .250" or .315" diameter pivot pin. **Swivel Stud Pivot Pin** fits receiver with .250" diameter pivot pin. **Takedown Pin** - Fits receivers with .250" diameter takedown pin.

#923-000-039EK .315" P-B Pivot Pin 3B13P70 \$ 16.99

#923-000-042EK .250" P-B Pivot Pin 3B13P33 16.67

#923-000-045EK .250" P-B Swivel Stud Pivot Pin, 3B16P89 20.99

#923-000-044EK .250" P-B Takedown Pin 3B14P29 ... 16.99



YANKEE HILL MACHINE AR-15/M16 EZ PULL PIVOT & TAKEDOWN PIN SET

Easy, Fast Separation Of Upper & Lower Receiver Halves

Pivot and takedown pins with easy-to-grasp, oversized heads make separating upper and lower receiver halves fast and easy. Simply grasp the large, button-style head and disengage the pin—no fumbling for a punch and scratching the receiver. Pin shafts are designed to lock as securely as factory pins. Perfect for the shooter who mounts different top ends for different applications on a single lower receiver. Precision machined, heat-hardened steel with long-wearing mil-spec Parkerized finish.

SPECS: Steel, matte black finish. Set of 1 front pivot pin, 1 rear takedown pin. Fits receivers with .250" (6.3mm) diameter pivot and takedown pins.

#100-003-690EK EZ Pull Pin Set 9A14V99 \$ 19.99

TACTICAL SUPPLY DEPOT AR-15/M16/AR-STYLE .308 EXTENDED PIVOT/TAKEDOWN PINS



For Fast Takedown Without A Punch; Gives Gun A Distinctive Look

Precision-machined aluminum pivot and takedown pins have easy-to-grasp, oversized heads to aid in fast pin removal for separation of receiver halves. Eliminates the need for a pin punch that can slip and scratch the receiver or get lost. Plus, the distinctive **American Flag, Punisher, Biohazard or Infidel** logo gives your rifle a personalized, one-of-a-kind look. .308 set also available in plain black, without logo. Pins lock into place as securely as factory pins.

SPECS: 6061T6 aluminum, hardcoat anodized, matte black. Sold as a set with the same logo on both pins. **AR-15/M16** pins fit mil-spec receivers with .250" (6.3mm) diameter pivot/takedown pin holes.

AR-Style .308 pins fit DPMS LR-308 and Remington SR-25 rifles.

#100-005-829EK AR-15/M16 P/T Pin Set, American Flag, 4C17U60 \$ 23.99

#100-005-830EK AR-15/M16 P/T Pin Set, Punisher, 4C17U60 23.99

#100-006-311EK AR-15/M16 P/T Pin Set, Biohazard, 4C17A60 23.99

#100-006-312EK AR-15/M16 P/T Pin Set, Infidel, 4C17A60 23.99

#100-006-560EK AR-Style .308 P/T Pin Set, American Flag, 4C20Y80 26.99

#100-006-557EK AR-Style .308 P/T Pin Set, Punisher, 4C20Y80 26.99

#100-006-558EK AR-Style .308 P/T Pin Set, Biohazard, 4C20Y80 26.99

#100-006-559EK AR-Style .308 P/T Pin Set, Infidel, 4C20Y80 26.99

#100-006-556EK AR-Style .308 P/T Pin Set, No Logo, 4C15Y00 19.99

BROWNELLS AR-15 EXTRACTOR BUFFER

Stronger Base For Eliminating Extractor Bounce

Tough, dense rubber insert replaces factory buffer inside the extractor spring to prevent "extractor bounce" that can occur in rapid-fire conditions. Insert keeps the extractor from losing contact with casings and reducing faulty ejection of the spent casing. Sold in 10-paks.

SPECS: Rubber, black. .15" (3.8mm) long, .11" (2.8mm) dia. 10-paks.

#078-000-071EK Extractor Buffers, 10-pak 2D10X71 \$ 13.99

BROWNELLS AR-15/M16 ACCU-WEDGE

Drop-In Accuracy Fix; Stops Unwanted Movement Between Receiver Halves

One of the fastest, easiest, cheapest accuracy-improvements you'll ever find for your AR! Tough, high-density synthetic rubber wedge drops into the space behind the takedown pin in the lower receiver to provide tension between the receiver halves and prevent movement for improved accuracy. Takes the "loose gun" factor out of the equation, so you shoot tight, consistent groups. Can be trimmed to accommodate any variation in upper-to-lower receiver fit.

SPECS: Synthetic rubber. ¾" (1.9cm) high, ½" (1.3cm) diameter.

#080-000-663EK Brownells ACCU-Wedge 8K03H94 . \$ 4.99

Z-MWEAPONS AR-15/M16 ACCU-WEDGE

Instantly Tightens Loose Upper & Lower Receivers

Helps promote better accuracy by making the upper and lower receiver fit tighter. Open upper receiver; drop this long-wearing, rubber wedge into the rear of the lower, behind the push pin. Absolutely no modifications required.

SPECS: High-density, thermo-plastic rubber, ½" (12.5mm) long. **#993-150-100EK ACCU-Wedge 3Z04U33** \$ 4.99
 - 3 or More - ACCU-Wedge, per each 3Z03U50 4.95

POWER CUSTOM AR-15/M16 RECEIVER SHIMS

Eliminates Unwanted Play Between Upper & Lower Receiver

Tempered stainless steel shims help eliminate play between receiver halves for a tighter fit to help restore accuracy and reduce noise in older rifles. Install as many shims as needed on the pivot pin to reduce side-to-side movement. Sold in 10-Paks.

SPECS: Stainless steel, heat-hardened. 10 shims per set.

#713-000-108EK Upper/Lower Receiver Shims, 3A14U49 \$ 17.99

MGI MILITARY AR-15/M16 D-FENDER D-RING

Drop-On Installation Gives A Lifetime Of Improved Extraction

Firm, rubber, D-shaped ring surrounds the extractor spring to multiply extractor spring tension by 400%. Easy installation prevents virtually all extraction problems associated with AR-15 and M16 firearms.

SPECS: Rubber, black. .068" (1.7mm) thick.

#741-015-003EK D-Fender D-Ring 1D11H94 \$ 15.99

JOJO'S GUNWORKS AR-15/M16 BOLT UPGRADE KIT

For Smoother Bolt Operation & Improved Extraction

High-quality, drop-in replacement parts upgrade critical bolt components to improve extraction and ejection for more reliable bolt operation. High-lubricity nickel-Teflon finish reduces wear, repels fouling, and enhances smoothness of operation, plus it resists corrosion and cleans easily. All parts, including the precision machined extractor, are manufactured to original Colt specifications to fit mil-spec bolts. Kit includes replacement extractor, extractor pin, extractor spring assembly, ejector, ejector spring, and ejector pin.

SPECS: Stainless steel, nickel-Teflon finish.

#100-003-219EK Bolt Upgrade Kit 1B24V32 \$ 29.99

TANK'S RIFLE SHOP AR-15/M16 EXTRACTOR "DONUT"

Drop-In Part Helps Ensure Positive, Reliable Extraction

Tiny, high-stress synthetic rubber ring slips around the extractor spring to increase extractor tension for more reliable extraction. Eliminates spring "chatter" to prevent malfunctions caused by the extractor slipping off the cartridge rim. Helps ensure positive, consistent extraction during rapid-fire sequences.

SPECS: Synthetic rubber. Sold in a pak of 5.

#901-000-002EK Extractor Donuts, 5-pak 1K03Z15 . \$ 3.99

BUFFERTECHNOLOGIES AR-15/M16 EXTRACTOR UPGRADE KIT

Increased Extraction Force
For More Reliable Function,
Fewer Jams

Drop-in replacement kit for factory extractor spring assembly helps ensure more positive, dependable extraction to improve the reliability of your rifle. Stiffer springs, plus an extra rubber doughnut that slips over the coil spring, increase extraction force to four times the factory rating. Helps reduce jams caused by weak spring pressure that allows the extractor to slip off the rim and leave a spent shell in the chamber. Especially effective in short-barreled carbines like Colt M4 Commando, DPMS Panther Kitty Kat, and HK416. A simple, inexpensive solution for many extraction problems.

SPECS: Spring steel and synthetic rubber. Fits AR-15/M16/M4, AR-18/AR-180, Bushmaster M-17 Bullpup, Daewoo 5.56 & 7.62 x 39, DPMS Kitty Kat, HK416, and Steyr Aug.

#071-000-043EK AR-15 Extractor Upgrade Kit, 1G09T06 \$ 12.99



BROWNELLS CAR-15 RECEIVER END PLATE

Maintains Proper Alignment
Of Stock & Buffer Tube

M4-style receiver plate includes the engagement tab required to align the buttstock and buffer tube with the lower receiver on carbine models. Precision, fineblanking process ensures precise edges and superior flatness for correct fit and solid installation.

SPECS: Steel, black oxide finish.

#080-000-290EK CAR-15 Receiver End Plate, 8K04H07 \$ 4.99

DPMS AR-STYLE .308 LOWER RECEIVER PARTS KIT



Full Set Of Internal Parts Needed
To Complete A Stripped Lower Receiver

All the internal parts you need to turn a stripped LR-308 (or equivalent) lower receiver into a fully functional bottom half, ready for assembly to the upper receiver and buttstock. Or, use to rebuild the worn internals of an old rifle and restore it to like-new function and reliability. Eliminates the hassle of scrounging up the parts one by one, plus single-manufacturer source means the kit parts are designed to work together and will require minimal fitting. Kit includes the complete fire-control system with trigger, trigger spring, disconnect, .153" diameter hammer/trigger retaining pins, hammer spring, bolt stop, bolt stop screw, selector, selector detent, bolt catch, magazine catch, magazine release button, front pivot pin, rear takedown pin, buffer retainer, and all necessary pins, springs, detents, and screws. Also included is a polymer A2-style pistol grip and an extra-weight hammer for positive ignition of .308 ammo.

SPECS: Steel, matte black finish. Fits DPMS LR-308 series lower receivers and compatible .308/7.62mm lowers, including Remington and Patriot Ordnance Factory.

#231-000-250EK .308 Lower Parts Kit 1C59H93 \$ 85.99



AR-15/M16 UPPER RECEIVER PARTS KITS



The Small Parts You Need To Assemble A Complete Upper

Handy kits gather up all the small parts needed to complete a functional upper receiver. Eliminates the hassle of tracking down every component separately, including hard-to-find pins and springs, so you can start a custom build knowing you won't be held up waiting for that one part you forgot to order. Select the stripped upper, barrel, gas block, flash hider, bolt/carrier, and handguard you want, then purchase the completion kit to fit the handguard style and gas system length. Each kit contains original factory parts, so you can install parts made by the manufacturer of your receiver. AR components from one manufacturer will fit another manufacturer's receiver, but fitting may be required. Use **Standard (STD)** kits with GI-style snap-on handguards. Includes gas tube, delta ring, handguard retainer ring, barrel slip ring spring, forward assist assembly, ejection port cover assembly, flash hider crush washer, peel washer, and all required pins, springs, and clips. Use **Free Float (FF)** kits with free-float forends that attach to the barrel nut and do not require delta ring handguard attachment system. Includes gas tube, forward assist assembly, ejection port cover assembly, flash hider crush washer, and peel washer, plus pins, springs, and clips.

SPECS: Carbine – 9¼" (24.8cm) gas tube length. **Mid-Length** – 11¼" (29.9cm) gas tube length. **Rifle** – 15½" (38.4cm) gas tube length.

COLT – Factory parts just like those used to produce U.S. military issue M16 rifles and M4 carbines. Kits available to fit carbine, mid-length, and rifle gas systems with Standard or Free Float handguards.

#080-000-610EK Upper Rec'r Parts Kit, STD Carbine, 8K135X10 \$ 166.99

#080-000-609EK Upper Rec'r Parts Kit, STD Mid-Length, 8K104X36 136.99

#080-000-608EK Upper Rec'r Parts Kit, STD Rifle, 8K135X12 167.99

#080-000-597EK Upper Rec'r Parts Kit, FF Carbine, 8K109X44 137.99

#080-000-596EK Upper Rec'r Parts Kit, FF Mid-Length, 8K78X91 102.99

#080-000-599EK Upper Rec'r Parts Kit, FF Rifle, 8K109X00 141.99

DPMS – Factory parts used in the popular Panther™ rifle series available for carbine, mid-length, and rifle gas systems with Standard or Free Float handguards.

#080-000-607EK Upper Rec'r Parts Kit, STD Carbine, 8K47X46 \$ 63.99

#080-000-605EK Upper Rec'r Parts Kit, STD Mid-Length, 8K46X13 58.99

#080-000-604EK Upper Rec'r Parts Kit, STD Rifle, 8K45X29 66.99

#080-000-616EK Upper Rec'r Parts Kit, FF Carbine, 8K38X37 55.99

#080-000-594EK Upper Rec'r Parts Kit, FF Mid-Length, 8K36X50 45.99

#080-000-593EK Upper Rec'r Parts Kit, FF Rifle-Length, 8K36X85 51.99

HIGH STANDARD – Parts manufactured to U.S. military specs and used in HSA-15 rifles and carbines.

#080-000-603EK Upper Rec'r Parts Kit, STD Carbine, 8K62X43 \$ 78.99

#080-000-602EK Upper Rec'r Parts Kit, STD Mid-Length, 8K62X43 \$ 78.99

#080-000-601EK Upper Rec'r Parts Kit, STD Rifle, 8K62X43 78.99



BUSHMASTER AR-15 LOWER RECEIVER PARTS KIT



All The Internal Parts Needed To Complete
A Smooth-Functioning, Reliable Lower

Complete kit of all the internal parts, plus the pistol grip, allows you to build or refurbish on the small-pin lower of your choice. Unified set of components designed to work together helps ensure proper fit and smooth operation. Engagement surfaces on trigger and hammer are precision ground to give you a crisp letoff without sacrificing reliability. Pistol grip is injection molded from high-impact polymer and offers the streamlined contours of a standard A2-style grip, with a ledge for the second finger, molded in checkering, and deep grooves on the backstrap for improved control under recoil. Separate triggerguard molded from the same high-density polymer is included.

SPECS: Steel, blued finish on metal parts; injection-molded polymer, black grip. Includes trigger, hammer, disconnect, safety selector lever, bolt catch, magazine catch, magazine button, pistol grip, front and rear pivot pins, and all necessary pins, detents, and springs.

#100-003-639EK Lower Receiver Parts Kit, 9B00VBX \$ 69.99

BLACKHEART INTERNATIONAL AR-15/M16 TITANIUM FIRING PIN



Ultra-Fast Lock Time; Self-Lubricating, Anti-Wear Coating

Precision-machined Titanium firing pin is nearly 40% lighter than a standard steel pin for faster lock time. Minimizes risk of accuracy being compromised by weapon movement before the pin hits the primer. Ultra-hard, high-lubricity Titanium Nitride (TiN) coating resists mechanical friction for smoother, faster travel and less fouling build-up. Corrosion- and high-temperature resistant to eliminate galling, fretting, and seizing.

SPECS: Titanium, hardcoated with Titanium Nitride, gold finish. Replaces standard mil-spec AR-15/M16/M4 firing pin.

#100-005-696EK Titanium Firing Pin 2B38P77 \$ 44.99

DPMS AR-15 FIRING PIN & RETAINER

OEM Quality
For Long Life



FIRING PIN – Quality-made, original-style, chrome pin. Perfect for replacement of worn or damaged pins; great for building new rifles. Small collar fits all carriers.

SPECS: Steel, chrome. Fits AR-15 and M16.

#231-000-005EK AR-15 Firing Pin 3B06X09 \$ 9.99

EARLY-STYLE FIRING PIN RETAINER – Has the strength and appearance of the original machined, solid steel pin used on the first AR-15's. Heat treated for additional strength and greater resistance to bending.

SPECS: Steel, silver, hard chrome finish. Fits AR-15 and M16.

#231-000-029EK Early-Style Firing Pin Retainer, 3B04X67 \$ 6.99

#080-000-592EK Upper Rec'r Parts Kit, FF Carbine, 8K044C96 57.99

#080-000-595EK Upper Rec'r Parts Kit, FF Mid-Length, 8K044C65 51.99

#080-000-591EK Upper Rec'r Parts Kit, FF Rifle, 8K43C10 53.99

BROWNELLS

AR-15/M16/AR-STYLE .308 BOLT/CARRIER PINS

Precision-Machined,
High-Quality Replacement Pins



Precision machined replacement pins let you repair or complete a new-build AR bolt and bolt carrier. **Firing Pin Retaining Pin** is made from chrome-plated steel and based on the original "push-pin" design by Eugene Stoner. Steel **Cam Pin** for AR-Style .308 has a dry-lube finish to reduce friction and wear.

SPECS: **Firing Pin Retaining Pin** – 1045 steel, chrome-plated.

Cam Pin – 4340 steel, heat treated to Rc 45-48, Parkerized, dry-lube coated.

#080-000-749EK AR-15 Firing Pin Retaining Pin, 8K07D12 12.99

#080-000-754EK AR-Style .308 Cam Pin 8K03D33 3.99

DPMS AR-15 ULTIMATE REPAIR KIT

Replace Worn Parts,
Restore Lost Performance



Thirty six of the most often needed parts to replace those broken, lost or just worn out. Restore performance and function, keeps rifle operational.

SPECS: Kit contains: (1) firing pin, (1) extractor, (1) disconnect, (1) disconnect spring, (3) firing pin

retainer pins, (1) extractor pin, (1) ejector, (1) ejector roll pin, (3) bolt gas rings, (1) rear takedown pin .250", (1) front pivot pin .250", (2) trigger pins, (1) takedown detent, (2) selector detents, (1) gas tube roll pin, (1) triggerguard pin, (1) bolt catch roll pin, (1) forward assist pin, (1) rear base spring pin, (1) extractor spring, (1) front sight spring, (1) forward assist spring, (1) magazine catch spring, (1) buffer retainer spring, (2) detent springs, (1) selector spring, (1) hammer spring, (1) bolt catch spring, (1) ejector spring.

#231-000-026EK AR-15 Ultimate Repair Kit, 1C44X96 \$ 59.99

DPMS AR-15 SPRING, PIN & REPAIR KITS

Genuine Mil-Spec Parts
On Convenient Blister Pak Cards



Absolutely the easiest way to keep genuine Mil-spec AR-15 replacement parts in your shop and available for your customers. A complete selection of springs, pins and parts, ready to hang on a wall or display rack for easy sales.

SPECS: Steel and spring steel. Matte finish.

AR-15 PIN KIT – Contains one each of the following pins: pivot pin, takedown pin (not mil-spec), hammer/trigger pin, bolt catch pin, forward assist pin, triggerguard pin, gas tube roll pin, extractor pin, ejector pin, firing pin retaining pin, A2 sight roll pins (3), takedown/selector detents (2).

#231-015-001EK AR-15 Pin Kit 1C12A50 \$ 19.99

AR-15 SPRING KIT – Contains one each of the following springs: trigger spring, hammer spring, ejector spring, extractor spring, bolt catch spring, disconnect spring, selector spring, takedown spring (2), mag catch spring, front sight spring, ejection cover spring, forward assist spring.

#231-015-002EK AR-15 Spring Kit, 1C09A22 \$ 14.99

AR-15 REPAIR KIT – Contains one each: hammer spring, trigger spring, extractor, extractor return spring, firing pin, ejector pin, ejector, firing pin retaining pin, disconnect spring.

#231-015-003EK AR-15 Repair Kit, 1C23A85 \$ 29.99

BROWNELLS AR-15 FIELD PARTS KIT

Essential Parts For Emergency Repairs

Don't let a broken part spoil your hunt or ruin an important match.

Convenient, pre-packaged kit contains selected DPMS and Yellow Tavern Custom Shoppe parts most often required for emergency field repairs. Contains: (1) pivot pin, (1) pivot pin spring, (3) bolt gas rings, (2) bolt catch pins, (1) bolt catch spring, (1) buffer retainer pin, (1) buffer retainer spring, (1) buffer spring (CAR), (1) buffer spring (STD), (1) carrier key screw, (2) disconnect springs, (1) ejector, (2) ejector pins, (1) ejector spring, (1) ejection port cover spring, (1) extractor, (1) extractor spring, (1) extractor pin, (1) firing pin, (3) firing pin retaining pins, (1) flash suppressor lock washer, (2) forward assist pins, (1) forward assist spring, (1) front sling swivel rivet (black), (1) front sight detent spring, (2) gas tube roll pins, (1) hammer/trigger pin, (2) hammer springs, (1) handguard retainer ring, (1) mag catch spring, (1) pistol grip star washer, (1) pistol grip screw, (2) trigger springs, (1) takedown pin (not mil-spec), (1) takedown pin spring, (2) takedown/selector detents, (2) triggerguard pins, (1) A-1 sight drum pin, (1) A-1 sight drum spring and (4) A2 windage knob pins.

SPECS: Parkerized finish. Take down pins - .250" diameter.
#078-060-015EK AR-15 Field Repair Kit 8G52T55... \$ 70.99

DPMS AR-15 PARTS KITS



Sub-Assembly,
Mil-Spec Parts
Packaged In
Money-Saving Kits

The easiest way to stock and sell genuine, mil-spec AR-15 parts, or stock lower in total cost than buying the parts one at a time. All kits listed contain only new, current-production, genuine, mil-spec parts; never pull-offs or direct-exchange surplus.

SPECS: Unassembled kits packaged in heat-sealed, poly bags, labeled for resale. Fits AR-15 only.

BOLT CARRIER ASSEMBLY - Kit includes: bolt carrier, bolt, extractor, extractor spring, extractor pin, ejector, ejector spring, ejector pin, (3) gas rings, firing pin, firing pin retainer, cam pin, gas key and screws.

#231-000-176EK Bolt Carrier Assembly 1C124A93... \$ 154.99

A2 UPPER RECEIVER PARTS KIT - Kit includes: charging handle assembly, A2 rear sight assembly, forward assist assembly, and ejection port cover assembly.

#231-115-002EK Upper Receiver Kit 1C51P70... \$ 68.99

LOWER RECEIVER PARTS KIT - Kit includes trigger spring, trigger pin, hammer spring, hammer pin, disconnect and spring, bolt catch, bolt catch plunger, bolt catch spring, bolt catch roll pin, selector, selector detent, selector detent spring, (2) takedown detents and springs, pivot pin, rear takedown pin, buffer retainer and spring, magazine catch, button and spring, screw and washer, triggerguard assembly and pin. Add a hammer, trigger, and pistol grip of your choice.

#231-000-258EK Lower Receiver Kit 1C29H30... \$ 35.99

COMPLETE LOWER RECEIVER PARTS KIT - Includes everything listed in the kit above, plus a mil-spec trigger, hammer, and A2 pistol grip.

#231-115-003EK Complete Lower Kit 1C55P10... \$ 59.99

BUTTSTOCK ASSEMBLY - Kit includes buttstock shell, door assembly, buttplate, hinge and pin, rear swivel, lower buttstock screw, upper buttstock screw, aluminum buttstock spacer, extension tube, buffer, and buffer spring.

#231-115-004EK Buttstock Assembly 1C71P36... \$ 95.99

NEW Items HARFORD AR-15/M16/AR-STYLE .308 ENGRAVED EJECTION PORT COVERS

Engraved Slogans
Personalize Your Rifle



Ejection port covers are engraved with colorful slogans to personalize your AR in a unique way. The engraving is on the inside of the cover, so when it's closed, your gun retains its stock appearance. These are top-quality, all-steel covers made to the correct dimensions for proper fit and function on any mil-spec upper receiver.

SPECS: 1045/1055 cold-rolled carbon steel, Parkerized, black. Comes with detent and detent spring installed; hinge pin, spring, snap ring required (sold separately). AR-15 fits standard .223/5.56mm AR-15/M16 upper receivers. Not for use on Rock River Arms 9mm or Urmex. 22 LR. AR-308 fits AR-style .308 rifles with 3.318" long x .884" high ejection port cover.

STK # AR-15	STK # AR-308	SLOGAN/IMAGE
#100-005-625EK	#100-006-247EK	"Zombie Hunter"
#100-005-626EK	#100-006-248EK	"Don't Tread On Me"/U.S. Flag
#100-005-627EK	#100-006-249EK	Greek Lettering ("Come Take Them")
#100-005-628EK	NA	"Don't Run/You'll Only Die Tired"
#100-005-629EK	#100-006-250EK	"Infidel"
#100-006-138EK	NA	"Smile, Wait For Flash"
#100-006-139EK	NA	"Si Vis Pacem, Para Bellum"
#100-006-140EK	NA	"Join Or Die"
#100-006-141EK	NA	"Infidel"/U.S. Flag
— Advise # — Engraved Ejection Port Cover, 3Z12A41... \$ 14.99		
#100-006-141EK "Infidel"/U.S. Flag Cover 3Z13V85... \$ 17.99		

COLT M16/M4 FULL-AUTO PARTS



Factory Replacement Parts
For Military & Law Enforcement
Applications

Factory original, fire control parts keep your select-fire Colt M16/M4 shooting reliably, so you'll be prepared to face intensive tactical operations with the confidence of knowing your weapon won't let you down. These parts are precision engineered and manufactured to strict quality control standards from the finest materials for correct fit in your gun.

All NFA rules apply.

SPECS: Steel, Matte black finish.

#160-000-370EK	Auto Sear Assembly, A2 6A11H87... \$ 14.99
#160-000-366EK	Cam, Burst, A2 6A14H45... 18.99
#160-000-367EK	Clutch Spring, A2 6A03H28... 4.49
#160-000-373EK	Disconnect, Full Auto, A1 6A10D48... 13.99
#160-000-375EK	Disconnect Spring 6A02D80... 4.99
#160-000-365EK	Hammer, A2, w/Detent Spring, 6A52H45... 65.56
#160-000-372EK	Hammer, Full Auto, A1 6A44H60... 55.75
#160-305-103EK	Hammer Spring 6A03D58... 4.49
#160-000-368EK	Hammer Spring, 3-Shot Burst, A2, 6A02H22... 2.79
#160-000-371EK	Key & Bolt Carrier, A2 6A228H40... 285.50
#160-000-369EK	Trigger & Disconnect Spring Assy., A2, 6A20H00... 25.99
#160-000-374EK	Trigger, Full Auto, A1 6A37D59... 46.99

J. DEWEY AR-15/M16 MIL-SPEC PARTS


Genuine Mil-Spec Individual Parts

Genuine AR-15/M16 parts made to military specifications by a government contractor. These often-replaced parts are supplied in individual bags.

SPECS: Gas tubes, stainless steel. Pins, steel. Knobs, aluminum.

STOCK #	ITEM	PRICE
#234-901-020EK	Long Gas Tube (20" bbl) 4C09H39	\$ 12.99
#234-901-016EK	Short Gas Tube (16" bbl) 4C08H65	\$ 11.99
#234-902-100EK	Take Down Pin 4C04H18	\$ 5.99
#234-902-250EK	Pivot Pin (.250" dia.) 4C03H00	\$ 5.99
#234-902-101EK	Bolt Cam Pin 4C03H00	\$ 6.99
#234-903-202EK	Windage Knob (A2 rear) 4C03H31	\$ 6.99

DPMS FULL-AUTO & BURST PARTS



Maintain & Repair
Select Fire Rifles

High-quality, M16/M4 components from DPMS keep select fire weapons shooting longer and give you the confidence you need to get the job done in all tactical situations.

All parts are precision engineered and made to rigid quality standards to ensure excellence and long-lasting strength when failure is not an option. **All NFA rules apply.**

SPECS: Steel, Black, Heat-treated, hardened, or alloy steel.

#231-000-209EK	Bolt Carrier w/Bolt Assembly, 1C117Y39... \$ 129.99
#231-000-210EK	Bolt Carrier 1C56Y16... 69.99
#231-000-211EK	Full Auto Disconnect, M16, 1C04Y53... 5.99
#231-000-212EK	Full Auto Firing Pin, M16, 1C04Y79... 4.99
#231-000-213EK	Full Auto Mil-Spec Hammer, 1C17Y84... 22.30
#231-000-214EK	Full Auto Selector, M16 1C08Y47... 10.58
#231-000-133EK	Full Auto Trigger 3B13U47... 34.99
#231-000-216EK	LR-AS1 Auto Sear, M16 3B10Y24... 12.99
#231-000-217EK	LR-AS2 Auto Sear Pin, M16, 3B01Y67... 2.09
#231-000-218EK	Tri Burst Kit 3B78Y60... 98.25
#231-000-220EK	Burst Cam 3B10Y50... 13.13
#231-000-221EK	Burst Disconnect 3B07Y08... 10.99
#231-000-222EK	Burst Disconnect 3B14Y62... 18.99
#231-000-224EK	Burst Hammer Spring 3B03Y50... 4.49
#231-000-225EK	Burst Trigger 3B18Y57... 23.99
#231-000-226EK	Burst Trigger Spring 3B03Y60... 4.99
#231-000-106EK	Burst Disconnect Spring, 2 ea., 3B01Z32... 1.65
#231-000-228EK	Burst Cam Spring 3B02Y22... 2.79

BLACK RAIN ORDNANCE AR-15/M16 ENGRAVED EJECTION PORT COVER

Personalize Your AR



Parkerized steel ejection port cover is engraved with "Let It Rain!!!" on the inside. Slogan is invisible with cover closed to retain the stock appearance. Ready to install in any mil-spec upper receiver.

SPECS: Steel, Parkerized, black. Fits mil-spec .223/5.56mm caliber AR-15/M16 upper receivers. Comes with detent and detent spring installed; hinge pin, spring, and snap ring.

#100-007-004EK "Let It Rain!!!" Ejection Port Cover, 1G17Y78... \$ 19.99

HIGH STANDARD AR-15/M16 PARTS KITS

High-Quality, Correct-Spec Parts Finished & Ready To Install

High-quality, mil-spec parts from a respected name in precision firearms for more than 75 years, now a premier maker of complete AR-15 rifles. Replace worn or damaged parts to return a service rifle to factory specs or use in building a precision custom rifle that meets your exact requirements. Complete, pre-packaged kits include all the parts you need for specific sub-assemblies. Saves time and money—no need to hunt down each item individually.

SPECS: Steel, parkerized, dark gray finish; aluminum, hardcoat anodized, matte black finish; or spring steel.

BOLT/CARRIER - Includes carrier, carrier key, bolt, extractor, extractor spring, extractor pin, ejector, ejector spring, ejector pin, firing pin, firing pin retainer, cam pin, (3) gas rings, and screws.

#430-000-527EK Bolt/Carrier Assembly 3D148U09... \$ 179.99

A2 UPPER RECEIVER KIT - Includes A2 rear sight kit, forward assist assembly, and ejection port cover, described in detail below.

#430-000-520EK Upper Receiver Kit 3D84U79... \$ 105.99

A2 REAR SIGHT - Includes sight base, windage knob, windage knob pin, windage screw, sight aperture, sight spring, elevation wheel, elevation knob, elevation spring, index screw, forward assist retainer pin, (3) detent balls, and (3) index springs.

#430-000-526EK A2 Rear Sight Kit 3D48U67... \$ 60.84

CHARGING HANDLE - Includes handle, latch, latch/pawl pin, and spring.

#430-000-522EK Charging Handle Assembly, 3D20U42... \$ 25.53

FORWARD ASSIST - Includes plunger, forward assist pawl, spring, and retainer pin.

#430-000-524EK Forward Assist Assembly, 3D13U90... \$ 17.99

EJECTION PORT COVER - Includes cover, hinge pin, spring, and snap ring.

#430-000-523EK Ejection Port Cover 3D10U80... \$ 13.99

A2 BUTTSTOCK - Includes buffer, buffer spring, and buttstock shell with buffer tube, buttplate, storage compartment door, hinge and pin, rear swivel, lower buttstock screw, upper buttstock screw, and spacer installed.

#430-000-521EK A2 Buttstock Assembly 3D77U53... \$ 95.99

FRONT SIGHT KIT - Includes sight post, sight detent, detent spring, sling swivel, swivel rivet, and gas tube roll pin.

#430-000-525EK Front Sight Kit, 3D09U60... \$ 12.00


LOWER RECEIVER KIT - Includes all the parts needed to complete a stripped, small-pin, semi-autolowreceiver in a custom build, or replace worn parts to return a service rifle to factory specs. Manufactured to precise tolerances in accordance with MIL-STD 105D to ensure correct fit in mil-spec receiver. Includes complete trigger/hammer group with precision-ground engagement surfaces for a smooth, clean trigger pull and crisp release. Aluminum triggerguard with pre-installed detent pin, and A2-style pistol grip of high-impact polymer.

SPECS: Steel, matte black finish. Grip - injection-molded polymer, black. Triggerguard - aluminum, anodized, matte black. Kit includes trigger, hammer, disconnect, safety selector lever, bolt catch, magazine catch, magazine button, pistol grip, front pivot pin, rear takedown pin, buffer retainer, .154" diameter hammer and trigger pins, plus all other necessary pins, detents, and springs.

#430-000-543EK Lower Receiver Parts Kit, 3D77A43... \$ 89.99

TTI INTERNATIONAL AR-15/M16 MIL-SPEC SMALL PARTS

Replacement Pins, Springs & Rings Keep Your AR Shooting

Genuine, Mil-spec quality small pins, springs, washers and screws for the AR-15/M-16 that wear out, break, or just get lost. Great for creating your own emergency parts kits. 

SPECS: *Spring* - steel, music wire or stainless steel wire. *Parts* sold 5 per pack.

STOCK #	ITEM	PRICE
#989-015-001EK	A-1 Sight Drum Pin	9H01V01 \$ 1.99
#989-015-003EK	A-2 Windage Knob Pin	9H01V43 \$ 1.99
#989-015-004EK	Bolt Catch Pin	9H01V60 \$ 1.99
#989-015-005EK	Bolt Catch Spring	9H01V28 \$ 1.99
#989-015-006EK	5 paks of (3) Bolt Gas Rings	9H06V02 \$ 7.99
#989-015-007EK	Buffer Retainer Spring	9H01V28 \$ 1.99
#989-015-008EK	CAR Buffer Spring	9H11V97 \$ 14.99
#989-015-009EK	STD Buffer Spring	9H11V97 \$ 14.99
#989-015-010EK	Carrier Key Screw	9H01V01 \$ 1.99
#989-015-011EK	Disconnect Spring	9H02V00 \$ 2.99
#989-015-012EK	Ejection Port Cover Spring	9H02V38 \$ 2.99
#989-015-013EK	Ejector Retainer Pin	9H01V28 \$ 1.99
#989-015-014EK	Firing Pin Retainer Pin	9H02V00 \$ 2.99
#989-015-015EK	Flash Suprsr Lock Washer	9H01V28 \$ 1.99
#989-015-016EK	Forward Assist Pin	9H01V60 \$ 1.99
#989-015-017EK	Forward Assist Spring	9H01V37 \$ 1.99
#989-015-018EK	Front Sling Swivel Rivet, Black	9H01V36 \$ 1.99
#989-015-019EK	Front Sight Detent Spring	9H01V28 \$ 1.99
#989-015-020EK	Gas Tube Pin	9H01V01 \$ 1.99
#989-015-021EK	Hammer Spring	9H04V72 \$ 5.99
#989-015-022EK	Mag Catch Spring	9H01V28 \$ 1.99
#989-015-023EK	Pivot Pin Spring	9H01V47 \$ 1.99
#989-015-024EK	Takedown Pin Spring	9H01V47 \$ 1.99
#989-015-025EK	Snap Ring	9H03V91 \$ 4.99
#989-015-026EK	Trigger Spring	9H04V72 \$ 5.99
#989-015-027EK	Triggerguard Pin	9H01V60 \$ 1.99
#989-015-028EK	Pistol Grip Star Washer	9H01V01 \$ 1.99
#989-015-029EK	Pistol Grip Screw	9H02V03 \$ 2.99

MIL-SPEC SMALL PART KIT - One each of every AR-15 part listed in the chart above. With one of these economical kits on hand you'll always have the part you need.

#989-015-000EK **Small Parts Kit** 8K15V92..... \$ 19.99

BROWNELLS/VLTOR AR-15/M16 CARBINE STOCK COMPLETION KIT

Everything Needed To Install An Adjustable Buttstock

All the parts required to mount a mil-spec M4/CAR-15 collapsible buttstock. Rugged Vltor receiver extension tube has the correct, 1.146" O.D. for stocks that fit the smaller, mil-spec tube. Five notches on underside that accept the stock's locking pin. White position numbers on top visible through the witness hole on many stocks. All-steel Vltor endplate has a single slot that accepts a 1/4" wide webbing sling. Extra-weight steel buffer minimizes bolt bounce to soften felt recoil, reduce cyclic rate in full-auto fire, and aid feeding and extraction reliability. **SPECS:** *Receiver Extension* - Aluminum, hardcoat anodized, matte black. 7 1/8" (18.4cm) long, 1.146" O.D. *Endplate/Locking Ring* - Steel, matte black. 2 1/8" (5.2cm) long, 1 3/8" (3.5cm) wide, 1/8" (3mm) thick. *Buffer* - steel body. 3 3/4" (8.3cm) long. 5.4 oz. (155g) wt. *Recoil Spring* - Chrome silicon spring steel. 10 5/8" (27.6cm) long.

#080-000-621EK **Stock Completion Kit** 8K84C49... \$ 129.99

BROWNELLS AR-15/M16 STOCK COMPLETION KITS



For Secure
Installation Of
Almost Any Rifle Or
Carbine Buttstock

Convenient kit contains all the components needed to mount the buttstock of your choice on an AR-15 rifle or carbine. Perfect for stock conversions such as altering a rifle to accept a collapsible carbine stock. All parts are manufactured from the highest quality materials and held to strict dimensional tolerances for proper fit and function. Kits available for the four standard buttstock types. **A1** rifle kit contains receiver extension tube, recoil buffer, recoil buffer spring, and buttstock cap screw. **A2** rifle kit adds to A1 kit contents the correct buttstock spacer required for A2 rifle stocks. Carbine kits contain receiver extension, carbine recoil spring, carbine recoil buffer, lock ring, and receiver plate. **Commercial** carbine kit comes with 1.17" O.D., six-position receiver extension for use with commercial or "universal" buttstocks. **Mil-Spec** kit has a 1.14" O.D., five-position receiver extension for correct fit of military M4 carbine buttstocks. M4 buttstocks and clones will not fit Commercial tubes.

SPECS: *Receiver Extension & A2 Stock Spacer* - Aluminum, anodized, matte black. *Recoil Buffer* - Aluminum and steel. *Spring, Lock Ring, Receiver Plate* - Steel. Kits fit standard, mil-spec AR-15/M16/M4 lower receiver and clones. Installation instructions included.

#080-000-553EK	A1 Rifle Stock Completion Kit, 8K30P34.....	\$ 38.99
#080-000-554EK	A2 Rifle Stock Completion Kit, 8K31P08.....	38.99
#080-000-556EK	Commercial Adj. Carbine Stock Completion Kit 8K39P96.....	50.99
#080-000-555EK	Mil-Spec Adj. Carbine Stock Completion Kit 8K54P67.....	65.99

MAGPUL AR-15/M16 ACCESSORY KIT

Improves The Performance & Comfort Of Your Rifle

Convenient kit of six popular Magpul accessories, saves you time and money in upgrading your rifle or carbine for a better shooter-to-weapon interface, improved control, and more mobility. **PMAG** polymer 30-round magazine functions flawlessly, even when left fully loaded for extended periods. Heat-treated, stainless steel spring and anti-tilt follower help stabilize the stack for consistent feeds without jamming. **AFG1 Angled Fore-Grip** positions the support hand close to the centerline of the bore for maximum recoil control to aid in fast, accurate follow-up shots. Clamps securely to any Picatinny handguard bottom rail. **MS2 Multi-Mission Sling** switches easily from single-point to two-point operation in rapidly changing tactical environments. **ASAP Ambidextrous Sling Attachment Point** enables unrestricted 180° of sling movement to help you take maximum advantage of available cover and address targets around corners or other barriers. Fits any rifle or carbine with an M4-type collapsible buttstock. **B.A.D. Lever™** (Battery Assist Device) extended bolt release let you keep your hand in the ready position on the pistol grip and operate the bolt catch with the trigger finger. Easy to install and remove—no weapon disassembly required. **Enhanced Triggerguard** replaces factory guard to give full access to the trigger, even when you're wearing gloves. Eliminates need for gap plug and works with most grips.

SPECS: *Mounting hardware included for all components.* **PMAG** - Molded polymer, black. 30-round capacity. **AFG Angled Fore-Grip** - Reinforced molded polymer, black. 5 1/2" (14cm) long, approximately 1 5/8" (4.1cm) wide. Extends approximately 1 3/4" (4.5cm) below rail. Fits Picatinny rails. **MS2 Sling** - Nylon webbing, black. *Hardware* - Bronze, molded polymer, and steel, matte black finish. *Adjusts from* 33" (84cm) to 54" (137cm) long x 1" (76cm) wide. **ASAP** - Steel, Park-



AR-15/M16 BUTTSTOCK MOUNTING KITS

All The Original
Factory Parts
Needed To Install
Rifle & Carbine
Buttstocks



Convenient kits contain all the components needed to securely mount the buttstock of your choice using original factory parts from the manufacturer of your receiver. Eliminates the hassle of tracking down every part and accidentally getting incorrect ones for your stock. Have everything you need to finish your build, so you won't be held up waiting for that one part you forgot to order. Each kit contains original factory parts; parts from one manufacturer will fit another manufacturer's receiver but may require minor fitting. Select the buttstock you want (available separately), then purchase the mounting kit for that type of stock. **A1 Rifle** kit is for mounting any fixed rifle buttstock based on the military M16A1 stock. Kit includes receiver extension tube, recoil buffer, buffer spring, and buttstock screw. **A2 Rifle** kit is for mounting any fixed rifle buttstock based on the military M16A2 stock. Kit includes receiver extension tube, recoil buffer, buffer spring, buttstock spacer, and buttstock screw. **Mil-Spec Carbine** kit is for adjustable-length carbine buttstock that requires M4-type 1.14" O.D. buffer tube. Includes receiver extension tube, carbine recoil buffer, buffer spring, receiver plate, and lock nut. **Commercial Carbine** - For adjustable-length carbine buttstock that requires a "commercial" 1.17" O.D. buffer tube; same components breakdown as Mil-Spec kit.

SPECS: *A1 & A2 Rifle* - Receiver extension: 10 1/8" (25.7cm) OAL. *Mil-Spec Carbine* - Receiver extension: 7 1/4" OAL (18.4cm), 1.14" O.D. Six locking positions for buttstock, unless otherwise indicated. *Commercial Carbine* - Receiver extension: 7 3/4" (19.7cm) OAL, 1.17" O.D. Six locking positions.

COLT - From the original manufacturer of the M16 battle rifle. A1 Rifle, A2 Rifle, and Mil-Spec Carbine kits available. Carbine kit contains the four-position, Mil-Spec receiver extension used on the Colt M4 and Law Enforcement carbines.

#080-000-628EK	Buttstock Mounting Kit, A1 Rifle, 8K84C49.....	\$ 114.99
#080-000-625EK	Buttstock Mounting Kit, A2 Rifle, 8K89C49.....	119.99
#080-000-620EK	Buttstock Mounting Kit, Mil-Spec Carbine, 8K159C49.....	199.99

DPMS - Factory parts used in the popular Panther™ rifle series. A2 Rifle, Mil-Spec and Commercial Carbine kits available.		
#080-000-627EK	Buttstock Mounting Kit, A2 Rifle, 8K40C89.....	\$ 51.99
#080-000-622EK	Buttstock Mounting Kit, Mil-Spec Carbine, 8K65C46.....	99.99
#080-000-623EK	Buttstock Mounting Kit, Comm. Carbine, 8K54C92.....	91.99

HIGH STANDARD - Original parts used in the HSA-15 series of rifles and carbines. Commercial Carbine and fixed A2 Rifle kits available.

#080-000-626EK	Buttstock Mounting Kit, A2 Rifle, 8K49C39.....	\$ 53.99
#080-000-624EK	Buttstock Mounting Kit, Comm. Carbine, 8K51C69.....	63.99

SELECTION • SERVICE • SATISFACTION

erized, matte black. Fits both mil-spec and commercial/universal M4-type receiver extensions. **B.A.D. Lever** - Aluminum, hardcoat anodized, matte black. Fits mil-spec AR-15/M16 receiver with factory bolt release lever. **Enhanced Triggerguard** - Aluminum, matte black. Includes roll pin and set screw.

#100-005-636EK **Magpul AR-15 Accessory Kit,**
3K15Y20..... \$ 169.99



BROWNELLS AR-15/M16 M4 BUTTSTOCK

Rugged, Six-Position
Adjustment For L.O.P. &
Easy Storage



Collapsible buttstock similar to the current USGI

M4 carbine stock provides convenient six-position length-of-pull adjustment to fit different-size shooters, including those wearing body armor. Ready to install on any standard AR-15 rifle or carbine lower receiver; includes buffer tube, receiver lock plate, lock nut, toe-mounted steel sling loop, carbine recoil spring and buffer. Buttstock is made from extremely tough, fiberglass-reinforced, injection-molded nylon to resist impact, heat, moisture, extreme cold, and most cleaning solvents. Steel lock nut has four square notches and pre-cut detents for staking to lock plate. Available with **Commercial** (nominal 1.17" O.D.) or **Mil-Spec** (nominal 1.14" O.D.) receiver extension tube. Stock interior diameter is matched to buffer tube O.D. for a snug fit that eliminates unwanted play and rattles.

SPECS: *Aluminum and fiberglass-reinforced, injection-molded nylon, matte black.* 8 3/4" (22.2cm) OAL collapsed; 11 3/4" (29.9cm) OAL fully extended.

#080-000-545EK	Collapsible Buttstock, Commercial, 1Z64T08.....	\$ 79.99
#080-000-941EK	Collapsible Buttstock, Mil-Spec, 8K49H23.....	59.95

CAVALRY ARMS AR-15/M16 BUTTSTOCK

Mil-Spec Quality,
Durability & Appearance



Traditional-length **Rifle Buttstocks** feature an easy-to-open storage compartment for emergency field tools, parts, or a Brownells AR-15 Buttstock Cleaning Kit. Fits both A1 and A2. **SOCOM/M4 Carbine Buttstock** collapses to save space or accommodate shooters wearing body armor. Replacement only—fits existing carbine extension tubes.

SPECS: *Injection-molded, heat-stabilized fiberglass-reinforced nylon polymer.* **Rifle Buttstock** - 9 5/8" (23.8cm) long, 5" (12.7cm) high at tallest point, 2 1/8" (5.4cm) high at shortest point, 1 5/8" (4.1cm) wide. **SOCOM/M4 Carbine Buttstock** - 6 3/4" (17.1cm) long, 5 1/2" (13cm) high. Buttstock only, does NOT include extension tube.

#100-000-939EK	Rifle Stock, Black 2K40C50.....	\$ 45.00
#100-000-940EK	Rifle Stock, Green 2K40C50.....	45.00
#100-000-962EK	Rifle Stock, Coyote 2K36C00.....	45.00
#100-000-943EK	Carbine Stock, Black 2K36C00.....	45.00
#100-000-944EK	Carbine Stock, Green 2K36C00.....	45.00
#100-000-964EK	Carbine Stock, Coyote 2K36C00.....	45.00

DOUBLE STAR CAR-15/M4 ADJUSTABLE BUTTSTOCK

Tough, Six Position Stock For All Tactical Situations

Six position, machined 7075-T6 tube and Nylon 66 buttstock with 33% more glass for strength provide a durable stock system built to meet the demands of the toughest tactical environments. Buttplate, adjustment latch, and latch nut are slightly radiused and contoured to reduce snagging on clothing or equipment. Extra material around the latch hole provides additional strength. Four flats on the buffer tube make it easier for sand and debris to fall out and not hinder stock adjustment. Furnished with buffer tube, recoil spring, receiver plate, rear sling swivel and lock-nut. Made in the USA.

SPECS: *Aluminum tube, synthetic nylon stock, black.* Length of pull: closed - 10 1/4" (26cm), extended - 13 3/8" (34.6cm).

#100-002-619EK	M4 Adjustable Buttstock, 2Z68D70.....	\$ 89.99
----------------	---	----------

DPMS AR-STYLE .308 AP4 CARBINE STOCK ASSEMBLY



Give Your .308 An Adjustable, M4-Style Carbine Stock

M4-style, six-position collapsible stock provides plenty of length-of-pull adjustment for different-sized shooters, or operators wearing body armor.

Includes commercial, 1.17" O.D. machined aluminum receiver extension with correct-weight buffer and buffer spring for proper cycling of .308/7.62mm rifles. Easy to install with a standard AR-15 buttstock tool, hammer, and punch. Toe-mounted sling swivel and integral slot allow attachment of a variety of sling types for carry, competition, or tactical use.

SPECS: Stock – Injection-molded, reinforced polymer, black. Buffer Tube – Machined aluminum, hardcoat anodized, black. 1.17" (2.9cm) O.D. 8" (20.3cm) OAL collapsed; 11¾" (29.8cm) OAL fully extended. Includes buffer, buffer spring, end plate and locking nut.

#231-000-249EK AP4 Carbine Stock Assembly, 1C61H30 \$ 99.95

DOUBLE STAR AR-15/M16 BOOMTUBE STOCK

Light & Strong For Fast Handling In Extreme Environments

Multiple sling points are but one of the many features that make these lightweight, aluminum stocks ideal for competition and tactical use. Supplied with an Uncle Mike's QD, 1.25" sling swivel and stud.

ARFX SKELETON STOCK - A

lightweight, fast handling stock for sporting, tactical and competition use. Gives three sling attachment points. Uses your existing A2 fixed stock buffer tube as the top tube to keep weight to a minimum. Closed-cell foam sleeve provides a soft, comfortable cheek weld, plus insulates your face from vibration and inclement weather. Sleeve is formulated to withstand cleaning solvents and gun oils, UV radiation, freezing temperatures, salt water and rough handling. Machined aluminum buttplate is drilled and tapped for rubber Butt Pad (included). Installation requires A2 buffer tube, buffer, and spring if replacing a collapsible M4-type buttstock.

SPECS: 6061-T6, heat-treated, aircraft grade aluminum, Type 3 mil-spec hard-anodized, matte black. 10" (25.4cm) long. 10.4 oz. (296 g) wt.

#100-000-809EK ARFX Skeleton Stock 2Z61Y31 . . . \$ 89.99

#100-002-544EK ARFX Replacement Foam Sleeve, 2Z03V00 4.00

M4 SOCOM STOCK - Tactical M4 stock, for pre-ban rifles,

features two full inches of adjustability to go from close quarters situations to fully extended in seconds. Quick-release button quickly switches the stock length to five different positions. Soft foam tube provides a soft, comfortable cheek weld. Also features four, silent, 1½" sling mounts, a rubber recoil pad, and a machined-in hammer on the butt for breaching doors and hand-to-hand combat. Precision-machined from a solid, heat-treated, aluminum billet for superb durability and strength. Quick release button can be replaced with the included machine screw to convert it into a rock-solid, adjustable-length-of-pull stock. Available to fit Carbine or Long Extension Tube Model.

SPECS: 6061-T6 heat-treated, aircraft grade aluminum, Type 3 mil-spec hard-anodized, matte black. Includes ½" thick, rubber recoil pad and screws. **Carbine** - 7½" (19cm) OAL collapsed, extends to 9½" (24cm) OAL. 10½" (27cm) L.O.P. collapsed, extends to 12½" (32cm) L.O.P. **Long Extension Tube Model** - 10" (25.4cm) OAL collapsed, extends to 12" (30.1cm) OAL. 13¼" (33.5cm) L.O.P. collapsed, extends to 15¼" (39cm) L.O.P.



Carbine Shown

DPMS AR-STYLE .308 BUTTSTOCKS

Fixed & Adjustable Models Ready To Install, With Correct-Weight Buffer & Spring

Easy-to-install replacement buttstocks let you replace a stock that's seen better days or convert to a different style better suited to the kind of shooting you do. These are the same high-quality stocks DPMS Panther LR-308 rifles leave the factory with, and they'll also fit similar AR-style .308's including ArmaLite® AR-10®, Knight SR-25, and Patriot Ordnance Factory P-308. Both models come fully assembled and ready to install, with correct-weight buffer and buffer spring for proper cycling of weapons firing .308/7.62mm ammo.

A2-STYLE – Classic, fixed buttstock style originally developed for the U.S. military's M16A2 rifle has a lightweight yet rigid foam plastic core, with a durable outer shell of tough fiberglass-reinforced molded polymer. Polymer buttplate has aggressive diamond texturing and trapdoor with spring-loaded catch for easy access to internal storage compartment. Includes receiver extension tube, spacer, recoil buffer, buffer spring, and toe-mounted 1¼" sling loop.

SPECS: Fiberglass reinforced molded polymer over foam core, medium gray. 10½" (27cm) O.A.L., 5" (12.7cm) high at buttplate. Fits DPMS Panther LR-308, ArmaLite® AR-10®, Knight SR-25, Patriot Ordnance Factory P-308, and similar AR-style .308 rifles.

#231-000-247EK A2-Style Fixed Buttstock, 1C81H95 \$ 104.95

PARDUS – Six-position, adjustable-length stock provides the advantages of the USGI M4 carbine stock, with added comfort and reliability enhancements. Four integral slots, plus a steel toe-mounted sling loop, provide a wide array of options for mounting 1¼" wide slings. A reinforced latch pin and ergonomically shaped latch ensure fast, positive length-of-pull adjustments. Curved integral buttplate with saw-tooth texturing aids secure, non-slip shoulder contact. Comb is wider than standard M4 stock to provide a more secure cheekweld. Constructed of incredibly strong, lightweight, impact-resistant molded DuPont Zytel® nylon resin reinforced with fiberglass. Comes with a "commercial" 1.17" O.D. receiver extension tube.

SPECS: Fiberglass-reinforced molded Zytel nylon resin. 8¼" (20.1cm) fully retracted length, 10½" (26.7cm) fully extended length, 4¾" (12.4cm) high at buttplate. Fits DPMS Panther LR-308, ArmaLite® AR-10®, Knight SR-25, Patriot Ordnance Factory P-308, and similar AR-style .308 rifles.

#231-000-248EK Pardus Adjustable Buttstock, 1C56H03 \$ 69.95

#100-001-173EK M4 SOCOM Carbine Stock, 2Z177V42 \$ 204.99

#100-001-174EK M4 SOCOM Long Ext. Tube Stock, 2Z162V76 224.99

#100-002-542EK M4 SOCOM Repl. Foam Sleeve, 2Z03V00 4.00

#100-002-543EK M4 SOCOM Repl. Foam Sleeve, Long 2Z03V00 4.00

RUBBER RECOIL PAD - Soft, rubber buttplate reduces felt recoil on all ARs fitted with the Ace ARFX stock. Contoured to fit your shoulder, provides a non-slip fit that improves comfort and control. Available in two models, ½" and 1" thick.

SPECS: Rubber, black. Aluminum backing plate. 4½" (11.8cm) long, 1½" (2.8cm) wide. Available in ½" (1.3cm) and 1" (2.5cm) thicknesses. Includes mounting screws.

#100-000-811EK ½" Recoil Pad 2Z08T00 \$ 12.00

#100-003-437EK 1" Recoil Pad 2Z09V00 12.95

COMMAND ARMS AR-15/M16 MODULAR BUTTSTOCK



Unique Design Incorporates Battery Storage Plus Picatinny Accessory Rail

Replace your existing buttstock with this updated, collapsible, six-position design that includes secure storage for up to four, CR123, 3-volt batteries in the snap-latch side compartment. Plus, the storage lid is interchangeable for either right- or left-side carry with a convenient Picatinny rail unit that accepts the Command Arms Rail Mounted Magazine Pouch. Kit comes with all the hardware, including the receiver extension and recoil buffer/spring assembly, necessary to convert your AR-15/M16 rifle to accept this stock. Made from long lasting and durable fiber-filled plastic composite with rubber buttplate that features a negative angle for faster shouldering and increased comfort, especially when wearing body armor. Combat proven design includes an easy-to-operate release lever, lower sling swivel and dual position receptacles for push-button type sling swivels.

SPECS: Fiber-filled polymer composite, black. 7½" (19cm) long, 11 oz. (313g) weight. Fits AR-15/M16/M4 or equivalent buffer tube guns. Includes buttstock, receiver extension, recoil buffer/spring assembly, receiver extension nut, and receiver plate.

#100-002-598EK M4 Modular Buttstock 6C87A43 . . \$ 109.99

ADJUSTABLE CHEEK PIECE - Adjustable cheek piece quickly installs on the accessory rail of your Command Arms Modular Buttstock to provide added cheek support and correct eye alignment with sights or optics for fast target acquisition. Easy installation and removal, just hold down the spring-loaded lever, slide the cheek piece onto the rail, then release the lever to lock the dual square pins into the rail grooves. Front-to-rear adjustable up to 1", friction lock knob allows up to ½" vertically adjustment. When in the full-down position, provides a very comfortable, streamlined stock that works perfectly with iron sights. Made from high-strength, lightweight, fiber-filled polymer composite.

SPECS: Fiber-filled polymer composite, black. 4½" (12cm) long, 2¾" (7cm) wide, 2½" (6.6cm) high. 3.5 oz. (100g) weight. Adjusts ½" vertically, 1" horizontally. Right hand only.

#100-003-331EK Adjustable Cheek Piece 6C22H39 . \$ 30.59

PUSH BUTTON SLING SWIVEL - Extra-wide steel swivel accepts slings up to 1½" wide for your Command Arms Modular Buttstock or similar component that accepts a standard push button swivel. Smooth-operating, centrally located button and polished ball-bearing locking mechanism ensure easy attachment to either socket in the buttstock.

SPECS: Steel, black oxide finish. Accepts slings up to 1½" wide.

#100-004-881EK Push Button Sling Swivel, 6C08D79 \$ 9.99

Need help selecting the right ammunition?

Visit the AMMO ADVISOR™ at brownells.com



COMMAND ARMS AR-15/M16 SNIPER STOCK



Fully Adjustable For The Precision Shooter

Fulfills the tactical marksman's requirements of a precision adjustable stock that delivers rapid target acquisition, minimal shooter fatigue during extended target observation, and maximum precision in shot placement. Push-button release, 10-position length adjustment system retains the rifle's fixed A2 buffer tube and allows a 4" range of adjustment to fit any size shooter/body armor combination. Selected position can then be locked with an Allen head screw for extra security. Wide cheek rest is continuously adjustable up to 1¼" for height to ensure a solid cheekweld, and offers 13 positions for eye relief to suit a wide range of optics. Deeply curved, vertically adjustable rubber buttplate seats securely in shoulder pocket without slippage, even during sustained shooting. Includes two ambidextrous attachment points for quick-release, push-button sling swivels. Injection molded polymer construction provides optimal combination of light weight and impact resistance, with molded in reinforcements at stress points for extra strength.

SPECS: Molded polymer, black. Overall length adjusts from 10¾" (27.3cm) to 14¾" (37.5cm). Comb height can be raised 1⅛" (2.9cm). Fits AR-15/M16/SR-25 rifles with A2 fixed buffer tube. Buffer tube not included.

#100-003-140EK AR-15/M16 Sniper Stock, 6C184T62 \$ 219.99

LUCID AR-15/M16 WOOD STOCK SETS

Presentation-Grade Wood Furniture For The "Trophy" Look

Beautifully finished stock sets in good-looking laminate or fancy AAA-grade American Walnut give your AR that "trophy" rifle look without altering its shooting capabilities.

Each set consists of an A2-style buttstock with an integral cheek rest for a comfortable cheekweld, plus an ergonomically contoured pistol grip, and a hand-filling forearm similar in shape to the original triangular M16 handguard. Handguard has a convenient groove in each side to help locate the support hand and give you a secure grasp for excellent recoil control. Snaps on using your rifle's existing handguard cap and delta ring—no gunsmithing, no permanent alterations to gun. Pistol grip has finger grooves, a palm swell, and a gently curved backstrap to give you a solid, comfortable purchase. Buttstock fits a standard A2-length buffer tube (available separately). Includes front sling stud that mounts on the underside of the handguard. **Laminate** model available in Brown or red-brown/gray/dark green Camouflage that blends with a wide variety of landscapes. Buttstock accepts a standard A2-style buttplate or aftermarket pad, and includes a cutout to accept an M16-style rear sling loop. **Walnut** model has the fancy grain pattern of a fine bolt action rifle, and comes with standard sling swivel stud and rubber buttplate installed.

SPECS: Laminated hardwood or American Walnut. Fits A2 fixed-stock buffer tube, available separately. **Carbine** handguard replaces M4-type handguard. **Rifle** handguard replaces standard A1/A2 rifle handguard.

#100-004-900EK Laminate Carbine, Brown, 7A153H85 \$ 189.99

#100-004-902EK Laminate Carbine, Camo, 7A153H85 189.99

#100-004-901EK Laminate Rifle, Brown, 7A153H85 189.99


#100-004-903EK Laminate Rifle, Camo 7A153H85 . . 189.99

#100-004-904EK Walnut Carbine 7A250H00 299.99

#100-004-905EK Walnut Rifle 7A250H00 299.99

MAGPUL CTR BUTTSTOCK


Locking System Eliminates "Play"

Features a friction locking mechanism that eliminates movement between the buffer tube and buttstock for a solid "feel" when mounting rifle to shoulder. Heavy duty, spring-loaded hand lever allows fast length-of-pull adjustments. Nylon polymer body provides maximum impact and heat resistance, with molded-in reinforcements at stress points. Accepts a variety of ambidextrous sling attachment options, including web slings and single-point, push-button sling mounts. Comb contour is wider than standard issue M4 stock to help shooter maintain a solid cheekweld. Synthetic rubber buttstock increases comfort and helps prevent slippage. Fits buffer tubes that accept both four- and six-position collapsible stocks. Buffer tube, carbine buffer, receiver extension nut, and carbine-length action spring not included. Available in Black, Dark Earth, and O.D. Green, so you can match the color of your stock to your tactical rifle's color scheme. **Mil-Spec** fits smaller 1.14" O.D. buffer tubes on Colt-manufactured M4 and similar mil-spec carbines. **Commercial** fits larger diameter 1.17" O.D. commercial buffer tubes. 

- SPECS:** Impact-resistant nylon polymer, Black, Dark Earth, O.D. Green or Foliage Green. LOP adjustment range, 3 1/2" (8.9cm). **Mil-Spec** - 6 7/8" (17.5cm) OAL, 5 1/4" (13.34cm) high. Fits mil-spec 1.14" O.D. carbine buffer tubes. **Commercial** - 7 1/8" (21cm) OAL, 5 1/4" high. Fits 1.17" O.D. commercial carbine buffer tubes.
- #100-002-946EK **Mil-Spec CTR Buttstock**, Black, 3K72T59 \$ 79.99
 - #100-003-137EK **Mil-Spec CTR Buttstock**, Dark Earth, 3K72P46 79.99
 - #100-003-135EK **Mil-Spec CTR Buttstock**, O.D. Green, 3K72P46 79.99
 - #100-005-417EK **Mil-Spec CTR Buttstock**, Fol. Green, 3K72Y46 79.99
 - #100-002-982EK **Commercial CTR Buttstock**, Black, 3K72X46 79.99
 - #100-003-136EK **Commercial CTR Buttstock**, Dark Earth, 3K72P46 79.99
 - #100-003-134EK **Commercial CTR Buttstock**, O.D. Green, 3K72P46 79.99
 - #100-005-418EK **Commercial CTR Buttstock**, Fol. Green, 3K72Y46 79.99


MAGPUL AR-15/M16/AR-STYLE .308 GENERATION II PRS STOCK

Adjustable Length Of Pull & Comb Height

Fully adjustable stock and comb for AR-15/M16/AR-Style .308 rifles readily adapts length of pull and comb height with two click-detent adjustment wheels. Drop-in installation on rifles with standard A1/A2 fixed buffer tubes without A2 spacer. Rubber buttstock seats securely onto your shoulder and won't slip during sustained shooting exercises. Fully-raised comb will not get in the way of charging handle operation. Removable base cover conceals an accessory rail to provide a mounting platform for a monopod. Removable sling loops can be mounted on either side of stock to accommodate your preferred carry position. **AR-15/M16** model available in Black, Dark Earth, and O.D. Green to provide a close match to rifles painted in military colors. Separate **AR-Style .308** model in black only. 


SPECS: Molded polymer, black. **AR-15/M16** model also available in Dark Earth and O.D. Green. L.O.P. adjusts from 13 1/4" (33.6cm) to 14 1/2" (36.8cm). Comb height can be raised 1" (2.5cm). 1 lb. 12 oz. (.79kg) wt.

- #100-002-457EK **AR-15/M16 PRS Stock**, Black, 3K212Y50 \$ 239.99
- #100-003-139EK **AR-15/M16 PRS Stock**, Dark Earth, 3K212P50 254.99
- #100-003-138EK **AR-15/M16 PRS Stock**, O.D. Green, 3K212P50 254.99
- #100-002-947EK **AR-Style .308 PRS Stock**, Black, 3K212T50 254.99

MGSS PRS STOCK QD SLING ADAPTER - Machined steel adapter lets you use a pushbutton quick-detach sling on your PRS stock. Replaces the stock's factory sling loop to provide a secure mounting point for the pushbutton swivel. Allows you to use any tactical sling that requires a "flush cup" mounting socket. Built-in rotation limiter prevents unwanted sling twisting for optimized weapon balance. Can be mounted on any of the stock's four sling loop attachment points using the factory loop's hex-head mounting screws. Fully machined, hardened steel is protected with an anti-corrosion matte black finish. 

SPECS: Machined steel, matte black. 2 1/3 1/8" (7.1cm) long, 5/16" (1.4cm) wide, 3/8" (1cm) high. 1.1 oz. (32g) weight. Fits Magpul PRS stocks for AR-15/M16 and AR-style .308.

- #100-006-034EK **PRS QD Sling Adapter** 5C28D97... \$ 34.99

over hard-polymer core gives a comfortable, non-slip shoulder fit without impeding maneuverability. Kit includes Magpul's machined aluminum "entry length" receiver extension that replaces your gun's factory extension. If mounting on a rifle with A1/A2 fixed stock, you must also install an M4 carbine buffer and action spring (not included) for correct weapon function with UBR mounted. Instructions included. 

SPECS: Impact-resistant polymer and machined aluminum, Black, Dark Earth, O.D. Green, or Foliage Green. 8" (20.3cm) OAL retracted. 11 1/4" (28.6cm) OAL fully extended. Approximately 5 1/4" (13.3cm) high. LOP adjustment range, 3 3/8" (8.6cm).

- #100-003-524EK **UBR Stock**, Black 3K235H96 \$ 264.99
- #100-003-526EK **UBR Stock**, Dark Earth 3K235H96 264.99
- #100-003-783EK **UBR Stock**, O.D. Green 3K235H96 264.99
- #100-003-525EK **UBR Stock**, Foliage Green 3K235H96 264.99


SWIVEL MOUNT - Heavy-duty steel receptacle supplements the two mounts that come with the stock to give your UBR stock maximum versatility in ambidextrous, quick-detach, pushbutton sling mounting. Bolts to any of the stock's four mounting points and accepts most pushbutton, single-point sling swivels. Allows full 360° rotation of swivel for unrestricted sling travel. 


SPECS: Steel, phosphate finish, matte black. 3/4" (1.9cm) long. Includes mounting hardware and instructions.

- #100-005-597EK **UBR QD Sling Swivel Mount**, 3K16C22 \$ 19.99

MAGPUL AR-15/M16 MOE™ STOCK SETS

Lightweight, Rugged, Streamlined Tactical Furniture Improves Weapon Control & Eases Carry

Convenient kits let you outfit an AR-15/M16 carbine with durable, lightweight, ergonomically-enhanced Magpul Original Equipment (MOE) tactical stock furniture. Improves operator comfort and weapon control for quick target engagement, fast follow up shots, and speedy transition to the next target. Buttstock offers a wide comb, protected heavy duty release lever, and multiple sling attachment points. Two-piece, snap-on handguard with internal aluminum heat shield helps the operator maintain a secure grip in all conditions. Slots at the 2, 6, and 10 o'clock positions accept Magpul MOE Illumination Kit or Accessory Rails, available separately. Aggressively textured pistol grip provides a secure, non-slip grasp. Gently V-shaped triggerguard gives extra clearance for shooting with gloves on. All components are constructed of rugged, heat- and impact-resistant, fiberglass-reinforced injection-molded polymer with molded-in reinforcements at critical stress points. Installs in minutes and require no permanent alterations to gun; remove components and reinstall original parts any time. 


Basic kit includes pistol grip and buttstock. **Standard** kit contains handguard, triggerguard, pistol grip, and buttstock. **Upgrade** kit includes handguard, triggerguard, pistol grip, and buttstock, plus the MVG™ (MOE Vertical Grip). MVG bolts directly to the handguard to provide more control and enhanced pointability. **Mil-Spec** fits 1.145" O.D. receiver extension tubes on Colt-manufactured M4 and similar mil-spec tubes. **Universal** fits larger, 1.17" O.D. commercial carbine receiver extension tubes. 

SPECS: Reinforced molded polymer, Black, O.D. Green, or Foliage Green. Fits AR-15/M16/M4 rifles with receiver extension tube for M4-style adjustable buttstock, carbine-length gas system, Delta ring, and standard A2 gas block/front sight base. Receiver extension tube, carbine buffer, receiver extension nut, and carbine-length action spring not included. **Mil-Spec** fits mil-spec 1.145" O.D. receiver extension tubes. **Universal** fits commercial 1.17" O.D. receiver extension tubes.

- #100-005-634EK **Universal Basic Kit**, Black, 3K62H47 \$ 72.99
- #100-005-635EK **Mil-Spec Basic Kit**, Black, 3K62H47 72.99
- #100-004-520EK **Mil-Spec Standard Kit**, Black, 3K92A66 109.99
- #100-004-521EK **Mil-Spec Standard Kit**, Dark Earth, 3K92A66 104.99
- #100-004-522EK **Mil-Spec Standard Kit**, O.D. Green, 3K92A66 104.99
- #100-004-523EK **Mil-Spec Standard Kit**, Foliage Green, 3K92A66 104.99
- #100-004-524EK **Universal Standard Kit**, Black, 3K92A66 104.99
- #100-004-525EK **Universal Standard Kit**, Dark Earth, 3K92A66 104.99
- #100-004-526EK **Universal Standard Kit**, O.D. Green, 3K92A66 104.99
- #100-004-527EK **Universal Standard Kit**, Foliage Green, 3K92A66 104.99
- #100-005-632EK **Mil-Spec Upgrade Kit**, Black, 3K107H42 119.99
- #100-005-633EK **Universal Upgrade Kit**, Black, 3K107H42 119.99


MAGPUL AR-15/M16 ACS™ BUTTSTOCK

Drop-In Replacement For M4 Stock With Storage & Enhanced Comfort Features

Adaptable Carbine/Storage (ACS) stock is a drop-in replacement for standard USGI M4 collapsible stock that gives the tactical operator extra storage options, a secure, comfortable cheekweld, and an advanced dual-locking lever. Smooth, streamlined exterior contours prevent snagging on clothing, sling, or vegetation, and help ensure fast exits from vehicles without snagging on gear. Removable battery storage compartments run the full length of the extra-wide comb and hold 2 AA or 3 CR-123 batteries, while providing a wide, contoured area for an exceptionally solid, comfortable cheekweld. Secure molded rubber caps keep water and dust out of compartments and face the rear of the stock for easy removal; cap exterior is beveled to resist snagging when shouldering weapon. Positive-locking trapdoor on right side of the stock reveals a roomy storage compartment for additional batteries, coiled up cleaning cable and other cleaning supplies, ear plugs, spare parts, or other small items. Magpul's dual locking system uses an additional cam lever to protect the release lever from accidental operation, yet still allows you to adjust length of pull by simply pushing on the release lever. Slot molded in the toe provides an attachment point for a 1 1/4" wide sling. Also includes the same detachable rubber buttstock found on Magpul CTR and UBR buttstocks to help keep stock firmly mounted on shoulder. **Mil-Spec** fits 1.14" O.D. buffer tubes on Colt-manufactured M4 and similar mil-spec tubes that accept both four- and six-position collapsible stocks. **Commercial** fits larger, 1.17" O.D. commercial carbine buffer tubes. Buffer tube, carbine buffer, receiver extension nut, and carbine-length action spring not included. 

SPECS: Reinforced molded polymer, Black, Dark Earth, O.D. Green or Foliage Green. 7 7/8" (20cm) OAL, 5 1/4" (13.3cm) high. 13.6 oz. (385g) weight. **Mil-Spec** fits mil-spec 1.14" O.D. carbine buffer tubes. **Commercial** fits commercial 1.17" O.D. carbine buffer tubes.

- #100-003-527EK **Mil-Spec ACS Buttstock**, Black 3K112H46 \$ 134.99
- #100-003-529EK **Mil-Spec ACS Buttstock**, Dark Earth 3K112H46 134.99
- #100-003-784EK **Mil-Spec ACS Buttstock**, O.D. Green 3K112H46 134.99
- #100-003-528EK **Mil-Spec ACS Buttstock**, Foliage Green 3K112H46 134.99
- #100-003-531EK **Commercial ACS Buttstock**, Black, 3K110H92 134.99
- #100-003-533EK **Commercial ACS Buttstock**, Dark Earth 3K110H92 134.99
- #100-003-785EK **Commercial ACS Buttstock**, O.D. Green, 3K109X95 134.95

SWIVEL MOUNT - Heavy-duty steel receptacle gives your ACS stock the versatility of quick-detach, pushbutton sling mounting. Bolts to attachment points molded into the right and left sides of the stock behind the release lever using the included hardware. No drilling or other stock modifications required. Accepts most pushbutton, single-point sling swivels. Swivel rotation may be restricted when the stock's battery storage compartments are also installed. 

SPECS: Steel, phosphate finish, matte black. 3/4" (1.9cm) long. Includes mounting hardware and instructions.

- #100-005-598EK **ACS QD Sling Swivel Mount**, 3K12C32 \$ 14.99



**THE WORLD'S LARGEST
SUPPLIER OF FIREARMS
ACCESSORIES AND
GUNSMITHING TOOLS™**

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 33



MAGPUL AR-15/M16 MOE™ BUTTSTOCK

Economical, Drop-In Upgrade
For Carbine Collapsible Stock

Magpul Original Equipment (MOE) carbine buttstock provides the quality, durability, and ergonomic benefits of Magpul's CTR stock in a rugged, economical, drop-in package. Strong, A-frame design is lightweight and comfortable, yet provides operator with plenty of support. Comb contour is wider than standard issue M4 stock to help shooter maintain a solid, consistent cheekweld. Streamlined exterior and protected release lever won't snag on clothing, gear, vehicle interior, or vegetation. Heavy duty, spring-loaded release lever allows fast length-of-pull adjustments and won't dig into your hand. Impact- and heat-resistant, polymer construction includes molded-in reinforcements at stress points, plus two slots for web slings and a hole for a toe-mounted sling swivel or clip-on sling. Soft, synthetic rubber buttpad increases comfort and helps prevent slippage. **Mil-Spec** fits 1.14" O.D. buffer tubes on Colt-manufactured M4 and similar mil-spec tubes that accept both four- and six-position collapsible stocks. **Commercial** fits larger, 1.17" O.D. commercial carbine buffer tubes. Buffer tube, carbine buffer, receiver extension nut, and carbine-length action spring not included. Available in Black and three popular tactical colors, Dark Earth, O.D. Green, and Foliage Green. ■

SPECS: Reinforced molded polymer, Black, Dark Earth, O.D. Green, or Foliage Green. 7 1/4" (18.4cm) OAL, 5 1/4" (13.3cm) high. **Mil-Spec** fits mil-spec 1.14" O.D. carbine buffer tubes. **Commercial** fits rifles with 1.17" O.D. commercial AR-15 carbine buffer tubes.

#100-003-535EK	Mil-Spec MOE Buttstock, Black, 3K49D27	\$59.99
#100-003-536EK	Mil-Spec MOE Buttstock, Dark Earth, 3K49D27	\$59.99
#100-003-786EK	Mil-Spec MOE Buttstock, O.D. Green, 3K49X27	\$59.99
#100-003-537EK	Mil-Spec MOE Buttstock, Foliage Green, 3K49D27	\$59.99
#100-003-538EK	Commercial MOE Buttstock, Black, 3K49D27	\$59.99
#100-003-539EK	Commercial MOE Buttstock, Dark Earth, 3K49D27	\$59.99
#100-003-787EK	Commercial MOE Buttstock, O.D. Green, 3K49X27	\$59.99
#100-003-540EK	Commercial MOE Buttstock, Fol. Green, 3K49D27	\$59.99

TAPCO AR-15/M16 T6 COLLAPSIBLE STOCK CONVERSION KIT



Convert Your Rifle
To A Six-Position Carbine Stock

Easy-to-install kit contains everything you need to convert a fixed-stock AR-15 rifle to a GI-style collapsible carbine stock system, or use to complete a custom-built carbine. Lets you easily adjust length of pull for different-stature shooters and clothing/armour configurations. Kit includes 1.17" O.D. commercial receiver extension tube with six, positive-locking notches for the T6 buttstock of tough, durable fiberglass-reinforced molded polymer. Also includes steel receiver lock plate, steel lock nut, polymer sling loop, carbine recoil spring, and carbine buffer. Requires no permanent alterations to rifle. Installation instructions included.

SPECS: Aluminum and reinforced injection-molded polymer, Black or Dark Earth. 8" (20.3cm) OAL collapsed; 11 3/4" (29.9cm) OAL fully extended.

#100-004-296EK	T6 Collapsible Stock Kit, Black, 5A64C11	\$74.99
#100-004-548EK	T6 Collapsible Stock Kit, Dark Earth, 5A65V99	\$83.99

MAGPUL AR-15/M16 CTR™/MOE® STOCK CHEEK RISER



Raises The Cheekweld For
More Comfortable Shooting;
Snap-On Fit

Molded polymer cheek riser snaps onto Magpul CTR and MOE buttstocks to provide added support and ensure correct eye alignment with open sights or optics for fast target acquisition. Creates a stable platform for accurate, long-range shooting. Three models let you to raise the cheekweld by 1/4", 1/2", or 3/4" for a personalized fit. No stock modification required. Designed for non-AR installations of CTR/MOE stocks; if installed on AR-15, stock must be left fully extended to allow operation of charging handle. ■

SPECS: Fiber-filled polymer composite, black. Fits all Magpul CTR and MOE buttstocks.

#100-004-221EK	CTR/MOE Cheek Riser, 1/4", 3K15H37	\$19.99
#100-004-222EK	CTR/MOE Cheek Riser, 1/2", 3K15H37	\$19.99
#100-004-223EK	CTR/MOE Cheek Riser, 3/4", 3K15H37	\$19.99

MILITARY ASSAULT AR-15/M16

EFX-A1 ENHANCED FIXED STOCK

Ergonomically Enhanced
For A Comfortable
Cheekweld; Less Bulky
Than A1/A2 Stock



Drop-in replacement for an A1/A2 fixed rifle stock has a wide, sloped comb that provides a consistent, comfortable cheekweld that positions your head for proper alignment with the sights. "Clubfoot" shape is less bulky than the A1/A2 stock, with 13 3/8" length of pull to aid in quick shouldering when wearing cold weather clothing or body armor. Rubber recoil pad helps keep the stock securely in the shoulder pocket during sustained fire. Two slots accept military-style nylon slings up to 1 1/4" wide, plus ambidextrous sockets for pushbutton-style QD slings. Large, easy-to-access underside storage compartment holds cleaning items, spare parts, batteries – even a backup bolt assembly. ■

SPECS: Glass-filled nylon stock with rubber recoil pad, black. 10 1/8" (26cm) long. 17.1 oz. (485g) wt. Includes buttstock cap screw. Uses rifle's existing A1/A2 receiver extension tube.

#100-006-552EK	EFX-A1 Fixed Stock 8C61Z46	\$79.99
----------------	----------------------------	---------

ROCK RIVER ARMS AR-15/M16 A-4 COLLAPSIBLE BUTTSTOCK



Reduces Overall Length
For Easier Carry, Storage

Six-position, extendable stock lets you select the length of pull best suited to your shooting needs. Converts your rifle to A-4-style with the added benefit of shorter overall length. Includes buffer tube, receiver lock plate, lock nut, rear sling swivel, recoil spring and buffer. Carbine spring and buffer also available separately.

SPECS: Zytel® nylon plastic stock and latch, matte black or matte green. Aluminum buffer tube. Length of pull: closed-10 1/2" (26.2cm), extended - 13" (33cm).

#739-000-004EK	Black AR-15 A-4 Stock, 9C00AVB	\$75.99
#739-000-008EK	Green AR-15 A-4 Stock 9C00HDZ	\$80.00
#739-000-005EK	AR-15 Carbine Spring 9C00HDZ	\$4.00
#739-000-006EK	AR-15 Carbine Buffer 9C00YTP	\$11.00

VLTOR AR-15/M16 ENHANCED MODSTOCK



Precise Weapon Control
In All Tactical Situations;
Comes With Customizable
Storage Options

"Clubfoot"-style adjustable stock with modular storage options gives the tactical shooter exceptional versatility and weapon control. The EMOD is 1 1/2" longer than the original Modstock to ensure a solid, comfortable cheekweld even on rifles with long eye relief scopes. Two, detachable, full-length storage compartments provide additional cheek support for more comfort and stability. Each waterproof compartment holds up to 3 AA or 4 CR123 batteries, and a permanent flip-open compartment on the left side of the stock holds two more AA batteries or other small items. Extra-length buttplate with removable rubber pad angles forward from heel to toe for a better hold in the "ready" position and when the weapon is held above the shoulder pocket in the heads-up position. Two, molded-in sling loops accept military-style, nylon web slings; molded-in sling socket accepts a quick-detach, push-button swivel for ambidextrous single-point sling attachment. **Basic EMOD Kit** includes buttstock and detachable storage compartments only, available for **Mil-Spec** and **Commercial** buffer tubes. **Mil-Spec Combo Kit** contains all parts needed to replace an existing A1 or A2 stock, including a five-position, mil-spec buffer tube with white index numbers visible through a witness hole in the top of the stock. ■

SPECS: Molded polymer, black or dark earth. 7 3/4" (19.7cm) long. **Basic EMOD Kit** includes buttstock and two (2) detachable storage compartments. **Mil-Spec** fits 1.14" O.D. carbine buffer tubes only. **Commercial** fits larger, 1.17" O.D. commercial buffer tubes. **Mil-Spec Combo Kit** includes stock, storage compartments, mil-spec buffer tube, buffer spring, endplate, and locking nut. L.O.P. adjusts from 11 1/2" (29.2cm) to 14 3/4" (37.5cm).

#100-003-222EK	Commercial EMOD Basic Kit, Black, 3A103T39	\$125.99
#100-003-990EK	Commercial EMOD Basic Kit, Dark Earth, 3A101Y87	\$125.99
#100-003-186EK	Mil-Spec EMOD Basic Kit, Black, 3A101V87	\$125.99
#100-003-989EK	Mil-Spec EMOD Basic Kit, Dark Earth, 3A101Y87	\$125.99
#100-003-187EK	Mil-Spec EMOD Combo Kit, Black, 3A179V57	\$204.99
#100-003-991EK	Mil-Spec EMOD Combo Kit, Dark Earth, 3A179Y57	\$204.99

VLTOR AR-15/M16 IMPROVED MODSTOCK COMBO KIT

Better Control &
More Options In
Tactical Situations



Tactical stock system contains all the parts you need to replace an existing carbine or rifle stock with a highly versatile, five-position, carbine stock. The IMOD buttstock's unique, "clubfoot" shape provides better overall control and firm, stable shoulder contact in combat situations. Removable, non-slip rubber buttpad angles slightly forward from heel to toe for a better hold in the "ready" stance and when the weapon is held above the shoulder pocket in the heads-up position. Snag-free design won't hangup on clothing, web gear, or equipment. Two detachable storage compartments with waterproof caps hold up to four AA or six, CR-123 spare batteries. Two sling loops are wide enough for military-style, nylon web slings, plus there's a socket for a quick-detach, push-button sling swivel on each side of the stock.

SPECS: Molded polymer, Black, Dark Earth, or Foliage Green. 7"

ROCK RIVER ARMS AR-15/M16 LE ENTRY TACTICAL STOCK



Compact Length
Improves Handling
In Confined Areas

A full stock, with the same length as a collapsed M4, CAR stock; quick to shoulder, fast handling and maneuverable in confined or restricted areas. Provides a consistent and comfortable cheek weld for greater control and accuracy. Compact dimensions reduce overall length to 32" when used with a 16" barrel. Furnished with carbine-length buffer, tube and recoil spring.

SPECS: Fiberglass/kevlar, black, matte finish. 7" (17.8cm) long. #739-000-009EK LE Entry Tactical Stock, 9C00VBX. \$575.00

DOUBLESTAR CAR-15/M4 MIL-SPEC RECEIVER EXTENSION

For Mil-Spec
M4-Style Buttstocks;
Gives 6-Position Adjustment



Machined aluminum receiver extension tube has the correct 1.145" O.D. to accept an M4-style adjustable carbine buttstock. Six precision-machined notches on the underside provide plenty of options for setting length-of-pull. Perfect for a custom build, installing a mil-spec stock on a civilian carbine, or updating a fixed-stock rifle with an adjustable M4 stock. Machined from a lightweight aluminum extrusion then hardcoat anodized for extra strength, and dry film lube-coated inside for smooth movement of the buffer and buffer spring. Requires carbine recoil spring and buffer, lock ring, and receiver plate, all available separately.

SPECS: Aluminum, hardcoat anodized, matte black. 7 7/8" (20cm) long, 1.145" O.D.

#100-004-978EK	Mil-Spec Receiver Extension, 2Z29H71	\$36.99
----------------	--------------------------------------	---------

DOUBLESTAR CAR-15/M4 MIL-SPEC RECEIVER EXTENSION

For Mil-Spec
M4-Style Buttstocks;
Gives 6-Position Adjustment



Machined aluminum receiver extension tube has the correct 1.145" O.D. to accept an M4-style adjustable carbine buttstock. Six precision-machined notches on the underside provide plenty of options for setting length-of-pull. Perfect for a custom build, installing a mil-spec stock on a civilian carbine, or updating a fixed-stock rifle with an adjustable M4 stock. Machined from a lightweight aluminum extrusion then hardcoat anodized for extra strength, and dry film lube-coated inside for smooth movement of the buffer and buffer spring. Requires carbine recoil spring and buffer, lock ring, and receiver plate, all available separately.

SPECS: Aluminum, hardcoat anodized, matte black. 7 7/8" (20cm) long, 1.145" O.D.

#100-004-978EK	Mil-Spec Receiver Extension, 2Z29H71	\$36.99
----------------	--------------------------------------	---------

BrownellsBusinessAdvantage.com

(17.8cm) to 9 5/8" (24.5cm) l.o.p. Kit contains stock, mil-spec 1.15" O.D. receiver extension, carbine buffer, buffer spring, endplate, locking Nut, and two detachable storage compartments with caps.

#100-005-448EK	IMOD Combo Kit, Black, 3A139T99	\$159.95
#100-005-450EK	IMOD Combo Kit, Dark Earth, 3A139T99	\$159.95
#100-005-449EK	IMOD Combo Kit, Foliage Green, 3A139T99	\$159.95

D.S. ARMS CAR-15/M4 RECEIVER EXTENSION

Provides Six-Position Adjustment

M4-style receiver extension tube has six precision-machined notches on the underside for maximum flexibility in setting length-of-pull with adjustable buttstocks. Lets you install a mil-spec stock on a civilian carbine or refit a rifle with an A2-style fixed buttstock with an adjustable M4 stock. Outside diameter of tube is machined approximately .003" oversized for snug, rattle-free fit of stocks designed for mil-spec extensions. Lightly sand interior of stock to get just the right combination of snugness and freedom over movement. Machined from a lightweight aluminum extrusion before hardcoat anodizing with a wear-resistant matte black finish. Rifle conversion also requires a carbine action spring and buffer, available separately.

SPECS: Aluminum, hardcoat anodized, matte black. 7¼" (18.2cm) long, 1.149" O.D.

#274-000-018EK Receiver Extension Tube 4G18Z18 \$ 24.99

HIGH STANDARD CAR-15/M4 MIL-SPEC RECEIVER EXTENSION TUBE

Replace Factory USGI Tube Or Convert Commercial Carbine To Accept Mil-Spec Adjustable Buttstock

Replacement receiver extension tube is the correct length and 1.146" outside diameter for proper fit of a mil-spec carbine adjustable buttstock. Replace a worn out USGI tube, or convert a commercial carbine or fixed-stock rifle to accept an adjustable buttstock that requires the smaller, mil-spec tube. Six precision-machined notches on the underside grasp the stock's locking pin securely to ensure fast, positive stock length adjustments without slippage. One-piece aluminum construction with a tough, abrasion-resistant matte black hardcoat anodized finish. Rifle conversion also requires a carbine action spring and buffer, available separately.

SPECS: Aluminum, hardcoat anodized, matte black. 7¼" (18.2cm) long, 1.146" O.D.

#100-004-252EK Mil-Spec Receiver Extension Tube, 3D43V61 \$ 54.99

NEW PRIMARY WEAPONS SYSTEMS AR-15/M16 ENHANCED PISTOL RECEIVER EXTENSION TUBE

Pistol-Specific Design Reduces Felt Recoil

Extruded aluminum buffer tube is designed to cut down on the sharp recoil impulse of AR-15-based pistols. One piece construction eliminates the castle nut, while an extended lip on front of tube adds extra support to reduce the carrier tilt present in some gas piston systems. A dead blow shock absorber in the rear of the tube reduces buffer battering. Fluted interior aids debris clearance, and a drainage hole allows water to escape. Dual QD pushbutton sling swivel sockets at the front of the tube. Soft foam cover tube protects your wrist and forearm.

SPECS: 6061 aluminum, hardcoat anodized, black. 7¾" (19.7cm) long, 1.8" (4.6cm) wide at OD points, 1½" (3.8cm) O.D. 5.4 oz. (153g) weight. Includes Buffer tube, foam cover, receiver end plate, hex wrenches and instructions. Requires installation of a carbine recoil buffer and spring (not included).

#100-006-641EK Enhanced Pistol Buffer Tube, 4B62A07 \$ 74.99

VLTOR CAR-15/M4 MIL-SPEC RECEIVER EXTENSION

Correct Size For Rattle-Free Mounting Of Mil-Spec Collapsible Buttstocks

Receiver extension tube has the correct, 1.146" outside diameter for mounting collapsible buttstocks designed for the smaller, mil-spec tube. Lets you mount a mil-spec stock on a civilian carbine or convert a rifle with A2-style fixed buttstock to collapsible configuration; carbine action spring and buffer assembly required. Allows fast, easy repeatability of buttstock position with five notches on underside to accept the stock's locking pin and corresponding white position numbers on top visible through the witness hole on many stocks. Precision machined from aluminum bar stock for consistent dimensions that ensure smooth, snag-free sliding of buttstock.

SPECS: Aluminum, hardcoat anodized, matte black. 7¾" (18.7cm) long, 1.146" O.D.

#100-003-750EK Mil-Spec Receiver Extension, 3A39Z07 \$ 46.99

DPMS AR-15 BUTTSTOCK EXTENDER

Extends Length Of Pull, Improves Shooting Comfort

Aluminum extension provides an extra inch of stock length for AR-15A1 and A2 rifles. Helps tall and long-armed shooters achieve a comfortable head position for fast sight alignment, plus the extra length improves recoil and trigger control. Installs between stock and receiver; has the correct profile for a "belongs there" look.

SPECS: 6061 T-6 aluminum, black, matte finish. Includes buffer tube extension and longer stock screws.

#231-000-009EK AR-15 Stock Extension 1C27H93 .. \$ 31.99

PRIMARY WEAPONS SYSTEMS AR-15/M16 ENHANCED BUFFERTUBE

Fully Machined, Self-Indexing, Won't Work Loose Under Recoil

Mil-spec diameter receiver extension tube uses an innovative attachment system that eliminates the need for a castle nut. Automatically indexes the tube during installation to keep it perfectly aligned, and resists working loose over time. Provides six locking positions for the stock's lock pin, while white position numbers on the top are visible through the lock pin access hole in most stocks. Two sockets for quick-detach, pushbutton sling swivels are machined into the front of the tube. A lip at the bottom front of the tube extends into the receiver to support the carrier and prevent the "carrier tilt" that occurs on some guns fitted with gas piston conversion systems. Machined from a single piece of 7075 aluminum billet, the tube has exterior grooves running its entire length to prevent dirt or debris from impairing buttstock movement. A drain hole in the underside allows water to clear if the rifle gets submerged. A "dead blow" shock absorber inside the tube slows carrier speed by as much as 10% to help reduce felt recoil.

SPECS: 7075 aluminum, hardcoat anodized, matte black. 7¾" (19.3cm) long, 1.14" O. D. 4.9 oz. (141g) weight. Includes tube, end plate, hex head wrenches, and instructions.

#100-005-380EK Enhanced Buffer Tube, 4B138H81 \$ 157.99

AR-15/M16 BUTTSTOCK WEIGHT

Balances The Rifle For Consistent Accuracy

Pre-formed lead ingot increases rear weight to balance out muzzle-heavy, match AR-15's for best

ACCURACY SPEAKS AR-15 ADJUSTABLE BUTT PLATE

Four-Way Adjustment; Fits AR-15 Stock

No-gunsmithing! Add increased shooting comfort to any AR-15 equipped with an A1 trap door butt plate. After mounting, loosen the two set screws to make fast adjustments in length of pull, drop at heel, height at comb and angle of stock. Replaces the A-1 trap door butt plate and includes a serrated-face, rubber recoil pad.

SPECS: Alum. plates, black, anodized finish. 5" (12cm) long, 1½" (4.1cm) wide. 12 oz. (351 g).

#054-115-100EK AR-15 Adj. Butt Plate 4E117H01. \$ 146.28

EYEWALL INDUSTRIES AR-15/M16 STOKBLOK

Enables Rapid Deployment Of Adjustable Stock To A Preset Position

Drop-in nylon insert lets you snap open an M4-style adjustable stock in one swift motion, and have it automatically lock in the exact position you want. Prevents over-extension of stock and saves critical seconds when deploying the rifle. Installs in seconds with no permanent alteration to weapon or gunsmithing required. Slide the stock off the buffer tube, place the insert in the buffer tube detent hole directly behind the one you want the stock's locking pin to engage, then reinstall the stock.

SPECS: Nylon, black. Fits receiver extension/buffer tube for M4-style adjustable buttstock only.

#100-005-942EK Stokblok 3C07Z77 \$ 9.99

EYEWALL INDUSTRIES AR-15/M16 STOKBLOK

Enables Rapid Deployment Of Adjustable Stock To A Preset Position

Drop-in nylon insert lets you snap open an M4-style adjustable stock in one swift motion, and have it automatically lock in the exact position you want. Prevents over-extension of stock and saves critical seconds when deploying the rifle. Installs in seconds with no permanent alteration to weapon or gunsmithing required. Slide the stock off the buffer tube, place the insert in the buffer tube detent hole directly behind the one you want the stock's locking pin to engage, then reinstall the stock.

SPECS: Nylon, black. Fits receiver extension/buffer tube for M4-style adjustable buttstock only.

#100-005-942EK Stokblok 3C07Z77 \$ 9.99

MASEN AR-15/M16 RUBBER RECOIL PAD

Extra-Length Plus No-Slip Surface

Increases stock length to better fit shooters with long arms. Provides a cushioned, recoil absorbing, non-slip surface. Replaces original pad with no permanent alterations. AR-15/M16 model fits A-1 and A-2 trap door buttstocks; adds ¾" length. CAR-15 model fits collapsible stock; adds ¾".

SPECS: Polyethylene rubber, black. Serrated face.
#560-153-700EK AR-15/M16 Recoil Pad 6E10V66 .. \$ 14.99
#560-153-800EK CAR-15 Recoil Pad 6E07V60 11.50

accuracy. Denser than loose, lead shot; conveniently drops into the A-2 buttstock and is retained by the trap door. Can be cut, drilled or trimmed to achieve perfect balance.

SPECS: Lead. 8" (20cm) long, 3 lb. 11 oz. (1.7 kg) wt.
#776-015-001EK AR-15 A-2 Buttstock Weight, 6G20D15 \$ 27.99

MAGPUL AR-15/M16 TACTICAL RECOIL PADS

Enhances Shoulder Purchase For Comfort & Better Weapon Control

Replacement recoil pads give you enhanced shoulder purchase and recoil control with your Magpul CTR™, MOE™, UBR™, or ACS™ stock. Non-slip rubber surface holds firmly to your clothing when it counts in tactical operations or competition for improved target acquisition and reduced felt recoil. **Standard** is the original factory pad for ACS, UBR, and Mil-Spec CTR and MOE stocks. Will also fit CTR/MOE stocks mounted on commercial buffer tubes shorter than 7¼". **Extended** is the original factory pad for Commercial CTR and MOE stocks. May also be mounted on ACS, UBR, and Mil-Spec CTR/MOE stocks to increase length of pull by ¼". **Enhanced** model's thicker, vented, shock-absorbing construction helps reduce felt recoil for better weapon control and faster follow-up shots. Fits ACS, UBR, and Mil-Spec CTR/MOE. Will also fit CTR/MOE stocks mounted on commercial buffer tubes shorter than 7¼".

SPECS: Rubber exterior over hard molded polymer core, black. **Standard** - .30" (7.6mm) thick; **Extended** - .55" thick (14mm); **Enhanced** - .70" (17mm) thick.

#100-003-042EK Standard Recoil Pad 3K15Z37. . . . \$ 19.99

#100-004-167EK Extended Recoil Pad 3K15P37 19.99

#100-004-168EK Enhanced Recoil Pad 3K15P37 19.99

SIMS VIBRATION LABORATORY AR-15/M16 LIMSAVER® CARBINE RECOIL PAD

Reduces Felt Recoil & Improves Weapon Control

Synthetic rubber recoil pad slips over the hard plastic buttplate on an M4-type adjustable carbine stock for secure, non-slip shouldering and as much as 70% reduction in felt recoil. Made from proprietary NAVCOM™ shock-absorbing material that won't crack, split, or take a "set." Spreads recoil over a larger area and prevents the stock from digging into your shoulder during long periods in the ready position. Improves weapon control and reduces muzzle jump to aid in fast, accurate follow-up shots.

Secure snap-on design for quick installation and removal. **SPECS:** NAVCOM synthetic material, black. 5¼" (13.3cm) high, 2" (5.1cm) wide. Fits M4-type adjustable carbine stocks with buttplate up to 5½" (13.2cm) high x 1½" (4.8cm) wide.

#100-005-457EK Limbsaver Recoil Pad 7K29P17 .. \$ 36.99

WHIDDEN GUNWORKS AR-15/M16 STINGER MONOPOD

For Consistent Accuracy Without Rear Sandbags

Compact, height adjustable monopod eliminates the need for cumbersome rear sandbags and provides a rock-solid rest for shot-to-shot consistency. Features a 4140 steel, adjustable leg that extends up to 4" vertically for coarse elevation adjustments and a micro-adjustable foot for fine-tuning. Extra long, polycarbonate lever provides plenty of leverage to lock the monopod leg in position. Aluminum recoil pad has large, horizontal serrations for a non-slip grip against the shoulder. Fits fixed, mil-spec buttstocks on AR-15 and AR-10 rifles (A1 and A2 variants). Includes new bottom mounting screw. Requires use of original top mounting screw.

SPECS: 6061 aluminum buttplate, 4140 steel leg and foot, polycarbonate lever, black, matte finish. 5½" (13.2cm) long, 1½" (4.1cm) wide, ¾" (1.6cm) thick. 10.2 oz. (289g) weight. Fits mil-spec fixed buttstock on AR-15 and AR-10 rifles (A1 and A2).

#100-004-038EK Stinger Monopod 3B109Y72. . . . \$ 134.99

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 35

AR-15/M16

STOCKS

SOG ARMORY CAR-15/M4 BUTTSTOCK PAD

Comfortable Pad Adds Length To M4 Stock

Rubber buttstock pad covers the hard plastic M4 stock for more comfortable shooting. Slip-on pad helps keep the gun against your shoulder and adds ½" to the length of pull. Plus, it protects the stock from bumps and dings. Installs with no modifications to the stock. Fits M4 stocks only.

SPECS: Rubber, black or green. Adds ½" (12.7mm) to length of pull. Fits M4 stocks only.

#100-002-210EK M4 Buttstock Pad, Black 9A11P30. \$ 19.99

#100-002-211EK M4 Buttstock Pad, Green 9A11P30. \$ 19.99

TAPCO CAR-15/M4 T6/M4 RECOIL PAD

Increase Shooting Comfort & Length-Of-Pull

No permanent alterations necessary to your M4 or Tapco T6 collapsible stock to add increased shooting comfort, lower felt recoil, plus an additional ½" to the length-of-pull. Rubber pad slips easily over the plastic buttplate; held in position by rubber tabs and a friction collar. Won't shoot loose, stays put until it's removed. Great accessory for competitive shooters; raised, non-slip surface helps keep your rifle or shotgun on-shoulder during long shooting strings or moving courses of fire.

SPECS: Rubber, black. Adds ½" (12.7mm) to length-of-pull. Fits current M4 collapsible stock designs and Tapco T6 stocks.

#100-002-500EK Tapco M4/T6 Recoil Pad 5A09T87. \$ 9.99

SMITH ENTERPRISES STRAP-ON CHEEK PAD

Provides Positive Cheek-To-Stock
Contact For Improved
Shooting Form & Comfort

Comfortable, strap-on cheek pad helps you gain a positive and consistent cheekweld on buttstocks

without an integral cheekrest or raised comb. Felt-like, waterproof inner pad with overlaid PVC shell cushions recoil and minimizes perceived vibration, so your face takes less of a beating when firing large caliber rifles or full automatic weapons. Outer covering of heavyweight, 1000 Denier ballistic cloth resists abrasion and perspiration. Three, extra-thick, hook-and-loop straps with loops allow you to cinch it down tight on the stock for absolutely no movement under recoil. Installs and removes in just seconds. Designed originally for the M14/M1A, but fits equally well on sporting rifles and shotguns.

SPECS: 1000 Denier nylon, black or tan. ½" (12.7mm) thick.

#851-200-500EK Black Strap-On Cheek Pad, 1E43T53. \$ 65.99

#851-000-073EK Tan Strap-On Cheek Pad 1E55A60. \$ 84.99

CAA AR-15/M16 4-RAIL HANDGUARD

Extra Mounting Area
For Your Accessories

Four Picatinny rails and rigid aluminum construction provide a two-piece handguard capable of supporting all your accessories, while holding up to the tough demands of tactical and competition exercises. Each rail is equipped with removable thermal rubber covers for better grip and protection for the rails when not in use. Integral metal heat shields with 24 ventilation holes help dissipate heat away from the barrel during sustained fire. Mounts easily using existing delta ring. No gunsmithing required.

SPECS: Aluminum, painted matte black. 6" (15.2cm) long.

#100-002-822EK M4 Carbine 4-Rail Handguard, 9C64U29. \$ 79.99

COMMAND ARMS CAR-15/M4 COLLAPSIBLE STOCK SADDLE

Lightweight Cheek Support Plus Convenient Battery Storage



Provides added cheek support for increased comfort and shooting accuracy to AR-type rifles equipped with M4-style collapsible stocks. Plus, gives an advanced tactical appearance similar to the SOPMOD stock. Made from a very lightweight, fiberglass reinforced plastic that's as strong as it is functional. Water-

proof, sealed compartments on each side will hold four "AA" or six CR123 cell batteries. No gunsmithing required for installation; saddle locks onto stock with accessory sling loop hardware that's provided. **Rubberized** model includes all the features of the standard model and adds a rubberized, no-slip coating that gives an exceptionally solid cheekweld for even greater shooter comfort and control.

SPECS: Injection molded plastic, black, matte finish, 5¼" (14.5cm) long, 2¾" (6.9cm) wide. Fits M4-style stocks only.

#100-002-567EK Standard M4 Stock Saddle, 6C17Y79. \$ 26.49

#100-003-046EK Rubberized M4 Stock Saddle, 6C22Z46. \$ 30.59

CAVALRY ARMS AR-15/M16 HANDGUARDS

Various Tapers & Lengths
For Any Application

Ridged gripping surface gives a positive hold, and the internal aluminum heat shield protects your hand from a hot barrel. Models available in Black, Coyote and O.D. Green.

SPECS: Injection-molded, heat-stabilized fiberglass-reinforced nylon polymer. **C3 Carbine** - Approximately 6⅝" (16.8cm) long, 2¼" (5.6cm) external diameter at widest point, 1⅝" (4.9cm) external diameter at narrowest point. **C4 Carbine** - M4-style contour, approximately 6⅝" (16.8cm) long, 2⅝" (6.6cm) external diameter at widest point, 2⅝" (6.6cm) external diameter at narrowest point. **C6 Mid-Length** - Non-tapered contour, approximately 8⅝" (21.9cm) long, 2⅝" (6.6cm) high, 2⅝" (6.6cm) wide. **C8 Mid-Length** - Approximately 8⅝" (21.9cm) long, 2⅝" (6.6cm) external diameter at widest point, 2" (5.1cm) external diameter at narrowest point. **C5 Rifle** - Non-tapered contour, approximately 12" (30.5cm) long, 2⅝" (6.7cm) high, 2⅝" (6.6cm) wide. **C7 Rifle** - A2-style contour, approximately 12" (30.5cm) long, 2⅝" (6.6cm) external diameter at widest point, 1⅝" (4.9cm) external diameter at narrowest point.

#100-002-823EK C3 Carbine, Black 2K24U00. \$ 29.99

#100-000-942EK C4 Carbine, Green 2K28U00. \$ 34.99

#100-000-963EK C4 Carbine, Coyote 2K37U24. \$ 44.99

#100-002-828EK C6 Mid-Length, Black 2K20U00. \$ 24.99

#100-002-825EK C8 Mid-Length, Black 2K24U00. \$ 29.99

#100-002-827EK C5 Rifle, Black 2K20U00. \$ 24.99

#100-000-937EK C7 Rifle, Black 2K24U00. \$ 29.99

#100-000-938EK C7 Rifle, Green 2K24U00. \$ 29.99

#100-000-961EK C7 Rifle, Coyote 2K24U00. \$ 29.99

DANIEL DEFENSE AR-15/M16 M4 RAIL FREE FLOAT HANDGUARD™

Extra-Lightweight,
Permits Multiple
Accessory Mounting



Vented, aluminum handguard, with four Picatinny rails, provides nearly unlimited options for sight and accessory mounting. Two indexing pins prevent the handguard from working loose and spinning. Multiple, gas tube cooling slots

BADGER ORDNANCE AR-15 STABILIZER HANDGUARD

Rifle-Length, Solid
Platform For Precise
Shooting



Trapezoid shape and thick sidewalls of this free float handguard provide maximum rigidity and greater stability when shooting from a rest. Full-length, Picatinny rail for mounting optics or accessories. Elongated cooling slots reduce heat buildup. Includes contoured barrel nut. Includes two sling swivel studs.

SPECS: Aluminum, hardcoat anodized, matte black finish. 2¼" (5.7cm) wide, .153" (3.9mm) thick. 13⅝" (34cm) long. 25.9 oz. (736g) weight.

#093-249-040EK AR-15 Stabilizer Rifle Handguard, 3K152Z70. \$ 175.99

CLARK CUSTOM AR-15/M16 CARBON FIBER HANDGUARD

Lightweight; Unique
Appearance; Stays Cool



One-piece tube with aluminum barrel nut eliminates barrel pressure points to improve accuracy. Lightweight and strong, carbon fiber tube with front swivel stud won't absorb heat, so tube remains cool, even after long strings of fire. Attractive and durable with a distinctive weave pattern that changes sheen with the viewing angle. Requires installation of supplied, separate barrel nut and gluing of tube to nut with Elmer's Ultimate, Devcon High Strength, Gorilla Glue, or equivalent bonding agent.

SPECS: Carbon fiber, black. 12" (30.6cm) long. 2" (5cm) diameter. 6.2 oz (175 g) weight.

#181-000-013EK Carbon Fiber Handguard, 1H87V93. \$ 102.99

DANIEL DEFENSE AR-15/M16 EZ CAR™ 7.0 CARBINE HANDGUARD

Quad-Railed Forend
Installs In Minutes
With No Gunsmithing



Lightweight aluminum handguard easily replaces the plastic factory handguard and gives you four MIL-STD 1913 Picatinny rails for mounting accessories with absolutely no permanent alterations to weapon. The 16-slot top rail and 15-slot side and bottom rails are T-marked for precise repeatability in mounting optics, bipods, vertical grips, lights, and other tactical gear. Extended top rail eliminates gap between it and receiver rail. Mounts to the delta ring and handguard cap of rifles with carbine-length gas systems. No gunsmithing, no special tools required. Four setscrews lock the EZ CAR firmly in place to prevent shifting under recoil.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. 7¼" (18.4cm) long, 2⅝" (6.2cm) wide, 2⅝" (6.6cm) high. 9.0 oz. (255g) wt.

#100-005-587EK EZ CAR 7.0 Carbine Handguard, 8K137X93. \$ 148.00

DANIEL DEFENSE AR-15/M16/AR-STYLE .308 LITE RAIL HANDGUARD

Maximum Accessory Mounting
Versatility With Minimal Weight



Free-float, quad-rail handguard provides maximum accessory-mount-

ing versatility while keeping additional weight to a minimum—perfect for a lightweight, fast-pointing tactical rifle or carbine. The Lite Rail system provides a continuous, uninterrupted upper rail platform, plus three additional rails for tactical lighting, laser, or grip accessories. Machined from lightweight aluminum; completely replaces the standard barrel nut with an exclusive Bolt-Up System that improves strength and rigidity, while significantly reducing weight. **12.0** - For users who require a light and rugged rifle and desire a tactical upgrade with long-range capability. **12.0 FSP** - Features a precision cut-out opening in the top rail to accommodate the front sight post and gas block. **12.0 FSPM** - Provides an opening in the top rail for the front sight post and gas block of a mid-length AR15 gas system. **10.0** - Works with a low-profile gas block on either a carbine or mid-length gas system. **9.5 FSP** - Provides extra rail space along sides and bottom with a cut in the top rail for the front sight post and gas block to fit a rifle with a carbine-length gas system. **9.0** - Ideal for rifles with mid-length gas systems where size and weight are mission-critical attributes. **7.0** - Fits carbine-length gas systems; perfect for short barreled rifles. Installation of all models requires use of proprietary **Barrel Nut Wrench** available separately.

SPECS: Forend - 6061 T6 aluminum, Type 3 hardcoat anodized, black. Barrel Nut - steel, Parkerized, gray. **12.0, 12.0 FSP & 12.0 FSPM** - 12" (30cm) long, 14 oz. (396g) wt. **10.0** - 10" (25cm) length, 11 oz. (287g) wt. **9.5 FSP** - 9.5" (24cm) length, 9.1 oz. (258g) wt. **9.0** - 9" (22cm) length, 11 oz. (262g) wt. **7.0** - 7.25" (18.4cm) length, 9 oz. (255g) wt. Each kit includes forend, barrel nut, forend attachment base, (6) attachment screws, (3) ladder rail covers, thread locking compound, and instructions. Installation requires removal of barrel and front sight housing.

#100-004-675EK Lite Rail 12.0 8K328T29. \$ 356.00

#100-004-672EK Lite Rail 12.0 FSP 8K328Y29. \$ 356.00

#100-004-674EK Lite Rail 12.0 FSPM 8K328Y29. \$ 356.00

#100-004-676EK Lite Rail 10.0 8K328T29. \$ 356.00

#100-004-671EK Lite Rail 9.5 FSP 8K328Y29. \$ 356.00

#100-004-673EK Lite Rail 9.0 8K301Y71. \$ 327.00

#100-002-985EK Lite Rail 7.0 8K276X14. \$ 299.00

#100-003-141EK Lite Rail Bbl Nut Wrench, 8K09P66. \$ 10.00

7.62 LITE RAIL - Expands the Lite Rail free-float handguard system to the DPMS LR-308 and Remington R-25 AR-style .308 rifles. **12.0** fits rifle-length gas systems; **9.0** fits mid-length gas systems. Installation requires removal of barrel, front sight housing, and use of the proprietary barrel nut wrench, available below.

SPECS: Forend - 6061 T6 aluminum, Type 3 hardcoat anodized, matte black. Barrel Nut - Steel, Parkerized, matte black. Fits DPMS LR-308 and Remington R-25. Installation requires barrel nut wrench sold below. **12.0** - 12" (30cm) long, 2¼" (5.7cm) wide, 2⅝" (6.4cm) high. 14 oz. (396g) wt. **9.0** - 9" (22cm) long, 2¼" wide, 2⅝" high. 11 oz. (262g) wt. Each kit includes forend, barrel nut, forend attachment base, (3) polymer ladder rail covers, mounting screws, and instructions.

#100-005-798EK 7.62 Lite Rail 12.0 8K328U29. \$ 356.00

#100-005-799EK 7.62 Lite Rail 9.0 8K341U43. \$ 371.00

#100-005-895EK 7.62 Lite Rail Barrel Nut Wrench, 8K09Y50. \$ 11.50

BROWNELL'S WebBench™

Your #1 Internet Newsletter for Professional
Gunsmithing Information

JOIN OUR EMAIL LIST TODAY AT
brownells.com



DANIEL DEFENSE AR-15/M16 OMEGA RAIL/X RAIL

Lightweight, Versatile
& Easy To Install
Rail Systems
Maximize Accessory
Mounting Options



Free-float handguard with four MIL-STD 1913 Picatinny rails installs in minutes with no permanent modifications to weapon. Two-piece design allows installation using basic tools and the included hex key. Tighten the four Allen-head screws against the barrel nut with the hex key to eliminate movement and align the extended top rail with the receiver rail for an exceptionally long expanse of uninterrupted accessory mounting space. Plenty of ventilation cuts keep barrel cool and minimize weight—perfect for tactical rifles where every ounce saved improves speed and maneuverability. Rail slots are indexed with white letters and numbers for precise positioning and remounting of accessories. Receptacles for push-button QD sling swivels in the side rails have built-in rotation limiters. Precision machined from 6061 T6 aluminum and mil-spec Type 3 hardcoat anodized for added strength and a rock-hard surface that resists wear and scuffing. The standard **Omega Rail** clamps directly to factory barrel nut; remove it and reinstall factory handguard any time. **Omega X Rail** comes with a replacement barrel nut for a streamlined, minimal-profile installation that maximizes available rail space for accessories. **7.0** fits rifles with carbine-length gas systems, **9.0** is designed for rifles with mid-length gas systems, **12.0** fits AR-15s with rifle-length gas systems. **X Rail 12.0** provides extended accessory mounting space on any AR-15 with a carbine-length gas system. Cutout in the top rail allows clearance for the front sight tower/gas block. All models come with Santoprene rubber rail covers to provide a more comfortable, secure grip and protect the machined surfaces from damage. Rail covers resist temperatures up to 350° F. ■

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. Includes mounting screws, ladder-style rail covers, and instructions. **7.0** - 6 $\frac{3}{8}$ " (16.2cm) long. Top Rail - 7" (17.8cm) long. 76 oz. (217g) wt. Fits AR-15 with carbine-length gas system. **9.0** - 8 $\frac{1}{2}$ " (21.3cm) long. Top Rail - 9" (22.9cm) long. 9.6 oz. (273g) wt. Fits AR-15 with mid-length gas system. **12.0** - 11 $\frac{1}{4}$ " (29.9cm) long. Top Rail - 12 $\frac{3}{8}$ " (31.4cm) long. 13.6 oz. (386g) wt. Fits AR-15 with rifle-length gas system. **7.0 X Rail** - 7 $\frac{1}{4}$ " (18.4cm) O.A.L./top rail length. 9.4 oz. (266g) weight. Fits AR-15 with carbine-length gas system. **9.0 X Rail** - 9 $\frac{1}{4}$ " (23.5cm) O.A.L./top rail length. 11.7 oz. (333g) weight. Fits AR-15 with mid-length gas system. **X Rail 12.0** - 12 $\frac{1}{2}$ " (31.8cm) O.A.L. 13.8 oz. (391g) weight. Fits AR-15/M16 with carbine-length gas system. X Rail models require replacement of factory barrel nut with the included Omega X barrel nut.

#100-003-309EK Omega Rail 7.0 8K244A29 \$ 265.00
#100-003-629EK Omega Rail 9.0 8K270H00 293.00
#100-003-630EK Omega Rail 12.0 8K296H57 322.00
#100-005-072EK Omega X Rail 7.0 8K244X29 265.00
#100-005-071EK Omega X Rail 9.0 8K270X00 293.00
#100-004-496EK Omega X Rail 12.0, 8K296V57 322.00



DPMS AR-15/M16 HANDGUARDS

Military Style Look & Feel

Raised ribs improve grasp for easier carry and firing. Constructed from mil-spec, thermo-set resin for improved strength and durability. Includes aluminum heat shield. Fits standard or delta slip ring. **A2 Long** is a strong, comfortable-to-hold replacement for the older, triangular handguards. **AR-15 Short** fits CAR-15/M4 rifles with a 11 $\frac{1}{2}$ " or 16" long barrels. **SPECS:** Plastic resin, black. **A2 Long:** 12" (30.5cm) long. Fits AR-15 with 20" barrel. **AR-15 Short:** 6 $\frac{3}{4}$ " (17.1cm) long. Fits CAR-15/M4 with 11 $\frac{1}{2}$ " or 16" barrel. **#231-000-011EK A2 Long Handguard 1C21H37**.... \$ 24.99
#231-000-012EK AR-15 Short Handguard, 1C15H04 19.99

DANIEL DEFENSE AR-15/M16 RAIL INTERFACE SYSTEM II



SOCOM-Approved, Free-Float, Quad-Railed Carbine Handguards

A machined aluminum multi-rail handguard specifically designed for the Special Operations Command (SOCOM) M4A1 carbine, the RIS II enables installation of an M203 40mm grenade launcher, while allowing the barrel to free float. The M203 attaches to the bottom rail quickly and easily, without special tools or additional parts. Full-length, MIL-STD 1913 Picatinny rails provide plenty of space to add other mission-specific accessories as needed. Top rail is designed to mate continuously with the receiver rail. All models come with all required mounting hardware, instructions, and three molded polymer, snap-on rail covers. **RIS II** requires the installation of a low-profile gas block. **FSP RIS II** models have a cutout in the top rail that allows retention of the standard A2 gas block/front sight tower on a carbine-length gas system. **Mk 18 RIS II** is specifically designed for an M4A1 carbine with Mk18 CQBR (Close Quarters Battle Receiver) upper receiver and 10.3" barrel. Provides barrel free-float and expanded accessory mounting options, while deleting M203 mounting capability. Requires low-profile gas block. **SPECS:** 6061 T6 aluminum, hardcoat anodized, matte black, or Flat Dark Earth (FDE). 2 $\frac{1}{4}$ " (5.7cm) wide, 2 $\frac{1}{4}$ " tall. **RIS II** - 12 $\frac{1}{2}$ " (31.75cm) long, 19.4 oz. (550g) weight. **FSP RIS II** - 12 $\frac{1}{2}$ " long, 18.4 oz. (521g) weight. **Mk 18 RIS II** - 9 $\frac{1}{2}$ " (24.1cm) long, 15.5 oz. (439g) weight. **#100-005-808EK RIS II Handguard, Black, 8K342U00** \$ 371.00
#100-005-806EK RIS II Handguard, FDE, 8K342U00 371.00
#100-005-809EK FSP RIS II Handguard, Black, 8K342U00 371.00
#100-005-807EK FSP RIS II Handguard, FDE, 8K342U00 371.00
#100-006-163EK Mk 18 RIS II Handguard, FDE, 8K307A14 334.00

DOUBLE STAR AR-15/M16 FOUR-RAIL CARBINE HANDGUARD



Robust Construction,
Lots Of Accessory Mounting Space

Easy to install, all-metal replacement for factory handguard gives your AR-15/M16 rifle or carbine the added versatility of Picatinny-type rails at the 3, 6, 9, and 12 o'clock positions for mounting lights, lasers, vertical grips, bipods, bolt-on swivel studs, and other tactical accessories. Slots are indexed with white, alphanumeric position markers ensure precise positioning of accessories for fast, repeatable configuration changes to suit mission profile. Lightweight, extra-slim design is easy to grasp even with gloves on, while adding minimal weight and bulk. Plenty of large vent holes allow free flow of air to help cool barrel. Two-piece design installs without removing gas block and requires no permanent alterations to your rifle; delta ring is left intact to allow re-mounting of factory handguard. Bottom rail may be left off to allow mounting on rifles with shotguns or grenade launchers. Precision CNC machined from high-quality 6061 T6 aluminum and mil-spec hardcoat anodized for extra strength and a hard, scuff-resistant surface that handles the wear and tear of intensive tactical operations. ■

SPECS: Aluminum, mil-spec hardcoat anodized, matte black. 6 $\frac{3}{8}$ " (16.8cm) long, 2" (5.1cm) wide, 2 $\frac{3}{8}$ " (6cm) high. 7.4 oz. (210g) weight. Fits AR-15/M16 with carbine-length gas system. **#100-003-827EK Four-Rail Carbine Handguard, 2Z111Y43** \$ 139.99

DOUBLE STAR AR-15/M16/M4 CARBINE HANDGUARD

Rugged, Drop-In
Replacement For M4-Style
Factory Handguard



Snap-on USGI-type replacement for your carbine's factory-original handguard is made of tough, fiberglass-reinforced, injection-molded polymer that delivers superior impact and abrasion resistance. The ridged gripping surface and top/bottom vent holes retain the weapon's authentic military look, while an internal heat shield of lightweight aluminum protects your hand from barrel heat. **M4** model is available with standard-issue single-layer heat shield or a double shield for extra insulation during sustained rapid or full-auto fire. **Skinny M4** model has narrower diameter for operators who prefer a minimal bulk handguard. All models fit AR-15/M16/M4 with carbine-length gas system. ■

SPECS: Fiberglass-reinforced polymer, matte black. 6 $\frac{1}{2}$ " (16.5cm) long. **Standard** - Approx. 2 $\frac{1}{4}$ " (6.4cm) O.D. at rear tapering to 2 $\frac{1}{4}$ " (5.7cm) O.D. at front. Available with single or double heat shield. **Skinny** - Approx. 2 $\frac{1}{4}$ " O.D. at rear tapering to 2" (5.1cm) O.D. at front. Single heat shield only. **#100-004-513EK M4 Carbine Handguard, Single Shield, 2Z14A52** \$ 17.99
#100-004-514EK M4 Carbine Handguard, Double Shield, 2Z17A47 21.99
#100-004-515EK Skinny M4 Carbine Handguard, 2Z12A84 15.99

ERGO AR-15/M16 Z RAIL HANDGUARD



Increases Accessory
Mounting Options;
Easy To Install

Machined aluminum carbine-length handguards expand accessory mounting options for your rifle and don't require barrel removal to install. Four MIL-STD 1913 Picatinny rails enable easy, secure mounting of lights, lasers, vertical grips, backup sights, bipods, and other accessories. **Z Rail** is a drop-in replacement for an M4/CAR-15 carbine handguard and requires no modifications to weapon to install. Exclusive side lock system ensures a stable, rattle-free installation. **Z Float Rail** clamps to the barrel nut and free-floats your barrel for increased accuracy; requires permanent removal of delta ring. Has enough internal clearance for use with the Adams Arms piston system. Both handguards feature a black, hardcoat anodized finish for excellent resistance to surface wear, and include a set of snap-on ERGO LowPro Rail Covers that protect unused portions of the rails and give the operator a smooth, comfortable grasping surface. ■

SPECS: Machined aluminum, hardcoat anodized, matte black. **Z Rail** - 6.5" (16.5cm) long, 1.9" (4.8cm) wide. 9.8 oz. (277g) weight. **Z Float Rail** - 7" (17.7cm) long, 1.9" wide. 14.2 oz. (402g) weight. **LoPro Covers** - Flexible nylon plastic, black. 2.5" (6.3cm) long. **#573-000-050EK ERGO Z Rail Handguard, 3G107X14** \$ 149.99
#573-000-051EK ERGO Z Float Rail Handguard, 3G121X43 169.99

SHOP ONLINE at brownells.com

Search

AR-15 HANDGUARD

Product Search

Satisfaction Guaranteed!

DPMS AR-15/M16 4-RAIL FREE-FLOAT HANDGUARD

Optimum Versatility
For Mounting Accessories



One-piece, carbine-length free-float tube lets you mount the optics, lasers and foregrips your mission requires, without putting accuracy-robbing stress on the barrel. Four, Picatinny rails, machined as a part of the tube, provide additional strength and support. Vent slots prevent heat buildup. Furnished with a separate barrel nut for accurate indexing. Fits CAR-15. **SPECS:** 6000 series aluminum, anodized, black, matte finish. 2 $\frac{3}{8}$ " diameter, fits barrels up to 1" in diameter. 6 $\frac{3}{4}$ " (17.1cm) long. **#231-000-161EK Carbine 4-Rail Handguard, 1C144V00** \$ 169.00

DPMS AR-15/M16 CARBON FIBER FREE-FLOAT TUBE



Lightweight &
Fast-Handling For
Smooth Target
Transitions

Lightweight carbon fiber free-float forend gives your rifle a fast-handling profile and keeps the barrel cool, even during sustained fire. Distinctive-looking, smooth surface won't snag on clothing or gear, and lets your hand shift position easily for fast target transitions. Free-float design eliminates handguard-induced stress on barrel for maximum accuracy. Included barrel nut must be glued to tube with the supplied epoxy bonding agent. **SPECS:** Tube - Carbon fiber, black. Barrel nut - Aluminum, anodized, black. 2" (5.1cm) O.D. 1.8" (4.6cm) I.D. **Rifle** - 12 $\frac{1}{2}$ " (31.8cm) length. 8.2 oz. (233g) weight. **Carbine** - 7 $\frac{1}{4}$ " (18.4cm) length. 6.1 oz. (173g) weight. **#231-000-259EK Rifle Free Float Tube 1C78Y57**.... \$ 89.99
#231-000-260EK Carbine Free Float Tube 1C68Y13 79.99

DPMS AR-15/M16 FREE FLOATTUBE

Two-Piece Design;
Free-Floats AR-15/M16
Barrels For Greater
Accuracy



Lightweight, two-piece handguard eliminates exterior pressure points on AR-15/M16 barrels to help increase accuracy. Extra-rigid design is made from extruded aluminum. Separate barrel nut and forend tube thread together; easy to install and torque to proper specifications. Completely replaces the plastic, factory handguard, barrel nut and front cap for less weight and better heat dissipation. **SPECS:** Extruded aluminum, black-anodized finish. 2" (5cm) diameter. **Standard:** 12 $\frac{3}{8}$ " (31.4cm) long. **Carbine:** 7 $\frac{1}{4}$ " (18.4cm) long. Fits AR-15, M16 rifles or CAR-15 carbines. Both models accept barrels up to 1" (2.5cm) in diameter. Check distance from front of receiver to rear of front sight bridge. **#231-015-006EK Standard Free Float Tube, 1C47U61** \$ 63.99
#231-015-007EK Carbine Free Float Tube, 1C37U74 49.99

VENTED FREE FLOAT TUBE - Longitudinal slots allow excess barrel heat to rapidly dissipate. Improves barrel ventilation and cooling. Tube remains cooler for increased shooter comfort. **SPECS:** Extruded aluminum, anodized, black matte finish. 2" (5cm) diameter. **Standard:** 12 $\frac{3}{8}$ " (31.4cm) long. **Carbine:** 7 $\frac{1}{4}$ " (18.4cm) long. Fits barrels up to 1" (2.5cm) in diameter. **#231-000-001EK Vented Standard Free Float Tube, 1C81H21** \$ 90.99
#231-000-002EK Vented Carbine Free Float Tube, 1C62H88 85.99

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 37

- J.P. ENTERPRISES AR-15/M16/AR-STYLE .308

MODULAR HANDGUARD SYSTEM



Configure Accessory Rails & Swivels On Tactical Rifles For Each Mission

Modular handguard/rail system gives the tactical shooter maximum flexibility to customize the number, position, and length of accessory rails on his rifle. Mount rails

or sling swivels at 45° intervals around the handguard. Free-float handguard eliminates barrel pressure points for maximum accuracy; use a bipod or sling without affecting point of impact. Ventilated tube provides maximum heat dissipation, and the textured surface assures a non-slip grip in any weather conditions. Dual barrel nut system provides precise alignment of tube with top of receiver. Inner nut can be secured with a standard armorer's wrench. Fluted aluminum outer nut reduces weight without compromising strength and is secured to handguard with flush-fitting, Allen head screws for rock-solid alignment with upper receiver. Handguard comes with two sling swivels; rails sold separately. Rail Kits designed for JP system, will also work with many other free-float tubes. **JPHG-1M** - Rifle handguard leaves gas block exposed on AR-15 with 18", 20" or 24" barrel; covers gas block on 16" barrel. **JPHG-5M** - Mid-length handguard leaves gas block exposed on AR-15 with a mid-length gas system; covers gas block on carbine-length gas systems for a clean, streamlined profile. **JPHG-4M** - Carbine handguard leaves gas block exposed on AR-15 with 14" or 16" barrel. **JPHG-1D** and **JPHG-4D** fit DPMS LR-308 and AR-style .308 rifles with the same thread pattern on the upper receiver collar, including Knight's Armament SR-25 and Remington R-25. Rifle-length **JPHG-1D** leaves gas block exposed on 18" or longer barrel, covers gas block on 16" barrel. Carbine-length **JPHG-4D** leaves gas block exposed on 14" and 16" barrels. **JPHG-1A** - Rifle-length handguard fits the ArmaLite® AR-10®, Bushmaster, and Rock River Arms AR-style .308 rifles. **JPHG-EXT** bolt-on extension adds 5 1/2" to JPHG-4D and JPHG-4M handguards to give the operator more options for mounting accessories. Cutout provides clearance for A2-style front sight tower. ■

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. Steel inner barrel nut, swivel studs, and setscrews with matte black oxide finish. 2" (5cm) dia. without attachments. Includes inner and outer barrel retainer nuts and two sling swivel studs with backer plates, setscrews. Additional studs available below. **JPHG-1M** - 11 1/2" (29.2cm) long. **JPHG-5M** - 9 1/2" (23.2cm) long. **JPHG-4M** - 7 1/2" (18.1cm) long. **JPHG-1D** and **JPHG-4D** fit DPMS LR-308, Knight's Armament SR-25, Remington R-25, and AR-type .308 rifles with the same thread pattern on the upper receiver collar. **JPHG-1D** - 12 1/2" (31.75cm) long. **JPHG-4D** - 7 1/2" (18.1cm) long. **JPHG-1A** - 12 3/4" (32.4cm) long. Fits ArmaLite AR-10, Bushmaster, and Rock River Arms AR-style .308 rifles with rifle-length gas system. **JPHG-EXT** - 6 1/4" (15.8cm) OAL. Adds 5 1/2" (13.6cm) to handguard length; fits JPHG-4D and JPHG-4M handguards only. **Rails** - MIL-STD 1913 Picatinny cut. Backer plates and Allen head mounting screws included. Rifle rail is 11 1/2" (29.2cm) long; mid-length rail is 9" (22.9cm) long; carbine rail is 7 1/2" (18.1cm) long.

#452-000-040EK	JPHG-1M Rifle Handguard, 2E146C67	\$ 179.99
#452-000-051EK	JPHG-5M Mid-Length Handguard, 2E163C33	204.99
#452-000-034EK	JPHG-4M Carbine Handguard, 2E164C06	174.99
#452-000-108EK	JPHG-1D AR-.308 Handguard, 2E151D08	174.99
#452-000-109EK	JPHG-4D AR-.308 Handguard, 2E151D08	174.99
#452-000-072EK	JPHG-1A AR-10/AR-.308 Handguard, 2E140H00	174.99
#452-000-110EK	JPHG-EXT Handguard Extender, 2E60D43	69.99
#452-000-038EK	11 1/2" Rifle Rail 2E76C46	89.99
#452-000-052EK	9" Mid-Length Rail 2E60C00	74.99
#452-000-037EK	7 1/2" Carbine Rail 2E56C00	70.99
#452-000-035EK	2" Tactical Rail 2E20C27	24.99
#452-000-036EK	4" Tactical Rail 2E32C65	39.99

MAKO AR-15/M16

QUAD-RAIL HANDGUARD



Increases Accessory Mounting Options; Easy, Drop-In Installation

Four-rail Picatinny handguard expands the versatility of any tactical AR-15/

M16/M4 carbine by allowing you to mount a wide array of lights, lasers, flip-up sights, vertical grips, and bipods. True, drop-in replacement for factory plastic handguard clamps securely to the barrel nut and front handguard cap with four steel cap screws that let you easily adjust the tension to prevent unwanted movement. Requires no permanent alterations to rifle; remove Quad Rail at any time and reinstall factory guard. Provides a full load of features that tactical shooters want, including white numeric index markings in slots to ensure repeatability of accessory positions, and large cooling vents to help prevent barrel overheating during sustained fire. Top rail aligns with flattop receiver rail to provide plenty of uninterrupted rail space to position an optic exactly where you need it for best performance, with space left for backup iron sights. Bottom rail can be removed to prevent interference with under-barrel tactical shotgun, tear gas launcher, or grenade launcher. Durable, all-aluminum construction... with a tough, hardcoat anodized finish for extra strength, scratch resistance, and protection from corrosion. Comes with four, full-length, snap-on rail covers to protect unused portions of the rail, as well as your hand.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. 6 1/4" (15.9cm) overall length. Fits AR-15/M16/M4 with carbine-length gas system and retention system for USGI plastic handguard. Rail Covers - Synthetic rubber, black. 4 included. May be cut to length. #100-004-275EK Quad-Rail Handguard 2B55Y90 . . . \$ 63.99

MIDWEST INDUSTRIES AR-15/M16

TWO-PIECE CARBINE HANDGUARD

Snap-On Replacement For Factory Handguard; Clearance For Gas Piston



Machined aluminum two-piece handguard is a drop-in replacement for the factory plastic handguard that gives you 24 1/2" of MIL-STD 1913 Picatinny rail space for tactical accessories. No gunsmithing, no need to remove the barrel nut or front sight to install, and no permanent alterations to rifle required. Fits standard delta ring equipped gas-impingement carbines, and also has enough internal clearance for many gas-piston conversions. Each of the four rails contains 16 mounting slots, and are laser etched with white position markings to aid in fast remounting of accessories. Large vent holes allow plenty of air circulation for cooling.

SPECS: 6061 T6 aluminum, mil-spec hardcoat anodized, matte black. 6 1/4" (15.8cm) long, 2 1/2" (6.3cm) wide, 2 3/8" (6cm) high. 10 oz (300.5g) wt. 6 5/8" (16.8cm) long. Fits 16" mil-spec gas impingement carbine barrels, and CMMG, Osprey Defense, Ares Defense, Adams Arms carbine-length gas piston systems. Will not fit Colt-manufactured AR-15/M4.

#100-005-191EK Two-Piec Carbine Handguard, 2A135Z71 . . . \$ 159.99

JPHGS SLING SWIVEL STUD - Heavy duty steel stud clamps securely into any of the cooling slots on a V-Tac handguard to provide a forward sling-mounting point. Also accepts a folding bipod that attaches to a swivel stud.

SPECS: 6061 T6 aluminum base, hardcoat anodized, matte black. Steel stud, black oxide finish.

#452-000-076EK JPHGS Sling Swivel Stud 6S08B00 . \$ 9.99



For more choices of JP ENTERPRISES HANDGUARDS visit brownells.com

MAGPUL AR-15/M16

MOE® HANDGUARD



Gives A Secure, Comfortable Grip, Better Weapon Control & Versatile Accessory Mounting

Ergonomic handguard combines the light weight and

slim profile of the USGI plastic handguard with more comfortable ergonomics and the accessory mounting versatility of aluminum railed handguards. Trapezoidal cross-section and ridges on the underside help the operator maintain a secure grip for better weapon control under stress or during sustained rapid fire. Integral aluminum heat shield protects hand from hot barrel, while side extensions and a pronounced lip at the front edge prevent the hand from slipping forward onto the hot gas block. Horizontal slots at the 2, 6, and 10 o'clock positions let you install bolt-on accessory rails or MOE Illumination Kit, available below, exactly where you want to mount lights, lasers, and other accessories. Two-piece, snap-on design—no gunsmithing—fits rifles equipped with Delta ring and round or triangular handguard cap. Plenty of internal clearance to fit on rifles equipped with a gas piston conversion. Constructed of rugged, heat- and impact-resistant fiberglass-reinforced injection-molded polymer. Available in black, and three popular tactical camo colors, Dark Earth, O.D. Green and Foliage Green. ■

SPECS: Reinforced molded polymer, Black, Dark Earth, O.D. Green, or Foliage Green. Fits AR-15/M16/M4 rifles equipped with Delta ring and round or triangular handguard cap. Compatible with gas piston conversion systems. **Carbine** - 7" (17.8cm) OAL, 2 1/4" (5.7cm) wide, 2 1/4" high. 6.2 oz. (176g) weight. Requires 6 3/8" between Delta ring and handguard cap. **Rifle** - 12 1/2" (32cm) OAL, 2 1/4" wide, 2 1/2" (6.4cm) high. 12.1 oz. (343g) weight. Requires 11 1/2" (29.2cm) between Delta ring assembly and handguard cap. **Mid-Length** - 9 1/4" (23.4cm) OAL, 2 1/4" wide, 2 1/2" high. 8.7 oz. (247g) weight. Requires 8 3/16" between Delta ring assembly and handguard cap.

#100-004-152EK	MOE Carbine Handguard, Black 3K25P31	\$ 29.99
#100-004-153EK	MOE Carbine Handguard, Dark Earth, 3K24P62	29.99
#100-004-154EK	MOE Carbine Handguard, O.D. Green, 3K24P62	29.99
#100-004-155EK	MOE Carbine Handguard, Foliage Green, 3K24P62	29.99
#100-006-195EK	MOE Rifle Handguard, Black, 3K32H23	39.99
#100-006-194EK	MOE Mid-Length Handguard, Black, 3K28H21	34.99

ACCESSORY RAILS - Bolt-on MIL-STD 1913 rails give your MOE handguard plenty of accessory mounting versatility. Available in four lengths, so you can position just enough rail area exactly where you need it for each accessory. Clamps easily to the slots in the handguard with the included steel mounting hardware. Also fits many standard plastic handguards with proper center-to-center (c-to-c) hole spacing. **SPECS:** Reinforced molded polymer, steel hardware, matte black. **L2** - 5 slots, 2 1/2" (6.4cm) long, 1.2" (3.1cm) c-to-c hole spacing. **L3** - 7 slots, 3 1/4" (8.2cm) long, 1.6" (4.1cm) c-to-c hole spacing. **L4** - 9 slots, 4" (10.2cm) long, 2.4" (6.1cm) c-to-c hole spacing. **L5** - 11 slots, 5" (12.7cm) long, 3.2" (8.2cm) c-to-c hole spacing.

#100-005-600EK	L2 MOE Rail 3K04C85	\$ 5.99
#100-005-601EK	L3 MOE Rail 3K05C65	6.99
#100-005-602EK	L4 MOE Rail 3K06C47	7.99
#100-005-603EK	L5 MOE Rail 3K07D28	8.99

MOE ILLUMINATION KIT - Easy-to-install kit contains everything you need to mount a Picatinny rail-compatible weapon light on a MOE handguard. Gives your rifle the versatility of onboard illumination with minimal sacrifice of handguard real estate. Kit includes a short rail section, optional cantilever rail mount, standard pres-



HOGUE AR-15/M16

FREE-FLOAT FORENDS



Ultra-Secure, Non-Slip Gripping Surface For Maximum Weapon Control

Machined aluminum free-

float forends provides an exceptionally positive, non-slip gripping surface for the support hand to help ensure maximum weapon control. Easy-to-install, two-piece free-float design eliminates handguard stress on the barrel that can compromise accuracy. Use with rifle's factory gas tube; if changing barrel length, purchase replacement gas tube of appropriate length. Rifle- and carbine-length models available in all-aluminum **Ridged** design or cobblestone-texture **Overmolded**® rubber grasping surface. **Kits** include an Overmolded pistol grip with a shock-absorbing pebble-textured rubber covering, palm swells, and finger grooves for increased shooting comfort.

SPECS: **Forend** - Aluminum, hardcoat anodized, matte black, with synthetic rubber covering on Overmolded models. **Rifle** - 12 1/4" (31.1cm) long, 2" (5cm) diameter. Fits AR-15/M16 and clones with rifle-length gas system. **Carbine** - 7 1/2" (17.8cm) long, 2" diameter. Fits AR-15/M16/M4 and clones with carbine-length gas system. **Pistol Grip** - Molded synthetic rubber exterior over fiberglass core, black.

#408-150-020EK	Rifle Forend, Overmolded 8K66Z29	\$ 102.99
#408-000-091EK	Rifle Forend, Ridged 8K46H51	59.99
#408-150-120EK	Carbine Forend, Overmolded, 8K69Z79	107.99
#408-000-093EK	Carbine Forend, Ridged 8K46H51	59.99
#408-150-030EK	Rifle Kit, Overmolded 8K69Z79	107.99
#408-000-092EK	Rifle Kit, Ridged 8K54H28	59.99
#408-150-130EK	Carbine Kit, Overmolded 8K73Z28	107.99
#408-000-094EK	Carbine Kit, Ridged 8K52H47	69.99

PISTOL GRIP - Strong, fiberglass insert fits solidly against the frame, resists wear, won't loosen. Orthopedic design with palm swells and finger grooves reduces shock, increases shooting comfort; maintains a stock appearance.

SPECS: Molded synthetic rubber exterior over fiberglass core, black.

#408-150-000EK Pistol Grip 8K16D76 . . . \$ 18.99



MIDWEST INDUSTRIES AR-15/M16

TRIM RINGS

End Cap Rings Give Handguard A Finished Look

Precision-machined aluminum end cap gives a Midwest Industries SS- or T-Series handguard a clean, finished look. Both models accommodate barrels up to 1" O.D. Attach to handguard with four hex head screws. **T-Trim Ring** fits SS- or T-Series handguards on ARs with conventional gas impingement systems. **P-Trim Ring** fits SS- or T-Series handguards on ARs equipped with a gas piston system. **SPECS:** 6061 T6 aluminum, hardcoat anodized, matte black finish. Mounting hardware included. Fits MIL T and SS-Series handguards. **T-Trim** - 1 3/4" (4.2cm) dia. .6 oz (18g) wt. **P-Trim** - 1 3/4" (4.2cm) dia. .4 oz (12g) wt. Fits AR-15 with gas piston system or bull barrel.

#100-005-330EK	T-Trim Ring 2A13X50	\$ 16.99
#100-005-331EK	P-Trim Ring 2A13X50	16.99



Selection • Service • Satisfaction

sure switch mount, a mount for a SureFire® ST pressure switch, and all required hardware. Also fits the handguard of a Bushmaster ACR® (Adaptive Combat Rifle).

SPECS: Reinforced injection-molded polymer, black. Instructions included.

#100-005-596EK MOE Illumination Kit 3K16D22 . . . \$ 19.99

MIDWEST INDUSTRIES AR-15/M16/AR-STYLE .308 "GEN 2" TWO-PIECE FOREND

Versatile, Easy To Install,
Snap-On Forend Rails For
Optics & Accessories

Carbine length, two-piece vented forend snaps solidly in place and replaces factory plastic handguard with no gunsmithing, no permanent alterations to rifle. Each of the four MIL-STD 1913 Picatinny rails contains 15 mounting slots for optics, lasers, vertical grips, bipods, and lights. Two-piece design permits removal of lower section to install a grenade launcher or shotgun. Rails are laser etched with white alphanumeric position markings to aid in fast mounting and remounting of accessories. Four sockets for QD pushbutton sling swivels. Models for standard **AR-15/M4** carbine, with internal clearance for gas piston conversion systems, and **DPMS Sportical®** AR-style .308 rifle. **SPECS:** Machined 6061 billet aluminum, hardcoat anodized, matte finish, Black or Dark Earth. 6 5/8" (16.8cm) long. **AR-15/M4** fits mil-spec 16" carbine-length barrels with round front handguard cap. Will not fit Colt-made AR-15/M4. **Sportical** fits DPMS Sportical AR-style .308 rifle with factory gas block and handguard cap.

100-007-124EK AR-15/M4 Carbine Gen 2 Forend,
Black 2A114X28 \$ 124.99

#100-004-246EK AR-15/M4 Carbine Gen 2 Forend,
Dark Earth 2A125V17 154.99

#100-005-396EK DPMS Sportical Forend, Black,
2A131Y43 149.99

MID-LENGTH TWO-PIECE GEN 2 FOREND - Four Picatinny rails contain 20 mounting slots for lasers, optics, bipods, vertical grips, and lights and each MIL-STD rail is USGI type laser etched with lettering and numbering. Plenty of internal clearance for an gas piston conversion system. Two-piece design permits removal of lower section for installation of a shotgun or grenade launcher.

SPECS: Machined from 6061 billet aluminum, hard coat anodized to Mil-Spec. Black. 8 1/2" (21.5cm) overall length. Fits carbine length barrels with extended gas system as made by Rock River Arms and ArmaLite.

100-008-001EK Two-Piece Mid-Length Gen 2 Forend,
2A135Y71 \$ 149.99

RIFLE-LENGTH TWO-PIECE GEN 2 FOREND - Versatile, rifle-length vented forearm replaces factory handguard on full-size AR-15 rifles and provides four Picatinny rails, each with 28 mounting slots for optics, lasers, vertical grips, bipods, and lights. Two-piece design permits easy installation without removing gas block; no gunsmithing required. Bottom section is removable to allow installation of a grenade launcher or shotgun. Each rail has precise laser-etched alphanumeric markings for fast remounting of optics and accessories. 60 oversized vent holes reduce weight and ensure plenty of airflow to help prevent barrel overheating. Will not fit Colt manufactured AR-15 rifles.

SPECS: CNC machined from 6061 billet aluminum, hardcoat anodized, matte black. 12" (30.5cm) long. Fits 20" rifle-length Mil-Spec barrels with round front attaching point. Will not fit Colt manufactured AR-15.

100-007-999EK Two-Piece Rifle-Length Gen 2 Forend,
2A157V15 \$ 164.95

EXTENDED-RAIL CARBINE FOREND - Extended, MIL-STD 1913 Picatinny side rails give 10" of uninterrupted rail space and top rail extension past front sight provides flexibility in accessory mounting options. Laser-etched with alphanumeric designations. Bottom section is removable to allow installation of grenade launcher or shotgun.

PRECISION REFLEX AR-15/M16 GEN III CARBON FIBER FOREARM

Improves Handling &
Reduces Heat Buildup

Tubular free-float forearm is made of lightweight, high-strength carbon fiber to reduce heat transfer to the shooter's hand during sustained fire and provide excellent handling characteristics. Precision-made, aluminum barrel nut rigidly clamps the forearm to the upper receiver. Generous porting on some models enhances heat transfer while reducing weight even more. **Rifle** model fits rifle-length gas systems and is available in three styles: **Target** solid-surface tube; **Ported/Railed** with 28 cooling ports, three 3 1/4" Picatinny rails that can be repositioned for specific needs, and an 8 1/2" top rail; **Ported/No Rails** with 34 cooling ports for maximum heat dispersion. **Mid-Length** model has 6 cooling ports, three 3 1/2" and one 5 1/2" removable Picatinny rails.

SPECS: Tube - Carbon fiber, natural black/silver finish. 2" (5cm) O.D. Barrel nut - Aluminum, hard-anodized, matte black. **Rifle** - 12 1/2" (31.8cm) long. **Mid-Length** - 9 1/8" (23.2cm) long.

#714-000-012EK Gen III Forearm, Target,
4A201P39 \$ 209.99

#714-000-011EK Gen III Forearm, Ported/Rails,
4A310P81 319.99

#714-000-014EK Gen III Forearm, Ported/No Rails,
4A248P32 254.99

#714-000-013EK Gen III Forearm, Mid-Length,
4A304P05 314.99

ROCK RIVER ARMS AR-15/M16 NM FREE FLOAT BARREL SLEEVE

DCM Legal, A2-Style Relieves
Barrel Tension
For Better Accuracy

Two-piece steel tube isolates barrel from forend pressure for consistent accuracy on target and tactical rifles. Lets you use a tight shooting sling or a bipod without putting external pressure on barrel and shifting point of impact. Furnished with A2 handguards, sling swivel and gas tube. DCM legal, does not alter exterior profile.

SPECS: Steel, parkerized finish. High-temp injection-molded handguards, black. 13" (33cm) long. 16 oz. (454 g) weight. Fits AR-15 with 20" barrel.

#739-000-003EK Free Float Barrel Sleeve,
9C00YTP \$ 99.99

SPECS: CNC machined from 6061 aluminum, hardcoat anodized, matte black. 6 5/8" (16.8cm) long, 2 1/2" (6.35cm) diameter. Top and side rails are 10" (25.4cm) long. Fits carbine length, Mil-Spec barrels. Will not fit Colt-made AR-15s/M4s.

#100-002-411EK Two-Piece Extended-Rail Carbine Forend 2A152D00 \$ 189.99

AR-10® CARBINE FOREND - Snap-on railed forearm gives your ArmaLite AR-10 carbine all the accessory mounting versatility of Midwest Industries two-piece AR-15 forearms. Four MIL-STD 1913 Picatinny rails contain 20 mounting slots each, and are laser etched with white alphanumeric position markings. Lower section may be left off to provide clearance for a grenade launcher, tear gas launcher, or shotgun. Direct replacement for plastic factory handguard—no gunsmithing or permanent alterations required.

SPECS: Machined 6061 T6 billet aluminum, hardcoat anodized, matte black. 8 5/8" (20.6cm), 2 1/2" (6.4cm) diameter. Fits ArmaLite AR-10 carbines only.

#100-004-421EK AR-10 Carbine Handguard,
2A173H43 \$ 216.99

MIDWEST INDUSTRIES AR-15/M16 SS SERIES FREE-FLOAT HANDGUARDS

Ultra-Light, Clutter-Free
Design With Modular Rails
For Tactical Versatility

Free-float handguard of lightweight yet rugged machined aluminum has a full-length MIL-STD 1913 Picatinny top rail and two, modular bolt-on rails for mounting tactical accessories exactly where you need them. Cuts down on weight and clutter by eliminating unused rail space. Plenty of large vent holes help air circulation to cool barrel, and also serve as mounting holes for the modular rails using the included hardware. Top rail mates with receiver rail without a gap for a monolithic look, and is T-marked with white numbering for ease in removing and remounting a scope or red dot sight without loss of zero. Generous internal clearance accommodates gas piston systems from CMMG, Osprey Defense, and Ares Defense (won't fit Adams Arms). Accepts Midwest Industries T- and P-Series Trim Rings, available separately.

SPECS: Machined 6061 T6 aluminum, hardcoat anodized, matte black. Steel jam ring, matte black. Handguard - 2" (5cm) wide without attachments, 2 1/4" (5.7cm) high from bottom to top of rail. Includes 2" (5cm) and 4" (10.1cm) rails, mounting hardware, and instructions. **Carbine** - 7" (17.8cm) long. **Mid-Length** - 9" (22.9cm) long. **Rifle** - Available in 12" (30.5cm) and 15" (38.1cm) lengths.

#100-005-332EK 7" Carbine SS Handguard,
2A125X00 \$ 149.99

#100-005-333EK 9" Mid-Length SS Handguard,
2A129X00 154.99

#100-005-334EK 12" Rifle SS Handguard,
2A140X00 164.95

#100-005-335EK 15" Rifle SS Handguard,
2A154X00 179.95

SS SERIES HANDGUARD ACCESSORIES - Bolt-on hardware lets you maximize accessory mounting options while adding minimal weight and bulk. Picatinny rails are available in 2", 4", and 6" lengths; vent holes through the rails maintain barrel cooling capacity and help keep weight down. Heavy duty, quick-detach sling swivel accepts slings up to 1 1/4" wide, and limits travel to prevent sling wrapping while still allowing necessary movement. Bipod adapter lets you install a Harris bipod on any SS Series handguard.

SPECS: Rails, Swivel Base & Bipod Adapter Base - Machined 6061 T6 aluminum, hardcoat anodized, matte black. Fits SS Series handguards only. Mounting hardware included. **Rails** - 2" (5.1cm), 1 oz. (28g) weight; 4" (10.2cm), 1.6 oz. (45g); 6" (15.2cm), 1.8 oz. (51g). **Swivel** - Steel loop, black oxide finish. Accepts slings up to 1 1/4" (3.2cm) wide. Base is 2 1/4" (5.7cm) long x 5/8" (1.6cm) wide, 1.5 oz. (43g) wt. **Bipod Adapter** - Steel stud, black oxide finish. 2" (5.1cm) long, 1" (2.5cm) wide, 1/16" (1.1cm) thick. 1.4 oz. (39g) weight.

#100-005-698EK 2" SS Series Rail 2A16Y00 \$ 19.95

#100-005-699EK 4" SS Series Rail 2A19Y70 24.95

#100-005-700EK 6" SS Series Rail 2A25Y00 28.99

#100-005-701EK SS Sling Adapter 2A27Y55 34.99

#100-005-982EK SS Bipod Adapter 2A30X34 37.99

MIDWEST INDUSTRIES AR-15/M16 T-SERIES FREE-FLOAT HANDGUARD

Eliminates Stress On Bar-
rel, Maximizes Accessory
Mounting Options

Lightweight, machined aluminum forend combines the accuracy-improving benefit of free-float attachment with four Picatinny rails for customized mounting of tactical accessories. One-piece free-float design attaches directly to upper receiver with the included barrel nut to eliminate pressure points on the barrel that can compromise accuracy. Large vent holes help keep weight to a minimum and ensure plenty of air circulation to cool barrel. Unobstructed interior provides adequate internal clearance for most gas piston systems, and allows installation on a rifle/carbine with a gas system shorter than the handguard if a low-profile gas block is also installed. Clean, streamlined exterior has no gap between receiver rail and top rail of handguard. Slots are marked with white, laser-etched alphanumeric position markers for precise positioning of accessories and fast, repeatable configuration changes. Includes anti-rotation pin to keep handguard aligned. Requires removal of factory barrel nut and delta ring.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. All models 2.4" (6.1cm) wide x 2.4" high. **T7** - 7" (17.8cm) OAL. Fits AR-15 with carbine-length gas system. **T9** - 9" (22.9cm) OAL. Fits AR-15 with mid-length gas system or shorter gas system with low-profile gas block. **T10** - 10" (25.4cm) OAL. Fits AR-15 with carbine-length gas system and low-profile gas block. **T12** - 12" (30.5cm) OAL. Fits AR-15 with rifle-length gas system or shorter gas system with low-profile gas block. **T15** - 15" (38.1cm) OAL. Fits AR-15 with any length gas system and low-profile gas block.

#100-004-305EK T7 Free-Float Handguard,
2A129Y95 \$ 149.99

#100-004-307EK T9 Free-Float Handguard,
2A119Y93 159.99

#100-004-306EK T10 Free-Float Handguard,
2A126Y60 164.99

#100-004-308EK T12 Free-Float Handguard,
2A133Y27 174.99

#100-005-983EK T15 Free-Float Handguard,
2A146X50 165.00

TROY INDUSTRIES AR-15/M16 TRX BATTLERAIL

Free-Float Handguard
With Unique Barrel
For Easy Alignment Of Top
Rail With Receiver Rail

Lightweight, free-float, machined aluminum handguard has a unique attachment system to ensure proper alignment of top rail with receiver rail. Rotary-locking system uses a unique barrel nut design that attaches to the barrel with the included index wrench. Handguard slides over barrel and gas tube at an offset angle, until the notched barrel nut indexes in the internal grooved channel for a secure fit. Two hex head screws lock down the handguard, and a built-in stop prevents over tightening. Vent holes let heat escape the barrel and minimize weight. White alpha-numeric designators on cross slots ensure easy repeatability of accessory positions. **Standard** (13" long) features full-length MIL-STD 1913 Picatinny rails at the 3, 6, 9, and 12 o'clock positions. **Extreme** (9" long) is even lighter and sleeker with a single, top Picatinny rail, horizontal grooves for a secure no-slip grip, and additional ventilation holes to reduce weight and dissipate heat. Comes with one 4" and two 3" bolt-on rails for mounting additional accessories exactly where you need them.

SPECS: 6061 T6 aluminum, hardcoat anodized, Teflon® coated, matte black finish. Mounting hardware and barrel nut wrench included. **Standard** fits rifles with rifle length gas systems. **Extreme** fits rifles with mid-length gas systems.

#100-005-087EK 13" Standard TRX Rail 3B184X79 \$ 199.99

#100-005-088EK 9" Extreme TRX Rail 3B153X21 164.99



order on the web
www.brownells.com


BROWNELLS
... ONLY THE BEST ... **PAGE 39**

Orders/Tech: 800-741-0015

YANKEE HILL MACHINE AR-15/M16

TACTICAL HANDGUARDS

Fixed Or Removable Rail Models
For Extreme Tactical Duty

Lightweight, vented handguards allow the shooter to choose fixed, permanent Picatinny rails or easily removable ones for high-level customization. Precision machined from aircraft grade aluminum, then mil-spec hardcoat anodized for extra strength and superior abrasion resistance. 

CUSTOMIZABLE FREE-FLOAT TUBE - Versatile forearm system lets you choose exactly how much rail space you need to accommodate add-on, tactical accessories. Lightweight, aluminum, tube free-floats the barrel to eliminate shifts in bullet point-of-impact caused by sling or bipod tension on the handguard. Four, evenly spaced rows of threaded mounting holes accept Yankee Hill's Picatinny-type, modular, Add-On Rails. One full-length rail and one 3" elevated rail included; additional rails available separately below. Front end is internally threaded to accept the ported, Yankee Hill End Cap. Included barrel nut features a slotted lock ring to allow proper indexing of added accessory rails. Lock ring is best tightened using the Yankee Hill Forearm Wrench. Choose from **Carbine**, **Specter**, or **Rifle** length tubes. Steel **Bipod/Sling Stud** screws directly into underside of handguard to provide a rock-solid mounting point for a Harris-style bipod. Also serves as an ultra-secure, heavy-duty sling swivel mount.

SPECS: Aluminum, mil-spec hardcoat anodized, matte black. Includes tube, full-length rail, 3" elevated rail, jam nut, and barrel nut. **Carbine** - 7 $\frac{1}{16}$ " (18.3cm) long x 2" (5.1cm) dia. 9.5 oz. (269 g) wt. Accepts up to four 3", 4" or 7" rails. **Specter** - 9 $\frac{1}{2}$ " (24.4cm) long x 2" dia. 12 oz. (340g). Covers gas block on a carbine-length gas system; low-profile gas block required. Accepts four 6", 7", or 9 $\frac{1}{4}$ " rails or a combination of eight 3" and 4" rails. **Rifle** - 12 $\frac{1}{2}$ " (31.8cm) long x 2" dia. 14.6 oz. (414 g) wt. Accepts up to four 7", 9 $\frac{1}{4}$ " or 12" rails; eight 3" and 4" rails; four 6" rails and four 3" or 4" rails; four 7" rails and four 3" or 4" rails. **Bipod/Sling Stud** - 12L14 steel, black. Approximately $\frac{5}{8}$ " (15mm) OAL, threaded portion $\frac{1}{4}$ " (6mm) long. 10-32 thread.

#100-002-078EK Carbine Customizable Tube,
9A91B13 \$ 128.99

#100-002-452EK Specter Customizable Tube,
9A100Z36 139.99

#100-002-079EK Rifle Customizable Tube,
9A121B90 169.99

#100-005-267EK Bipod/Sling Stud 9A00Y77 99

"SMOOTH" FREE FLOAT HANDGUARD - Lightweight, machined aluminum forearm combines the accessory mounting versatility of a quad-railed forearm with a "smooth," un-railed area for support hand comfort to aid in enhanced weapon control. Integral, full-length Picatinny top rail, plus forward 2.5" rails on the sides and bottom, offer plenty of attachment space for lights, lasers, optics, backup sights, and other accessories. Modular design accepts a variety of bolt-on YHM accessories, available below. Smooth areas are drilled and tapped to accept Add-On Rails for additional accessory mounting options. Side and bottom rails have receptacles for Threaded Swivel Studs; also accepts YHM Forearm End Cap. YHM's free-float attachment system eliminates accuracy-compromising pressure on the barrel, while anti-rotation screws prevent the forearm from working loose even during rigorous tactical operations. Large ventilation slots allow plenty of air circulation to dissipate heat and keep the barrel cool. **Carbine** - Side and bottom rails extend around the front sight/gas block to get the accessories as far forward as possible and provide more grasping surface for the support hand. Cutout on top provides enough clearance to fold down a Yankee Hill flip-up front sight. **Rifle** - Extends to just behind gas block and includes a forward attachment point for Threaded Swivel Stud on the top rail.

SPECS: Aluminum, mil-spec hardcoat anodized, matte black. **Carbine** - 9 $\frac{1}{4}$ " (23.5cm) OAL, 2 $\frac{1}{2}$ " (6.4cm) diameter. 12.4 oz. (352g) weight. Fits AR-15/M16 with carbine-length gas system. **Rifle** -

12 $\frac{1}{2}$ " (31.8cm) OAL, 2 $\frac{1}{2}$ " diameter. 16.6 oz. (471g) weight. Fits AR-15/M16 with rifle-length gas system.

#100-004-309EK Smooth Free Float Forearm, Carbine,
9A112Y00 \$ 139.99

#100-004-310EK Smooth Free Float Forearm, Rifle,
9A128Y00 159.99

CUSTOMIZABLE 2-PIECE CARBINE HANDGUARD - Two-piece forearm replaces your AR-15 carbine's mil-spec, factory plastic handguard and allows you to install Picatinny rails at 45-degree intervals for precise, custom positioning of lights, lasers, vertical grips, and other accessories. Eight, evenly spaced rows of threaded mounting holes accept Yankee Hill's Picatinny-type, modular, Add-On Rails. One full-length rail and one 3" elevated rail included; additional rails available separately below. Bottom half removes easily to provide clearance for a shotgun or grenade, flare, or tear gas launcher. Sixteen, lengthwise cooling vents ensure thorough dissipation of heat from barrel. Machined from rugged but lightweight aluminum, then hardcoat anodized matte black for added strength and exceptional wear resistance.

SPECS: Aluminum, mil-spec hardcoat anodized, matte black. 6 $\frac{1}{2}$ " (16.8cm) long x 2" (5.1cm). 7.6 oz. (216g) wt. Accepts up to four 3", 4" or 6" add-on rails.

#100-002-896EK Customizable 2-Pc Carbine Handguard,
9A116D75 \$ 145.99

ADD-ON RAILS - Bolt-on Picatinny rails give you almost unlimited accessory mounting options for your Yankee Hill customizable handguards. Choose only as much rail as you need to avoid cluttering handguard with unused rail space. 6" rail is a full-length rail for Carbine-length handguards, 9 $\frac{1}{4}$ " rail is the correct length for Specter tubes, and 12" rail is full-length for Rifle tubes.

SPECS: Aluminum, mil-spec hardcoat anodized, matte black. Fits Yankee Hill Customizable Free-Float and Two-Piece Handguards. Mounting screws included.

#100-002-081EK 3" Add-On Rail 9A12B65 \$ 18.00

#100-002-082EK 4" Add-On Rail 9A13B85 19.50

#100-003-157EK 6" Add-On Rail 9A16T35 23.00

#100-002-083EK 7" Add-On Rail 9A17B25 24.50

#100-003-158EK 9 $\frac{1}{4}$ " Add-On Rail 9A19T85 28.50

#100-002-080EK 12" Add-On Rail 9A27B00 34.00

4-RAIL FREE-FLOAT HANDGUARD

Four, integral, full-length Picatinny rails machined into a single piece of high-strength, rigid aluminum forms a handguard that delivers maximum stability and reliability. Stress-free tube design ensures complete free-float of the barrel for optimal accuracy. Barrel nut locks in place with two anti-rotation screws to ensure handguard remains locked in place, even under the added torque from vertical grips. Four, threaded, swivel stud mounting holes allow attachment of Yankee Hill threaded swivel stud at the top, bottom, or either side of the handguard. Available in Carbine or Rifle lengths. Heavy duty, **Standard** model features narrow cooling vents that run lengthwise along the handguard. **Lightweight** model is a skeletonized version specifically machined to reduce weight from the rails; oversized cooling holes provide maximum ventilation and allow clear view of the barrel for the ultimate tactical look.

SPECS: Aluminum, mil-spec hardcoat anodized, matte black. Carbine Models - 7 $\frac{1}{16}$ " (18.3 cm) long x 2 $\frac{3}{8}$ " (6 cm) wide. Rifle Models - 12 $\frac{1}{2}$ " (31.8cm) long x 2 $\frac{3}{8}$ " wide. Weight: **Standard Carbine** - 14.3 oz. (405 g). **Standard Rifle** - 22.5 oz. (638 g). **Lightweight Carbine** - 10.6 oz. (300 g). **Lightweight Rifle** - 14.75 oz. (418 g).

#100-002-169EK Std Carbine Handguard,
9A91Y73 \$ 119.99

#100-002-170EK Std Rifle Handguard 9A124Y62 ... 159.99

#100-003-414EK Lightwt. Carbine Handguard,
9A91Z73 119.99

#100-003-413EK Lightwt. Rifle Handguard,
9A123Z05 134.99

DIAMOND-PATTERN FREE-FLOAT HANDGUARD - Diamond-shaped vents in a unique, latticework pattern give your weapon a distinctive look and provide superb airflow to prevent barrel from overheating. Helps keep your hand cool, too, while reducing weapon's overall weight. Provides four, full-length Picatinny rails for maximum flexibility in mounting tactical accessories. Four, full-length Picatinny rails provide maximum flexibility in mounting tactical accessories. Machined from high-grade 6061 T6 aluminum and mil-spec hardcoat anodized to withstand combat and heavy-duty usage. Extended top rail gives a gap-free fit to receiver rail. Slots are marked alphanumerically to help identify accessory locations. Threaded front end accepts Yankee Hill screw-in end cap, available separately. Comes with jam nut, barrel nut and anti-rotation screws to ensure handguard stays locked in place.

SPECS: 6061 T6 aluminum, mil-spec hardcoat anodized, matte black. **Carbine** - 7 $\frac{1}{4}$ " (23.5cm) OAL, 2 $\frac{1}{2}$ " (6.4cm) dia. 12.5 oz. (354g) weight. Fits AR-15/M16 with carbine-length gas system. **Mid-Length** - 9 $\frac{1}{4}$ " (23.5cm) OAL, 2 $\frac{1}{2}$ " dia. 15.2 oz. (431g) wt. Fits AR-15/M16 with mid-length gas system. **Specter** - 9 $\frac{1}{2}$ " (24.8cm) OAL, 2 $\frac{1}{2}$ " dia. 16.1 oz. (456g) wt. Fits AR-15/M16 with carbine-length gas system and covers gas block when installed. **Rifle** - 12 $\frac{1}{2}$ " (31.8cm) OAL, 2 $\frac{1}{2}$ " dia. 16.6 oz. (471g) wt. Fits AR-15/M16 with rifle-length gas system.

#100-004-311EK Diamond Series Handguard, Carbine,
9A105Y60 \$ 132.99

#100-004-312EK Diamond Series Handguard, Mid-Length,
9A112Y00 139.99

#100-004-313EK Diamond Series Handguard, Specter,
9A113Y82 139.99

#100-004-314EK Diamond Series Handguard, Rifle,
9A141Y94 176.99

2-PIECE HANDGUARD - Tough, 2-piece, forearm uses your existing delta ring, so it's easy to replace the standard issue, mil-spec handguard with a strong, lightweight aluminum version. Four, fixed, Picatinny rails provide a solid mounting platform for backup sights, lasers, tactical lights, vertical grips and more. Oversize cooling ports prevent heat buildup and allow clear view of the barrel section underneath for a radical, tactical look. Bottom panel removes easily to provide clearance for grenade and flare launchers if needed. Drilled and tapped in four locations to accept the Yankee Hill Threaded Swivel Stud. Use Colts Carbine model on Colt-manufactured guns.

SPECS: Aluminum, mil-spec hardcoat anodized, matte black. **Carbine** - 6 $\frac{1}{2}$ " (16.8cm) long x 2 $\frac{3}{8}$ " (6cm) wide. 9.9 oz. (281 g) wt. Colt Carbine model fits Colt-manufactured guns only. Standard Carbine model fits carbines made by most other manufacturers. **Rifle** - 12" (30.5cm) long x 2 $\frac{3}{8}$ " wide. 20 oz. (567 g) wt.

#100-002-093EK Std Carbine 2-Piece Handguard,
9A105B28 \$ 149.99

#100-003-122EK Colt Carbine 2-Piece Handguard,
9A105P28 149.99

#100-002-096EK Rifle 2-Piece Handguard,
9A149B25 199.00

TACTICAL SWIVEL MOUNTS - Steel, swivel stud features a full, 360 degrees of rotation to allow your tactical sling to follow the movements of your body, not just the rifle. Virtually eliminates sling tangle. Accepts standard, quick-detach type swivels. **Threaded Swivel Stud** is a $\frac{3}{16}$ "-32 tpi pivoting stud. Fits Yankee Hill drilled and tapped handguards. Add-on to other applications with at least $\frac{1}{4}$ " depth clearance. **Dovetail Sling Mount** - Threaded Swivel Stud (above), combined with an aluminum dovetail clamp and steel cross-bolt. Secures directly to any Picatinny or Weaver-style rail.


SPECS: **Threaded Swivel Stud** - Steel, blued finish. $\frac{5}{16}$ "-32 tpi. Approx. $\frac{3}{4}$ " (1.9cm) OAL, requires $\frac{1}{4}$ " (6.4mm) depth clearance for drill/tap applications. **Dovetail Sling Mount** - Steel stud, blued; aluminum clamp, matte black mil-spec hardcoat finish. Approx. $\frac{1}{4}$ "

VLTOR AR-15/M16

CASV MODULAR FREE-FLOAT

HANDGUARD

12" Of Top Rail Space
Plus Add-On Rails
For Customized
Accessory Mounting

Highly versatile accessory rail/free-float handguard system mounts "piggyback" on the receiver rail of your flattop carbine to provide 12" of elevated rail space. Five additional, bolt-on Picatinny rails can be installed on the handguard at 3-, 6-, and 9-o'clock, plus two lower 45° positions, so you can add, remove, or reposition rail space depending on specific mission requirements. Includes one 6" rail, two 4" rails, and two 2" rails for mounting lights, laser sights, vertical grips, bipods, and any other accessories requiring Picatinny rail attachment. Lower half of handguard detaches easily to allow mounting of an M203 grenade launcher. Entire assembly installs in minutes directly to the receiver rail and barrel nut, so it places no stress on the barrel itself. Delta ring and factory gas block front sight may be retained, but gas-block mounted sling swivel (if present) must be removed. Anodized aluminum construction with stainless steel mounting hardware adds less than 1 lb. to total weight of firearm. Available in all-black or two-tone tan/black scheme that blends well with many desert camo patterns. 

SPECS: Aluminum, hardcoat anodized, black or two-tone tan/black, matte finish. 13 $\frac{3}{8}$ " (35.2cm) OAL, 2 $\frac{1}{8}$ " (5.4cm) wide, 2 $\frac{3}{4}$ " (7cm) high without bolt-on rails attached. Fits rifles with carbine-length gas systems only. Kit includes handguard/extended top rail assembly, (1) 6" accessory rail, (2) 4" rails, (2) 2" rails, (11) 10-32 hex-head mounting screws, (2) hex wrenches, and installation instructions.

#100-003-133EK CASV Handguard, Black,
3A256P81 \$ 299.99

#100-003-995EK CASV Handguard, Tan/Black,
3A239Y95 289.99

YOU CAN SHOP ONLINE TOO!

www.brownells.com

NEW PRODUCTS ADDED DAILY

(3.2cm) wide x 1 $\frac{1}{4}$ " high.

#100-002-084EK Threaded Swivel Stud,
9A03B55 \$ 5.00

#100-002-087EK Dovetail Sling Mount,
9A16B85 24.00

FOREARM END CAP - Screws into the front of any Yankee Hill free-float handguard to provide added protection for the end of the forearm. Hides view of the barrel from the front of the handguard for a clean, finished look, and keeps large debris out. Cooling ports allow rapid escape of barrel heat and promote airflow under the handguard. Available with $\frac{1}{16}$ " or $\frac{1}{8}$ " inside diameter. Install using supplied threadlocker.

SPECS: Aluminum, mil-spec hardcoat anodized, matte black. $\frac{1}{16}$ " (2.4cm) I.D. or $\frac{1}{8}$ " (2.7cm) I.D.

#100-002-897EK $\frac{1}{16}$ " I.D. End Cap,
9A13D85 \$ 19.50

#100-002-086EK $\frac{1}{8}$ " I.D. End Cap,
9A13B85 19.50

FOREARM WRENCH - Heavy, steel, spanner wrench makes it easy to tighten handguard barrel nuts to the correct torque. Notched end engages the indexing ring on Yankee Hill handguards and others with similar, slotted indexing rings for aligning the accessory rails. 

SPECS: Steel, black oxide finish. 8" (20.3cm) long, 2" (5.1cm) wide, $\frac{1}{4}$ " (6.4mm) thick.

#100-002-090EK Forearm Wrench 9A22B05 \$ 30.00

TROY INDUSTRIES AR-15/M16 MODULAR RAIL FOREND

Four-Rails
For Maximum
Accessory Mounting
Versatility; Free-Float &
Non-Free-Float Models

Free-float handguard provides four U.S. MIL-STD 1913 Picatinny rails at 3, 6, 9, and 12 o'clock positions for mounting a wide variety of accessories. Top rail aligns with flattop receiver rail to provide an extra-long expanse of uninterrupted rail space without additional cantilever mounts that add complexity and weight to your gun. Two-piece design allows easy installation on original factory barrel nut without removing front sight; factory delta ring must be removed, or low-profile gas block installed. A robust clamp and four anti-rotation alignment bolts lock the forend to the rear of the barrel and actually reinforce the barrel/receiver connection. Large vent holes dissipate heat from the barrel and minimize weight. White alphanumeric identifiers on cross slots ensure easy repeatability of accessory positions when changing configuration from one mission to another. All models, except MRF-MX, have two receptacles on each side rail for 360° push-button sling swivels. Precision machined from high-grade aluminum billet, then Type III hardcoat anodized for strength and corrosion protection, with Teflon® additive for extra resistance to surface abrasion. **MRF-C** - 7" long, fits carbine-length gas system. **MRF-CX** - 12" long, extended rail fits carbine-length gas system and has opening for the gas block/front sight. **MRF-M** - 9" long, fits mid-length gas system and has clearance for factory front sight/gas block and handguard cap. **MRF-MX** - 10" long, fits carbine- and mid-length gas system; requires low-profile gas block. Does not have sling swivel receptacles. **MRF-RX** - 13.5" long, fits any-length gas system; requires low-profile gas block. **SPECS:** Machined 6061 T6 aluminum, mil-spec Type III hardcoat anodized, available in Black or Dark Earth, matte finish.

#100-003-453EK	MRF-C 7" Forend, Black, 3B166H21	\$ 179.99
#100-003-454EK	MRF-C 7" Forend, Dark Earth, 3B166H21	179.99
#100-003-458EK	MRF-CX 12" Forend, Black, 3B212H64	229.99
#100-003-455EK	MRF-M 9" Forend, Black, 3B184H79	199.99
#100-003-456EK	MRF-M 9" Forend, Dark Earth, 3B184H79	199.99
#100-004-060EK	MRF-MX 10" Forend, Black, 3B194T07	209.99
#100-004-061EK	MRF-MX 13.5" Forend, Black, 3B285T00	314.99

MRF-DI NON-FREE-FLOAT CARBINE HANDGUARD

Direct, drop-in replacement for factory plastic handguard provides the accessory mounting benefits of the free-float Modular Rail Forend without removal of the delta ring. Secure clamping design installs in minutes and gives a rock-solid mount for optics and other accessories. Four positions for 360° pushbutton sling swivels; numbered cross slots. Removable bottom rail allows installation on rifles equipped with M203 Grenade Launcher.

SPECS: Machined 6061 T6 aluminum, mil-spec Type III hardcoat anodized, available in Black or Dark Earth, matte finish.
#100-003-459EK 7" Standard MRF-DI, Black, 3B138H36 \$ 149.99
#100-003-460EK 7" Standard MRF-DI, Dark Earth, 3B138H36 149.99

Selection • Service • Satisfaction
GUARANTEED

FALCON INDUSTRIES AR-15/M16 ERGO GRIP™ RAIL COVERS

Snap-On, Non-Slip Gripping Surface
Improves Weapon Control, Protects Rails & Hands

Molded polymer covers snap over exposed portions of accessory rails to form a positive gripping surface for a comfortable, non-slip hand hold and improved weapon control. Protects your hands from the exposed rail edges and provides a soft cushion to help prevent damage to the rails during storage or transport. Available in a variety of styles to suit the requirements of different shooters and weapon configurations. Modular designs allow you to customize coverage area and configuration, even mix and match styles on the same handguard. **SPECS:** Synthetic rubber polymer, black or O.D. green. 6 7/8" (17.5cm) long x 1" (2.5cm) wide.

LOWPRO RAIL GUARD - Low-profile, flexible polymer guard snaps neatly into the cross-slots on Picatinny rails. **SPECS:** Synthetic rubber polymer, black or O.D. green. 6 7/8" (17.5cm) long x 1" (2.5cm) wide.
#573-000-028EK LowPro Rail Guard, Black, 3G08B55 \$ 11.99
#573-000-029EK LowPro Rail Guard, O.D. Green, 3G10B71 12.00

LOWPRO WIRE LOOM RAIL GUARD - Slightly overhangs the rail on one side, so wires from remote switches for lights or red dot optics can be threaded through the built-in wire loom. Retains wires close to the rail, out of the way, so they don't snag on other gear. **SPECS:** Synthetic rubber polymer, black or Combat Beige. 1 3/4" (4.5cm) long x 1 1/4" (3.2cm) wide.
#573-000-056EK Wire Loom Guard, Black 3G04X00 \$ 6.00
#573-000-057EK Wire Loom Guard, Combat Beige, 3G04X00 6.00

FULL RAIL COVER - Completely covers the rail and contoured to give a rounded shape to Picatinny or Weaver-style rails. Grippy synthetic rubber snaps securely over rail and provides an excellent grasping surface. **Long** model has raised diamond-plate texture. **Short** model has two raised gripping ridges. **SPECS:** Synthetic rubber polymer, black or Coyote Brown. **Long** model is 5 3/4" (14.6cm) long x 1 1/2" (3.8cm) wide. **Short** model is 1 3/4" (4.5cm) long x 1 1/2" (3.8cm) wide; sold in 12 pak.
#573-000-031EK Long Rail Cover, Black, each, 3G08B55 \$ 12.00
#573-000-058EK Long Rail Cover, Coyote Brown, each, 3G08C21 12.95
#573-000-014EK Short Rail Covers, Black, 12-Pak, 3G31B94 39.05

MAGPUL AR-15/M16 ACCESSORY RAIL COVER

Improves Grip,
Protects Rails From Damage

Tough, polymer cover slides over Picatinny rails to protect shooter's hand from sharp edges of unused rails, and shield exposed rails from damage during rough tactical operations. Makes rail less likely to snag clothing and equipment and gives the rounded contour of a smooth, circular handguard with the freedom to reconfigure accessories whenever you need to. Rubber-like, pebble-texture grip surface helps shooter maintain better weapon control. Each panel covers 15 rail slots—the correct length to fit many carbine-length handguards without modification. Pre-segmented construction for ease in cutting to length to custom fit on other handguards. Multiple sections can be mounted one after the other for smooth, visually continuous cover on longer handguards. **SPECS:** Synthetic polymer, matte black pebble finish. 6 1/4" (15.9cm) long x 1 3/8" (3.5cm) wide. Fits Picatinny and Weaver-style accessory rails. Covers 15 rail slots.

#100-003-074EK AR-15 Rail Cover 3K08Y79 \$ 11.99

MAGPUL AR-15/M16 XTM™ RAIL PANELS

Customizable Snap-On
Rail Cover System
Protects Your Hands;
Easy To Install & Remove

Modular, snap-on panels cover exposed portions of Picatinny-type handguard rails to help you maintain a firm grip on your weapon while protecting hands from sharp edges of rail slots and grooves. Textured, low-profile panels install quickly and easily without removing already-mounted light, laser, vertical grip, bipod, or other accessories. Simply snap two panels together over the rail to cover a 1 1/2" segment of rail. Unique locking system ensures the panels go on easily and remain securely affixed even during strenuous tactical operations. Remove them using the tips of two .223/5.56 NATO rounds or any tools with similar non-marring rounded tips. No need to match up "left" and "right" halves because each panel fits on either side of rail. As long as you have two XTM panels in your hand, you can snap them together and cover four rail slots. Sold in 8-Paks—enough to cover one standard carbine-length rail. **SPECS:** Molded polymer, Black, Flat Dark Earth, or Foliage Green. Eight (8) panels per Pak. Fits MIL-STD 1913 Picatinny rails.

#100-003-521EK XTM Rail Panels, Black 3K06H63 \$ 7.99
#100-003-522EK XTM Rail Panels, Flat Dark Earth, 3K06H63 7.99
#100-003-523EK XTM Rail Panels, Foliage Green, 3K06H63 7.99

TROY INDUSTRIES AR-15/M16 BATTLE RAIL COVERS

Protects Hand & Rail
From Heat & Abrasion;
Easy Slide-On Installation

Molded polymer cover slides over any Picatinny handguard rail to provide a comfortable, secure grasping surface. Protects the hand from sharp rail edges and barrel heat during long shooting sessions. Molded-in knurled bands enhance your grip, especially when

ADVANCED INNOVATION & MFG AR-15/M16 MANTA RAILS

Rail Covers Protect
Hands & Light/Laser
Switch Wires

Snap-on rubber rail covers have internal channels for routing wires and positioning switches exactly where you need them. Attaches to any Picatinny handguard rail to protect the hand from abrasion and keep the wires safe from snagging on other gear. Made from the same polymer used on military vehicles to resist chemicals, abrasion, and extreme temperatures. **Micro Pocket** has an internal slot for a flashlight or laser sight momentary switch. Protects the switch, while allowing easy access to operate it. **WMS Clips** - Wire Management System contains three clips with wire routing channels to keep wires out of the way; also serve as indexing points for the hand. **MSCS** - Momentary Switch Control System includes a Micro Pocket plus polymer reinforcing rods, two "Manta Clip" end caps, plus three WMS Clips. **SPECS:** Molded polymer rubber, black. **Micro Pocket** - 2 3/4" (70mm) long, 1 3/16" (30mm) wide, 1/4" (6.3mm) high above rail. **WMS Clips** - 3/16" (14mm) long, 1 3/16" wide, 1/4" high above rail. Sold in 3-pak. **MSCS Set** includes (1) Micro Pocket, (3) WMS Clips, and (2) Manta Clips. Manta Clips: 1/2" (6.3mm) long, 1 3/16" wide, 5/16" (8mm) high above rail.

#100-005-555EK Micro Pocket Rail Cover, 9D09B98 \$ 11.99
#100-005-557EK WMS Clips, 3-Pak 9D17B86 19.99
#100-005-556EK MSCS Set 9D32B86 36.99

hand is wet, and match the Troy Modular Combat Grip to give your rifle a neat, unified appearance. No struggling to stretch the cover over the rail: simply pop up the retaining clip, slide on rail, and close the positive-locking clip to keep the cover firmly in place. Sold in 3-paks. **SPECS:** Polymer, Black, Dark Earth, or Foliage Green. 6 1/8" (15.6cm) long, 1 1/16" (2.6cm) wide. 1 oz. (28.3g) weight. Sold in 3-paks.

#100-004-338EK Rail Covers, Black 3B18T57 \$ 19.99
#100-004-339EK Rail Covers, Dark Earth 3B18T57 19.99
#100-004-340EK Rail Covers, Fol. Green 3B18T57 19.99

TANGODOWN AR-15/M16 BATTLEGRIP RAIL COVER

Tough Combat-Tested Grips With Built-In Utility Features

Dual-purpose cover slides on and snaps into place on any Picatinny handguard rail. Protects the machined surfaces while offering a secure, non-slip gripping surface for maximum weapon control. Impact and heat resistant for years of rugged use. **BGR** features six, highly textured grip recesses. **BGRP** includes switch pocket with interchangeable adapters for SureFire® and Insight Technologies® remote pressure switches. **SCAR** is based on feedback from special forces operators using the new FN SCAR rifle, with a lower profile and more aggressive texture than BGR models. Available in 2", 4", and 6" lengths. 4" also available with pockets for SureFire (SF) or Insight Technologies (ITI) weapon light remote switches. **SPECS:** Injection-molded polymer resin, Black, Dark Earth, or Foliage Green. 1 3/8" (3.5cm) wide. Lengths as indicated in table. **BGRP** accepts SureFire, Insight Technologies, and similar pressure switches measuring approx. 3 3/8" (7.9cm) long x 7/8" (2.2cm) wide or 2 1/2" (5.9cm) long x 9/16" (1.4cm) wide. **SCAR** 2" model comes in 2-pak; others sold individually.

STK # BLACK	STK # DK EARTH	STK # FG	MODEL	PRICE
#071-000-028EK	#071-000-037EK	#071-000-030EK	6" BGR	9B13X07 \$ 16.33
#071-000-031EK	#071-000-039EK	NA	6" BGRP	9B21X79 \$ 27.24
#100-004-659EK	#100-004-660EK	NA	2" SCAR (2-pak)	9B10Y83 \$ 12.99
#100-004-653EK	#100-004-654EK	NA	4" SCAR	9B12Y00 \$ 13.99
#100-004-665EK	#100-004-666EK	NA	4" SCAR SF	9B21Y43 \$ 24.99
#100-004-662EK	#100-004-663EK	NA	4" SCAR ITI	9B21Y43 \$ 24.99
#100-004-656EK	#100-004-657EK	#100-004-658EK	6" SCAR	9B12Y00 \$ 13.99

order on the web

www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 41

Orders/Tech: 800-741-0015

NEW**COMMAND ARMS AR-15/M16****MAG WELL GRIP****Provides Secure Grip Close To The Shooter**

fire. One piece unit frees up valuable forward rail space to add tactical accessories.

SPECS: Injection-molded polymer, black. 3¼" (8.2cm) long, 2-½" (5.4cm) overall width, 3-⅞" (8.4cm) tall. 3.4 oz. (96g) weight.

#100-006-995EK Curved Mag Well Grip 6C17V25 . . . \$22.49

FALCON INDUSTRIES**ERGO GRIP® RAIL HANDSTOPS**

Fast, Precise, Tactile Hand Placement On Railed Forends

During competition or a tactical Snap-On situation, you can't afford to lose time fumbling to position your hand on the forearm, or, worse yet, have it slide off when racking a pump action shotgun. These ergonomically shaped handstops attach to a Picatinny rail forend to provide precise, tactile indexing of the support hand, so you keep your eyes on the target while mounting the weapon. Helps keep hand in position during recoil, too, for fast follow-up shots. Molded-polymer **Snap-On** stop snaps securely into a single rail slot. Rubber-coated **SureStop** protects the hand and resists snagging on other gear. Dual cross-bolts clamp the stop tightly to the rail for a solid, movement-free installation.

SPECS: **Snap-On** - Molded polymer, black. 1¼" (3.2cm) wide, 1½" (1.2cm) thick. Sold in 2-Pak. **SureStop** - Synthetic-rubber coated molded polymer, black. Steel cross-bolts, oxide finish, matte black. 1¼" long x 1¼" wide at base. Extends 1¾" (4.5cm) below rail.

#573-000-036EK Snap-On Rail Handstop, 2-pak, 3G03C79 . . . \$4.40

#573-000-052EK SureStop Rail Handstop, 3G06C65 . . . 9.99

GEAR SECTOR AR-15/M16**RAIL MOUNT HAND STOP**

Improves Weapon Control & Ensures Consistent Hand Placement On Forend

Ergonomic aluminum hand stop gives enhanced weapon control and repeatable hand position on forend. Mount on bottom rail to help you pull rifle securely into the shoulder pocket, or place on side rail to index the hand for better lateral pointability or to operate a weapon light. "De-horned" so it won't abrade the hand or snag on other gear. Contoured for a flush fit with Tango Down rail covers. Mounts on any MIL-STD 1913 Picatinny rail with the low-profile hex head crossbolt.

SPECS: Machined 6061 T6 aluminum billet. Available with MIL-A-8625F Type III Class II hardcoat anodized finish, Black, or Cerakote™ H-235 Dark Earth finish.

#100-005-326EK Rail Mount Hand Stop, Black, 9B38V36 . . . \$47.99

#100-005-327EK Rail Mount Hand Stop, Dark Earth, 9B44V76 . . . 49.99

ASK ABOUT **OVERNIGHT DELIVERY!**

NEW**IMPACT WEAPONS COMPONENTS AR-15/M16 WEAPON CONTROL MOUNT-N-SLOT****Hand Stop Gives Positive Control**

Compact aluminum "L"-shaped attachment mounts on the handguard to serve as a hand stop or as a barricade support. Attaches directly through the holes or slots of nearly any handguard, no need for a Picatinny rail. Rounded edges won't snag on clothing or gear. **MOE** fits Magpul MOE and Bushmaster ACR handguards. **A2/M4** fits standard A2 and M4 handguards, the VTAC Modular Forend System, and other round or tubular 2" diameter handguards. No gunsmithing; does not require any modification to the handguard heat shield.

SPECS: 6061 T6 aluminum, Type III hardcoat anodized, black. 1½" (23.7mm) high, 1" (25.4mm) wide. ¾ oz. (21g) wt.

#100-006-832EK Mount-N-Slot, MOE 2C33A06 . . . \$39.95

#100-006-833EK Mount-N-Slot, A2/M4 2C33A06 . . . 39.95

CAVALRY ARMS AR-15/M16**A2-STYLE GRIP****Proven, Mil-Spec A2 Design**

Drop-on replacement pistol grip provides a comfortable hold for those who prefer the straight, uncluttered lines of the standard A2-style grip. Extremely rigid and durable with hand-filling contours and molded-in ledges that lock your hand into position. Available in black only.

SPECS: Polymer. 4" (10.2cm) high, 2" (5.1cm) wide, 1½" (3.1cm) thick. Fits both rifle and carbine.

#100-002-830EK A2-Style Pistol Grip 2K04T80 . . . \$6.00

DPMS AR-15/M16**PANTHER TACTICAL PALM GRIP**

Hand Filling, Improves Trigger Control, Shooting Comfort

Precisely molded, upswept grip extension and non-slip, pebble-grain finish give a solid, hand filling grip for comfortable weapon handling and faster follow-up shots. Adjustable palm rest gives exact fit to your hand, ensures correct hand placement for excellent trigger control. Features a dual palm swell, with right thumb rest and finger grooves to improve grasp.

SPECS: High impact polyurethane, black, matte finish. 5" (12.7cm) long. Palm shelf: 4⅜" (11.1cm) long, 2⅝" (6.67cm) wide, 1" (2.5cm) thick.

#231-000-034EK Panther Palm Grip 1C19H92 . . . \$29.99

HOGUE AR-15/M16**OVERMOLDED™ PISTOL GRIP****Non-Slip Grip Surface; Increases Comfort**

Drop-in replacement grip has a strong, fiberglass insert that fits solidly against the frame, resists wear, won't loosen. Rubber surface molded directly to the core won't work loose or wear off. Orthopedic shape with palm swells and finger grooves reduces shock, increases shooting comfort; maintains a stock appearance.

SPECS: Fiberglass core, rubber covered.

#408-150-000EK Pistol Grip 8K16A76 . . . \$18.99

COMMAND ARMS AR-15/M16 UNIVERSAL PISTOL GRIP

Interchangeable Inserts Let You Customize To Fit Your Hand

Drop-in replacement for factory pistol grip has interchangeable inserts that let you quickly customize your rifle. Drop-in replacement for factory pistol grip has interchangeable inserts that let you quickly customize your rifle while protecting the web of the hand from the receiver. Removable plug in bottom allows access to the roomy internal storage compartment.

SPECS: Injection-molded hard polymer, with rubber inserts, Black, Tan, or O.D. Green. Uses rifle's existing pistol grip screw and washer. **Pistol Grip** includes grip core, 3 front and 3 rear inserts, 2 roll pins.

#100-004-712EK Universal Pistol Grip, Black, 6C28H99 . . . \$32.99

#100-004-713EK Universal Pistol Grip, Tan, 6C28H99 . . . 32.99

#100-004-714EK Universal Pistol Grip, O.D. Green, 6C28H99 . . . 32.99

STARK EQUIPMENT CORP. AR-15/M16**PISTOL GRIP**

Ergonomic Comfort, Less Fatigue, Plus Maximum Control During Rapid Fire

Drop-in replacement for factory pistol grip is designed to give the tactical operator maximum weapon control with minimum fatigue. Every aspect of the shooter-to-weapon interface was analyzed and tested to improve on the USGIA2 grip and give the shooter the best control in any type of operational environment. One-piece construction with integral triggerguard ensures the operator's finger doesn't get caught between the guard and the trigger and eliminates other pinch points. Over-molding where the grip meets the receiver helps keep the hand positioned exactly where it should be during fast movement, long periods in the ready position, and during rapid or full-auto fire. Palm swell, arched backstrap, flared bottom with forward finger ledge, and molded-in stippling further ensure to a firm, stress-free grip on the weapon. Molded from durable, reinforced polymer that resists impact, temperature extremes, moisture, and most cleaning solvents and oils. Snug-fitting, synthetic rubber plug in the bottom pulls out to allow storage inside the grip. Cavities inside the plug provide rattle-free storage for two spare CR-123 batteries. Standard **SE-1** model available in Black or Dark Earth. **SE-2** adds a sling swivel attachment point at the top rear of the grip. Available with a loop for a hook swivel or a receptacle for a quick-detach pushbutton (PB) sling swivel. Black only.

SPECS: Molded polymer, Black or Dark Earth. Includes mounting hardware and instructions.

#100-004-343EK SE-1 Pistol Grip, Black 5C31X72 . . . \$39.99

#100-004-344EK SE-1 Pistol Grip, Dark Earth, 5C31X72 . . . 39.99

#100-004-638EK SE-2 Pistol Grip w/PB, Black, 5C42X99 . . . 49.99

#100-004-639EK SE-2 Pistol Grip w/Loop, Black, 5C42X99 . . . 49.99

FALCON AR-15/M16**ERGO GRIP****Improves Trigger & Recoil Control**

Hand-filling, ergonomic profile with finger grooves, palm swells, and many other features improves shooting comfort and accuracy. Tactical grips feature either Suregrip or Rigid grip for a non-slip, textured finish. **SureGrip** adds an overmolded, rubberized covering to the polymer body for a superior grip and added cushion. **Rigid** grip features Rhino Hide™, a hard textured finish molded directly into the polymer.

STANDARD - Slightly thinner than the factory grip but with additional depth front to back. Pebble grain, non-slip surface and subtle finger grooves improve grasp and promote correct trigger finger position. Curved rear backstrap fills web of hand. **Right-Hand** models have a distinct thumb shelf. Models available with Suregrip or Rigid textured finish.

SPECS: Polymer, hard texture or overmolded rubber, Black or Dark Earth. 4" (10cm) long.

#573-000-008EK Ambi AR-15 Rigid ERGO Grip, Black, 3G18X21 . . . \$22.99

#573-000-025EK Ambi AR-15 SureGrip ERGO, Black, 3G18X99 . . . 24.99

#573-000-059EK Ambi AR-15 SureGrip ERGO, Drk Earth, 3G19C41 . . . 22.99

#573-000-026EK RH AR-15 SureGrip ERGO, Black, 3G18X99 . . . 24.99

TACTICAL DELUXE - Upward-curved, grip extension fills the web of the shooting hand, spreads recoil over a large area for excellent feel and comfort. **Tactical Deluxe w/Palm Shelf** features palm shelf that adjusts vertically ½" providing a custom fit for maximum recoil control. All models feature Rigid grip textured finish.

SPECS: Polymer, hard texture, black. 5" (12.5cm) long. Palm shelf 3" (7.6cm) wide, 4" (10cm) long, 1" (2.5cm) thick. Includes attachment screw.

#573-101-004EK AR-15 Tact. Deluxe Grip 3G29H07 \$39.99

#573-101-005EK AR-15 Tact. Deluxe Grip w/Palm Shelf, 3G42H31 . . . 60.50

#573-101-001EK AR-10 Tact. Deluxe Grip 3G34H22 . . . 46.20

#573-101-002EK AR-10 Tact. Deluxe Grip w/Palm Shelf, 3G48H18 . . . 66.00

AR-15 GAPPER - Soft, polyurethane pad fits between pistol grip and frame to fill the gap under the triggerguard latch. Prevents the sharp edges of the frame from rubbing or cutting your index finger.

SPECS: Polyurethane, black. ½" (12mm) long. Solvent resistant.

#573-000-004EK Gapper 3G02U60 . . . \$3.25

MAKO AR-15/M16**ERGONOMIC PISTOL GRIP**

For A Secure, Comfortable Grasp, Even With Wet Hand; Roomy Storage Compartment

Drop-in replacement for factory pistol grip has sculpted, ergonomic contours designed to provide an exceptionally comfortable, secure grip that minimizes hand fatigue, enhances trigger control, and improves weapon handling during sustained rapid fire. Also helps reduce hand fatigue during long periods in the ready position. A wide, hand-filling palm swell and gently curved finger grooves provide plenty of support, while molded-in stippling and vertical grooves on the backstrap help you maintain a firm grip with wet hands. Sweeping, integral beavertail allows a high hand position for outstanding recoil control. Positive-locking trapdoor in the bottom opens to reveal a roomy internal storage compartment large enough for two AA or CR123 batteries, spare ammo, cleaning supplies, or small parts. Molded from rigid, nearly indestructible reinforced polymer composite.

SPECS: Reinforced molded polymer composite, black. Fits rifles and carbines that accept standard AR-15/M16 pistol grips.

#100-003-842EK Ergonomic Pistol Grip 2B20T15 . . . \$29.99



MAGPUL AR-15/M16 PISTOL GRIPS

Improves Comfort For Better Weapon Handling & Control; Fixed & Adjustable Models

Ergonomically enhanced pistol grips provide a more comfortable, secure grasp than standard, A2-style grip for better trigger control and recoil management with less fatigue. Improves weapon handling during precisely aimed shots as well as sustained semi- or full-auto fire. Hand-filling palm swells and non-slip "crackle" texturing keep your hand firmly in place, even when wet. Removable grip cap provides access to a roomy internal storage compartment for spare batteries, cleaning supplies, small bottle of oil, or even a spare bolt. Reinforced, high-impact, molded polymer construction stands up to the rigors of harsh operational environments. Drop-in installation in minutes with included mounting hardware and instructions. All models available in black and two popular tactical colors, Dark Earth and Foliage Green.

MIAD™ MODULAR BASIC GRIP KIT - Mission ADaptable (MIAD) modular grip system with interchangeable inserts lets you find the grip configuration that fits your hand size and mission requirements. All models come with main grip body and detachable rubber core in cap for rattle-free internal storage of three spare rounds of .223/5.56 ammo. Additional cores for storing batteries and other items are available separately, below. Front- and backstrap inserts slide on easily, yet snap firmly into place and require no glue or screws to stay put. Comes with one straight and two different beavertail backstrap inserts, plus one straight and one finger-ledge frontstrap insert.

SPECS: Reinforced molded polymer, Black, Dark Earth, O.D. Green, or Foliage Green.

#100-003-643EK MIAD Basic Kit, Black 3K30T22... \$ 35.99

#100-003-644EK MIAD Basic Kit, Dark Earth, 3K30T22... 35.99

#100-003-645EK MIAD Basic Kit, Foliage Green, 3K30T22... 35.99

MIAD GRIP CORES - Further customize your MIAD grip to suit your specific needs with one of these interchangeable internal storage compartments. No tools or permanent alterations required.

123 Battery Core holds two, spare CR123 batteries in a sealed, waterproof compartment, keeping them ready for quick deployment if the batteries in your laser, light, or red dot sight fail.

AA/AAA Battery Core provides waterproof, rattle-free storage of two AA batteries or, with the included internal spacer installed, two AAA batteries. Reversible rubber cap has "SPENT" stamped on one side, so you always know the status of the batteries in the compartment. **Bolt & Firing Pin Core** securely holds one, standard AR-15/M16 bolt, plus a spare firing pin, should your gun suffer a failure in competition or during a critical operation.

SPECS: Molded polymer, black.

#100-003-043EK MIAD 123 Battery Grip Core, 3K09H00... \$ 12.99

#100-003-044EK MIAD AA/AAA Battery Grip Core, 3K09H00... 12.99

#100-003-045EK MIAD Bolt & Firing Pin Grip Core, 3K09H00... 12.99

MOE™ GRIP - Magpul Original Equipment (MOE) grip is a durable, economical, easy-to-install replacement for factory pistol grip that gives the shooter a solid, secure grasp. Rigid, fully supported one-piece construction from the same reinforced, high-impact polymer as the MIAD grip, with crackle texture on the sides and deep horizontal grooves on frontstrap and backstrap. Curved beavertail similar to the MIAD B2 insert fills the grip-to-receiver junction to help you maintain a comfortable hold and protect the web of your hand during sustained fir-

ADVANCED TECHNOLOGY AR-15/M16 FOLDING VERTICAL FOREND GRIP

Helps You Get On Target Fast & Improves Recoil Control; Folds Away For Storage

Fold-away vertical grip clamps to any forend with a bottom accessory rail and provides a comfortable platform for the support hand to improve control. Makes weapon easier to point to help you get on target—or change targets—fast. Pronounced finger grooves, textured surface, and a hand-filling shape help you maintain steady downward force to counteract muzzle rise during rapid fire. Hit the push-button on the left side of the grip to change between five locking positions: vertical, 45° forward/rearward, or folded forward/backward parallel with the handguard for storage or carry. Constructed of lightweight, yet robust, fiberglass-reinforced molded nylon to stand up to hard use; slides over Picatinny forend rail and locks in place with a steel crossbolt for solid, wobble-free installation.

SPECS: Fiberglass-reinforced, injection-molded nylon, black. 4 3/4" (12.1cm) long fully extended. Requires 2 1/8" (5.4cm) rail space. 4.4 oz. (125g) weight.

#019-000-025EK Folding Vertical Grip 9A29Y06... \$ 35.95



MAGPUL AR-15/M16 MOE-K™ GRIP

Improves Comfort & Control; Slimmer Grip Profile Preferred By Some Shooters



The MOE-K pistol grip is a low-profile, slimmed-down version of Magpul's popular MOE grip that provides enhanced comfort and weapon control for shooters with smaller hands or those who simply prefer a slimmer grip profile. Fits most AR-15/M16 type rifles, including AR-style .308s that use a standard AR-15 pistol grip. Narrower and shorter front to back than the original MOE or the standard A2 grip, the MOE-K is designed specifically for personal defense weapons and their operators by adding more vertical grip angle that brings the primary hand closer to the shooter's body, thus improving control and retention.

SPECS: Reinforced molded polymer, Black, Flat Dark, or O.D. Green. Fits standard mil-spec AR-15/M16 lower receiver. Also fits most AR-style .308 rifles that accept AR-15/M16 grip. Mounting hardware included.

#100-008-866EK MOE-K Grip, Black 3K14H76... \$ 18.95

#100-008-966EK MOE-K Grip, Dark Earth 3K14Y76... 18.95

#100-008-967EK MOE-K Grip, O.D. Green 3K14Y76... 18.95



ing. Compatible with Magpul MIAD Grip Cores and Enhanced Aluminum Triggerguard, available separately.

SPECS: Reinforced molded polymer, Black, Dark Earth, O.D. Green, or Foliage Green.

#100-003-515EK MOE Grip, Black 3K16X50... \$ 20.95

#100-003-516EK MOE Grip, Dark Earth 3K16X50... 20.95

#100-004-165EK MOE Grip, O.D. Green 3L16H50... 20.95

#100-003-517EK MOE Grip, Foliage Green 3K16X50... 20.95

TACSTAR AR-15/M16 TACTICAL GRIPS

Provides A Comfortable, Secure Hold For Improved Control & Recoil Management



Ergonomically engineered tactical grips give the operator a comfortable, secure hold for maximum weapon control and recoil management to ensure fast, accurate follow up shots. Molded from high-impact hard polymer with deep finger grooves and palm swells to minimize fatigue and enhance the grasp. Covered with Pachmayr Decelerator rubber to absorb the shock of recoil. Pistol grip is a drop-in replacement for factory grip and offers a wide, smooth backstrap with a generous "beavertail" at the top to protect the web of the hand. Vertical grip clamps securely to any forend with a Picatinny rail on the underside. Hit the release button to fold the grip forward or backward, parallel with the forend. No gunsmithing required.

SPECS: Synthetic rubber exterior over hard molded polymer core, black. **Pistol Grip** - Approx. 3 3/4" (9.5cm) long. **Vertical Grip** - Approx. 4 3/4" (12.4cm) long when extended. Requires 2 1/8" (5.4cm) rail space.

#867-000-019EK Front/Rear Tactical Grip Set, 7F36Y79... \$ 40.99

#867-000-020EK Front Tactical Grip, only 7F19Y70... 20.99

#867-000-021EK Rear Pistol Grip, only 7F19Y70... 20.99

ARMSTECH LLC AR-15/M16 RITE-PULL GRIP ADAPTER

Positions The Trigger Finger For Precision Shooting

Relocates the grip so just the tip of your finger is on the trigger. Gives precise trigger control for more accurate shot placement. Adapter fits between the grip and frame without alteration to the rifle. Moves the grip .75" (19mm) to the rear.

SPECS: Plastic, black. Includes attaching screws and instructions.

#432-001-015EK Rite-Pull Adapter 2C22B16... \$ 27.77

DPMS AR-15/M16 STOWAWAY PISTOL GRIP PLUG

Convenient Storage & Weather Protection



Nifty rubber plug fits into the bottom of A2-style pistol grips. Durable rubber with friction fit, seals opening in grip against dirt and moisture. Creates convenient storage for extra parts or emergency equipment. Two styles, **Plain** for general storage and **Cartridge Holder** with provision to hold three, .223 cartridges without rattling.

SPECS: 70 Durometer rubber, black. 2 3/8" (6cm) x 1" (2.5cm).

#231-015-031EK Plain Pistol Grip Plug 3B00ZAY... \$ 6.99

- 3 or More - Plain Pistol Grip Plug 3B02Y75... 5.95

#231-000-162EK Cartridge Holder Grip Plug, 3B09A62... 12.03

SIERRA PRECISION RIFLES AR-15/M16 SPR PISTOL GRIP

Enhanced Grip & Comfort For Accurate Shooting



Repositions the hand for a comfortable grasp and improved trigger finger location. Hand filling design with thumbrest and palmwell provide enhanced gripping endurance. Matte surface gives good, non-slip purchase.

SPECS: Black, glass filled Polypropylene, matte finish. Fits AR-15, AR-10 and AR-25 rifles. Right-hand only.

#936-001-015EK SPR Handgrip 6C18T95... \$ 27.95

TANGODOWN AR-15/M16 BATTLEGRIP

Tough, Combat-Tested Grip With Built-In Utility Features



BG-16 RIFLE GRIP - Unique, storage grip features two internal cavities for two Aimpoint-type power cells, plus two AA or CR-123 lithium batteries, or your choice of other small spare parts or supplies. Anti-rattle foam spacers keep everything quiet. Flexible cap includes integral seals to protect contents from dirt and moisture. Front grip extension covers the triggerguard/receiver gap to prevent pinching. Curved backstrap is shaped to fill and support the hand and provides the correct finger-to-trigger position; aggressive grip texture ensures positive hold. Includes stainless steel, Dry-Lok attaching screw and installation tool.

SPECS: Resin-impregnated polymer, Black, Dark Earth, or Foliage Green. 4 1/8" (10.5cm) high. Fits rifles that accept standard AR-15/M16 grips.

#071-000-015EK BG-16 Rifle Grip, Black 9B29Y14... \$ 36.99

#071-000-025EK BG-16 Rifle Grip, Dark Earth, 9B29T14... 36.99

#071-000-027EK BG-16 Rifle Grip, Foliage Green, 9B30T02... 38.99

BG-17 RIFLE GRIP - Same construction as the BG-16 with ergonomics that fit larger-handed shooters. A single large internal storage compartment holds batteries, small spare parts, or supplies. Includes stainless steel, Dry-Lok attaching screw and installation tool.

SPECS: Resin-impregnated polymer, Black or Dark Earth. 4 1/2" (11.4cm) high. Base 2 3/8" (6cm) long, 1 1/4" (3.2cm) wide. Fits AR-15/M16/M4 series rifles and clones, and other rifles that accept an A2 grip, including ArmaLite® AR-10®, FN SCAR Mk-16/Mk-20, and Knight's Armament SR-25/Mk-11 Mod 0 & 1.

#100-006-309EK BG-17 Rifle Grip, Black 9B31A14... \$ 36.99

#100-006-310EK BG-17 Rifle Grip, Dark Earth, 9B31A14... 36.99

BOTACH TACTICAL AR-15/M16 KZ TACTICAL FOREGRIP WITH SIDE RAIL

All-Metal Grip Improves Control & Allows Convenient Accessory Mounting




Rugged, all-metal vertical forend grip provides enhanced weapon control and convenient mounting of a light or laser for easy operation by support hand. The 2 1/2" positions them directly above the grip—the perfect location for operating the controls of tactical lights or lasers with the thumb of the support hand. Also keeps the light or laser beam close to the bore axis for accurate aiming. Rail can be mounted on right or left side of grip. The grip's unique combination of vertical and horizontal ribs gives the operator an exceptionally secure hold. Ergonomically designed "soda-bottle" shape is narrow at the top, swelled in the middle, and a little narrower again at the bottom to match the natural shape of the hand for comfort and ease of grasp. Screw-on, O-ring sealed grip cap provides access to waterproof storage compartment for spare batteries or even a spare AR-15 bolt. KZ's integral "Rail Grabber" locking bar with two, internal, steel support lugs and hex head bolt securely anchors the grip and rail tightly to the handguard to prevent unwanted movement during strenuous combat maneuvers or heavy full-auto fire. Bolt also acts as a recoil lug, further ensuring the mount won't shift. Grip body and rail are machined separately from solid 6061 T6 aluminum billet, then Type II Class 3 hardcoat anodized for added strength and surface wear resistance.

SPECS: Aluminum, anodized, matte black. Grip extends 4 1/2" (11.4cm) below rail. Approx. 1 3/8" (3.5cm) at widest point. 6.3 oz. (179g) weight.

#100-003-559EK Foregrip w/Side Rail 7B52T45... 70.00

COMMAND ARMS AR-15/M16 VERTICAL FOREND GRIP

Improves Handling, Comfort & Controllability;
Provides Extra Storage

Injection-molded, polymer-resin, forend grips improve stability and overall rifle control by giving your forward hand a comfortable, hand filling, textured gripping surface. Helps you maintain a natural fighting stance, reduces on-target time, and helps maintain muzzle control during rapid fire. Hollow center provides convenient storage space for spare batteries or other small items; rubber cap keeps out dust and moisture. All models clamp securely to forends with Picatinny or Weaver-style rails on underside.  **SPECS:** Molded, reinforced polymer, black.

QUICK DETACH - Quickly detachable and compact. Mounts securely to Picatinny and Weaver-style rail systems using an internal threaded tension rod. Deeply ribbed, no-slip gripping surface. Removable plug is threaded into the base of the tension rod with a rubber O-ring to provide waterproof storage for up to three, lithium 123 size batteries.


SPECS: 4 7/8" (12.4cm) long.

#100-002-454EK Quick Detach Forend Storage Grip, 6C20U39 \$30.95

SHORT - Simple "broomhandle" style has deep, ridges that give a no-slip grip for wet hands or gloves. Low profile is less likely to snag on other gear and keeps your hand close to the weapon for maximum control. Clamps to rail with a steel crossbolt.

SPECS: 3 3/4" (9.5cm) long.

#100-004-136EK Short Vertical Grip, 6C15Y43 \$20.99

FINGER GROOVE - Ergonomically designed grooves keep your fingers properly positioned for repeatable hand placement and excellent recoil control, even in full-auto mode. **AVG** model has cross-bolt locking system with convenient palm swell on backstrap. **VG1** has quick-detach push-button locking system with slimmer profile and straight backstrap.  **SPECS:** **AVG** - 4 1/2" (11.4cm) long, approximately 1 5/8" (4.1cm) wide, 1 3/8" (3.5cm) thick. **VG1** - 4 1/2" long, approximately 1 1/2" (3.8cm) wide, 1 1/8" (2.9cm) thick.

#100-004-134EK AVG Finger Groove Vertical Grip, 6C16Y62 \$20.99

#100-001-027EK VG1 Finger Groove Vertical Grip, 9C12H86 15.99


FOLDING - Five-position locking system with push-button release allows the grip to be extended 90° from handguard or at a 45° forward or rearward angle. Folds parallel with the handguard, forward or rearward, when not in use. Clamps to rail with a steel crossbolt.

SPECS: 4 1/2" long when extended.

#100-004-135EK Folding Vertical Grip, 6C41Y25 \$56.99

COMMAND ARMS AR-15/M16 THREE-FINGER "THUNDER" VERTICAL FORWARD GRIP


Compact Grip Provides Control, Reduces
Snagging

Polymer, "stubby," vertical grip is less likely to snag on other gear and keeps your hand close to the weapon for maximum control. Deep ridges give a no-slip grip. Clamps securely to lower Picatinny forend rail with included steel cross-bolt. Hollow center provides convenient storage space for small items; rubber cap keeps out dust and moisture.  **SPECS:** Molded, reinforced polymer, black. Extends approximately 2 1/2" below rail.

#100-006-997EK Three-Finger Vertical Forward Grip, 6C11V04 \$13.49

DANIEL DEFENSE AR-15/M16 VERTICAL GRIP


Lightweight, Streamlined, No-Snag Design
Improves Weapon Control & Maneuverability

Ergonomically shaped vertical forend grip gives the shooter a secure, comfortable hold for positive control and easy maneuvering in close-quarter environments. Durable, lightweight molded nylon construction with checkered finger positions and ribbed panels to ensure a full, positive grip. Attaches securely to any Picatinny handguard rail simply by tightening the cap of the internal storage compartment—no nuts, clamps, or thumbscrews on the exterior to snag on other gear or foliage. O-ring sealed, watertight inner chamber holds one AA or AAA battery, or two CR-123 batteries. No tools required for installation.  **SPECS:** Injection-molded nylon, black. Approx. 4 1/2" (11.4cm) long.

#100-004-460EK Vertical Grip 8K42A86 \$47.00

COMMAND ARMS AR-15/M16 FLASHLIGHT GRIP ADAPTER


Provides Improved Weapon Control
With Provisions For Flashlight Attachment

Rugged, molded polymer vertical grip with integral flashlight mount helps improve weapon retention, while providing a solid forward mounting platform for your personal tactical light. Dual clamping screws with oversize thumb nuts lock the Flashlight Grip Adapter (FGA) to any Picatinny-railed handguard without the need for special tools. Front housing accepts any 1" diameter tactical flashlight equipped with a push-button tail cap. Conveniently located thumb switch at rear of grip allows for both constant-on and intermittent light control modes. Side mounted safety switch is positioned for fast, easy lockout of the flashlight to eliminate any chance of accidental activation during covert operations. Included, 1 1/2" long Picatinny rail allows for optional attachment of your own laser directly to the bottom or sides of the FGA. Molded recesses on both right- and left-hand sides of the grip handle accommodate 1/2" wide pressure switches. Honeycombed inserts allow for custom spacing and fitting of the pressure pad, while rubber exterior panels seal out moisture and debris. Hollow core handle with large, contoured grip cap provides clean, secure storage for extra batteries or other small tools and accessories.  **SPECS:** Molded polymer with rubber pressure switch covers, steel hardware, black. 5 3/4" OAL, 2" (5.1cm) overall width. Grip Handle - 5 1/2" (14cm) long x 1 1/2" (3.8cm) diameter.

#100-003-382EK Flashlight Grip Adapter 6C51P00 . \$76.49

PRO MAG AR-15/M16 ARCHANGEL VERTICAL FOREND GRIP

Easy To Install; Watertight Internal
Storage Compartment


Molded polymer vertical grip clamps securely to a Picatinny forend rail to help you control recoil and point the rifle faster. O-ring sealed internal storage compartment is watertight to a depth of 66 feet. No tools required to install and remove—just slide on the rail and screw in the storage compartment to lock the grip in place. **Full-Size** model provides a large grasping area for maximum recoil control with plenty of room inside for a spare bolt, firing pin, batteries, or other items. Low profile **Compact** model can stay on the gun during storage in tight gun cases.  **SPECS:** Reinforced, molded polymer, black. **Full-Size** extends approximately 4.6" (11.7cm) below rail. **Compact** extends approximately 3" (7.6cm) below rail.

#687-000-058EK Full-Size Vertical Grip 7H29B23. . \$38.00

#687-000-057EK Compact Vertical Grip 7H29B23. \$38.00

GG&G AR-15/M16 VERTICAL FOREGRIP


Better Control & Recoil Management;
Reduced Hand Fatigue In The Ready Position

Lightweight vertical grip clamps securely to Picatinny forend rail to give the operator a more comfortable shooting stance and better weapon control. Helps control muzzle climb during sustained fire for quicker, more accurate follow-up shots, and minimizes hand fatigue when holding weapon in the ready position for long periods of time. Shape is narrow at the top for secure purchase by the thumb and forefinger, with a palm-filling swell at the middle, and wide, deep, concentric ribs around the lower 1/3 of the grip for a comfortable, ultra-secure grasp. Removable core has a large, waterproof storage compartment that can hold a spare bolt assembly, two AA or CR123 batteries, or other small parts. Screw-on, O-ring sealed cap removes easily and has padded interior to prevent rattling of items inside. Easy-to-use clamping system attaches simply by unscrewing the entire core, sliding the grip onto the rail, and lining it up over a slot with the aid of the alignment windows. Then screw the core back in tight for a rock-solid attachment that won't let loose. Reinforced, Acetal cold polymer construction handles the knocks and dings of tactical operations, as well as extremes of heat, cold, and humidity.  **SPECS:** Acetal polymer, matte black. Grip extends 4 3/4" (12.1cm) below rail. Approx. 1 1/8" (3.3cm) at widest point. 2.4 oz. (69g) weight.

#336-000-022EK Vertical Foregrip 6C27D49. \$34.99

MAGPUL AR-15/M16 ANGLED FORE-GRIP

Enhances Control &
Pointability While
Minimizing Fatigue
In The "Ready" Position

Low-profile forward grip/hand stop takes advantage of natural body mechanics to give the shooter more precise control, faster pointing, and less operator fatigue. The Magpul AFG1 (Angled Fore-Grip) positions the support hand close to the centerline of the bore for maximum recoil control to aid in fast, accurate follow-up shots. Provides a consistent reference point for finding the correct hand position quickly when mounting the weapon under stress. The natural, ergonomic hand position with the palm facing up results in better blood flow than the "clenched fist" stance often used with vertical grips that leads to fatigue and loss of sensation during long periods in the ready position. Improves on the "thumb break" hold often used with standard vertical grips by allowing the thumb to rest comfortably alongside the top rail, pointing forward, with the rest of the hand in full contact with the forend. Deep, molded-in grooves help you maintain a firm grip even with wet hands. Interchangeable inserts give the choice of a straight, uninterrupted gripping surface or one with a convenient ledge to support the index finger. Slides over any Picatinny-style rail and locks securely in place with a hardened steel crossbolt. The original **AFG1** provides a large grasping surface and covers approximately 5 1/2" of rail. The more compact **AFG2** is shorter and narrower to take up even less rail space, with enough clearance to fit a larger variety of weapons. Both models may be installed on tactical shotguns and other rifles with railed forends; won't interfere with insertion and removal of magazines on AK-47s.  **SPECS:** Reinforced molded polymer, Black, Dark Earth, O.D. Green, or Foliage Green. Fits Picatinny-type rails. **AFG1** - 5 1/2" (14cm) long, approximately 1 5/8" (4.1cm) wide, extends approximately 1 3/4" (4.5cm) below rail. 2.8 oz. (79g) weight. **AFG2** - 4 3/4" (12cm) long, 1 3/8" (3.5cm) wide, extends approximately 2" (5.1cm) below rail. 2.5 oz. (71g) weight.

#100-004-989EK Magpul AFG1, Black 3K29Y96 \$34.99

#100-004-990EK Magpul AFG1, Dark Earth 3K29Y96 \$34.99


#100-004-991EK Magpul AFG1, O.D. Green 3K29Y96 \$34.99

#100-004-992EK Magpul AFG1, Fol. Green 3K29Y96 \$34.99

#100-006-196EK Magpul AFG2, Black 3K28A92 \$34.99

GRIP POD SYSTEMS AR-15/M16 GRIP POD

Vertical Forend Grip
With Built-In Quick-Deploy Bipod

Dual-function vertical grip locks to the bottom accessory rail of your tactical rifle's forend to give you enhanced control during CQB and a stable bipod rest for precise long-range fire. The grip's hand-filling contours and deep grooves provide a solid purchase even when your hands are wet. Hit the large, deeply grooved release button, and a powerful spring deploys the legs instantly. Conveniently placed for thumb activation, the button sits flush with the surrounding surface to prevent accidental deployment. Extended legs provide sufficient elevation for a standard 30-round magazine to clear the ground, and will not snag on brush, vehicle interior, or other gear when retracted. Legs and grip are made of tough, injection-molded polymer; steel cross-bolt with easy-grip thumbscrew locks directly to any MIL-STD 1913 Picatinny rail to ensure a rock-solid fit. **GPS-02** has steel inserts in legs for maximum strength in high-stress tactical operations. **GPS-LE** (Law Enforcement) is an economical alternative for applications where the steel reinforcements are excess to requirements. Both models accept GPRS1 and GPRS2 bolt-on accessory rails, available separately. May be used on many non-AR rifles and light machine guns with forend accessory rails.  **SPECS:** Reinforced polymer, Black or Desert Tan. 6 1/4" (15.9cm) long with legs retracted. 8 1/2" (21.6cm) high with legs extended. 1 3/8" (3.5cm) diameter. **GPS-02** - Steel inserts in legs. 7.8 oz. (220g) weight. **GPS-LE** - 7 oz. (197g) weight.

#100-003-226EK GPS-02 Grip Pod, Black, 3B129Y87 \$154.99

#100-004-611EK GPS-02 Grip Pod, Desert Tan, 3B129P87 154.99

#100-003-633EK GPS-LE Grip Pod, Black, 3B86V96 \$94.99

#100-004-610EK GPS-LE Grip Pod, Desert Tan, 3B85P99 99.99

ACCESSORY RAILS - Bolt-on, Picatinny-type rail increases the versatility and effectiveness of your Grip Pod by adding mounting space for tactical accessories directly below the handguard. Puts controls for lights and lasers in easy reach of your support hand for exceptionally fast activation in any situation. Made of the same tough, reinforced, high-density polymer as the Grip Pod itself, so it stands up to the rigors of tactical operations. No drilling or other permanent alterations required to install; simply remove a pin and plug from the front of the Grip Pod, insert the rail unit and lock it down by tightening the steel hex-head bolt with the included hex-wrench. Available in single, right-hand rail (**GPRS1**) and double rail (**GPRS2**) models.  **SPECS:** Reinforced, injection-molded polymer, black. **GPRS1** - 2 1/2" (5.4cm) length rail on right side of weapon. **GPRS2** - 2 1/2" of rail space on each side.

#100-003-478EK GPRS1 Single Rail, Black, 3B21C50 \$26.99

#100-003-479EK GPRS2 Double Rail, Black, 3B24C95 31.99

**WANT MORE?
OVER 50,000
PRODUCTS ONLINE!**



MAGPUL AR-15/M16 VERTICAL GRIPS

For Positive, Comfortable
Weapon Control At All Times


Lightweight vertical grips position your support hand close to the barrel to help you maintain maximum weapon control at all times. Ergonomically shaped design is optimized for use with the "thumb break" method of grasping the weapon, yet works just as well with a traditional vertical grip stance. Aggressive horizontal serrations on the front and back, plus crackle texturing on the sides ensure a secure grasp in all weather conditions. **MVG™** (MOE® Vertical Grip) is designed to clamp easily to Magpul MOE handguards and the handguard of the Bushmaster ACR™ (Adaptive Combat Rifle) without the need for an accessory rail. **RVG™** (Rail Vertical Grip) combines the MVG's ergonomic features with a conventional Picatinny attachment system for use on standard railed handguards. Includes an adapter that enables installation on many non-railed forends, too.

SPECS: Reinforced injection-molded polymer, available in Black, Dark Earth, O.D. Green, or Foliage Green. All mounting hardware and instructions included.

#100-005-588EK	MVG MOE Vertical Grip, Black	
	3K16D46	\$ 19.99
#100-005-589EK	MVG MOE Vertical Grip, Dark Earth,	
	3K16D46	\$ 19.99
#100-005-591EK	MVG MOE Vertical Grip, O.D. Green,	
	3K16Z46	\$ 19.99
#100-005-590EK	MVG MOE Vertical Grip, Foliage Green,	
	3K16D46	\$ 19.99
#100-005-592EK	RVG Rail Vertical Grip, Black,	
	3K20Z58	\$ 24.99
#100-005-593EK	RVG Rail Vertical Grip, Dark Earth,	
	3K20Z58	\$ 24.99
#100-005-595EK	RVG Rail Vertical Grip, O.D. Green,	
	3K20Z58	\$ 24.99
#100-005-594EK	RVG Rail Vertical Grip, Foliage Green,	
	3K20Z58	\$ 24.99

TANGODOWN AR-15/M16 BATTLEGRIP VERTICAL GRIP

Improves Weapon Control;
Standard & "Stubby" Models

Large diameter, ribbed vertical grip helps prevent hand fatigue and cramping during long periods in the ready position. Improves weapon control and keeps hand away from hot handguard during sustained fire. Dual locking bars provide a rock-solid mounting interface to MIL-STD 1913 rails. Internal storage compartment for spare batteries or parts. O-ring on the screw-on cap forms a waterproof seal down to 66 ft. deep. **Standard BattleGrip™** - Full-size grip has enough internal storage for a complete M4/M16 bolt assembly. Integral pocket for a light/laser remote pressure switch allows easy access to the switch yet protects it from bumps, damage, and accidental activation. Sliding panel covers pocket when switch is not mounted. **Stubby BattleGrip™** - Low-profile "Stubby" grip keeps M4 carbines, breaching shotguns, and other CQB weapons as compact as possible and won't interfere with most vehicle gun racks. No pressure switch pocket. 

SPECS: Injection-molded, fiberglass-reinforced polymer resin, Black, Dark Earth, or Foliage Green. **Standard** - 4 3/4" (12.1cm) long. **Stubby** - 3 3/8" (8.6cm) long.

#071-000-034EK	BattleGrip, Black 9B58T91	\$ 69.99
#071-000-038EK	BattleGrip, Dark Earth 9B55T63	\$ 68.73
#071-000-036EK	BattleGrip, Foliage Green	
	9B56T49	\$ 69.99
#071-000-040EK	Stubby BattleGrip, Black 9B51T91	\$ 64.99
#071-000-041EK	Stubby BattleGrip, Dark Earth,	
	9B52T58	\$ 64.99
#071-000-042EK	Stubby BattleGrip, Foliage Green	
	9B51T91	\$ 64.99



MAKO AR-15/M16

T-GRIP VERTICAL FOREND GRIP

Improves Weapon Control;
Allows Mounting
Of Handheld Light

Gives the operator improved weapon pointability and recoil control, plus convenient mounting of a handheld flashlight for use as a weaponlight. Ergonomically shaped pistol grip is narrow at the top, with a comfortable palm swell, finger grooves, and stippled texturing to give the operator an exceptionally solid and comfortable grasp. Trapdoor in bottom allows access to roomy storage compartment. Screw-tightened collar securely retains any handheld tactical flashlight with a 1" diameter body for economical weapon-mounted illumination. For an added tactical advantage, a convenient trigger mechanism operates most pushbutton end cap switches, so the operator can activate the light without breaking grip. Master on/off switch locks out the trigger to prevent accidental activation. T-Grip clamps securely to any Picatinny or Weaver-style rail; quick-release pushbutton lock allows fast installation and removal. Includes an additional locking bolt for extra-secure mounting. Rugged, reinforced, molded polymer composite construction stands up to hard tactical operations.

SPECS: Reinforced polymer composite, black. Grip height approximately 3 7/8" (9.8cm). 5 5/8" (14.3cm) O.A.L., 1 1/2" (3.8cm) wide.

#100-003-846EK T-Grip Vertical Foregrip 2B69T95 \$ 89.95



PRO MAG AR-15/M16

MODULAR RAILED FOREGRIP

Improves Weapon Control & Expands
Accessory Mounting Options



Machined aluminum vertical grip clamps to Picatinny handguard rail to provide enhanced recoil control and improved pointability. External ribbing with deep horizontal ridges provides a comfortable, non-slip grip. Bolt-on left- and right-side, 5-slot Picatinny rails let you mount a weapon light, laser sight, or other forward-mounted accessory close to the support hand for easy access to controls. Also comes with optional, low-profile, smooth-side clamping bars, so you can configure the rails to suit specific mission requirements: both accessory rails, one rail on either side, or as a stand-alone grip without the rails. Storage compartment in the handle with knurled screw-on/off cover for easy removal; weatherproof O-ring seal keeps contents of the compartment dry.

SPECS: 6061 T6 aluminum, Type III hardcoat anodized, matte black. Grip - 4 1/4" (10.8cm) long, 1 1/4" (3.2 cm) O.D. Rails - 2 1/2" (6.3cm) long. 7.5 oz. (213g) weight. Fits Picatinny rails.

#687-000-034EK Modular Railed Foregrip, 7H68B46 \$ 89.25

TROY INDUSTRIES AR-15/M16 MODULAR COMBAT GRIP

Easily Converts From Full-Length
To Stubby Configuration


Deeply knurled vertical forend grip provides a comfortable, secure grasp for outstanding recoil control and ultra-fast pointability. Modular design lets you choose a secure, full-palm configuration, or by unscrewing and removing the center section, a low-profile "stubby" grip. Full-length, spring-loaded locking bar, plus front and rear rail lugs ensure a rock-solid installation on any Picatinny rail. Flush-fit crossbolt minimizes risk of snagging on other gear. Rugged, all-aluminum construction with waterproof O-ring seals to keep contents of the roomy internal



RAINIER ARMS AR-15/M16

BOBRO SHORT VERTICAL FOREND GRIP

Innovative Locking System Provides Quick
Installation Without Removing Accessories

Vertical forend grip uses a unique, spring-loaded Self Aligning Compression Lock (SACL) to quickly install onto your Picatinny handguard rail without removing flashlights, lasers or other accessories. Easy installation: press and rotate grip onto rail, then tighten bottom knob to lock. Remove bottom knob to access battery storage compartment that holds one CR-123 or AA battery. SACL is machined from, high-strength aluminum; grip and core are machined from Delrin. Fastener and index pin phosphated to MIL-STD171. 

SPECS: Aluminum locking system, Delrin grip and core, black finish. 3 7/8" (8.1cm) long x 1 1/8" (3.1cm) OD.

#100-003-348EK Short Vertical Grip 9B68X00 \$ 79.95



SOG ARMORY AR-15/M16 GRAPHITE VERTICAL GRIP

Rubber-Coated Gripping Surface
For Maximum Weapon Control

Molded vertical grip with tread-like, rubber coating ends the potential for loss of weapon control in wet, slippery conditions, or when hands become slick with sweat. Made from a new, graphite blend that reduces weight without compromising strength or rigidity. Will not heat up during high volume shooting sessions or after exposure to sunlight for long periods. Deep, textured, block pattern sticks to your hand for an exceptional grip. Dovetail locks onto any Picatinny or Weaver-style, handguard rail. Aluminum lockdown post with threaded cap provides a snug, pressure fit that won't rattle loose under recoil or rigorous use.


SPECS: Graphite body w/rubber grip, black. 4 1/2" (11.4cm) long x 1 1/4" (3.2cm) dia. 3.8 oz. (108g) wt.

#100-002-213EK ABS Vertical Grip 9A23P57 \$ 39.99

TAPCO AR-15/M16


INTRAFUSE VERTICAL GRIPS

Clamps To Under Rail; Keeps Battery Dry

Hand-filling vertical grip mounts securely to handguard bottom rail and provides the shooter with increased weapon control and additional waterproof battery storage. Oval contour with external ribbing provides comfortable no-slip grip. Waterproof compartment has room for spare batteries or small tools. Plenty of surface area on the sides of the grip provide secure attachment area for tape-on tactical light switches. Large, composite clamp with slotted crossbolt locks grip securely to forend rail. **Standard** holds one AA battery or two CR-123 lithium batteries with special internal support ribs for optimal battery protection. Inside of rubber grip plug fits terminal end of AA battery to insulate against electrical discharge. **Short** holds one CR-123 lithium battery. 

SPECS: Molded polymer, Black, Dark Earth, or O.D. Green. **Standard** - 4 3/4" long (12cm). **Short** - 3 1/8" long (8cm).

#100-003-293EK	Intrafuse Vertical Grip, Black,	
	5A23X38	\$ 25.99
#100-004-721EK	Short Vertical Grip, Black,	
	5A22H26	\$ 25.99
#100-004-722EK	Short Vertical Grip, Dark Earth,	
	5A22H26	\$ 25.99
#100-004-723EK	Short Vertical Grip, O.D. Green,	
	5A22H26	\$ 25.99


storage compartment dry. 
SPECS: Aluminum, hardcoat anodized, Black or Dark Earth. 4 1/2" (11.43 cm) long, 3" (7.62 cm) long in stubby configuration, 1 1/4" (3.2 cm) O.D. 5.9 oz. (167g) weight. Fits Picatinny rail systems.

#100-004-377EK Modular Grip, Black 3B54H79 \$ 59.99
#100-004-378EK Modular Grip, Dk Earth 3B54H79 \$ 59.99

YANKEE HILL MACHINE AR-15/M16

FOLDING VERTICAL GRIP

Robust, Battle-Ready Construction
For Hardcore Tactical Work;
Folds Out Of The Way When Not In Use

Beefy, hand-filling, vertical grip deploys fast from the stowed position so you have maximum weapon control and retention during CQB maneuvers. Hollow-core handle is formed using the same mold and Mil-Spec, thermoset polymer used for the spade grips of Browning M2 .50 caliber machine guns. Machined, aluminum, pivot mount with steel hex screw attaches grip to any Picatinny or Weaver-style accessory rail. **3-Position Grip** uses a threaded, steel shank pinned to the pivot mount for full 180° of rotation; secures in the down, forward or rearward positions by simply tightening down the handle. **Quick Action Grip** pivots in one direction, and includes a spring-loaded pushbutton that instantly locks and unlocks the handle. Folds down to the battle-ready position or forward/rearward for storage, depending on installation. 

SPECS: **Pivot Mount** - Aluminum, matte black, Mil-Spec phosphate coating. **Handle** - Mil-Spec Thermoset polymer, matte black. 5 1/2" (14cm) long. **Weight** - **Folding:** 6.6 oz. (187 g). **Quick Action:** 4.7 oz. (133 g).


#100-002-088EK 3-Position Grip 9A33B45 \$ 4750

#100-002-092EK Quick Action Grip 9A55B35 \$ 79.00

ARMALITE® AR-10® MAGAZINES

Same Factory-Built Magazines
That Ship With New AR-10s



Brand-new, factory-made, Generation II magazines built by ArmaLite® feature a spot-welded, heavy gauge steel body that won't distort when fully loaded and a contoured follower designed to ensure exceptionally smooth, reliable feeding. These aren't converted M14 magazines, but mags purpose-built specifically for the AR-10—the same mags that come with new rifles. Factory marked floorplate. 

SPECS: Steel, Parkerized, matte black. Fits ArmaLite AR-10 chambered in .308/7.62mm.

#062-000-001EK	AR-10 Magazine, 25-Rd,	
	2F00PUA	\$ 54.99
#062-000-002EK	AR-10 Magazine, 20-Rd 2F00BXC	\$ 44.99
#062-000-004EK	AR-10 Magazine, 10-Rd 2F00TPU	\$ 44.99
#062-000-005EK	AR-10 Magazine, 5 Rd 2F00DZA	\$ 29.99

CMMG AR-15/M16

.22 LR MAGAZINES

Rugged, Smooth-Feeding
Full-Size Magazines For AR-15
.22 Conversions



Rugged, dependable magazines are specifically designed to help ensure reliable feed and function with CMMG and similar Atchisson-type .22 LR conversion systems. Full-size mag body of injection-molded polymer stands up to the rigors of intensive plinking or tactical training. Fits conveniently in your existing mag pouches and carriers. Self-lubricating follower keeps the round stack moving smoothly, and serves as a bolt hold-open device when the magazine runs dry. Easy to remove floorplate allows easy access for cleaning, or remove six hex-head screws for complete disassembly. **26-round** is the same size as a curved, USGI-style 30-round magazine. **10-round** model is the same size as straight-body 20-round magazines popular with benchrest shooters and others who prefer a shorter magazine.

SPECS: Reinforced, injection-molded polymer, matte gray. Fits AR-15/M16 with a CMMG .22 LR Conversion Kit or other Atchisson-type conversion system.

#100-004-635EK .22 LR Magazine, 26-Rd 3B16X91 \$ 19.99
#100-004-637EK .22 LR Magazine, 10-Rd 3B16X91 \$ 19.99





BROWNELLS AR-15/M16 20- & 30-ROUND MAGAZINES

The Most Up-To-Date & Reliable Civilian Magazine Available

A battle rifle is only as reliable as its magazine – make sure the one in your rifle is from Brownells. When the difference between a “bang” and a “click” is life and death, a magazine failure is more than inconvenient – it can be fatal. So when we decided to build our own AR-15/M16 magazines, reliability was our first priority. Some of us have sons and daughters serving overseas or in law enforcement, and we aimed to build the kind of magazine we’d trust their lives with. We started with a clean slate, then worked out the bugs on the drawing board and the test range *before* we offered a single mag for sale, so you get a magazine of uncompromising quality and reliability that’s built to last and ready to run hard. When failure is not an option, these magazines deliver on the range, in the field, in a tactical situation, under fire. Load these smooth-feeding magazines to maximum capacity and fire the full 30 rounds you expect. No jams, no misfeeds, no hangups. 

All components are made of mil-spec materials and are manufactured under strict ISO quality control standards. The heat-treated, welded aluminum body is hard-anodized for superior corrosion resistance, then given a tough, dry-lube coating to eliminate the need for additional lubricants that would attract dust, sand, or dirt. The glass-fiber reinforced composite follower further guarantees flawless feeding in the harshest tactical or competition conditions. Choose from a mil-spec stainless steel spring or our high lubricity, dry-lube-coated chrome silicon spring that’s corrosion-resistant certified to 500 hour salt spray standards, and less prone to spring “set.” Updated material and design features like those in our 30-round magazine have been adapted to our straight-bodied, 20-round model. Since we manufacture these mags ourselves, we can maintain a large inventory. So, if you need magazines in a hurry, even in quantity, we can get them to you ASAP. *When ordering bulk Paks using the stock numbers shown below, also specify your choice of magazine spring type.*


SPECS: Aluminum body, gray hard-anodized with dry-lube coating. Fiberglass-filled, green plastic follower. Available with dry-lube-coated chrome silicon spring or stainless steel spring.

CAPACITY	SPRING	STK # EACH	STK # 25-PAK	STK # 100-PAK	STK # 1000-PAK
30-Round	Chrome Silicon	 #078-000-107EK	#078-300-025EK	#078-300-100EK	#078-300-999EK
30-Round	Stainless	 #078-000-113EK	#078-300-025EK	#078-300-100EK	#078-300-999EK
20-Round	Chrome Silicon	 #078-000-159EK	#078-200-025EK	#078-200-100EK	#078-200-999EK
20-Round	Stainless	 #078-000-160EK	#078-200-025EK	#078-200-100EK	#078-200-999EK
— Advise # — AR-15/M16 Magazine, each 8K10A49					\$ 14.99
— Advise # — 25-Pak AR-15/M16 Magazines, per each, advise by spring type 8K10A49					12.50
— Advise # — 100-Pak AR-15/M16 Magazines, per each, advise by spring type 8K09A50					12.50
— Advise # — 1000-Pak AR-15/M16 Magazines, per each, advise by spring type 8K09A00					12.50

BROWNELLS AR-15/M16 TACTICAL MAGAZINE

Our Ultra-Reliable Magazine With Popular Aftermarket Accessories Pre-Installed

We added two of the most popular aftermarket accessories to our ultra-reliable chrome silicon spring magazines, so you get a customized magazine ready to run hard right out of the bag. The curved **30-round** model comes with the Magpul Self-Leveling Follower. This follower won’t tilt as rounds are fed into or stripped from the magazine, and its self-lubricating polymer composition helps ensure smooth movement in the mag body for easier loading and ultra-smooth feeding. For an added tactical or competitive edge, the 30-round Tactical Magazine is also available with the Magpul Ranger® floorplate to ensure lightning-fast magazine changes. An easy-to-grasp finger loop aids in fast, positive extraction from tight mag pouches and helps you hang onto the empty magazine with just a finger after a tactical reload. Made of tough stainless steel overmolded with non-slip Santoprene™ synthetic rubber to cushion the magazine from impact when dropped on concrete or other hard surfaces. Straight-body **20-round** model comes with the Ranger floorplate and a fiberglass-reinforced plastic follower specially designed for smooth operation in a straight-body magazine.

NOTE: Installation of Ranger floorplate on 20-round models limits capacity to 18 or 19 rounds. 
SPECS: Aluminum body, hard-anodized Military Gray, dry-lube coated. Chrome silicon steel spring. Reinforced plastic follower. Ranger - includes stainless steel floorplate overmolded with Santoprene synthetic rubber.

#080-000-489EK	30-Rd Tactical Mag., Military Gray 8K13X49	\$ 19.99
#080-000-490EK	30-Rd Tactical Mag. w/Ranger Plate, Military Gray 8K18X49	24.99
#080-000-541EK	20-Rd Tactical Mag. w/Ranger Plate, Military Gray 8K17U50	19.99

**SATISFACTION GUARANTEED
SINCE 1939**

Supplier Of
U.S. Military Mags:
Order In Quantity &
Save Over 30%



Magpul
Self-Leveling
Follower!

Optional
Ranger floorplate
for high speed
mag changes



COLT AR-15/M16 9-ROUND FACTORY MAGAZINE

Use For Backup, Hunting Or Competition

Genuine Colt factory, 9-round magazine is guaranteed to fit and function correctly. Lightweight and compact for easy carry and fast loading. Use as an emergency spare or for applications where 20- and 30-round high capacity magazines are restricted or just too big and clumsy.

SPECS: Matte blue, 9-round, accepts .223 (5.56NATO). Fits AR-15 Accurized HBAR, Government Carbine Match Target, Match Target Competition HBAR, Match Target Competition HBAR II, Match Target HBAR, Match Target Lightweight A3 Tactical Carbine.

#160-000-213EK 9-Rd AR-15 Magazine 6A20H73... \$ 25.99

BROWNELLS AR-15/M16 TACTICAL MAGAZINE/POUCH READINESS PACK


Economically Load, Store
& Carry Up To 90 Rounds
Ready For Instant Use

Convenient kit helps you maintain peak tactical readiness with everything you need to load, store, and carry up to 90 rounds of .223/5.56 ammo for your AR-15/M16. Each pack contains three, ultra-reliable Brownells 30-round Tactical Magazines equipped with a Magpul self-leveling follower and a Magpul Ranger® floorplate to help ensure fast, positive extraction from the pouch. Includes a Butler Creek LULA® loader and our Signature Series Triple Magazine Pouch for secure storage and carrying of the mags. Pouch has fold-over snap closures that loop through the exterior straps on our M4 rifle case or other MOLLE-compatible gear, so you have plenty of spare mags where you need them—with your rifle.

SPECS: 30-Rd Magazine - Aluminum body, hard-anodized Military Gray, dry-lube coated. Dry-lube coated chrome silicon spring. Gray Magpul self-leveling follower. **Triple Mag Pouch** - 1000 denier Cordura Plus nylon, Black, 9½" (24.1cm) long, 8¾" (27.3cm) high. **LULA Magazine Loader/Unloader** - Reinforced polymer, black. #080-000-560EK 30-Rd Mag/Pouch Pack, Gray/Black, 8K80A79... \$ 93.99

BROWNELLS/MAG-TECH AR-STYLE .308 20-ROUND MAGAZINE

Rugged, All-Steel Construction;
Fits A Variety Of .308 Rifles

All-steel, straight body magazine is built to handle the punishment of tactical operations and service rifle competition. Delivers 20 rounds of .308/7.62mm NATO ammo reliably and consistently in AR-style .308 rifles from Bushmaster, DPMS, Knights Armament Corp., Remington, and others listed below. Precision-formed, spot-welded body is kept to precise dimensions to ensure snag-free movement of the follower. Polished stainless steel follower further reduces drag for smooth flow of the round stack. Removable floor plate allows disassembly for cleaning or maintenance. 


SPECS: Steel body, Parkerized, dark gray, matte finish. Stainless steel follower. 20-round capacity. Fits AR-style .308/7.62mm NATO rifles from American Spirit Arms, Bushmaster, DPMS, Fulton Armory, Knights Armament Corporation, Oberland Arms, Remington, and RND Manufacturing. Does not fit the ArmaLite® AR-10®, Rock River Arms, or any rifle using an FN/FAL magazine.

#100-004-962EK 20-Rd AR-.308 Magazine 5D32A73... \$ 39.99

BROWNELLS/ BLACK DOG MACHINE AR-15/M16 HIGH-CAPACITY MAGAZINES FOR .22 LR CONVERSIONS

Shoot More, Reload Less; Full-Body Design
Handles Like A Mil-Spec Magazine

Dependable, high-capacity magazine handles like a standard AR-15/M16 magazine and delivers up to 26 rounds of .22 LR ammunition in an AR-15 fitted with the CMMG AR-15/M16 .22 LR Conversion Kit or any Atchisson-type conversion system. Rigorously range-tested for reliable function in both semi- and full-auto rifles. Extended, anti-tilt follower acts as a bolt stop after last round is fired.

Tough, impact-resistant polycarbonate shell and follower are self-lubricating, so they work with the constant-force spring to deliver smooth, uniform feeding for consistent operation. Steel hex screws securely hold the mag body halves together to ensure exceptional strength and rigidity, yet are easily removable for disassembly and cleaning. **26-round** models are the same size as USGI 30-round AR-15 magazines. **10-round** model is the same size as a standard 20-round AR-15 magazine to meet the needs of benchrest shooters and others who prefer a shorter magazine. **Rebuild Kit** contains all the internal components needed to rebuild three (3) 26-round magazines and return them to factory specs. 

SPECS: Injection-molded polycarbonate, translucent Smoke or solid Black, depending on model. Fits AR-15/M16 with a CMMG .22 LR Conversion Kit or other Atchisson-type conversion system. Also fits SIG 522. **Rebuild Kit** contains three (3) each of follower, spring, base plate, and plug for 26-round magazines only.

#080-000-548EK	26-Rd Mag for .22 LR, Smoke, 2B23U33	\$ 25.00
#080-000-547EK	26-Rd Mag for .22 LR, Black, 2B23U33	25.00
#100-003-673EK	10-Rd Mag for .22 LR, Smoke, 1B23H33	25.00
#100-004-087EK	Rebuild Kit for 26-Rd Mag, 3-pak, 1B06C35	7.99

50-RD DRUM MAGAZINE - Dependable, super-capacity drum magazine lets you shoot extended 50-round strings for plenty of plinking fun with a semi- or full-auto .22 LR conversion. Same rugged polycarbonate construction as the Brownells/Black Dog .22 LR box magazine. Easy to disassemble for cleaning (instructions included).

SPECS: Injection-molded polycarbonate, smoke. Fits AR-15/M16 with a CMMG .22 LR conversion kit or similar Atchisson-type conversion system. May require some fine tuning to ensure proper feeding in full-auto rifles.

#100-005-584EK 50-Rd Drum Magazine 1B59D26... \$ 69.99

.22 LR MAGAZINE LOADER - Easy to use loader helps you quickly fill up your Brownells/Black Dog .22 LR AR-15 conversion magazines without finger strain. Slide the loader over the magazine, push down, insert round, release and repeat until magazine is full. Molded from durable, fiberglass-reinforced polymer that resists impact and solvents to provide years of service.

SPECS: Fiberglass-reinforced molded polymer, black. Fits Brownells, Black Dog Machine, and Ciener magazines for .22 LR AR-15/M16 conversions.

#100-005-583EK .22 LR Magazine Loader 1B08D57... \$ 9.99



**Instructional Video
Available Online**




Magazine not included



BETA AR-15/M16 C-MAG

100-Round Capacity For Enhanced Firepower

Super-capacity, dual drum magazine allows you to spend more time shooting and less time reloading. 100-round capacity is great for extended shooting sessions with inexpensive surplus .223 ammunition. Even weight distribution ensures a well-balanced weapon that's not cumbersome or awkward to shoot. Included tool provides easy loading, simply push five rounds at a time into the interlinking straight clip to automatically double stack and alternately load both drums. Polymer composite body is available in solid **Black**, or black with a **Clear** drum face to allow visual check of remaining ammo. Steel hardware and aluminum feed rails provide years of reliable service. Includes two tubes of graphite lubricant for optimal feeding, plus a snap-on, synthetic cover to keep dirt from entering the follower end of the magazine. Double-stitched, nylon carry case attaches to your web belt and includes individual compartments for the magazine, loading tool, and graphite tubes. 

SPECS: Polymer composite body, aluminum feed rails, steel hardware. Available with solid black housing or black with clear drum face. Accepts .223 caliber. 2 5/8" (6.7cm) long, 10" (25.4cm) wide, 4" (10.2cm) high. 2.24 lb. (1kg) weight.

#100-003-386EK Black C-Mag 9B00PUA \$ 289.99
#100-003-387EK Clear C-Mag 9B00XCH 289.99

NORDIC COMPONENTS AR-15/M16 PMAG EXTENSION

Increases Capacity Of 30-Round PMAG To 48 Rounds


Lightweight, streamlined clamp-on kit increases the capacity of a 30-round Magpul PMAG to a full 48 rounds. Perfect for competition and tactical operations where more rounds and fewer mag changes can make the difference between winning or losing. Easy to install: simply remove the PMAG's floorplate, clamp the mag body extension to the PMAG by tightening the four steel socket head cap screws, install the kit's replacement spring, reinstall the original floorplate on the extension, and you're ready to shoot. Available in **Black** or **Clear** for fast visual checks of ammo status. Works with both standard and MagLevel PMAGs. Nordic guarantees at least an 18-round increase in capacity. 

SPECS: Molded polymer, black or clear. 2.4 oz. (68g) weight. Kit contains extension, (4) screws, spring, and instructions. 30-round PMAG not included.

#100-004-544EK PMAG Extension, Black 1B20T50 .. \$ 27.95
#100-004-543EK PMAG Extension, Clear 1B20T50 ... 27.95

JOHN MASEN CO. AR-15/M16 RIFLE MAGAZINES


Heavy-Gauge Body & Long-Life Spring

Heavy-duty springs for stable loading, reliable following, and a long life. Formed, high-lubricity, black polymer follower helps improve feeding. Five- or nine-round capacity with an ergonomically contoured base pad that removes quickly and easily for cleaning and maintenance; keeps feed lips strong and effective for a long time. 

SPECS: Body - 7075 aluminum, hardened to Mil Spec T6. Follower - Polymer, black. Fits all AR-15 and M16, .223 Rem./5.56mm
#560-000-003EK 5-Rd AR-15/M16 Mag. 6E16X78 \$ 19.99
#560-000-004EK 9-Rd AR-15/M16 Mag. 6E16X38 19.95

LANCER SYSTEMS AR-15/M16 L5/L5A POLYMER MAGAZINE

Rugged See-Through Polymer Body For Visual Round Count

Full-capacity, magazine features a translucent polymer body with molded-in round-count markers to give the operator instant visual feedback on ammo status. Tough, lightweight molded polymer stands up to rough handling. Tested to withstand temperature extremes of -50° F to +180° F and 5-foot drop, fully loaded, to hard concrete surface without impairment of function. Molded-in ridges enhance structural integrity and provide a gripping surface. Drops free from mil-spec magwells; can be loaded to full capacity and inserted into weapon with bolt closed. Feed lips are hardened steel inserts with a corrosion-resistant PTFE coating that promotes smooth ammo movement. Removable polymer base plate has a rubberized exterior to prevent damage when mag is ejected on a hard surface. **L5A** holds 30 round and have molded-in ridges with low enough profile for this mag to be used in non-AR rifles that accept USGI-style mags, including the HK416, SA80, and Beretta ARX-160. **L5 Competition** mag holds 48 rounds. Provides the 3-gun and tactical rifle competitor the extra round capacity to cut down the number of mag changes during long stages, or even eliminate them entirely. 


SPECS: Molded polymer, translucent smoke gray. Fits AR-15/M16/M4 and clones chambered for .223/5.56mm. **L5A** also fits Heckler & Koch HK416, SA80, and Beretta ARX-160.

#100-004-356EK L5 20-Rd Magazine 1C14A48 \$ 17.50
#100-006-854EK L5A 30-Rd Magazine 1C14A88 17.99
#100-004-358EK L5 Competition 48-Rd Magazine, 1C61A32 66.49

MAGPUL AR-15/M16 EMAG™

Rugged, Dependable 30-Rd Magazine Compatible With A Wide Range Of AR-Type Weapon Platforms



Lightweight molded polymer magazine combines features of Magpul's popular PMAG with exterior dimensions engineered to meet NATO STANAG 4179 compatibility requirements. The EMAG (Export MAGazine) is fully compatible with all AR-15/M16 variants, HK 416, FN SCAR, SA-80, Beretta ARX-160, IMI Tavor, and other .223/5.56mm weapons that use AR-type mags. The crush-resistant, one-piece body of fiberglass-reinforced molded polymer has a slim, unribbed exterior that ensures it'll fit in magazine pouches and couplers designed for USGI M16 magazines. The EMAG has the same sealed, constant-curve body and self-lubricating anti-tilt follower as the PMAG, and even accepts the PMAG Ranger Floorplate (available separately). A MagLevel window on the left side with numeric indicators (5, 15, and 25 rounds) molded into the body and a bright orange marker on the spring provide instant visual feedback on ammo status. Stainless steel spring is coated with a tough MIL-DTL-13924D black oxide finish. Quick-release, snap-on cover protects the top round and seals out dirt, while preventing mag lip stretching during long periods of storage fully loaded. When the mag is loaded in a rifle, the cover can be snapped over the floorplate to prevent loss; also serves as a floorplate removal tool and a gauge for checking feed lip gap. Flared floorplate removes easily for cleaning and provides a pronounced grasping surface for pulling the EMAG from a mag pouch. 

SPECS: Molded polymer body and follower, stainless steel spring. Available in black only. 30-round capacity.

#100-004-886EK Magpul EMAG 3K21H31 \$ 22.99

MAGPUL AR-15/M16/AR-STYLE .308 PMAG POLYMER MAGAZINE

Dependable & Nearly Indestructible; Store Fully Loaded Without Loss Of Reliability

Exceptionally rugged, combat- and competition-ready magazine functions flawlessly, even when left fully loaded for extended periods. Corrosion-proof, self-lubricating one-piece body of fiber-reinforced, molded polymer has no spot welds or joints to impair the follower, and the constant internal curve ensures smooth, unobstructed movement of the round stack. Anti-tilt follower stabilizes the stack to help prevent nose-diving and bolt-over-head failures. Heat-treated, stainless steel spring is stress-relieved for optimal performance. Included quick-release magazine cover seals out dirt and alleviates feed lip deformation caused by pressure from a full ammo stack during long-term storage. Withstands the heat from prolonged full-auto fire and is not harmed by most bore cleaners and solvents. Exterior ribbing provides added gripping surface; magazine catch notch, rather than a traditional hole, keeps dirt and debris out. Easy-to-grasp ledge on floorplate aids in extracting magazine from pouches; floorplate removes easily for cleaning. Curved-body **30-Round** model is also available in **MagLevel** configuration with windows on both sides of the magazine and a bright, orange indicator to display ammo level. Compact, straight-body **20-Round** model makes a tactical rifle easier to store and retrieve from a vehicle, and provides a stable rest for target shooting. All models available in Black, Flat Dark Earth, O.D. Green, and Foliage Green. 

SPECS: Molded polymer, stainless steel spring. 20- or 30-round capacity. Available in Black, Flat Dark Earth, O.D. Green, and Foliage Green.

CAPACITY/STYLE	BLACK	FLAT DK EARTH	O.D. GREEN	FOLIAGE GREEN	PRICE
30-Rd PMAG	#100-003-119EK	#100-003-305EK	#100-003-581EK	#100-003-580EK	3K12Z97 \$ 14.99
30-Rd MagLevel PMAG	#100-003-144EK	#100-003-304EK	#100-003-593EK	#100-003-592EK	3K16Z55 \$ 17.99
20-Rd PMAG	#100-003-541EK	#100-003-544EK	#100-003-542EK	#100-003-543EK	3K12D60 \$ 13.99

.308/7.62MM PMAG - Molded polymer 20-round magazine is less than half the weight of a steel magazine and delivers all the benefits of the AR-15/M16 PMAG for ultra-reliable function in a variety of AR-style rifles chambered in .308/7.62mm.

SPECS: Molded polymer, black, stainless steel spring. 20-round capacity. Fits DPMS LR-308, Patriot Ordnance Factory P-308, Remington R-25, and Knight SR-25 in .308/243/7mm-08. Not compatible with ArmaLite® AR-10®. Optimized for military-type .308/762mm NATO ammunition with overall cartridge length less than 2.820" (5.13cm).

#100-004-161EK .308/7.62mm PMAG 3K15P90 \$ 19.99

RANGER® FLOORPLATE FOR PMAG - Replacement floorplate brings the speed and controllability of the original Magpul Ranger Floorplate to both 20- and 30-round PMAGs for fast, secure tactical magazine changes under stress. Smoothly contoured, easy-to-grasp finger loop and grooved thumb dimple aid in positive extraction from tight mag pouches and help you hang onto the empty magazine with just a finger after a tactical reload. Made from tough, reinforced polymer overmolded with soft, non-slip synthetic rubber that also cushions the magazine from impact if dropped on a hard surface. Includes molded-in para-cord hole for custom loop configurations. Easy, drop-in installation: simply remove the PMAG's factory floorplate as you do for cleaning, and replace it with the Ranger Floorplate. Sold in 3-paks and available in Black, Dark Earth, O.D. Green, and Foliage Green. 

SPECS: Reinforced polymer, rubber coated. 3 per pak. Fits all PMAG models.


#100-003-501EK PMAG Ranger Floorplate, Black, 3K11C78 \$ 14.99
#100-003-502EK PMAG Ranger Floorplate, Dark Earth, 3K11C78 14.99
#100-003-504EK PMAG Ranger Floorplate, O.D. Green, 3K11C78 14.99
#100-003-503EK PMAG Ranger Floorplate, Foliage Green, 3K11C78 14.99

PMAG/RANGER FLOORPLATE COMBO KITS - PMAGs available in combo packs with factory installed, standard flat floorplate and ready-to-install Ranger® floorplate, so you can install the plate best suited to each mission. Kits available with straight-body 20-round PMAG, curved 30-round PMAG, or 30-round MagLevel (ML) PMAG in 3-Paks. Black only. **SPECS:** Black only. Single magazines or 3-Paks.

#100-003-693EK 30-Rd PMAG w/Ranger Plate, 3-pak, 3K48U95 58.99
#100-003-695EK 30-Rd ML PMAG w/Rngr Plate, 3-pak, 3K58U61 67.99
#100-003-697EK 20-Rd PMAG w/Ranger Plate, 3-pak, 3K47U85 57.99

DPMS PANTHER LONG RANGE 19-ROUND STEEL MAGAZINE

Durable & Dependable Magazine For AR-Style .308 Rifles


Tough, durable, 19-round magazine is constructed of heat-treated 1050 steel with a manganese phosphate finish to fit and function properly and stand up to harsh conditions. Steel floorplate removes for cleaning; steel spring and plastic follower give you reliable, smooth feeding of every round. Fits DPMS Panther LR series rifles (.243, .260, .308 cal.), Knight SR-25, Remington R-25 (.308), and Stoner SR-25. 

SPECS: 1050 steel, manganese-phosphate finish, black. Will not fit ArmaLite AR-10®.

#231-000-207EK 19-Rnd Panther LR Mag 1C23T55 \$ 29.99

DPMS AR-15/M16 10 ROUND POLYMER MAGAZINE

Semi-Transparent, Easy Round Counting

Lightweight, waffle pattern, polymer body with a self-lubricating, nylon follower provides smooth, reliable feeding. Fits flush with bottom of magazine well. Resists rust and corrosion. 

SPECS: Polymer, transparent black. .223 caliber, 10 round capacity. Resistant to all known gun solvents.

#231-000-010EK AR-15 Polymer Magazine, 1C14X92 \$ 19.99

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 47

METALFORM AR-15/M16 9MM COLT-STYLE MAGAZINE

All-Steel Construction For
Reliability & Durability



Rugged, all-steel, high-capacity magazines for 9mm AR-15 conversions that use a Colt-style magazine. Metal follower won't distort under a full load and aids smooth, reliable feeding. Hold-open feature works with ARs fitted with hold-open on the conversion block. Easy-to-remove floorplate makes disassembly fast and simple. Fits Colt and Rock River conversions with a lower receiver conversion block.

SPECS: Steel, Parkerized, dark gray (32 round), or black oxide finish (20 round).

#620-000-021EK	32-Rd 9mm Colt-Style Magazine, 2F34D16	\$42.99
#620-000-020EK	20-Rd 9mm Colt-Style Magazine, 2F33D39	39.99

MWG AR-15/M16 90-ROUNDER® MAGAZINE

Ultra High Capacity
For Increased Shooting Fun



Precision built, ultra-high capacity, drum-style magazine allows extended shooting strings and plenty of shooting fun with your favorite AR-15 or M16 rifle. Made from extra-strong polycarbonate resin with a clear back cover so you can see at a glance the remaining rounds. Holds a maximum of 90 rounds of .223 Rem./5.56 NATO ammunition and is guaranteed not to jam or malfunction. Offset design keeps the weight of all rounds directly below the magazine well, so the balance point of your rifle remains unchanged. Very easy to load, includes a 10-round loading chute and stripper clips to help speed reloads.

SPECS: Injection-molded synthetic nylon, black. 1lb. 4 oz (.56kg) wt. empty. Includes magazine, loading chute, plunger, (9) stripper clips, nylon spacer and instructions.

#556-000-006EK 90-Rounder Magazine 6E90P00. . \$124.00

MWG AR-15 PLASTIC MAGAZINE

Lightweight, Nearly Indestructible
In .223 & 7.62 x 39mm



Carry more clips with less extra weight. Made from light, extra-tough, nylon-impregnated, ABS plastic that's impact resistant and won't break down, rot or rust. Includes tempered steel springs and self-lubricating nylon followers.

SPECS: Nylon ABS, black. Will fit M16.

STOCK #	MODEL	CALIBER	RNDS	PRICE
#556-115-210EK	AR-15	.223	10	6E13B58 \$19.00
#556-115-310EK	AR-15	7.62 x 39mm	10	6E11B07 \$14.75
#556-115-205EK	AR-15	.223	5	6E13B58 \$19.00

ROCK RIVER ARMS AR-15 9mm MAGAZINE

Solid, All-Steel Construction
For Reliable Operation In Sub-Caliber Conversions



High-capacity UZI-type design has been specifically modified for use in 9mm AR-15 conversions. Robust, all-steel construction with metal follower and tough Parkerized finish for years of smooth, reliable service. Requires the Brownells/Rock River Lower Receiver Conversion Kit, available separately.

SPECS: Steel, matte gray, Parkerized finish. 25-round capacity. #739-000-014EK 9mm AR-15 Magazine 9C00HDZ. . \$35.00

PRECISION REFLEX, INC. AR-15/M16 6.8mm MAGAZINE

Durable Steel Magazines Resist Wear,
Maintain Their Shape



Make the most of your 6.8mm chambered AR with long-wearing, extra-tough steel magazines. Hardened steel bodies with tempered feed lips hold their shape and won't flex, bend, or deform. Tempered steel springs help maintain reliable feeding and function even with the heavier 6.8mm cartridge. Lightweight, Magpul brand, nylon composite followers are marked 6.8 to avoid confusion with AR magazines for other calibers. Available in 10-, 15-, or 25-round capacity.

SPECS: Steel, blue. Fits. AR-15/M16 rifles chambered for 6.8 x 43mm Rem. SPC.

#714-000-002EK	10-Round 6.8mm Mag	4A33H95	\$41.00
#714-000-010EK	15-Round 6.8mm Mag	4A33H38	41.99
#714-000-001EK	25-Round 6.8mm Mag	4A34H95	43.00

PRO-MAG AR-15/M16 32-ROUND 9mm MAGAZINES

For Reliable Operation
In Sub-Caliber Conversions



Rugged, high-capacity magazines are designed for 9mm AR-15 conversions like Colt and Rock River Arms that use a Colt or modified UZI magazine. **Polymer** model has a lightweight, reinforced molded polymer body that resists damage if dropped on a hard surface and has deeply molded grasping ridges to give you a firm hold when inserting the mag into the rifle. **Steel** model has traditional, all-steel construction, with numbered witness holes that let you make a quick check of remaining round count. Both have an anti-tilt follower to aid in smooth movement of the round stack for reliable feeding. Removable floorplate for easy cleaning. Requires a lower receiver conversion block, available separately.

SPECS: Steel, Parkerized, matte black, or reinforced molded polymer, black. 32-round capacity, 9mm Luger only.

#687-000-022EK	32-Rd 9mm AR-15 Mag., Polymer, 7H14V17	\$28.35
#687-000-059EK	32-Rd 9mm AR-15 Mag., Steel, 7H21B54	28.00

PRO MAG AR-15/M16 .22 LR MAGAZINE

Full-Size 30-Round Mag For Use With
.22 Conversion Systems



Full-size molded polymer magazine fits .22 LR rimfire AR-15 conversions and dedicated uppers from CMMG, Tactical Solutions, Spike's Tactical, Ciener, and Atchisson, as well as the SIG 522 rifle. Anti-tilt follower holds the bolt open after last round is fired. Same size as USGI-style 30-round AR-15 magazines for realism in sub-caliber live-fire training. Tough, impact-resistant polymer body and follower; removable floorplate for easy disassembly and cleaning.

SPECS: Molded polymer, matte black. Fits AR-15 with CMMG, Tactical Solutions, Spike's Tactical, Ciener, or other Atchisson-type conversion, plus SIG 522 rifle. Does not fit Colt/Umarex Rimfire AR or DPMS dedicated .22 LR AR-15 type rifles.

#687-000-037EK 30-Rd .22 LR Magazine 7H21B54. . \$28.00

PRO MAG AR-STYLE .308 20-ROUND MAGAZINE

Fits Most AR-Style .308 Rifle Platforms



Rugged steel, phosphate-treated magazine stands up to the harsh conditions of combat and competition. Self-lubricating polymer follower and heat-treated, precision-wound spring delivers 20 rounds of ammo reliably and consistently. Steel floorplate easily removes for cleaning. Fits DPMS Panther LR series rifles (.243, .260, .308 cal.), Knight's Armament SR-25, Remington R-25 (.308), and Stoner SR-25.

SPECS: Steel, heat treated, black oxide finish, polymer follower, 20-round capacity. 5 1/2" long. Fits DPMS Panther LR series rifles (.243, .260, .308 cal.), Knight SR-25, Remington R-25 (.308), and Stoner SR-25. Does not fit the ArmaLite® AR-10®, Rock River Arms, or any rifle using an FN/FAL magazine.

#687-000-069EK AR-Style .308 Magazine 7H22X50. . \$29.99

TANGODOWN AR-15/M16 ARC MAGAZINE

Ultra-Rigid Sealed Polymer Body;
Smooth-Feeding Anti-Tilt Follower



ARC magazine has a reinforced polymer body with unparalleled crush resistance, plus the latest features to ensure reliability. Molded-in reinforcing ridges, four interlocking tabs, and industrial-strength adhesive ensure that the joint between the halves is the strongest part of the body. Without a separate floorplate or seams, the body forms an ultra-rigid, five-sided box that won't fail when dropped on hard surfaces. Anti-tilt follower of self-lubricating polymer rides smoothly in slots to ensure reliable ammo flow. Premium-grade chrome-silicon steel spring is heat-treated and moly-coated for corrosion resistance and tested to ensure retention of spring force through 100,000 compression cycles. Deep serrations on the front and rear of the body, plus an aggressive waffle pattern on the sides, give a non-slip grasp.

SPECS: Injection-molded polymer, Black, Dark Earth, or Foliage Green. Fits AR-15/M16/M4, FN SCAR-Light, and M249 machine gun. Holds 20 or 30 rounds of .223/5.56mm ammunition.

#100-004-138EK	30-Rd ARC Mag, Black	9B17Y53	\$19.99
#100-007-492EK	3-Pak 30-Rd ARC Mag, Black, 9B40C21		59.99
#100-004-139EK	30-Rd ARC Mag, Dk Earth	9B17Y53	19.99
#100-004-140EK	30-Rd ARC Mag, Fol. Grn	9B17Y53	19.99
#100-004-587EK	20-Rd ARC Mag, Black	9B12X77	14.99

ORIGINAL BOB SLED PRODUCTS AR-15/M16

ORIGINAL BOB SLED

Single Round Loading
For Competition & Varminting



Self-lubricating, Delrin® loading block replaces the magazine and follower for smooth, single round loading. Bolt holds open after every shot. CNC-machined loading tray ensures proper cartridge alignment and reliable feeding.

OBS10 provides a short, match-length loading block. **OBS20** is the same size and shape as a 20-round AR-15 magazine; approved for Service Rifle competitions.

SPECS: Delrin. **OBS10** - Approx. 2 1/2" (6.4cm) long, 7/8" (2.2cm) wide, 3" (7.6cm) high. **OBS20** - Approx. 2 1/2" long, 7/8" wide, 5" (12.7cm) high. Fits AR-15/M16, .223 cal.

#100-001-736EK OBS10 Bob Sled 7A33Z78. . . \$41.99

#100-001-737EK OBS20 Bob Sled 7A33Z33. . . 41.67

SUREFIRE AR-15/M16 60 & 100 ROUND MAGAZINES

More Firepower & Fewer Mag Changes



Ultra-high capacity magazines keep your rifle running longer between mag changes during competition or tactical operations. These magazines meet NATO STANAG 4179 specifications and are compatible with all rifles that accept AR-15/M16/M4 magazines. Less than two standard magazines wide, so they're easy to hold and handle with one hand. 60-round model fits most dual-mag pouches for 30-round magazines. Weight is centered under the weapon to help you maintain a normal shooting grip and stance. Seats fully loaded on a closed bolt. "Nesting" nylon followers require no lubrication and fully support the round stack to aid in reliable feeding. Cadmium coating on springs reduces friction.

SPECS: Aluminum body, hardcoat anodized, matte gray finish. Nylon followers. Cadmium-coated springs. **60-Rd** - 8.7" (22.1cm) tall, 1.66" (4.2cm) wide at base. 6.4 oz. (181g) wt. empty, 2 lbs. (907g) wt. fully loaded. **100-Rd** - 12.2" (31cm) tall, 1.66" wide at base. 9.6 oz. (272g) wt. empty, 3.3 lbs (1.5kg) wt. fully loaded.

#152-000-096EK Surefire 60-Rd Magazine, 2E00AYT. . . \$129.00

#152-000-097EK Surefire 100-Rd Magazine, 2E00UAV. . . 179.00

REMINGTON AR-15/M16 5-ROUND MAGAZINE

Low Profile Perfect For Hunting;
Cam Pattern Matches
Remington R-15 VTR Rifle



Compact 5-round magazine offers minimal weight and bulk, making it perfect for hunting, where a long USGI 30-round magazine is cumbersome or not permitted. Lightweight aluminum mag body is finished with Advantage® MAX-1™ high-definition camouflage to match Remington R-15 VTR rifle, but will fit any standard mil-spec AR-15. Magpul Gen III self-leveling follower of durable, self-lubricating reinforced polymer helps ensure smooth, reliable feeding free of jams and other magazine-related failures caused by uneven movement of the round stack. Chrome-silicon steel spring is highly resistant to corrosion and won't lose spring force if magazine is left fully loaded for extended periods of time.

SPECS: Aluminum body, Advantage MAX-1 camouflage finish, molded polymer follower, chrome-silicon steel spring. 5-round capacity. For AR-15 rifles chambered in .223/5.56mm or .204 Ruger. #768-194-520EK R-15 Magazine, 5-Rd 8F31T61. . . \$39.99

SMITH & WESSON M&P15-22 25-ROUND MAGAZINE

Rugged, Factory Magazine For Reliable Feeding



High-quality, factory original 25-round magazine ensures smooth operation and feeding because it's the same magazine that came with your rifle. Built with rugged, self-lubricating molded polymer components, including one-piece body, follower, and removable floorplate, plus a precision wound steel spring. Load-assist button for fast reloads, and viewing slot to show you exactly how many rounds you have left.

SPECS: Reinforced injection-molded polymer. Approx. 8 1/4" (21cm) long, 7/8" (2.2cm) thick. Fits M&P15-22. Holds 25-rounds of .22 long rifle ammunition.

#940-001-027EK M&P15-22 Magazine, 4Z16H03. . . \$20.04

World's Largest Supplier of Firearms Accessories and Gunsmithing Tools™

**SATISFACTION GUARANTEED
SINCE 1939**

Office/Tech: 641-623-5401



Old John Still Has The Right Idea

"It's unwise to pay too much . . . but it's worse to pay too little. When you pay too much, you lose a little money . . . that is all. When you pay too little, you sometimes lose everything, because the thing you bought was incapable of doing the thing it was bought to do.

The common law of business balance prohibits paying a little and getting a lot. It can't be done. If you deal with the lowest bidder, it is well to add something for the risk you run. And if you do that, you will have enough to pay for something better."

— JOHN RUSKIN



Stock numbers shown in **red** indicate the product is made in the U.S.A.

This information is not available for all items at time of catalog production; nor does it imply that foreign merchandise is of lesser quality. We will keep our website current with the latest information.

BROWNELLS
AR15 BUILDER PATENTS PENDING
AR15BUILDER.COM MAKES IT EASY TO
BUILD THE AR-15 YOUR CUSTOMER WANTS
Tactical Carbine • Varmint Rifle
Classic Army Rifle • "Agency" Carbine
Thousands More!

At BROWNELLS, The Customer Is Always

#1

Your Satisfaction Guaranteed-Period! - Here's our pledge to you - which has never changed: If you aren't completely, 100% satisfied with any purchase you receive from Brownells, for any reason, at any time, return it for a full refund or exchange. No hassle, no problem. We don't bog you down in endless paperwork. Your complete satisfaction with each and every product we sell is what's most important to us.



**Online Product Videos
Available at brownells.com**



GSA pricing available on products marked with the star. Contract #: GS-07F-0139T

BROWNELLS is a Small Business and Veteran owned Company. Government Procurement

CCR: #829833; Cage: #12238

**Call for Special Procurement Needs,
Over 50,000 items in stock daily!**

We do not artificially mark up our prices to cover potential increases from the manufacturers. When notified of a price adjustment, we change our price at that time. As a result, prices are subject to change without notice.

CUSTOMER PRIVACY & SECURITY POLICY

When you do business with Brownells you don't have to worry that your personal information will become common knowledge because we value your trust above all. Our privacy and security policy is very simple. **We do not sell, distribute or give out customers' names or other private information to anyone at any time.** It has always been our policy to hold all customer information in the strictest confidence.

When you decide to use your credit card to pay for any purchase, your credit card and personal information are completely safe, and private, with us. Credit card security for our Website is handled by VeriSign, Inc., the world's leading provider of digital trust services. We make use of the latest 128-bit security encryption technology any time we ask for your name, address, e-mail address, credit card info or telephone number. Our servers are equipped with the latest dual application firewalls, hack detection and anti-virus technology to make certain your private information stays private and secure.



We're the world's largest source for firearms accessories and gunsmithing tools. Take a look through any of our catalogs, or browse our website and you'll find at least one item you can't live without. Purchase that item and we'll send you our master catalog – a five dollar value – absolutely FREE! **#077-100-000EK**



Dedicated to the Colt 1911 Auto, clones and other variations – no rifle, shotgun, or "other pistol" stuff. Over 3,000 products you need for building, maintaining, and shooting the most popular pistol in history. See custom builds by well-known pros like Cylinder & Slide, Ed Brown, Nighthawk Custom, and Wilson Combat, plus our own staff of 1911 experts. **#077-100-004EK**



For over 71 years, we've worked with our military and law enforcement to support their weapons and their efforts. We now have all the duty gear and tactical apparel to outfit those in uniform. Visit **Policestore.com** and order your FREE catalog! **#077-000-005EK**



Sinclair International is dedicated to metallic cartridge reloading and the precision shooter. This catalog is packed with the highest quality reloading equipment, components, ammunition, and shooting supplies. Includes everything to assemble precision handloads, plus cleaning and maintenance supplies to keep your firearms shooting with match-winning accuracy. Request your FREE catalog at **Sinclairintl.com** today! **#077-400-001EK**

HOLIDAY SCHEDULE We will be closed for the following:

2012

New Year's – Mon. 2 Jan.
Memorial Day – Mon. 28 May
Independence Day – Wed. 4 July

Labor Day – Mon. 3 Sept.
Thanksgiving – Thurs. 22 Nov.
Christmas – Mon. 24 & Tues. 25 Dec.

ORDER LINE HOURS

7:30 A.M. to 5:00 P.M.
(Central Time)

GUNTECH HOURS

8:30 A.M. to 4:30 P.M.
(Central Time)

WALK-IN HOURS

7:30 A.M. to 4:30 P.M.
(Central Time)

Open Monday thru Friday. Order Recording Lines Open 24 Hours Per Day



OFFICE

641-623-5401

INTERNATIONAL ORDERS

641-623-4000

FAX LINE

641-623-3896



Orders/Tech: **800-741-0015**

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE **49**

Shop online at brownells.com

It's Simple, 100% Secure, and now Faster than ever. Here's how:

Ordering an item from the Brownells Online Store is fast and easy. For example, let's say you are looking for J-B Bore Bright.

1

Type the product name or stock number (from your Brownells catalog) in the **Search** box, of the item, then click the **Search** button. Your search results will appear. Click on a product image to view the product page. You can also browse for products by category using the top tabs or the left navigation menu.

2

Scroll to the bottom of the product page to view the **Stock Number, Description, Quantity, and Price**. If there are specific restrictions for the product, these will appear under the **Notice** link. Click the **Add** button to put the product in your Shopping Cart. You can also add it to your Wish List or Favorites for fast re-ordering.

3

When you are finished shopping, click the **View Cart** link at the top right-hand corner of the screen to begin the Checkout process.

4

The Checkout screen shows all selected merchandise in your Shopping Cart. You can modify your order, if needed. When you are ready to checkout, click the **Checkout** button.

Just **\$12.95** to ship your order anywhere in the United States including Hawaii, Alaska, Puerto Rico and U.S. Virgin Islands. Fill your order with as many items as you can (limit 5 lbs.), it's still just \$12.95.

• With our **One-Rate Shipping Program**, our Order Takers can give you your complete total at the end of your call. No guessing at total shipping charges. **It's \$12.95**

• Back Order Shipping Charges are **FREE!** Back Ordered items will be shipped by **Standard** service.

You also have three more great options for delivery:

• **2nd Day Shipping** - For just \$12.00 more (total of \$24.95) you can upgrade to 2nd Day Shipping for faster service at a low, low price.

• **Next Day Air** - If you really need your order in a hurry, it's just \$39.95 total to get your order there the very next day.

• **Special Small Package Rate** - For only \$5.95 you can ship any order with a packaged weight of 16 oz. or less.



BROWNELLS
SELECTION. SERVICE. SATISFACTION.®

TOLL-FREE ORDER LINE:
800-741-0015



MAGPUL AR-15/M16 GENERATION III SELF-LEVELING FOLLOWER

Won't Tilt; Feeds Rounds Smoothly;
Helps Prevent
Magazine-Related Failures

Molded plastic follower won't tilt as rounds are fed into or stripped from the magazine, so it helps prevent jams, misfeeds, and other magazine-related failures. Rectangular extensions at the front and rear prevent tilt of the round stack to eliminate jams caused by over-compression and binding of the spring. Self-lubricating polymer composition helps ensure smooth movement for easier loading and ultra-smooth feeding. Extended bolt catch makes sure bolt locks open after the last round is fired. Generation III improvements include a spring stabilizer molded into the underside to keep spring force centered no matter how many rounds are in the mag, rounded edges on the extensions for even slicker movement in the mag body, and more streamlined ramp geometry for easier travel of the round from the magazine into the chamber. Drop-in fit on standard USGI 30-round magazines.

SPECS: Molded polymer, foliage green. Fits standard 30-round magazine. Instructions included. Available in 3-paks.

#100-003-500EK Gen III Self-Leveling Follower, 3-pak, 3K04C66 \$ 5.99

Sinclair AR-15 ALUMINUM SINGLE SHOT FOLLOWER

Allows Single Loading Of Long
Varmint/Target Cartridges



Easy to install, one-piece insert machined from solid aluminum bar stock rests on top of factory magazine follower to allow single shot loading of long cartridges with heavy varmint

bullets. Prevents bullet or case damage caused by normal feeding from magazine. Perfect for precision target competition or varmint hunting. Fits Brownells 20- and 30-round magazines and similar USGI-type mags. No need to disassemble magazine to install because follower slides in from the top. Locks bolt open after the shot. Clear anodized to resist wear; silver color contrasts with plastic factory follower to give you instant visual recognition that the insert is installed.

SPECS: Aluminum, anodized, natural silver finish. Fits USGI-style metal magazines.

#988-000-010EK Single Shot Follower 8H14C49 . . . \$ 17.99

CMMG AR-15/M16 BRAIDED WIRE MAGAZINE SPRING



Extra Power For More Reliable Feeding; Won't Take A Set

Multi-strand, braided spring delivers 40% greater force than standard USGI springs for more consistent release of pressure and smoother, more reliable feeding of 30-round magazines. These springs will not reduce magazine capacity and will not take a set. Corrosion resistant, olive drab ceramic coating was tested in salt spray for 400+ hours without developing corrosion. Compatible with standard-issue and most aftermarket followers, including CMMG's Stainless Steel Anti-Tilt follower, also available from Brownells.

SPECS: Spring steel. 11 1/4" (28.6cm) long. Fits 30-round AR-15/M16 magazines.

#100-003-143EK Braided Wire Mag Spring, 3B05Z00 \$ 5.95

BROWNELLS AR-15/M16 HIGH-CAPACITY MAGAZINE REBUILD KIT



Bring Magazines Back To Top Performance

Replacement spring, follower, and floorplate install easily to eliminate problems caused by worn-out parts. Chrome silicon spring maintains proper tension and gives consistent feeding, also available with stainless steel spring. 20- and 30-round followers are made of fiberglass-filled plastic. Anodized aluminum floorplate. Available for straight body 20-round magazines and mil-spec 30-round magazines.

SPECS: Spring - Chrome silicon (CS) or stainless steel (SS). 30-Rd Follower - Fiberglass-filled plastic, green. 20-Rd Follower - Fiberglass-filled plastic, black. Floorplate - Aluminum, anodized black. Kits available in 1, 3, & 6 Paks. Kits and individual components for 20-round magazines are designed to fit straight body, 20-round magazines.

STRAIGHT BODY 20-ROUND REBUILD KIT

STOCK # CS	STOCK # SS	PAK	PRICE
#080-000-470EK	#080-000-473EK	1	8K05U50 \$ 6.95
#080-000-471EK	#080-000-474EK	3	8K15U50 \$ 19.95
#080-000-472EK	#080-000-475EK	6	8K29U99 \$ 37.95

30-ROUND REBUILD KIT

STOCK # CS	STOCK # SS	PAK	PRICE
#080-000-281EK	#080-000-351EK	1	8K05Z59 \$ 6.99
#080-000-282EK	#080-000-353EK	3	8K18Z27 \$ 19.99
#080-000-283EK	#080-000-358EK	6	8K29Z99 \$ 37.99

INDIVIDUAL COMPONENTS

#080-000-476EK	20-Rd Straight Body Mag CS Spring, each 8K03U80	4.99
#080-000-477EK	20-Rd Straight Body Mag CS Spring, 10-Pak 8K30U40	38.00
#080-000-311EK	30-Rd CS Spring, each 8K03U80	4.99
#080-000-324EK	30-Rd CS Spring, 10-Pak 8K30Z63	38.99
#078-000-109EK	30-Rd SS Spring, each 8G03A80	4.99
#078-000-114EK	30-Rd SSSpring, 10-Pak 8G30A40	38.00
#080-000-481EK	20-Rd Floorplate, each 8K01U20	1.50
#080-000-482EK	20-Rd Floorplate, 10-Pak 8K10U45	12.99
#080-000-312EK	30-Rd Floorplate, each 8K01U20	1.50
#080-000-322EK	30-Rd Floorplate, 10-Pak 8K09Z60	11.99
#080-000-479EK	20-Rd Follower, each 8K01U01	1.26
#080-000-480EK	20-Rd Follower 10-Pak 8K08U23	10.97
#080-000-313EK	30-Rd Mil-Std Follower, each, 8K01U00	1.99
#080-000-317EK	30-Rd Mil-Std Follower, 10-Pak, 8K08X38	10.99
#080-000-478EK	20-Rd Straight Mag Body, each, 8K10U59	12.50
#100-001-985EK	30-Rd Mag Body, each, 8K10Y59	12.50

BROWNELLS TCE DEGREASER

Powerful Degreaser In A Big Spray Can



Cuts through grease, wax, grime, even silicones, and lifts them away and dries clean with little to no residue. An ozone-safe replacement for Trichloroethane.

SPECS: 24 oz. (672 g) net contents.

#083-060-024EK TCE Aerosol 6K12Y91 \$ 18.43
Cannot ship outside Continental U.S. Shipped UPS or FedEx Ground only within U.S.

BLACKHAWK INDUSTRIES AR-15 BUTTSOCK MAGAZINE POUCH

Carry Extra Magazines
Within Easy Reach



Abrasion resistant, denier magazine pouch fastens snugly with two hook-and-loop straps to either the left- or right-hand side of fixed AR-15 buttstocks and holds either 20- or 30-round magazines for fast reloads. Two, steel D-rings provide sturdy sling points and elastic forward slip strap on the back of the pouch prevents slippage. Fully adjustable, flap holds magazine securely in place in all tactical and competition exercises. Also fits M4 collapsible stocks but must be removed to adjust stock length.

SPECS: 1000 denier NyTaneon, black. Accepts 20- or 30-round AR-15/M16 type magazines.

#100-002-839EK Buttock Magazine Pouch, 8K20P05 \$ 25.99

BROWNELLS AR-15/M16 TEK-LOK MAGAZINE POUCH

Secure Magazine Retention
With Easy Accessibility




Tough, shock-resistant polymer magazine pouch holds one spare 20- or 30-round AR-15/M16 magazine ready for fast reloads in combat or competition. Rigid, pouch body is specially formed to the shape of standard AR magazine for secure retention without crushing or denting. Adjustable tension screws hold magazines tightly in place so they won't rattle or fall out, eliminating the need for awkward flaps that can snag on clothing, slings, or other equipment. Tek-Lok belt-clip system prevents the pouch from shifting on your belt in the heat of battle or competition, yet hinge pin locking tabs make it easy to clip and unclip from belt. Setscrews let you configure pouch for high- or low-ride placement on the hip, as well as your choice of three different carry angles. Ambidextrous design.

SPECS: Injection-molded polymer, matte black. 3 1/8" (8.4cm) high, 3 1/8" (9.8cm) wide, 1 1/8" (3.3cm) deep. Fits belts up to 2 1/4" (5.7cm) wide.

#098-000-043EK Tek-Lok Magazine Pouch, 8K21D74 \$ 26.99

BROWNELLS AR-15/M16 MAGAZINE COUPLER

Keeps A Spare Mag Ready
For An Instant Reload



Tough, molded nylon magazine coupler binds a backup magazine directly to the mag in the gun for lightning fast tactical reloads without moving your trigger hand. Three, steel bolts let you adjust retention force, so the magazines won't slip out even during vigorous combat maneuvers. Side-by-side configuration with staggered heights, plus fixed standoff points between the compartments further ensure the magazines won't shift position or rattle. Includes a Top Round Protector (TRP) to protect the feed lips of the backup mag, prevent accidental dislodgement of the top round, and keep out dirt. TRP instantly detaches by applying downward thumb pressure on the release tab while pushing forward. Rubber retention strap keeps TRP from getting lost.

SPECS: Molded nylon, black, with steel tension adjustment bolts. 2 3/4" (7cm) long, 2 1/8" (6.2cm) wide, 3 1/4" (8.3cm) high.

#080-000-511EK AR-15/M16 Magazine Coupler, 9B16P99 \$ 24.99

ISMI AR-15/M16 PREMIUM MAGAZINE SPRING



Modern Design & Materials For Consistency,
Reliability & Superb Performance

Chrome silicon wire gives superior durability and performance. After winding, each spring is heat-treated, shot peened and stress relieved. 20-round springs are designed for use with standard magazine followers. 30- and 40-round springs should be used with green, mil-spec followers.

SPECS: Chrome silicon steel wire.

#445-000-016EK 20-Rd AR-15 Mag. Spring 5D06U56 . \$ 8.75

#445-000-017EK 30-Rd AR-15 Mag. Spring 5D07U68 . 10.25

#445-000-018EK 40-Rd AR-15 Mag. Spring, 5D08U41 12.75

BLADE-TECH AR-15/M16 MAGAZINE POUCHES

Holds Spare Magazines Securely Within Easy Reach

Tough, injection molded Kydex magazine pouches allow you to carry extra magazines for fast reloads in tactical and competitive situations. Rigid, specially formed pouch bodies are molded to the shape of AR-15 and M-16 magazines to hold them firmly in place without crushing or denting. Adjustable tension screws eliminate the need for awkward flaps and hold magazines securely without rattling or falling out. Ambidextrous so you can put magazines in from either way depending on your preference.

SPECS: Injection molded polymer, black matte finish.

TEK-LOK MAGAZINE POUCH - Holds one spare 20- or 30-round AR-15/M-16 magazine. Proprietary Tek-Lok belt clip system mounts tightly to belts and will not come loose and fall off in the heat of battle or competition. Convertible for high ride or low ride placement on the hip and offers three-position adjustment for angle of carry. Hinge pin locking tabs make it easy to clip and unclip from your belt.

#098-000-038EK Mag Pouch w/Tek Lok 8K21D56 . . \$ 26.95

PADDLE MAGAZINE POUCH - Contoured paddle adjusts to your preferred angle of carry and holds one extra magazine. Adjustable wedge grips inside the waistband and under the belt for great stability on to 2 1/2" wide belts.

#098-000-040EK Mag Pouch w/Paddle, 8K19D96 \$ 24.95

MAGAZINE POUCH w/3" BELT LOOP - Low-profile single magazine pouch fits snugly and adjusts to fit from 1 3/4" to 3" belts. Two adjustment screws allow you to modify the amount of tension holding the magazine in place. Also adjusts to fit your most comfortable angle of carry.

#098-000-042EK Mag Pouch w/3" Belt Loop, 8K17D47 \$ 24.95

TRIPLE HIP POUCH - Three individual magazine pouches capable of holding Mil-Spec 5.56mm 20- or 30-round magazines are mounted in this one piece rig. Features a 2" wide adjustable nylon loop with two vertical Velcro straps. Entire unit is mounted to a contoured hip/leg bracket with interior foam padding to protect your leg from excess rubbing during shooting exercises. Fully adjustable tension screws hold magazines firmly in place without the need for flaps to prevent excess noise and provide smooth, fast reloads. A second, 2" adjustable nylon strap fastens with a belt clip to hold the unit firmly in place around your leg below.

SPECS: Injection molded polymer, black matte finish. Top Velcro straps with fit belts up to 3" (7.6cm) wide.

#098-000-039EK Triple Hip Mag Pouch 8K60D71 . . \$ 74.99

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 51



BLADE-TECH INDUSTRIES AR-15/M16/AR-STYLE .308 KYDEX® MAGAZINE POUCH

Comfortable, Simple, Secure;
Impervious To Wear



Provides secure, custom-fit retention and easy accessibility for one spare magazine for AR-15 or AR-Style .308 rifles. Thermoformed Kydex provides long-lasting weapon and shape retention, plus it stands up to the harshest environment, does not squeak, and it's impervious to solvents and oils. Two tension screws allow you to adjust retention. Tek-Lok belt-clip system with adjustable setscrews lets you configure pouch for high- or low-ride placement, and three different carry angles. Ambidextrous design.

SPECS: Kydex, matte black. Both models fit belts up to 2 1/4" (5.7cm) wide. **AR-15 - 3 1/2"** (8.9cm) high, 3 1/2" wide, 1 1/8" (4.8cm) deep. **AR-Style .308 - 3 1/2"** (9.7cm) high, 4 3/16" (10.6cm) wide, 2 1/8" (5.4cm) deep.

#098-000-015EK **AR-15 Mag Pouch 8K31H19** \$ 38.99
#098-000-046EK **AR-Style .308 Mag Pouch, 8K28D00** 39.99



BLUE FORCE GEAR AR-15/M16 DAPPER™ TRIPLE MAGAZINE POUCH

Holds 20- Or 30-Round Mags
Securely Inside D.A.P. Packs



"Dapper" triple magazine pouch is specifically designed for the hook-and-loop retention system on the interior compartments of Blue Force Gear D.A.P. (Denied Area Pattern) packs. "Hook" backing on the pouch securely grasps the "loop" strips inside the packs to keep the magazines off the bottom of the compartment, so they're easier to find and less likely to be contaminated by dust and debris. Accepts 20- or 30-round magazines. Stretch nylon material holds each mag securely, then lays flat when the magazine is removed.

SPECS: Woven stretch nylon with loop backing, black. 10 1/4" (26cm) long, 5 7/8" (14.9cm) wide OAL when empty.

#100-006-261EK **Dapper Triple Mag Pouch, 7A17P27** \$ 21.95

CENTER MASS AR-15/M16 PATROL RIFLE INTEGRATED MAG POUCH

Ensures You Have A Critical
Rifle Reload In An Emergency



Tough, molded polymer magazine pouch lets you carry an extra 20- or 30-round AR-15/M16 magazine, including a Magpul PMAG, on your duty belt behind any standard pistol magazine pouch. Provides a single ammunition management point, saves valuable belt space, and ensures you have a critical rifle reload with you when you need it. Open-top design and the adjustable, spring-loaded tension system holds the magazine securely, while allowing fast extraction under stress.

Set screws let you adjust mag retention force and prevent shifting on belt. Can be worn in the vertical or horizontal position on duty belts up to 2 1/4" wide. **SPECS:** Molded polymer, black. 4 1/4" (10.8cm) tall, 3 1/2" (8.9cm) wide, 1 1/4" (4.4cm) thick. Fits mil-spec 20- and 30-round AR-15/M16 magazines and similar-dimensioned commercial magazines, including PMAGs.

#100-004-396EK **Integrated Mag Pouch 1C33D09** . . . \$ 39.99



BOONIE PACKER AR-15/M16 IMPROVED REDI-MAG

Holds Spare Magazine On The Receiver
For Ultra-Fast Reloads



Don't lose precious seconds in competition or combat fumbling for a spare magazine during a reload. Rugged, all-steel speed loading system clamps directly to the receiver of any AR-15/M16 rifle or carbine and securely holds a second, fully loaded magazine alongside the mag well for super-fast mag changes. More reliable and easier to use than improvised methods, like taping two magazines together, that can cause malfunctions at critical moments. Closed-top design protects the spare mag from rain, dirt, dust, and debris and prevents the

top round from jumping forward under recoil. Independent release system lets you drop the spare mag and the mag in the weapon separately to allow tactical reloads and greater flexibility in clearing malfunctions. Includes Bolt Catch Extension (BCE) that mounts directly to the factory bolt catch and lets you release the bolt, with or without the REDI-Mag attached to the gun, simply by slapping the BCE with an open palm. Installation requires no permanent alterations to receiver or mag well. Available in **Standard** configuration and **Quick-Attach** model that enables faster installation and removal of the entire REDI-Mag from the weapon. **SPECS:** Steel, Parkerized finish, dark gray, with reinforced molded polymer BCE and spacer. Approximately 3 1/2" (8.9cm) long, 2 1/2" (6.4cm) wide, 2 3/4" (7cm) high. 8.4 oz. (234g) weight. Fits AR-15/M16/M4 rifles and carbines.

#100-004-455EK **Improved REDI-Mag, Standard, 7K76A67** \$ 79.99
#100-004-456EK **Improved REDI-Mag, Quick-Attach, 7K80A36** 84.99

BUFFERTECHNOLOGIES AR-15/M16/AR-STYLE .308 MAGCINCH

Holds Spare Ammo At The Ready



Clamps a second, high capacity magazine right to the one in the gun; your extra ammo is instantly available for super fast reloads. Stops fumbling when seconds count, holds magazines rock solid, without scratching or damage. Very light weight to keep your tactical or competition rifle as easy to handle as possible.

SPECS: Black, fiberglass-filled nylon. **Dbl** indicates double-strap unit. **Sgl** indicates single-strap unit.

#071-100-223EK **30-Rd AR-15/M16 MagCinch, Double, 1G14P78** \$ 19.95
#071-100-001EK **20-Rd AR-15/M16 MagCinch, Single, 1G14T09** 19.95
#071-100-003EK **AR-10®/SR-25 MagCinch, Single, 1G14T09** 19.95

COMMAND ARMS AR-15/M16 MAG COUPLER

Put An Extra Magazine Right
Where You Need It



Magazines
not included

Injection-molded, plastic mag coupler joins two magazines, side by side, for fast, tactical reloads without taking your trigger hand out of position. Steel bolts tighten and compress the coupler for a firm grip on your magazines. Holds magazines in parallel or staggered position. **SPECS:** Polymer, black. 2 1/4" (5.7cm) high, 2 1/2" (6.4cm) long, 2 1/2" (6.4cm) wide.

#100-001-018EK **AR-15/M16 Mag Coupler 9C08V07** . . \$ 9.99

CHOATE AR-15/M16 PMAG COUPLER

Holds Two 30-Round PMAGs
For Extra Firepower



PMAGs
Not Included

SPECS: Steel clamps, Parkerized finish, black; polymer insert; steel bolt. Holds two 30-round, .223/5.56 x 45mm PMAGs. Instructions included.

#159-000-033EK **PMAG Coupler 9E19C31** \$ 23.99

DREAM PLASTICS AR-15/M16 PMAG® COUPLER

Clamps Together Two 30-Rd PMAGs For
Twice The Firepower At Your Fingertips



Magazines
Not Included

SPECS: Glass-reinforced nylon polymer, black, with steel hardware. Fits only Generation II PMAGs manufactured after July 2009 (see date stamp on mag body) with four exterior ribs and green follower.

#100-004-970EK **Magpul PMAG Coupler 1D13A24** . . \$ 16.99

MAKO TACTICAL RIFLE MAGAZINE COUPLER

Clamps A Spare Mag To The One
In The Gun For Ultra-Fast Mag Changes



Magazines
not included

Lightweight, minimal-profile coupling system securely clamps two tactical rifle magazines together so the backup mag is right next to the one in the gun for exceptionally fast mag changes under stress. Universal design works with mags for a variety of .223/5.56mm and 7.62 x 39 weapons, including AR-15/M16, AK-47, Galil, H&K 93, Ruger® Mini-14®, and SIG 556. Durable, reinforced molded polymer clamps resist the rigors of tactical operations, including heat, cold, and impact, while steel bolts provide tensioning force for secure, non-slip, rattle-free grasping of the mag body. Smooth surface and rounded edges prevent snagging on BDUs, sling, foliage, or other gear. Installs in seconds with a standard slot-head screwdriver; no permanent alterations to magazines. Sold in 2-Paks. For an ultra-secure installation, use both couplers on one pair of mags; for less strenuous operations, one clamp may be used.

SPECS: Reinforced molded polymer composite, black, steel bolts. Fits USGI-style metal AR-15/M16 magazines, AK-47/AKM, Galil 762x39 and 5.56x39, H&K 33/53/93, Ruger Mini-14, and SIG 540/543/550/551/552/553/556. Sold in 2 paks.

#100-003-844EK **Universal Mag Coupler, 2-pak, 2B10C00** \$ 14.99

MAKO AR-15/M16

FOREND GRIP/SPARE MAG HOLDER



Magazine not included

Improves Weapon Control;
Speeds Magazine Changes

Convenient two-in-one vertical grip locks securely to any forend with an underside accessory rail to provide secure, on-board storage of a spare magazine for exceptionally fast magazine changes. Drop

the spent mag from the gun, release the spare by hitting the oversized, release button, and move it the short distance to the magwell without breaking the horizontal plane. Gently curved finger grooves provide a secure grip that improves recoil control, especially during sustained rapid fire. Helps operator maintain a steady hold during extended periods in the ready position. Stippling molded into the finger grooves helps you maintain a firm grip even with wet hands. Slides onto any Picatinny-type accessory rail; push-button locking bar prevents movement after grip is in place, yet allows quick release and removal. Or add the steel locking bolt to ensure a zero-movement installation. Molded from lightweight, yet rigid, nearly indestructible reinforced polymer composite.

SPECS: Reinforced molded polymer composite, black. Fits Picatinny-type accessory rail.

#100-003-843EK **Forend Grip/Spare Mag Holder, 2B34T99** \$ 44.99

MERCOB SECURITY GROUP AR-15/M16 PMAG™ MAG GRIP

Securely Clamps Two PMAGs
For Fast Reloads In Combat Or Competition



Lightweight, low-profile clamping system attaches the backup magazine directly to the one in the gun for ultra-fast reloads. Holds two 20- or 30-round Magpul PMAGs side-by-side, with a tension-adjustable coupling that prevents the spare magazine from shifting. Precision-machined from billet aluminum with minimal bulk and smooth, radiused edges that won't abrade the hand. Rugged and reliable enough for tactical and competition use.

SPECS: Tempered aluminum, hardcoat anodized, matte black. Fits all models of 20- and 30-round .223/5.56mm Magpul PMAGs.

#100-004-542EK **PMAG Mag Grip 8K19T04** \$ 24.99

RAIL-MAG LLC AR-15/M16

RAIL-MAG MAGAZINE POUCH

Change Mags & Return To
Fire In Seconds



Mag not
included

Lightweight, rail-mounted, magazine pouch puts an extra 20 or 30 round magazine right at your fingertips. Aircraft-grade, aluminum mount clamps to the slotted rail on your AR-15/M16 handguard. Lets you keep weapon "at ready" for minimal interruption of your shooting position. Tension-adjustable, Kydex pouch holds magazine secure during any level of physical activity. **R.H.** model attaches at left side of rifle for right-handed shooters; **L.H.** clamps to right side of weapon.

SPECS: Kydex, flat black. 3 3/8" (8.6cm) long, 1 1/8" (4.9cm) wide, 3/8" (9.2cm) high. 4.7 oz. (133g) wt.

#100-001-739EK **Rail-Mag, RH 7A32X97** \$ 40.97
#100-001-740EK **Rail-Mag, LH 7A32X97** 40.97

BROWNELLS

SELECTION. SERVICE. SATISFACTION.®



OLONGAPO OUTFITTERS AR-15/M16 GRAB & GO MAGAZINE POUCH

Holds Plenty Of Spare Mags At The Ready; Sling Over Shoulder For Easy Carry

Heavy-duty magazine pouch made from top-quality mil-spec materials slings over your shoulder, so you can easily carry up to eight, fully loaded magazines while on the move. Constructed of woven, water-repelling ballistic nylon that resists tearing and fraying. Heavy-duty stitching won't give way under stress, and all exposed edges are protected with tape binding. Adjustable carry strap of extra-tough nylon webbing lets you position the pouch exactly where you need it for fast reloads. Each compartment has a separate flap, so you won't expose the other mags to the elements when you retrieve one. Generously proportioned hook-and-loop fasteners keep the flaps securely closed, yet release easily when you need a fast reload. Grommetted drain holes ensure mags don't get water-logged when you're on patrol in the rain. Large pocket behind the mags, with full-width hook-and-loop closure, provides storage for maps or other flat items. Models available for 30-round .223/5.56mm AR-15/M16/M4 magazines and UZI-style 9mm stick mags. Pockets on .223/5.56 pouch have plenty of length to accommodate magazines fitted with the Magpul Ranger® Floorplate, including Brownells Tactical Magazines. Both models available in Coyote Brown and O.D. Green. ■

SPECS: Heavy duty ballistic nylon, Coyote Brown or O.D. Green. .223 – 12½" (31.8cm) long 8" (20.3cm) high. Holds eight (8) 30-round magazines. 9mm – 12½" long 9½" (24.1cm) high. Holds six (6) UZI-style 9mm stick magazines.

- #100-004-231EK .223 Grab & Go Pouch, Coyote, 3B48P63 \$ 56.99
- #100-004-232EK .223Grab & Go Pouch, O.D. Green, 3B47P44 56.99
- #100-004-233EK 9mm Grab & Go Pouch, Coyote, 3B53P43 66.99
- #100-004-234EK 9mm Grab & Go Pouch, O.D. Green, 3B53P43 66.99



SHELLBACK TACTICAL AR-15/M16 MAG GRIP™

Keeps Spare Ammo Instantly Ready

Aluminum, bar stock clamp holds two twenty- or thirty-round, .223 caliber magazines side-by-side, for rapid reloads. **Mag Grip 1** holds magazines parallel. ■

SPECS: T6 aluminum, black, anodized. ¾" x ¾" x 2 9/16". Fits AR-15/ CAR-15, Mini-14, M4, FNC.

- #100-000-769EK **Mag Grip 1** 8K17D65 \$ 24.99

SPEC-OPS. MAGAZINE DUMP POUCH

Fast Access Storage For Empty Mags Or Other Tactical Gear; 100% Made In The U.S.A.

Heavy-duty pouch provides a dry and secure place to dump spent magazines, combat or medical supplies, contraband, or personal items needed to accomplish the mission. Double-thick, rip-resistant 1000 Denier Cordura® nylon shell is lined with "Dura-panel" material for weather-resistance. Elastic trap-door opening allows one-handed magazine drops; ventilation/drain port at the bottom eliminates moisture buildup inside. MOLLE- and SPEC-OPS. GRIDLOK-compatible. Holds up to a dozen AR-15/M16 30-round magazines. ■

SPECS: 1000 denier Cordura nylon, Coyote Brown. 9½" (24.1cm) long, 8½" (21.6cm) wide, 4" (10.2cm) deep. 360 cubic inches (5900 cubic cm).

- #100-002-229EK **Magazine Dump Pouch,** 7K37V40 \$ 46.99



BROWNELLS/ SPRINGER PRECISION AR-15/M16/AR-STYLE .308 FASTMAG PMAG COUPLER

Clamps Two PMAGs Together For Ultra-Fast Reloads

Rugged, yet lightweight, machined aluminum coupler puts extra firepower at your fingertips by clamping two Magpul PMAGs together, so your reload is right next to the mag in the gun. Saves you valuable seconds during competition or combat that would otherwise be lost fumbling for the spare mag in a pouch and raising it to the weapon. Simply remove the factory floorplates from two PMAGs and slip them into the Fastmag. One-piece aluminum construction, with rounded edges and smooth contours makes it as easy and comfortable to grasp as a single magazine. Ensures proper clearance for access to magazine release button and bolt release.

SPECS: Aluminum, hardcoat anodized, black finish. 30/30 holds two 30-round PMAGs; will not work with 20-round PMAGs. .308 holds two 20-round .308/7.62mm PMAGs.

- #100-004-352EK **Fastmag 30/30 PMAG Coupler,** 1B34X58 \$ 42.99
- #100-005-613EK **Fastmag .308 Coupler** 1B42Y14 49.99



Magazines not included

MAGPUL AR-15/M16 RANGER® FLOORPLATE



Easier Mag Changes With Just A Finger

Two-piece, slide-on replacement for factory floorplate has a smoothly contoured, easy-to-grasp finger loop that helps you perform lightning-fast magazine changes in high stress situations. Aids in fast, positive extraction from tight mag pouches and helps you hang onto the empty magazine with just a finger after a tactical reload. Also cushions magazine from impact when dropped concrete or other hard surfaces. Made from tough, yet soft, non-slip synthetic rubber over a stainless steel core that snaps into a reinforced polymer insert to keep the Rangerplate firmly locked to the magazine. Includes molded-in para-cord hole for custom loop configurations. Sold in 3-paks and available in Black, Dark Earth and O.D. Green. ■

SPECS: Synthetic rubber, stainless steel, and reinforced polymer. Fits 20- and 30-round USGI-style magazines. Instructions included. Sold in 3-paks.

- #100-002-196EK **Ranger Floorplate, Blk** 3K16U92 .. \$ 19.99
- #100-003-720EK **Ranger Floorplate, Dark Earth,** 3K16X92 19.99
- #100-003-721EK **Ranger Floorplate, O.D. Green,** 3K16X92 19.99

TAPCO AR-15/M16 MAGAZINE DUST COVER

Protects Feed Lips From Damage & Ammo Inside From Dust, Dirt & Moisture

Flexible rubber cover snaps on top of the magazine to keep out dust, dirt, debris, moisture, and other contaminants that can impair function and cause feeding failures. Protects feed lips and the top round in the ammo stack from dings and dents.

SPECS: Rubber, black. 10 per pak. Fits any mil-spec or aftermarket .223/5.56mm AR-15/M16 magazine.

- #100-005-440EK **Dust Covers,** 10-pak 5A07V07 \$ 8.99



Magazine not included

MAGPUL INDUSTRIES AR-15/M16 MAGPUL™

Fast, Fumble-Free Mag Changes

Thermoplastic loop installed on the base of a rifle or subgun magazine provides an easy-to-grasp handle for unsurpassed speed and controllability during high stress, tactical magazine changes. Recessed, rough texture provides positive gripping surface under slippery or wet conditions. Finger loop acts as shock absorber to protect magazine from damage when dropped from rifle. Silences magazines stored next to each other in pouch. ■

SPECS: Industrial thermoplastic, black, flat dark earth or olive drab depending on model. Impervious to most chemical compounds. Pak of 3. 5.56 NATO fits 20- and 30-round AR-15/M16. 7.62 NATO fits AR-Style .308. 9mm Subgun fits Colt SMG.

- #100-000-308EK 5.56 NATO Magpul, Black 3K07C43. \$ 9.99
- #100-003-424EK 5.56 NATO Magpul, Flat Dark Earth, 3K07C66 9.99
- #100-003-425EK 5.56 NATO Magpul, O.D. 3K07C66. . . . 9.99
- #100-000-309EK 7.62 NATO Magpul, Black 3K07C43. . . . 9.99
- #100-000-310EK 9mm Subgun Magpul, Black, 3K07C43 9.99



ARREDONDO MFG. AR-15 MAG WELL



Extra-Big Mag Well Lets You Insert Magazines On Self Alone

Durable, black, polycarbonate mag well is oversized and ultra smooth on the inside for easy, friction-free magazine insertion. Easy-to-install, drop-in unit clamps together with three hex screws and makes it possible to change magazines without ever taking your eyes off your target! Black, matte finish matches most AR-15s. ■

SPECS: Polycarbonate, black, matte finish. Approximately 3 1/16" (9.4cm) wide, 1 1/16" (2.4cm) tall. 2.4 oz. (68 g) wt.

- #069-000-007EK **AR-15 Mag Well** 9F38Y82. \$ 43.99

BLINDHOGG, INC. AR-15/M16 THE JIMMY PLUG

Seals The Magazine Well From Sand & Grit



Lightweight, magazine well plug keeps your lower receiver free of contaminants that could compromise reliable function of the weapon. Developed by a soldier to protect the M16 rifle in dusty and other harsh-weather environments. Plug is retained by the magazine catch and effectively seals the bottom of the rifle to help keep fine sand, grit and rain from reaching the bolt, carrier and chamber. Intended for use during storage or transport when weapon is unloaded. ■

SPECS: Molded, reinforced plastic, with neoprene seal, black. 2 1/8" (6.3 cm) high, 3" (7.6cm) long, 1 oz. (28.3g) weight. Fits AR-15/M16.

- #100-002-647EK **Jimmy Plug** 5A08T69. \$ 10.95

THERMOLD AR-15/M16

MAGAZINE CHARGER

Speeds Magazine Loading & Preserves Fingers

Compact, economical, easy-to-use loader snaps on the top of an AR-15/M16 magazine to save fingers and thumbs from the beating they take



BUTLER CREEK AR-15/M16 L.U.L.A. MAGAZINE LOADER/UNLOADER

Load & Unload Magazines Fast; Saves Overworked Fingers & Thumbs



Tough, lightweight, reinforced, polymer loader/unloader saves fingers, thumbs, and wasted time. Extends magazine life and lessens wear and tear on feed lips. Staggered, triangular pieces of plastic securely grasp rounds for effortless loading/unloading when you move the lever back and forth. Fits in your pocket.

SPECS: Reinforced polymer. AR-15/M16 fits 10, 20, 30, 100 rd, .223 caliber magazines. **Colt SMG** fits Colt SMG 9mm-type metal and polymer magazines.

- #100-000-637EK **AR-15/M16 Mag Loader** 3E25D34. . \$ 29.99
- #593-000-044EK **Colt SMG Mag Loader** 3E26V25. . . . 29.99

COMMAND ARMS AR-15/M16 MAGAZINE LOADER

Refill Any Capacity Magazine Quickly—No Bruised Fingers



Magazine Not Included

Easy-to-use loader snaps over top of any AR-15/M16 magazine to help you quickly and efficiently insert rounds without pinching, bruising, or cutting fingers and thumbs. Lets you load up mags fast, so you spend more precious range time shooting. Wide thumb pad provides plenty of leverage to compress the magazine spring, even when close to full capacity. Quick-release tab locks into mag catch notch to prevent unwanted movement during loading. Rugged, molded polymer construction with a textured, non-slip surface.

SPECS: Molded polymer, black. Fits any capacity AR-15/M16 and STANAG-compatible magazines in .223/5.56mm or 6.8mm. Also fits Ruger® Mini-14®.

- #100-004-133EK **AR-15/M16 Magazine Loader,** 6C09T41 \$ 12.99

MAGLULA AR-15/M16 STRIPLULA™

Easy, Painless Way To Load AR-15/M16 Magazines In The Field



Thumb-saving, lightweight magazine loader provides fast, painless 30-round magazine loading in less than 13 seconds. Accepts 10-round stripper clips or loose rounds for easy loading of 10-, 20-, and 30-round magazines, and is capable of unloading a 30-round magazine in 15 seconds. Ambidextrous, grooved thumb slide provides a non-slip grip for right- or left-hand loading. Constructed of durable, reinforced polymer for dependable operation under extreme field conditions. Fits all AR-15/M16 metal and plastic magazines.

SPECS: Polymer, black. 5 1/16" (13.5cm) long, 1 1/8" (2.8cm) wide, 1 1/16" (3cm) high. 1.2 oz. (34g) weight. Accepts 10-round stripper clips or loose rounds. Fits all AR-15/M16 magazines.

- #100-003-330EK **Striplula** 3E31Y49. \$ 34.99

from loading mags by hand. Slide individual rounds on the included 10-round stripper clips, insert a loaded clip in the loader, then push down on the top round to insert all 10 without misalignment or damage to the bullet tips. Includes three, 10-round stripper clips; additional stripper clips sold separately.

SPECS: Zytel nylon, black. Kit includes one loader and 3 stripper clips. Fits all AR-15/M16 type .223/5.56mm magazines.

- #100-005-863EK **Magazine Charger** 7C09A82. \$ 12.99
- #100-005-864EK **Stripper Clip** 7C02A92. 5.99



MAGLULA AR-15/M16 BENCHLOADER



Takes The Pain Out Of Loading All Types Of AR-15/M16 Magazines

Heavy-duty, polymer loader makes it easy for you to load a 10-, 20- or 30-round magazine in less than 30 seconds. Load hundreds of magazines a day without the pain, pinched fingers, or bruises of hand-loading—perfect for military/law enforcement armorers, shooting ranges, and any high-volume AR-15 shooter. **Standard** model accepts USGI-type AR-15/M16 (NATO STANAG 4179) magazines; **Universal** also accepts other AR-style magazines, including HK 416, SAR-80, Beretta AR-70/90, plus Magpul PMAG, Thermold, Orlite, and SIG Sauer polymer mags. Foolproof design, with only one moving part, makes it impossible to load magazines incorrectly and requires no maintenance. Feeds rounds into the magazine without contacting the feed lips, so it prolongs magazine life. Rounds are held securely in the tray and won't fly out when the slider is moved. Numbered indicators show the number of rounds in the tray, so no more guessing how many rounds have been loaded. Convenient carrying handle makes it easy to take to the range; includes heavy duty padded ballistic nylon carrying case.

SPECS: Machined polymer, black. Stainless steel magazine retention bar. 21½" (54.6cm) long x 5½" (14cm) wide. Both models accept 10-, 20-, and 30-round USGI-type AR-15/M16 magazines. **Universal** also accepts HK 416, SAR-80, Beretta AR-70/90, Magpul PMAG, Thermold, Orlite, SIG Sauer, and similar AR-style 5.56/.223 magazines.

#100-002-234EK Standard Benchloader,
9A409V03 \$ 509.99
#100-003-340EK Universal Benchloader,
9A422T00 526.99

AMERIGLO AR-15/M16 NIGHT SIGHT SET

Easy-To-See, Glowing Tritium Dots
For Fast Targeting In Low Light



Self-illuminating, green, Trijicon® Tritium inserts provide an easy-to-acquire, 3-dot sight picture for fast target acquisition in low-light conditions. Inserts appear as white dots for enhanced targeting in normal daylight conditions. Ghost ring rear aperture features dual side-on-side dots for easy sight alignment, and the elevation-adjustable, standard-width front blade is a drop-in replacement for an A2-type front post with a single green lamp for an instantly recognizable six o'clock hold. A block-out locking ring helps maintain your careful front sight adjustments. 

SPECS: Machined steel, matte black finish. Front Blade - .090" (2.3mm) wide, .250" (6.3mm) high. Rear Sight - battle aperture, .083" (2.1mm) dia.; ghost ring aperture .207" (5.2mm) dia. Fits AR-15/M16 equipped with A2-type elevation-adjustable rear sights. Kit includes rear sight aperture, front sight blade with lock ring, front sight detent, and stainless steel four- and five-prong A2 sight adjustment wrench.

#100-004-185EK AR-15/M16 Night Sight Set,
4K85D67 \$ 109.99

Shop

AR-15 Sights


Search

brownells.com

ARMALITE AR-15/M16 NATIONAL MATCH SIGHTS



½ MOA Windage/Elevation;
100/600 Yard Apertures


High-quality replacement sights let you upgrade your carry-handle rifle's A2 sights to National Match specs, with precise ½ MOA click windage and elevation adjustments. The rear aperture has flip-up .043" and .050" diameter peeps for 100 and 600 yard DCM bullseyes. **Front Sight Post**, sold separately, is interchangeable with issue front sight post, and offers an extra-fine, tapered, sharp-edged post for a clean sight picture at ranges up to 600 yards. 

SPECS: **Rear Sight** - Body Elevation Increment Wheel, Aperture - Forged steel, Parkerized, matte black. Elevation & Windage Wheel - Aluminum, anodized, matte black. Includes detent balls, roll pin, elevation detent & springs. **Front Sight** - Steel, blued.

#062-111-102EK National Match A2 Rear Sight,
2F70D64 \$ 95.99
#062-111-100EK National Match Front Sight Post,
2F10D26 14.99

HIVIZ AR-15/M16 FIBER OPTIC FRONT SIGHT

Bright Fiber Optic For Easy Aiming

Replacement front sight post uses a light-gathering fiber optic rod to produce a bright, easy-to-acquire dot in all light conditions. Easily replaces the post in A1- and A2-style sights, no gunsmithing required. Unique, U-shaped design of rod gathers far more light than a standard straight rod, perfect for low-light situations. Kit comes with two green and two red interchangeable rods that are easily removed and installed using the included removal tool, so you can customize the sight picture or replace a damaged rod quickly. Fully adjustable in 180° increments using supplied sight wrench, for a total elevation adjustment of up to 2.5" at 100 yards. 


SPECS: Black steel post with 2 green and 2 red fiber optic rods. Includes replacement detent pin, sight wrench, optic rod removal tool, carrying case, and instructions.

#638-000-081EK AR-15 Fiber Optic Front Sight,
8C22T17 \$ 31.45

KNS PRECISION AR-15 FRONT SIGHT PACK



Pick The Exact Blade You Need
For Fast, Accurate Sighting

Seven, A2-style, front posts let you choose the right sight picture for improved hunting and target shooting accuracy. Tapered, round post with .072" (1.8mm) ball post; tapered post with .052" (1.3mm) ball post; tapered post with .034" (.87mm) ball post; square post with .072" (1.8mm) square post; square post with .052" (1.3mm) square post; square post with .034" (.87mm) square post; and two-way .072" square post with V-notch post and inverted V (point up) top. Available in a complete set of 7, or each post also sold separately. 


SPECS: Steel, black, matte finish.
#923-000-038EK AR-15 A2 Front Sight Pack,
3B21P68 \$ 32.95
#923-000-050EK Tapered/Ball Post, .034" 3B06U55 ... \$ 7.99
#923-000-051EK Tapered/Ball Post, .052" 3B06U55 ... 7.99
#923-000-052EK Tapered/Ball Post, .072" 3B06U55 ... 7.99
#923-000-053EK Square Post, .034" 3B06U55 7.99
#923-000-054EK Square Post, .052" 3B06U55 7.99
#923-000-055EK Square Post, .072" 3B06U55 7.99
#923-000-056EK V-Notch/Inverted V Post Sight,
3B06U55 7.99

KNS PRECISION AR-15/M16 KNS PRECISION FRONT SIGHT

Crosshair Sight Gives Scope-Like Sight Picture



Non-Hooded Hooded

CNC machined sight post has integral crosshairs to provide quick, consistent sight alignment for improved accuracy at any range. Large diameter aperture offers a wide field of view that does not obscure target; gives a sight picture that's like looking through a scope. Compatible with factory rear sights and variable-diopter target sights. Non-hooded AR-15 sight is .082" thick. Hooded sight has .250" hood that shields crosshair from reflected light, offers greater crosshair protection for duty use. **STD**, thin wire crosshair. **Duplex**, styled after the popular duplex scope reticle, improves low light visibility. AR-15 fits M-16 and AR-10 rifles with standard sight housings. 

SPECS: Brass, black, matte finish. Beryllium crosshairs, heat treated. **STD** - .010" (.25mm) wire, **Duplex** .010/.020" (.5mm) wire. .240" (6.1mm) dia. aperture.

STOCK #	TYPE	STYLE	PRICE
#923-015-001EK	AR-15 N/hood	STD	3B20U66 \$ 32.00
#923-000-001EK	AR-15 N/hood	Duplex	3B20T66 \$ 32.00
#923-015-002EK	AR-15 Hood	STD	3B20U66 \$ 32.00
#923-000-002EK	AR-15 Hood	Duplex	3B21T68 \$ 32.95

MEPROLIGHT® AR-15/M16 TRITIUM SIGHTS

For Low Light Tactical Operations



Replacement sights equipped with Mepro-light's standard, tritium inserts guaranteed for five years. Rear sight features a large, 2-dot peep with tritium inserts for low light shooting, plus a smaller diameter peep sight without inserts for improved accuracy at longer ranges. Front post has single, short tritium stripe. 


SPECS: Steel sight body, blued. Tritium inserts. **Set** - Includes front and rear sight. Fits AR-15/M16 A1/A2 sight configurations.

#387-304-117EK Front/Rear Sight Set 7H80T78 ... \$ 117.99
#387-304-115EK Front Sight, only 7H36T06 55.99



MOUNTING SOLUTIONS AR-15/M16 SIGHTLINK™ FRONT SIGHT

Easy-To-See Dot For Long & Short Range Shooting

Adjustable, fiber optic, front sight creates a bright, easy-to-see dot for short- or long-range shooting. Steel, sight blade secures a fiber optic rod with small and large diameter ends (dots). Custom, detent plunger allows easy blade switch between large dot to small. Precise, ⅛" MOA click adjustments (Mil-Spec is 1¼" MOA per click). Replaces the issue, front sight using the provided tools. Comes with red, green, and amber fiber optic rods. **Military** - standard, mil-spec width blade with .040" diameter fiber optic rod. **Match** - medium width blade with .030" diameter rod for long ranges. **Ultra-Match** - narrow blade with .020" diameter rod for tiny targets at extreme ranges. 


SPECS: Steel, blued. **Military** - .070" (1.8mm) wide blade, .040" (1mm) dia. rod. **Match** - .060" (1.5mm) wide blade, .030" (.75mm) dia. rod. **Ultra-Match** - .050" (1.3mm) wide blade, .020" (.5mm) dia. rod. Includes front sight blade, detent, installation tools, fiber optic rods, and detailed instructions. Uses factory detent spring, not included. **Universal Front Sight Adjustment Tool** - Combination front sight wrench and detent tool. Works on any AR-15/M16 front sight.

#100-001-463EK Military AR-15 Front Sight,
1K36Z75 \$ 49.95
#100-001-464EK Match AR-15 Front Sight 1K36Z75 .. 49.95
#100-001-465EK Ultra-Match AR-15 Front Sight,
1K36Z75 49.95
#100-001-466EK Universal Front Sight Tool,
1K07Z26 9.95

TRIJICON® AR-15/M16 TRITIUM SIGHT



Self-Luminous Replacement Sights

The ultimate, self-luminous AR-15 sight. Improves sight pickup and visibility during low-light hours when game is most active. All sights include rugged sapphire crystal, self-illuminating Tritium lamps for a bright, well-defined aiming point and extra-long life. Lamps guaranteed by the manufacturer to remain self-luminous for 12 years. 


SPECS: Steel body, blued. Tritium insert. Includes front and rear sight unless shown in chart.

STOCK #	FITS	PRICE
#892-415-125EK	AR-15 A1/A2 front only	2H50U67 \$ 54.40
#892-415-025EK	AR-15 A1/A2 with 10-36 windage screws	2H70U67 \$ 77.35

TRUGLO AR-15/M16 BRITE-SITE

Advanced Fiber Optic
Front Sight With Tritium;
Visible Day Or Night



TFO technology combines the brightness of fiber optics with the glowing properties of tritium to produce a highly visible, bright green dot that keeps you on target, day or night. Radial designed fiber optic rod with tritium tube bends 90 degrees around a machined steel base to keep the sight protected and as compact as possible. Included, steel wrench makes installation easy and allows precise elevation adjustments. Directly replaces sight post in mil-spec front sight housing; spring with retaining nut holds adjustments tight and keeps sight from shaking loose during sustained fire. 

SPECS: Steel, blued base with fiber optic/tritium rod. .42" (1.1cm) long, .13" (3.3mm) wide, .35" (8.9mm) high. Includes sight, sight wrench, and installation dowel.

#902-000-106EK AR-15 Brite-Site 2K69P95 \$ 89.95



XS SIGHT SYSTEMS AR-15/M16 CSAT COMBAT SIGHT

Switch From CQB Mode To Long-Range Targeting
Without Changing The Aperture


Easy-to-use replacement for standard A2 rear aperture allows the shooter to engage targets at ranges up to 300 yards without changing the aperture, eliminating the need to reposition your head or take hands off weapon. The .095" wide notch at the top of the dual-function aperture face provides point-of-impact zero that lets the operator engage close-range targets with ease by simply shooting to the point of aim like a pistol. Takes the thinking out of the equation for fast, instinctive target acquisition. Use the .070" diameter aperture below the notch for precise long-range target engagement. Flip the CSAT face down to reveal a standard, A2-style .200" diameter peep for close-range only operations. CSAT is easy to zero; even easier to train shooters to use. Zero the notch at 7 yards by aligning the front sight in the notch like a handgun sight, then move back to 100 yards and zero the aperture. Fire test shots sighted through the notch in 5-yard intervals, starting at 10-yards to determine where offset sets in; that's the range where you should transition to the peep hole. Precision machined from steel, with a serrated rear face that minimizes glare, and a dish area around the peep hole that helps the eye acquire the front sight quickly. Adjusts for windage and elevation just like a standard A2 peep. Developed by Paul Howe, combat shooting trainer and retired U.S. Army assault team leader, sniper, and senior instructor.

SPECS: Steel, matte black finish. Fits A2-style AR-15/M16 rear sights.

#006-000-163EK CSAT Combat Rear Sight,
6K25A00 \$ 34.99

WEAPON SOLUTIONS AR-15/M16 CQB NOTCH/PEEP SIGHT

Easy Co-Witnessing Through Red Dots
& Two Apertures For Different Shooting
Applications

Drop-in replacement for the mil-spec A1/A2 flip-up rear sight aperture co-witnesses with red dot optical sights and gives you a choice between traditional peep and easy-to-acquire notch. Notch won't interfere with view of the primary sight's reticle, so both sight pictures are easy to see, and you can switch between them quickly. Also maximizes field of view during CQB operations, especially in low-light conditions. For more precise targeting, flip up the peep side for a "medium"-sized peep that falls between the two hole sizes on standard A1/A2 sights. Elevation does not change when switching from notch to peep. Precision CNC-machined from 6061 aluminum and hardcoat anodized. 

SPECS: Machined aluminum, hardcoat anodized, matte black. .045" (1.16mm) wide notch. .100" (2.6mm) diameter peep aperture.

#100-003-250EK Notch/Peep Rear Sight 4B23X95... \$ 29.95

reloading.com

Serving the Precision Shooter

Videos, emails and blogs keep you in-the-loop with industry news and the latest promotions


A.R.M.S. AR-15/M16 FLIP-UP REAR SIGHT



Spring-Loaded,
Dual-Range Flip-Up Sight For
Use With Or Without Optics

#40L/40LP/40LSP

#40 Std. A2

Rugged aluminum and steel flip-up rear sight regulates properly with A2-height front sights and can be co-witnessed through an optic. Dual apertures are calibrated for close- and mid-range targets, simply aim through both or fold the first one down and use the second aperture. Easily mounts to a Picatinny receiver rail; locknut is retained by a safety wire, so you can't lose it. Non-snagging lever instantly releases the spring-loaded sight into the ready position. **#40 Std. A2** is 1" high from top of flattop when folded and has A2 apertures calibrated for 250-300 and 500-600 meters. Windage is click adjustable in increments of ¼ MOA. Compact **#40L** models stand only ¾" high from top of flattop when folded. All feature a dual-function notch in the top of the aperture leaves that's designed for ultra-fast target acquisition at ranges under 50 meters, and also serves as a ranging aperture at 400-600 meters. **#40L Low Profile** is calibrated for 250 and 300 meter combat ranges, with windage adjustable in ¼ MOA increments per click. NSN #1005-01-575-3508. **#40L-P** has apertures calibrated for 0-100 meters and 100-300 meters, with precise, ½ MOA per click windage adjustment for increased accuracy. **#40L-SP** features "same-plane" apertures, so the operator can switch between large and small apertures without worrying about them being zeroed to different ranges. Windage adjustable in ¼ MOA increments. 

SPECS: Apertures - Steel, matte black. Hardware - Stainless steel, matte black. Base - aluminum, hardcoat anodized, matte black. 2 3/16" (5.6cm) long, 1 1/8" (3.5cm) wide. **#40 Std. A2** - 1" (2.5cm) high from flattop (folded), 1 1/8" (4.1cm) high (deployed). **#40L/40LP/40LSP** - ¾" (1.6cm) high from flattop (folded), 1 1/8" (4.1cm) tall (deployed).

#100-003-316EK #40 Std. A2 Sight 1K00HDZ... \$ 115.99

#100-003-317EK #40L Low Profile Sight 3A104Y14... \$ 119.00

#100-004-799EK #40L-P Low Profile Sight,

3A131H72... \$ 139.00

#100-004-800EK #40L-SP Same-Plane Low-Profile Sight,


3A104H14... \$ 119.00



For more choices of A.R.M.S. SIGHTS
visit brownells.com

XS SIGHT SYSTEMS AR-15/M16 HIGH VISIBILITY SIGHT

Fast, Accurate Sighting In All Light Conditions

WHITE LINE FRONT POST - Draws your eye to the sight and increases contrast on dark targets. Double-faced, 30° angle blade offers 2.5 MOA elevation per click. .080" wide version for improved accuracy at long range, .100" wide version is faster to acquire at close range. 


SPECS: Stainless steel, black, matte finish. Includes sight adjustment tool. .080" (2mm) or .100" (2.5mm) wide post. .030" (7.6mm) wide, white stripe, square top.

#006-111-080EK .080" White Front Post,

6K22Y50... \$ 30.00

#006-111-100EK .100" White Front Post,

6K22Y50... \$ 30.00

24/7 TRITIUM STRIPE POST - Features a strip of glowing, green, tritium gas inset against a white stripe, surrounded by a .100" wide black blade. Ideal for low-light tactical situations where rapid sight acquisition is critical. Available with, or without, rear aperture. Rear aperture features a large, ghost-ring, .230" I.D. opening for close ranges and a precision, .100" I.D. opening for long distances. 


SPECS: Stainless steel, black, matte finish. Includes sight adjustment tool. **24/7 Tritium Stripe Post** - .100" (2.5mm) wide post, square top. Green tritium stripe is inset against the .030" (7.6mm) wide, white stripe. Rear Aperture - .230" (5.8mm) I.D. large aperture, .100" (2.5mm) I.D. small aperture.

#006-000-103EK 24/7 Tritium Stripe Front Post, only,

6K52D50... \$ 60.00

#006-000-104EK 24/7 Tritium Stripe Front Post/Rear Set,


6K67D50... \$ 90.00

ROUND TOP TRITIUM DOT FRONT POST - Round Top, single-faced, .080" wide front post with a bright, green tritium dot with a .11" O.D. white ring for fast, low-light, target acquisition. 5 MOA elevation per click. 

SPECS: Stainless steel, black, matte finish. Includes sight adjustment tool. .080" (2mm) wide, round top with .11" (2.8mm) O.D. white ring with tritium center.

#006-111-181EK Round Top Tritium Dot Front Post,


6K45Y00... \$ 60.00

REAR APERTURE - Features two, flip-style apertures for close engagement and precision, distance shooting. Large, ghost-ring for close ranges has .230" I.D. opening; precision, long distance aperture with .100" I.D. opening. Elevation does not change when switching apertures. Direct replacement for factory rear sight, no modifications to the rifle are required. 

SPECS: Stainless steel, black matte finish. .230" (5.8mm) I.D. large aperture, .100" (2.5mm) I.D. small aperture.

#006-111-001EK AR-15/M16 Rear Aperture,

6K22Y50... \$ 30.00

24/7 PRECISION TACTICAL SIGHT SET - Tritium sight set provides excellent sight visibility in all light conditions. Front post is .100" wide and features a green, tritium vial for low-light operations. Easy-to-see, white outline reflects ambient light for day missions. Rear sight features two, flip-style apertures (.100" and .225" I.D.) for long-range and close-quarter engagement. Close-range aperture features two, subdued, tritium dots at 3 o'clock and 9 o'clock for proper alignment with the front sight post in low-light conditions. Same-plane design eliminates elevation differences between small and large apertures. Rear sight aperture can be chosen for the lighting situation as well as the range of target. 


SPECS: Stainless steel, black matte finish. **Front Post** - .100" (2.5mm) wide post, square top. Green tritium strip is inset against the .055" (1.4mm) wide, .17" (4.3mm) high, white stripe. **Rear Aperture** - .100" (2.5mm) I.D. small aperture, .225" (5.7mm) I.D. large aperture.

#006-000-149EK 24/7 Precision Tactical Sight Set,

6K101A25... \$ 135.00

DPMS AR-15/M16 STEEL DETACHABLE FRONT SIGHT

Detaches Quickly;
Fits Weaver & Picatinny Rails

Machined, steel, detachable front sight lines up at the perfect height for A2s and A3s. Serrated clamp screw tightens unit to Weaver or Picatinny gas blocks or front sight bases. Skeletonized center lightens weight and lets you mount sling attachment. Parkerized finish matches the look of your barrel. Sight post adjusts for elevation. 


SPECS: 4140 chrome moly steel, parkerized finish. 1 3/4" (4.4cm) high, 1 1/32" (14mm) wide across center.

#231-000-170EK Detachable Front Sight 1C43A01... \$ 53.99

DANIEL DEFENSE AR-15/M16 FIXED BACKUP SIGHTS

Rugged, Reliable, Always-
Deployed Relief Sighting

Lightweight, streamlined backup sights are built on the

K.I.S.S. principle to ensure the tactical operator has a reliable, always-deployed sighting option if the main optic fails. One-piece design slides easily on a MIL-STD 1913 rail and clamps securely with a single machine screw. Rounded edges and recessed attachment screws resist snagging on other gear. **A1.5 Rear Sight** combines the windage adjustment drum of the original USGI A1 rear sight and a flip-up A2 aperture with large .190" peep for close range and .060" peep for long-range targeting. Compact profile doesn't hang over the rear of the receiver to interfere with the shooter's access to the charging handle. **Front Sight** has a standard, elevation-adjustable A2 post and a smooth, concave radius on the sides of the housing to provide a natural resting place for the support hand thumb to enable quick activation of a compact weapon-light or laser sight. 


SPECS: 6061 T6 aluminum, Type III hardcoat anodized, matte black. **A1.5 Rear Sight** - 1 3/8" (3.5cm) long, 1 1/4" (3.2cm) wide, 1 1/8" (4.1cm) high from top of receiver rail to top of sight housing. 1.7 oz. (49g) weight. **Front Sight** - 1" (2.5cm) long, 1 1/8" (2.8cm) wide, 1 3/4" (4.5cm) high from top of receiver rail to top of sight housing. 1.1 oz. (30g) weight. For proper regulation with A1.5 or USGI A2-type rear sight, must be mounted on a handguard rail or railed gas block that is the same height as the receiver rail.

#100-004-457EK A1.5 Rear Sight 8K60U00... \$ 65.00

#100-004-759EK Fixed Front Sight 8K51B43... \$ 56.00

HAHN PRECISION AR-15/CAR-15 BACK UP IRON SIGHT

Low Profile; Easy Co-Witnessing
Of Open & Optic Sights

Exceptionally low profile back up iron sight attaches to A4 receiver rails directly behind the Hahn BUIS Scout Rail, or can be installed as a standalone rear sight. Provides easy co-witnessing of open sights with red-dot optics. Simple, flip-up aperture is strong and reliable but very lightweight. Positive, spring-loaded detent keeps the aperture from moving or reacting to recoil. Utilizes standard A1 windage hardware that cannot be inadvertently adjusted or knocked out of position; no small buttons or parts to fail. Angled forward profile allows easier access to the EOTech Holographic sight buttons. Dual, nylon-tipped tension screws lock the sight body to the receiver rail without thread-locking compounds; will not shoot loose. 

SPECS: 6061-T651 billet aluminum, Mil-A-8625 "F" Type III, Class 2, hardcoat anodized, black. **Sight Body** - 2.15" (5.4cm) long x 1.2" (3cm) wide x .9" (23mm) high. 1.53 oz. (42g) wt. Aperture - 1.17" diameter. Fits mil-spec flattop receivers.

#100-002-869EK Back Up Iron Sight 6K96P00... \$ 120.00



BROWNELLS CAR-15/M4 FLIP-UP TACTICAL SIGHTS



Fast Deploying Backup Sights For Emergency Situations

Rugged flip-up sights provide instant backup when primary sight fails or weather conditions limit its use. Robust cross-bolt with oversized, slotted hex nut locks clamping block tightly to Picatinny accessory rail for zero sight movement. Clean, low profile design won't snag on other gear when folded down. All models regulate with mil-spec A2 carbine sights or same-height aftermarket sights—perfect for co-witnessing with non-magnifying red dot and holographic optical sights. Precision machined from hardcoat anodized 6061 T6 aluminum and heat-treated 4140 steel for repeatable settings and the strength to handle the rigors of combat. A2 windage knob on rear sights provides precise ½ MOA adjustment. **Standard Rear** - Versatile, .108" diameter aperture gives an excellent field of view for both short- and long-range targets. Deep grooves on the sides ensure positive grip for quick deployment, while ball detent lock resists accidental folding down during strenuous maneuvers. **Tritium Rear Sight** - Adds to the Standard rear sight, self-illuminating, Trijicon® Tritium inserts on each side of the aperture that glow in low light to help you quickly align the aperture with a Tritium front sight post in all light conditions. **360 Series Rear** - HK-style rotating turret for maximum accuracy out to 300 yards. Knurled turret collar with machine engraved range index marks allow quick aperture changes; two ball detents lock turret in place at each position. Close-range .160" aperture provides a large field of view for close combat; three .070" apertures are trajectory calibrated for the mil-spec M4 at 100, 200, and 300 yard ranges. (Best accuracy with 5.56mm (.223) ammunition that duplicates the military M855 62 grain FMJ load.) **Front Sight** clamps to gas block accessory rail. A2-style .070" wide adjustable post is correct height for both rear sight models. Thick, protective ears guard sight post from bending or breakage. 

SPECS: 6061 T6 aluminum and 4140 steel, matte black. **Standard Rear & Tritium Rear Sight** - 1 3/8" (3.5cm) overall length, 1 1/8" (4.8cm) high (extended), 7/8" (2.2cm) high (folded). **360 Series Rear** - 1 3/8" overall length, 1 1/8" high (extended), 1 1/8" (3cm) high (folded). Trajectory calibrated for carbines with 16" long barrel equipped with A2 front sight or sights of equivalent height. **Front** - 7/8" (2.2cm) long, 1" (2.5cm) wide, 1.650" (4.2cm) high (extended), 3/4" (1.9cm) high (folded).

#080-000-509EK Std Rear Sight 8K65P71... \$ 79.99

#080-000-523EK Tritium Rear Sight 8K79U99... \$ 99.99

#080-000-510EK 360 Series Rear Sight 9A99P99... \$ 139.99

#080-000-521EK Front Sight 8K40U60... \$ 49.99

#080-000-524EK Front/Std Rear Sight Set,


8K89U99... \$ 109.99

#080-000-525EK Front/360 Rear Sight Set,

8K121U27... \$ 159.99

DPMS AR-15/M16 DETACHABLE REAR SIGHT

Secondary Sight System
For Tactical Rifles

Mil-Spec, A-2-style, rear sight gives tactical rifles an accurate, reliable backup to scopes and electronic sights. Adjustable for windage and elevation; uses two, steel, thumb screws that lock the sight to Picatinny or Weaver-style bases with precise return to zero. Lets you determine correct sight settings, then remove sight for safe storage. Correct height for issue front sight when mounted on flattop receiver. 

SPECS: Aluminum base, steel sight parts, parkerized finish.

#231-000-006EK Detachable Rear Sight 1C58X33... \$ 72.99

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 55



DUECK DEFENSE AR-15/M16 RAPID TRANSITION SIGHTS

Mounts At 45° Offset
For Instant Shift From
Primary Optic
To Backup Sights



Machined aluminum backup sights mount at a 45° offset angle to enable instant transition from primary optic simply by tilting the rifle. Rear sight mounts on receiver rail, front sight on handguard top rail. Can be installed on the left or right side of receiver, and eliminates the need to co-witness backup sights through your optic. Provides the same bore height and sight picture as standard USGI A2 sights. A2-style rear sight has flip-up long- and short-range apertures, and is adjustable for windage and elevation in 1/2 MOA clicks. Locking bar and crossbolt attachment system clamps securely to MIL-STD 1913 Picatinny rails and sits only .20" above the rail, so there's no interference with the main sighting system. Front sight base won't interfere with the beam path of military IR laser/illuminators. No special tools needed; installs using a slot tip screwdriver.

SPECS: 7075 aluminum, hardcoat anodized, black. Front – 1 3/8" (3.5cm) long, 3" (7.6cm) wide. 3.1 oz. (88g) weight. Rear – 1" (2.5cm) long, 2 3/4" (7cm) wide. 1.5 oz. (43g) weight.

#100-006-162EK Rapid Transition Sights,
4Z224X00 \$ 239.99

J.P. ENTERPRISES AR-15/M16 SHORT RANGE TACTICAL SIGHT

For Fast Close-Range Target Engagement



Compact, secondary sight attaches to a Picatinny mount on the side of the handguard to supplement optics and other long-range sight setups. Simply cant the rifle to instantly acquire the easy-to-see, A2 style, front sight post. Dovetailed, rear notch provides windage adjustment; set front sight elevation with standard A2 tool. Includes five, polymer sight posts in blue, orange, red, white, and yellow.

SPECS: Aluminum, matte black. 6" (15.2cm) long, 5/8" (1.6cm) wide, 1" (2.5cm) high. 4 oz. (113g) wt.

#452-000-028EK Short Range Sight 2E96U00 \$ 119.95

MAKO AR-15/M16 CLAMP ON SIGHTS



Rugged & Reliable With
Classic A2 Sight Picture;
Co-Witness With Optics

Economical, clamp-on "iron" sights let you temporarily convert your flattop to an A2-style sight system for close-range tactical operations or as backups to co-witness with non-magnifying optics. Streamlined shape with rounded edges resists snagging on other gear, and rugged, solid aluminum construction stands up to rough handling without adding excess weight. Integral metal ears protect front sight post and rear sight aperture from impact. Side clamping bars, steel cross-bolts, and oversized thumbscrews grab the rail tightly to ensure zero movement under recoil, yet allow quick removal to reconfigure your weapon. **FS1 Front Sight** clamps to Picatinny rail on extended handguard or gas block. Includes elevation-adjustable A2-style post. **RS1 Rear Sight** attaches to flattop receiver and has detent-locking wheel for elevation adjustment, plus a deeply grooved knob on the right side for windage. Includes GI-type, two-position aperture with long- and close-range peep holes.

SPECS: Aluminum, matte black finish. **FS1** – 1 3/8" (3.5cm) long 1.665" (4.23cm) height measured from top of base to top of blade. **RS1** – 2 7/8" (7.3cm) long 1.475" (3.75cm) height measured from top of base to center of aperture.

#100-004-273EK FS1 Clamp-On Front Sight,
2B27P95 \$ 31.90

#100-004-274EK RS1 Clamp-On Rear Sight,
2B27P98 31.99

GG&G AR-15/M16

MAD FLIP-UP REAR SIGHT

Fast Deployment In Emergencies;
Multiple-Setting Aperture
For Precise Accuracy



Originally manufactured under contract for Picatinny Arsenal, the MAD (Multiple Aperture Device) rear sight gives the tactical shooter a dependable, fast-deploying back-up sight system with preset range points out to 600 yards. A robust locking bar and cross-bolt clamp the MAD securely to the rearmost slot in any Picatinny-style flattop receiver rail. Rotating disc has five numbered .070" apertures preset to provide the right elevation for quick, short-range engagements or precise accuracy at longer distances: 0 – 0 to 200 yards, 3 – 300 yards, 4 – 400 yards, 5 – 500 yards, 6 – 600 yards. (Calibrated for 5.56 NATO ammunition with 55-62 grain bullet fired from a 16" barrel.) Position number is clearly visible to the shooter through a window below the aperture. Easy-to-grasp serrated windage adjustment knob provides approximately 1/2 MOA adjustment per click on standard-issue M16A3 rifle and .65 MOA on M4 carbine. Co-witnesses with most non-magnifying holographic and red dot optical sighting systems. Folds down out of the way for low-profile storage when not in use; radiused edges and rounded corners help prevent snagging on other gear. Folded MAD overhangs the upper receiver by approximately 1/4", providing a lip for solid thumb contact to deploy the sight instantly, even when the operator is wearing gloves. Locking detent ball prevents the raised spring from accidental lowering; the operator must depress a spring-loaded release button to lower the sight. Precision machined base of strong, hardcoat anodized 6061 T6 aluminum and sight tower/aperture wheel of Parkerized 4140 steel handle the punishment of high-tempo combat operations.

SPECS: Steel and aluminum, matte black finish. Covers 1 1/4" of rail space. .070" diameter apertures. Fits flattop AR-15/M16/CAR-15/M4.

#100-003-551EK MAD Flip-Up Rear Sight,
6C116H44 \$ 140.99

MATECH AR-15/M16 USGI BACKUP IRON SIGHT

Deploys Quickly;
Fast, Easy Range Setting;
Compact Profile When Folded



Current U.S. Army standard-issue backup rear sight for M4 carbines and M16A4 rifles flips up instantly at the touch of your thumb when primary sight fails or tactical situation makes iron sights preferable. Designed in conjunction with Picatinny Arsenal engineering staff and rigorously tested at Fort Benning and Aberdeen Proving Ground for robustness, ease of use, and effective targeting out to 600 meters. Detent-locking lever lets you quickly switch to one of eight range settings: 200, 300, 350, 400, 450, 500, 550, and 600 meters. Adjust windage easily with grooved, A2-style windage knob and position markers on the back of the sight for repeatability of settings. Bright, white, laser etched numbers and markers are clearly visible even in low light. Rugged machined steel construction ensures sight retains zero even under heavy, full-auto fire. Clamps securely to the rearmost slot of MIL-STD 1913 Picatinny or Weaver-style accessory rail on flattop receiver via simple but strong locking bar and bolt. Rounded corners and beveled edges further reduce danger of snagging on other gear when sight post is down. Regulates correctly with A2 front sight on any AR-15-style rifle or carbine; instructions included for adjusting front sight post height to set exact zero. Designed to co-witness with most non-magnifying optical sights.

SPECS: Steel, matte black finish.
#100-003-702EK USGI Backup Iron Sight,
6B94P50 \$ 104.99

GG&G AR-15/M16

BACKUP IRON SIGHTS

Fast Deployment, With Excellent Accuracy

Flip-up sights provide instant backup if your primary sight fails or the tactical requirements change. Innovative, spring loaded detent button locks the sight in the upright position to ensure it won't fold down unexpectedly. Steel cross-bolt is countersunk to provide a smooth, snag-free surface.

A2-STYLE REAR SIGHT - Clamps to Picatinny or Weaver-style flattop rails and with proper setup will co-witness with an Aimpoint, EOTech, or similar red-dot sight system. All models feature standard military A2-style double peep apertures for an excellent field of view for both short- and long-range targets. Large, knurled windage knob is easy to grab and provides 0.48 MOA adjustment on M16/2E4 rifles and 0.65 MOA on M4 carbines. Precision machined from 6061 T6 aluminum and Type III hardcoat anodized for durability; includes heat-treated, 4140 steel hardware. **Standard sight** includes a .062" diameter aperture for precision accuracy during daylight, especially at long range. Large, .195" diameter aperture provides a wide field of view for close quarters operations. **XS Same Plane sight** features the XS same plane aperture to eliminate noticeable shifts in point-of-impact when switching between short- and long-range apertures. Includes .100" diameter aperture for precision accuracy during daylight and at long range. Extra large, .230" diameter aperture allows superior low light visibility and faster close range target acquisition. **Tritium sight** with large .210" diameter aperture and two self-luminous, tritium dots provide fast, close range target acquisition during low light or night operations. Includes a plain black .090" diameter aperture for exceptional long range accuracy.

SPECS: Base - 6061 T6 aluminum, matte, black, hardcoat anodized finish. Aperture/Hardware - 4140 steel, matte, black, mil-spec manganese phosphate coating. 2" (5.1cm) overall length (folded), 1 1/2" (2.9cm) high extended, 1 1/16" (1.7cm) high folded.

#100-003-548EK Standard Backup Iron Sight,
6C99H95 \$ 124.95

#100-003-550EK XS Same Plane Backup Iron Sight,
6C159H95 169.95

#100-003-549EK Tritium Backup Iron Sight,
6C159H95 169.95

FLIP-UP FRONT SIGHT - Rugged, all-steel sight clamps to Picatinny rail on gas block. Easy to actuate, spring-loaded mechanism, with a positive lock that prevents folding the sight until you hit the release button. Deployed height of the post is the same as an A2 front sight. Includes standard, A2 front post, detent, and spring, with full elevation adjustment. Hardened detents and hinge pins for durability. Protective ears guard the sight post from impact, and all edges have been dehorned to protect the shooter.

SPECS: 4140 carbon steel, manganese phosphated, matte black. Height: 1.650" from top of base to top of sight. 3.2 oz. (90g) wt. Fits MIL-STD 1913 Picatinny rail. Installation instructions and Allen wrench included.

#336-000-034EK Steel Gas Block Sight 6C108Z00 . \$ 135.00



TROY INDUSTRIES AR-15/ M16

MICRO FOLDING BATTLESIGHTS

Rugged, Minimal Profile
Backup Sight Set

Low-profile flip-up sights keep the sighting plane as close to the barrel as possible and feature all-metal construction for durability and reliability. Both front and rear sights are easily deployed and lock in the upright position; depressing a simple



MAGPUL AR-15/M16/AR-STYLE .308 MBUS GEN II SIGHT SYSTEM



Rear Sight



Front Sight

Reliable, Lower-Profile, Quick-Deploy Backup Sights

Low-profile, flattop-mounted, polymer sights deploy instantly at the touch of a finger to provide backup sighting if a primary optic fails. Streamlined contours mean there's nothing to snag on brush, sling, or other gear when folded. Spring-loaded ambidextrous release mechanism lets you hit the grooved tab on either side of the sight to deploy, and lock it in place. Hitting the same tabs retract the sight when you're done. Uses less than 1" of MIL-STD 1913 Picatinny receiver rail space and locks securely in place with the included steel crossbolt. Provides the same height over bore as standard A2 iron sights. Windage-adjustable rear sight has two apertures: a large, .185" peep and a .070" peep. Designed for AR-type rifles and carbines, fits any weapon with Picatinny rails. Front sight must be mounted on a railed forend on the same plane as the receiver rail to witness correctly with rear sight. Not compatible with railed gas blocks or the MOE handguard.

SPECS: Reinforced, injection-molded polymer, Black, Dark Earth, O.D. Green, or Foliage Green. Heights measured from top of rail to top of sight. **Rear Sight** - 1.5" (3.8cm) long deployed, 2.6" (6.8cm) long folded, 1.2" (3cm) wide, .5" (1.3cm) high folded, 1.6" (4cm) high extended. Large aperture, .185" (4.7mm) diameter. Small aperture, .070" (1.8mm) dia. **Front Sight** - 1.5" long deployed, 2.5" (6.3cm) long folded, 1.2" wide, .5" high folded, 1.5" high extended. Sight post .070" (1.7mm) wide.

#100-006-941EK MBUS2 Sight Set, Black,
3K75D00 \$ 89.99

#100-006-787EK MBUS2 Rear Sight, Black,
3K44V39 55.05

#100-006-788EK MBUS2 Rear Sight, Dark Earth,
3K44V39 55.05

#100-006-789EK MBUS2 Rear Sight, O.D. Green,
3K44V39 55.05

#100-006-790EK MBUS2 Rear Sight, Foliage Green,
3K44V39 55.05

#100-006-791EK MBUS2 Front Sight, Black,
3K30V60 37.95

#100-006-792EK MBUS2 Front Sight, Dark Earth,
3K30V60 37.95

#100-006-793EK MBUS2 Front Sight, O.D. Green,
3K30V60 37.95

#100-006-794EK MBUS2 Front Sight, Foliage Green,
3K30V60 37.95

PAY ANY WAY

VISA/MC/Am Ex/Discover
CrossCheck/IMPAC/C.O.D.

button release allows them to be quickly folded for storage. Designed to be mounted on the same plane. Clamp to MIL-STD 1913 Picatinny rails using a stainless cross locking system with a single, flush-fit clamping screw for easy installation. Rear is adjustable for windage; front adjustable for elevation.

SPECS: Aluminum, hardcoat anodized matte black. Stainless cross pins and fittings, matte black oxide finish. 2" (5cm) long, 1 1/4" (3.18cm) wide, 3/4" (1.91cm) high when folded, 1.3" (33mm) high in upright position. Sights must be mounted on same plane.

#100-008-086EK Micro Battle Sight Set 3B184Y79 . \$ 194.99

PRECISION REFLEX AR-15/M16 FLIP-UP TACTICAL SIGHTS

Ready When You Need Them,
Fold Out Of The Way
When You Don't

Flip up sights deploy instantly to keep you operational if the primary sight system on your flattop AR-15 fails or loses effectiveness in low light conditions. Push-button controlled, positive locking, ball-detent system snaps sights firmly into position when you need them and locks them down when you don't. Folded sights allow a completely unobstructed view through optics and won't snag on brush, clothing, or gear. Large, spring-loaded button is easy to find and operate, even under stressful conditions. Protective hood over front sight posts and ears around rear sight aperture guard against damage during rough handling. Rugged, machined steel and aluminum construction will stand up to years of hard use. Durable, matte black, mil-spec finishes resist corrosion. **Barrel Mount Front Sight** - Solid, 4140 steel integral gas block/sight base clamps on .750" diameter barrel. Hex head crossbolts pull clamp halves tight to barrel to completely immobilize sight when properly tightened. Lightweight aluminum sight body comes with A2 sight post installed; also accepts after-market posts. Sight assembly folds to the rear when retracted. **Rail Mount Front Sight** - Functions like the barrel mount front sight when installed on a Picatinny style forearm rail positioned at the same height as the receiver rail. Folds to the rear in the down position. **Rail Mount Rear Sight** - Low-profile, windage-adjustable sight allows the use of optics and folds down compactly to the rear when not in use. A2-style same-plane aperture system is designed to flip between .090" and .195" diameter peep openings without losing zero. Ensures the correct sight picture for both close up and long range targets. **SPECS:** 4140 steel base, Parkerized, and aluminum hardcoat anodized; matte black finish.

#714-000-003EK Bbl Mount Front Sight,
4A167X12 \$ 189.99
#714-000-005EK Rail Mount Front Sight 4A99X00 .. 119.00
#714-000-004EK Rail Mount Rear Sight 4A114X95 .. 135.00

PRO MAG AR-15/M16 FLIP-UP SIGHTS



Fast, Accurate Backup Sighting;
Push-Button Activated

Machined aluminum, flip-up sights clamp to flattop Picatinny rails for emergency backup sighting if your primary optic fails. Or use alone as reliable "iron" sights that fold down to avoid damage during storage. Lock securely into upright position, while a push-button release prevents accidental lowering if you bump the sight. Can be co-witnessed with non-magnifying red dot and holographic sights. Easily mounts to any MIL-STD 1913 Picatinny rail via a locking bar and slotted, knurled thumbscrew. **Gas Block Front Sight** clamps to a gas block with a Picatinny rail on top; A2-style front post is adjustable for elevation with ¼ turns for 1.25" MOA at 100 yards. Protective "ears" guard the post; deep grooves on the outside of the ears provide extra purchase for quick deployment. **Dual Aperture Rear Sight** offers an exceptionally low profile when folded and features standard military, A2-style double peep aperture; windage adjustment knob provides .48 MOA adjustment per click on M16A3 rifle and .65 MOA per click on M4 carbine. **SPECS:** 6061 T6 aluminum, Type III hardcoat anodized, matte black. Crossbolts are steel, phosphate finished, matte black. Overall heights measured from top of base to top of sight. **Gas Block Front Sight** - 1.7" (4.3cm) overall height, .8" (20.3mm) folded height, 1.4" (3.5cm) wide. **Dual Aperture Rear Sight** - 1.6" (39.6cm) overall height, .7" (16.6mm) folded height, 1.7" (4.2cm) wide. **#687-000-045EK Gas Block Front Sight** 7H68B46 .. \$ 89.25
#687-000-041EK Dual Aperture Rear Sight,
7H68B46 89.25

MIDWEST INDUSTRIES AR-15/M16/AR-STYLE .308 FLIP-UP SIGHTS

Instant Back-Up Sighting At All Ranges

Simple aperture-and-post sights deploy with the flick of a finger to provide instant back-up, so you stay in the fight if your optic or laser sight fails. Super-smooth pivot mechanism with sturdy ball-bearing detent locks positively in the raised position and stays locked until you hit the pushbutton release. Sight folds down neatly out of your sight path when not in use. Machined from high-quality 6061 T6 aluminum and hardcoat anodized for increased wear-resistance. Hex wrench included with all models for easy installation. **SPECS:** Aluminum, hardcoat anodized, Black, Dark Earth, or O.D. Green. Fits flattop AR-15/M16 rifles. **MCTAR-ERS** - 1 3/8" (3.5cm) long, 1 1/8" wide, 1 1/4" (4.4cm) high deployed, 1" (2.5cm) high folded. 2.2 oz. (61g) weight. **MCTAR-SPLP** - 2 1/4" (5.7cm) long folded, 1 1/8" (2.9cm) long deployed, 1 1/4" (3.2cm) wide, 1 1/8" (4cm) high deployed, 7/16" (1.1cm) high folded. 1.5 oz. (41g) weight.

REAR SIGHTS - Clamp securely to flattop receivers. Flip-style A2 aperture features a small peep opening for long-range daylight shots and a large opening for close-range and low-light work. Same-plane calibration ensures the point of impact will not change when switching from one aperture to the other. Deeply grooved knob provides positive clicks for windage adjustment in .65 MOA increments on rifles and carbines with 16" barrels and .49 MOA on rifles with 20" barrels. **MCTAR-ERS** - Emergency Rear Sight with protective "ears" to guard the aperture from accidental damage. Aperture has .060" and .200" diameter peep openings; same windage knob as standard A2 sight. **MCTAR-SPLP** - Low-profile design is less than 1/2" high when folded, yet provides full windage adjustment like the ERS model. Aperture has .070" and .200" diameter peeps. **SPECS:** Aluminum, hardcoat anodized, Black, Dark Earth, or O.D. Green. Fits flattop AR-15/M16 rifles. **MCTAR-ERS** - 1 3/8" (3.5cm) long, 1 1/8" wide, 1 1/4" (4.4cm) high deployed, 1" (2.5cm) high folded. 2.2 oz. (61g) weight. **MCTAR-SPLP** - 2 1/4" (5.7cm) long folded, 1 1/8" (2.9cm) long deployed, 1 1/4" (3.2cm) wide, 1 1/8" (4cm) high deployed, 7/16" (1.1cm) high folded. 1.5 oz. (41g) weight.

#100-001-992EK MCTAR-ERS, Black, 2A90U34 \$ 116.99
#100-004-249EK MCTAR-ERS, O.D. Green,
2A90U34 116.99
#100-003-432EK MCTAR-SPLP, Black, 2A107C07 124.99
#100-004-645EK MCTAR-SPLP, Dk Earth,
2A115V31 128.99
#100-004-646EK MCTAR-SPLP, O.D. Green,
2A115V31 128.99

FRONT SIGHTS - These folding front sights are designed to work with Midwest Industries flip-up rear sights, all models have standard A2 front sight post and clamp directly to Picatinny rails. **MCTAR-FFR** mounts on AR-15/M16 handguard rail; **MCTAR-FFG** attaches to gas block rail. **MCTAR-10-AFFG** mounts on gas block rail and positions sight post at correct height for ArmaLite® AR-10® carbine with factory-installed gas block and 16" barrel. May fit other AR-style .308 rifles with gunsmith modification. Ultra-low profile **MI-LFFR** clamps to any railed handguard or gas block that is the same height as the upper receiver rail. Stands less than 1/2" above rail when folded. **SPECS:** Aluminum, hardcoat anodized, Black or Dark Earth. Approx. 2 1/4" (5.7cm) long folded, 1 1/4" (3.2cm) long deployed, 1 1/4" wide, 5/8" (4cm) high folded. 1.7 oz. (50g) weight. **MCTAR-FFR** - 1 1/8" (4cm) high deployed. **MCTAR-FFG** - 1 1/8" high deployed. **MCTAR-10-AFFG** - 2" (5cm) high deployed; available in Black only. **MI-LFFR** - 1 1/8" high deployed, 7/16" (11.1mm) high folded.

#100-003-422EK MCTAR-FFR Forearm Front Sight,
Black 2A69C96 \$ 89.99
#100-003-423EK MCTAR-FFG Gas Block Front Sight,
Black 2A69C96 89.99
#100-004-647EK MCTAR-FFG Gas Block Front Sight,
Dark Earth 2A75V76 84.99
#100-002-984EK MCTAR-10-AFFG Gas Block Front Sight,
Black 2A69H96 89.99
#100-005-190EK MI-LFFR Front Sight 2A89C95 99.99

TROY INDUSTRIES AR-15/M16 BATTLE SIGHTS



Rugged, Reliable Backup Sighting;
Same Height As Factory Iron Sights

Rugged, flip-up sights provide failsafe backup when your primary optic or red dot sight fails. Sight body flips up easily when you need it and locks securely in place under powerful spring pressure and two locking detent balls, so it can't be accidentally bumped down until you hit the spring-loaded button on the left side of the base to retract it. Positions apertures at the same height as factory sights, simplifying integration of these sights on your rifle. Base clamps securely to any military or commercial Picatinny rail using a standard flathead screwdriver. No protruding knobs or levers to catch on brush, clothing, or other equipment. Sturdy, protective "ears" shield posts and apertures from impact. **Rear** sights bolt to flattop receiver rail and are only .460" high when folded. Detent-locking adjustment wheel lets you change the windage setting in 1/2 MOA increments. **HK-Style Rear** - two same-plane apertures: large .190" aperture provides a wide field of view for close-in targets, while .070" aperture is calibrated for engaging long-range targets. Also available with a Tritium dot on each side of large aperture. **DOA Rear** - diamond-shaped Di-Optic Aperture (DOA) works like invisible crosshairs to center the eye for lightning fast target acquisition. Same-plane aperture has two settings, for targets out to 300 meters and out to 550 meters. **Front** sights clamp to handguard accessory rail and are only 1/8" high when folded. All models have M4-type post that's elevation adjustable in 1/2 MOA increments. **HK-Style Front** - distinctive "globe" shape that aids in fast target acquisition under stress. Also available with a self-illuminating Tritium dot on the post for precise shot placement in low-light conditions. **M4/M16-Style Front** - deep grooves in the sides of the housing to ensure a firm grasp for fast deployment. **SPECS:** Stainless steel and aluminum, Black or Dark Earth finish. **Rear Sights** - All models 1.17" (3cm) long, 1.25" (3.2cm) wide, 1.85" (4.7cm) high extended. 1.8 oz. (52g) wt. **HK-Style Front** - 1.17" long, 1.25" wide, 1.9" (4.9cm) high extended. 1.6 oz. (45g) weight. **M4/M16-Style Front** - 1.17" long, 1.25" wide, 1.75" (4.5cm) high extended. 1.6 oz. weight.

#100-003-442EK HK-Style Rear, Blk 3B110Y50 \$ 119.99
#100-003-443EK HK-Style Rear, Dark Earth,
3B110Y50 119.99
#100-005-085EK Tritium HK-Style Rear, Black,
3B164P73 169.99
#100-005-086EK DOA Rear Sight, Black 3B110P50 .. 119.99
#100-003-444EK HK-Style Front, Black,
3B91Y93 99.99
#100-003-445EK HK-Style Front, Dark Earth,
3B91Y93 99.99
#100-005-084EK Tritium HK-Style Front, Black,
3B133P71 144.99
#100-003-446EK M4/M16-Style Front, Black,
3B91Y93 99.99
#100-003-447EK M4/M16-Style Front, Dark Earth,
3B91Y93 99.99

FIXED REAR BATTLE SIGHT - Tactical backup sight is always deployed, so there's absolutely no delay, no fumbling when you need to transition from the primary optic. Troy designed this sight to be simple, rugged, and reliable—and it takes up only 1 1/8" of rail space. Precision machined from solid aluminum, with plenty of metal on the protective "ears" around the two-position aperture. All edges and corners are rounded, and there are no protruding knobs or levers to catch on brush, clothing, or other equipment. Rear of the base is undercut to provide clearance for access to the charging handle. Same-plane



SAMSON AR-15/M16 QUICKFLIP® FOLDING REAR SIGHT

Dependable, Fast-Deploying Backup
Sight With A2-Type Aperture

Machined aluminum tactical sight deploys at the touch of a button to provide immediate backup if your primary optic fails. Spring loaded mechanism locks positively in both deployed and folded positions, and is protected from dust and dirt. Folding A2-type aperture with a large, .197" diameter peep for short-range or low-light shots, and a small, .70" diameter peep for long-range and daylight shooting. Deeply grooved knob with positive clicks allows easy windage adjustment. Locking bar and cross-bolt clamping system locks securely to a Picatinny rail using just a slot-head screw driver. Regulates correctly with an A2 front sight or Samson QuickFlip FFS Front Sights for AR-15/M16 or SIG 556, available separately. **SPECS:** Machined 6061 T6 billet aluminum, hardcoat anodized, matte black. 7/8" (2.2cm) long when deployed, 2" (5.1cm) long when folded, 1 1/4" (3.2cm) wide.

#100-005-393EK Dual A2 Aperture Rear Sight,
1B93P79 \$ 109.99

TROY INDUSTRIES AR-15/M16 FIXED FRONT BATTLESIGHT

Rugged, Reliable, Always Deployed;
Globe-Shaped Ears Focus Sight Picture



Rail-mounted, fixed, same-plane front sight works with any AR-style flip-up rear sight as a back-up for a scope or red dot. Distinctive HK-style "globe"-shaped ears aid in fast target acquisition, while the serrated, angled ramp eliminates glare. Elevation adjustable in 1/2 MOA increments; positive-locking detent ensures settings change only when you want them to. Base with sturdy side clamp and steel crossbolt attaches to any Picatinny railed forend or gas block that is the same height as the receiver rail. Installs with a standard flathead screwdriver—no protruding knobs or levers to catch on brush, clothing, or other equipment. **SPECS:** 6061 T6 aluminum, hardcoat anodized, with stainless steel crossbolt, matte black finish. 1 1/4" (3.18cm) long, 1 1/4" (3.18cm) wide, 2" (5.08cm) high. 1.5 oz (45g) wt.

#100-005-211EK Fixed Front Battle Sight,
3B51Y07 \$ 54.99



aperture flips easily between .190" and .070" diameter peeps, just like the Folding Rear Battle Sight. Windage adjustable in 1/2 MOA clicks using a coin in the slot of the flush A1-style detent-locking adjustment wheel. Clamps to any Picatinny rail; installs with a standard flathead screwdriver. **SPECS:** 6061 T6 aluminum, hardcoat anodized, matte black finish. 1.5" (3.8cm) OAL, 1.25" (3.2cm) maximum width, 1.875" (4.8cm) high from top of rail to top of sight housing. 1.8 oz. (52g) weight. **#100-004-381EK Fixed Rear Sight** 3B83Z17 \$ 103.50

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 57

AR-15/M16

SIGHTS



TRUGLO AR-15/M16 FIBER OPTIC FRONT GAS BLOCK SIGHT

Glowing Fiber Optic Element For Fast
Sight Alignment In Any Light Conditions

Front sight tower clamps directly to a gas block with a topside accessory rail and provides a super-bright, green fiber optic dot for fast, easy-to-see sight pickup in all ambient light conditions. Push the rubber-sealed on/off button, and the integral battery-powered light source illuminates the extra-long, fiber optic rod so you are never left without a highly visible front sight, even at night. Front blade is easy to adjust for elevation. Lightweight aluminum base with dual protective ears attaches without gunsmithing to Picatinny or Weaver rail front gas blocks.

SPECS: CNC-machined aluminum, black finish. Front Blade - .080" (2mm) wide. Height - 1.80" (4.6cm) from top of base to top of blade at lowest setting. Weight - 1.9 oz. (54g). Fits AR-15/M16 equipped with MIL-STD 1913 Picatinny or nominal Weaver rail on gas block. Includes three 1.5 volt SR-60 batteries and sight adjustment wrench.

#902-000-113EK AR-15/M16 F/O Front Sight Tower,
2K50P36 \$ 61.99

WILSON COMBAT AR-15/M16 FLIP-UP SIGHTS

Tactical Back-Up Sights
For Optic-Equipped Rifles

Rugged, all-steel, flip-up sights provide dependable backup in the event your primary optical sight fails. Designed from the ground up to be exceptionally robust, accurate, and reliable, they fold down out of the line of vision when you don't need them, flip up for instant use. Spring-loaded, detent mechanism locks positively in the up or down position to prevent unintentional raising or lowering. Precision-machined from ordnance-grade steel, with a hard, matte black finish for extra surface strength and resistance to scratches.

FLIP-UP REAR SIGHT (FURS) - Large aperture peep is fast to pick up, doesn't interfere with field of view. Dual clamp screws with a single cross bolt adapt to Weaver- or Picatinny-style bases. Click adjustment for elevation and windage gives excellent repeatability. **TR-FURS** - Has a coin-slot windage screw to prevent accidental changes on zeroed rifles. **TR-FURS2C** - Coin-slot windage screw plus push-button activated flip-up aperture for raising the sight without shifting your hands. **TR-FURS2K** - Push-button flip-up sight plus easy-to-locate, knurled windage screw for quick changes in fluid tactical situations.

SPECS: Steel, black, matte finish. 1 3/4" (4.4cm) long, 1 3/4" high.

#965-000-017EK TR-FURS Flip-Up Rear Sight,

5F110H46 \$ 129.95

#965-000-021EK TR-FURS2K Flip-Up Rear Sight,

5F153H20 179.99

#965-000-022EK TR-FURS2C Flip-Up Rear Sight,

5F152H96 179.95

FLIP-UP FRONT SIGHT (FUFs) - Pushbutton-activated mechanism deploys instantly for immediate use, so you can adapt to quick changes in fluid tactical situations. Protective "fence" machined into the side of the sight post shields the button from damage or accidental activation. Two, massive, side posts protect the elevation-adjustable A2-style sight post from damage. All edges are radiused to resist snagging. Replaces factory gas block and front sight on .750" O.D. barrels. Clamps to barrel with two hidden setscrews on underside.

SPECS: Steel, black, matte finish. 2.25" (5.72cm) long, 2.26" (5.74cm) deployed height from top of barrel to top of post, .825" (2.1cm) folded height. Fits .750" O.D. barrels. Muzzle accessories must be removed to allow installation.

#965-000-072EK Wilson Combat FUFs,
5F125Z96 \$ 146.99



YANKEE HILL MACHINE AR-15/M16 A2-STYLE REAR SIGHT

Factory-Profile Backup Sight Co-Witnesses
With Most Red Dot Sight Systems

Solid, A2-style rear sight clamps to the rear of your flattop receiver to co-witness with an Aimpoint, E.O. Tech, or similar red-dot sight system. Functions like the original carry handle sight—perfect for a combat-ready backup sight—and regulates correctly with standard, M16/M4 front sights and Yankee Hill front sights. Two, hardened steel cross-bolts clamp the sight to the rail for zero movement under recoil. Large, grooved, steel windage knob and elevation wheel provide full click-adjustments in 1/2 M.O.A. increments. Standard, flip-style aperture has .065" and .200" diameter peepholes for short- and long-range shooting. Large, steel "ears" protect the aperture from blows. Rugged, aluminum base keeps weight to a minimum without sacrificing strength.

SPECS: Aperture, Housing & Hardware - Steel, matte, black, mil-spec phosphate coating. Base - Aluminum, matte, black, anodized finish. 1 1/8" (2.9cm) long, 1 1/4" (3.2cm) wide at base, 1 1/8" (4.8cm) high. 3.6 oz. (101g) weight.

#100-003-173EK A2-Style Rear Sight 9A82X76. . . . \$ 102.99

YANKEE HILL MACHINE AR-15/M16 BACKUP FLIP SIGHTS

Rugged Steel Construction;
Deploys Fast For Instant Emergency Use

Heavy-duty, steel construction makes these emergency rear/front flip sights the tactical shooter's choice for LE and military tasks requiring a compact, backup, sight system of superior strength and dependability. Deploys easily with the flick of your thumb; disengages down, out of your sight path when not in use by depressing the spring-loaded pushbutton. Extra thick, protective ears guard against blows that could potentially bend or break the sight post or aperture. Solid clamp with large cross-bolt provides rock solid attachment to Weaver or Picatinny rail systems. Knurled and slotted, quick-release thumbscrew makes sight easy to install/remove.

GAS BLOCK FRONT FLIP SIGHT - Designed specifically to regulate properly when attached to a gas block rail. Positions the front sight post approximately 1 1/4" above the accessory rail. All steel components; includes standard sight post. Does not function as a gas block.

SPECS: Steel, Mil-Spec phosphate coating. 1" (2.5cm) long, 1 1/2" (3.8cm) wide, 2" (5.1cm) high when raised. 2.5 oz. (71 g) wt.

#100-002-089EK Gas Block Flip Sight 9A58X88. . . . \$ 82.99

FOREARM FRONT FLIP SIGHT - Shortened version of the Gas Block Front Flip Sight for use on tactical handguards with accessory rails. Provides the proper sight regulation by placing the sight post approximately 1 3/8" above most forearm rails. All steel construction. Includes standard sight post.

SPECS: Steel, Mil-Spec phosphate coating. 1" (2.5cm) long, 1 1/2" (3.8cm) wide, 1 1/2" high when raised. 2.5 oz. (71 g) wt.

#100-002-091EK Forearm Front Flip Sight,
9A61X99 \$ 79.99

REAR FLIP SIGHT - Low-profile design attaches to A4 flattop receivers and regulates correctly with standard, M16/M4 front sights, as well as all Yankee Hill front sights. Rugged, steel base features an aluminum stem to keep weight to a minimum. Deploys instantly with thumb pressure. Large, knurled, screw head provides 1/2 M.O.A. windage adjustment. Includes flip-style aperture with .065" and .200" diameter peepholes for short- and long-range accuracy.

SPECS: Steel, Mil-Spec phosphate coating. 1" (2.5cm) long, 1 1/2" (3.8cm) wide, 1 3/8" (3.5cm) high when raised, 2.5 oz. (71 g) wt.

#100-002-094EK Rear Flip Sight 9A79C99. \$ 89.99

YANKEE HILL MACHINE AR-15/M16 QDS SIGHT SYSTEM



Rugged, Quick-Deploy Backup System;
Minimal Profile When Folded

Spring-loaded sights deploy at the push of a button to provide instant backup sighting. Quick Deploy System locks securely and requires a firm, positive press of the button to deploy or retract the sight, so it won't accidentally activate when bumped—these sights stay where you put them. Minimal profile when folded—only .435" high—with radiused edges and a smoothly curved front surface to prevent snagging on foliage, gear, or clothing. Crossbolt and side bar provide solid attachment to MIL-STD 1913 Picatinny or Weaver-style rail systems. All-aluminum construction is lightweight, yet plenty strong to handle the hard knocks of tactical operations, with a durable, scratch-resistant hardcoat anodized finish for extra surface strength. **Front Sights** have mil-spec A2 post that adjusts for elevation; same-plane alignment with rear sights. Available with thick, protective ears that shield the post or an H&K-style hood for even greater security. **Rear Sight** adjusts for windage with the easy-to-grasp knurled knob and is available with a single .065" peep or a two-position, A2-style aperture that lets you flip between .065" and .200" peeps. **Set** contains the front sight with ears and the two-position rear sight.

SPECS: Aluminum, hardcoat anodized, matte black. All models 1" (2.5cm) deployed length, 1 1/4" (3.2cm) wide, .435" (11mm) folded height. **Front Sight w/Ears** - 2 1/8" (5.4cm) folded length, 1.420" (3.61cm) deployed height from top of base to top of blade. **Front Sight w/Hood** - 2 1" (5.3cm) folded length, 1.360" (3.45cm) deployed height from top of base to top of blade. **Rear Sight** - 2 1/4" (5.7cm) folded length, 1.425" (3.62cm) deployed height from top of base to center of aperture. Available dual-aperture configuration with .065" and .200" peep holes or with .065" peep only.

#100-004-315EK QDS Front/Rear Sight Set,
9A159P00 \$ 199.00

#100-004-316EK QDS Front Sight w/Ears,
9A79P00 99.00

#100-004-317EK QDS Front Sight w/Hood,
9A79P00 99.00

#100-004-318EK QDS Rear Sight w/Dual Apertures,
9A94P20 116.99

#100-004-320EK QDS Rear Sight w/.065" Peep,
9A93P50 117.00

LIPSKI

COMPETITION BARREL BAND

Easy Mount, High Quality, Adjustable Target Base

No gunsmithing required to attach this height-adjustable, machined steel base to AR-15 and other heavy-barrel, match rifles. Friction fits to muzzle by tightening the two hex head screws at the bottom. Another hex head screw lets you adjust riser block to the correct height for rear sight. Accepts Redfield and similar target globe assemblies.

SPECS: Steel, matte black. Base - 1" (2.5cm) long. Fits .812" (20mm), .750" (19mm), .732" (18.6mm) (Colt factory Flattop competition) and .922" (23.4mm) barrels. 1.25" (3.2cm) high from center of barrel to top of base. Riser height adjusts 1" (2.5cm).

#527-101-812EK .812" Comp. Barrel Band,
7B97C28 \$ 119.95

#527-101-750EK .750" Comp. Barrel Band,
7B97C28 119.95

#527-101-732EK .732" Comp. Barrel Band,
7B97C28 119.95

#527-000-003EK .922" Comp. Barrel Band,
7B97C28 119.95

LIPSKI AR-15/M16

COMPETITION REAR SIGHT BASE



Easy Rear Aperture Sight
Mounting For Target Rifles

Attach receiver-style target sights to your favorite rifle without drilling and tapping. Clamps to flat top rails. Once sight is mounted to base, the entire unit may be removed and re-installed without loss of zero. Pre-drilled side mounting plate accepts Redfield Palma, Warner, Zelenak and other sights using 10-32 mount screws. Mounting plate is adjustable for vertical and horizontal position.

SPECS: Steel, matte black. Adapter base 2.25" (5.7cm) long, .90" (23mm) high. Threaded 10-32. Weights 3.1oz. (68 g).

#527-100-015EK AR-15 Sight Base 7B65C99. \$ 80.95

DPMS AR-15/M16 DETACHABLE CARRY HANDLE

Back-Up Iron Sights &
Comfortable Carry
For Your Flattop



Mil-Spec, A-2-style rear sight provides primary or back-up sighting with the additional convenience of a carry handle. Full length clamping bar with two, large, easy-to-grasp, thumb nuts gives fast installation with instant return to zero. Correct height for issue front sight. Fits all flat top rifles and carbines with a Picatinny base.

SPECS: Steel sight parts, gray, parkerized finish. Aluminum handle, hard coat anodized and teflon-coated, black, matte. 7" (17.8cm) long. 9 oz. (256 g) weight.

#231-000-030EK Detachable Carry Handle,
1C82H99 \$ 89.99



HIGH STANDARD AR-15/M16 DETACHABLE CARRY HANDLE/REAR SIGHT



Gives Flattop
The Convenience,
Simplicity &
Ruggedness Of Carry
Handle Configuration

Military-style carry handle attaches to receiver rail to provide a simple, rugged iron sight system that converts flattop rifle for CQB operations or CMP Service Rifle Competition. Also serves as a mounting platform for ACOGs and other optics with a base already configured to fit carry handle. A2 rear sight assembly provides reliable primary or back-up sighting; correct height for issue front sight. Full-length clamping bar with two cross-bolts and thumb nuts lock handle securely to receiver rail and prevent unwanted movement even during strenuous tactical operations. Deep grooves on nuts provide extra purchase for hand tightening, and slots accept a U.S. nickel or quarter for more tightening leverage.

SPECS: Hardcoat anodized aluminum handle and parkerized steel sight parts, matte black. Fits flattop rifles and carbines with Picatinny-style receiver rail.

#430-000-533EK Detachable Carry Handle/Rear Sight,
3D111X35 \$ 139.99



BROWNELLS COMPETITOR PLUS™ RIFLE SLING

- PREMIUM LEATHER • U.S. MADE
- EXTRA HEAVY HOOKS
- STITCHED KEEPERS
- 100% SATISFACTION GUARANTEED

If you love fine leather, fine craftsmanship and a superbly functional, useful sling, our Competitor Plus is going to make you extremely happy! What you get is a no-compromise reproduction of the original 1907 Military Sling; the one that's become the standard among hip-power service rifle shooters and many knowledgeable hunters; the one that's sought after by collectors and restorers of pre-WWII military firearms and the one that's carried more guns, more miles on more shoulders than darn near any other. Ours has all the good stuff: 1) It's all U.S. made of the finest, oak-tanned, top grain, 9-10 ounce, U.S. steer hide. 2) It's fitted with thick, forged, blued steel hooks. 3) Each extra-thick, steel hook is attached with three rivets. 4) The Keepers are skived at a taper, overlapped and glued; then stitched with 5-cord waxed linen thread. They fit TIGHT!

We're pretty proud of the Competitor Plus. We think you'll love it, too. It's unconditionally guaranteed to satisfy you 100%. If it doesn't, send it back for a full refund.

SPECS: 1 1/4" (3.2cm) wide, 9-10 oz. leather, .108" (2.75mm) thick hooks. Front strap length = 54" (1.37m). Instructions.

#084-270-110EK Tan Comp Plus Sling 4H48A99 . . . \$ 66.99

#084-270-210EK Black Comp Plus Sling 4H45A08 . . . 60.99

BROWNELLS COMPETITOR PLUS SLING w/NUMBERS - Our Competitor Plus sling with sixteen numbered reference points makes it easy for you to return to your sling setting for each shooting position.

SPECS: 1 1/4" (3.2mm) wide, 9-10 oz. leather, Front length 54" (1.37m), 3/8" (14.7mm) numbers.

#084-270-120EK Tan Numbered Competitor Sling, 4H50A49 . . . \$ 66.99

COMPETITOR PLUS SLING w/SWIVELS - Add the Competitor Plus Sling to any rifle equipped with Michael's-style swivel studs. Comes complete with two of the correct 1 1/4" Michael's easy-on, easy-off, quick-detachable loops.

#084-270-112EK Tan Competitor Plus Sling w/Swivels 4H62A90 . . . \$ 81.99

#084-270-211EK Blk Comp. Plus Sling w/Super Swivels, 4H53A36 . . . 71.99



GALCO INTERNATIONAL SLCTACTICAL SLING

**Allows Hands-Free Carry
& Quick Weapon Access**

Simple Lanyard and Carrying (SLC) strap" features a steel, HK-style snap hook for quick and effortless transition from a conventional two-point sling to a single-point sling position that keeps your tactical rifle or shotgun in front of you for easy cross-shoulder transition. Conventional, two-point sling position allows muzzle-up or muzzle down carry over the shoulder or across the back. Polycarbonate clasps allow easy adjustment to fit any shooter. Built from durable, 1" wide, nylon webbing for maximum strength and long service life. Ambidextrous design accommodates right- and left-hand shooters.

SPECS: Nylon webbing with steel snap hook and polycarbonate adjustment clasps, black, 44" (112cm) long x 1" (2.5cm) wide.

#100-003-978EK SLC Tactical Sling 7A15Z99 . . . \$ 19.99

BLACKHAWK INDUSTRIES STORM SINGLE-POINT TACTICAL SLING

**Quiet, Adjustable,
Dependable Weapon
Retention**



Adjustable single-point sling is constructed of heavy-duty 1 1/4" nylon webbing and 1" elliptical elastic bungee cord for optimum performance and stealth. High-density bungee allows 4" of flex—just right for weapon agility in CQB maneuvers—and is covered with tough, weather-resistant compressed tubular nylon sheathing that prevents noise, limits bounce, and provides optimum retention. Strong, single-piece, quick attach/detach "mash" clip snaps securely to any single point sling adapter to keep your weapon within easy reach when you need it most. Elastic sleeve slides over clip to prevent rattling against gun. Heavy duty tri-glide nylon buckle allows adjustment to permit wear over bulky tactical vests and gear on all body sizes. A 300-lb test nylon "quick ditch" buckle instantly opens the sling if you need to release your weapon quickly.

SPECS: Nylon and elastic bungee cord, black. Carry strap is 1 1/4" (3.2cm) wide. Adjustable from approximately 27" (68.6cm) to 36" (91.4cm) OAL.

#100-003-349EK Storm Single-Point Sling, 8K26T39 . . . \$ 32.99

TOLL FREE: 800-741-0015



BLUE FORCE GEAR CAR-15/M4 COMBAT APPLICATIONS SLING



**Adjusts Quickly,
Won't Tangle Or Twist**

Two-point design with front quick adjustment strap lets the operator change

sling length without creating loose ends that can tangle with other gear. Allows for a variety of carry and shooting positions based on required tactical response. Fits M4 carbines with side sling swivels with 1 1/4" wide loop. **Vickers** is composed of two, separate sections of Cordura® nylon webbing; 17" forearm end, including quick adjustment loop, and 30" rear buttstock end; joined together with a high strength steel channel. Separate 10" removable, modular quick-release on the buttstock end allows for fast exit from sling and weapon in emergency situations. Can be used with or without modular release feature. Features machined aluminum front buckle, steel mid-section connector and polymer buckles. **Vickers Padded** is the same basic design as the Vickers with the addition of an extra wide shoulder strap with foam core padding for comfortable, all day carry without pinching or binding. Modular quick release not included. Composed of two, separate sections of Cordura® nylon webbing; forearm end, including quick adjustment loop, and rear buttstock end with shoulder pad. **Victory** is composed of two, separate sections of filament nylon webbing; 16" forearm end, including quick adjustment loop, and 28" rear buttstock end; joined together with a high strength steel channel. Modular quick-release not included. Advanced polymer non-slip adjustment buckles are resistant to solvents.

SPECS: Black, coyote, or O.D. green depending on model. **Vickers/Vickers Padded** - Cordura® nylon web. Aluminum front buckle, with steel mid-section connector, other buckles are polymer. 1 1/4" (3.1cm) wide. Adjusts from 46" (117cm) to 55" (140cm) OAL. **Victory** - Filament nylon web. Steel mid-section connector with polymer buckles. 1 1/4" (3.1cm) wide. Adjusts from 34" (86cm) to 44" (112cm) OAL.

#100-002-950EK Vickers Sling, Black 7A55U71 . . . \$ 69.95

#100-003-476EK Vickers Sling, Coyote 7A55D71 . . . 69.95

#100-003-477EK Vickers Sling, O.D. Green 7A48D97 . . . 69.95

#100-003-577EK Vickers Padded Sling Black, 7A58V80 . . . 74.75

#100-003-411EK Victory Sling, Black 7A32K69 . . . 41.75

BROWNELLS AR-15/M16 SINGLE-POINT SLING KIT



**Gives Fixed-Stock Rifle The Versatility Of A
Quick-Detach Single-Point Sling**

Convenient kit gives any AR-15/M16 with an A2-style rifle buttstock the speed and versatility of a single-point, clip-on tactical sling. Low-profile sling adapter requires no permanent alterations to the rifle. Simply remove the buttstock, slide the adapter over the receiver extension tube, and reinstall the stock. Adjustable single-point sling is constructed of heavy-duty 1 1/4" nylon webbing and high-density bungee cord that provides 4" of flex. Tough, weather-resistant tubular nylon sheathing over the bungee prevents noise and limits bounce. The quick-release clip on the sling attaches to the adapter loop, while an elastic sleeve slides over the clip to prevent rattling on the gun. Heavy-duty tri-glide nylon buckle lets you adjust the sling size quickly for wear over bulky tactical vests and other gear. A second, nylon "quick ditch" buckle opens the sling for instant release of the weapon.

SPECS: Sling - Nylon and elastic bungee cord, black. Adjustable from approximately 27" (68.6cm) to 36" (91.4cm). 1 1/4" (3.2cm) wide. Sling Adapter - 4140 steel, black oxide finish. Fits rifles with fixed, A2-type buttstock. Right-hand only.

#080-000-782EK Single-Point Sling Kit 8K60Z87 . . . \$ 69.99

OUTDOOR CONNECTION

TACTICAL SLINGS

**Single-, Two- & Three-Point
Models For Comfortable,
Secure Carry & Fast Transitions**



Durable tactical slings provide a wide variety of comfortable carry options while ensuring rapid, smooth transitions to a shooting stance. These slings are manufactured from durable, mil-spec materials, featuring close-weave nylon webbing, heavy-duty 800-lb. tensile strength elastic, double stitching and shockproof polymer hardware that won't rattle or rust. Quick-release buckles can be disengaged with one hand, and tri-glide slip locks let the operator adjust overall length quickly for rapid shifts from strong side to support side and back. **A-Tac** - Single-point sling fits any weapon that accepts an HK-type snap hook. Provides maximum range

of weapon movement for fast transition from many carry positions, including over either shoulder, across the back, under the opposing arm, and around the neck. Three-point polymer buckle allows selective release of the left side of the strap, the right side, or both simultaneously to free the weapon from the sling. **A-TAC Adapter** - Replaces the HK-type snap hook on the A-TAC sling's pigtail to let you attach the sling to a standard swivel or around the forend in front of the sight tower. Female polymer connector accepts the A-TAC male buckle and allows fast weapon release in an emergency. Easily adjusts for length, and available in 15" (38.1cm) and 27" (68.6cm) lengths. **Duty** - Basic two-point sling of straight 1 1/4" wide nylon webbing attaches easily to USGI sling swivel. Loops through rear swivel, secures at front with two steel screw closures. **Edge** - Two-point sling designed for muzzle-down carry lets you place the sling diagonally over the



MAGPUL AR-15/M16 MS3 MULTI-MISSION SLING

**For Split-Second, Cross-Shoulder
Transitions In Rapidly Changing
Tactical Environments**



The MS3 is a versatile tactical sling that's a refinement of Magpul's highly successful original MS2 design. switches instantly from traditional two-point configuration for hands-free carry to single-point setup for quick transitions in fast-changing tactical environments. Use with the Magpul ASAP™ rear adapter plate (sold separately) for 180° of unrestricted sling movement that lets you change shoulders to take full advantage of cover, address targets around corners or other barriers, and shift weapon position if one arm is injured. Built from ultra-thin, exceptionally strong nylon webbing, double stitched at stress points for added strength, Steel, "Paracrip" snap-hooks rotate 360° to help prevent twisting and binding. Compatible with Magpul RSA® and MSA™, and most loop-style sling adapters.

SPECS: MS3 - Nylon webbing, Black or Dark Earth. Hardened steel and reinforced molded polymer hardware. Adjusts from 33" (84cm) to 54" (137cm) long x 1.25" (3.2cm) wide. **ASAP** - Steel, Parkerized, matte black. Fits both mil-spec and commercial/universal M4-type receiver extensions.

#100-009-204EK MS3 Multi-Mission Sling, Black, 3K45T23 . . . \$ 47.45

#100-009-205EK MS3 Multi-Mission Sling, Dark Earth, 3K45T23 . . . 47.45

#100-004-450EK ASAP Adapter Plate 3K25U64 . . . 29.99

GEAR SECTOR AR-15/M16

SINGLE-POINT SLING

**Designed To Provide Fast &
Easy Weapon Attachment**



Easy-to-use, ambidextrous nylon web sling features a high strength, polycarbonate quick-release buckle that attaches to most weapon platforms and connects directly to your sling. Loops around your shoulder and torso providing unlimited freedom of movement and cross-shoulder transition. Universal buckle design accepts all current weapon attachment stubs allowing use of a single sling with multiple weapons. Features rip-cord pull adjustment for instant height adjustment without taking your eyes off the target. Contains dual quick-release adapters.

SPECS: Nylon webbing, black. Polycarbonate buckles, black. 34 1/2" (2.5cm) long x 1" wide, 4" stub.

#100-003-363EK ASP Torso Ambi Sling 9B29P20 . . . \$ 32.99

shoulder and under the opposing arm; easily transitions to the opposite shoulder. Adapts to other carry positions. Long section of ultra-thin, 2" wide elastic absorbs shock, spreads out weapon weight, and eliminates neck pinch for reduced operator fatigue. Three tri-glide adjustment loops. **Intrepid** - Three-point design with shock-absorbing elastic section positions the weapon horizontally or diagonally across body. Allows hands-free carry while keeping the weapon readily accessible and enabling fast transition from rifle to pistol.

SPECS: Mil-spec nylon webbing, polymer hardware, black.

#683-000-016EK A-Tac Single-Point Sling, 3H14A95 . . . \$ 15.99

#683-000-023EK 15" A-Tac Adapter 3H08A39 . . . 10.99

#683-000-022EK 27" A-Tac Adapter 3H08A39 . . . 9.99

#683-000-017EK Duty Two-Point Sling 3H08A46 . . . 9.99

#683-000-018EK Edge Two-Point Sling 3H12A84 . . . 14.99

#683-000-019EK Intrepid Three-Point Sling, 3H22A84 . . . 24.99

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 59

SPEC-OPS. PATROL SLING



Single- & Two-Point Modes For Secure, Comfortable Weapon Retention

Efficient, easy-to-use tactical sling is designed for law enforcement and military personnel who need a secure, economical sling that fits a variety of tactical rifles and shotguns. Installs quickly on any weapon with a fixed or collapsible stock that has 1¼" sling loops. Configure for basic two-point operation, or use the included clip-on strap for single-point carry that lets the shooter free the weapon from the sling with a squeeze of two fingers. Ambidextrous design shifts easily from one shoulder to the other for strong- or support-side carry. Made of durable, military-grade nylon webbing with reinforced zig-zag stitched seams and heat-sealed edges. "Strike Zone" section of two thick elastic cords fully encased by webbing material provides extra stretch for maneuvering the weapon during CQB or when fast transition from carry to shooting position is required. Heavy duty molded polymer slip locks allow plenty of adjustment for operator comfort and secure attachment to weapon. All hardware has smooth, rounded edges to prevent snagging on other gear.

SPECS: Nylon webbing, molded polymer hardware, black or coyote tan. Kit includes main sling body and detachable single-point strap section.

#100-004-451EK Patrol Sling, Black 7K25U04..... \$ 30.99
#100-004-452EK Patrol Sling, Coyote 7K25U04..... 30.99

SPEC-OPS. SLING 101

Three Point Sling Won't Interfere With Movement Or Accessories

Provides tangle-free use with rifles having lights, lasers and other attachments. One-piece construction lessens the chance of failure. Double-strap shoulder harness allows weapon to be carried backpack-style. Emergency quick-release lets user safely disengage from the sling by releasing one disconnect. Compatible with SOPMOD components.

SPECS: Nylon, black. 72" (183cm) long. Models available for fixed (AR-15/M16) and collapsible (M4) buttstocks.

#100-002-131EK Sling 101, AR-15/M16 7K24D00..... \$ 30.99
#100-002-132EK Sling 101, M4 7K25D57..... 30.99



VIKING TACTICS

V-TAC QUICK ADJUST SLING



Simple One-Hand Transition From Firing Position To Carry

Nylon web sling adjusts from carry to firing while moving into position. After firing, a quick tug on the lanyard returns sling to carry position. Designed to carry gun, muzzle down on your back. **Padded** model features a closed-cell foam shoulder pad for greater comfort when carrying heavy weapons long distances. **Buttstock Adapter** provides a correct, top-of-stock sling mounting point on fixed-stock rifles and shotguns.

SPECS: Nylon web, Black, Coyote, O.D. Green, or Foliage Green. 1" (2.5cm) wide. **Padded** model includes 20" (50.8cm) long x 1½" (4.7cm) wide shoulder pad. Adjusts 58" (147cm) to 63" (160cm).

#100-000-669EK V-TAC Sling, Black 7K28T97..... \$ 34.99
#100-005-403EK V-TAC Sling, Coyote 7K29P96..... 34.99
#100-005-404EK V-TAC Sling, O.D. Green 7K29P96..... 34.99
#100-005-405EK V-TAC Sling, Foliage Green 7K29P96..... 34.99
#100-002-868EK Padded V-TAC Sling, Black, 7K32P87..... 39.99



SPEC-OPS. MAMBA SLING



Quiet, Tangle-Free; Keeps Collapsible Stocked Weapon At The Ready

Three-point, tactical sling uses a unique stretch material to provide tangle-free motion in all tactical situations. Attaches to front sling adapter and to slot on collapsible buttstock. Floating strap adjusts quickly for different firing positions and releases quickly for hands-free mobility. Compatible with SOPMOD components.

SPECS: Nylon, Black or Coyote Tan. Fits rifles with M4 collapsible stock. 72" (183cm) long.

#100-002-130EK Mamba Sling, Black 7K32D00..... \$ 41.99
#100-005-920EK Mamba Sling, Coyote 7K32H00..... 41.99

T.H.E.® MAMBA COMBAT SLING

– "Tactical Holds Everything" model adds one- and two-point carry options to the three-point configuration of the original Mamba Sling. Quickly and easily connects to virtually any AR-15/M16 mount, as well as many U.S. military and civilian rifles and shotguns. Wide, 1¼" web strap, plus elasticized bungee extension, ensures comfortable carry and resists twisting and tangling. Heavy-duty, polymer hardware lets you quickly adjust length and completely release the weapon, if required.

SPECS: Nylon webbing, molded polymer hardware, Black or Coyote Tan. 84" (213cm) overall length.

#100-005-918EK T.H.E. Mamba Combat Sling, Black, 7K48C00..... \$ 62.99
#100-005-919EK T.H.E. Mamba Combat Sling, Coyote, 7K48H00..... 62.99

SPEC-OPS. AR-15/M16

T.H.E.® MAMBA™ COMBAT SLING

Versatile Single-, Two- Or Three-Point Configuration

"Tactical Holds Everything" sling adds one- and two-point carry options to the three-point configuration of the original Mamba Sling. Quickly and easily connects to virtually any AR-15/M16 mount, as well as many U.S. military and civilian rifles and shotguns. Wide, 1¼" web strap, plus elasticized bungee extension, ensures comfortable carry and resists twisting and tangling. Heavy-duty, polymer hardware lets you quickly adjust length and completely release the weapon, if required.

SPECS: Nylon webbing, molded polymer hardware, Black or Coyote Tan. 84" (213cm) overall length.

#100-005-918EK T.H.E. Mamba Combat Sling, Black, 7K48C00..... \$ 62.99
#100-005-919EK T.H.E. Mamba Combat Sling, Coyote, 7K48H00..... 62.99

#100-005-406EK Padded V-TAC Sling, Coyote, 7K35U10..... 39.99

#100-005-407EK Padded V-TAC Sling, O.D. Green, 7K35U10..... 39.99

#100-005-408EK Padded V-TAC Sling, Foliage Green, 7K35U10..... 39.99

#100-000-670EK V-TAC Buttstock Adapter, Black, 7K06T80..... 8.50

#100-005-399EK V-TAC Buttstock Adapter, Coyote, 7K06P80..... 8.50

#100-005-400EK V-TAC Buttstock Adapter, O.D. Green, 7K06P80..... 8.50

#100-005-401EK V-TAC Buttstock Adapter, Foliage Green, 7K06P80..... 8.50



SPECTER GEAR TACTICAL SLINGS

Keeps Your Hands Free & Your Weapon Ready



any type of AR-15 platform rifle or carbine. All Specter Gear slings are configured for ambidextrous use.

CLOSE QUARTERS COMBAT (CQB) SLING - Provides a choice of six carry options. Lets you keep your hands free and bring the weapon into action quickly. Soft and flexible for quiet, comfortable carry; will not generate a noise signature. Easily adjustable with no unnecessary straps, buckles or fasteners. **QR** models feature a quick release buckle that lets you quickly disengage from the weapon in emergency situations.

SPECS: Nylon web, black. 1¼" (3.2cm) wide. Length varies per model. M1A Springfield fits models with the Springfield Armory synthetic stock. UNIV models fit rifles and shotguns with existing 1" or 1¼" side sling mounts.

STOCK #	MODEL	PRICE
#100-000-376EK	AR-15, full stock	4K22P00 \$ 24.99
#100-000-728EK	AR-15 QR, full stock	4K25A14 \$ 29.99
#100-000-377EK	CAR-15 w/std handguard	4K22P00 \$ 24.99
#100-000-729EK	CAR-15 QR, std handguard	4K25A14 \$ 29.99
#100-000-378EK	CAR-15 w/M4 handguard	4K22P00 \$ 24.99
#100-000-730EK	CAR-15 QR, M4 handguard	4K25A14 \$ 29.99
#100-001-226EK	CAR-15, Side-Mount Front Sling Swivel	4K22D00 \$ 24.99
#100-001-227EK	CAR-15QR, Side-Mount Front Sling Swivel	4K25D14 \$ 29.99

SPECIAL OPERATIONS PATROL (SOP) SLING - Wide, 1½" nylon webbing distributes weight for comfortable carry. 1" mounting straps provide free, non-binding movement, so the sling moves with your body. Transition-release buckle lets you quickly shift from right- to left-shoulder carry or firing. Sling remains attached so you can drop the rifle to your side and keep both hands free. All models feature the ERB, quick release buckle that lets you disengage from the firearm in emergency situations unless otherwise noted in price line.

SPECS: Nylon web, Velcro fasteners, black or OD green. 1½" (3.8cm) wide. Approximately 38" (96.5cm) long. CAR-15 fits collapsible stock only. Remington 870 fits standard stock.

STOCK #	MODEL	PRICE
#100-000-797EK	AR-15, full stock, black	4K28Z81 \$ 34.99
#100-000-798EK	AR-15, full stock, OD	4K28Z81 \$ 34.99
#100-000-799EK	CAR-15, std hndgrd, black	4K28Z81 \$ 34.99
#100-000-800EK	CAR-15, std hndgrd, OD	4K28Z81 \$ 34.99
#100-001-231EK	CAR-15 w/Front Side Sling Swivel, black	4K28D81 \$ 34.99

HIGH-SPEED TRANSITIONS (HST) SLING - 1¼", nylon-webbed

sling is perfect where rapid, cross-shoulder and secondary-weapon transitions are crucial to survival. Attaches easily to a side, single mounting point, receiver sling mount. Includes the ERB, quick-release buckle for emergency disengagement; ambidextrous design fits right- and left-handed shooters.

SPECS: Nylon web, Velcro fasteners, black or OD green. 1¼" (3.2cm) wide. Approximately 48" (122cm) long. Universal fit; attaches to sling mount.

#100-001-232EK Universal HST Sling 4K12X90.... \$ 21.50

DPMS AR-15/M16 SLING ADAPTER



Tangle-Free Sling Operation

Repositions the sling attachment point to between the receiver and buttstock. Gives greater control and retention for faster, safer handling. Rifle is instantly available, and the sling won't get tangled or interfere with rifle operation. Fits AR-15 fixed stocks.

SPECS: Aluminum, black, matte finish. Includes spacer and longer buttplate screw for A1/A2 model.

#231-000-008EK A2 Sling Adapter 3B40X24..... \$ 50.30

GEN II MOUT TACTICAL SLING - Redesigned, "Gen II" version

of the popular Military Operations on Urbanized Terrain (MOUT) dynamic entry sling includes all the life-saving features recommended by U.S. troops returning from service in Afghanistan and Iraq. A separate, 1" wide, connector strap attaches to your rifle's receiver sling mount, while the heavy-duty polycarbonate quick-release clasp allows immediate disconnect of weapon from the shoulder harness, so you can instantly mount/dismount a vehicle or take an unconventional shooting position without removing the body loop. 1¼" wide webbing ensures hours of comfortable carry. Single attachment point enables rapid, unobstructed cross-shoulder and secondary weapon transitions. Sling comes with one connector. Spare Connectors can be purchased to allow you to use one MOUT sling on more than one weapon.

SPECS: Nylon webbing, polycarbonate clasp and keepers, black. Approximately 40" (107 cm) long including connector. Attaches to weapons equipped with a side mounted, receiver sling mount. Gen II connector fits Gen II MOUT sling only; will not fit original MOUT sling.

#100-005-608EK Gen II MOUT Sling w/Connector, 5L15H07..... \$ 22.99
#100-005-328EK Gen II MOUT Sling Connector, Only, 5L03H75..... 4.99

GEN II VIPER SLING -

Single-point, nylon sling with two elastic shock cords lets you wear the sling a little tighter, yet easily allows cross shoulder transition. Heavy-duty double-ring mash hook clips securely to any loop-style sling adapter. Built-in release buckle lets you disconnect the weapon quickly and keep the sling on your body—ideal for fast mounting/dismounting from vehicle or transition to unconventional shooting position. A second, "emergency" release buckle in the loop itself allows quick egress from the entire sling. 1½" wide nylon webbing provides optimal comfort with heavier weapons. Additional Mash hook attachments available separately, below.

SPECS: Nylon webbing, polycarbonate buckles and clasp, black. Steel Mash hook. 30" (76cm) diameter, 1½" (3.8cm) wide.

#100-005-966EK Gen II Viper Sling 8L27H69..... \$ 34.99

MASH HOOK - Spring steel, pinch-release buckle

fits both Gen II Viper and MOUT Tactical slings.

SPECS: Steel, black finish.

#100-005-972EK Mash Hook Attachment 8L04H54... \$ 5.99

OWN IT? INSTALLED IT? TRIED IT?

RATE IT! ★★★★★ 50

Go online at www.brownells.com and review products you have used. Would you recommend it to a friend? Would you purchase it again? Have any useful tips you think others might benefit from? Share it! Your opinion matters to us!

IBD PRODUCTS THREE-POINT SLING

Hands-Free Control
Of Your Firearm;
No Swivels Needed

Adjustable, nylon, three-point tactical sling fits any fixed-stock long gun for comfortable, hands-free, ready-position control. Attaches without tools, swivels, or swivel studs. Available in black. **SPECS:** Nylon webbing, black. Polymer keepers, black. Approximately 36" (91cm) OAL, 1½" (3.8cm) wide. Ambidextrous. **#100-001-339EK 3-Point Sling, Black 1A40B10 \$ 49.99**

TAPCO TACTICAL SLING SYSTEM



Versatile
Single- & Two-Point
Configurations To
Support Multiple
Mission Profiles

Modular, nylon webbing sling can be configured for single- or two-point attachment so you can change your carry mode for each mission. Designed for convenient integration with Tapco's Intrafuse modular rifle furniture, this sling works with common sling attachment systems on today's tactical rifles. Configure with the included Y-adapter and HK-style snap hook for single-point carry that allows fast transition from one shoulder to the other. Snap on the strap modules and thread the straps through 1¼" sling loops to configure for traditional, two-point carry for maximum comfort and stable weapon retention. Main sling body is 1½" wide to help disperse load and prevent digging into neck and shoulders.

SPECS: Nylon webbing, molded polymer hardware, steel snap hook, black. Kit includes main sling body, two strap attachment modules, Y-attachment harness, and HK-style snap hook module. **#100-004-127EK Tactical Sling, Black 5A32T75 \$ 34.99**
#100-004-295EK Tactical Sling, Coyote 5A32Z75 \$ 34.99

TROY INDUSTRIES BATTLESLING

Overbuilt For Secure
Weapon Support &
Adjustable For
All-Day Carry Comfort



Heavy-duty CQB sling is designed for strength, durability, and comfortable at-the-ready carry for long periods of time without fatigue. The BattleSling is overbuilt from tough 1.375" wide nylon webbing that resists tearing, stretching, and fraying under punishing tactical use. Rugged molded polymer ITW Nexus/Fastex hardware adjusts easily to place the weapon anywhere on the operator's chest for hands-free carry, while keeping it positioned for immediate deployment. Wide, non-slip shoulder pad helps distribute the rifle's weight and is reversible for strong- or weak-side carry. Available in **Single-Point** or **Two-Point** configuration in Black or IR-signature-inhibiting Coyote Tan. Single-Point also available in Foliage Green.

SPECS: Heavy-duty nylon webbing with polymer hardware, Black, Coyote Tan, or Foliage Green. **#100-004-057EK Single-Point BattleSling, Black, 3B33C43 \$ 36.99**
#100-004-058EK Single-Point BattleSling, Coyote Tan, 3B33C43 \$ 36.99
#100-004-059EK Single-Point BattleSling, Foliage Green, 3B33C43 \$ 36.99
#100-004-121EK Two-Point BattleSling, Black, 3B36Y21 \$ 39.99
#100-004-122EK Two-Point BattleSling, Coyote Tan, 3B36Y21 \$ 39.99

BROWNELLS CAR-15/M4 LOW-PROFILE AMBI SLING ADAPTER

Compact, Slimline Design
Won't Snag On Brush Or Clothing



Steel sling adapter features a unique slot/hole configuration that keeps the plate as slim and compact as possible to help eliminate snags on brush and your BDUs when carrying rifles with collapsible stocks. Accepts both 1¼" wide webbing and single-point clip-on tactical slings. Move the sling from one side of the receiver to the other or swap it for a different one in seconds. Provides plenty of clearance for forward assist and easy access for clearing jams. Replaces factory receiver plate without gunsmithing. **SPECS:** Steel, black oxide finish. Fits AR-15/M16 with an M4-type collapsible stock. 2" (5.2cm) long, 1½" (4.6cm) wide, ½" thick. **#080-000-381EK Low-Profile Sling Adapter, 8K19C64 \$ 23.99**

WILDERNESS TACTICAL PRODUCTS SINGLE-POINT SLING



Allows Rapid Left- Or
Right-Side Transition &
Hands-Free Carry

Heavy-duty, nylon sling holds your weapon in a comfortable ready position for easy access when needed. Features a single loop for unlimited freedom of movement and rapid cross-shoulder transition from right- to left-side carry. Proprietary quick-release buckle made of high-strength Delrin® lets you quickly open and disengage the sling in emergency situations. Fits all 1¼" wide, loop-type sling attachment points. **Quick Detach Adapter** is an optional quick-release buckle that allows complete weapon removal from the sling. Sling threads through one side of the quick-release buckle and included webbing threads through weapon sling attachment point. With several Quick Detach Adapters, you can use one sling with multiple weapons. A second Quick Detach added to the front sling loop allows the Single-Point to immediately convert to a 2-point carry sling. Fits all rifles and shotguns equipped with a 1¼" wide, loop-type sling attachment point. Single-Point Sling and Quick Detach sold separately. Available in black and coyote brown. **SPECS:** Nylon webbing, black or coyote brown. Delrin buckles & quick releases, black. 32" (81cm) long x 1½" (2.9cm) wide. **#100-004-332EK Single-Point Sling, Black 3A21P95 . \$ 25.00**
#100-004-333EK Single-Point Sling, Coyote, 3A21U95 . \$ 25.00
#100-004-334EK Quick Detach Adapter 3A08U00 . . . 10.00

DOUBLE STAR AR-15/M16 SLING ADAPTER END PLATE

Increases Sling-Attachment
Versatility On Collapsible-Stock
Rifles & Carbines



Machined steel replacement for the factory receiver plate gives an AR fitted with an M4-type collapsible buttstock a convenient, low-profile attachment point for clip-on, single-point slings. Precision machined from 1018 carbon steel for superior strength and an exact fit, with a durable manganese phosphate Parkerized finish that resists surface abrasion and corrosion, and matches the finish on mil-spec anodized receivers. Available in single-loop **Right-Hand (RH)** model and **Ambi** configuration that lets you swap the sling from one side of the receiver to the other. **SPECS:** 1018 steel, Parkerized, matte black finish. Fits AR-15/M16/M4 and clones fitted with M4-style collapsible buttstock. **#100-004-532EK Ambi Sling Adapter Plate 2Z07Y25 . \$ 9.99**
#100-004-533EK RH Sling Adapter Plate 2Z09T17 . . 11.99

BROWNELLS AR-15/M16 A2 SINGLE-POINT SLING ADAPTER

Gives Your Fixed-Stock Rifle
The Versatility Of Quick-Detach
Sling Mounting



Low-profile adapter gives an AR-15/M16 with an A2-style buttstock the convenience and versatility of single-point clip-on sling attachment. Lets you combine the stable cheekweld of a fixed rifle buttstock with the ease of the latest, quick-attach tactical slings. Precision machined from 4140 carbon steel for extra strength, with extra metal on the attachment loop, so no matter how hard you pull or twist the sling, this adapter won't break. **Right Hand (RH)** model has the loop on the left side to accommodate right-handed shooters; **Left Hand (LH)** model has the loop on the right for left-handed shooters. Requires no permanent alterations to rifle: simply remove the buttstock, slide the adapter over the receiver extension tube, and reinstall the stock using the included spacer and extended buttplate screw. **SPECS:** 4140 steel, black oxide finish. **#080-000-687EK RH A2 Single-Point Sling Adapter, 8K34Z77 \$ 39.99**
#080-000-658EK LH A2 Single-Point Sling Adapter, 8K34V77 \$ 39.99

BUTTON SLING AR-15/M16 UNIVERSAL AMBI SLING ADAPTER



For Fast, Easy Attachment Of
Clip-On Slings To M4-Type Stocks

Clamp-on sling adapter provides secure, low-profile, ambidextrous attachment for single-point clip-on slings on rifles with M4-type collapsible buttstocks. Doesn't require disassembly of receiver extension or existing endplate to install. Slides over extension and clamps down tight with a unique cross-lock system that adjusts to fit both mil-spec (1.14" O.D.) and larger-diameter commercial (1.16" O.D.) tubes. Rugged, machined aluminum and steel construction, with a uniform, matte black finish that matches most factory receivers and tubes. **SPECS:** Clamp - Aluminum, hardcoat anodized, matte black. Cross-lock - Steel, black oxide finish. Fits M4-style carbine receiver extension tube. **#100-004-466EK Universal Sling Adapter, 7B23U18 \$ 29.99**

CROSSTAC CAR-15/M4 AMBI SINGLE-POINT SLING CONNECTOR

Ultra-Low Profile, Snag-Free Design



Minimal profile sling adapter plate provides secure, ambidextrous attachment for single-point tactical slings on carbines or converted shotguns with M4 collapsible buttstocks. The attachment loop centers under the receiver extension nut, out of the way, where it can't snag on clothing, gear, brush or the sling, and won't interfere with access to the selector lever. Helps weapon hang flat against your body when released, yet also allows fast, positive re-grip when needed. Accepts most sling hooks, including MASH hooks, H&K connectors, and ZM-style clasps. Fits M4-type collapsible stocks with mil-spec and commercial buffer tubes, including shotgun conversions that use the M4 tube. Precision machined from high-quality steel, then Parkerized dark gray for wear resistance and a close match to factory rifle finishes. **SPECS:** Steel, black, matte, Parkerized finish. **#100-003-181EK Single-Point Sling Adapter, 5A19X39 \$ 29.99**

DANIEL DEFENSE AR-15/M16/M4 BURNSED LOOP SLING ADAPTERS

Easy To Install; For Secure Mounting Of
Tactical Slings



Lightweight sling adapter plates, designed by Ashley Burnsed, install easily on rifles with fixed A1/A2 buttstocks and CAR-15/M4 collapsible buttstocks. Provide 1¼" receiver sling loops for attaching single-point tactical slings. Precision CNC-machined from 6061 T6 aluminum and T3 mil-spec hardcoat anodized. Installs between buttstock and the lower receiver. Kit includes all necessary mounting hardware. Adapter may be removed easily, and rifle or carbine may be returned to original configuration. Separate models for **A1** and **A2** fixed stocks, and **CAR-15/M4** collapsible stocks. **Right Hand (RH)** style positions loop on left side of rifle for right-handed shooters. **Ambidextrous (Ambi)** style has sling loops on both sides of adapter plate. **SPECS:** 6061-T6 aluminum, hardcoat anodized, matte black. A1 and A2 models include sling adapter plate, spacer, replacement buttstock screw, and instructions. CAR-15 model includes sling adapter plate and instructions. **A1 - Fits AR-15/M16 with A1 buttstock. A2 - Fits AR-15 with A2 buttstock. CAR-15/M4 - Fits carbines with collapsible stock.** **#100-000-779EK RH A1 Sling Adapter 8K30D00 . . . \$ 33.00**
#100-000-780EK RH A2 Sling Adapter 8K30D00 . . . \$ 33.00
#100-000-778EK RH CAR-15/M4 Adapter 8K20U79 . . 26.55
#100-003-156EK Ambi A2 Sling Adapter 8K25Y20 . . 31.50

DANIEL DEFENSE AR-15/M16 EZ CARBINE SLING MOUNT



Clamps On Any Adjustable Stock
Carbine In Seconds

Aluminum mount clamps directly to the receiver extension tube of an adjustable-stock carbine to provide an ambidextrous, near-receiver attachment point for a single point sling. Installs in seconds and requires no disassembly of the stock or tube—ideal for agencies, departments, and military units that are restricted from modifying issued weapons. Built-in rotation limiter lets you position swivel horizontally or vertically to prevent sling tangling and maintain optimal weapon control. The included heavy-duty quick-detach, push-button swivel accepts slings up to 1¼". **SPECS:** Mount - 6061 T6 aluminum, hardcoat anodized, matte black. 5/8" (1.6cm) long, 2¼" (5.4cm) wide, 2" (5cm) tall. 2.8 oz. (79g) weight. Fits mil-spec and commercial receiver extension tubes for M4-type adjustable buttstock. QD Swivel - Steel, matte black oxide finish. Accepts slings up to 1¼". **#100-005-805EK EZ Sling Mount 8K42V86 \$ 47.00**

GRSC CAR-15/M4 CAR AMBI SLING ADAPTER

Allows Rapid Switch From
Right- To Left-Hand Carry



Steel, sling adapter replaces the issue, receiver plate to provide a rock solid attachment point for fast handling, tactical slings on CAR-15 rifles. Ambidextrous slots accept 1¼" wide webbing, rings accommodate carry straps with snap fasteners. Allows the sling to be switched from right or left side of receiver in seconds. Keeps sling tangle-free and provides the proper balance and stability for hands-free carry. **SPECS:** Steel, Parkerized finish. 2½" (6.5cm) long, 2¼" (5.2cm) high, 3/32" (2.4mm) thick. Fits CAR-15 rifles. **#100-001-467EK CAR Ambi Sling Adapter 6A08Z99 . \$ 9.99**


Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 61

GG&G CAR-15/M4 AGENCY SLING ADAPTER



Designed To Fit All Carbines,
Regardless Of Buffer Tube
Diameter

Clamps around the castle nut to eliminate any fitting issues associated with different sized buffer tube diameters. Use with a single point sling, or install a front sling mount for two-point sling attachment. Contoured clamping halves draw tight with Allen head cross-bolt for a solid, no-slip fit. Slotted version accepts 1 1/4" wide web slings; loop model accepts HK-style clasps and other clip-on sling fasteners. Precision machined from 7075 aluminum alloy and Mil-Spec Type III hardcoat anodized. **Right Hand (RH) Slot** attaches sling to left side of receiver for right-hand shooters. **Left Hand (LH) Slot** attaches sling to right side of receiver to accommodate left-hand shooters. **Ambi Slot** includes slots on both sides for ambidextrous attachment of web slings; **Ambi Loop** provides the same provisions for clip-on slings. ■

SPECS: Aluminum, matte black. Fit AR-15 rifles and carbines with collapsible buttstocks. **RH/LH Models** - 5/8" (1.7cm) long, 2" (5.1cm) wide, 2" (5.1cm) high. **Ambi Models** - 5/8" long, 2 3/8" (6.1cm) wide, 2" high.

#336-000-001EK RH Slot Adapter 6C25D50 \$31.50
#336-000-002EK LH Slot Adapter 6C25D50 \$31.50
#336-000-003EK Ambi Slot Adapter 6C25D50 \$31.50
#336-000-004EK Ambi Loop Adapter 6C25D89 \$31.99

MAGPUL AR-15/M16 ASAP SLING ADAPTER

Gives Operator A Major Tactical Advantage
With 180° Of Unrestricted Sling Movement

Ambidextrous Sling Attachment Point helps the operator adapt quickly to changing tactical situations by allowing rapid switching of weapon from one shoulder to the other. An unrestricted 180° of sling movement lets you change shoulders to take maximum advantage of available cover, address targets around corners or other barriers, or shift weapon position if one arm is injured. Works with any single-point sling that attaches with a quick-release snap-hook, and fits any rifle or carbine with an M4-type collapsible buttstock. Simply remove the factory receiver end plate and replace with the ASAP; requires no other alterations to weapon, so you can continue to use your original receiver extension, buttstock, and sling. Heavy duty cast steel construction with a 1/8" thick link ring, protected by a durable, wear- and corrosion-resistant mil-spec black manganese phosphate Parkerized finish. Fits both Commercial and Mil-Spec receiver extensions. ■

SPECS: Steel, Parkerized, matte black. Fits both mil-spec and commercial/universal M4-type receiver extensions.

#100-004-450EK ASAP Sling Adapter 3K25U64 \$29.99

BLUE FORCE GEAR AR-15/M16 RAIL MOUNT SLING LOOP

Versatile, Low-Profile Forward Sling Mount

Low-profile sling loop clamps to Picatinny handguard rail and provides a secure, versatile forward mounting point for a 1" sling. Precision machined from billet aluminum with rounded edges to prevent snagging on other gear. Fixed, non-pivoting design prevents rattles and unwanted sling shifting.

SPECS: Aluminum, hardcoat anodized, black. Stainless steel cross-bolt, black oxide finish. 1 1/2" (3.8cm) long. .6 oz. (17g) wt.
#100-005-192EK Rail Mount Sling Loop 7A20C39 . . . \$23.99

MIDWEST INDUSTRIES AR-15/M16 SLING ADAPTER

Installs Easily; Choose Your Sling Position
On Collapsible Stocks; Made In The U.S.A



Hard anodized, 6061 aluminum sling adapter clamps to collapsible stock buffer tubes with no need for special tools or to remove the buffer tube. Two models available: **Loop** for claw-type clasp; or **Slot** for conventional web slings. Adapters can be used with single-point, two-point, or three-point tactical slings and are ambidextrous for use with right- or left-hand operation. Does not interfere with normal operation of collapsible stock. ■

SPECS: 6061 aluminum, hard anodized, matte black. Fits 4- or 6-position collapsible stocks. No gunsmithing required.

#100-002-123EK Loop Sling Adapter 2A30H41 \$39.99
#100-002-122EK Slot Sling Adapter 2A30H64 \$39.99

END PLATE SLING ADAPTER - Ambidextrous, quick-detach sling swivel can be mounted on either side of the mounting plate on adjustable M4-type buttstocks so you can position your sling for optimum comfort and versatility. Hard coat anodized, 6061 aluminum body with a matte black finish holds up to the toughest use and won't crack or break over years of shooting. Won't interfere with the operation of stock and works well with single-point, two-point, or three-point tactical slings.

SPECS: 6061 aluminum, hard anodized, matte black. Fits 4- or 6-position collapsible stocks. No gunsmithing required.

#100-002-613EK End Plate Sling Adapter 2A32Y00 . \$42.99

MCTAR-30HD SLING ADAPTER - No gunsmithing required, extra heavy-duty ambidextrous sling swivel mount simply clamps onto the buffer tube. Includes 1 1/4", mil-spec, push-button, quick-detach sling swivel that can be mounted on either side or the center of the adapter body. Fits adjustable M4-type buttstocks. Hard coat anodized, 6061 aluminum body with a matte black finish is built to take extreme duty use without failure. Won't interfere with the operation of stock. Makes an excellent choice for adding an easy quick-release feature to any single-point, two-point, or three-point tactical sling. Made in the U.S.A.

SPECS: 6061 aluminum, hard anodized, matte black. Fits 4- or 6-position collapsible stocks. No gunsmithing required.

#100-002-876EK MCTAR-30HD Sling Adpt 2A47B67 \$63.99

VLTOR AR-15/M16 SINGLE ATTACHMENT SLING ENDPLATE

Unique Indexing Washer
Allows Fast, Easy
Installation For Right- Or
Left-Hand Shooters

Ambidextrous, all steel endplate provides secure, balanced single-point sling attachment, so your collapsible-stock rifle or carbine can be carried tangle-free in the ready position at all times. Special indexing washer with screw interfaces with the rear of the receiver to allow easy installation for right- or left-hand use. **SASE-1** features a single slot that accepts conventional 1 1/4" wide webbing. **SASE-2** has loop to accept HK-style hook or carabiner clips. ■

SPECS: Steel, black, matte finish. 2 1/16" (5.2cm) long, 1 3/8" (3.5cm) wide, 1/8" (3.2mm) thick. .7 oz. (20g) wt. Fits AR-15/M16/M4 and clones with collapsible stock.

#100-003-184EK SASE-1 Slotted Endplate, 3A14X95 \$18.95
#100-003-185EK SASE-2 HK-Style Endplate, 3A14X99 \$18.95

TROY INDUSTRIES AR-15/M16 END PLATE SLING MOUNTS



For Secure, Ambidextrous
Attachment Of Slings With
Push-Button QD Swivels

Replaces factory receiver end plate and provides secure, ambidextrous attachment for the push-button QD sling swivel. Made of hardened aluminum with extra metal at the stress points to ensure this mount won't fail during hard use. Rounded edges resist snagging on sling or other gear. Hardcoat anodized for extra strength and wear resistance, with a matte black finish that matches most factory buffer tubes. Heavy-duty stainless steel swivel accepts slings up to 1 1/4" wide and allows a full 360° of rotation. ■

SPECS: Mount - Aluminum, hardcoat anodized, matte black. Swivel - Stainless steel, matte black finish. Accepts slings up to 1 1/4" (3.2cm) wide. **M4** fits M4-style carbines with adjustable buttstock. **M16A4** fits A2/A4-style fixed-stock rifles. M16 models include replacement spacer and buttstock screw.

#100-004-383EK M4 Sling Mount 3B42X00 \$52.95
#100-004-385EK M16A4 Sling Mount 3B42X00 \$52.95

ACE LTD. AR-15/M16 SLING MOUNT/TACTICAL BOTTLE OPENER

Secure Clip-On Sling Attachment
Point Also Gets That Cold Soda
Opened Quickly After The
Shooting's Done

Dual-purpose aluminum sling mount clamps to a handguard rail and accepts HK-style snap hooks and similar clip-on sling attachment systems. And, yes, the hook on the other side of the SMTBO is a bottle opener, so you're not caught after the shoot (competition, prairie dog hunt, Zombie assault, etc.) without the right tool to open a refreshing beverage. Steel socket head screw securely clamps the mount to any MIL-STD 1913 Picatinny accessory rail.

SPECS: 6061 T6 aluminum, hardcoat anodized, black. Steel cross-bolt, black. 1 3/4" (4.4cm) long, 3/8" (9mm) wide, 3/4" (1.9cm) high.

#100-006-795EK Sling Mount/Tactical Bottle Opener, 2Z12V14 \$14.99

TROY INDUSTRIES AR-15/M16 PROFESSIONAL-GRADE SLING ADAPTER

Provides Quick-Detach, Ambi Sling
Mounting; Built To Handle The Stress
Of Tactical Use

Heavy-duty sling adapter slides over collapsible stock buffer tubes to provide secure, ambidextrous attachment for the push-button QD sling swivel. No gunsmithing required—simply tighten down the steel crossbolt with the included hex key wrench. Solid aluminum construction with plenty of extra metal at the stress points to ensure this mount won't twist, flex, or bend under pressure. Beveled and rounded edges help resist snagging on sling or other gear. Indexes to upper receiver to prevent unwanted rotation of buffer tube. Hardcoat anodized for extra strength and wear resistance; available in matte black or dark earth. Stainless steel swivel has a non-reflective black finish and allows a full 360° of rotation. ■

SPECS: Aluminum, hardcoat anodize, matte black or dark earth, with stainless steel sling swivel, matte black finish. Accepts slings up to 1 1/4" (3.2cm) wide.

#100-004-055EK Pro-Grade Sling Adapter, Black, 3B45C50 \$49.99
#100-004-056EK Pro-Grade Sling Adapter, Dark Earth, 3B49C00 \$49.99

GEAR SECTOR AR-15/M16 CLAMP-ON SLING MOUNT



Versatile,
Customizable
Sling Mounting
Options

Low-profile sling mount attaches to any Picatinny handguard rail to provide a variety of forward mounting options for two- and three-point slings. Machined from solid aluminum billet for superb strength, with a locking bar and hex head steel bolt that clamp solidly to the rail. Smooth, snag-free shape is designed to fit flush with Tango Down rail panels. **Fixed Loop** is a slide-through loop for 1" wide slings. **Quick-Detach** accepts standard push-button quick-detach sling swivels; designed to prevent swivel rotation and unwanted sling twist. Available alone or with a heavy-duty Gear Sector steel sling swivel included. **H&K** accepts H&K-style clip-on sling swivels. ■

SPECS: 6061 T6 aluminum, MIL-A-8625F Type III, Class II hardcoat anodized, Matte Black or Dark Earth. **Fixed Loop/Quick Detach** - 1" (2.5cm) long, 1 1/16" (3.7cm) wide, 3/4" (2cm) high. Accepts 1" wide slings. **H&K** - 1" long 1 1/16" wide, 7/8" (2.2cm) high.

#100-005-324EK Fixed Loop Sling Mount, Black, 9B31A96 \$35.99
#100-005-325EK Fixed Loop Sling Mount, Dark Earth, 9B34Y36 \$35.99
#100-005-322EK QD Sling Mount, Black 9B31A96 \$35.99
#100-005-323EK QD Sling Mount, Dark Earth, 9B34A36 \$38.99
#100-005-320EK QD Sling Mount w/Swivel, Black, 9B38A36 \$42.99
#100-005-321EK QD Sling Mount w/Swivel, Dark Earth, 9B40A76 \$45.99
#100-005-318EK H&K Sling Mount, Black 9B39A96 \$44.99
#100-005-319EK H&K Sling Mount, Dark Earth, 9B42A36 \$47.99

NOVESKE AR-15/M16 QD SLING ADAPTER & SWIVEL

Replacement Receiver End Plate
For Mounting Pushbutton Sling Swivel

Low-profile ambidextrous mount replaces the factory receiver end plate to allow easy attachment of a QD sling swivel to the rear of the receiver. Won't interfere with access to weapon's controls, and won't snag on foliage, vehicle, or other gear. Made of steel to allow proper staking of buffer tube lock nut on the lower receiver. Compatible with mil-spec lower receivers with M4-style collapsible stocks. Lets collapsible stocks collapse fully. Separately available QD sling swivel accepts 1 1/4" wide slings and gives a full 360° of rotation.

SPECS: Steel, Parkerized, dark gray finish. Fits AR-15/M16 with M4-type collapsible stock.

#100-004-756EK QD Receiver End Plate, 1A00ZAY \$24.99
#100-004-757EK QD Sling Swivel 1A17P14 \$19.99

UNCLE MIKE'S MIL-SPEC SWIVELS

Withstands The Toughest,
Most Demanding Conditions

Heavy duty, 1 1/4 inch swivels provide necessary stamina and durability for extended tactical and field use. 500 pounds of pull strength plus stainless steel construction that meets the weather resistance standards of the U.S. Military. SwivelLock® prevents accidental opening, provides fast attachment.

SPECS: MIM 4600 stainless steel, matte finish. 1 1/4" loops.
#593-000-002EK Mil-Spec Swivels 3E18A24 \$21.99

COLT DEFENSE LL M4 USGI BARREL MOUNT SWIVEL

The Same, Tactical Sling Mount
Used By Our Armed Forces

This genuine, Colt factory part is the one used by our GI's on the M4 carbine to allow attachment of M203 grenade launchers or forward mounted lights and lasers. Steel, two-piece unit clamps directly around the barrel between the barrel bands of the Mil-Spec front sight housing. Can be mounted at the right or left side of weapon and features a rubber-coated swivel to eliminate sling abrasion and noise. No modifications or gunsmithing required. Also fits AR-15/M16 rifles with conventional front sight housing.
SPECS: Black, hardened steel. $\frac{9}{16}$ " (1.4cm) long, $1\frac{1}{16}$ " (4.3cm) wide. Fits barrels .650" (16.5mm) to .750" (19.1mm) diameter.
#160-000-352EK Tactical Front Sling Mount, 6A40B89 \$ 51.11

DANIEL DEFENSE AR-15/M16 RAIL MOUNT QD SLING SWIVEL

Helps Stabilize Weapon To Prevent Gun Roll

Uniquely designed, quick-detach swivel mount limits rotational movement to help achieve optimum weapon balance and control with popular tactical slings. Attach anywhere along headed forearms; robust, aluminum clamping block with hex head cross-bolt locks mount securely to any Picatinny or Weaver-style rail platform. Extra heavy-duty, steel, push-button swivel removes quickly, so operator can break-away from the sling in emergency situations. Can be mounted for right- or left-hand use and adapts to 2- and 3-point sling configurations. Swivel rotation is limited to approximately 45° to help stabilize the weapon and eliminate sling tangle.
SPECS: 6061 T6 aluminum, Mil-Spec Type III, hardcoat anodized, black. $1\frac{1}{4}$ " (3.2cm) long, 1" (2.5cm) wide, $\frac{5}{8}$ " (1.6cm) high, 1 oz. (28g) wt.
#100-002-987EK QD Rail Mount Swivel 8K34H29 . . . \$ 37.00

FALCON INDUSTRIES AR-15/M16 RAIL SLING ADAPTER

Locks To Accessory Rail
For Instant Sling Attachment

Solid, one-piece aluminum mount with steel, pivot pin and swivel attaches to any Picatinny or Weaver-style accessory rail for instant sling attachment. Nylon tip set screw locks mount to rail. Quiet, rubber-coated swivel prevents metal-to-metal slap and eliminates sling wear at point of contact. Accepts slings up to $1\frac{1}{4}$ " wide.
SPECS: Base - Aluminum. Swivel/Hardware - Steel. Matte black finish. $\frac{5}{16}$ " (1.4cm) long, $1\frac{1}{4}$ " (3.2cm) wide, $1\frac{5}{8}$ " (4.1cm) high. Fits slings up to $1\frac{1}{4}$ " wide.
#573-000-034EK Rail Sling Adapter 3G17B74 \$ 22.00

COMMAND ARMS AR-15/M16 PUSH BUTTON SLING SWIVEL

For Secure, Quick-Detach Installation Of
Extra-Wide Slings

Extra-wide steel swivel accepts slings up to $1\frac{1}{2}$ " wide for attachment to a Command Arms Modular Buttstock or similar component that accepts a standard push button swivel. Smooth-operating, centrally located button and polished ball-bearing locking mechanism ensure easy attachment.
SPECS: Steel, black oxide finish. Accepts slings up to $1\frac{1}{2}$ " wide.
#100-004-881EK Push Button Sling Swivel, 6C08H79 \$ 9.99

IMPACT WEAPONS COMPONENTS 2-TO-1 POINT

TRIGLIDE ADAPTER

Converts Your 2-Point Sling To A
Single-Rail Sling

Aluminum adapter threads on the rear strap of any 1" wide sling to quickly convert a 2-point sling into a highly maneuverable single-point sling, and back. "Universal" socket accepts any pushbutton QD sling swivel, HK-style clip, and MASH connectors - amazingly handy and easy to use. Instructions included.
SPECS: 6061 T6 aluminum, Type III hardcoat anodized, black. $2\frac{3}{32}$ " (2.1cm) long, $1\frac{1}{2}$ " (3.8cm) high.
#100-006-831EK 2-to-1 Triglidge QD Sling Adapter 2C16Z51 \$ 19.95

GG&G AR-15/M16 SLING THING

Secure, Clamp-On
Front Sling Mount

Low-profile, machined aluminum adapter lets you put a secure and versatile front sling attachment point exactly where you want it. Aids in comfortable, hands-free carry of your rifle and quick transition from carry to shooting stance. Two-piece clamping system with a hardened steel crossbolt ensures a rock-solid attachment on the side of the weapon, the position now preferred by many tactical shooters. Accepts slings up to $1\frac{1}{4}$ " wide. Rail Mount attaches to a handguard Picatinny rail and is easy to position where it won't interfere with other accessories. Sight Mount locks securely to either side of the A2 front sight tower/gas block. Both models install easily with a $\frac{3}{4}$ " hex wrench.
SPECS: 6061 T6 billet aluminum, Type III hardcoat anodized, matte black. Loop accepts slings up to $1\frac{1}{4}$ " (3.2cm) wide. Rail Mount - $1\frac{3}{8}$ " (3.5cm) long, $\frac{7}{8}$ " (2.2cm) wide. Sight Mount - $1\frac{1}{8}$ " (2.9cm) long, $\frac{3}{4}$ " (1.9cm) wide.
#336-000-040EK Sling Thing, Rail Mount 6C29Z81 . . . \$ 34.99
#336-000-039EK Sling Thing, Sight Mount 6C25Z71 . . . 30.99

KNS PRECISION AR-15/M16

QUICK RELEASE SLING SWIVELS

Tough,
Parkerized Finish,
Greater Sling
Attachment Options

Swivel studs with cross drilled mounting holes allow vertical or side carry. Front swivel stud attaches to free float or A-2-style detachable handguards. Requires drilling a single mounting hole in free float tubes. Rear QD sling stud replaces fixed military-type without modification to stock. Uncle Mike's Quick Detachable, $1\frac{1}{4}$ ", Sling Swivels have a parkerized finish.
SPECS: Steel, parkerized, dark gray finish.
#923-000-027EK Parkerized Front Swivel Stud, 3B10P66 \$ 14.00
#923-000-028EK Parkerized Rear Swivel Stud, 3B11P19 14.95
#923-000-029EK Parkerized Sling Swivels, pair, 3B08P00 11.95

VIKINGTACTICS AR-15/M16 LOW-PROFILE SLING MOUNT

Instant Sling Attachment Point
On Any Picatinny Rail

Low-profile, aluminum mount clamps to any Picatinny rail to provide an attachment point for a quick-detach, pushbutton sling swivel exactly where you need it. Recessed crossbolt and locking bar attachment system installs with a flat-blade screw-

TROY INDUSTRIES AR-15/M16 PUSHBUTTON SWIVEL

RAIL MOUNT

Tangle-Free Sling Mount Clamps To
Accessory Rail Where You Want It

Aluminum mount clamps to any Picatinny rail to provide a front sling attachment point exactly where you need it. Non-rotating quick-detach swivel has four locking positions and accepts a $1\frac{1}{4}$ " wide sling. Push-button release allows quick break-away from sling in emergency situations. Use a slot-head screwdriver to tighten the steel cross-bolt that locks the mount to the rail. Bolt head fits flush with mount body, so it won't snag on sling or gear.
SPECS: Mount - Machined aluminum, hardcoat anodized, matte black. Swivel/Cross-Bolt - Steel, black oxide finish.
#100-005-083EK Pushbutton Swivel Rail Mount, 3B30P64 \$ 32.99

MAGPUL

RSA™ RAIL SLING ATTACHMENT

Clamp-On Loop Lets You Attach
Your Sling Where You Need It

Low-profile sling loop clamps to any MIL-STD 1913 Picatinny or STANAG 4694 handguard rail to provide a secure forward attachment point for the Magpul MS2 or similar clip-on sling. Can be installed on left or right side of top rail, or side or bottom rails for multiple alternate sling configurations. Loop is angled to resist snagging on other gear. Rugged, all-steel construction withstands up to 300 pounds of stress pressure, so it won't fail under hard use.
SPECS: Steel, MIL-DTL-16232 manganese phosphate coated, black. 2" (5cm) long x $1\frac{1}{2}$ " (2.5cm) wide. Projects $\frac{3}{16}$ " (4.8mm) from rail. 1.3 oz. (87g) weight.
#100-006-197EK Magpul RSA 3K23A79 \$ 29.99

VIKINGTACTICS AR-15/M16 VTAC-LUSA FRONT SLING ADAPTER

Accepts Most Swivel Types

Universal, four-in-one adapter accepts traditional Uncle Mike's style sling swivels, quick-release push-button swivels, H&K-style clip-on swivels, or simply thread your sling through the 1" wide loop. Eliminates the need to change sling adapters to match different style sling swivels. Lightweight aluminum clamping block with single cross-bolt locks mount securely to any Picatinny or Weaver-style rail. Quick-release push-button swivels, when installed, are limited to 45° rotation to help prevent sling twist.
SPECS: 6061 aluminum, hardcoat anodized, black. $1\frac{5}{16}$ " (3.3cm) long x $1\frac{1}{8}$ " (2.9cm) wide.
#100-004-331EK VTAC-LUSA Sling Adapter, 7K39P95 \$ 49.95

Visit Gunsmithsupplies.com

driver—no protruding hex nuts to snag other gear. Limits swivel rotation to 45° to help prevent sling tangling.
SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. Steel locking plate, black finish. $1\frac{3}{8}$ " (3.5cm) long x $1\frac{1}{2}$ " (2.5cm) wide x $\frac{1}{2}$ " (1.2cm) high.
#100-005-521EK Low-Pro Sling Mount 7K33C06 . . . \$ 39.99

MIDWEST INDUSTRIES AR-15/M16 FRONT SLING ADAPTER

Strong,
Reliable Sling
Attachment

Two-piece clamp with single cross-bolt secures adapter to Picatinny/Weaver-style handguard rails so you have a front sling attachment point. MCTAR-06 has pivoting, $1\frac{1}{4}$ " wide swivel for direct sling attachment. Rubber coating on swivel prevents noisy, metal-to-metal contact. MCTAR-07 includes a fixed, dome-shaped stud that accepts your own, standard quick-detach swivel. MCTAR-08 includes a $1\frac{1}{4}$ " wide, 360° rotating, push-button swivel for rapid sling removal. MCTAR-08HD has heavy duty base and swivel that stands up to extreme tactical operations. $1\frac{1}{4}$ " wide, quick-detach swivel limits travel to prevent sling wrapping yet allows necessary movement. MCTAR-08HDO has same features as MCTAR-08HD, but is offset from centerline for unobstructed use of weapon light, laser, vertical grip, or other tactical accessories. MCTAR-TS has a fixed, round, $\frac{5}{16}$ " (7.8mm) ID loop for clip-on, H&K-style or similar quick-release slings.
SPECS: Bases - 6061 aluminum, mil-spec hardcoat anodized, matte black; steel setscrew, matte black oxide. MCTAR-08HD - $\frac{5}{8}$ " (2.2cm) long x $1\frac{1}{16}$ " (3cm) wide. MCTAR-08HDO - 2" (5cm) long x 1" (2.5cm) wide. Other models - $\frac{3}{16}$ " (1.4cm) long x $1\frac{1}{16}$ " (3cm) wide. Swivels/Studs - Steel, black finish. Swivels accept slings up to $1\frac{1}{4}$ " (3.2cm) wide.
#100-001-922EK MCTAR-06 Adapter 2A28T63 \$ 34.99
#100-001-923EK MCTAR-07 Stud Adapter, 2A21T32 26.99
#100-001-993EK MCTAR-08 Adapter 2A30U70 37.99
#100-003-198EK MCTAR-08HD Heavy Duty Adapter, 2A34U43 42.99
#100-004-906EK MCTAR-08HDO Heavy Duty QD Adapter, 2A35H17 35.99
#100-002-428EK MCTAR-TS Front Sling Adapter Loop, 2A31B81 39.99

COLLAPSIBLE BUTTSTOCK REAR SLING ADAPTER - Aluminum, clamping halves feature dual cross-bolts for maximum holding power in the rear sling slot on collapsible, carbine buttstocks. $1\frac{1}{4}$ " wide, push-button swivel allows instant removal/installation; 360° rotation prevents sling twist. MCTAR-09 fits the original, 4-position collapsible buttstock. MCTAR-10 fits the current military issue M-4, 6-position buttstock.
SPECS: Base - 6061 aluminum, hardcoat anodized, black. Swivel - Steel, polished blue finish. Fits slings up to $1\frac{1}{4}$ " (3.2cm) wide.
#100-001-994EK MCTAR-09 Adapter 2A34U73 \$ 44.99
#100-001-995EK MCTAR-10 Adapter 2A35U40 45.99

QUICK DETACH SWIVEL - Machined steel swivels with $1\frac{1}{4}$ " loops feature a smooth-operating, centrally-located push-button and polished ball bearing surfaces for easy attachment on firearms equipped with quick-detach bases. Provides quiet, 360° rotation of the swivel to eliminate sling tangle and improve all day carry comfort. Standard model features a standard weight loop formed from $\frac{5}{8}$ " diameter round stock. Base is knurled for a positive grip, even when wearing heavy gloves. Available with polished blue finish. Heavy Duty swivel is constructed with an extra beefy base and push-button, plus a $\frac{3}{8}$ " diameter loop to handle maximum weight and abuse; available with gray Parkerized finish.
SPECS: Steel. Accept slings up to $1\frac{1}{4}$ " wide. Standard - Polished blue. Heavy Duty - Parkerized. Sold singly.
#100-003-223EK Standard Swivel, each 2A08V95 . . . \$ 10.95
#100-003-224EK Heavy Duty Swivel, each, 2A12V61 14.99



BROWNELLS

SIGNATURE SERIES GUN CASES

Mission-Ready; Built To Take The Abuse Of Tactical Operations

Eliminate nicks, dings, and damage that impair the performance and tarnish the appearance of tactical weapons with our Signature Series Gun Cases. We combined the very best materials - 1000 denier Cordura® nylon, YKK zippers, closed-cell foam padding - with your ideas to create what we feel is the ultimate line of gun cases anywhere. Plus, they look amazing... like anything we put our name on, you know these are top-of-the-line.

TACTICAL WEAPONS CASE - All the structural and performance features to meet and exceed the stringent demands of today's military and law enforcement personnel and civilian AR-15 shooters. Heavy-weight shell resists punctures and snags, repels moisture, and blocks micro-fine particles of sand and grit that can cause ejection failures in automatic weapons. Bellow-style construction, with 3" wide zipper margin, accommodates firearms equipped with bipods and high-mount, large diameter optics. Adjustable, 2" wide, carry sling is box-stitched at the correct angle for proper weight distribution across the back and shoulders to ensure maximum mobility and less fatigue. Large, zippered, side pocket holds cleaning supplies, maps, shooting gloves, goggles, and other tactical gear. Tight-weave, friction-reducing, polyester lining makes weapon removal fast and easy in high stress situations. Extra thick, closed-cell, foam-core padding cushions blows and provides complete case floatation. Four, external, magazine pouches accept 30 round, M16 magazines. Available in two sizes.

SPECS: 1000 denier, Cordura nylon exterior, black. 38" (96.5cm) or 46" (116.8cm) long, 12" (30.5cm) wide at buttstock, 5" (12.7cm) wide at muzzle, 3" (7.6cm) thick. Pocket - 19½" (49.5cm) long, tapered 3½" (8.9cm) to 8½" (21.6cm) high.

USA 084-000-157EK 38" Tact. Weapons Case 4H82D25 . \$ 99.99

USA 084-000-158EK 46" Tact. Weapons Case 4H90D86 . \$ 109.99

M4 RIFLE CASE -

You need to have 100% confidence that your gear won't fail. That's why Brownells built a case that will protect your rifle in the harshest operating conditions and give you added advantages. Three rows of MOLLE-compatible attachment points run the length of the case, letting you keep your gear with your rifle. A large, bellows-style front pocket includes a separate magazine pouch with MOLLE-compatible attachment points and three, separate, 30-round magazine compartments with hook-and-loop closures. (Additional pouches available separately, below.) The water-resistant 1000 denier, Cordura Plus nylon shell stands up to the toughest abuse. An outer layer of closed-cell foam and an inner layer of open-cell foam protect your rifle from the dings and dents that come from continuous use. A protective skirt keeps malfunction-inducing sand and grit out of your rifle and prevents contact with the zipper. Brushed tricot lining won't snag your rifle, optics, and accessories, allowing for fast weapon removal in high-stress situations. Rugged, oversized YKK zippers with leather assists help you get the case open quickly, even when wearing gloves. Heavy-duty D-rings are securely stitched to a nylon reinforcing strip. Swivel snaps securely attach an adjustable carry strap. Reinforced carry handles are double-stitched around the case and will not tear off. **Double Rifle Case** has an additional nylon outer shell with protective pad double-stitched to the main case, providing twice the carrying capacity for extra gear or another M4 rifle. Both models come with the triple magazine pouch and are available in black, coyote tan, and O.D. green. Overbuilt? There's no such thing when equipment failure is not an option.



SPECS: 1000 denier Cordura Plus nylon exterior, black, coyote tan, or O.D. green. 35" (89cm) long, 11" (28cm) wide, 2½" (6.4cm) high. Front Pocket - 10½" long, 8" (20.3cm) wide, 2" high. **Double Rifle Case** includes additional outer shell - 33" (84cm) long, 10½" (26.7cm) wide, 2" (5.1cm) high.

USA 084-000-319EK M4 Single Rifle Case, Black, 4H103A20 . \$ 127.99

USA 084-000-226EK M4 Single Rifle Case, Coyote, 4H103V20 . \$ 127.99

084-000-320EK M4 Single Rifle Case, O.D. Green, 4H103A20 . \$ 127.99

084-000-321EK M4 Double Rifle Case, Black, 4H149A55 . \$ 179.99

084-000-264EK M4 Double Rifle Case, Coyote, 4H149V55 . \$ 179.99

084-000-322EK M4 Double Rifle Case, O.D. Green, 4H149A55 . \$ 179.99

ADJUSTABLE-LENGTH RIFLE CASE - Padded, soft-side case

adjusts to fit the exact length of your rifle (up to 46"), with plenty of width to accommodate a fully tricked-out AR-15/M16/M4 rifle with a high-mounted optic and full-capacity 30-round magazine. Adjustable, padded shoulder straps of heavy-duty nylon webbing let you sling the cases over your back like a backpack for comfortable hands-free transport. Straps are positioned for proper weight distribution across your back and shoulders for maximum mobility and minimal fatigue. Adjustable, quick-release chest strap keeps the shoulder straps from slipping. Shoulder straps attach via spring-loaded clips to flat D-rings sewn to the case, so they can be removed completely and the case carried by the double-stitched, nylon web carry handle. For rapid weapon deployment, release the polymer clips holding the slip cover and pull the cover off with its handle. Three rows of MOLLE attachment points on the front of the case accept Brownells Triple Magazine Pouch, Dump Pouch (both available separately), or other MOLLE-compatible gear.

SPECS: 1000 denier Cordura® nylon shell, black or coyote. 48" (1.2m) approximate maximum extended length, 14" (35.6cm) wide, 4" (10.2cm) high.

084-000-326EK Adj.-Length Rifle Case, Black, 4H117A47 . \$ 144.99

084-000-327EK Adj.-Length Rifle Case, Coyote, 4H117A47 . \$ 144.99

TRIPLE MAGAZINE POUCH - Extra pouches for your M4 rifle case or Adjustable-Length case help you keep plenty of spare magazines where you need them—with your rifle. Available in Coyote Tan, O.D. Green, and contrasting Black, with separate models for straight-body 20- and curved 30-round magazines. The pockets on both models are deep enough to accommodate Brownells Tactical Magazines and other mags fitted with the Magpul Ranger® Floorplate. MOLLE attachment system on the back has two sturdy nylon web straps with fold-over snap closures that loop securely through the exterior straps on the MOLLE-compatible gear. Separate flaps with hook-and-loop closures let you retrieve one mag without exposing the others to the elements. Made from the same tough, water-resistant 1000 denier Cordura Plus nylon as the M4 case.

SPECS: 1000 denier Cordura Plus nylon, black, coyote tan, or O.D. green. **30-rd** - 9½" (24.1cm) long, 8¾" (22.2cm) high. **20-rd** - 10" (25.4cm) long, 6½" (16.5cm) high.

084-000-309EK MOLLE 30-Rd Magazine Pouch, Black, 4H19A97 . \$ 22.99

084-000-310EK MOLLE 30-Rd Magazine Pouch, Coyote, 4H19A97 . \$ 22.99

084-000-317EK MOLLE 30-Rd Magazine Pouch, O.D. Green 4H19A97 . \$ 22.99

084-000-311EK MOLLE 20-Rd Magazine Pouch, Black, 4H17A40 . \$ 21.99



Magazines not included

WILSON COMBAT

10/2 QUICK DETACH SWIVEL MOUNT

Super Slim, Takes Up One Picatinny Rail Slot

Ultra-low-profile steel mount clamps to Picatinny handguard rail at the 10 or 2 o'clock position to accept a pushbutton quick-detach sling swivel. Only ½" long front to back, the 10/2 takes up only one rail slot, leaving plenty of rail space for other critical equipment. Can be mounted on side or top rails, positioned to help tilt the weapon so it stays lung close to the body. Accepts standard pushbutton QD sling swivels, and allows unlimited sling rotation for a full range of movement. Easy to install—just clamp it on the rail and tighten the steel crossbolt with the included Allen wrench.

SPECS: Steel, black finish. 1½" (4.8cm) wide, ½" long. .9 oz. (26g) wt. Clamps to any MILSTD 1913 Picatinny rail cross-slot.

#965-000-111EK 10/2 QD Swivel Mount 5F33Y58 . \$ 39.99



084-000-312EK MOLLE 20-Rd Magazine Pouch, Coyote, 4H17A40 . \$ 21.99

084-000-318EK MOLLE 20-Rd Magazine Pouch, O.D. Green 4H17A40 . \$ 21.99

DUMP POUCH - MOLLE-compatible pouch attaches to the outside of your M4 rifle case Adjustable-Length case to provide added storage capacity for extra magazines, tools, cleaning supplies, backup optics or other gear. Made from the same tough, tear-resistant Cordura Plus nylon, in matching colors—black, Coyote Tan, and O.D. green. Has the same rugged, oversized YKK zipper and two sturdy nylon web straps with fold-over snap closures that loop securely through the exterior straps on the MOLLE-compatible gear.

SPECS: 1000 denier Cordura Plus nylon, black, Coyote Tan, or O.D. green. 10¾" (27.3cm) long, 9" (22.9cm) high, 1½" (3.8cm) wide.

084-000-314EK MOLLE Dump Pouch, Black, 4H18A85 . \$ 22.99

084-000-315EK MOLLE Dump Pouch, Coyote, 4H18A85 . \$ 22.99

084-000-316EK MOLLE Dump Pouch, O.D. Green, 4H18A85 . \$ 22.99

THREE-GUN COMPETITION CASE - Built for the three-gun competitor who needs to transport a rifle, shotgun, and pistol safely and comfortably,

without juggling multiple cases. The roomy, fully padded main compartment easily accommodates a scoped rifle and a tactical shotgun, separated by a full-length padded divider that prevents any contact between the guns. Adjustable straps of tough nylon with hook-and-loop fasteners let you cinch down both long guns to prevent shifting during transport. Outside, three roomy zippered compartments provide plenty of space for spare magazines, cleaning supplies, eye/ear protection, and other gear. One pocket includes a removable, soft-padded pistol rug. Adjustable, padded shoulder straps let you carry the case like a backpack. Straps are positioned for proper weight distribution for maximum mobility and minimal fatigue. Adjustable, quick-release chest strap keeps the shoulder straps from slipping. Reinforced carry handles include a leather wrap and are double-stitched around the case to ensure they won't tear off.

SPECS: 1000 denier Cordura® nylon shell, black or coyote. 48" (1.2m) long, 12" (33cm) wide, 5" (12.7cm) high. Exterior Pockets - Two (2) 15" (38.1cm) long x 10" (25.4cm) high x 2" (5.1cm) deep, and one 11" (28cm) long x 9" (22.9cm) high x 2" deep. Pistol Rug - 14" (35.6cm) long x 10" high.

084-000-324EK 3-Gun Competition Case, Black, 4H18A34 . \$ 199.99

084-000-325EK 3-Gun Competition Case, Coyote, 4H18A34 . \$ 199.99



VLTOR QUICK-DETACH SLING SWIVEL

Heavy-Duty, Dependable & Strong Stainless Steel Construction

Heavy-duty push button sling swivel made from durable stainless steel fits QD swivel receptacles on the Vltor Modstock and other accessories for quick attachment of tactical slings. Features a 1¼" loop to accept a variety of standard sling types. Easy operating push-button allows quick attachment and release.
SPECS: Stainless steel, matte black finish. Accepts slings up to 1¼" wide. Fits quick-detach swivel receptacles on accessories from Vltor, Magpul, LMT, KAC, Midwest Industries, Daniel Defense, GG&G, Uncle Mikes, and others.

#100-004-880EK Quick-Detach Sling Swivel, 3A12H65 . \$ 14.99



BROWNELLS SIGNATURE SERIES PINK M4 CASE

Battle Breast Cancer & Protect Your Carbine



Our pink M4 case is made of the same high-quality materials as the rest of the Signature Series line of cases and bags. This case protects your AR-15 carbine while showing your

support for finding a cure. For every pink Signature Series case sold, Brownells will donate 10% of the proceeds to the American Cancer Society, to help fight breast cancer. The tough, water-resistant Cordura nylon shell withstands rain and rough wear; a protective skirt keeps sand and grit out and prevents the zipper from contacting the gun. Dense foam padding and a snag-free, brushed tricot lining protect your rifle from damage. Large YKK zippers stay on track to open quickly and easily. Double-stitched 1½" wide nylon web carry straps wrap around the entire case for extra support. Adjustable, detachable shoulder strap enables hands-free carry. A leather trimmed, clear plastic I.D. window on the front holds a business card or luggage I.D. tag. The large, bellows front pocket includes a removable pouch that holds three 30-round AR-15 magazines.

SPECS: 1000 denier Cordura nylon, pink. 35" (89cm) long, 11" (28cm) wide, 2½" (6.4cm) high. Front Pocket: 10½" long, 8" (20.3cm) high, 2" wide.

#084-000-354EK Pink M4 Rifle Case 4H102A81 . \$ 124.99



BULLDOG CASES AR-15/M16

ULTRA-COMPACT DISCREET RIFLE CASE

Maximum Concealment & Protection During Transport



Low-profile case provides discreet concealment and maximum protection for a short-barreled AR, a rifle disassembled into upper and lower halves, or other expensive gear during transport. Features a durable, heavy-duty, water-resistant nylon outer shell and 2½" thick foam padding that provides a snug, firm hold on the gun. Protects the gun's finish with a no-scratch lining of brushed Tricot that won't sag, billow, or deform. Full-length, padded, ½" thick divider has two mag pouches double stitched to one side, so loose magazines won't damage your gun. Heavy-duty zipper with large aluminum pull tabs for an easy grasp with thumb and forefinger.

SPECS: Nylon exterior, Tricot lining, tan or navy blue. 29" (73.6cm) long, 3" (7.6cm) deep, 11" (27.9cm) high.

#100-005-304EK Ultra-Compact Discreet Case, Navy Blue 7F28A56 . \$ 33.99

#100-007-220EK Ultra-Compact Discreet Case, Tan 7F28X56 . \$ 33.99

BLACKHAWK INDUSTRIES TACTICAL RIFLE CASE



Added Padding Protects
Rifle & Optics

A shell of abrasion- and mildew-resistant, 1000 denier, Nytaneon nylon surrounds $\frac{3}{4}$ " of padding on the top and bottom of the case for snug, no-slip protection of your rifle and its expensive optics. Padding on the bottom of the case covers the zipper tracks to protect your rifle from scratches. A double-stitched, nylon carry handle is attached to the case with multi-reinforced stitching; an adjustable, padded sling offers a tactical-carry option. All cases accept rifles with mounted optics and fully unzip to be used as a shooting mat. **Standard Rifle** case is available in 34", 37", and 41" lengths and features four high-capacity magazine pouches (five on 41" case) with positive-close hook-and-loop patch closures, plus zippered compartments in the front for additional storage. **Scoped Rifle** case provides 51" of length to accept a scoped rifle with longer barrel and includes two, large, outside cargo pouches for ammo, magazines, and supplies instead of separate magazine pouches.

SPECS: 1000 denier, Nytaneon nylon, black.

STOCK #	MODEL	LENGTH	PRICE
#100-002-880EK	Rifle	34"	8K70B15 \$ 89.99
#100-002-878EK	Rifle	37"	8K71B52 \$ 100.99
#100-002-879EK	Rifle	41"	8K76B42 \$ 106.99
#100-000-816EK	Scoped Rifle	51"	8K91A20 \$ 113.99



For more choices of BLACKHAWK
RIFLE CASES visit brownells.com

BOYT HARNESS AR-15/M16 INTERCEPT® RIFLE CASE



Adds An Extra Layer Of Protection
Against Corrosion & Mildew

Padded case with Corrosion Intercept lining of copper and plastic sheeting guard your rifle against rust and mildew by counteracting corrosive effects of humidity, vehicle exhaust, and salt air. Interior mesh allows increased air circulation for better absorption of corrosive vapors within the case. Accepts AR15 rifles up to 40" long, and has exterior pockets for five magazines, plus one large 27" x 10" triangular pocket to hold extra gear. All pockets are well equipped with full length hook-and-loop closure strips to securely hold contents. Features sturdy, nylon web handle.

SPECS: Cordura nylon, black. 42" (107cm) long, 13" (33cm) wide, $2\frac{1}{2}$ " (6.4cm) thick.

#100-003-148EK Intercept Rifle Case 3A72X00 . . . \$ 90.00



Stock numbers shown in
red indicate the product
is made in the U.S.A.

This information is not available for all products at
time of catalog production, but will be regularly
updated on our website.

MAGPUL MOLLE SPEEDTHREADER



Indispensable For Threading Straps
Through MOLLE/PALS Web Gear

Clips to the straps of MOLLE/PALS modular pouches and guides them easily and quickly through vest webbing for smooth, hassle-free interlacing. Takes the frustration out of configuring MOLLE gear in a hurry, especially when preparing for deployment and other situations where time is of the essence. You can attach a two-strap pouch in less than 60 seconds—and get it interlaced correctly the first time! Tough, self-lubricating molded polymer is flexible enough to thread through the webbing easily, yet stiff enough not to get diverted as you push it through.

SPECS: Molded polymer, black. $1\frac{1}{2}$ " (44.5cm) long.

#100-004-160EK MOLLE Speedthreader 3K09H72 . . \$ 11.99

BROWNELLS AR-15/M16 BRASS CATCHER



No More Scrounging On The Ground
For Scattered Brass - Fits All Models
Of AR-15 Rifles

Catches your spent brass so you don't have to scrounge around for it in the grass/gravel when you're done shooting. Guarantees you take only your own brass home to reload. Our catcher quickly attaches to the handguard, not the receiver, so it fits almost any AR-15-type rifle or carbine, even flattops. Cinches down tight with an extra wide hook-and-loop strap that's easy to install and remove—and won't harm your rifle's finish. Heavy-duty bag, with internal wire frame, is made from the same grade of ballistic nylon used for bulletproof vests and flak jackets to ensure superior wear resistance. Holds up to 40 spent .223 cases.

SPECS: 1680 denier Ballistic Nylon, black w/internal wire frame & hook-and-loop strap. Bag measures $6\frac{3}{4}$ " (17.2cm) x 8" (20.3cm).

#084-000-262EK AR-15 Brass Catcher 3B33V36 . . . \$ 39.99

3BUCC-LLP AR-15/AR-STYLE .308 BRASS-SAVR BRASS CATCHER



Stop Crawling Around On The Ground

Cotton-poly bag supported by steel frame holds 70 rounds of .223 brass. Easy-open bottom unloads fast. Mounts to AR-15/AR-Style .308 carry handle or flattop rail, depending on model.

SPECS: Cotton-poly bag, steel frame, polymer mount, black, matte finish. $4\frac{1}{4}$ " (10.8cm) wide, $3\frac{1}{2}$ " (9cm) long, $7\frac{1}{4}$ " (18.4cm) deep.

#100-000-428EK Carry Handle Brass-Savr, 4K48V50 . . . \$ 67.99

#100-000-735EK Flattop Mount Brass-Savr, 4K50A67 . . . 59.99

E&L MANUFACTURING AR-15/M16 BRASS CATCHER



Saves Brass, Keeps It From Hitting Nearby
Shooters

Lightweight, molded polymer brass catcher snaps over ejection port to save brass for reloading. Holds up to 60 expended shells, and won't interfere with moving parts on the firearm. No gunsmithing or permanent alterations to install. **Universal** model attaches to any flattop upper receiver, including those fitted with riser rails. **Carry Handle** model fits AR-15/M16 with A2 carry handle receiver.

SPECS: Molded hard polymer, black. Holds up to 60 shells.

#100-005-435EK Universal Brass Catcher, 2A42V81 . . . \$ 49.99

#100-005-437EK Carry Handle Brass Catcher, 2A30V81 . . . 36.99

BROWNELLS AR-15/M16 DUST COVER SAFETY FLAG



Highly Visible Indicator Shows Rifle
Is Unloaded & Seals Ejection Port
To Keep Out Dirt

Bright, highly-visible yellow insert instantly lets the RSO and other shooters know your weapon is unloaded and safe. Perfect for training exercises and classroom activities where it's vital to quickly identify that weapons are safe at all times. Blocks the chamber to ensure that a round cannot be loaded when the flag is installed. Completely seals the ejection port to keep out dust, dirt, and other debris.

SPECS: Plastic, yellow.

#084-000-300EK Dust Cover Safety Flag 4H04X88 . . \$ 6.99

BROWNELLS AR-15/M16 SAFE PORT



Clearly Marks Rifle
As Unloaded; Ejects
When Bolt Is Charged

Safety orange, plastic flag clearly indicates, either close up or at a distance that there is no ammunition in the chamber. Ideal for range and classroom safety when identifying that a weapon is clear is of utmost importance. SafePort cannot be placed in chamber if there is a round loaded, but can be used when a loaded magazine is in the rifle and will eject from the chamber when the bolt is charged. Safe Port can be marked with serial numbers for ease of identification in storage.

SPECS: Plastic, safety orange. Fits AR-15/M16 rifles.

#084-000-194EK SafePort 4E11T56 . . . \$ 14.99

TC ACCESSORIES BRASS DEFLECTOR

Collects All Your Empty Brass
In One Area; Saves Yourself &
Others From Being Burned



Lightweight steel, brass deflector redirects empty rounds to one place for easy pickup. Protects skin and clothes from hot, discharging brass. Available for a number of guns and legal for use in NRA High power competition. Installs with little to no gunsmithing; attaches to either picatinny rail or carry handle, depending upon model ordered. Models to fit A2 (carry handle) and A3 (flattop) receivers; EOTech model is designed to sandwich between a flattop rail and an EOTech Holographic Weapon Sight.

SPECS: Steel, black, matte. Available for guns listed below.

#100-001-133EK A2 Brass Deflector 9K16P00 . . . \$ 21.00

#100-001-134EK A3 Brass Deflector 9K16P00 . . . 21.00

#100-001-135EK A3 Carry Handle Brass Deflector, 9K16P00 . . . 21.00

#100-002-568EK EOTech Brass Deflector 9K16A00 . . 21.00

MAGPUL

.223/5.56 DUMMY ROUNDS

For Testing & Dry-Firing An Unloaded Rifle



Solid, inert, dummy rounds let you safely test the feeding, extraction, and magazine function of your rifle without the worry of accidental discharge. Also enables you dry-fire practice without risking damage to the firing pin. Precision molded to duplicate the Remington .223/5.56mm NATO round in five critical dimensions, and can be cycled from a Magpul PMAG and ejected the

Sinclair AR-15/M16 CHAMBER SAFETY FLAG

"Show The Flag"
For A Clear Chamber



Bright yellow color provides instant recognition, indicates a safe weapon to range safety officers. Solidly built to withstand accidental bolt slamming. Curved probe stays in chamber with bolt open. Approved for DCM/NRA competition.

SPECS: Plastic, yellow. $5\frac{1}{2}$ " (14cm) long. Pak of 3.

#988-004-001EK 3 Chamber Safety Flags, 8H03D99 . . . \$ 5.99

CHAMBERSAFE CHAMBER BLOCKING DEVICE



High Visibility Confirmation
That Firearm Is Unloaded

Bright orange chamber blocker fits in the ejection port and physically prevents chambering of a round to provide positive visual confirmation that the firearm is unloaded. Removes instantly by pulling the large, easy-to-grasp ring to clear the chamber and bring the weapon into operation. Use in any situation that requires fast, visual verification of firearm status—law enforcement, military, gun shops, as well as hunting, range, and competition applications. Fits semi- and full-auto rifles and carbines with an extractor enclosed within the bolt, including AR-15/M16/M4 and M14/M1A. Flexible, one-piece, molded polymer construction stands up to years of insertion and removal cycles. Tab on pull ring allows marking with individual weapon identification information.

SPECS: Molded polymer, orange. Fits AR-15/M16, M14/M1A, and other semi- and full-auto rifles and carbines with extractor enclosed within the bolt. Should not be used on any firearm with an extractor that extends forward from the bolt.

#100-003-782EK Chamber Blocking Device, 6B08P29 . . . \$ 10.99

RING'S MANUFACTURING FIREARMS SIMULATOR



Replicates Size, Shape &
Weight Of Actual Gun For
Safe, Realistic Training

Inert training simulators provide a realistic, safe alternative to using real firearms for law enforcement training exercises and weapons retention drills. Molded from actual weapons in the exact shape and correct weight of an AR-type carbine for true-to-life detail. Strong, polyurethane plastic has steel reinforcement to prevent bending and flexing; handles and balances like an actual firearm. Safety blue color signifies this is a non-firing training aid. **CAR-15** model does not include provisions for attachment of grenade launcher.

SPECS: Molded hard polyurethane, safety blue. Approx. 5 lbs. 3 oz. (2.35kg) wt.

#100-000-226EK CAR-15 Simulator 3K147A35 . . . \$ 174.75

#100-002-556EK M4 Simulator 3K147T35 . . . 174.75

same as live ammunition. Glass-fiber reinforced polymer material can't corrode or cause corrosion, and can't damage chamber or magazine feed lips. Sold in 5-Paks.

SPECS: Fiberglass-reinforced injection-molded polymer, black.

#100-004-885EK .223/5.56 Dummies, 5-Pak 3K03Y98 . . \$ 4.99

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 65

Sinclair AR-15 CLEANING LINK

Locks AR-15 Open For Fast, Easy Cleaning

Lets you easily clean and lube the action or swab out barrel, from the breech. Hold-open link separates upper and lower receiver assemblies, locks them solid, prevents the receiver from constantly flopping closed. Stainless steel and Delrin® link installs in seconds, is impervious to solvents.

SPECS: Delrin and stainless steel.

#988-003-001EK AR-15 Cleaning Link 8H11V64 . . . \$ 15.99

PRECISION GUN SPECIALTIES SAF-T-TRAINERS

**Brightly Colored "Dummies"
For Training Exercises**

Brightly colored plastic and a different "feel" makes sure you won't confuse these for live rounds. Popular with many departments and agencies for use in Immediate Action training for just that reason. These do not duplicate weight and balance of loaded rounds or function-testing dummies.

SPECS: Orange or yellow plastic. Rifle and Handgun calibers supplied 50 or 10 rounds per bag, Shotgun calibers supplied 25 or 10 rounds per bag. 9mm Makarov: (9mm Mak).

STOCK #	CAL./GA.	QTY.	COLOR	PRICE
#729-050-223EK	.223 Rem.	50	Orange	9B25Z80 \$ 31.99
#729-000-045EK		10		9B05X69 \$ 6.99
#729-050-308EK	.308 Win.	50	Orange	9B25Z80 \$ 31.99
#729-000-034EK		10		9B05X70 \$ 6.99

ARMSPORT DELUXE SNAP CAP

**Save Firing Pins - Shoot Better
With Safe, Dry-Fire Practice**

The spring-loaded "primers" in these snap caps act much like a live primer and cushion the blow so firing pin and bushing damage won't occur. Bright color and "different" feel to prevent mixing with live rounds or function-testing dummies. (Don't use snap caps as dummies - they don't duplicate loaded round weight/balance.)

SPECS: Brass base, plastic body.

STOCK #	CALIBER/GA.	CAPS PER PAK	PRICE
#055-811-223EK	.223 REM.	2	6H10D36 \$ 15.99
#055-812-308EK	.308 Win.	2	6H11D45 \$ 14.99

MASEN MIL-SPEC CLEANING KIT

**Authentic,
Issue Kits
For Field Use**

Genuine cleaning components make a great take-along kit for range and field use. Kit includes sectional cleaning rod with combo handle, patch loop, bore brush, chamber brush, double-ended parts brush, oiler bottle, and storage pouch. Fits snugly inside the trap-door compartment on A2 buttstocks.

SPECS: Rod/Handle - Steel, parkerized. Bore Brush - Bronze. Chamber Brush - Bronze w/stainless steel lug recess bristles. Oil Bottle - Plastic. Parts Brush - Nylon bristles, plastic handle. Fits .223 caliber.

#555-000-005EK M16 Cleaning Kit 6E14U92 \$ 17.99

BROWNELLS AR-15/M16 PROFESSIONAL CLEANING SYSTEM



**Premium-Quality Components
For Detail Cleaning Of The Entire Rifle**

Convenient, professional-grade cleaning system contains everything you need to thoroughly clean an AR-15 to ensure it operates with peak reliability and accuracy. We packed this kit with our best, premium-grade components and supplies to help you detail clean all parts of your rifle's operating system, including bore, chamber, gas system, and bolt carrier way. You get a top-quality Dewey cleaning rod long enough for any AR-15 barrel, our own Special Line bronze bore brushes, and our deep-scrubbing all-cotton, flannel patches, plus tools specifically developed for the AR-15. A hold-open link separates the upper and lower receivers and locks them in place so you can clean the bore and chamber the correct way, from the breech. Rugged Delrin® plastic bore guide centers the cleaning rod in the bore and protects the rifling from damage; silicone O-ring seals the chamber and keeps solvent out of the action and trigger. Our upper receiver cleaning tool has a properly sized bronze brush and cotton mop to let you quickly scrub stubborn carbon fouling from the bolt carrier way and lug recesses. Combination bronze and stainless steel chamber brush, originally designed for the USGI M16, makes short work of fouling that can prevent proper extraction of spent shells. All this gear comes packed in a rugged plastic storage/carry box with a roomy top compartment and three slide-out drawers with plenty of storage space for extra items.

SPECS: Kit contains Dewey 36" cleaning rod w/jag and 8-32 thread adapter, O-ring bore guide, cleaning link, (12) Special Line .22 bore brushes, (3) cotton bore mops, (250) 1 1/4" round cotton patches, (6) gas tube cleaners, (3) chamber brushes, gun parts cleaning brush, (2) shop cloths, 4 oz. Break Free CLP and 24 oz. TCE Cleaner/Degreaser, plus Upper Receiver Cleaning Kit that includes handle, bronze brush, and cotton mop. For AR-15/M16 rifles and carbines chambered in .223/5.56mm only.

#080-000-573EK Professional AR-15 Cleaning System, 8K125A78 \$ 148.99

DPMS AR-15/M16 A-2 CLEANING KIT

**Fits The A-2 Stock Recess, For
Always-Ready Convenience**

Everything you need to clean your rifle. Stores in A-2 stock recess, instantly ready for in-the-field or at-home cleaning. Vinyl pouch holds military, five-piece cleaning rod assembly, oil bottle, bore brush, chamber brush and "toothbrush" parts cleaning brush.

SPECS: Vinyl pouch, OD green. Steel cleaning rod, parkerized. Bronze bore and chamber brushes, 1 oz. plastic oil bottle, "toothbrush".

#231-000-037EK AR-15 A-2 Cleaning Kit 3B11V49 . . \$ 14.36

BROWNELLS AR-15/M16 BUTTSTOCK CLEANING KIT



Compact, Field-Ready Kits That Go Wherever Your Rifle Goes

Our crew of tactical weapons experts developed these fine 5.56mm cleaning kits to give the M16/AR-15 shooter a handy, carry-along system that fits snug in the storage compartment of A1/A2 buttstocks. **Standard Kit** includes a government-type 5-piece cleaning rod (with loop), bronze bore brush, bronze chamber brush, double-ended parts cleaning brush, and a heavy Nylon pouch tapered correctly for a rattle-free fit. **Deluxe Kit** adds a solvent-resistant nylon chamber brush, 25-Pak of mil-spec cleaning patches, and 4ml of Brownells Friction Defense® Xtreme Gun Oil for superior weapons lubrication and corrosion protection. Detailed instructions in both kits guide you through the cleaning process.

SPECS: For 5.56mm (.223) caliber only. Fits A-1 and A-2 style buttstocks. Both kits include 5-piece cleaning rod, bore brush, bronze chamber brush, parts cleaning brush, buttstock pouch, and instructions. **Deluxe Kit** adds nylon chamber brush, 25-Pak cleaning patches, and 4ml of Friction Defense Xtreme Gun Oil.

#084-000-229EK Standard Buttstock Cleaning Kit, 4H12A86 \$ 16.99

#084-000-233EK Deluxe Buttstock Cleaning Kit, 4H16U73 21.99

IOSSO AR-15/M16 ELIMINATOR™ AR-15 CLEANING KIT

**Cleans Bore &
Hard To Reach Areas,
Including Gas Tube**

Handy, all-in-one kit contains tools custom-designed to clean an AR from chamber to muzzle. Dense, durable Nylflex® fiber brushes offer maximum bristle area per square inch to thoroughly clean specific parts of the weapon without risk of scratching bore or the aluminum components. Includes brushes for .223/5.56mm bore, upper receiver, chamber, bolt carrier, and carrier key, plus a dedicated gas tube brush. Cleaning rope accepts the bore brush or the included patch loop. Aluminum tool provides plenty of cleaning torque as the handle for the receiver and carrier brushes, and may be used as a handle for the cleaning rope. Great for use with Iosso Bore Cleaner and Eliminator Gun Oil (available separately).

SPECS: Aluminum rod. Brushes - Nylflex nylon fiber. Gas tube brush is permanently attached to a steel cable; others also fit standard 8-32 female threaded cleaning rods. **Cleaning Kit** contains 5 brushes, patch puller, cleaning rope, cleaning tool with handle, patch loop, gas tube brush, and carry pouch. **Brush Pak** contains bore brush, upper receiver brush, chamber brush, and bolt carrier brush.

#073-000-007EK AR-15 Cleaning Kit 3G44C45 \$ 59.99

#073-000-005EK AR-15 Brush Pak 3G12C23 16.99

DEWEY AR-15/M16 PULL-THROUGH CLEANING KIT

**Complete, Pocket Size Kits
For Fast, Effective Cleaning
In The Field**



Convenient, pull-through kit contains everything you need, in one compact unit, to effectively and easily clean your .223/5.56mm AR-15/M16 while on the move. Flexible cable with protective coating allows thorough cleaning without damage to the bore or muzzle end. Large, nylon bead slides along the cable

and provides a non-slip grasp and easy pulling. Patch loop, brush connector, and sliding pull bead are permanent parts of the cleaning cable. Connector is 8"-32 tpi for rifle size brushes. Includes a 1/2 oz. bottle of Shooter's Choice FP-10 for cleaning, lubricating, and deep-penetrating corrosion protection. Compact, 1000 denier Cordura® nylon pouch stores all components and stows easily in a range bag, pocket, or on your belt.

SPECS: Coated 30" cleaning cable with 8"-32 female end, brass loop, bronze/steel chamber brush, coated steel Thandle chamber rod, brass stuck case remover, brass scraper & brass/steel pick, nylon bore brush; 1/2 oz. bottle of Shooter's Choice FP-10, assorted cotton patches, and 1000 denier Cordura nylon pouch.

#234-000-081EK Pull-Thru Cleaning Kit 4C32D34 . . \$ 41.99

OTIS AR-15/M16/AR-STYLE .308 TACTICAL RIFLE CLEANING SYSTEM

Self-Contained Pocket Cleaning Kit

Everything you need to clean your AR in one compact kit. All kits include Memory-Flex® cable rod, O85® Ultra Bore™ solvent, slotted tip, patches, bore brushes and other accessories. Carries on your belt. #223 kit for .223/5.56mm AR-15/M16/M4 rifles. #224 kit fits in recess in M16A2 buttstock. #308 kit is for .307/6.2 caliber rifles.

SPECS: Black nylon carrying case, brass brushes, tips and handles. Cleaning solvent and patches. Plastic coated steel cable rods. #223 case is 4 1/2" (10.8cm) dia. #308 case is 3 1/2" (8.9cm) dia.

#668-000-052EK #223 Cleaning System 8F31C78 . . \$ 40.99

#668-100-224EK #224 Cleaning System 8F36D65 . . . \$ 55.99

#668-000-055EK #308 Cleaning System 8F30C85 39.09

AR-15 GRIP KIT - Provides a very useful, field and emergency cleaning kit that's always ready for use. All components are contained in a secure, grip insert that stores in the standard A2 pistol grip recess.

SPECS: Polymer insert, black. Contains: cleaning patches, 26" (66cm) flexible rod, bore brush, slotted, brass tip, NATO thread adapter and Thandle.

#668-000-005EK AR-15 Grip Kit 8F40T14 \$ 55.99

CLEANING PATCHES - The same patches for .22-.30 caliber rifles included in the tactical rifle cleaning system. Pre-slotted to fit loop-style rod tip. Each patch can be varied in size by pinching at the various slots.


SPECS: 100% virgin cotton. 2" (5cm) diameter. #668-000-002EK Small Caliber Patches, 100-Pak, 8F04T40 \$ 6.99

Custom Quality In Every Case

MIL SPEC

GUN CLEANING PATCHES

From The Same Supplier Uncle Sam Uses

100% cotton, single-nap, unbleached flannel patches made to get guns clean efficiently. The coarse, open weave side grabs and holds bore fouling and doubles as a "scrubber" for tough surface dirt. Soft, napped side holds solvents and oils. 

SPECS: 100% cotton flannel. 1000 patches per package. .223 - 1 1/4" (3.2cm) square. .308 - 2 1/2" (6.4cm) square.

#546-100-223EK 223 Mil Spec Patches 6D11Y91 . . . \$ 16.99
#546-100-030EK 30 Mil Spec Patches 6D20Y83 29.99

HOPPE'S AR-15/M16/AR-STYLE .308

VIPER BORE SNAKE

Heavy-Duty, All-In-One,
Pull-Through Cleaning System

Braided nylon, pull-through cleaning cord scrubs, cleans, and lubricates in a single step, just like the original Bore Snake, with 50% more scrubbing surface for those extra-tough cleaning jobs. Apply bore cleaner to the front of the cord, oil to the end, drop the weighted end down the bore, and pull through. Repeat as needed. Cone-shaped, nylon bore guide on lead end protects your gun's rifling. Extra, built-in bronze brushes and braided cord clean and oil the bore in a few passes. Washable and reusable.

SPECS: Braided nylon cord, embedded phosphor-bronze bristle brushes, brass weight.


#593-000-101EK Viper Bore Snake, .223/5.56, 3E20X00 \$ 26.99

#593-000-102EK Viper Bore Snake, .308/7.62, 3E20X00 26.99

A&O MFG. AR-15/M16

BOLT CARRIER CARBON SCRAPER

Makes It Easy To Remove Carbon
From Bolt Carriers

Tool steel scraper quickly removes carbon buildup in AR-15/M16 bolt carriers. Dual edges clean in both directions. 


SPECS: Tool steel, black, matte finish. 2 3/4" (7cm) long, 1/2" (12.7mm) wide, 3/16" (4.8mm) thick.

#100-001-451EK Bolt Carrier Carbon Scraper, 7A16C18 \$ 19.99

BROWNELLS AR-15/M16

BOLT RADIUS SCRAPER

Easily Removes Carbon
Deposits From Bolt Tail With
A Few Gentle Turns

Easy to use hand-held tool is for serious AR-15 shooters who want to quickly eradicate the carbon buildup on the bolt tail that's difficult to remove with conventional cleaning methods. Helps ensure efficient gas system function and reliable cycling. This hard-working, stand-alone tool does the whole job - no need for brushes, solvents, or breakdown sprays. Just remove the bolt from your rifle and insert the bolt tail into scraper, then turn the scraper clockwise to remove the carbon. The comfortable, contoured handle provides excellent leverage. A few gentle turns should be all that's needed for the bolt tail to be clean and ready for action. 


SPECS: Hardened tool steel, plastic handle. Approximately 5 1/2" (14cm) long.

#080-000-639EK Bolt Radius Scraper 8K11D99 . . . \$ 19.99

COMBAT APPLICATION TOOLS AR-15/M16

CAT M4 TOOL

Compact Multi-Tool Helps
Keep Bolt/Carrier Group
Functioning Smoothly

Compact, easy to carry pocket tool performs four separate cleaning functions to help you quickly restore the critical bolt/carrier tolerances that can be compromised by carbon buildup after prolonged shooting. Use as a bolt scraper, firing pin cleaner, patch holder for swabbing the bolt recess, and scraper for removing carbon in the carrier. Plus, the center of the tool is equipped with a 1/4" hex head recess to use as a driver. Carry a few 1/4" driver bits, and you're all set to make adjustments that keep your rifle tuned and shooting. 


SPECS: Machined steel casting. 3 1/2" (8.8cm) long. 1 oz. (28.35g) weight. Includes shirt pocket card/carrier with illustrated instructions.

#100-004-448EK CAT M4 Tool 9C26U49 \$ 29.99

MARK BROWN AR-15/M16/AR-STYLE .308

CARRIER CARBON SCRAPER

Solves Cycling Problems
Caused By Carbon Buildup
In Bolt Recess

Breaks loose and removes hard-to-get-at carbon buildup without damaging the bolt carrier. Quickly solves function-related cycling problems caused by excessive carbon deposits inside the bolt recess. Hardened steel scraper tip will last indefinitely with proper use. 

SPECS: Steel reamer, plastic handle. 6 1/2" (16cm) long.


#133-100-016EK AR-15/M16 Carbon Scraper 3C00BXC \$ 22.99

#133-000-001EK AR-Style .308 Carbon Scraper, 3C24P61 29.95

MAGNA-MATIC AR-15/M16/AR-STYLE .308

CARBON REMOVAL TOOL

Quickly Removes Carbon Fouling From Bolt & Carrier

Handy, two-in-one tool quickly and easily removes carbon fouling from critical areas of the bolt and carrier to ensure proper bolt function and reliable cycling. Scrape carbon from the carrier with the reamer end of the tool, then clean the bolt tail with the other end. The unique, lathe-like design adjusts to fit any bolt tail radius, ensuring a universal-fit tool for any AR bolt. Made from hardened carbon steel, zinc plated for corrosion resistance. An ideal tool for the range bag, field armorer's kit, or "necessaries" bag. 

SPECS: Hardened carbon steel, zinc plated. **CRT-15** - 5 1/2" (14cm) long, 1/2" (1.3cm) wide, 1 1/8" (2.8cm) high. Fits .223/5.56mm AR-15/M16/M4 bolt and bolt carrier. **CRT-25** - 5 1/2" long, 1" (2.5cm) wide, 1" high. Fits any AR-style rifle chambered in .308/7.62, including ArmaLite AR-10*, M110 Sniper Rifle, Knight's Armament SR-25, DPMS LR-308, and Remington R-25.

#100-004-436EK CRT-15 Carbon Removal Tool, 4D31P99 \$ 39.99

#100-005-932EK CRT-25 Carbon Removal Tool, 4D37A03 49.99

ALWAYS GIVING YOU MORE...

THAT'S VALUE...THAT'S

BROWNELLS®


SATISFACTION GUARANTEED

SINCE 1939



BROWNELLS

M16/AR-15/AR-STYLE .308
CHAMBER BRUSHOriginal M16 Style
Chamber Brushes

Original military design, **M16**, with 8-36 thread for direct threading into the "Cleaning Rod, Small Arms," or **AR-15** with 8-32 thread to fit standard rods. **AR-Style .308** cleans the larger .308 chamber used on these rifles. Bronze bristles fit chamber, longer, stainless steel tufts clean locking lug recesses. 

SPECS: **M16** - NSN 1005-00-999-1435, has 8-36 military thread. Meets Mil Spec: MIL-B-20100C. **AR-15** and **AR-Style .308** have 8-32 standard thread. M16 and AR-15 are 3 3/8" (9.8cm) overall. AR-Style .308, 4 3/8" (11.2cm).

#084-116-016EK M16 Chamber Brush 4H02U94 \$ 3.99

- 1 dz or More - **M16 Chamber Brush**, per each,

4H02U43 3.99

#084-116-015EK AR-15 Chamber Brush 4H02U54 3.99

- 1 dz or More - **AR-15 Chamber Brushes**, each,

4H02U12 3.53


#084-116-025EK AR-Style .308 Chamber Brush, 4H03U65 5.99

- 1 dz or More - **AR-Style .308 Chamber Brushes**, each,

4H03U17 5.13

BROWNELLS

AR-15/M16/AR-STYLE .308
NYLON CHAMBER BRUSHLong-Wearing Bristles Won't
Break Down In Solvents

Durable, tough, nylon bristles aggressively scrub your chamber; nylon tufts reach and clean the locking lug recess. Available for M16, AR-15, and AR-Style .308 rifles. M16 has an 8-36 thread to directly thread into the military's "Cleaning Rod, Small Arms". 

SPECS: Nylon brush, brass stem. **M16** - 3 3/8" (9.8cm) overall. 8-36 military thread. **AR-15** - 3 3/8" (9.8cm) overall. 8-32 standard thread. **AR-Style .308** - 4 3/8" (11.2cm). 8-32 standard thread.

#084-117-002EK M16 Nylon Chamber Brush, 4H04U15 \$ 5.99

- 1 dz or More - **M16 Nylon Chamber Brush 4H03U065.90**

#084-117-001EK AR-15 Nylon Chamber Brush, 4H04U02 5.99


- 1 dz or More - **AR-15 Nylon Chamber Brush, 4H03U45 5.67**

#084-117-003EK AR-Style .308 Nylon Chamber Brush, 4H05U91 8.99

- 1 dz or More - **AR-Style .308 Nylon Chamber Brush, 4H05U05 8.18**

OTIS BRASS SCRAPER TOOL SET

Eight-Piece Kit
Makes Short Work
Of Thoroughly Cleaning
M16's & AR-15's


Add these eight tools to your standard issue buttstock cleaning kit and you've got an unbeatable combination that will make your rifle the cleanest on the firing line. Each tool is threaded 8-32 tpi so they can be attached to or used in combination with standard cleaning rods. Kit includes one each of the following tools: Compact receiver brush, pin punch, 90 degree locking lug pick, brass scraper, end brush, straight pick, female rod section and male rod handle section. 

SPECS: Brass, female rod section, 3/4" (8.2cm) long. Brass male rod section, 3/2" (8.8cm) long. All other tools except Compact Receiver Brush: Brass ferrule, brass threads, 8-32 tpi. Receiver brush is nylon handle, nylon bristles.

#668-000-017EK Brass Scraper Set 8F13U38 \$ 17.99

BROWNELLS

M16/AR-15/AR-STYLE .308
CHAMBER MOPDistributes Lubricants & Rids
Fouling; Same Shape As Popular,
Military Chamber Brush

Unique, dual-purpose design cleans and lubricates both the chamber and locking lug recesses of your M16, AR-15 or AR-Style .308 with one mop. Long, skinny portion reaches the chamber with individually-tied strands that do the work of a thousand tiny fingers. Short, large-diameter section cleans and lubricates locking lug recesses. 

SPECS: Cotton or wool. 8-32 threads. Approx. 3" (7.6mm) longs.

#084-424-003EK .223 Cotton Chamber Mop, 3-pak, 4H05A84 \$ 7.99

#084-424-004EK .223 Cotton Chamber Mop, Dz., 4H16A70 26.95

#084-426-003EK AR-Style .308 Cotton Chamber Mop, 3-pak 4H06Y51 8.99

#084-426-004EK AR-Style .308 Cotton Chamber Mop, Dz., 4H17Y98 30.99

- 4 dz or More - **.308 Cotton Chamber Mops**, per dz.,

4H15Y00 30.02

#084-426-001EK .223 Wool Chamber Mop, 3-pak, 4H06Y51 8.99

#084-426-002EK .223 Wool Chamber Mop, Dz., 4H18Y52 30.99

#084-426-005EK AR-Style .308 Wool Chamber Mop, 3-pak, 4H07Y98 9.99

#084-426-006EK AR-Style .308 Wool Chamber Mop, Dz., 4H22Y22 35.99

- 4 dz or More - **AR-Style .308 Wool Chmbr Mops**, per dz,

4H18Y55 35.95

SOG ARMORY
GUN MAT

Protects Your AR-15 During Cleaning Or Repair

Heavy duty, flexible pad protects your gun's finish during cleaning and repair, plus the top side features a detailed exploded parts diagram of an AR-15 screen printed on it. Features a soft polyester top to help protect your gun from scratches while the non-slip neoprene rubber backing keeps the mat in place. Keeps chemicals, oil, and dirt from penetrating down to your desk or bench top.

SPECS: Neoprene rubber, polyester top, black. 36" long x 11 3/4" wide x 1/8" thick.

#100-006-605EK AR-15 Gun Mat 9A18D67 \$22.49

C.J. WEAPONS AR-15
GASTUBE CLEANERS

Extra long to let you scrub the full length of the gas tube. Highly-absorbent cotton carries solvent in and crud out. Regular use keeps gas tube free of fouling and carbon buildup for reliable function.

SPECS: Cotton, wire core. 16" (40.6cm) long, 1/8" (3.2mm) dia. Package contains 50 cleaners.


#100-000-433EK Gas Tube Cleaners 5K08T33 \$ 11.99



BROWNELLS GUN/PARTS CLEANING BRUSH

Meets Mil Std. 129J

**Military-Approved, Double-Ended
Cleaning Power For Guns & Parts**

Developed for the U.S. Armed Forces to clean M16/M4 rifles quickly and effectively and get them back into action. Double-ended, solvent-proof, polypropylene handle provides a large, contoured series of nylon bristles to cover curves and open areas, while the short, extra-stiff, narrow line of bristles tackles the really tough crud in those hard to reach areas. Provides superior scrubbing action for individual parts. Enough bristle backbone to remove greasy gun dirt, yet won't scratch metal finishes. An exceptionally good, practical, cleaning brush for use at the bench or in the field. 

SPECS: Handle - Solvent-resistant polypropylene, O.D. green. Bristles - Nylon. 7" (17.8cm) long. Meets Mil Spec 129J, NSN# 1005-00-494-6602.


#676-450-001EK Gun/Parts Brush 8K01Y28 \$ 3.99
#676-450-006EK Gun/Parts Brush, 10-pak 8K11Y00 . . . 20.99

ARRINGTON ACCURACY WORKS AR-15/M16 ARMORER'S WRENCH

**Installs/Removes Free-Float
Tubes, Barrel Nuts & Receiver
Extensions**



Versatile, multi-role wrench provides plenty of torquing force to perform a variety of maintenance, repair, and assembly tasks that regularly come up when working on the AR platform. Makes installation and removal of

screw-on free-float handguards, both round and railed types, fast and easy. Jaws are contoured for precise grasp in the notches on the locking ring (jam nut) that secures many free float tubes, including Yankee Hill models. Makes short work of loosening both encapsulated and peg-style barrel nuts. A big help in removing and installing receiver extensions for rifles with A2-style fixed buttstocks or M4-style collapsible stocks. Flat part of the jaws fits the flats at the rear of the fixed-stock receiver extension, while the jaw tips fit in the notches of the receiver extension nut on rifles with collapsible buttstocks. 

SPECS: Steel with foam polymer grips. Approx. 10" (25.4cm) OAL. Fits AR-15/M16/M4 and clones, including S&W M&P15, as well as SR-25, DPMS Panther LR-308 series, and similar AR-style .308 rifles.

#100-004-118EK AR-15 Armorer's Wrench 3C52H02 \$ 64.99



BROWNELLS AR-15/M16 COMBINATION WRENCH

**Original Factory Design
Simplifies Disassembly/Reassembly**



An exact duplicate of the original factory/military design so you know it will fit and work. Use for several jobs: to remove the barrel nut; to remove and install old and new flash suppressors; to remove and install the lower receiver extension.

SPECS: Blued steel. 5" (12.7cm) long x 2" (5cm) wide x 1/4" (6.35mm) thick.


#80-216-015EK AR-15/M16 Combo Wrench, 8K25D43 \$ 34.99



BROWNELLS AR-15/M16/M4 BUTTSTOCK TOOL




One Tool For Disassembling & Reassembling Buttstocks

Unique design combines several tools into one for taking apart the M4 collapsible buttstock on your AR-15 or M16. Features include blade for removing fixed stock screws; 1/2" square torque wrench opening; fixed stock receiver extension remover; receiver extension nut tightener for both old and new model collapsible stock - pins for both styles are included and easily changed by loosening a hex screw in the tool; and a hole for hanging the tool on your peg-board. Fits easily in a range bag or in your pocket for use outside the shop. 

SPECS: Steel, black. 7" (17.8cm) long. Includes pins for old- and new-style receiver extension nuts.

#80-000-291EK Buttstock Tool 8K48B75 \$ 59.99

REPLACEMENT PINS - Keeps your Brownells Buttstock Tool functioning like new. Helps keep the edges of the receiver extension nut slots undamaged and lessens the chance of marring the metal. **Square** fits the newer, M4 style collapsible buttstock receiver extension nuts with .164" wide, square engagement slots. **Round** fits the older style collapsible buttstock extension nuts with 1/8" diameter, round pin engagement recesses. 


SPECS: Round - Stainless steel, silver finish. .124" (3mm) diameter. **Square** - Steel, blue finish. .164" (4mm). Available in 3-Paks.

#080-000-451EK Square Replacement Pins, 3-pak, 8K14Y97 \$ 19.99
#080-000-452EK Round Repl. Pins, 3-pak 8K04Y97 7.99

ARRINGTON ACCURACY WORKS AR-15/M16 COLT LAW ENFORCEMENT CARBINE ARMORER'S WRENCH

**For Removing/Installing Barrel Nut On
Colt LE6940 Carbine**



Dedicated, heavy-duty wrenches are designed to enable easy removal and installation of the proprietary barrel nut on the Colt LE6940 Advanced Law Enforcement Carbine (ALEC). Self-contained **Armorer's Wrench** features a large, 3/8" thick handle with a 1/2" square cutout for a torque wrench or breaker bar, plus a notch for removing the ALEC flash suppressor. Compact **Barrel Nut Wrench** has the 1/2" torque driver/breaker bar cutout only. 


SPECS: Steel, Parkerized, matte black. **Armorer's Wrench** - 9" (23cm) long overall, 1.25" (3.17cm) wide handle.

#100-005-370EK Armorer's Wrench 3C92H90 \$ 106.99
#100-005-371EK Barrel Nut Wrench 3C62H94 72.99

SMITH ENTERPRISE AR-15/M16 CARBINE STOCK WRENCH

**Easy To Use;
Plenty Of Leverage**



Long handled for quicker, easier removal or installation of collapsible stocks. Grabs the receiver extension nut, no need for a breaker bar. 


SPECS: Heat-treated, 17-4 stainless steel, black oxide finish. 9" (22.8cm) long. 7" (17.7cm) handle.

#851-015-150EK AR Carbine Wrench 1E00BXC \$ 29.99

SMITH ENTERPRISE AR-15/M16/AR-STYLE .308 ARMORERS WRENCH



**Fits All Standard Models;
Encapsulated & Peg-Style Nut Wrench**

Extra-heavy duty armorer's wrench provides easier installation and removal of all barrels up to 1 1/4" diameter with either encapsulated or peg-style barrel nuts. Extra-long handle features smooth, contoured edges for comfortable use. Includes 1/2" square drive opening for torque wrench application; 5/8" and 3/4" slots fit receiver extensions and A1/A2 flash suppressors. **.223** for AR-15/M16 applications, **.308** for use with AR-Style .308 rifles. 


SPECS: 17-4 stainless steel, black oxide finish. 12" (30cm) long, 1" (2.5cm) wide handle.

#851-000-068EK .223 Armorer's Wrench 1E00DZA . . . \$ 45.99
#851-115-001EK .308 Armorer's Wrench 1E46P90 49.99

DPMS AR-15/M16 MULTI-TOOL



Seven Function Tool Lets You Build & Repair AR-15's

Durable steel wrench gives you seven tools-in-one for maintenance, repair or building AR-15 and M16 rifles. Use to install or remove: free float tubes and peg-style barrel nuts, standard barrel nuts, carbine stock, compensator, extension tube and buttstock screw. Special features include 5/8" and 3/4" wrench slots, a 1/2" square hole for a torque wrench, plus screwdriver tip for buttstock. 


SPECS: 4140 steel, black, parkerized finish. 12" (30cm) long, 1" (2.5cm) wide handle.

#231-000-007EK AR-15 Multi-Tool 1C22A99 \$ 36.99

DPMS AR-15/M16/M4/AR-STYLE .308 STOCK NUT WRENCH

**One Tool
For Carbiners & Rifles**



No-fail armorer's tool provides all the leverage you need to tighten and loosen carbine stock nuts. Dual-purpose wrench fits the later M4 receiver extension nuts with .185" wide, slotted relief cuts, plus the additional slot fits the end of rifle buttstock receiver extensions. Includes a convenient hang-up hole drilled on the end for storage. 


SPECS: Tool steel, blue. 12" (30 cm) long, 1" (2.5cm) wide handle, 5/16" (7.9mm) thick. Fits AR-15/M16/M4 and AR-Style .308 rifles. Will not fit Colt CAR-15 stock nuts with .160" square relief cuts.

#231-000-229EK AR Stock Nut Wrench 1C26Z01 . . . \$ 27.99

DARREL'S CUSTOM AR-15/M16 HANDGUARD REMOVAL TOOL



**Fast & Fumble-Free
Handguard
Removal**

Takes all the fumbling, grumbling and frustration out of installing or removing AR-15 handguards. Easy-to-use, just hook tool into mag well and push down on the handles. Pushes the retaining ring straight down, allows both handguards to be removed in just seconds. 


SPECS: Steel, rubber handles, matte finish, black. 11 1/4" (28.6cm) long. Fits AR-15 A1, A2, M-16 and AR-10.

#100-000-438EK Handguard Tool 5K20A00 \$ 24.95

BROWNELLS CAR-15/M4 BUTTSTOCK WRENCH

**Solidly Engages
The Receiver
Extension Nut For
Easy Installation &
Removal Of Carbine
Buttstocks**



Dedicated wrench has four precision-machined teeth that ensure full, non-slip engagement of all four notches in an M4-type receiver extension nut for easy removal and installation of collapsible carbine buttstocks. Transfers all the torquing force to the nut for fast tightening or removal without risk of damage to nut, extension tube, or receiver caused by the wrench slipping. Includes the handy add-on features of our universal M4 buttstock tool: pry blade/screwdriver, 1/2" square torque drive opening, fixed stock receiver extension remover, and a convenient hole in the handle for hanging the wrench on a pegboard. Heavy duty steel construction, machined from a single piece of .312" thick steel, with a durable black oxide finish. 


SPECS: Steel, hardened, black oxide finish. 7 1/8" (18.1cm) long. Fits current-model M4-type receiver extension nuts with four square notches.

#080-000-670EK M4 Buttstock Wrench 8K69X99 . . . \$ 79.99

ROCK RIVER ARMS AR-15 M4 STOCK WRENCH

**Install M4 Carbine Stocks
Without Damage**



Steel, dual function wrench lets you easily remove your old extension tube and install a new-style, A4 stock. Spanner has three lugs to fit the A4-style castle nut. Provides a non-slip fit so you can correctly torque the stock to the receiver. Also, the comfortable, rubber coated handle features a cutout to fit the receiver extension tube to remove the A1 or A2 stock. 

SPECS: Steel, parkerized finish. 7 7/8" (19.3cm) long.

#739-000-010EK M4 Stock Wrench 9C00ZAY \$ 6.00



BROWNELLS AR-15/M16/AR-STYLE .308 HANDGUARD REMOVAL TOOL

**Makes Taking The Handguard Off
Fast, Easy & Painless**



Handy tool eliminates the need for a second pair of hands when removing AR-type handguards. Simply insert the hooked end of the tool into the mag well, position handles over delta ring, and push down to compress the delta ring spring. Made of strong 1/4" (6.4mm) steel rod, with synthetic rubber coating to protect gun from surface scratches. 


SPECS: Steel, rubber-coated, black. 11" (27.9cm) long. Fits AR-15, M16A1 & A2, and AR-Style .308 rifles with delta rings.

#080-000-487EK AR-15/M16 Handguard Removal Tool, 8K14A99 \$ 19.99

DPMS AR-15 FREE-FLOAT TUBE WRENCH

**Works For All
Barrel/Tube Combinations**



Engages the free-float tube from the rear so it works with any diameter barrel and tube combination. Plenty of leverage. 

SPECS: Steel, blue, matte finish. 10" (25cm) long, 1" (3.4cm) wide.

#231-015-023EK Free-Float Tube Wrench 1C24V76 \$ 29.99

DEDICATED TO BETTER GUNSMITHING Join Gunsmiths.com

Orders/Tech: 800-741-0015

**order on the web
www.brownells.com**

BROWNELLS
... ONLY THE BEST ...

PAGE 69



BROWNELLS TOOL KITS FOR AR-15/M16/M4

Complete Tool Kits To Service & Repair Military & Civilian AR-15/M16 Rifles & M4 Carbines

The RIGHT way to repair and service the AR-15/M16/M4! These kits contain the tools the gunsmith or armorer needs to perform full maintenance and repairs of these rifles in the field or shop. Each tool is designed to do its job in the simplest, most effective manner to maintain and repair these guns correctly – and save time doing it. **Standard Kit** contains the tools needed to work on the AR-15 and the M16A1 through A4. **Premium Kit** contains all the tools of the Standard Kit, plus an additional 11 items necessary to repair and maintain the M4 carbine as well. Both kits come in a custom-fitted, hard-side tool box that's made from nearly indestructible molded polymer resin and meets mil-spec MIL-C-4150 and ATA specifications. The Standard kit's foam inserts are pre-cut with spaces for the M4 tools, so you can turn it into a Premium Kit anytime simply by adding the **Upgrade Kit**.

- #080-216-000EK AR-15/M16 Standard Armorer's Kit**, complete with tools and case **8K929Y95** \$ 1,149.95
#080-216-004EK AR-15/M16 Standard Armorer's Kit, tools ONLY **8K644Y95** 839.95
#080-216-003EK Upgrade Kit for AR-15/M16 Standard Armorer's Kit **8K274Y95** 344.95
#080-216-002EK AR-15/M16/M4 Premium Armorer's Kit, complete with tools and case **8K1229Y03** 1,563.75

① 12 OUNCE BALLPEEN HAMMER - Heavy enough to drive out stubborn tapered front sight retaining pins, yet light enough for installation/removal of solid and roll pins.
SPECS: 12 1/4" (31.1cm) long overall. 1 lb. (454 g), 6 oz. (170 g) total. Head is 3/4" (9.5cm) long. 1 1/16" (3.0cm) diameter flat face. 1" (2.5cm) diameter peen.
#956-000-001EK 12 oz. Ballpeen **6E11T61** \$ 14.72

② 3/4" PLASTIC/BRASS HAMMER - For the thousand and one instances when a part needs a gentle tap during assembly/disassembly. Great when fitting stocks.
SPECS: 3/4" (19mm) diameter faces. 10" (25.4cm) hickory handle. Weighs approximately 4 oz. (113 g).
#818-600-343EK 3/4" Plastic/Brass Hmr **8A00YTP** \$ 14.98

③ FIRING PIN PROTRUSION GAUGE - Essential for properly measuring the amount of the firing pin projecting through the bolt. Too little causes misfires; too much, pierced primers.
SPECS: Steel. 2" (5.1cm) long, 1/4" (6.3mm) wide.
#080-216-013EK AR-15/M16 Firing/Pin Gauge, **8K28H45** \$ 35.99

④ 1/2" SQUARE DRIVE TORQUE WRENCH - Necessary to apply the manufacturer's recommended 30 foot pounds of torque to the barrel nut when installing barrel on receiver. Self-limiting design "clicks" at torque setting.
SPECS: Chrome-plated steel. 17 1/8" (43.5cm) long. 1" (2.5cm) diameter handle. 30-150 ft. lb. range.
#018-150-050EK 1/2" Drive Torque Wrench, **8F00AVB** \$ 136.99

⑤ BROWNELLS SHOP APRON - High quality, durable apron keeps clothing clean and free of grease, oil, and carbon.
SPECS: 39 1/2" (100.3cm) long. 30 1/2" (77.5cm) wide. Upper and lower pockets. Ties: each 27 1/2" (69.8cm) long. Neck strap: 21 3/4" (55.2cm) long.
#084-071-000EK Shop Apron **4A23B40** \$ 32.99

⑥ VISE JAWS - The ONLY way to hold a barrel without damage. Non-marring aluminum with milled grooves to accept both standard or heavy barrels. **Standard Kit only. Replaced by #36 in Premium Kit.**
SPECS: 3 3/8" (9.2cm) L, 2 1/4" (5.7cm) W, 2 5/8" (7.3cm) H. 2 lb. (907 g), 5 oz. (142 g). Cast Aluminum.
#795-015-100EK Vise Jaws **8K22H15** \$ 22.99

⑦ PARTS BOXES - A durable, break-resistant container for parts, smaller tools, and other loose items. Kit includes two boxes; replacement boxes sold per each.
SPECS: 11" (27.9cm) L x 6 3/4" (17.1cm) W. 6 compartments.
#313-100-606EK Parts Box, each, **3A07X36** \$ 9.21

⑧ BROWNELLS BENCH MAT - Neoprene rubber mat provides a smooth, non-marring, oil-and solvent resistant work surface no matter where you are.
SPECS: 17 1/2" (44.4cm) long. 12" (30.5cm) wide. 3/16" (4.7mm) thick.
#358-128-316EK Bench Mat, **8E17Y97** \$ 21.98

⑨ 10 1/2" LONG, 1/2" SQUARE DRIVE HANDLE - Use with AR-15/M16 Combination Wrench to loosen the barrel nut and remove barrel. Long enough to provide ample leverage.
SPECS: Chrome-plated steel. 10 1/2" (26.7cm) long. 13/16" (20.6mm) diameter handle.
#221-141-600EK 10 1/2"x1/2" Drive Handle, **1B00HDZ** \$ 17.99

⑩ MAGNA-TIP® #81 HANDLE - Preferred by many for general use, shank is long enough to reach inside the pistol grip. Use with Stubby Handle to remove Pivot Pin.
SPECS: Overall length 8" (20.3cm).
#080-086-181EK MAGNA-TIP® #81 **8K10A60** \$ 12.99

⑪ MAGNA-TIP® STUBBY HANDLE - Use with various MAGNA-TIP® bits on butt plate screws, windage screw, AR-15 pivot pin head, etc. When removing the pivot pin, use Stubby Handle with the "RED" bit on the left side of the pin and the regular handle with the 445-6 bit on the right side.
SPECS: 2 1/2" (6.3cm) overall. 1 7/8" (4.8cm) handle, 5/8" (15.9mm) shank.
#080-090-000EK Stubby Handle **8K08H16** \$ 9.99

⑫ SNAP RING PLIERS - For removal and installation of the handguard snap ring. Extra tips included for other uses.
SPECS: Blued steel with vinyl dipped handles. Tip sizes - Straight, .045" (1.1mm); Straight, .060" (1.5mm); 45°; 90°.
#531-460-000EK Snap Ring Pliers **1C12A52** \$ 15.99
#531-462-500EK Replacement Snap Ring Plier Tips, 4 pair set **1C04A50** 5.65

⑬ BARREL NUT ALIGNMENT GAUGE - Fits into the end of the bolt carrier key to ensure that the barrel nut is properly aligned during installation of AR-15/M16 barrel. Improper alignment can damage the bolt carrier key and/or the gas tube.
SPECS: Steel. .178" (4.5mm) diameter x 3" (7.6cm) long.
#080-216-014EK Barrel Nut Align. Gauge **8K04H73** \$ 5.99

⑭ 5.56MM (.223) HEADSPACE GAUGE - Measures maximum headspace. Essential for checking out rifles that have seen heavy use or that have been rebarreled. Not a regular "field" gauge but made to Colt factory dimensions.
SPECS: 1.65" (4.2cm) overall (this is NOT the "Headspace" dimension). .3655" (9.3mm) diameter.
#319-418-033EK Colt 5.56 Hdspce Gge **8K00DZA** \$ 16.99

⑮ BROWNELLS #250 CHAMBER MIRROR - Highly polished, steel mirror drops into the chamber to aid in detailed inspection. Will not move beyond throat.
SPECS: 1 3/16" (3cm) long.
#084-174-250EK #250 Chamber Mirror **4H08D97** \$ 14.99

⑯ CLEANING ROD SMALL ARMS (W/ADAPTER) - Threaded for 8-36 U.S. military cleaning brushes; includes adapter that accepts commercial 8-32 brushes and accessories.
SPECS: Steel, parkerized finish. .204" (5.2mm) diameter rod. 4 sections, each 7 3/8" (18.7cm) long - 3 thread into 4th handled section. Overall length, with Jag, 29 3/4" (75.6cm). Adapter is 3 1/4" (8.2cm). Jag is 2 3/4" (7cm) with oval slot.
#084-116-100EK Cleaning Rod **4H10U61** \$ 15.99

⑰ COMBINATION WRENCH - Removes the barrel nut. Removes/installs flash suppressor and lower receiver extension.
SPECS: Blued steel. 5" (12.7cm) lg x 2" (5cm) w x 1/4" (6.3mm) thick.
#080-216-015EK Combination Wrench **8K25D43** \$ 34.99

⑱ BROWNELLS ROLL PIN PUNCHES - The ONLY way to properly install or remove roll pins without damage to either the pin or the surrounding metal. A small raised projection in the face of the punch automatically centers the punch and prevents the roll pin from collapsing.
SPECS: #1, 1/16" (1.6mm) x 2 3/4" (7cm) L; #2, 5/64" (2mm) x 3 1/4" (8.2cm) L; #3, 3/32" (2.4mm) x 3 1/2" (9cm) L; #4, 1/8" (3.2mm) x 4" (10.2cm) L; #6, 3/16" (4.8mm) x 4 1/2" (11.4cm) L.
#230-112-105EK Roll Pin Pch Kit, set of 5 **7H00YTP** \$ 19.99

One Kit Does It All!

⑲ ⑲ CARRIER KEY BIT KIT - Two hex bits for installing the bolt carrier key socket head screws, plus an adapter that will connect the Carrier Key Bits to the 3/8" Drive Torque Wrench. Small and large bits handle both early and late guns.
SPECS: Heat-treated steel. 185-2 Bit - 1/8" (3.2mm) hex bit. 185-10 Bit - 9/64" (3.6mm) hex bit. 1" (2.5cm) long. Adapter - Heat-treated steel with retention clip adapts 3/8" square drive to accept 1/4" shank hex bits.
#080-216-050EK Carrier Key Bit Kit **8K06D18** \$ 9.99
#080-185-200EK 185-2 Hex Bit **8K02T52** 2.99
#080-185-010EK 185-10 Hex Bit **8K02T52** 2.99
#080-430-025EK Socket Drive Adapter **8K04B22** 4.99

⑳ BROWNELLS ROLL PIN HOLDERS (STARTER/SETTER PUNCHES) - Easily hold even the smallest roll pins for positioning. Complete installation with Brownells Roll Pin Punches.
SPECS: 1/8" (3.2mm), 3.5mm (.138") diameter - 5" (12.7cm) long. 3/32" (2.4mm), 5/64" (2mm), 1/16" (.40mm) diameter - 4 1/2" (11.4cm) long.
#080-685-000EK Roll Pin Holders, set of 5 **8K41H65** \$ 49.99

㉑ BOLT CATCH PIN PUNCH - Specially made, slab-sided punch clears left side of the magazine well allowing bolt catch pivot pin to be removed by driving it to the rear.
SPECS: Steel. 4" (10.2cm) long. 3/32" (2.4mm) diameter tip.
#080-216-012EK Bolt Catch Pin Punch **8K11H76** \$ 15.99

㉒ STARRETT 1/8" PUNCH - A best-quality punch for removing solid pins such as those on the hammer or trigger.
SPECS: 4" (10.2cm) long. 1/8" (3.2mm) diameter tip.
#827-525-800EK 1/8" Punch **8K00YTP** \$ 4.99

㉓ TAPER PIN STARTER - This tool's radiused face matches the end of the front sight housing taper pin to prevent damage during removal. The taper pin is removed by driving from left to right; the small end is on the left side of the barrel, the large end is on the right side!
SPECS: 4" (10.2cm) long. 3/32" (2.4mm) diameter tip.
#827-530-320EK Taper Pin Starter **7B00HDZ** \$ 11.99

㉔ STARRETT 1/4" PUNCH - Facilitates removal of the take-down pin and safety lever/fire control selector.
SPECS: 4" (10.2cm) long. 1/4" (6.3mm) diameter tip.
#827-525-840EK 1/4" Punch **8K04A99** \$ 5.99

㉕ STARRETT 3/32" CENTER PUNCH - Stakes socket-head cap screws securing the bolt carrier key to the bolt carrier.
SPECS: 4" (10.2cm) long. 3/32" (2.4mm) punch, 3/8" diameter body.
#827-512-820EK Starrett 3/32" Center Punch, **8K00BXC** \$ 7.99



㉖ PIVOT PIN DETENT DEPRESSOR - Depresses spring-loaded detent to free the pivot pin for removal. Virtually impossible without this tool. Does not fit Colt Mfg. AR-15.
SPECS: Blued steel. 1 7/8" (4.8cm) long.
#080-216-010EK Pivot Pin Depressor **8K03H79** \$ 4.99

㉗ PIVOT PIN DETENT INSTALLATION TOOL - Makes installation of the M16 pivot pin and its detent faster and easier. Prevents loss of detents. Guides detent and spring into place and serves as a slave pin when installing the pivot pin.
SPECS: Blued steel. 1/4" (6.3mm) diameter. 2 1/2" (6.3cm) and 1 1/2" (3.8cm) long "legs".
#080-216-011EK Pivot Pin Install. Tool **8K10H18** \$ 15.99

㉘ BROWNELLS BROKEN SHELL EXTRACTOR - Fastest way to remove the front portion of a separated 5.56mm (.223) case without field stripping. Engages the rim of case mouth and pulls case from the chamber when charging handle is pulled back. Adjustable to ensure complete engagement of case mouth.
SPECS: Blued steel. 2" (5cm) long.
#080-000-441EK Shell Extractor **8K16V99** \$ 19.99

㉙ 445-6 BIT - Use on the AR-15 windage screw, pistol grip screw, and right side of the pivot pin.
SPECS: 1 1/2" (3.8cm) long. Approximately .360" (9.1mm) diameter x .055" (1.4mm) thick.
#080-445-655EK 445-6 Bit **8K02X52** \$ 2.99

㉚ RED BIT - Use on left side of the pivot pin.
SPECS: 1 1/2" (3.8cm) long. Approximately .398" (10.1mm) diameter x .078" (1.98mm) thick.
#080-430-400EK RED Bit **8K04B79** \$ 5.99

㉛ LB BIT - Use on the butt plate screws.
SPECS: 1 1/2" (3.8cm) long. Approx. .428" (10.9mm) diameter x .070" (1.8mm) thick.
#080-430-430EK LB Bit **8K04B90** \$ 5.99

㉜ SIGHT TOOLS - Quickly adjust front and rear sights. A1 fits older AR-15s and M16s, A2 fits M16A2 configuration rifles.
SPECS: Blued steel. 1 3/8" (3.5cm) long x 3/4" (19mm) diameter.
#078-015-001EK A1 AR-15/M16 Sight Tool, **7B07H67** \$ 9.99
#078-015-002EK A2 AR-15/M16 Sight Tool **7B07H55** 8.99

TOOL KITS CONTINUED TOP OF NEXT PAGE

(34) 3/8" SQUARE DRIVE T-HANDLE TORQUE WRENCH - Precisely calibrated to apply the required 40 foot pounds of torque to tighten the two socket-head cap screws on the bolt carrier key. **SPECS:** Chrome-plated steel. 3 1/2" (8.9cm) long. 4-1/8" (10.5cm) wide handle. **#792-000-005EK 3/8" Drive Torque Wrench 2G89Y48 \$ 111.99**

(35) MIL-SPEC TOOL BOX - Heavy-duty case with four drawers, top compartment, and double latches. O-ring seals keep dust and moisture out; built-in wheels and a sturdy, retractable pull handle for easy transport. Extra storage space for parts, manuals, etc. **SPECS:** 24" (61cm) wide, 18" (45.7cm) high, 15" (38.1cm) deep. 38 lb. wt. **#636-000-003EK Mil-Spec Tool Box 6C357V94 \$ 499.99**

ADDITIONAL TOOLS IN PREMIUM KIT:

(36) ACCU-GRIP BARREL VISE JAWS - Massive aluminum jaws lined with space age, polyurethane elastomer grip tight without marring the barrel. Grooves for both standard and heavy barrel contours. **Replace Vise Jaws in Standard Kit.** **SPECS:** Machined aluminum with blue polyurethane elastomer lining. 5" (12.7cm) wide, 1" (2.5cm) thick, 3/8" (9.8cm) long. 2 lb. 6 oz. (1 kg) wt. Fits 4" and wider vises. **#852-015-000EK Accu-Grip Vise Jaws 2E00HPU . . . \$ 59.99**

(37) FRONT SIGHT BENCH BLOCK - Big, tough, polyethylene block gives fitted support for installing/removing the front sight assembly on mil-spec AR-15 rifles and carbines. **SPECS:** 4" (10.2cm) dia. x 1 1/16" (4.3cm) high. **#080-000-252EK AR-15 Front Sight Bench Block, 8D31V99 \$ 39.99**

(38) UPPER RECEIVER ACTION BLOCK - Tough Rynite block and insert surround the entire upper receiver to let you tightly clamp an A1, A2, or standard flattop receiver in a large bench vise for barrel removal/installation without twisting the receiver or damaging barrel detent pin and receiver detent notch. **SPECS: Block** - 2.5" (6.3cm) thick, 3.5" (8.8cm) wide, 4.5" (11.4cm) high. **Insert** - 8" (20cm) long, 1" (2.5cm) diameter. **#080-000-661EK Upper Receiver Action Block, 8K42Z99 \$ 54.99**

(39) LOWER RECEIVER VISE BLOCK - Unbreakable, high-density urethane vise block inserts into magazine housing and takes all the clamping force, so the lower receiver won't be damaged or distorted. Magazine catch locks to the block. **SPECS:** 5" (12cm) high, 2 1/4" (5.7cm) wide, 3/4" (19cm) thick. **#080-000-662EK Lower Receiver Vise Block, 8K38Z49 \$ 49.99**

(40) HANDGUARD REMOVAL TOOL - Takes the fumbling and frustration out of installing or removing AR-15, M16A1/A2, and AR-10 handguards. Rubber coated steel won't mar gun. **SPECS:** 11 1/4" (28.6cm) long. **#100-000-438EK Handguard Tool 5K20T55 \$ 24.99**

(41) MAGAZINE CATCH INSTALLATION & REMOVAL TOOL - Compresses the spring for easy removal of the magazine catch. **SPECS:** High-impact plastic, black. **#100-002-127EK Magcatch Tool 3A05C95 \$ 7.95**

(42) TAKEDOWN PIN REMOVAL TOOL - Drives out the front and rear takedown pins without marring the metal. **SPECS:** High-impact plastic, black. **#100-002-125EK Takedown Pin Tool 3A05X49 \$ 7.49**

(43) BOLT EJECTOR TOOL - Steel clamp captures the bolt head, and turnscrow depresses the ejector for faster, easier removal and installation of plunger-style ejectors. **SPECS:** Steel, blued. Plastic handle. **#080-792-002EK AR-15/M16 Bolt Ejector Tool, 8K16P53 \$ 20.99**

(44) MAGAZINE FEED LIPTOOL - Bends the feed lips back into place, so they guide the cartridge body properly to prevent problems and jams caused by bent magazine feed lips. **SPECS:** Steel shank, blued; plastic handle. 5 1/2" (14cm) long. **#080-000-314EK AR-15 Mag Feed Lip Tool 8K09D81 \$ 12.99**

(45) GAS TUBE WRENCH - Clamps around the fragile gas tube to prevent damage during both removal and installation. **SPECS:** Steel, blued. 6" (15.2cm) long. **#133-100-015EK Gas Tube Wrench 3C00PUA \$ 22.99**

DPMS AR-STYLE .308 FREE-FLOAT TUBE WRENCH

Removes & Installs
A Wide Variety Of
Tubes



No-fail armorer's tool allows precise, easy installation and removal of free-float tubes on a wide variety of AR-style .308 rifles. Dual-ended design works for the DPMS LR-series, ArmaLite® AR-10®, and Knight's Armament SR-25. Made from solid steel with hardened steel pins, plus convenient, square cutouts to get additional leverage with a 1/2" drive breaker bar. **SPECS:** Steel, blue. 16" (40.6cm) long, 1 1/4" (3.1cm) wide handle, 3/8" (9.5mm) thick. Fits DPMS LR-series (.308, plus .260 and .243), ArmaLite AR-10, and Knight SR-25 rifles. **#231-000-230EK AR-.308 Free-Float Tube Wrench, 1C39Z42 \$ 54.99**

MIDWEST INDUSTRIES AR-15/M16 BARREL NUT/JAM NUT WRENCHES



For Maximum Torque
Without Marring Or Slipping

Custom barrel nut and jam nut wrenches are specifically designed to make installing Midwest Industries handguards fast and easy. Both wrenches transmit maximum torque smoothly and evenly to the nut without slipping and marring the gun. Long, easy-to-grasp plate steel handles provide plenty of leverage. Also fits standard handguards and most standard pin-type barrel nuts, too. **SPECS:** Steel, black oxide finish. Approximately 7 7/8" (20cm) long x 1/4" (6.4mm) thick. **#100-005-397EK Barrel Nut Wrench 2A11Y54 \$ 14.99**
#100-005-398EK Jam Nut Wrench 2A11Y54 14.99

ARRINGTON ACCURACY WORKS AR-15/M16 FREE-FLOAT HANDGUARD STRAP WRENCH

Plenty Of Leverage
To Remove & Reinstall
Any Diameter Float Tube



Heavy-duty strap wrench gives you plenty of leverage to remove screw-on free-float handguard tubes, even those sealed with thread locker or "frozen" on by corrosion between the barrel nut and guard. Large, adjustable strap of tough, reinforced rubber wraps securely around any diameter handguard, with no risk of scratching the finish, and grasps the guard tighter as you apply pressure. Lets you position the strap right over the threaded end of the tube for maximum torque transfer where it's needed most. Hefty steel handle won't bend, no matter how much force you apply, and machined aluminum head maintains optimal alignment of handguard, strap, and handle. Indispensable time-saver for professional armorers or anybody who regularly faces the chore of changing handguards. **SPECS:** Steel handle, aluminum head, rubber strap. 10" (25.4cm) O.A.L. **#100-004-209EK Free-Float Handguard Wrench, 3C48X26 \$ 56.99**

(46) BOLT CARRIER CARBON SCRAPER - Removes hard-to-get-at carbon buildup without damaging the bolt carrier. Solves cycling problems caused by carbon deposits in the bolt recess. **SPECS:** Steel reamer, plastic handle. 6 1/2" (16cm) long. **#133-100-016EK Carrier Carbon Scraper 3C00BXC. \$ 22.99**

(47) BUTTSTOCK TOOL - Combines several tools into one for taking apart M4-style collapsible buttstocks. Includes pins for old- and new-style receiver extension nuts. **SPECS:** Steel, black. 7" (17.8cm) long. **#080-000-291EK Buttstock Tool 8K48B75 \$ 59.99**



BROWNELLS AR-15/M16 BARREL EXTENSION TORQUE TOOL

Aids Fast, Easy Barrel
Installation;
Protects Barrel Nut &
Receiver From Damage



Handy tool aids in applying straight-line torque for fast, easy installation of the barrel nut without scratching the exterior of the upper receiver. Helps ensure the right amount of torque is evenly applied, while maintaining proper alignment of the barrel, upper receiver, and gas tube ports. Use with any barrel nut wrench or free-float tube wrench and a torque wrench with a 1/2" square drive. Simply clamp the barrel nut wrench handle firmly in a bench vise, insert the barrel into the upper receiver, and finger tighten the barrel nut. Slide the barrel through the wrench, insert the Torque Tool in the back of the receiver until the teeth lock into the locking lugs in the receiver extension, and apply torque with the torque drive through the Tool to tighten the barrel nut. Precision machined from heavy-duty steel bar stock for years of reliable service. **SPECS:** Machined steel, black oxide finish. 9" (22.9cm) long, 1" (2.5cm) diameter. Fits barrel extensions of AR-15/M16/M4 and clones chambered in .223/5.56mm only. Requires a 1/2" square drive torque wrench. Instructions included. **#080-000-637EK AR-15/M16 Barrel Ext. Torque Tool, 8K27D44 \$ 34.99**

GLENAIR AR-15/M16 STRAP WRENCH

Safer, Easier Installation
& Removal Of Tube
Handguards



Easily grips all types and sizes of AR-15/M16 tube handguards, for faster installation and removal. Fiber reinforced rubber strap with steel handle gives plenty of leverage, and you can attach a 3/8" drive torque wrench. **SPECS:** Nickel-plated aluminum handle, 6 3/8" (16cm) long. Fits handguards up to 3" (7.6cm) in diameter. **#382-100-015EK AR Strap Wrench 2H00UAV. \$ 32.99**

PRECISION REFLEX AR-15/M16/AR-10® BARREL NUT WRENCH

Plenty Of Leverage
For Quick Barrel Removal & Installation



Heavy-duty wrench provides plenty of leverage for installing and removing barrel nuts when used with a 3/8" or 1/2" drive breaker bar, socket wrench, or torque wrench. Cut from 3/8" thick steel, with plenty of metal so it won't flex under pressure while transferring the torque evenly to the nut. Models available for AR-15/M16 and ArmaLite® AR-10®. **SPECS:** Steel, Parkerized, dark gray. **AR-15** fits AR-15/M16/M4 and clones. **AR-10** fits ArmaLite AR-10 only. **#714-000-007EK AR-15 Barrel Nut Wrench, 4A19Z49 \$ 24.95**
#714-000-008EK AR-10 Barrel Nut Wrench, 4A20Z29 24.99



H&W STEEL SMITH & WESSON M&P 15-22 BARREL NUT WRENCH

For Quick, No-Damage Barrel
Removal/Installation



Tubular steel wrench easily slides over the Smith & Wesson M&P 15-22 barrel to tighten or loosen the barrel/handguard as-

BROWNELLS AR-15/M16 HANDGUARD ALIGNMENT TOOL

Maintains Precise Handguard
Alignment While Tightening
The Locking Ring



Eyeballing a railed, free-float handguard for perfect alignment with your flattop receiver is only half the battle. Keeping it from going cockeyed as you tighten the locking ring is another story. Talk about frustrating! Avoid the hassle with this handy jig that aligns the top handguard rail with the receiver rail and keeps it there. Just slide the jig on the rails, secure its setscrews, and tighten the locking ring—you're done! With the time it saves, this tool will pay for itself the first few times you use it. A must for maintaining handguard alignment to ensure night vision devices, vertical grips, flip-up front sights, and other add-on accessories are also properly aligned. Precision machined from high-quality 6061 billet aluminum, then hardcoat anodized for extra strength and years of wear resistance. Designed for use with railed, free-float tubes that have a locking ring. **SPECS:** Aluminum, hardcoat anodized, black. 3 1/2" (8.9cm) long, 1" (2.5cm) wide, 1 1/2" (3.8cm) high. **#080-000-368EK Handguard Alignment Tool, 8K47D33 \$ 59.99**

SHOOBOYTOOLS S&W M&P 15-22 "SHOOWRENCH" BARREL WRENCH

For Easy Removal & Installation Of .22 LR Barrel



Dedicated, machined-steel tool helps you easily remove, install, and tighten the barrel on Smith & Wesson's popular AR-style .22 LR rifle without damaging the polymer receiver or removing the handguard. Slides over the barrel, under the handguard, to engage the barrel nut; if your rifle has a flash hider, it must be removed first. Machined flats at the exposed end give a secure contact point for a .940" wide wrench. Delrin insert protects barrel during removal or installation. **SPECS:** Machined steel, black finish. Delrin insert. 11" (28cm) OAL, 1" (2.5cm) O.D. **#100-005-782EK Shooboy Barrel Wrench 5D20X69 \$ 24.99**

SOUTH SHORE AR-15/AR-10 BARREL EXTENSION WRENCH

Plenty Of Strength To Get Even
The Tightest Barrels Loose



Two models install or remove AR-15/AR-10 barrel extensions safely and easily without making a "wrench" from an old bolt head. Machined, hardened, steel engagement teeth fully engage locking lugs for precise fit; alignment sleeve holds wrench square with barrel, prevents slipping or damage. 3/4" hex drive gives plenty of leverage to get really tight extensions loose. **SPECS:** 8620 steel, blue. 2 7/8" (7.3cm) long. Heat treated to Rc 48-52. **#841-015-001EK AR-15 Barrel Extension Wrench, 1D43Z95 \$ 53.99**
#841-000-001EK AR-10 Barrel Ext. Wrench, 1D53Z55 65.98

sembly. Machined flats let you use an adjustable wrench, or a 1 1/4" open- or box-end wrench when removing the handguard for detailed cleaning, installing accessories, or to remove and install a new barrel. Polyurethane spacers protect barrel. Remove flash hider and handguard spacer, if installed, before use. **SPECS:** Carbon steel, oxide coated, black. 10 3/4" (27.3cm) long, 1 3/16" (3cm) diameter. **#100-006-700EK M&P 15-22 Barrel Wrench, 3C26T67 \$ 29.99**

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 71

TORQUE WRENCHES



2 Sizes For Barrel Nuts & Any Bolts You Want Precisely Tight

For AR-15/M16 Barrel Nuts, Bolt Carrier Key or action screws on any rifle. Set the dial handle to desired torque; wrench "clicks" when the number is reached. **SPECS:** Chrome-plated steel. **3/8" (9.5mm) Drive** - 8 5/8" (21.9cm) long. 3/4" (19mm) diameter handle. 30 - 150 inch pound range. **1/2" (12.7mm) Drive** - 17 1/8" (43.5cm) long. 1" (2.5cm) diameter handle. 30 - 150 foot pound range.

#018-150-375EK 3/8" Torque Wrench 8A00CHD \$ 174.99
#018-150-050EK 1/2" Torque Wrench 8F00AVB 136.99



BROWNELLS EXTRA-LARGE BENCH BLOCK



Large, 4" Diameter, Useable Surface Will Not Embed Or Mar

Extra size and weight helps keep these blocks where you put them and the big face eliminates much of the "balancing act" when you're driving pins. Cannot mar even the most highly polished surface. Drilled with four through holes for easier pin removal and disassembly. Convenient, center "V" holds cylindrically shaped parts steady so they won't roll. Can be drilled or modified with hand tools; will not melt when machined. **SPECS:** Polyethylene, green. 4" (10cm) diameter, 1 1/8" (2.8cm) high.

#080-000-492EK Rifle Bench Block 8D00AYT \$ 16.99



BROWNELLS AR-15/M16 FRONT SIGHT BENCH BLOCK

Two Working Sides For Installation & Removal



Big, tough, polyethylene block gives fitted support for installing/removing the front sight assembly on mil-spec, AR-15 rifles and carbines. Precision-machined and clearly marked on both sides for driving the mounting pins "IN" or "OUT" of the sight. Accommodates the sling swivel, plus, includes provisions for removing the gas tube roll pin. **SPECS:** Polyethylene, orange. 4" (10.2cm) dia. x 1 1/16" (4.3cm) high.

#080-000-252EK AR-15 Front Sight Bench Block, 8D31V99 \$ 39.99



TAPCO AR-15/M16 FRONT SIGHT/HELMET LINERTOOL




Dual-Function Tool Adjusts Sight Elevation; Removes/Installs Helmet Liner Screws

Handy, dual-use steel tool for AR-15/M16 rifles, and ACH/MICH helmet systems. One end has a four-prong front sight adjustment tool for changing elevation on AR-15/M16 rifles. A flat bladed screwdriver on the other end helps install or remove accessories in ACH/MICH helmets made by BAE. Use on older, PASGT Kevlar® helmets to install or remove the chin strap screws. **SPECS:** Steel, manganese phosphate finish, matte black. 1 1/16" (4.3cm) long, 1/2" (1.27cm) diameter, .7 oz. (20g) wt. Does not fit 5-prong A1 sights.

#100-006-315EK AR Front Sight/Helmet Liner Tool, 5A07V96 \$ 8.99



BROWNELLS AR-15 SIGHT WRENCH



Two Styles, For A1 & A2, Give Fast, Convenient Sight Adjustment

Precision machined from tough, stressproof steel with square-profile fingers that grip the sight notches firmly and won't "roll out"; provides easy, exact sight adjustment. Plus, they resist bending and breaking to give years of service. Deeply drilled body fits both issue and tall blade sights. An extra-nice touch are the hex-shaped bodies; they're easy to grasp, easy to turn and won't roll off your bench. Three tools: **A1** five-prong and **A2** four-prong fit front and rear sights. **A1/A2** is double ended to fit both five-detent A1 and four-detent, square blade, A2 front sights only. A2 wrenches also fit FN SCAR. **SPECS:** Stressproof steel, blue finish. **A1:** five-prong and **A2:** four-prong (adjusts front and rear). 1 3/8" (3.5cm) long x 3/4" (19mm) dia. **A1/A2:** 2 1/2" (6.4cm) long four-prong/five-prong front only wrench.

#078-000-008EK A1 AR-15 Sight Wrench 8G12D18 . . \$ 15.99
#078-000-009EK A2 AR-15 Sight Wrench 8K14D02 . . \$ 17.99
#078-000-010EK A1/A2 AR-15 Sight Wrench 9A12D69 16.99

BROWNELLS AR-15/M16 REAR SIGHT ELEVATION SPRING TOOL

Eases Installation & Removal Of Rear Sight Elevation Spring



Hardened, drill-rod steel shaft depresses the elevation spring to ease installation or removal of the rear sight elevation spring retaining pin. Hand-filling plastic handle ensures a firm, comfortable grip while applying pressure to the spring. **SPECS:** Steel shank, in-the-white; plastic handle, black. 4" (10.2cm) OAL, .250" (6mm) O.D.

#080-000-079EK AR-15 Rear Sight Elevation Spring Tool, 8K08Z01 \$ 10.99

BROWNELLS AR-15/M16 UPPER RECEIVER LAPPING TOOL



Helps True The Upper Receiver For Precise Barrel Fit & Maximum Accuracy

Cold-rolled steel lapping tool chucks into a 3/8" hand drill to easily "square" the upper receiver face on your AR-15. Helps ensure precise mating of barrel and receiver for added accuracy. Coat face of receiver with aluminum-oxide lapping compound; extra long pilot slides into the bolt carrier tunnel to maintain perfect concentricity with the receiver. **SPECS:** Cold-rolled steel, in-the-white. 8 1/4" (21cm) long, 3/8" (9.5mm) diameter shank.

#080-000-182EK AR-15 Lapping Tool 8K26P95 \$ 34.95



BROWNELLS AR-15/M16 SIGHT WRENCH

Models For A1 & A2 Make Sight Adjusting Quick & Easy



Even tho' you're supposed to be able to adjust these sights with nothing more than a round of ammo, folks who've tried know it's just not that simple. This decidedly handy little Sight Wrench does the job, quick and easy. **SPECS:** 1 3/8" (3.5cm) long x 3/4" (19.0mm) dia. Blued steel. Models for **A1**, five-prong (adjusts front and rear) and **A2**, four-prong.

#078-015-001EK AR15/M16 A1 AR Sight Wrench, 7B07H67 \$ 9.99



PLASTIX PLUS AR-15/M16 DISPLAY STANDS

Non-Marring, Heavy-Duty Plastic Weapon Display/Work Stand

High-density, thermoplastic-welded polyethylene stands securely hold your AR-15 for display or cleaning and maintenance chores. Each stand has a 7" post with beveled edges that fits in the magwell like a magazine. **Barrel Support** model features a wide display stand with enclosed tray and a barrel support at one end. **Parts Tray** model has a centered resting post and no barrel support with plenty of room in the tray to keep small parts from straying. **Wall-Mount** model keeps your weapon off the ground and includes a holder for one magazine.

SPECS: High-density, thermoplastic-welded polyethylene, black. **Barrel Support/Parts Tray** - 18" (45.7cm) long, 6 1/2" (16.5cm) wide, 7 1/4" (18.4cm) high. **Wall-Mount** - 7 1/4" (18.4cm) long, 4 1/2" (11.4cm) wide, 6" (15.2cm) high.

#100-005-252EK Barrel Support Stand 1Z49A56 . . . \$ 54.99
#100-005-251EK Parts Tray Stand 1Z41A55 49.99
#100-005-253EK Wall-Mount Stand 1Z30A52 32.99

AR-15/M16 ACCU-GRIP BARREL VISE JAWS

Fully-Lined Barrel Grooves Prevent Slipping & Damage



Massive aluminum jaws lined with space age, polyurethane elastomer; grip tight and prevent marring. Two grooves fit standard and heavy barrel contours. **SPECS:** Machined aluminum with permanently bonded green polyurethane elastomer lining. 5" (12.7cm) wide, 1" (2.5cm) thick, 3 1/8" (9.8cm) long. 2 lb. 6 oz. (1 kg) wt. Fits 4" and wider vises.

#852-015-000EK Accu-Grip Vise Jaws 2E00HPU . . . \$ 59.99

RAIL VISE TECHNOLOGIES AR-15/M16 RAIL VISE SYSTEM



Secure Support For Easy Cleaning & Maintenance Of Flattop Rifles

Custom platform for flattop AR-15/M16 rifles securely supports the upper and lower receivers for cleaning or light maintenance. Holds the gun so both hands are free, and positions it so you can easily get to hard-to-reach areas. Barrel support tower slides to adjust for any barrel length, and fits a standard or oversized bull barrel. Self-contained **System** includes the barrel tower, a full-length base, lower receiver block that fits into the mag well, and an upper block that clamps to the receiver rail. **Component** kit includes only the barrel tower and receiver blocks, for direct mounting to the top of your workbench. **SPECS:** Base - Aluminum, anodized, black, with steel rails. 28 3/4" long, 5 1/2" wide, 3/4" thick. Tower/Blocks - Fiber-filled injection-molded polymer resin, black. Fits any AR-15/M16 lower receiver; accepts flattop upper receiver only.

#100-005-535EK Rail Vise System 6C53V34 \$ 65.99
#100-005-536EK Rail Vise Components Kit, 6C28V57 34.99

#078-015-002EK AR15/M16 A2 AR Sight Wrench, 7B07H55 8.99



BROWNELLS AR-15/M16/AR-STYLE .308 UPPER & LOWER RECEIVER BLOCKS

Protect Receiver From Damage When Clamping

Heavy-duty blocks allow you to firmly clamp AR-15/M16 receiver halves in a vise without risk of crushing, twisting, or otherwise distorting them when applying vise pressure or torquing the barrel nut. Keeps your rifle secure for safe, effective cleaning, assembly, and repair. **SPECS:** Injection-molded Rynite, black. Fits A1, A2, and standard flattop receivers. **Block** - 2.5" (6.3cm) thick, 3.5" (8.8cm) wide, 4.5" (11.4cm) high. **Insert** - 8" (20cm) long, 1" (2.5cm) diameter. Torque tested to 200 ft. lbs.

#080-000-661EK Upper Rec'r Action Block 8K42Z99 \$ 54.99

UPPER RECEIVER VISE BLOCK - Securely clamps into a bench vise and supports the receiver from the inside for maintenance, repairs, or accessory installation. Machined from hard, self-lubricating, polyethylene that won't scratch or mar the receiver finish. Fits carry handle or flattop receivers with .250" diameter pivot/takedown pin holes. Separate models to fit mil-spec AR-15/M16 or AR-Style. **308** from ArmaLite® and DPMS. **SPECS:** Machined polyethylene, black. Fit upper receivers with .250" dia. pivot/takedown pin holes. **AR-15/M16** - 7" (17.8cm) long, 1.8" (4.6cm) wide, 2.5" (6.4cm) tall. Fits mil-spec receivers. **AR-style .308** - 7 3/8" long, 1 13/16" (4.6cm) wide, 2 1/8" (5.8cm) tall. Fits ArmaLite® AR-10®, DPMS LR-308 upper receivers and clones. Does not fit Rock River or Bushmaster.

#080-000-795EK Upper Rec'r Vise Block 4C38H57 . . \$ 49.99
#080-000-796EK AR-Style .308 Upper Rec'r Vise Block, 4C42H43 59.99

LOWER RECEIVER VISE BLOCK - Heavy-duty vise block takes all the clamping force, so your expensive lower receiver won't get scratched, distorted, or otherwise damaged. Insert block into the mag well, just like an ordinary magazine, then clamp the other end in your bench vise. The magazine catch locks to the block, safely and securely holding the rifle for assembly, disassembly, cleaning, or repair. Will not mar or scratch weapon's finish. **AR-15/M16** model fits mil-spec. 223/5.56mm rifles and carbines. Dual-purpose design can be inserted into mag well from bottom or, when upper receiver is removed, from the top. **AR-Style .308** model is a double-ended design to fit ArmaLite® AR-10®, Bushmaster .308, DPMS Panther™ LR-308, and Remington R-25. Does not fit Rock River Arms lower receivers. Machined from rugged, durable, chemical-resistant Delrin® polymer.

SPECS: AR-15/M16 - Injection-molded high-density urethane plastic, black. 5" (12cm) high, 2 1/4" (5.7cm) wide, 3/4" (1.9cm) thick. Fits mil-spec. 223/5.56mm rifles and carbines. **AR-Style .308** - Machined Delrin, white. 5 1/8" (13cm) high, 3" (7.6cm) wide, 1" (2.5cm) thick. Fits most AR-Style .308 rifles except Rock River Arms.

#080-000-662EK Lower Rec'r Vise Block 8K38Z49 . . \$ 49.99
#080-000-659EK Action Block/Vise Block Set, 8K62D99 77.99

#080-000-494EK AR-Style .308 Lower Rec'r Vise Block 8K35X58 45.99

PRECISION REFLEX AR-15/M16 UPPER RECEIVER VISE BLOCK

Two Ways To Support
Upper Receiver In A Vise
Without Risk Of Damage



Heavy duty, machined aluminum vise block lets you clamp an AR-15/M16 upper receiver in a bench vise without risk of marring the finish or distorting the receiver from over-tightening. Dual-use design allows the receiver to be positioned top side up or, if it's a flattop, upside down; either way, the vise grasps the block and never touches the receiver. One side of the block fits in the underside of the receiver and is held securely in place with two, steel, T-pins inserted through the takedown pin holes, so you can install optics, perform thorough cleaning, and do other work on the exterior. Or, slide a flattop receiver rail into the grooves on the other side of the block and tighten the locking bar with the large thumbscrew to hold the receiver upside down for easy access to the underside. ■

SPECS: Body - Aluminum, hardcoat anodized, matte black. 7" (178cm) long, 1 1/4" (3.2cm) wide, 1 1/4" high. Pins - Steel, black oxide finish. Fits AR-15/M16/M4 and clones with .250" diameter takedown pin holes.

#714-000-006EK Upper Receiver Vise Block, 4A44Z49 \$ 54.95

10-8 PERFORMANCE ARMORER TOOL

Sturdy Non-Marring Tool
Has Dozens Of Uses



Handy tool of extremely tough, non-marring glass-reinforced nylon is perfect for prying and pushing applications where a metal tool can damage the part or gun finish. Rigid chisel point on one end is useful for depressing springs and spring-loaded parts—even use to thread MOLLE straps through webbing—while the semi-flexible flat blade on the other end can get into tight spots or serve as a temporary shim. Great to have around during disassembly of semi-auto pistols like the 1911, Glock, or Smith & Wesson M&P or when working on service rifles like the AR-15/M16. Multiple ridges molded into the grasping area in the middle of the tool help prevent slippage when working with oily or greasy hands. Available in **Black, Flat Dark Earth, and Foliage Green.** ■

SPECS: Glass reinforced nylon, Black, Flat Dark Earth, or Foliage Green. Approximately 5" (12.7cm) long, 1/4" (6.4mm) diameter.

#100-003-708EK Armorer Tool, Black 1B06T49 \$ 7.95

#100-003-709EK Armorer Tool, Flat Dark Earth, 1B06T49 7.95

#100-003-710EK Armorer Tool, Foliage Green 1B06T49. 7.95

DPMS AR-15/AR-STYLE .308 UPPER RECEIVER BLOCK

Secure Support For Receiver
While Fitting Parts



Machined from tough, long-wearing nylon to hold upper receiver in a bench vise without fear of crushing, marking or scratching the finish. Fits inside stripped or barreled, carry handle and flattop receivers with .250" diameter pivot pins. Holds receivers at any angle for cleaning, or fitting sights and accessories. Models to fit standard AR-15 and DPMS AR-style .308 receivers.

SPECS: Nylon, white. **AR-15 -7"** (178cm) long, 1 3/4" (4.5cm) wide, 2 7/8" (73cm) high. **DPMS -308 -7 3/8"** (18.7cm) long, 1 7/8" (4.8cm) wide, 3" (76cm) high. Fits DPMS Panther AR-style .308 receivers.

#231-000-157EK AR-15 Upper Rcvr Block 1C41P87 \$ 49.99

#231-000-240EK DPMS .308 Upper Receiver Block, 1C46U44 61.99

BROWNELLS AR-15/M16 MULTITASKER TOOLS

Pocket-Packable Multi-Tools For
Field Repair & Adjustment Of Your AR-15

MULTITASKER TOOL II - Rugged, fold-open tool contains an array of tools to service your AR-15 and many popular accessories, all in a package that's barely 4" long when folded. Fits in pocket, backpack, range bag, or the included MOLLE-compatible nylon belt pouch, so you always have it with you. All the tools in the Multitasker are machined, including the extended-length needle-nose pliers CNC-milled from billet D2 tool steel, with a hard Melonite® finish. There's a castle nut wrench for M4-type collapsible carbine stocks, an adjustment tool for four-prong A2-type front sights, and a 3/8" box wrench for accessory mounts from LaRue Tactical and others. You also get an angled carbon scraper with radiused tip, file with 3/16" flat-blade screwdriver, 2 1/2" Tanto-style 440C stainless steel blade with liner lock, wire cutter, a bit driver with 10 interchangeable 1/4" drive bits, and a steel dental pick/scraper with 8-32 threaded male connector that can integrate with an Otis pull-cable cleaning kit (not included). Comes with 2 slot-head, 1 Phillips, and 5 hex-head bit tips, plus T10 and T15 Torx® head bits. Magnetic drive-socket ensures bits stay securely in place. The Multitasker is made of hardened, tool-grade stainless steel, with a scratch-resistant, matte black hardcoat finish for exceptional strength, brass washers inside for smoother operation, and grip panels of durable G10 fiberglass composite with checkered, non-slip surface. Built-in lanyard loop and spring steel pocket clip.

SPECS: Body/Tools - stainless steel, matte black oxide finish. Plier-D2 tool steel, black Melonite finish. Grips - G10 fiberglass, black. 4 1/8" (10.5cm) OAL folded; 6 7/8" (17.5cm) OAL extended. Includes 10 driver tips with rubber storage sleeve and black 1000 denier nylon belt pouch.

#080-100-671EK Multitasker Tool II 5C89D46 \$ 119.95

ULTRALIGHT MULTITASKER TOOL - Fits in the pocket like a folding knife, yet retains the full-size Multitasker's all-stainless-steel construction and non-slip G10 fiberglass grips. Includes a castle nut wrench with built-in 3/16" flat-blade screwdriver, four-prong A2 front sight adjustment tool, carbon scraper, dental pick/scraper, and a 1/4" bit driver with 10 interchangeable bits. Pick/scraper can be removed and replaced with any cleaning rod accessory (not included) that fits an 8-32 threaded male connector. Built-in lanyard loop and spring steel pocket clip. ■

SPECS: Stainless steel, matte black oxide finish, with G10 fiberglass grips, black. 4 1/4" (10.8cm) OAL folded; 6 5/8" (16.8cm) OAL extended. Includes 2 slot-head, 1 Phillips, and 5 hex-head bit tips, plus T10 and T15 Torx® head bits with rubber storage sleeve and black 1000 denier nylon belt pouch.

#080-000-791EK Ultralight Multitasker Tool, 5C50H00 \$ 74.99

MULTITASKER TUBE TOOL - Pen-sized tool just over 5" long weighs less than 2 oz. and is machined from solid aluminum. It packs a pivot pin/takedown pin punch, four-prong A2 front sight adjustment tool, and a heavy duty pocket clip that doubles as a 3/16" flat-blade screwdriver. The hardened steel carbon scraper can be swapped out for the included dental pick tool, or replaced by any cleaning rod accessory that fits 8-32 male threads (not included). The sight tool can be removed to reveal a magnetic drive socket that accepts screwdriver bits from the Expansion



BROWNELLS MILITARY WEAPON TAKEDOWN TOOL

Dozens Of Uses In Field
Stripping A Variety Of
Military Firearms



Handy steel tool eases the task of field stripping a variety of military weapons, including the AR-15/M16/M4, M14, and L1A1 rifles, as well as the M2 and M240 machine guns. Use the pointed end to remove pins, retainers, clips, and other subassemblies—much easier than using the tip of a cartridge. The other end can serve as a slot-tip screwdriver or pry bar. Deeply knurled handle won't slip and has a solid feel in the hand; adjust handle position by loosening the two hex head screws. Dozens of uses on the workbench and in a field tool kit. ■

SPECS: Steel, black oxide finish. 7 1/4" (18.4 cm) long.

#080-000-580EK Takedown Tool 8K21C95 \$ 29.95

LEATHERMAN® AR-15/M16 MUT® MULTI-TOOL



Compact, Go-Anywhere Field
Tool Keeps Your Rifle Tuned &
Running Smoothly

Versatile multi-tool packs classic Leatherman features, plus specific tools for the military, law enforcement, civilian, and competition AR-15/M16 shooter. Not only will the MUT help you perform routine maintenance and adjustment tasks on the basic AR platform and popular accessories, it can literally save your life. In the event of a jam caused by "bolt override"—an ejection failure that traps the spent case between the bolt and charging handle—simply drop the mag, insert the MUT's bolt override tool into the ejection port and yank the carrier quickly to the rear to clear. The non-marring bronze carbon scraper cleans all areas of the bolt/carrier assembly prone to carbon fouling buildup. Stainless steel 1/8" punch speeds removal of pivot/takedown and hammer/trigger pins. For adjusting optics and accessories, there's a 1/4" slot-head screwdriver, plus 1/4" hex, Torx® T-15, and Phillips #1/#2 drivers.

The clip point knife blade of 420HC stainless steel has a precision-ground straight/serrated edge for maximum versatility. Blade can be deployed one-handed with the rest of the tool closed. Combination regular and needle-nose pliers include removable wire cutter jaws of hardened 154CM stainless that can be detached for replacement or sharpening. You also get a cutting hook for slicing cord, seat belts, zip ties, or disposable handcuffs. Other tools include a saw, flat hammer head, crimper, threaded adapter that accepts a standard cleaning rod, cable, or brush. The standalone 12-point wrench with 1/2" and 3/8" heads is ideal for tightening bolts on Picatinny rail accessory mounts. A carabiner clip helps you carry the tool and doubles as a bottle opener. Comes with a removable Titanium pocket clip and MOLLE-compatible nylon belt sheath.

SPECS: Stainless steel, black oxide finish. 3" (76cm) OAL folded, 5 1/2" (14cm) OAL extended. 11.2 oz (318g). Includes black nylon belt sheath, 1/2" and 3/8" 12-point wrench

#525-000-004EK MUT Multi-Tool 5B128P43 \$ 139.99

Kit, available separately, which includes 10 interchangeable 1/4" drive bits for popular AR-15 accessories. Kit comes in a rugged nylon hard-shell carry case that holds the Tube Tool, the Expansion Kit, and other supplies. ■

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. 5 3/16" (175cm) O.A.L., 3/8" (1.6cm) O.D. 1.9 oz. (54g) weight. **Expansion Kit** - Hardened steel bits, black oxide finish. Includes 2 slot-head, 1 Phillips, and 5 hex-head bit tips, plus T10 and T15 Torx® head bits, in a 1000 denier nylon hard-shell case.

#080-000-792EK Multitasker Tube Tool 5C29T17 . . \$ 39.95

#080-000-793EK Tube Tool Expansion Kit 5C13T64 . . 19.99

GERBER AR-15/M16

"eFECT" MILITARY MAINTENANCE TOOL

Compact, Multi-Function Tool
Makes Field Cleaning,
Repairs & Adjustment Easy



Multi-function pocket tool contains six separate tools to perform on-the-spot field stripping and critical cleaning and maintenance functions on the AR-15/M16/M4 weapon platform. The eFECT (Field Expedient Cleaning Tool) includes a flat blade screwdriver, pin punch, nylon bristle brush, angled pick, bolt carrier carbon scraper, and a sight adjustment tool that fits both A1 and A2 front sights. Exclusive, dual Wedge Lock holds tools in the open position, and they cannot be released until the wedge is pulled back. Removable angled pick can be replaced with any Otis cleaning accessory with 8-32 tpi female thread. Stores in the included MOLLE-compatible belt sheath or the internal compartment of an A2 buttstock.

SPECS: Machined stainless steel and molded reinforced polymer, matte black. 3 3/8" (8.6cm) closed length, 8 1/2" (21.5cm) open length, 1" (2.5cm) wide. 4 oz. (113g) weight. Includes nylon, digital camo MOLLE-compatible sheath and illustrated instructions.

#100-004-875EK eFECT Tool 8A00YTP \$ 76.99

SAMSON MANUFACTURING CORP. AR-15/M16 FIELD SURVIVOR TOOL



Indispensable All-In-One
Tool System Stores In
Pistol Grip

Versatile multi-tool is like an armorer's kit that fits in the palm of your hand and stores in the pistol grip of your rifle, so you have it when you need it. Inside, you'll find an array of tools for performing emergency

repairs to get your AR back in action fast in combat, on the range, or in the field. There's a flat-blade screwdriver, broken shell extractor, carbon scraper, cotter pin hook for removing firing pin from bolt, A2 front sight tool, magazine feed lip gauge, and a feed lip adjustment tool. A refillable stainless steel tube holds just enough oil for one field lube. Use the wire brush for cleaning the bolt and carrier key, or remove the brush and attach it to the pull cable for bore cleaning using the shell extractor as a T-handle. A2 fits standard A2-type pistol grip. Twist the base to activate the compression lock system and anchor the tool securely—no movement, no rattling. Aggressive, molded "teeth" on the base serve as an emergency strike plate during hand-to-hand combat. Teeth are designed to create painful pressure points on impact, but won't snag on your gear during ordinary activity. Available packaged with a Hogue Monogrip® A2-style pistol grip. Rigid fiberglass core is "overmolded" with non-slip rubber with palm swells and finger grooves to reduce shock, improve comfort, and aid in positive weapon control. MOE/MIAD fits inside Magpul MOE® and MI-AD® pistol grips and has same tools as above, without the strike plate. Both models have hardened, corrosion-resistant stainless steel components and mechanism encased in a tough shell of nearly indestructible, reinforced polymer. ■

SPECS: Stainless steel and reinforced molded polymer. A2 fits in standard A2 pistol grip and similar grips with same-size cavity. Available alone or with Hogue Monogrip pistol grip. Grip - fiberglass core, rubber covered, black. MOE/MIAD fits Magpul MOE and MIAD pistol grips only.

#100-004-235EK A2 Field Survivor Tool, Only, 1B95Y65 \$ 119.99

#408-000-105EK A2 Field Survivor Tool, w/Monogrip, 8K113A26 139.99

#100-004-951EK MOE/MIAD Field Survivor Tool, 1B93X62 118.99

BROWNELLS WEAPONS FIELD MAINTENANCE PACK



Complete, Dedicated Kit For Field Repair & Maintenance Of The M16/M4

Compact, model-specific field maintenance pack is designed for servicing M16/M4s during Military Ops. And, provide the soldier with all the required tools to field strip, repair, and maintain weapons while on the move. These are not run-of-the-mill cleaning kits, but carefully selected, high-quality field armorer tools dedicated to working on specific weapon types, so there is no confusion and no down time spent scrounging through a large field case of loose odds and ends. Individual pouches and compartments inside the water- and abrasion-resistant, denier Cordura case keeps all tools secure and separated to help minimize noise that could jeopardize your mission. Quiet, #9 YKK zippers with oversize pulls make it fast and easy to get tools in and out. Front panel features clear, I.D. card sleeve and loop strip for name tape. Includes two, nylon grab handles for easy carry. Made in the U.S.A. Field Pack Case is also available separately.

M16/M4 FIELD PACK - Allows complete weapon breakdown for routine maintenance and repair, plus includes tools for sight adjustments and field cleaning of the Colt M16/M4. Includes special tools for removal of barrel nut, flash hider and lower receiver extension without damage to any rifle component.

SPECS: Includes: #81 MAGNA-TIP[®] hollow screwdriver handle w/ Leupold windage (L/B) and #185-10 bits; 1/16", 1/8" and 1/4" pin punches; 1/2" drive handle; 3/4" nylon/brass hammer; buttstock tool; combination wrench; lower receiver vice block; A1/A2 sight wrench; carrier carbon scraper; Deluxe model buttstock cleaning kit. Approx. 5 lb. (2.3 kg) wt.

#080-000-458EK M16/M4 Field Pack 8K19A49 ... \$ 258.99

FIELD PACK CASE - The same, heavy-duty, Cordura field case included with our Weapons Field Maintenance Packs. Made available separately for your additional tactical gear and accessories.

SPECS: Denier Cordura nylon, O.D. green. 12" (30.5cm) long, 10 1/2" (26.7cm) high, 3 1/2" (8.9cm) thick.

#080-000-459EK Field Pack Case 8K48A73 ... \$ 64.99

CHAMBERING REAMERS



Top Brands Cut Precise Chambers For Superb Accuracy

MANSON PRECISION - Ground from M-7 steel by one of the most respected names in the industry. Made to SAAMI specs with an integral throater and fixed pilot.

SPECS: M7 High speed steel, in-the-white. Solid pilot, six, straight flutes, right-hand cut. 3/8" (9.5mm) square drive shank.

STK # FINISH	STK # ROUGH	CALIBER	PRICE
#513-050-120EK	NA	.223 Rem.	3A00VBX \$ 100.00
#513-050-400EK	#513-050-401EK	.308 Win.	3A00HDZ \$ 100.00

CLYMER - Made from best quality, M-7 High-Speed Steel. These are precision tools for the professional gunsmith.

SPECS: Six, right-hand cutting, straight flutes. Solid pilot, integral throat. 1/16" round shank with 3/8" square drive.

STK # FINISH	STK # ROUGH	CALIBER	PRICE
#184-050-004EK	NA	5.56 NATO	4H00UAV \$ 115.99
#184-050-120EK	#184-050-101EK	.223 Rem.	4H00AYT \$ 89.99
#184-050-400EK	#184-050-401EK	.308 Win.	4H00AYT \$ 90.95



BROWNELLS AR-15/M16 RECEIVER TAPS & DIES

Chase & Clean Threads
For More Accurate Installation

Chases and cleans the two most important threads on the AR-15/M16 receivers. **1.250"-18 tpi** - Corrects out of spec or cross-threaded upper receivers and barrel nuts. **1 1/16"-16 tpi** - Makes receiver extension (recoil buffer) tube and lower receiver threads uniform for easier installation.

SPECS: High-speed steel. Plug taps; 2 1/2" (6.3cm) diameter dies.
#080-598-180EK 1 1/16"-16 tpi Tap 6K45C44. \$ 59.99
#080-598-181EK 1 1/16"-16 tpi Die 6K39C92. 49.97
#080-598-125EK 1.250"-18 tpi Tap 6K55C92. 65.97
#080-598-126EK 1.250"-18 tpi Die 8K38C79. 49.99

AR-15/AR-STYLE .308 FLASH SUPPRESSORTAP & DIE



Accurately Thread Custom Barrels, Easily
Clean Up Standard Barrels, or Recondition
Damaged Threads

A must when threading custom barrels or chasing threads on standard barrels. Use to make custom suppressors or clean up existing factory threads. Custom-made to factory specs.

SPECS: High-speed steel. **AR-15/M16** - .500"-28 thread, 1 1/2" dia. body. **AR-Style .308** - 3/4"-24 thread.

#080-598-528EK AR-15/M16 Flash Suppressor Tap, 6K22H33. \$ 29.99
#080-598-529EK AR-15/M16 Flash Suppressor Die, 6K13H73. 21.99
#080-598-530EK AR-Style .308 Thread Cutting Die 2K20H20. 25.25
#080-598-531EK AR-Style .308 Bottoming Tap 8K19H99. 24.99

BROWNELLS MATCH RIFLE HEADSPACE GAUGES



In .001" Increments For Measurement
Of "Match Grade" Chambers

Covers every size chamber all the way from Go to Field. Perfect for match shooters, armorers, or sportsmen looking for the most accurate way to track locking lug and chamber wear on high quality, match grade barrels.

SPECS: Individual high speed steel gauges, hardened and ground. **.308 Match Gauge Kit** contains 1 of each .308 size listed in table, packaged in plastic case.

STOCK #	CALIBER	TYPE	SIZE
#319-223-464EK	.223 (5.56 NATO)	Go	1.4636"
#319-223-467EK	.223 (5.56 NATO)	No-Go	1.4666"
#319-223-470EK	.223 (5.56 NATO)	Field	1.4696"
#319-308-630EK	.308 (7.62 NATO)	Go	1.630"
#319-308-631EK	.308 (7.62 NATO)	Match	1.631"
#319-308-632EK	.308 (7.62 NATO)	Match	1.632"
#319-308-634EK	.308 (7.62 NATO)	No-Go	1.634"
#319-308-638EK	.308 (7.62 NATO)	Field	1.638"

— Advise # — **Match Gauge 8K17H65. \$ 26.99**

— Advise # — **Go, No-Go, Field Gauge 9A19H21 .. 27.40**

#079-308-000EK .308 Match Gauge Kit 8K150A15. 199.99

CLYMER

.223 & .308 CHAMBER REAMING KITS



Complete Kits
For Safe, Accurate
Chambering

High-quality finish reamer and precision made headspace gauges make easy work when chambering a new barrel. Precision machined from high-quality steel for a lifetime of service when properly cared for. Finish reamers can be used in your lathe or hand-turned; perfect for fitting short chambered barrels. Includes headspace gauge to accurately measure chamber size and ensure a tight, safe chamber. Gauges are etched with "Go" or "No-Go" and caliber/gauge name for easy identification. Made to SAAMI specs.

SPECS: Reamer - M7 high speed steel, in-the-white. Right-hand cutting, six flutes. Solid pilot, integral throat. 1/16" round shank with 3/8" square drive. **Headspace Gauge - Steel, in-the-white.**
#184-000-043EK .223 Chamber Reaming Kit, 4H00AYT. \$ 139.99
#184-000-044EK .308 Chamber Reaming Kit, 4H00UAV. 139.95

CLYMER AR-15/M16/AR-STYLE .308 GO/NO-GO GAUGE SETS

Headspace Gauge Sets
In Popular AR Calibers



Convenient kits contain "Go" and "No-Go" gauges for accurately checking chamber length to make sure it meets SAAMI specs. These gauges are essential tools for ensuring a tight, accurate, safe chamber when chambering a new barrel. Always have a set on hand to check for correct headspace before buying or firing a new gun. Comes in a handy, durable plastic carrying case.

SPECS: Steel, precision machined to SAAMI specs. Each set contains one go gauge and one no-go gauge in a single caliber as listed below.

#184-000-037EK .223 Rem. Headspace Gauge Kit, 4H00AYT. \$ 50.99
#184-000-038EK .308 Win. Headspace Gauge Kit, 4H00UAV. 50.99
#184-000-039EK 7.62 x 39 Headspace Gauge Kit, 4H00XCH. 50.99
#184-000-042EK 9mm Luger Headspace Gauge Kit, 4H00XCH. 50.99

FORSTER

.223/5.56mm MATCH RIFLE HEADSPACE GAUGE SET



11 Separate Gauges For
Checking Chambers

Headspace gauges in .001" increments from 1.4636" to 1.4736" cover everything from Go to Field, including No-Go. Checks both .223 Remington commercial chambers and 5.56mm NATO chambers. Hardened steel, precision ground to SAAMI's ANSI tolerances. Includes polypropylene storage case.

SPECS: Hardened steel. 11 gauges in .001" increments from 1.4636" to 1.4736". For 223/5.56mm NATO only.

#319-000-008EK .223/5.56 Match Headspace Gauge Set, 9A158Y62. \$ 189.99

BROWNELLS

5.56mm (.223) HEADSPACE GAUGE



Factory Specified Size Measures
M16/AR-15 Maximum Headspace

Made to the Colt factory's special dimensions for M16/AR-15 rifles. It measures the maximum factory acceptable headspace; essential on well-used guns or those that have been rebarreled.

SPECS: Hardened and ground steel. 1.65" (4.2cm) overall (this is NOT the "headspace" dimension). .3655" (9.3mm) diameter.

#319-418-033EK 5.56 Headspace Gauge 8K00DZA .. \$ 16.99

HEADSPACE GAUGES

Essential For Safe Chambering



Gives the proper chamber headspace dimensions so you know a fire-arm is safe to fire. GO gauge gives the SAMMI-recommended, minimum chamber depth. NO/GO is slightly shorter than the SAMMI-recommended to give a small safety margin maximum chamber depth.

MANSON PRECISION - Precisely made by Dave Manson.

SPECS: M7 high speed steel, in-the-white, hardened.

STOCK # GO	STOCK # NO GO	CALIBER
#513-100-240EK	#513-100-241EK	.223 Remington
#513-100-260EK	#513-100-261EK	.308 Winchester

— Advise # — **Manson Headspace Ga. 3A00XCH ... \$ 30.00**

CLYMER - Clymer GO gauges are marked with a green band, Clymer NO-GO gauges are marked with a red band.

SPECS: Machined Steel.

STOCK # GO	STOCK # NO GO	CALIBER
#184-100-240EK	#184-100-241EK	.223 Remington
#184-000-035EK	#184-000-036EK	5.56 NATO
#184-100-260EK	#184-100-261EK	.308

— Advise # — **Clymer Headspace Ga. 4H00UAV ... \$ 25.00**

FORSTER - Long-time industry standard made to the highest quality standards.

SPECS: Machined Steel.

STOCK # GO	STOCK # NO GO	CALIBER
#319-223-464EK	#319-223-467EK	.223 Remington
#319-308-630EK	#319-308-634EK	.308 (marked .243)

— Advise # — **Forster Headspace Ga. 9A19H21 ... \$ 27.40**

ACTION PROVING DUMMIES



Inert, Factory Spec
Dummies Give Safe
Function Testing

Manufactured to exact specifications, including diameter and length dimensions, weight and balance of factory loaded ammo, these DUMMIES have the proper functioning characteristics to reliably check magazine feeding, action timing, extraction and ejection of all guns. The only professionally accepted and safe way to check gun functioning; live ammo should never be used except in actual test-firing on the range - after you have checked the gun with DUMMIES. The very reasonable cost per DUMMY is an added incentive to use them regularly. The blackened case makes them distinct, and instantly recognizable as DUMMIES, which makes them ideal - and safe - to use as a sales aid. Especially useful when demonstrating how a particular gun functions or in gun safety instruction classes. They absolutely eliminate the chance of an accidental discharge.

CENTERFIRE RIFLE DUMMIES

STOCK #	CALIBER	PER	PRICE
#367-223-005EK	.223/5.56	5	7F07A38 \$ 9.92
#367-223-020EK	.223/5.56	20	7F26A68 \$ 34.99
#669-308-005EK	.308/7.62	5	7F10B48 \$ 14.93
#669-308-020EK	.308/7.62	20	7F32B74 \$ 43.66



BROWNELLS AR-15/M16 CARRIER KEY STAKING TOOL

**Fast, Foolproof Staking
Without Damaging Key, Screws,
Or Carrier**

Precision-machined, solid steel tool lets you stake the carrier key screws the best way—from the sides—to ensure they don't back out under the most strenuous rapid-fire conditions. Eliminates the hassle of trying to stake the screws with a hammer and punch that could slip and damage the key, screws, or carrier. Holds carrier securely and positions the key so it can be dimpled in the correct locations by tightening the four hex screws on the tool. An additional retaining screw on top of the tool prevents the carrier from moving. The tip of this screw is machined flat to make sure it applies even retaining force and won't mar the carrier. All screw tips are hardened to Rc 58-62 for durability.
SPECS: 1018 carbon steel, black oxide finish. 3" (76.2cm) long, 2" (5.1cm) wide, 2" high.

#080-000-638EK Carrier Key Staking Tool, 8K51D78 . . . \$ 70.99



BROWNELLS BROKEN SHELL EXTRACTOR

**Easily Removes Broken Cases
Without Field Stripping**

Case head separation from over-fired or out of spec brass won't ruin your shooting experience if you keep one of these handy tools in your pocket or field kit. Hardened, steel tool reliably and easily removes broken cases from AR-type or any other firearm chambered for the .223/5.56 NATO or .308/7.62 NATO cartridges. Exclusive, threaded, two-piece design is adjustable for overall length, so the tool completely engages the rim of the case mouth; cannot slip through or strip out. Very simple to use, drop the broken shell extractor into the chamber directly inside the broken case. Allow the bolt to close so the extractor engages the rim of the tool and draw back the bolt to open the chamber. The broken case will eject along with the broken shell extractor.

SPECS: Steel, blue. Models for .223 Remington/5.56 NATO or .308 Winchester/7.62 NATO cartridges.

#080-000-441EK .223 Broken Shell Extractor, 8K16V99 . . . \$ 19.99

#080-000-530EK .308 Broken Shell Extractor, 8K18C95 . . . 22.99

C.J. WEAPONS AR-15/M16/AR-STYLE .308 BROKEN SHELL EXTRACTOR

**Fast, No-Fuss Removal
Of Stuck Cases**

Don't let case head separation take you out of the fight or put an end to your range time. Simple, reliable tool quickly and easily removes a stuck case from the chamber. Make sure gun is unloaded, then insert the shell extractor in the chamber and close the action, just like you're loading another round. The back of the tool takes the place of the missing case head, while the springy steel fingers slide through the case neck and expand to positively grab the case mouth. Manually work the action to extract the broken shell and the tool.

SPECS: Steel, blued. Models available for rifles chambered in .223/5.56mm and .308/7.62mm NATO only.

#100-005-992EK .223/5.56 Broken Shell Extractor, 5K06Y15 . . . \$ 8.99

#100-003-126EK .308/7.62 Broken Shell Extractor, 5K06T03 . . . 10.99



Sinclair AR-15/M16 BOLT VISE

**Saves Time During Bolt
Disassembly & Prevents
Lost Parts**

Convenient, easy-to-use tool holds the bolt assembly securely while you compress the ejector to remove the spring pin without the risk of the ejector and ejector spring flying out and getting lost. Eliminates the "annoyance factor" of a job that seems to require three hands. The pin drops out of the way through a hole in the vise body, allowing you to slowly back off the pressure on compression screw and capture the ejector and spring. Equally helpful during reassembly. Can also be used to hold the bolt while replacing gas rings and extractor. May be clamped in a bench vise for added support. Tough, yet lightweight aluminum and stainless steel construction for years of reliable service.

SPECS: Aluminum body, anodized, black. Stainless steel compression screw, natural finish.

#988-000-003EK AR-15/M16 Bolt Vise 8H00PUA . . . \$ 26.95



BROWNELLS EJECTOR REMOVAL TOOL

**Eliminates The "Lost Parts"
Hassle When Working
On Rifle Bolts**

Versatile fixture lets you remove plunger-style ejectors from standard .700" and .510" diameter bolts quickly and safely without launching parts across the room. Works for a variety of popular rifles, including AR-15, AR-style .308 rifles, Remington 700, Winchester 70, Savage, and Sako. Rugged, lightweight body machined from 6061 billet aluminum securely holds bolt while threaded, tool steel shank compresses and captures ejector spring and aligns the roll pin for easy removal with a punch. Gradually loosen the shank to relieve spring tension.

SPECS: Anodized 6061 aluminum body, dark green, steel shank. 3 3/16" (9.7cm) long with shank fully screwed in, 2 1/4" (5.7cm) wide, 1 3/4" (4.5cm) high. Fits AR-15, AR-style .308 rifles, Remington 700, Winchester 70, Savage, and Sako rifles.

#080-000-420EK Ejector Removal Tool 8K40T52 . . . \$ 60.99



FA ENTERPRISES AR-15

BARREL THREAD ALIGNMENT TOOL

Ends The Frustration Of Crooked Threads

Keeps your die perfectly aligned when threading for flash suppressors and muzzle brakes. 1" long shank inserts in the barrel to provide an accurate pilot point based on the bore position. 1/2"-28 threaded guide portion is 1/2" long to help you get the die started correctly.

SPECS: Stainless steel, in-the-white. 1 1/2" (3.7cm) long, 1/2"-28 tpi. Fits AR-15 barrels with .224" bore size.

#246-000-031EK Barrel Thread Alignment Tool, 6D11X77 . . . \$ 14.99



BROWNELLS AR-15/M16 SLING SWIVEL STAKING TOOL

**Makes Installing Front Sling
Swivel Rivet Fast & Easy**



Precision-machined steel tool eliminates the struggle of staking an original, M16-style front sling swivel rivet with a hammer and punch. Wide throat easily fits around the swivel and

BROWNELLS AR-15 HAMMER TRIGGER JIG w/ DRY FIRE BLOCK

**Takes The Guesswork
Out of Fine-Tuning
Your Trigger**

Easy-to-use fixture allows full assembly and testing of any AR-15 trigger prior to installation. Aluminum angle bracket with extended length trigger pins secures trigger group to side of lower receiver. Provides a clear, unobstructed view of the sear, hammer, and disconnect engagement points while under normal spring tension. Takes the guesswork out of achieving that perfect trigger pull. Durable, Delrin® dry fire block drops into magazine well for safe test firing. Great for trigger modifications, checking adjustments before installation, or for use as an armorer's training aid. A "must-have" for AR-15 trigger work.

SPECS: Bracket - Aluminum with black, protective finish. Dry Fire Block - Delrin. Fits .154" dia. pin holes. Includes instructions.

#080-000-070EK AR-15 Hammer Trigger Jig w/Dry Fire Block 8K44X37 . . . \$ 55.99



BROWNELLS BOLT EJECTOR TOOL

**Faster Removal
Of Plunger-Style Ejectors**

Tough, steel clamp captures the bolt head, and the large-handled turnscrew depresses the ejector so the ejector pin can be safely removed or installed from bolts with plunger-style ejectors and forward-positioned locking lugs. Set includes turnscrews to fit both Standard and Small bolt faces plus separate bolt head retainers. One fits bolt bodies up to .720" diameter and the other fits AR-15/M16 bolts only. AR-15/M16 Bolt Ejector Tool also available separately.

SPECS: Steel, blued. Plastic handle. Includes instructions.

#080-792-100EK Bolt Ejector Tool Set 8K27P54 . . . \$ 35.99

#080-792-002EK AR-15/M16 Bolt Ejector Tool, 8K16P53 . . . 20.99



BROWNELLS AR-15 HAMMER DROP BLOCK

**Saves The Frame & Your Thumb
When Tuning AR-15 Triggers**

Drop-in, Delrin block helps you gain a true feeling of trigger movement and pull weight without sacrificing your thumb. Go ahead, drop the hammer; this shock-absorbing block prevents the hammer from striking the wall of the magazine well. Helps eliminate expensive receiver damage and broken hammers. Fits into the magazine well with the upper receiver open or removed, withstands thousands of hammer strikes.

SPECS: Delrin, black. 2 1/8" (5.4cm) high, 3" (7.6cm) long.

#080-953-000EK AR-15 Hammer Drop Block, 8K20U74 . . . \$ 25.99



BROWNELLS AR-15/M16 MAGAZINE FEED LIP TOOL

**Reforms Feed Lips
For Improved Magazine
Performance**



Feeding problems and jams in your AR-15 can often be attributed to bent or malformed magazine feed lips. This easy-to-use tool is designed specifically to bend the feed lips back into place, so they guide the cartridge body like they're supposed to. Trying to straighten the lips with pliers can create rough, unsightly gouges, or worse yet, cracks in the metal that can't be repaired. The machined, steel shank with bevel cut and slot allows you to hook the lips and keep them supported, while you tweak their angle of contact on the cartridge case. Helps you recondition those old magazines, and saves the cost of buying new ones.

SPECS: Handle - Impact-resistant polymer, black. Shank - Steel, blued finish. 5 1/2" (14cm) long.

#080-000-314EK AR-15 Mag Feed Lip Tool, 8K09D81 . . . \$ 12.99



YOUNG MANUFACTURING AR-15/M16/AR-STYLE .308

BOLT EJECTOR TOOL

**Safe, Effective Bolt
Maintenance,
Prevents Loss Of Parts**



Aluminum fixture securely cradles bolt and prevents flying parts. Threaded steel shank captures and compresses ejector spring and aligns roll pin for easy removal with punch, loosens gradually to relieve spring tension. Works equally well for bolt assembly. Compact and light enough to take to the field. A must for all AR shooters.

SPECS: Aluminum, black anodized base. Steel shank. 4" (10.2 cm) long, 1 1/4" (3.2 cm) wide. 8 oz. (230 g) wt.

#939-000-003EK AR-15/M16 Bolt Ejector Tool, 9C36Z23 . . . \$ 44.99

#939-000-005EK AR-Style .308 Bolt Ejector Tool, 9C40Z00 . . . 47.99

POWER CUSTOM AR-15/M16 SERIES II STONING FIXTURE

**Provides Precise, Controlled Stoning
For A Perfect Trigger Pull**

Provides an accurate, repeatable method to achieve a crisp, clean-break trigger pull on AR-15 rifles with .154" diameter hammer and trigger pins. Included adapter attaches to a precision-ground indexing elevator column and clamps both the hammer and sear in the correct position. Adjustable to allow you to change both hammer and sear angle. Adapter is also available separately if you already own the Series II fixture. Use with Series II India or Hard Arkansas stones sold separately.

SPECS: Steel, blued, precision ground and hardened. 5" (12.7cm) 4" (10cm) high, 3" (7.6cm) wide. Fixture includes .154" adapter, hammer and sear clamp, three Allen wrenches, and instructions. .154" Adapter fits AR-15/M16 with .154" dia. hammer and trigger pins.

#713-270-016EK Fixture w/.154" Adapter, 3A00XCH . . . \$ 177.99

#713-271-016EK .154" Adapter, only 3A00PUA . . . 33.99

#080-815-000EK Series II India Stone 8K13B22 . . . 20.99

#080-815-001EK Series II Hard Arkansas Stone, 8K50B60 . . . 64.99



Selection • Service • Satisfaction

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 75

BROWNELLS AR-15/M16 MAGAZINE FEED LIP GAUGE



Ensure Proper Specs For Reliable Ammo Feed

Convenient "Go/No-Go" gauge lets you quickly and accurately check for correct feed lip gap. Helps ensure reliable feeding and prevent weapon failure caused by feed problems. Simply slip over the back of a suspect magazine and lightly press gauge between magazine feed lips. If the gauge passes through feed lips, either

discard that magazine or use the Brownells Magazine Feed Lip Tool (available separately) to bring them back into specs and restore reliable feeds. If the gauge won't pass through the lips, the gap is too narrow and must be widened. Machined from 4140 chrome-moly steel heat hardened to Rc 50-55 for dimensional stability, plus resistance to wear and corrosion. **SPECS:** 4140 chrome-moly heat treated steel, in-the-white. Rc 52-60. Go: .454" No-Go: .476". For use on standard .223/5.56mm magazines only.

#080-000-744EK Magazine Lip Gauge 8K39A99 . . . \$59.99

BROWNELLS AR-15/M16 GAS BLOCK TAPER PIN REAMER



Precisely Finishes Gas Block/Front Sight Tower Pin Holes

High-speed steel reamer is precisely tapered to match the shape of the standard A2 gas block retaining pin. Cleans up existing holes or tapers newly drilled holes to ensure a positive, secure fit and precise alignment of the sight tower.

SPECS: Reamer - High-speed steel, 2/0 reamer. Tapers from .1137" (2.8mm) O.D. at the tip to .1462" (3.7mm) O.D. near the shank. Handle - 2 3/4" (70mm) long, 5/8" (16mm) diameter.

#080-000-674EK Taper Pin Reamer 8K15X62 . . . \$19.99

COXTOOL AR-15/M16 GAS PORT DRILLING JIG



Ensures Perfect Alignment When Drilling Gas Port

Precision-machined, aluminum jigs fit over the barrel after the barrel extension is installed. Place the assembly on a flat surface, and the barrel is aligned and ready for drilling the gas port. Each jig has a

setscrew that keeps the barrel firmly in place. Tool steel drill bushing helps eliminate wobble that causes out-of-round holes. Jig sets available for .750" and .936" OD barrels. Extra front jobs and drill bushings available separately. Complete instructions included. **SPECS:** 6061 aluminum, and tool steel.

#100-006-627EK .750" Carbine Jig Set 4C00PUA . . . \$109.99

#100-006-626EK .750" Rifle Jig Set 4C00ZAY . . . 109.99

#100-006-628EK .750" Front Jig Only 4C00BXC . . . 59.99

#100-006-624EK .936" Carbine Jig Set 4C00PUA . . . 109.99

#100-006-625EK .936" Rifle Jig Set 4C00BXC . . . 109.99

#100-006-629EK .936" Front Jig Only 4C00ZAY . . . 59.99

#100-006-630EK #49 Bushing, Carbine 4C00PUA . . . 9.99

#100-006-631EK #42 Bushing, Rifle 4C00BAY . . . 9.99

BRD ENGINEERING AR-15/M16 GAS BLOCK DIMPLING JIG



Makes Setscrew Dimples On Barrel For Low-Profile Gas Block

Steel fixture provides a secure, accurate guide for drilling setscrew dimples on the underside of an AR-15/M16 barrel for installing a Vltor or LaRue Tactical low-profile gas block. **SPECS:** 1045 steel, black oxide coating. 1" (2.5cm) long, 1 1/8" (2.8cm) wide, 1 1/4" (3.2cm) tall. 3.2 oz. (90g) weight.

#100-006-130EK Gas Block Dimpling Jig, 2E40X28 . . . \$49.99

BRD ENGINEERING AR-15/M16 GAS BLOCK PINNING JIG

Drilling Fixture For Permanent Attachment Of Low-Profile Gas Block

Heavy steel fixture securely holds and aligns a low-profile Vltor gas block to enable precise drilling of a straight or taper pin hole for permanent installation of the block. Can be modified with file or rotary tool to fit other low-profile gas blocks, such as Yankee Hill and Stag Arms. Instructions included. **SPECS:** 836 plate steel, black oxide coating. 1" (2.54cm) long, 2" (5.08cm) wide, 2 3/8" (5.99cm) tall. 17.3 oz. (490g) weight.

#100-006-129EK Gas Block Pinning Jig 2E41X60 . . . \$49.99

SPORTING CONVERSIONS AR-15/M16 TAKEDOWN TOOLS



Remove Takedown Pins & Mag Catch Quickly

High-impact plastic tools drive out the front and rear takedown pins or help get the magazine catch out from your M16/AR-15 without scratching or marring the metal. Pushtool for the takedown pins comes in two versions: a bench model or a handy key ring model. Magcatch tool compresses the spring to make it easy to remove the magazine catch. **SPECS:** High-impact plastic, black.

#100-002-125EK Bench Model Pushtool 3A05X49 . . . \$749

#100-002-126EK Key Ring Pushtool 3A05C95 . . . 795

#100-002-127EK Magcatch Tool 3A05C95 . . . 795

SPECIAL OPERATIONS TRAINING ACADEMY AR-15/M16 PIVOT PIN INSTALLATION TOOL

Takes The Frustration Out Of Installing This Critical Part



Compact tool makes the tricky process of installing the pivot pin fast and easy by eliminating the need to apply pressure from two different planes while guiding the pin into the ears of the lower receiver. Puts an end to accidentally launching the spring and detent across the room while installing the pivot pin. Precision machined aluminum block and steel retaining pin fit between the pivot pin ears of the lower receiver to allow easy insertion of the pivot pin detent spring and detent, then keeps them in place while inserting the pivot pin. So simple, we wonder why nobody thought of this years ago! **SPECS:** Aluminum body, hardcoat anodized, red. Hardened steel retaining pin.

#100-003-308EK Pivot Pin Installation Tool, 6B22A32 . . . \$2799

MARK BROWN CUSTOM AR-15/M16 GASTUBE GAUGE



Checks Gas Tube For Optimum Gas Flow

CNC machined, mechanical "No-Go" gauge tells you instantly if your gas tube is out of spec and needs replacement. Simply insert into the gas tube to check for flat spots, dents, kinks, and loss of concentricity. Perfect for armorers, competition shooters and others looking for the most accurate, reliable way to check for tube damage and maintain optimum rifle function. Each gauge is precision ground to exact tolerances. Works on all AR-15, M16, and AR-style .308 rifles. **SPECS:** Steel, black, matte finish. 8 3/4" (22.2cm) long.

#133-000-002EK Gas Tube Gauge 3C29P66 . . . \$34.99

MARK BROWN AR-15/M16/AR-STYLE .308 GASTUBE WRENCH



Protects Tube From Crushing During Installation & Removal

Clamps around those fragile, easy-to-bend gas tubes to prevent damage during both removal and installation and adds a convenient "handle." **SPECS:** Steel, blued. Approximately 6" (15.2cm) long.

#133-100-015EK Gas Tube Wrench 3C00PUA . . . \$22.99

GUN DIGEST BOOK OF THE AR-15 - VOLUME 3



Patrick Sweeney. 286 pages. 8 1/2" x 11". Softbound. Generously illustrated look at the vast array of aftermarket parts and accessories for the AR-15, with lots of information on piston systems and conversions. Includes a survey of magazines and ammunition, a look at 6.8mm variants, and .22 LR conversions.

#491-000-039EK Book of the AR-15 Vol. 3 1D18Z50 . . . \$21.99

GREEN EYES & BLACK RIFLES

The warriors guide to the combat carbine

Kyle E. Lamb. 219 pages. 8 1/2" x 11". Softbound. Over 400 B&W photographs. The author, a combat veteran passes along valuable lessons learned on the setup, operation, and deployment of the AR-15/M16/M4 that will help turn a novice

into a pro. Teaches proven fundamentals along with non-traditional stances and shooting positions to enhance your shooting skills and improve accuracy. Over 75 pages on advanced techniques and tactics, both offensive and defensive, with detailed photographs that provide a step-by-step description. Separate sections on malfunctions, ballistics, accuracy, reloading, maintenance, and accessories.

#100-003-635EK Green Eyes/Black Rifles 7K29H97 . . . \$34.99

GUNSMITHING THE AR-15



Patrick Sweeney. 255 pages. 8 1/4" x 11". Softbound. 300+ B&W photos. Comprehensive guide from a master gunsmith and noted AR expert on how to maintain, repair, and accessorize the AR-15 rifle. Covers models from the early M16 through current-production M4 carbine. Discusses checking components for serviceability, disassembly, barrels, sights, handguards, flash hiders/muzzle brakes, calibers that fit the platform, bolts and carriers, buffers and recoil springs, lower receiver components, stocks, magazines, slings, optics, pistol versions, piston systems, and field malfunction clearance.

#491-000-036EK Gunsmithing The AR-15 1D23Z17 . . . \$27.99



THE ART OF THE TACTICAL CARBINE

Second Edition



New editions of the best-selling videos from Magpul Dynamics, expanded with additional, never-before-seen footage. These hard-hitting programs cover development of a combat mindset and techniques for employing a tactical carbine effectively under stress. Hosts Travis Haley and Chris Costa, seasoned instructors with extensive real-world combat and competition experience, demonstrate the concepts through intensive live-fire drills captured in crystal clear, wide-screen video. Both volumes available on DVD or Blu-ray Disc.

VOLUME I - 4 disc set, 5 hours 51 minutes. Provides a thorough grounding in the operational use of a tactical carbine. Topics include: gear selection, using optics and iron sights, stance, weapon grip/recoil control, shooting positions, reloads, correcting malfunctions, shooting on the move, barricade drills, individual/team live-fire drills, threat analysis, multiple target engagement, transition to a secondary weapon, shooting around a vehicle, and much more. Disc 3 has detailed, multiple-angle breakdowns of drills from Discs 1 and 2 in slow motion, plus info on weapon accessories, disassembly and maintenance, storage, and transport. Disc 4 includes bonus footage, techniques for left-handed shooters, and additional discussion of malfunction clearance.

#100-009-287EK Art of the Tactical Carbine Vol. I, DVD 3K27A83 . . . \$37.95

#100-009-288EK Art of the Tactical Carbine Vol. I, Blu-ray 3K34A80 . . . 47.95

VOLUME II - 4 disc set, 5 1/2 hours. Advanced course helps even seasoned operators hone their skills with better techniques and tactics for survival in combat, even when things go wrong. Topics include: balancing speed and accuracy, unconventional shooting positions, check drills, addressing threats off the line of attack, dynamic shooting positions, switching shoulders with single- and two-point slings, advanced barricade techniques (including vehicles and urban environments), facial recognition, coordinating with a partner, one-hand malfunction clearance, and survival tactics. As in Volume I, Disc 3 offers multi-angle, slow-motion breakdowns of drills in the first two discs, while Disc 4 covers advanced weapons, gear, and accessories, including body armor.

#100-009-283EK Art of the Tactical Carbine Vol. II, DVD 3K34Z80 . . . \$47.95

#100-009-284EK Art of the Tactical Carbine Vol. II, Blu-ray 3K41Z74 . . . 56.95

THE AR-15 COMPLETE ASSEMBLY GUIDE



Walt Kuleck. 154 pages. 6" x 9". Softbound. Ideal book for anyone who wants to correctly assemble and disassemble AR-15s. Text and hundreds of photographs explain everything necessary to work on this gun. Divided into upper and lower receiver sections for easy reference during projects.

#261-000-003EK AR-15 Ambly Guide, 1F17A53 . . . \$19.99

COLT® AR-15 & ALL VARIANTS GUN-GUIDE

17 pages. 5 1/2" x 8 1/2". Soft cover. 20 photographs. 4 illustrated parts schematics. Contains detailed, step-by-step field stripping, disassembly, and reassembly procedures for Colt, Bushmaster, Olympic Arms, ArmaLite®, Rock River, DPMS, and other manufacturers. Features easy-to-read parts schematics and one-step-at-a-time disassembly instructions illustrated with large photographs. Includes special reassembly "tricks-of-the-trade" and short, historical background on the design and development of the AR-15. Spiral bound to lay flat and stay open on the bench.

#100-004-409EK AR-15 Gun-Guide 8A05T00 . . . \$7.00

HISTORY OF THE M16

A comprehensive, historical record of the design and development of the M16 battle rifle, including the behind-the-scenes politics. Follows the rifle from the beginning, tracing its development and detailing the calibers, accessories, sights, various models and much more. Well-written, eye-witness accounts of the actual events provide a narrative that's hard to put down. A must-have for shooters and collectors alike. Two volume set, available separately.

THE BLACK RIFLE, M16 RETROSPECTIVE - R. Blake Stevens. Edward C. Ezell. 416 pages. 8 3/4" x 11 1/4". Hardbound. Over 441 B&W photographs. Second printing of the original, 1987 1st edition. The standard reference source for anyone interested in researching the complex history of the M16 development.

#158-000-001EK **The Black Rifle** 8E50T24. \$ 60.99

BLACK RIFLE II, THE M16 INTO THE 21ST CENTURY - Christopher R. Bartocci. 408 pages. 8 3/4" x 11 1/4". Hardbound. Over 626 B&W photographs. Volume II begins where the original book leaves off, and starts with an in-depth discussion on the M16A2 previously unavailable. Continues with a fascinating, concise history that covers the Advanced Combat Rifle (ACR), Mk12 SOCOM, Colt 9mm SMG, Fourth-Generation M16, 6.8 SPC variants, and finishes up with the H&K M16.

#158-000-002EK **Black Rifle II** 8E56T49. \$ 69.95

BUILD YOUR OWN AR-15

Duncan Long. 98 pages. 5 1/2" x 8 1/2". Softbound. Comprehensive, how-to guide walks you through every step of building your own AR-15. Includes information on how to build your gun according to post-ban regulations. More than 40% of the book is devoted to assembly instructions; including easy-to-understand text and helpful illustrations.

#100-001-287EK **Build Your Own AR-15**, 1A15T95. \$ 19.95

BLACKHEART INTERNATIONAL M16/M4 HANDBOOK

Mike Pannone. 89 pages. 4" x 6". Spiral bound. Written by an author with 20+ years of experience with the M16/M4 rifle, this operational guide covers basic operation and shooting, the theory behind direct-impingement gas systems, ballistics, loading, malfunctions, zeroing and sight adjustment, maintenance/cleaning, training and tactical mindset, sights/optics, and more. Fits in shirt pocket or range bag.

#100-004-986EK **M16/M4 Handbook** 2B16H22. \$ 19.99

THE AR-15 COMPLETE OWNERS GUIDE

Walt Kuleck & Scott Duff. 240 pages. 6" x 9". Softbound. Gives in-depth information needed to configure, select, operate, and maintain AR-15 rifles. Covers history, applications, details of components and subassemblies. Appendices cover serial number information, AR-style .308 info, and a list of parts and suppliers.

#261-000-001EK **AR-15 Owners Guide**, 1F19A16. \$ 23.95

CALL OFTEN!!

We'll Be Your Supplier

THE COMPETITIVE AR-15

Compiled and edited by Glen D. Zediker. 300 pages, photo illustrated, 9" x 11", Softbound. Covers modifying, shooting, maintaining and handloading a match-grade AR-15 for NRA High Power Service rifle, Match Rifle, IPSC Practical Rifle, sniper, varmint and other special purpose applications. Includes interviews with top AR-15 shooters, gunsmiths, barrel makers, ammunition producers, parts designers and manufacturers.

#995-102-000EK **The Competitive AR-15**, 5Z24D00. \$ 29.95

THE NEW COMPETITIVE AR-15

Glen D. Zediker. 470 pages. 7" x 10". Softbound. Not just a revision of Glen's first, ground-breaking AR book, but a completely new volume written from the ground up with the benefit of the author's 10 additional years of competitive shooting with the AR-15. Detailed discussion of receivers, triggers, bolts, bolt carriers, barrels and twist rates, gas system options, springs, magazines and mag components, grips, buttstocks, handguards, and the selection of these components for specific competition, tactical, and field applications. Plenty of straight talk on ammunition and handloading, cleaning, and troubleshooting. Plus comprehensive discussion of "iron" combat sights, adjustable target sights, scopes, red dots, and sight mounts. Almost half the book is devoted to 10 project guns built by Glen, including tactical carbine, high-power match rifle, "raceguns," varmint rifle, civilian-legal carbine, AR-style .308, and .22 LR conversions. Illustrated with 475 detailed black-and-white photographs.

#995-000-004EK **The Competitive AR-15** 5Z24D99. \$ 34.99

THE COMPETITIVE AR-15 BUILDER'S GUIDE

Glen D. Zediker. 272 pages, 8 1/2" x 11", spiral bound. Over 750 photographs and illustrations. This comprehensive, "must have" guide covers in detail how to build—or rebuild—a competitive AR-15 rifle. Tells you how to choose individual components from the muzzle device to the buttstock, and illustrates assembly of each component. Topics include tools, building lower and upper receivers, triggers, barrel installation, bolt and carrier, service sights, magazines, and troubleshooting. In addition, Glen demonstrates everything in four, complete, fully illustrated "build" projects.

#995-000-005EK **Competitive AR-15 Builder's Guide**, 5Z26D92. \$ 34.99

TACTICAL/PRECISION AR-15

Master gunsmith Larry Crow thoroughly covers the ins and outs of the AR-15 rifle in these two DVDs (120 minutes each). **Tactical AR-15** provides a detailed explanation of the basic AR-15 platform and shows you how to disassemble and reassemble your rifle. Also covers installation of factory or aftermarket parts for increased accuracy and reliability. Great information for the beginner and the tactical competition shooter. 160 minutes. **Precision AR-15** expands on the first DVD, detailing the latest accuracy modifications for long-range applications. Includes discussion of high-end scopes, accessories, and ammunition information to obtain the best performance from your AR.

#100-006-135EK **Tactical AR-15** 8A23X08. \$ 29.99

#100-006-134EK **Precision AR-15** 8A23X08. 29.99

BROWNELLS

HOW TO BUILD AN AR-15

1 DVD. 2 hours, 10 minutes. Produced by Brownells, this easy-to-follow, step-by-step video guide is your ticket to the custom AR-15 you've always wanted. Tim Dillon, a former U.S. Army small arms repair specialist, shows you how to build your own AR with features and accessories that'll help you shoot your best. You don't need to be an expert riflesmith or armorer because Tim explains each step in plain English and shows you in crystal-clear video. You'll learn about AR-15 models and variations, laws and regulations, specifications, operation, choosing features, selecting and ordering parts, tools, step-by-step assembly, function testing, safety checking, cleaning, and maintenance. The presentation is divided into a series of short segments, each devoted to a specific subassembly or variation of one. Watch only the segments that apply to the rifle you want to build. If you decide to modify your rifle later, go back and just watch the segments that cover your planned changes. A big help taking apart subassemblies like the bolt and gas system for cleaning or trouble-shooting, too.

#080-000-587EK **How To Build An AR-15 DVD**, 5B21C99. \$ 29.99

JERRY MICULEK PRACTICAL RIFLE

Shoot Smarter, Better, Faster

3 DVDs. 2 hours 17 minutes. Widescreen. Learn how to shoot your AR-15 smarter, better, and faster from one of the world's fastest, most knowledgeable, and "winningest" shooters, Jerry Miculek. Jerry's achievements include three-time Masters International Long Gun Champion, five world records, winner of 28 multi-gun championships, and 85 national and international handgun titles. He provides over two hours of expert instruction that covers everything about shooting the AR-15, from how to set up your rifle like his, to the stance, grip, and trigger technique used by the pros. Plus, he'll take you through plenty of basic and advanced drills that'll improve your shooting. Learn how to reload and clear malfunctions quickly, move and acquire targets faster, engage multiple and moving targets, and shoot from behind cover and in different positions. Produced entirely at Brownells studios in partnership with Bang Inc., this three-DVD set is broken down into short, easy-to-follow segments, and features innovative camera angles, slow-motion footage, and animated illustrations so you can fully comprehend Jerry's winning techniques. Fast paced, entertaining and educational, the format is designed to be instructionally sound and logical. A must-have for the serious AR shooter, hunter, and competitor.

#100-004-974EK **Practical Rifle 3-DVD Set**, 2K29H99. \$ 39.99

MAKE READY WITH DEAN CAPUTO AR-15 ARMORER'S BENCH

Law Enforcement officer and factory armorer instructor Dean Caputo demonstrates how to assemble, disassemble, repair and modify all platforms of the AR-15 including the M4 and the M16. You'll learn how the rifle of the U.S. military really functions. Topics include design, model variations, lubrication, parts fitting, proper maintenance, trouble shooting and which aftermarket parts and modifications truly make sense from the aspect of law enforcement and continued reliability. Running time 2 hrs.

#100-006-820EK **AR-15 Armorer's Bench DVD**, 9C32Z00. \$49.99

AMERICAN GUNSMITHING INSTITUTE

BUILDING THE AR-15



2 hours 5 min. 1 DVD. Robert Dunlap demonstrates building a complete AR-15. Covers assembling the upper and lower receivers, bolt, bolt carrier and head spacing the barrel, trigger and safety function, fitting and installing all parts and final tuning. DVD format only.

#050-000-016EK **Building The AR-15**, 5K32Z09. \$ 39.99

AMERICAN GUNSMITHING INSTITUTE VIDEO ARMORER'S COURSES

Bob Dunlap. DVD format. 120 minutes. Well lit, professionally photographed with sharply focused close-ups and good sound quality. Unique, classes go from history and design through a detailed stripping, cleaning and inspection; each covering the AR-15 rifle. You get a close-up look at the identifying features. A How-It-Works section is followed by detailed, one-step-at-a-time disassembly instructions. You'll learn many handy tips, like when to watch out for, and prevent, flying springs. Next, Dunlap does a thorough cleaning and oiling, pointing out things to look for which indicate problems that can be corrected before they cause a malfunction. The reassembly portion isn't just "reassembly in reverse order". You'll stop and look at the parts, learn exactly how to put the pieces back together correctly and pick up more repair tricks. Tuning Tips shows you ways to make sure the gun functions better than it did when you started. Accessories covers spare parts you should keep around, and why. Throughout the tapes you'll pick up troubleshooting tips and cures.

#050-000-028EK **AR-15 Armorer's Course**, DVD, 5K31A96. \$ 39.95

BROWNELLS AR-15/M16 MINI RAIL

Adds Extra Elevation For Sights & Other Accessories

Add-on riser rail gives an additional 1/2" of elevation or offset sometimes needed to mount a red dot sight, light, laser, or other essential accessory. Clamps securely to any MIL-STD 1913 Picatinny rail and provides three Picatinny cross-slots. Steel crossbolt and oversized, hex-head slotted thumbscrew enable fast, easy installation and removal, with or without tools.

SPECS: Rail - 6061 T6 aluminum, hardcoat anodized, black. Cross-bolt/Thumbscrew - 4140 steel, black oxide finish. 1 3/8" (3.5cm) long, 1 1/2" (3.8cm) wide. Provides 1/2" (12.7mm) additional elevation. 1.4 oz. (38g) weight.

#080-000-713EK **Mini Rail** 8K19P00. \$ 24.99

ADVANCED ARMAMENT AR-15/M16 ACCESSORY MOUNTING RAIL

Provides Solid Mounting For Accessories

Picatinny rail provides quick, secure mounting for weapon lights, lasers and vertical grips. Bolts to existing handguard holes and is compatible with mil-spec handguards for M16A2 rifles and M4 carbines, including those with or without heatshields. Installation requires removal of a single heatshield on handguards with double heatshields.

SPECS: Aluminum alloy, hardcoat anodized, matte black. 5 3/8" (13.7cm) long. Includes all mounting hardware, tools, and instructions. Fits carbine handguards with 6 or 7 vent holes.

#276-000-007EK **AR-15 Accessory Rail** 6G21D92. \$ 26.99

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 77

AMERICAN DEFENSE

QUICK-RELEASE ACCESSORY MOUNT



Easy-On/Easy-Off System
For Mounting Lights,
Vertical Grips & Other Accessories

Convenient, quick-detach mount clamps solidly to almost any Picatinny or Weaver-style rail for mounting weaponlights, vertical grips, lasers, optics, and other accessories that need to be removed and reinstalled quickly. Increases the flexibility of your weapon and allows quick changes of accessory configuration to meet individual mission requirements. Lever-lock system will not work loose under recoil; the more force acting on the lever, the tighter it locks, yet when you depress the release tab, the lever swings open easily. Adjust gripping force with a flat head screwdriver or coin for an ultra-secure fit even on non-mil-spec, over- or under-sized rails. Lever may be configured to lock to the front or the rear to suit the operator's preference. Locking bar on the side of the mount engages maximum rail area, while the crossbolt and two integral locking lugs ensure rock-solid engagement with rail slots.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. 2 1/4" (5.7cm) long. Provides .615" (1.6cm) standoff from weapon rail.
#100-003-648EK Quick-Release Accessory Mount,
7B79Y95 \$ 99.95

ATLAS METAL PARTS AR-15/M16 ACCESSORY LIGHT MOUNT

Rock Solid Mounting For Lights & Lasers

Solidly clamps to either side of an AR-15, front sight base. Features two Picatinny rails to hold lights, lasers, sling adapters and other accessories. Machined for a secure fit so it won't rotate or twist out of alignment.

SPECS: Aluminum, anodized, black, matte. 1 3/4" long. 2.3 oz. (66 g) wt.
#100-000-727EK AR-15 Light Mount 7K35D95 \$ 44.94

BROWNELLS AR-15/M16 45-DEGREE ANGLE MOUNT

Offset Mount For Positioning Tactical
Accessories Right Where You Need Them



For situations where the standard 3, 6, 9, and 12 o'clock positions don't work, we developed this offset angle mount for positioning weapon lights, lasers, and other tactical accessories exactly where you need them. Won't interfere with the view through the primary optic or backup iron sights, and allows mounting of a holographic red dot sight next to your scope for quick transitions to engage close-range targets. Simply cant the rifle slightly to the side to use the red dot. Lets you position a tactical flashlight for easy thumb activation of a tailcap switch without interfering with the optic. Fully machined from strong yet lightweight 6061 T6 aluminum billet, then hardcoat anodized for added strength, with a durable, non-reflective matte black finish that matches most AR-15 receiver finishes. A tunnel through the mount minimizes obstruction of your forward view, and additional circular cuts in the mount body further reduce weight without sacrificing strength. Ultra-secure clamping system fits any MIL-STD 1913 Picatinny rail, and is easy to install, remove, or reposition in the field or at the range. Full-length locking bar, hardened 4140 steel crossbolt, and an oversized, hex-head lock nut ensure a rock-solid installation even with the hex nut only finger tight. Deep-cut slot accepts a flat-head screwdriver, or even a U.S. quarter, for additional tightening torque.

SPECS: Body - 6061 T6 aluminum, hardcoat anodized, matte black. Crossbolt/Nut - 4041 carbon steel, black oxide finish. 1.875" (4.8cm) long, 1.25" (3.2cm) wide, .900" (2.3cm) high. 1.7 oz. (46g) weight.
#080-000-533EK 45-Degree Angle Mount 8K21C95 . . \$ 26.99

COMMAND ARMS

FLASHLIGHT/LASER MOUNT



Adjustable Five-Position Mount,
For Rifle Or Pistol Accessory Rails

Flashlight/laser mount pivots and locks into five positions, up to 90 degrees left or right of center, allowing you to easily reposition your laser sight or flashlight if the tactical situation dictates. Use one mount for both your rifle and pistol; spring-loaded push-button provides fast installation and removal on both Picatinny and Weaver-style rails, separate locking bars included. Integral mounting ring firmly clamps 1" diameter lights or laser sights. Made from high strength, durable fiber-filled polymer composite.
SPECS: Fiber-filled polymer composite, black. 2 3/4" (7cm) long, 1 1/2" (3.8cm) wide, 2 1/2" (6.3cm) high. 2.8 oz. (79g) weight. Fits 1" O.D. flashlight/laser.

#100-003-353EK Flashlight/Laser Mount 6C20X00 . . \$ 29.99

CUSTOM DEFENSIVE PRODUCTS AR-15/M16 BAYONET LUG ACCESSORY MOUNT

Easy Forward Mounting
Of Tactical Lights & Lasers



Provides a quick, convenient platform for tactical lights and other shooting accessories that mount on a Picatinny rail. Installs on any AR15/M16 variant equipped with a standard issue sight tower with bayonet lug. Installation is easy: simply drill out the forward sling swivel rivet, slide the Accessory Mount over the bayonet lug, and secure the mount through the swivel rivet hole with provided Allen screw. Specifically designed for the Surefire X200 and Insight Technology M3X series tactical lights. Precision CNC Machined from T6061 aluminum billet, then hard anodized with a MIL-A-8625F, Type III black finish for superior wear-resistance. Integral, sling attachment loops allow forward sling mounting.
SPECS: Aluminum, matte black, Mil-Spec anodized finish. 2 1/4" (5.7cm) long, .831" (2.1cm) wide. 2 oz. (56g) wt.

#100-002-594EK Bayonet Lug Acc. Mnt 5A44V95 . . \$ 55.95



CUSTOM DEFENSIVE PRODUCTS AR-15/M16 BLAM 2 ACCESSORY MOUNT

For Easy Forward Mounting Of
Tactical Accessories



"Bayonet Lug Accessory Mount" provides a quick, convenient platform for tactical lights and other shooting accessories that mount on a Picatinny rail. Installs on any AR15/M16 variant equipped with a standard-issue sight tower with bayonet lug. Requires removal of sling swivel and rivet. Installation wrench included.

SPECS: 6061 T6 aluminum, Type III hardcoat anodized, matte black. 2.25" (5.7cm) long, .831" (2.1cm) wide. Extends approximately .431" (1cm) below lug. 1.2 oz. (34g) wt.

#100-007-003EK BLAM 2 Accessory Mount,
5A49P27 \$ 100-007-003

DANIEL DEFENSE PAK™ OFFSET FLASHLIGHT MOUNT

Mounts Your Tactical Light In The Best
Possible Position For Deployment



Clamp-on mount puts your tactical light behind and directly to the side of the vertical grip, so your thumb rests naturally on the light's on/off switch. Keeps thumb movement to the switch deliberate and

DANIEL DEFENSE AR-15/M16

ONE O'CLOCK OFFSET RAIL

For Convenient Mounting Of Auxiliary Optics,
Lights & Other Accessories



Lightweight, low-profile, rail clamps to hand-guard side rail to allow easy off-axis mounting of red dot sights in the 1:00 or 11:00 position. Lets operator transition almost instantly from long-range primary optic to non-magnified CQB sight without breaking cheekweld. Viewing tunnel through the mount helps minimize obstruction of operator's view of area around the target. Plenty of other uses, too; clamps to any MIL-STD 1913 Picatinny rail. Install on underside of handguard to position a laser or weaponlight close to vertical forend grip for easy operation of controls with support hand. Precision machined from 6061-T6 aluminum billet, then mil-spec Type III hardcoat anodized for added strength. Side bar and crossbolt locking system ensures secure, zero-movement attachment to primary rail, yet allows removal and reinstallation of backup sight without loss of zero.

SPECS: 6061-T6 aluminum, hardcoat anodized, matte black. 1.2 oz. (34g) weight.

#100-003-943EK One O'Clock Offset Rail 8K34Y29 . . \$ 37.00

DOUBLE STAR AR-15/M16 PICATINNY ANGLE MOUNT

Offsets Add-On Tactical Accessories
For Unobstructed Use of Primary Sights



Low-profile, add-on rail lets you mount a flashlight, laser, red dot sight, or other tactical accessory at a 45° angle, so it's close to the rifle's center line without obstructing your primary sight system. Precision-machined aluminum body uses a full-length steel clamping bar and three hardened steel socket head bolts to anchor the mount securely to any Picatinny rail with minimal weight increase to your weapon. Five cross-slots; accepts Picatinny and Weaver-style accessories.
SPECS: Aluminum, anodized, matte black finish. 2 1/8" (5.4cm) long, 1 1/8" (4.8cm) wide, 1 1/8" (1.8cm) high. 2.3 oz. (66g) wt.

#100-003-301EK 45° Picatinny Angle Mount,
2Z18A99 \$ 24.99

FALCON INDUSTRIES AR-15/M16 UNIVERSAL MOUNTING PLATFORM



Quickly Mount Accessories
To AR Handguards

Lightweight, aluminum mount attaches to AR-15 handguards; gives quick, sturdy mounting for lights, forward grips, bipods and tripods. Fits standard, round, plastic, AR-15 and CAR-15 handguards without removing the heat shield. Requires removal of heat shield to fit M4 handguards. Can be attached to top or bottom handguard. Accepts Weaver-style accessories. 4" w/adaptor permits use with 2" diameter aluminum float tubes, also fits standard handguard.

SPECS: Aluminum, anodized, black. 2", (5cm), 4" (10.1cm) and 6" (15.2cm) long. Includes mounting bolts and hardware. 4" w/adaptor and 6" Platform also include low profile rail covers.

#573-000-017EK 2" Mounting Platform 3G12U69 . . \$ 15.99
#573-000-009EK 4" Mounting Platform 3G21U15 . . . 24.99
#573-000-018EK 4" Mounting Platform w/adaptor,
3G22U54 27.99
#573-000-019EK 6" Mounting Platform 3G23U79 . . . 28.99

helps prevent accidental light discharges. PAK™ (Positive Action Knob) can be easily hand-tightened and loosened for fast attachment and removal. Mounts on either side of Picatinny-railed handguards to accommodate right- and left-hand shooters.
SPECS: Aluminum, matte, black, anodized finish. 1" (2.5cm) long, 1 1/8" (4.9cm) wide, 2 3/8" (6.7cm) high. Accepts flashlight body tubes 7/8" (2.2cm) to 1" diameter. Fits Mil-Spec Picatinny rails.
#100-002-986EK PAK Flashlight Mount 8K60V00 . . \$ 65.00



ELZETTA MFG. AR-15/M16 TACTICAL FLASHLIGHT HOLDER



Turns Hand-Held Flashlight Into
Weapon Light

Reinforced polymer mount clamps around the front sight/gas block to hold a compact, hand-held flashlight as a weapon light. Open design allows easy access to the tail cap switch to operate the light. Tough, yet lightweight, polymer construction resists impact and withstands the extreme heat of the gas block after sustained fire. Available with low-profile retaining screw for light or easy-to-grasp, quick-release thumbscrew that allows rapid installation or removal of the light. No gunsmithing required.

SPECS: Reinforced, injection-molded polymer, black. Approximately 3 1/4" (8.3cm) long, 1 1/4" (4.5cm) wide, 4" (10.1cm) high, 2.8 oz. (79g) weight. Accepts flashlights with .7" (2mm) to 1 1/8" (2.8cm) O.D., including Elzetta ZFLM60, Mini-MagLite, PentagonLight, Inova, Streamlight, Pelican, Laser Devices, and SureFire models. Includes nylon sizing adapters and mounting hardware.

#100-005-559EK Flashlight Holder 4B23X53 \$ 29.99
#100-005-560EK Flashlight Holder w/Thumbscrew,
4B29X03 36.99

FALCON INDUSTRIES AR-15/M16 UNIVERSAL ACCESSORY MOUNTING PLATFORM

Easy Installation;
Mount Tactical Accessories



Injection-molded, nylon-based, polymer platform installs easily on tube and conventional two-piece AR-15 handguards to mount lights, lasers, and tactical gear. Six mounting holes and lots of slots make it adaptable to different situations. Comes complete with three mounting screws and flat nuts. Accepts picatinny and Weaver-style accessories.
SPECS: Injection-molded polymer, black. 5 5/8" (14.3cm) OAL.
#573-000-027EK Universal Accessory Mounting System,
3G07U86 \$ 11.00



IMPACT WEAPONS COMPONENTS AR-15/M16 VFG LIGHT MOUNT-N-SLOT



Mounts Flashlight Close To The Bore
For Precise Target Illumination


Bolt-on aluminum mount holds any 1" diameter flashlight and attaches directly to the bottom of Magpul MOE handguards and A2-style round handguards using the existing slots or cooling holes. Positions the light close to the bore for fast, easy thumb operation of the tail cap switch. Light may be positioned on the right or left side of the handguard. Integral Picatinny rail lets you attach a vertical fore grip or other accessory. No handguard/heat shield alteration required. Includes all needed hardware, instructions and wrench.

SPECS: 6061 T6 aluminum, Type III hardcoat anodized, black. 3 3/4" (9.5cm) long. 2.8 oz. (79g) wt.
#100-006-822EK VFG Light Mount-N-Slot,
2C57Z89 \$ 69.95

AR15BUILDER.COM

GEAR SECTOR SUREFIRE SCOUT WEAPON LIGHT MOUNT

Low Profile Keeps Light Beam
Close To Center Of Impact


Rugged, low-profile, machined aluminum mount provides low-profile, 45° offset attachment for a Surefire Scout series M300A, M600B, and M600C weapon lights. Clamps to a Picatinny handguard rail in any of eight different clock positions on quad-rail handguards. Keeps the beam close to the bore axis for precise target illumination. Fits flush with TangoDown rail panels (available separately) for a smooth, uninterrupted grasping surface. Easy-to-install low-profile locking bar and crossbolt mounting system. 

SPECS: Machined 6061 T6 aluminum, MIL-A-8625F Type III, Class II hardcoat anodized, matte black. 1.35" (3.4cm) long, 1.84" (4.6cm) wide, .25" (.64cm) height over rail. 1 oz. (28g) weight. Fits Surefire M300A, M600B, and M600C weapon lights.

#100-006-209EK Scout Light Rail Mount 9B49U61. \$ 59.99

GEAR SECTOR AR-15/M16 OFFSET FLASHLIGHT MOUNT

Converts Surefire Handheld Light Into
Weapon Light

Low-profile, lightweight, flashlight mount attaches to any Picatinny rail and offers up to eight different offset positions for installing popular Surefire flashlights as weapon lights. Fits flush with most Picatinny rail covers for uninterrupted rail coverage. CNC machined from solid billet aluminum with smooth, snag-free contours that won't hang up on clothing or equipment. Locking bar and hex head steel crossbolt clamp solidly to rail. Retaining ring has a screw tensioning system that maintains a secure, friction fit on the flashlight. 

SPECS: 6061 T6 aluminum, mil-spec Type III, Class II hardcoat anodized, Black or Dark Earth. 2 3/4" (7cm) long x 1" (2.5cm) wide x 1 1/2" (3.8cm) high. 1.4 oz (37g) weight. **E Series** fits Surefire E-series and other .830" O.D. flashlights. **6P** fits Surefire 6P and other 1" O.D. flashlights. **G2** fits Surefire G2 Nitrolon only.

#100-005-314EK E Series Light Mount, Black, 9B55X96. \$ 62.99

#100-005-317EK E Series Light Mount, Dark Earth, 9B58X36. \$ 65.99

#100-005-313EK 6P Light Mount, Black 9B55X96. \$ 62.99

#100-005-316EK 6P Light Mount, Dark Earth, 9B58X36. \$ 65.99

#100-005-312EK G2 Nitrolon Light Mount, Black, 9B55X96. \$ 62.99


#100-005-315EK G2 Nitrolon Light Mount, Dark Earth, 9B58X36. \$ 65.99

GG&G AR-15/M16 FLASHLIGHT/LASER MOUNTING BASE



Offset Design Works Together
With Vertical Grip

Low profile, "L-shaped" base attaches next to the vertical grip on railed handguards to allow easy light/laser activation using your thumb, without your hand ever leaving the grip. Light/laser can be


positioned at the 3 or 9 o'clock position to accommodate both right- and left-hand shooters. Includes an optional rail designed to fit any of the newer, smaller flashlights and lasers with integral rings. Precision machined from T6 aluminum billet, then hardcoat anodized for added strength and wear resistance. Steel hardware. 

SPECS: T6 aluminum, matte black anodized finish. 1 13/16" (4.6cm) long, 2" (5.1cm) wide, 7/8" (2.2cm) high.

#336-000-008EK Light/Laser Mounting Base, 6C61D95. \$ 75.00

GG&G AR-15/M16 UNDER FOREARM INTEGRATED RAIL

Accessory Rail Bolts To
Factory Plastic Handguard


Aluminum accessory rail bolts to the underside of the standard factory plastic handguard to enable fast, easy mounting of lights, vertical grips, bipods, and other accessories. The "UFIR" features 11 cross slots machined to MIL-STD-1913 specifications to provide a variety of accessory options depending on the mission. Attaches to the underside of USGI-style plastic AR-15/M16 rifle or M4-style carbine handguard using the included mounting hardware 

SPECS: 6061 T6 aluminum, mil-spec Type III hardcoat anodized, matte black. 4 5/8" (11.7cm) long. Steel mounting hardware included.

#336-000-037EK UFIR Accessory Rail 6C22Z50. \$ 27.99

MIDWEST INDUSTRIES AR-15/M16 MX-SERIES TACTICAL LIGHT MOUNT

Front Sight Mount For Flashlight,
Laser Sight & Other Tactical Accessories


Adds two, symmetrical, single-slot, Picatinny rails to your standard, front sight. An excellent alternative to swapping out a perfectly good handguard for a railed, forend tube in order to mount accessories. Helps give the right elevation for lights and laser sights in relation to bullet point-of-impact. Precision-cut angles and tapers deliver an extremely rigid mounting system that can't shift or rotate once tightened. 

SPECS: 6061 aluminum, hardcoat anodized, black. 1 3/4" (4.4cm) long.

#100-002-061EK MX Tactical Light Mount 2A29V33 \$ 39.99

REMINGTON R-15 RAILS & RISERS

Picatinny Accessory Mounts
Match Your Rifle's Camo

Remington factory accessory mounts provide an exact match for your Remington R-15 VTR hunting rifle with Advantage MAX-1 HD Camouflage. Easy to install without gunsmithing or permanent alterations, all mounts accept accessories that fit MIL-STD 1913 Picatinny rails. **Forend Picatinny Rail** - Compact 4" rail attaches directly to the factory-drilled and tapped free-floating handguard on all R-15 VTR rifles. Height of rail allows co-witnessing with top of receiver. **Mini Risers** - Separate risers attach to receiver or forend rails to provide an additional 1/2" of elevation that's perfect for positioning scopes, red dots, or backup sights at the required height. Locking bar and hex-head cap screw attachment system provides plenty of clamping power to keep these risers securely on the rail. Available in 3/4" and 1 1/4" lengths. Sold in 2-paks. 

SPECS: Machined aluminum, hardcoat anodized, Advantage MAX-1 HD Camouflage finish. **Forend Picatinny Rail** - 4" (10.2cm) long. 1/4" (6.3mm) high from top of base to top of rail. Includes mounting screws. **Mini Risers** - Available in 3/4" (1.9cm) and 1 1/4" (3.2cm) lengths. 1/2" (12.4mm) high from top of base to top of rail. Sold in 2-paks.

#768-194-490EK Forend Picatinny Rail 8F29C51. \$ 36.95


#768-194-490EK 1/4" Mini Risers, 3/4" length 8F29C51. \$ 36.95

#768-194-470EK 1/2" Mini Risers, 1 1/4" length 8F40C67. \$ 50.95

View our How-To Video Guides at
brownells.com

STREAMLIGHT® AR-15/M16 TACTICAL ILLUMINATOR MOUNT

Fits Standard Handguards
For Mounting Streamlight Lights & Lasers


Tough, polymer mount attaches to plastic USGI-style AR-15 handguards to accept your Streamlight TLR-1, TLR-2, M3, M5, or M6 light/laser. 

SPECS: Polymer, black. 1.925" (4.9cm) long, .825" wide (2.1cm), .25" (6.4mm) high. Accepts Streamlight M3, M5, M6, TLR-1, and TLR-2 lights. Instructions included.

#100-000-831EK Tactical Illuminator Mnt 1K19V99. \$ 20.99

SOG ARMORY M16/AR-15 GRAPHITE RAIL SYSTEM

Add Picatinny Accessories
To Standard Round Handguards


Heat-resistant, graphite rail aligns with vent holes on standard issue, round M16/AR-15 handguards and lets you mount picatinny rail accessories without the expense of new handguards. Aluminum backing plate mounts on inside of handguard and attaches to rail with two screws (included) and can be mounted to full stock AR-15/M16, CAR, and M4 handguards. Installs with no permanent modifications to the handguard. 

SPECS: Heat-resistant graphite, black. Aluminum backing plate. 2.16" (5.5cm) long. Mounting screws included.

#100-002-209EK Graphite Rail System 9A10P00. \$ 16.95

SOG ARMORY AR-15/M16 TRI-RAIL ACCESSORY MOUNT WITH SLING SWIVEL

Space For Three Accessories;
Includes Detachable, Multi-Position Sling Swivel

Add three, forward-mounted accessory rails and a multi-position, quick-detach sling swivel to your AR-15/M16 without permanent alterations to your rifle. Clamps securely around existing front sight housings with or without a bayonet lug. Push-button sling swivel can be repositioned quickly between six mounting holes, two per rail, for the ultimate in versatility. True, Picatinny cut allows mounting optics, lasers, lights, night vision gear, and a wide variety of other tactical accessories. Precision-machined from rugged, billet aluminum and hardcoat anodized for superior strength and wear resistance. 


SPECS: Aluminum, hardcoat anodized, matte black finish. 1 1/16" (4.5cm) long, 2" (5.2cm) wide, 2" (5.2cm) high. Hardened-steel, Allen-head set screws included.

#100-002-410EK Tri-Rail Acc. Mount w/Sling Swivel, 9A52D46. \$ 69.95

TACSTAR UNIVERSAL FLASHLIGHT MOUNTS

Steel, Two-Piece Mount Clamps Securely To Barrel



Made especially to mount flashlights to your shotguns and rifles without modifications to the barrel. These all-steel, two-piece light mounts fasten securely to the barrel with two Allen head screws. Available in four different flashlight/barrel sizes. Allen wrench and two spare screws included. 

SPECS: Steel, gloss black finish. **#1 Mount** - Attaches 3/4" light to 1/2" to 3/4" barrel. **#2 Mount** - Attaches 1" light to 1/2" to 3/4" barrel. **#3 Mount** - Attaches 3/4" light to 3/4" to 1" barrel. **#4 Mount** - Attaches 1" light to 3/4" to 1" barrel. Two extra Allen head screws included.


#867-000-008EK #1 Universal Flashlight Mount, 7F14A66. \$ 21.98



VIKING TACTICS FLASHLIGHT/LASER MOUNT

Offset For Fast,
Easy Access To Activation
Switches



Extra-wide, offset base mounts flashlights and lasers to any railed handguard for easy light/laser activation using your thumb without your hand ever leaving the handguard or vertical grip. Ambidextrous design can be installed at the 3- or 9-o'clock positions to accommodate right- or left-handed shooters. Two, steel, Allen head screws pull the clamp tight to the rail, so it won't shoot loose. Made from lightweight, PVC alloy thermoplastic that's resistant to most solvents. Adjustable to fit flashlights and lasers from .800" to 1" diameter. 

SPECS: PVC alloy thermoplastic, Black, Coyote Tan, or Flat Dark Earth. 1 1/2" (3.8cm) long, 2 1/2" (6.3cm) wide, 1 1/4" (3.2cm) high. 1.8 oz. (51g) weight. Fits .800" (20mm) to 1" (2.5cm) diameter flashlight and laser.


#100-004-371EK Flashlight/Laser Mount, Black, 7K21Y23. \$ 26.99

#100-004-372EK Flashlight/Laser Mount, Coyote Tan, 7K21Y39. \$ 26.99

#100-005-402EK Flashlight/Laser Mount, Flat Dark Earth, 7K20Y86. \$ 24.99

TACTICAL NIGHT VISION SCOPE ACCESSORY RAIL

Securely Mounts Accessories
Directly To Scope Tube

Compact accessory rail clamps directly to scope tube to provide mounting space for holographic sights, lasers, IR illuminators, flashlights, and other accessories that fit Weaver-style rails. Increases accessory mounting options, especially on bolt guns, without restricting your scope base and ring options. Short enough not to interfere with rings, turret, or scope objective, yet provides adequate rail length to accept a wide variety of devices. Rail mounts at any angle on the scope tube and positions alternate sight close to the scope axis, so switching between main and secondary sights requires minimal head movement. 

SAR-1 fits 1" scope tubes and can also be installed on the magazine tubes of many tactical shotguns. **SAR-3P** fits 30mm scope tubes and has one MIL-STD 1913 Picatinny slot in the middle of the rail to accommodate accessories that require a Picatinny mount. An Aimpoint Micro T1 red dot sight fits perfectly on this rail with no overhang. **SAR-3PS** is the slimline version of the 3P, with a ring that's 1/4" thick (vs. .720" on the 3P) for mounting on scopes with limited tube length. **SAR-4** fits 34mm scope tubes. Made of lightweight, precision machined aluminum and hardcoat anodized for added strength to withstand the pounding of recoil without losing adjustment. **SPECS:** Machined aluminum, hardcoat anodized, matte black.

SAR-1 - 1.75" (4.5cm) long rail. 1.1 oz. (31g) weight. Fits 1" scope tubes. **SAR-3P** - 1.56" (4cm) long rail. 1.1 oz. weight. Fits 30mm scope tubes. **SAR-3PS** - 1.56" long rail. .6 oz. (18g) weight. Fits 30mm scope tubes. **SAR-4** - 1.75" long rail. 1.2 oz. (34g) weight. Fits 34mm scope tubes.

#100-003-129EK SAR-1 Scope Accessory Rail, 1B64T83. \$ 79.00

#100-004-324EK SAR-3P Scope Accessory Rail, 1B64Y83. \$ 79.00

#100-004-323EK SAR-3PS Scope Accessory Rail, 1B64Y83. \$ 79.00

#100-003-546EK SAR-4 Scope Accessory Rail, 1B69H95. \$ 85.00

#867-000-009EK #2 Universal Flashlight Mount, 7F14A66. \$ 21.98

#867-000-010EK #3 Universal Flashlight Mount, 7F14A66. \$ 21.98

#867-000-011EK #4 Universal Flashlight Mount, 7F14A66. \$ 21.98

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 79

WARNE

PICATINNY SIDE-MOUNT ADAPTER

Fits Any Picatinny 1913 Mount
Perfect For Holding Tactical Accessories

Aluminum, space-saving, side-mount adapter fits on Picatinny rails to let you mount flashlights, laser-light systems, red-dot scopes, and more. Attachment leg doesn't interfere with the mounting of your scope; no need to sacrifice optics for accessories. **Will not fit Weaver bases.** **SPECS:** Machined aluminum, powder-coated, black, matte finish. Approximately 1" (2.54cm) long, 7/32" (21.4mm) wide. **#947-000-095EK Picatinny Side-Mount Adapter, 7D16Z81** \$ 19.99

YANKEE HILL AR-15/M16
MINI RISER ASSEMBLY

Adds Extra Mounting Space
For Small Accessories

Compact, Picatinny mini-riser is perfect for raising lasers, lights, sights, and other essential accessories that need a little extra lift or clearance. Constructed of aircraft grade aluminum and hardcoat anodized for extra-durability and long-lasting wear. Milled out center slot considerably cuts down on weight. Fits Picatinny rail systems with two slightly oversize screws to increase clamping power. **SPECS:** Aluminum, hardcoat anodized, black. 1 1/8" long, 1 1/4" (3.1cm) wide, .72" (1.8cm) overall height. 1.1 oz. (31g) weight. **#100-002-858EK Mini Riser Assembly 9A12T41** \$ 16.99

YANKEE HILL MACHINE
DOVETAIL ANGLE MOUNT

Solid, Offset Mount For Lights & Lasers;
Prevents Interference With Primary Sights

Lightweight, clamp-on rail eliminates the issue of front sight obstruction when mounting a tactical flashlight or laser sight to AR-15/M16, handguard rails. Raised, 45° offset keeps light/laser outside the sight picture when using iron sights or optics. Compact, 3-slot rail accepts a Weaver or Picatinny ring. Aluminum body with steel clamping jaw provides superior holding strength with minimal weight increase. **SPECS:** Aluminum, matte black, Mil-Spec, hard coat finish. 1 3/8" (3.5cm) long, 1 3/8" wide, 7/8" (2.2cm) high. 1.2 oz. (34 g) wt. **#100-002-095EK Dovetail Angle Mount 9A19B50** . . . \$ 26.00

YANKEE HILL MACHINE AR-15/M16
TRIPLE MOUNT

Solid, Clamp-On Design;
Fits Around The Sight Tower

Compact, aluminum, tri-rail mount provides efficient use of the limited space on your rifle when attaching tactical accessories using Picatinny/Weaver-style rings or mounts. Slides over the muzzle end of the barrel and contours of your Mil-Spec front sight tower; relief cut at the bottom prevents interference with the bayonet lug. Installation does not require removal of most military-style flash suppressors. Bushing sets (included) provide proper fit on .720" and .750" diameter barrels. Two hex screws ensure uniform clamping pressure around the barrel for maximum holding power. **SPECS:** Aluminum, matte black, Mil-Spec phosphate coating. 2 1/2" (6.4cm) long, 2" (5.1cm) wide, 2" high. 4 oz. (113 g) wt. **#100-002-168EK Triple Mount for AR-15/M16, 9A67Y50** \$ 90.00



Flashlight not included

VLTOR SCOUT MOUNT

Turns Handheld Flashlight
Into Compact, Rail-Mounted
Weaponlight

All-metal, low-profile mount converts a SureFire or similar handheld tactical flashlight into a compact weaponlight that gives you the versatility of weapon-mounted illumination without the expense of a separate light. Quick-detach design lets you remove the light from the gun and return it to handheld use in seconds. Triple-function cross-bolt with large, easy-grasp thumbscrew tightens the mount around the light body to prevent slippage under recoil and clamps the mount to any MIL-STD 1913 Picatinny or similar accessory rail. Also serves as a recoil lug to prevent unwanted movement of the mount on the rail. Retaining pin captures cross-bolt so it can't fall off when the mount is removed from the weapon. Models available to fit three flashlight body diameters, listed below. Off-set models let you position the light to the left, right, or below the rail, approximately 1 1/4" off-set from the centerline of the rail. **SM-OCG** - Dual thumbscrew cross-bolts ensure extra secure attachment to rail. **SMQ-OCG** adds an American Defense quick-release lever for ultra-fast attachment and removal. Lever releases the mount only when you depress the release tab, and may be configured to swing to the front or the rear. Mount is adjustable to ensure a secure, no-slip fit on almost any Picatinny or Weaver-style rail, including over- or under-sized commercial rails. **SPECS:** Aluminum, hardcoat anodized, matte black. Steel cross-bolt, black. **SM-E** fits lights with .810" to .826" O.D., including SureFire Executive series. **SM-CK** fits lights with 1.010" to 1.026" O.D., including SureFire Classic series with diamond knurled bodies and Blackhawk Gladius. **SM-G** fits lights with 1.025" to 1.040" O.D., including SureFire Nitrolog G Series. **SM-OCG** off-set mount fits flashlights with 1.010" to 1.040" O.D., including SureFire G- and CK-series. **SMQ-OCG** quick-release off-set mount accepts flashlights with .980" to 1.040" O.D., including SureFire G- and CK-series. **#100-003-714EK SM-E Scout Mount 3A29T95** \$ 33.20 **#100-003-716EK SM-CK Scout Mount 3A30T29** \$ 33.20 **#100-003-715EK SM-G Scout Mount 3A30T29** \$ 33.20 **#100-004-279EK SM-OCG Off-Set Scout Mount, 3A53V75** \$ 56.95 **#100-004-711EK SMQ-OCG QD Off-Set Scout Mount, 3A74Y89** \$ 80.70

Flashlight not included

AIMPOINT AR-15/M16
MOUNT FOR COMP SERIES SIGHTS

Easy, Fast, Secure Mounting To Flattop

Single-ring mount for attaching Aimpoint Comp series red dot optical sights or any similar sight requiring a single 30mm ring to a flattop AR-15/M16 receiver. Four, hardened steel hex-head screws securely anchor ring halves together for even ring contact around entire circumference of sight. Extra-long scope ring provides ample contact area with scope to prevent slippage of sight under recoil. Oversize thumbscrew with easy-to-grasp knurled head has built-in torque limiter to prevent damage to rail caused by overtightening the screw; allows repeated removal and reinstallation of sight without loss of zero. Machined from strong, lightweight aluminum, hardcoat anodized for added strength and wear resistance, with a matte black finish to match most factory gun finishes. **Co-Witness Spacer** fits into QRP mount to raise the sight axis of Comp red dot optics for proper co-witnessing with factory-height backup iron sights. Blends smoothly into contours of mount for a streamlined one-piece appearance. Comes with four, extra-length hex head screws and Allen wrench. **SPECS:** Aluminum, hardcoat anodized, matte black. **#100-003-594EK QRP Quick-Release Picatinny Mount, 7A102T26** \$ 117.99 **#100-004-137EK Co-Witness Spacer 7A26U00** \$ 29.99

AMERICAN DEFENSE AR-15/M16
QUICK-RELEASE OPTICS MOUNTS

Rock-Solid Mounts With Quick-Detach System

Quick-release lever-lock system clamps solidly to flattop rail and will not work loose even under heavy recoil—the more force acting on the lever, the tighter it locks. Depress the release tab to swing the lever open, and the mount easily lifts off the rifle. Adjustable with a flat head screwdriver or even a coin for an ultra-secure, no-slip fit on almost any Picatinny or Weaver-style rail, including over- or under-sized commercial rails. Lever may be configured to lock to the front or the rear to suit the operator's preference. Large locking bar on the side of the mount engages the maximum amount of rail area, while the crossbolt and two integral locking lugs ensure rock-solid engagement of rail slots to prevent movement under recoil. Five heavy duty steel hex head screws (three on top, two on bottom) clamp the vertically split ring halves together. Cutouts in the ring sides and in the base reduce weight without sacrificing strength.

AD-68 AIMPOINT MOUNT - Designed for Aimpoint optics or similar aiming devices requiring a single, 30mm ring, including the Comp C3 and M2/ML2/M3/ML3 series. Available in four configurations to suit a variety of mounting needs. **Standard** co-witnesses "iron" sights near the center of the optic when mounted on an AR-15/M16/M4 with standard-height mil-spec sights. **Low** positions the scope as close as possible to the top of the receiver. **High** positions the backup sight picture in the lower 1/3 of the optic viewing area. **Cantilever** provides same co-witness elevation as High mount and positions the Aimpoint 1 1/2" forward to provide room for rear-mounted night-vision device or Aimpoint 3X Magnifier. **SPECS:** 6061 T6 aluminum, hardcoat anodized, matte black. Height measured from top of rail to bottom of scope body. **Standard** - .940" high. **Low** - .520" high. **High** - 1.120" high. **Cantilever** - 1.120" high.

#100-003-650EK Standard Aimpoint Mount, 7B94H95 \$ 119.95 **#100-003-652EK Low Aimpoint Mount 7B94H95** \$ 119.95 **#100-003-651EK High Aimpoint Mount 7B94H95** \$ 119.95 **#100-003-649EK Cantilever Aimpoint Mount, 7B124H95** \$ 149.95

AD-B2 ACOG MOUNT - Mount replaces original factory base on 1.5x, 2x, and 3x Tri-jicon ACOG scopes and allows quick-detach installation on Picatinny receiver rails. Attaches with two steel Torx® screws (included) for a tight hold under heavy recoil. **SPECS:** 6061 T6 aluminum, hardcoat anodized, matte black. Height measured from top of rail to bottom of scope body - .25" (7.8mm). Fits 1.5x, 2x, and 3x ACOG only.

#100-004-583EK AD-B2 Mount 7B60X99 \$ 74.99

AD-SCOUT OPTICS MOUNT - One-piece integral base and rings designed for traditional optics or similar sights that require two, 30mm rings for additional support. Available in three different

lengths for proper eye relief adjustment. **AD-Scout-S** is standard length for mounting traditional optics. **AD-Scout Cantilever** positions optics farther forward to provide 1 1/2" of extra space at the rear for mounting night-vision devices or when additional eye-relief is needed. **AD-Scout-X** uses the same great cantilever design as the AD-Scout Cantilever, but position's optics 2 1/2" farther forward for maximum room at the rear for mounting night-vision devices or making eye-relief adjustments. **SPECS:** 6061 T6 aluminum, Type III mil-spec hardcoat anodized, matte black finish. Height measured from top of rail to bottom of scope body - .87" (2.2cm) high. Distance between rings - 2 1/2" (6.3cm.) high. 7.1 ounces (201g) weight. **AD-Scout - S - 4 1/2"** (11.4 cm) OAL. **AD-Scout Cantilever - 6"** (15.2cm) OAL. **AD-Scout - X - 7"** (17.8cm) OAL.

#100-004-026EK AD-Scout-S Mount 7B134H99 \$ 149.99

B-SQUARE AR-15/M16
SCOPE MOUNT

Ingenious, No Gunsmithing
Design For AR Flattops



One-piece, detachable base with see-thru integral 1" rings, raises scope over front sights. Attaches with dual thumb screws. **SPECS:** Aluminum, black, anodized. **#122-151-500EK Flat Top Mount 6K42X83** \$ 59.95

BURRIS AR-15/M16
P.E.P.R.™ MOUNT

Provides Extra Clearance
For Long Eye Relief Scope;
Ring-Top Slots For
Additional Accessories



One-piece cantilever mount with integral rings positions the optic almost 2" farther forward to provide extra clearance needed for a night vision device (NVD), add-on magnifier, or long eye relief scope. The "Proper Eye Position Ready" mount also features built-in, two-slot rails on the tops of the rings for convenient mounting of reflex sights or other accessories. Each top ring strap is secured with six Torx® screws to prevent recoil-induced slippage. Side locking bar with two, steel hex nuts and cross-bolts hold tight on any Picatinny receiver rail. Also available with quick-release lever attachment system. Smooth contours and radiused edges minimize weight and prevent snagging on other gear. **SPECS:** Aluminum, hardcoat anodized, matte black. 5.3" (13.5cm) long, 1.6" (4.1cm) wide, 2.4" (6.1cm) overall height. Height from top of rail to bottom of ring: 1" (2.5cm), 8.7 oz. (247g) weight. Fits scopes with 1" tube. Mounts to MIL-STD 1913 Picatinny rails.

#118-000-028EK 1" P.E.P.R. Mount 8A74V76 \$ 79.99 **#118-000-038EK 1" QD P.E.P.R. Mount 8A95V00** \$ 99.99 **#118-000-036EK 30mm QD P.E.P.R. Mount 8A95V00** \$ 99.99

#100-004-025EK AD-Scout Cantilever Mount, 7B149Z95 \$ 164.95 **#100-004-027EK AD-Scout-X Extended Cantilever Mount, 7B164Z95** \$ 179.95

QUICK-RELEASE SCOPE MOUNT - One-piece base with dual-lever system provides the same solid mounting and fast removal and reattachment of AD-68 Aimpoint Mount for traditional scopes requiring two rings. Models available for 1" and 30mm rings. **SPECS:** 6061 T6 aluminum, hardcoat anodized, matte black. 4 1/2" (11.4cm) long. Each ring covers 1" (2.5cm) of scope tube length. Height measured from top of rail to bottom of scope body (both models): .890".

#100-003-653EK 1" Scope Mount 7B134Y95 \$ 169.95 **#100-003-654EK 30mm Scope Mount 7B134Y95** \$ 169.95

AD-T1-L AIMPOINT MICRO MOUNT - Lightweight, quick-detach mount lets you install and remove your Aimpoint Micro series red dot in seconds. Replaces original factory base and secures to the Aimpoint sight with four, high-strength, steel Torx® screws for a tight hold under heavy recoil. **SPECS:** 6061 T6 aluminum, hardcoat T3 mil-spec anodized, matte black. Height measured from top of rail to bottom of scope body - .31" (7.8mm). Fits Aimpoint Micro series red dot sights only.


#100-004-024EK Aimpoint T1-L Micro Mount, 7B69Z95 \$ 81.95



For more choices of AMERICAN DEFENSE
OPTIC MOUNTS visit brownells.com

A.R.M.S. AR-15/M16 THROW LEVER OPTIC MOUNTS

For Quick-Detach Mounting
Of Popular Optics To Flattop Rifles

Compact, quick-detach mounts clamp directly to AR-15/M16/M4 flattop receiver rail for solid, ultra-secure attachment of optics and holographic sights. The strong, yet lightweight aluminum base is secured to the rail by steel throw levers and locking feet, while a recoil lug locks into one rail slot to prevent unwanted sight movement under recoil. Quick-release levers close securely against the side of the mount to prevent snagging on other objects, yet release easily when you want to remove the sight and mount as one unit without loss of zero. 

ACOG MOUNT - Adapter-mount lets you easily install a Trijicon® ACOG scope designed for carry-handle rifles on a flattop receiver. Compact size keeps weight to a minimum. Raises the ACOG .275" above the receiver rail.

SPECS: Aluminum rail, hardcoat anodized, matte black; steel lever, oxide finish, matte black. 3 1/16" (9.4cm) long. 2.5 oz. (72 g) wt.
#100-003-311EK ACOG Mount 3A103X45 \$ 114.00

#22M68 AIMPOINT COMP MOUNT - Compact, single-ring mount for Aimpoint CompML, CompML2, CompML3, or similar red dot sight requiring a single 30mm ring. The top half of the ring is machined steel for superior strength and secured by four hex-head screws (wrench included) to ensure full contact with the sight body. Add your choice of 1/2" riser mount for co-witnessing with iron sights.

SPECS: Hardcoat anodized aluminum and parkerized steel, matte black. 2 1/16" (5.6 cm) long. 3.9 oz. (109 g) wt.

#100-003-314EK Aimpoint Comp Mnt 3A95X17 . . . \$ 109.00

#63 RISER MOUNT - Quick-detach riser mount provides 3/4" (1.9cm) additional height for mounting optics with large objective lenses. Compatible with STANAG mounts and features a see-through tunnel that allows continued use of iron sights.

SPECS: Aluminum rail, hardcoat anodized, matte black; steel levers, oxide finish, matte black. 5 1/8" (13.7 cm) long. 4.5 oz. (128 g) wt.

#100-003-313EK Riser Mount 3A124X14 \$ 140.00




For more choices of A.R.M.S. MOUNTS
visit brownells.com

DANIEL DEFENSE AR-15/M16 AIMPOINT MICRO MOUNT

Compact Mount For Micro Series
Red Dots Co-Witnesses
With "Iron" Sights

Streamlined, minimal-profile mount clamps to flattop receiver rail and provides secure, correct-height attachment for Aimpoint Micro H-1, R-1, and T-1 red

dot optics on flattop AR-15/M16 receivers. Positions optic for co-witnessing with factory iron sights in the lower 1/4 of the Micro's field of view. A wide viewing tunnel through the base allows the use of other types of backup sights as well. Precision machined from 6061-T6 aluminum billet, then mil-spec Type III hardcoat anodized for added strength and resistance to surface wear. Clamps securely to MIL-STD 1913 Picatinny rail with two slot-head crossbolts. Stainless steel self-locking thread inserts help prevent the bolts from working loose under recoil and vibration. 

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. 1 1/8" (4.8cm) long, 1 1/4" (3.2cm) wide, 1 3/8" (3.5cm) overall height. Positions the bottom of the sight 1.035" above the receiver rail. 1.7 oz. (48g) weight. Fits Aimpoint Micro H-1, R-1, and T-1 optics.


#100-004-590EK Aimpoint Micro Mount 8K60Z00 . . \$ 65.00



GG&G AR-15/M16

QUICK-DETACH OPTIC MOUNTS

Rock Solid, Quick-Detach Mounts With Repeatable Accuracy

Quick-detach mounts provide a rock-solid platform for a variety of sight systems on Picatinny and Weaver-style flattop rails. Models with innovative Accucam system are tension adjustable to fit solid even on out-of-spec rails; provides quick removal and installation in just seconds while maintaining 1/2 MOA repeatable accuracy. Accucam lever features an extra large finger loop for easy operation when wearing gloves. Precision machined from 6061 T6 aluminum and hardcoat anodized for added durability; clamping systems are steel for maximum strength. 

ACCUCAM MOUNT w/INTEGRAL 30mm RINGS - Scope rings designed specifically for the AR weapon platform spaced 4.400" center-to-center for increased holding power. Height from top of dovetail to centerline of ring is 1.400" to ensure proper cheek weld. Each top ring strap is secured with four Allen head clamping screws for recoil-proof holding power.

SPECS: Mount - 6061 T6 aluminum, hardcoat anodized, matte black. 5" (12.7cm) long x 2 1/16" (5.6cm) wide. Lever - 4140 steel, matte black. Height from top of dovetail to center of ring is 1.400". Fits scopes with 30mm tube.
#336-000-012EK Accucam Mount w/30mm Rings, 6C199V95 \$ 209.95

ACCUCAM ACOG MOUNT w/LENS COVERS - Quick-detach mount with built-in flip-up lens covers provides a solid platform for attaching a Trijicon ACOG scope or Aimpoint Micro T-1 red dot to a flattop rail. Correct height to position the optic's dot above the factory front sight post, yet low enough to co-witness with mil-spec A2 sights. Custom Butler Creek lens covers seal out dirt and moisture to keep the lens surface clean.

SPECS: Base - 6061 T6 aluminum, hardcoat anodized, matte black. Accucam Lever - 4140 steel, matte black. Lens Covers - Polymer, matte black. Hex key wrenches, mounting hardware, and instructions included. **ACOG TA01/31** - 3 1/2" (8.9cm) long x 1 5/8" (4.1cm) wide. Fits models TA01, TA31, and TA31RCO. **Micro T-1** - 3 1/8" (7.8cm) long x 1 3/16" (2.9cm) wide.
#336-000-026EK ACOG TA01/31 Mount 6C182B50 . . \$ 205.00
#336-000-016EK Accucam T-1 Mount w/Lens Covers, 6C174B99 194.99

ACCUCAM CANTILEVER MOUNT FOR AIMPOINT - Single ring with integral base and cross-lug attachment system provides a tight fit to the flattop rail. Positions the optic 2 inches forward so there's plenty of room to adjust eye relief or mount a monocular night vision device or magnifier such as the Aimpoint 3XMag behind the sight. Cam operated quick-detach lever allows easy removal and installation. Heavy duty top strap is secured with six Allen head screws. Fits MIL-STD 1913 Picatinny and Weaver-style rails. Fits Aimpoint 9000 series, CompC3, CompM1/M2/M3 series, and other similar optics with 30mm tubes. Includes built-in, insulated compartment for spare battery storage on the side of the ring.


SPECS: Base - 6061 T6 aluminum, hardcoat anodized, matte black. Lever - 4140 steel, matte black. Height from top of rail to bottom of ring is 1" (2.5cm). 4" O.A.L. x 1 3/8" (3.5cm) wide. Fits optics with 30mm O.D. tubes, including Aimpoint 9000 series, CompC3, and CompM1/M2/M3; does not fit CompM4.
#336-000-015EK Aimpoint Mount 6C179B95 \$ 212.00

ACCUCAM LEVER FOR EOTECH - Cam operated quick-detach lever with an extra large finger loop replaces existing thumbnut mounting screw on EOTech for rapid installation and removal. Does not change the mounting height of EOTech and allows co-witnessing with iron sights.

DNZ PRODUCTS AR-15/M16

FREEDOM REAPER SCOPE MOUNT

Perfectly Aligns Scope
For Best Accuracy;
Easy Removal & Reinstallation

One-piece scope base with integral rings speeds installation and puts your scope in perfect alignment for precise targeting. Clamps directly to Picatinny rail on flattop receiver, and lets you remove and reattach the scope and mount as a single unit, without loss of zero. Enables fast, easy change of scope position for eye relief adjustment. Eliminates scope damage caused by over-tightened or misaligned scope rings; no ring lapping required. Models for 1" or 30mm O.D. tubes. 

SPECS: Machined billet aluminum, hardcoat anodized, matte black finish. 4 1/4" (10.8cm) long, 1 1/2" (3.8cm) wide, 1.375" (3.54cm) high from top of base to center of ring.

#100-004-893EK 1" Scope Mount 9C90V23 \$ 94.99
#100-004-894EK 30mm Mount 9C108V99 117.99

SPECS: 4140 steel, matte black. **500 Series** - 2 5/8" (6.7cm) long x 1 3/32" (1cm) wide. Fits EOTech models 511, 512, 551, and 552. **XPS Series** - 3" (7.6cm) long x 1 1/16" (1.4cm) wide. Fits EOTech XPS2 and XPS3 sights.

#336-000-017EK Accucam Lever For EOTech 500 Series, 6C75B63 \$ 84.99

#336-000-041EK Accucam Lever For EOTech XPS Series, 6C78X87 84.99

ACCUCAM MOUNT FOR TRIJICON ACOG - Low-profile mount

attaches directly to the body of the ACOG and holds firm with two large Allen head screws for a rock-solid installation. Cam operated quick-detach lever with an extra large finger loop allows easy removal and installation. Fits all standard and compact ACOG scopes designed for mounting to a flattop with Picatinny or Weaver-style rail.

SPECS: Base - 6061 T6 aluminum, hardcoat anodized, matte black. 3 1/2" (8.9cm) long x 1 3/8" (3.5cm) wide. Height - .25" (6.3mm). Lever - 4140 steel, matte black. 2 5/8" (6.7cm) long x 1 3/32" (1cm) wide.
#336-000-018EK ACOG Mount 6C112B00 \$ 139.95

QUICK-DETACH STANDARD RING FOR AIMPOINT - Extra wide ring attaches to the rail with a single elliptical thumbnut and square locking cross bar that hold tight under continuous recoil. Mounts to any position on the rail so a night vision monocular can be used behind the Aimpoint and keep the same eye relief. Ring strap is secured with six Allen head screws to ensure it can withstand the tactical environment. Built-in, insulated battery compartment is located on the side of the ring for easy access.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. 1 1/8" (2.9cm) long. Base is 1" (2.5cm) wide. Height from top of dovetail to bottom of ring is 1 1/2". Fits 30mm sights.

#336-000-013EK QD Ring For Aimpoint 6C139V95 . \$ 164.95

ACCUCAM BASE W/PICATINNY RAIL - Precision machined to true MIL-STD 1913 specs, this base rail will accept both Weaver and Picatinny rings for a variety of sight options. Streamlined, shallow profile is low enough to allow the use of iron sights while installed, however optics may have to be removed. Fits Weaver-style and Picatinny receiver rails.


SPECS: Base - 6061 T6 aluminum, hardcoat anodized, matte black. 5" (12.7cm) long x 1 5/8" (4.1cm) wide. Height - .460" (11.7mm). Lever - 4140 steel black, matte. 2 5/8" (6.7cm) long x 1 3/32" (1cm) wide.

#336-000-011EK Accucam Base w/Picatinny Rail, 6C139V95 \$ 155.00

C.R.T.C. AR-15/M16

SNIPER ASSAULT MOUNT

Adjustable Ring
Spacing To Fit
Different-Length
Scopes

Flattop riser mount has adjustable front ring that can be positioned for 3 1/2" to 5 1/16" center-to-center ring spacing to accommodate a wide variety of different-length scopes. Cantilever allows scope to be positioned farther forward for optimum eye relief, especially with long-body scopes. Lets you select the maximum ring spacing for the most stable hold on the scope tube. Built-in 10 MOA elevation lets you dial in long-range shots without exceeding your scope's elevation adjustment. Full-length locking bar with three T-25 Torx® head crossbolts clamps securely to MIL-STD 1913 Picatinny rail and applies even pressure along the whole length of the rail for excellent stability. Included Torx wrench stores on the mount so it's ready for quick attachment or removal of the entire mount-plus-scope unit in the field. Models available for 30mm and 34mm scope tubes. 


SPECS: 6061 T6 aluminum, hardcoat anodized, black. 6 5/8" (169mm) OAL. 1" (2.5cm) high from top of rail to underside of scope. 8.4 oz. (236g). **30mm** - 1 5/8" (4.7cm) wide. **34mm** - 2" (5.1cm) wide.

#100-006-252EK 30mm Sniper Assault Mount, 2H220D00 \$ 229.99

#100-006-256EK 34mm Sniper Assault Mount, 2H220D00 229.99

J.P. ENTERPRISES JPOINT MOUNT

Expanded Mounting
Options & Versatility For JPoint Sight

Rugged, lightweight, aluminum mount allows the proven JPoint Reflex or Trijicon RedDot holographic sights to be mounted piggyback on an ACOG or standard-diameter scope, as well as directly to a flattop receiver. Helps you get an effective secondary sight system that delivers fast, both-eyes-open engagement for close-range targets. **JPA-TANSN** can be installed directly to the TA01NSN model ACOG scope as a standalone mount that replaces the existing rear aperture assembly and utilizes the factory mounting holes. Integral, raised "wings" fully guard the sides and top of your JPoint from blows incurred during combat or competition. **JPA-TAS** Bottom Strap allows the JPA-TANSN mount to be clamped around the eyepiece on all other models of ACOG scopes. 

SPECS: Aluminum, black, matte, anodized finish. **JPA-TANSN Mount** - 1 5/8" (4.13cm) long, 1 3/4" (4.4cm) wide, 1 1/16" (4.3cm) high. Fits TA01NSN model ACOG. Includes wrench, mounting screws, and instructions. **JPA-TAS Bottom Strap** - 5/16" (.79cm) long, 1 3/4" (4.4cm) wide, 1/8" (2.2cm) high. Includes mounting screws. Requires purchase of JPA-TANSN mount to fit all models of ACOG scopes except TA01NSN.

#452-000-041EK JPA-TANSN Mount 2E53P00 \$ 69.95
#452-000-042EK JPA-TAS Bottom Strap 2E20P00 . . . 24.95

**WANT MORE?
OVER 50,000
PRODUCTS ONLINE!**

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 81

J.P. ENTERPRISES AR-15/M16 FLATTOP OPTIC MOUNT

Integral Offset Rings For Rock-Solid Mounting



One-piece, aluminum mount with integral rings is precision machined to true MIL-STD 1913 Picatinny specs for a secure fit on flattop receiver rails. Ring height and forward offset are ideal for use with long eye relief scopes. Mounts available for 1"/30mm, 34mm, and 35mm scope tubes. 1"/30mm mount accepts scopes with both 30mm tubes and, using the included polymer adapter shims, 1" tubes. Torx® head screws (4 on 1"/30mm, 6 on 34mm and 35mm) secure each top ring strap to hold the optics tight under heavy recoil. Full-length base clamps to the receiver with five, equally spaced crossbolts for a rock-solid fit and zero movement.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. Includes instructions and T15 and T20 Torx wrenches. **1"/30mm** - Approximately 5½" (14cm) long, 1¾" (4.4cm) wide, 2½" (5.4cm) high. 7.1 oz. (201 g) weight. Elevates a 30mm optic .965" (24.5mm), measured from top of receiver rail to bottom of scope. **34mm & 35mm** - 5¾" (14.6cm) long, 1½½" (4.9cm) wide, 2½" (6.3cm) overall height. 7 oz. (198g) weight. Height - .760" (1.9cm), measured from top of receiver rail to bottom of scope tube.

#452-000-044EK	1"/30mm Flattop Optic Mount,	
	2E132P00	\$ 164.99
#452-000-124EK	34mm Flattop Optical Mount,	
	2E165V52	184.99
#452-000-125EK	35mm Flattop Optical Mount,	
	2E180V00	224.95

M & A AR-15/M16 FLATTOP SCOPE MOUNT

Integrated Mount & Rings For Rugged Strength



One-piece mount provides strong, secure scope attachment that withstands the bumps and knocks of hard tactical use. Positions scope well above flattop receiver for easy heads-up aiming. Each ring is 1½" long for maximum contact with scope body, and caps have four hex head clamping screws for recoil-proof holding power. Two, steel, thumb screws and full-length clamping bar securely lock mount to Picatinny receiver rail. Rounded contours and radiused edges resist snagging on other gear. Machined aluminum keeps weight to a minimum. Models available to fit 1" and 30mm scope bodies.

SPECS: Aluminum, hardcoat anodized, black, matte finish. 5½" (13cm) O.A.L. - Height measured from top of rail to bottom of ring. **1"** - 1.18" (2.99cm) high, 10.7 oz. (303g) weight; **30mm** - 1.14" (2.89cm); 10 oz. (283.5g) weight.

#553-000-005EK	Flattop Scope Mount, 1"	3E45Y26	\$ 53.99
#553-000-007EK	Flattop Scope Mount, 30 mm,		
	3E45A26		53.99

NIKON AR-15/M16 M-223 SCOPE MOUNT

Forward Cantilever For Plenty Of Eye Relief; Built-In 20 MOA Elevation Aids Long-Range Shooting



Lightweight, aluminum mount clamps to flattop receiver and is custom engineered to provide optimum height and eye relief for the Nikon M-223 series of scopes. Can also be used with a variety of other optics with 1" O.D. tubes. Built-in 20 MOA elevation aids in accurate, long range shooting past 600 yards without exceed-

LEUPOLD AR-15/M16 INTEGRAL MOUNTING SYSTEM

Flattop-Mounted Bases With Interchangeable Modular Ring/Riser Options

Machined aluminum mounts clamp directly to a MIL-STD 1913 Picatinny flattop rail to raise the scope and push it forward, eliminating the need for separate risers or specialized short eye relief optics. Slides into place and secures with steel crossbolts that hold tight.

MARK 1/MARK 2 RAILS - Eleven MIL-STD 1913 Picatinny cross-slots on top offer plenty of flexibility in ring spacing. **Mark 1** locks into place on the receiver with two, flush-fitting T-15 Torx® screws. **Mark 2** rail provides the same advantages as the Mark 1, with the added benefit of easy-to-grasp ½" hex nuts on the crossbolts for quick-release removal and re-install without loss of zero.

SPECS: Aluminum, hardcoat anodized finish, matte black. Steel crossbolts. 5½" (14cm) long.

#526-000-157EK	Mark 1 Rail Mount	6B00HDZ	\$ 45.49
#526-000-158EK	Mark 2 Rail Mount	6B00YTP	78.99

MARK 2 INTEGRAL MOUNTING SYSTEM - Uses the same clamping system as the Mark 1 and adds built-in scope rings with the correct elevation for proper eye alignment with the scope - no need for a separate riser assembly. Cantilever on the front ring lets you position the scope far enough forward for comfortable eye relief. Models available for 1" or 30mm diameter scope tubes.

SPECS: Aluminum, hardcoat anodized, matte black. Steel crossbolts. 5½" (14cm) OAL.

#526-000-159EK	Mark 2 IMS, 1"	6B00AVB	\$ 94.99
#526-000-160EK	Mark 2 IMS, 30mm	6B00HDZ	104.99

MARK 4 INTEGRAL MOUNTING SYSTEM - Versatile cantilever mount gives you maximum adaptability with modular components, each sold separately. The **Mark 4 Base** clamps securely to the receiver rail with a pair of hex head crossbolts and accepts the **Scope Ring Insert** unit that contains both scope rings. The insert's position can be adjusted on the base to accommodate different eye relief requirements. Add the **20 MOA Riser Insert** between the base and ring insert to provide additional elevation for addressing long-range targets without exceeding your scope's elevation adjustment or resorting to holdover.

SPECS: Aluminum, hardcoat anodized, matte black. Steel crossbolts. 5¾" (14.6cm) long.

#526-000-161EK	Mark 4 Base	6B00YTP	\$ 79.99
#526-000-162EK	Mark 4 20 MOA Riser Insert,		
	6B00AVB		49.99
#526-000-163EK	Mark 4 Ring Insert, 1"	6B00HDZ	97.99
#526-000-164EK	Mark 4 Ring Insert, 30mm		
	6B00YTP		97.99

ing your scope's elevation adjustment.. Cantilever extends 2" forward of the receiver to accommodate long eye relief scopes. Three steel crossbolts and the full-length clamping bar secure the mount to any MIL-STD 1913 Picatinny receiver rail.

SPECS: Aluminum, hardcoat anodized, matte black. Steel mounting hardware, black oxide finish. 5" O.A.L. 3½" center-to-center ring spacing; 3.125" between ring edges. 20 MOA built-in elevation. Requires 3½" of rail space. 5.5 oz. wt.

#100-006-127EK	M-223 Scope Mount	6Z00XCH	\$ 99.95
-----------------------	--------------------------	----------------	-----------------

NOVESKE AR-15/M16 QUICK-DETACH OPTIC MOUNT

Cantilever Mount For Optics, Magnifiers Or Night Vision Devices



Extended cantilever mount provides plenty of eye relief to mount a 30mm scope, or position a magnifier, night vision device, or other sighting accessory behind the main optic. Two quick-release levers clamp to the flattop receiver rail with unique cam action for a tight hold during recoil. Depress the locking tabs, swing both levers open, and the mount easily lifts off the rifle. Cross bars can be adjusted to fit almost any Picatinny or Weaver-style rail, including over- or under-sized commercial rails. Levers may be positioned to open to the front or the rear to suit the operator's preference. Five, heavy duty steel hex head screws (three on top, two on bottom) clamp the 30mm vertically split ring halves together.

SPECS: 6061 T6 aluminum, Type III mil-spec hardcoat anodized finish, flat dark earth. Steel cross bars, matte black. 6" (15.2cm) O.A.L. Requires 4" (10.2cm) of rail space. Height measured from top of rail to bottom of scope body: .87" (2.2cm) high. Distance between rings: 2½" (6.3cm.). 7.1 ounces (201g) weight.

#100-004-771EK	QD Optic Mount	1A00YTP	\$ 199.99
-----------------------	-----------------------	----------------	------------------

SOG ARMORY AIMPOINT MOUNT

Strong, Lightweight; Standard & Offset Models



Single-ring mounts of strong, lightweight aluminum secure your Aimpoint or similar aiming device to any Picatinny or Weaver-style rail. Extra-large ring surface area ensures zero scope movement under recoil, with six Torx T-15 screws (wrench included) securing the ring halves. A cross-bolt with integral recoil lug and .510" diameter hex nut anchor mount to the rail. **Standard** model elevates the sight to the correct height to co-witness with a back-up iron sight. Cut-out in the base reduces weight without sacrificing strength. Cantilever-style **Offset** model provides co-witness elevation and positions sight 1¼" forward to make room for a rear-mount night vision device. Both models accept 30mm diameter scope tubes; aluminum reducer included for mounting a 1" tube.

SPECS: Aluminum, hardcoat anodized, matte black. Steel Torx screws cross-bolt, oxide finish, black. Fits 30mm and 1" diameter sights. **Standard** - 1" (2.5cm) long, 1" high from top of base to bottom of ring. **Offset** - 3½" (8.6cm) long, 1" high from top of base to bottom of ring.

#100-003-048EK	Standard Mount	9A47V95	\$ 59.95
#100-003-047EK	Offset Mount	9A63V95	79.95

SPRINGER PRECISION AR-15/M16 RED DOT REFLEX SIGHT RAIL MOUNT



Solid Platform For Sight With Minimal Rail "Footprint"

Low-profile machined aluminum base mounts a Burris FastFire or Docter red dot reflex sight for advanced, heads-up sighting. Clamps directly to MIL-STD 1913 Picatinny rail for easy co-witnessing with other optics or as a single-sight system. Steel Allen head cross-bolt pulls the clamping bar tight against the rail for a secure hold. Contoured for a perfect fit to the sight body, using two, heavy duty Allen head screws.

SPECS: Aluminum base, hardcoat anodized, matte black. Steel mounting screws. 1½½" (4.6cm) long, 1" (2.54cm) wide, .14" (3.6mm) high. Includes Allen head wrenches.

#100-005-256EK	Reflex Sight Rail Mount	1B55U71	\$ 64.99
-----------------------	--------------------------------	----------------	-----------------

PREDATOR TACTICAL AR-15/M16 BURKETT GEN 2 OFFSET REFLEX SIGHT MOUNT



Positions Red Dot Sight Next To Scope For Instant Transition From Distant To Close Targets

Machined aluminum mount, designed by world-champion three-gun competition shooter Matt Burkett, clamps to the receiver rail to provide a secure offset mounting point along the bore axis for a red dot reflex sight. Positions the red dot next to the primary optic at a 45° angle for instant transitions from scope to red dot to engage close-quarters targets. Just roll the rifle slightly to the right or left to engage the target with the red dot. Substantial "wings" protect the sight from impact; may be removed if desired. Cross-bolt with large, easy-to-grasp thumb knob lets you quickly install or remove the mount-plus-sight as a single unit.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. Base - 1" long, 2½" wide, ½" high. Body - 1¾" long, 1¼" wide, 1¼" high. 3.8 oz. (108g) wt. (All measurements with wings attached.) Fits MIL-STD 1913 Picatinny rails. **RMR/STS** accepts Trijicon RMR (battery and dual-illuminated models) and C-More STS sights. **JPoint/Docter** accepts JP Enterprises JPoint, Docter, Burris FastFire, Leupold Deltapoint, Tasco Optima, Trijicon RedDot, and Firepoint.

#100-006-257EK	Burkett Offset Mount, RMR/STS,		
	9K133D32		\$ 139.99
#100-006-258EK	Burkett Offset Mount, J Point/Docter,		
	9K133D32		139.99



SAMSON MANUFACTURING CORP QUICK-FLIP MOUNT FOR AIMPOINT 3XMAG

Flips Magnifier Aside For Instant Transition From Long-Range To Close-Range Targeting



Quick-transition mount combines secure, correct-height attachment of an Aimpoint 3XMag behind a compatible red dot sight with a spring-loaded mechanism that flips the magnifier aside for instant return to unmagnified operation of sight. Lets you shift from long-range to short-range targeting almost instantly. Heavy-duty machined-aluminum construction ensures solid, wobble-free mounting on MIL-STD 1913 Picatinny receiver rail, so the magnifier stays correctly positioned behind the sight. Mount bolts directly to the factory holes in the bottom of the 3XMag (machine screws included)—no gunsmithing required. Ambi design allows installation with lever and flip path on the left or right side. Quick-flip tab has deep, grooves for easy activation with a flick of your thumb. **Bolt-On** model clamps to rail with a robust locking bar and bolt system. Bolt serves as a recoil lug that locks into one rail slot to prevent unwanted movement under recoil. Also available with **A.R.M.S.** quick-release throw-lever base that lets you remove the magnifier and mount as a unit in seconds; re-mount just as fast without loss of zero. Steel lever system combines a cam and locking foot with a robust recoil lug to clamp the mount to the rail as tightly as the bolt-on base. Lever closes securely against the side of the mount to prevent snagging on other objects, yet releases easily when needed.

SPECS: Aluminum, hardcoat anodized, matte black. **A.R.M.S. QD Base** - Steel, black oxide finish.

#100-004-239EK	Quick-Flip Mount w/Bolt-On Base,		
	1B146T94		\$ 195.99
#100-004-238EK	Quick-Flip Mount w/A.R.M.S. QD Base,		
	1B177T03		219.99



For more choices of SAMSON MFG.
MOUNTS visit brownells.com

WARNE AR-15/M16 R.A.M.P. TACTICAL MOUNT

Cantilevered For Long Eye Relief Scopes, Plus 45° Offset Rails For Secondary Sights

The Rapid Acquisition Multisight Platform (R.A.M.P.) is a one-piece cantilever mount with integral scope rings that positions optics farther forward to provide 1¼" of extra space at the rear for mounting a long eye relief scope, night vision device, or magnifier. Features removable MIL-STD 1913 Picatinny rails on the left and right sides that let you mount secondary sights 45° off-axis from the main optic. Each top ring strap is secured with four Torx® screws for recoil-proof holding power. Two large hex nuts and 3¼" long steel clamping bar lock the mount to a Picatinny receiver rail. Smooth contours and radiused edges give a streamlined appearance, reduce weight, and prevent snagging. Models available for 1" or 30mm scope body. **SPECS:** 6061 T6 aluminum, hardcoat anodized, and steel hardware, magnesium phosphate finish, matte black. 7¼" (18.1cm) long, 2⅝" (6cm) wide, 2¼" (5.7cm) high. Height measured from top of rail to bottom of ring: .75" (1.9cm). Approximately 9.7 oz. (275g) weight. **#947-000-263EK 1" R.A.M.P. Tactical Mount, 7D144B42** \$ 169.59 **#947-000-264EK 30mm R.A.M.P. Tactical Mount, 7D144B52** 169.59

WILSON COMBAT AR-15/M16 ACCU-RIZER FLATTOP SCOPE MOUNT

For Quick Scope Detach/Reattach Without Loss Of Zero



One-piece riser mount with integral rings provides additional elevation from top of rail to centerline of ring to ensure a proper cheek weld. Precision machined from aluminum bar stock for a secure fit on flattop receiver rail. Scope and mount form a single unit for fast attachment and removal without loss of zero. Mounts by hand tightening the oversized thumb screw to clamp the locking plate. The captive, spring-loaded locking plate maintains a positive mechanical connection that resists loosening under shock and vibration. Four hardened Torx®-head screws clamp each ring cap to the lower half. Models available for scopes with 1" or 30mm diameter bodies. 1" mount includes a Picatinny rail on the rear scope ring for mounting a holographic red dot sight. 30mm model's forward cantilever lets the scope overhang the front of the receiver to ensure plenty of eye relief. **SPECS:** Aluminum, hardcoat anodized, black. Approx. 5" (12.7cm) long, 1⅞" (4.8cm) wide. Approx. 8 oz. (227g) weight. 1" - Height from top of base to inside bottom of ring: 1.2" (3.05mm). 30mm - Height from top of base to inside bottom of ring: 1.1" (2.5mm). **#965-000-087EK Accu-Rizer 1" Scope Mount, 5F126A16** \$ 149.99 **#965-000-104EK Accu-Rizer 30mm Scope Mount, 5F131P21** 149.99

DPMS AR-15/M16 SCOPE MOUNTS

No-Gunsmithing Mount For A2s

Machined, aluminum mount clamps in your A2 carry handle with a knurled thumbscrew. U-shaped channel provides clear view of iron sights. Available in 6" (15.2 cm) and 4¾" (12.1cm). **SPECS:** Aluminum, anodized, matte black. ⅝¼" (2cm) high. **#231-100-171EK 6" Scope Mount 3B08Z28** \$ 10.35 **#231-100-172EK 4¾" Scope Mount 3B08Z41** 10.51



AIMTECH AR-15/M16 "SECOND SIGHT" SEE-THRU BASE

Low-Profile Base Doesn't Obscure Factory Sights

Lightweight, see-thru bases attach quickly to factory drilled and tapped receivers with no modifications to the factory sights required. Hollow base gives you full vision of factory, barrel-mounted sights for closer shots, or if your scope becomes damaged. Clearance cut ensures proper ejection. Accepts Weaver-style rings. **AR-15 Short** has Weaver-style rail. **AR-15 Long** is Picatinny configuration. **SPECS:** Aluminum, anodized, black, matte finish. Approx. 6" (16cm) long, 1 oz. (28 g) wt. **AR-15** bases fit carry handle receivers. **AR15 Short:** 4" (10cm) long. **AR-15 Long:** 7½" (19cm) long. Includes screws, instructions.

STOCK #	FITS	PRICE
#017-300-015EK	AR-15/M16 Short	7A17T33 \$ 23.50
#017-000-009EK	AR-15/M16 Long	7A19H65 \$ 26.50



BROWNELLS AR-15/M16 CARRY HANDLE SCOPE BASE

Fast, Easy Mounting For Scopes & Dot Sights

Mounts on carry handle. Open sight channel allows use of sights. Cross-bar supports prevent crushing. Weaver model features eight cross-slots and accepts Weaver-style rings. Picatinny version has a true, Mil-SPec 1913 Picatinny cut along its entire length and accepts Weaver or Picatinny rings. **SPECS:** Aluminum, black, matte. 7½" (19cm) long. 3½ oz. (99 g). **#080-000-668EK Weaver Carry Handle Base, 9A21Y99** \$ 24.99 **#080-000-660EK Picatinny Carry Handle Base, 9A22H46** 24.99



EGW AR-15/M16 EXTENDARISER 20 MOA FLATTOP MOUNT

Elevates Optics For Fast Target Acquisition; Extra Length For More Eye Relief

Precision-machined aluminum riser mount adds approximately .600" to height of flattop so primary optics can be positioned higher for a more comfortable, heads-up shooting stance and faster target acquisition. Eliminates the need for extra-high rings in most installations. Top of mount is angled 20 MOA to compensate for added height and minimize effect on point-of-impact. Provides a full 7" of usable mounting length, 1½" more than receiver rail; underside of extension is relieved to provide clearance over handguard. Precision CNC machined from lightweight, 6061 T6 aluminum billet, with MIL-STD 1913 Picatinny slot-and-rail spacing that allows fast and simple adjustment of eye relief, plus greater flexibility in choice of optics. Clamps securely to receiver rail with three heavy duty steel cross-bolts to prevent movement under recoil, and matches receiver profile for a smooth, seamless look. Accepts Picatinny and Weaver-style scope rings. **SPECS:** 6061 T6 aluminum, hardcoat anodized, matte black. 8.875" (22.5cm) long, 1.125" (2.9cm) wide at base. Adds .600" (1.5cm) to height of flattop at rear, .570" (1.4cm) at front. 7.7 oz. (219g) weight. **#296-000-103EK Extendariser Flattop Mount, 6B105H63** \$ 129.99



BROWNELLS AR-15/M16 FLATTOP RISER

Raises Optical Sights To Eye Level For Quick, Precise, Target Acquisition



Machined aluminum riser clamps to flattop AR-15 receiver to position primary optic sights at eye level. Raises mounting height .750" to eliminate the need for extra-high rings in most applications. True, MIL-STD 1913 Picatinny cut accepts both Picatinny and Weaver-style rings. Two, easy-to-grip, slotted hex nuts accept a U.S. quarter for extra tightening leverage; full-length clamping bar locks riser securely to flattop receiver for zero movement even during harsh tactical operations. Precision CNC machined to ensure an exceptionally secure lock on the receiver rail. Smooth, curved front and rear contours on the underside provide a streamlined appearance, reduce weight, and minimize the chance of catching on gear. **SPECS:** 6061 T6 aluminum, hardcoat anodized, matte black. Approximately 5" (12.7cm) long, 1" (2.5cm) wide at the base, .975" (2.45cm) high overall. Adds .75" (1.9cm) to height of flattop. 4.8 oz. (136 g) weight. **#080-000-506EK Flattop Riser Assembly 8K34A99** . . \$ 44.99

BROWNELLS AR-15/M16/AR-STYLE .308 MODULAR FLATTOP RISER MOUNT SYSTEM



Customizable, Quick-Detach Mount Positions Scope At Eye Level

Modular riser mount clamps to a flattop Picatinny receiver, so you can mount a scope at correct eye level for maximum accuracy. The separate base has two, oversized, easy-grip thumbscrews and full-contact clamping along entire length of base to provide rock-solid attachment to receiver without permanent modification of gun. This mounting system will not shoot loose no matter how many rounds you send downrange. Risers are sold separately, so you can choose one with the precise rail height and angle to suit your needs; riser is secured to base with three Allen head setscrews. Use an angled riser when you need to raise or lower the point of impact more than the scope's internal elevation adjustment will allow. Standard risers are 5½" long; extended riser is 10" long to provide provides additional mounting area for large scopes, or those requiring long eye relief, as well as optic/magnifier combinations. Entire unit—base, riser, and attached scope—can be removed quickly so you can use your rifle's factory sights. Reinstall unit in seconds without losing scope settings. True, MIL-STD 1913 Picatinny rail accepts both Weaver and Picatinny rings and mounts. CNC machined from 6061 T6 billet aluminum, then hardcoat anodized for outstanding strength and wear resistance. **SPECS:** Precision machined 6061 T6 aluminum, hardcoat anodized matte black. 5½" (14cm) long; extended riser is 10" (14cm) long. Base is 1" (2.5cm) wide, .3" (7.62mm) high. Available riser heights (including base): ¾" (1.9cm), 1" (2.5cm), 1¼" (3.2cm). **Base and risers sold separately.** **#080-000-410EK MFRMS Base 8K31A71** \$ 40.99 **#080-000-413EK MFRMS ¾" Riser 8K15A42** 20.99 **#080-000-704EK MFRMS 1" Ext. Riser 8K21C93** 26.99 **#080-000-412EK MFRMS 1½" Riser 8K15A42** 20.99 **#080-000-411EK MFRMS 1¾" Riser 8K18A42** 25.99 **#080-000-414EK MFRMS 1" 15 MOA Riser 8K15A42** 20.99 **#080-000-415EK MFRMS 1" 20 MOA Riser 8K15A42** 20.99 **#080-000-416EK MFRMS 1" 30 MOA Riser 8K15A42** 20.99

HAHN PRECISION AR-15/M16 LOW PROFILE TACTICAL RAILS

Clean, Streamlined Look; Made To Mil-Spec Standards

One-piece rails cut to true, MIL-STD 1913 Picatinny spec match the look and feel of your standard, A4 flattop while adding ½" of height for proper cheek weld with optics and tactical sights. Streamlined design encloses the receiver rail for a "built-in" appearance and eliminates protruding hardware that can snag on brush, slings, and clothing. Nylon-tipped, Allen screws, tapped through the top, deliver downward pressure between the receiver rail slots for exceptional holding power. Precision machined from strong, yet lightweight 6061-T651 billet aluminum, then hardcoat anodized with a tough, Teflon-impregnated finish to Mil-A-8625 for extra strength and superior wear resistance.



LOW PROFILE RISER - Adds ½" of height along the entire 7¼" length of a mil-spec, A4 flattop receiver, so you can use lower rings when mounting scopes and other optical sights. **SPECS:** Rail - 6061-T651 billet aluminum, hard black anodized. 7¼" (18.4 cm) long x ½" (1.3 cm) high. 4.2 oz. (119 g) wt. Fits mil-spec flattop receivers. **#100-002-203EK Low Profile Riser 6K48H00** \$ 60.00

SCOUT RAIL - Provides 3½" of valuable rail space over M4-style handguards for mounting tactical optics farther forward. **Standard** model provides maximum flexibility in positioning optics. **BUIS Scout Rail** - Chopped, tail section allows attachment of a flip-up, rear sight to the back of your existing flattop rail, so it regulates properly with standard issue front sights. **SPECS:** 6061-T651 billet aluminum, hard black anodized. Fits mil-spec flattop receivers. **Scout Rail** - 10½" (26.7cm) long x ½" (1.3cm) high. 4.4 oz. (125g) wt. **BUIS Scout Rail** - 8¼" (21cm) long x ½" (1.3cm) high. 3.3 oz. (94g) wt. **#100-002-204EK Standard Scout Rail 6K72H79** \$ 90.99 **#100-002-205EK BUIS Scout Rail 6K68H00** 85.00



BACKUP IRON SIGHT - Attaches to flattop rail directly behind the BUIS Scout Rail for easy co-witnessing of open sights with red-dot optics. Spring-loaded detent prevents aperture movement under recoil. Has standard A1 windage hardware. Angled forward profile allows easy access to the EOTech Holographic sight buttons. **SPECS:** 6061-T651 aluminum, hard black anodized. Body - 2.15" (5.4cm) long x 1.2" (3 cm) wide x .9" (23mm) high. 1.53 oz. (42g) wt. Aperture - .117" diameter. Fits mil-spec flattop receivers. **#100-002-869EK Back Up Iron Sight 6K96P00** \$ 120.00



MIDWEST INDUSTRIES AR-15/M16 A-2 ADJUSTABLE CANTILEVER MOUNT

Solid Platform For Optics & Iron Sights



Heavy-duty construction, extremely lightweight mount fits perfectly on AR-15/M-16-type carry handles and lets you adjust optic height to co-witness with iron sights in case of battery failure. MIL-STD 1913 rail cantilevers 5" forward of carry handle and adjusts up or down from the side giving optics a solid mounting platform positioned where you want it. Machined from 6061 aluminum and hard-anodized for added strength and scratch resistance in all situations. No gunsmithing required. **SPECS:** 6061 billet aluminum, black, hard-anodized finish. 10⅞" (27.8cm) overall length. Adjusts from ⅝" (4.8cm) to ⅝" (9.5mm) above front handguard or free float tube. Allen wrench included. **#100-002-326EK A-2 Adjustable Cantilever Mount, 2A89T50** \$ 116.95

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 83

C.R.T.C. AR-15/M16 BC-CAM OPTICAL SIGHT MOUNT

Maintains A Usable Sight Picture
Even If Your Electronic Sight Fails

Rugged, machined aluminum elevation-adjustable, carry handle mount allows the user to zero the red dot with the iron sights for a quick, accurate back-up in the event of scope failure. Accepts Weaver-style rings. Fits AR-15 A1/A2 with fixed carry handle. 

SPECS: Aluminum, anodized, matte black. 10 $\frac{3}{4}$ " (27.3cm) long. $\frac{1}{2}$ " (12.7mm) vertical adjustment.

#182-000-006EK BC-CAM Sight Mount, 2H113A34 \$125.00

IORVALDADA AR-15/M16 EXTENDED RISER BLOCK

Provides Extra Eye Relief
Scopes & Clearance For
Large Objectives

Easy-to-install, clamp-on Picatinny riser expands your scope and sight mounting options on any AR-15 with a flattop receiver. Extended length provides additional mounting slots for longer eye relief or for mounting a longer scope. The additional height gives extra clearance for long-range scopes with large objective lenses. Features numbered slot markings, 10mm clamping nuts, square shoulder cross-slot bolts, and full length clamps to help prevent movement caused by recoil. **Hi Rise** model is drilled for STANAG ring installation. 

SPECS: Aluminum, hardcoat anodized, matte black. **Lo-Pro** - 7 $\frac{1}{16}$ " (19.2cm) long, .250" (6.3mm) high. 3.2 oz. (90g) wt. **Hi-Rise** - 7 $\frac{7}{8}$ " (20cm) long, $\frac{1}{2}$ " (12.3mm) high. 6.6 oz. (187g) wt.

#434-000-010EK Lo-Pro Extended Riser, 4C52H00 \$65.00
#434-000-011EK Hi-Rise Extended Riser, 4C55H20 \$69.00

PRECISION REFLEX AR-STYLE .308 SPR TOP RAIL SYSTEM

Ties Together Receiver & Free-Float Tubes For Strength;
Mounts Optics & Sights "SPR" Style


Precision machined MIL-STD 1913 Picatinny rail ties the upper receiver to the forearm for extra rigidity, plus gives you the "SPR" look in a .308 package. Lets you mount optics and same-plane tactical sights for maximum versatility and accuracy. Connects directly to the forearm. Numbered cross-slots allow easy return to zero when sights are removed then re-installed and give plenty of flexibility in ring spacing for different-length scope tubes, sights, or co-witness capability. **Short** has a 17" long rail with 40 cross slots. Fits ArmaLite® AR-10® and Knight's Armament SR-25 uppers with free-float forends. Includes a single slot rail to mount a same-plane front sight. **Full Length** has a single 19" long rail with 46 cross slots. Fits ArmaLite® AR-10®, Knight's Armament SR-25, and old style DPMS upper receivers with free-float forend.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. Includes steel mounting screws. **Short** fits AR-Style .308 ArmaLite/Knight's uppers. 17" (15cm) long, 2 $\frac{1}{4}$ " (5.7cm) long single slot. 12 oz. (340g) wt. **Full Length** fits AR-Style .308 ArmaLite, Knight's, and old-style DPMS uppers. 19" long. 13 oz. (369g) wt.

#714-000-016EK SPR Top Rail System, Short, 4A154V36 \$169.99
#714-000-017EK SPR Top Rail System, Full Length, 4A161V33 179.99


MOUNTING SOLUTIONS PLUS AR-15/M16 M4 CARRY HANDLE MOUNT

Clears M4 & Other
Large Handguards

Weaver-style front base lets you mount electronic and optical sights and still use the issue sights. Clears M4 handguards and free-float tubes. 
SPECS: Aluminum, black, anodized, matte finish. 10" (25cm) long. 4.1 oz. (115 g) wt. Fits A-1 and A-2. Accepts Weaver-style rings.
#100-000-498EK Carry Handle Mount 1K84D00 ... \$113.29

MGW AR-15/M16 SCOPE MOUNT

Lightweight, Fast-On, Fast-Off Scope
Mount Requires No Gunsmithing

Securely locks in top of the carry handle with a single, thumb screw. Ultra-rigid design will not deform under pressure from rings. Does not obscure the factory sights. Accepts Weaver-style rings. 
SPECS: Extruded aluminum, black, hard-coat, anodized, matte finish. 1.5 oz. (43 g) wt. Includes thumbscrew and lock washer.
#584-590-015EK AR-15/M16 Mount 4H19D29 \$25.99


ROCK RIVER ARMS AR-15/M16 DOMINATOR2 EOTECH MOUNT

For Solid Optic Mounting At
Correct Height To Co-Witness
With A2 "Iron" Sights

Rugged tactical mount provides secure attachment for an EOTech holographic weapon sight with correct elevation for co-witnessing iron sights through the optic. Clamps to flattop receiver and positions the EOTech's dot just above the factory front sight for fast transition from primary to backup sighting. Integral A2-style rear backup sight is adjustable for windage and elevation with two-position, flip-up aperture with .195" diameter peep for close-range targeting, and .065" peep for long range. Machined aluminum base has seven Picatinny slots on the top for mounting most EOTech models. 
SPECS: Aluminum, hardcoat anodized, and steel, Parkerized, matte black finish. 7 $\frac{1}{4}$ " (1cm) OAL. Requires 6" of Picatinny receiver rail space. Compatible with current model EOTech holographic sights except 553 and 557.
#739-000-020EK EOTech Mount 9C00BXC \$185.00


YANKEE HILL AR-15/M16 EOTECH RISER MOUNT

Keeps Iron Sights
From Blocking EOTech Reticle,
Preserves Co-Witness
Capability

Rugged, yet lightweight riser mount positions your EOTech holographic sight .300" higher, so your rifle's iron sights are less apt to interfere with the EOTech's reticle, while preserving co-witness capability. Also helps you maintain a more comfortable, heads-up shooting form. Clamps to your flattop rifle's Picatinny rail with a single steel setscrew; a securing tab up front locks into one of the rail's slots to ensure a solid, recoil-proof fit. 
SPECS: Aluminum, hardcoat anodized, matte black. 5 $\frac{3}{16}$ " (13.5cm) long, 1 $\frac{3}{16}$ " (4.6cm) wide, .525" (1.3cm) overall height. 2.5 oz. (70g) weight. Fits AR-15/M16 with flattop receiver only.
#100-003-101EK EOTech Riser Mount 9A31B87 ... \$39.99


SMITH ENTERPRISE AR-15/M16 CARRY HANDLE SCOPE MOUNT

Lightweight, Streamlined
Quick-Detach Mount
Won't Block Iron Sights

Precision-machined aluminum scope mount attaches securely to the carry handle of your AR-15/M16/M4 to provide a solid, lightweight platform for tactical optics. MIL-STD 1913 rail cut accepts Picatinny, STANAG, and Weaver-style mounting systems, while hollow, .335" diameter sight channel offers unobstructed use of standard-issue iron sights without removing mount. Locks tightly in place with hardened steel stud and knurled nut that also allow fast, easy removal and reattachment of mount and attached optics without loss of zero. Positions scope to provide adequate eye relief when wearing a protective chemical/biological mask. Standard issue for Israeli Defense Forces, and deployed with the U.S. Armed Forces. 
SPECS: Machined 6061 T6 aluminum, hardcoat anodized, black, matte finish. 5 $\frac{3}{8}$ " (13.6cm) long. 2.5 oz. (71g) weight. Made in U.S.A.
#851-000-071EK Carry Handle Scope Mount, 1E53T95 \$66.95


SMITH ENTERPRISE AR-15/M16 STEEL EXTENDER/RISER

Super Strong &
Recoil Proof

Machined from steel barstock to true 1913 Picatinny specs. 2" forward extension, plus $\frac{1}{2}$ " extra height provides clearance for large objective scopes and night vision devices. Attaches to any mount or AR-15 upper receiver with Picatinny slot spacing. 
SPECS: 4140 steel, black, matte finish. 7" (17.7cm) long. (14.7 oz. 417 g) wt.
#851-000-028EK Steel Extender/Riser 1E155A00 . \$189.00

TAPCO AR-15/M16 CARRY HANDLE MOUNT


For Easy Mounting
Of Optics To A2
"Carry-Handle" Rifles


Clamps to the carry handle of an A2-style rifle to allow installation of a scope, holographic red dot sight, or other optic that requires Picatinny receiver rail mounts. Removes easily with the optic still attached, so you can quickly switch back to A2 configuration. One-piece, fiberglass-reinforced molded polymer construction is lightweight yet incredibly strong. Installs in seconds and cinches down tight with a steel bolt and easy-to-grip thumb. Sight tunnel under the rail allows continued use of factory iron sights as backups or for close-range shooting. 
SPECS: Fiberglass-reinforced molded polymer, Black or Dark Earth. 5 $\frac{1}{4}$ " (13.3cm) O.A.L. Fits AR-15/M16 with A2-style carry handle.


#100-004-292EK Carry Handle Mount, Black, 5A10Y72 \$10.99
#100-004-293EK Carry Handle Mount, Dark Earth, 5A10Y72 10.99

WEAVER AR-15/M16 TACTICAL MOUNTING SYSTEMS

Single & Triple Rail Designs Increase
Accessory & Scope Mounting Options

Two, separate Picatinny rail designs increase your scope and accessory mounting options without gunsmithing or permanent alterations. Choose Single Rail (**SR**) to keep weight to a minimum or the Tri Rail (**TR**) design if maximum rail space for lights, lasers and other tactical accessories is required. Made from tough, extruded aluminum; attaches securely with easy-to-turn, steel thumbscrews with threaded steel studs. Accepts both Picatinny or Weaver-style accessories and rings and includes mounting recesses and screws for STANAG rings. Sight tunnel in carry handle version allows unobstructed use of the adjustable A2 factory sights. Flat top version raises line of sight by .750" (19mm) for improved eye relief and more comfortable cheek weld with conventional or electronic optics. 

SINGLE RAIL (SR) MOUNT SYSTEM - Available for A2 carry handle or A4 flattop receivers. Both models attach quickly with either single or dual thumbscrews. 
SPECS: Aluminum, matte black, anodized finish. **Carry Handle Mount** - 5" (12.7cm) long, 1 $\frac{3}{4}$ " (4.4cm) wide. 3 oz. (85g) weight. **Flat Top Mount** - 5 $\frac{1}{4}$ " (13.3cm) long, .834" (2.1cm) wide. 4.5 oz. (128g) weight.
#955-000-107EK SR Carry Handle Mount 5E16Y63 \$24.99
#955-000-108EK SR Flat Top Mount 5E16Y59 23.99

TRI RAIL (TR) MOUNT SYSTEM - Provides maximum mounting surface for additional tactical or sighting accessories. Three, full length Picatinny rails increase mounting surface by a full 10 $\frac{1}{2}$ " over the standard A4 flattop receiver and up to 15" over the standard A2 carry handle receiver. 
SPECS: Aluminum, matte black, anodized finish. **Carry Handle Mount** - 5 $\frac{1}{4}$ " (13.3cm) long, 1 $\frac{3}{4}$ " (4.4cm) wide. 4.5 oz. (128g) weight. **Flat Top Mount** - 6" (15.2cm) long, 1 $\frac{3}{4}$ " (4.4cm) wide. 6.5 oz. (182g) weight.
#955-000-109EK TR Carry Handle Mount 5E2Y7Y9 \$40.99
#955-000-110EK TR Flat Top Mount 5E2Y7Y9 40.99

WARNE MAGNUM SPECIAL APPLICATION MAXIMA RINGS

Rugged Steel, Close-Tolerance
Dovetails For Secure Mounting

Vertically split rings, precision-machined from steel barstock, hold large objective, heavy scopes firmly against recoil. Finished to exacting tolerances so the scope returns to zero, even after repeated dismounting and remounting. Permanent mount (**Perm**) uses two socket screws to solidly lock rings to base. Quick detach (**QD**), double lever rings clamp quickly and tightly; dismount instantly when you lift the lever. Levers can be repositioned so both rest at the same angle. Ultra High rings give correct height for flattop AR-15 and H&K SL7 rifle. 
SPECS: Steel, blued, matte finish. Height measured from top of base to bottom of ring saddle. **QD:** 1" (2.5cm): X-High - .650" (16.5mm) and Ultra-High - .935" (23.7mm); 30mm (1.18"): X-High - .650" and Ultra-High - .850" (21.6mm). **Perm:** 1" X-High - .650" and 30mm X-High - .650". All models fit Warne Maxima, Weaver, and Picatinny bases.

STOCK #	DIA/HEIGHT	HEIGHT	PRICE
#947-000-003EK	1"/X-High	Perm	7D46A19 \$ 57.99
#947-000-004EK	1"/X-High	QD	7D67A17 \$ 83.99
#947-000-005EK	1"/Ultra High	QD	7D67A17 \$ 83.99
#947-000-008EK	30mm/X-High	Perm	7D46A19 \$ 55.99
#947-000-009EK	30mm/X-High	QD	7D79A04 \$ 95.99
#947-000-010EK	30mm/Ultra High	QD	7D78A94 \$ 95.99


BROWNELLS® WebBench™

Your Internet Gunsmithing Newsletter! Sign-up at brownells.com

**SATISFACTION GUARANTEED
SINCE 1939**

BROWNELLS PICATINNY SCOPE RINGS

Robust, Versatile,
Affordable Rings For
Tactical & Sporting Rifles


These rings are precision machined to true MIL-STD 1913 specs to fit Picatinny-type bases such as Brownells Modular Flattop Riser Mount and Picatinny Scope Bases. No special wrenches needed for installation. Underside of ring is undercut with a rounded radius that offers extra clearance for finger tightening the nut and for final tightening with a standard socket or flat-blade screwdriver. Extra-strong U.S.-size hex nuts have a deep slot that provides maximum engagement of screwdriver blade to help prevent slippage and slot damage—you can even use a U.S. quarter in a pinch. Crossbolt has a square shank that serves as a recoil lug to solidly engage scope base when properly installed to ensure rings won't shift forward under recoil. Four, strong 6-40 x 1/4" T-15 Torx® head screws securely anchor the ring halves, and large contact area with scope helps prevent slippage even on heavy-recoiling, magnum rifles. Available in 4140 billet steel for superb strength and stability, or aluminum models machined from 6061 T6 billet for reduced weight. Matte black finish blends with most factory rifle and scope finishes. Replacement nut, crossbolt, and aluminum or steel side locking bars available separately. 

SPECS: Rings sold in pairs. Models available to fit 1" and 30mm scope bodies. **Steel** - 4140 billet steel, black, matte, oxide finish. **Aluminum** - 6061 T6 aluminum billet, hardcoat anodized black, matte. Heights measured from top of base to center of ring: **Low** - .825" (2.1cm); **Med.** - 1" (2.5cm); **High** - 1.125" (2.9cm); **Extra-High** - 1.375" (3.5cm).

#080-000-436EK	Low 1" Picatinny Rings, Steel,	
	9A89H12	\$ 109.99
#080-000-437EK	Med. 1" Picatinny Rings, Steel,	
	9A87H74	100.00
#080-000-438EK	High 1" Picatinny Rings, Steel,	
	8K80H00	100.00
#080-000-433EK	Low 1" Picatinny Rings, Alum.,	
	8K48H00	60.00
#080-000-434EK	Med. 1" Picatinny Rings, Alum.,	
	8K48H00	60.00
#080-000-435EK	High 1" Picatinny Ring, Alum.,	
	8K48H00	60.00
#080-000-811EK	Med. 30mm Picatinny Rings, Steel,	
	8K94X99	119.99
#080-000-740EK	High 30mm Picatinny Rings, Steel,	
	8K94H99	119.99
#080-000-741EK	Ex-High 30mm Picatinny Rings, Steel,	
	8K94H99	119.99
#080-000-810EK	Med. 30mm Picatinny Rings, Alum.,	
	8K69X99	89.99
#080-000-738EK	High 30mm Picatinny Rings, Alum.,	
	8K69H99	89.99
#080-000-739EK	Ex-High 30mm Picatinny Rings, Alum.,	
	8K69H99	89.99
#080-000-708EK	Replacement Hex Nut 8K05C33	7.99
#080-000-709EK	Replacement Crossbolt 8K04C25	5.99
#080-000-706EK	Replacement Locking Bar, Steel,	
	8K04C98	6.99
#080-000-707EK	Replacement Locking Bar, Alum.,	
	8K04C25	5.99

TACTICAL PRECISION TSR™ & TSR "W" RINGS

Super Holding Power, Precision Alignment

Rugged tactical rings are precision machined to tolerances of .0002" for maximum scope/ring contact to hold scope securely against recoil. Four-screw cap lets you align the reticle, tighten the left side of the cap, then the right side without the scope rotating. Large clamp-nut lets you torque ring to base. Radiused edges and corners help prevent snagging while providing attractive appearance. **TSR** - 7075-T6 aluminum, fits MIL-STD 1913 Picatinny base. **TSR "W" Series** - 1215 alloy steel, fits Weaver bases. **34mm** - Accepts Schmidt & Bender-type 34mm scope tubes. 

SPECS: 5/8" (15.8mm) wide. Heights measured from top of base to center of ring. **TSR** - 7075-T6 Aluminum black, hard anodized to Mil-A-8625 standards. **TSR "W" Series** - 1215 alloy steel, Mil-C-13924 oxide finish, matte black. **1"** - Low: .785" (19.9mm). **Medium:** .985" (25mm). **High:** 1.185" (30mm). **30mm** - Low: .925" (23.5mm). **Medium:** 1.075" (27.3mm). **High:** 1.225" (31.1mm). **34mm** - **Medium:** 1.185" (30.1mm).


TSR ALUMINUM RINGS				
STOCK #	HEIGHT	SIZE	PRICE	
#100-000-951EK	Low	1"	9K58V75	\$ 74.99
#100-000-952EK	Med	1"	9K58V78	\$ 74.99
#100-000-953EK	High	1"	9K61V41	\$ 78.99
#100-000-957EK	Low	30mm	9K62V70	\$ 80.99
#100-000-958EK	Med	30mm	9K62V70	\$ 80.99
#100-000-959EK	High	30mm	9K65V33	\$ 82.99

TSR "W" SERIES STEEL RINGS				
STOCK #	HEIGHT	SIZE	PRICE	
#100-001-403EK	Low	1"	9K65H33	\$ 82.99
#100-001-404EK	Med	1"	9K65D33	\$ 82.99
#100-001-405EK	High	1"	9K67D93	\$ 86.99
#100-001-409EK	Low	30mm	9K71D84	\$ 91.99
#100-001-410EK	Med	30mm	9K71D84	\$ 91.99
#100-001-411EK	High	30mm	9K72D23	\$ 94.99
#100-003-300EK	Med	34mm	9K97B98	\$ 126.99

CRIMSONTRACE AR-15/M16 MODULAR VERTICAL FOREGRIP



Self-Contained System With Laser Sight &
Dual-Output Tactical Light


Vertical forend grip has a built-in, self-contained aiming laser and high-intensity LED tactical light for maximum versatility in all light conditions. Ambidextrous pressure switches enable intuitive operation, with no external wires or improvised, taped-on activation pads. Light and laser are independently programmable through separate master control switches for three operating modes: momentary, strobe, or constant-on. Either one can be completely shut off without affecting operation of the other. Light is also switchable between 150 and 200 lumen brightness settings, and laser is fully adjustable for windage and elevation. Powered by two CR-123A lithium batteries (included) for at least 4 hours of continuous light operation or a minimum of 48 hours of laser illumination. Aluminum inner core protects electronics from shock, while O-ring seal keeps out moisture and dust. Molded polymer outer shell is ergonomically shaped to fit comfortably in the hand, with "skateboard tape" texturing on the front and back to ensure a secure purchase. Clamps directly to any Picatinny-style accessory rail; no tools are required. 

SPECS: 6061T6 aluminum core, hardcoat anodized, matte black, with molded polymer grip panels, black. 633nm Class IIIa red laser, 5 mW peak output. LED output approximately 150/200 lumens. Includes two CR-123A lithium batteries, laser adjustment tool, and operating instructions. Fits Picatinny-style accessory rail.

#100-004-504EK Modular Vertical Foregrip, 4B00HDZ \$ 399.00

WARNE AR-15/M16 ULTRA-HIGH MAXIMA QD RINGS

Mounts Scope Directly
To Receiver Rail Without A Riser

Precision machined aluminum, rings provide enough elevation to mount a scope directly to a flattop receiver without a riser. These vertically split rings locate the reticle of the optic at the same height as the USGI iron sights, letting the operator view the target from the same position behind the rifle using either sight system. Also features quick-detach levers that tighten the rings securely to receiver rail using finger pressure only. Levers can be repositioned to any angle after tightening. Also fits H&K SL7 rifle. 

SPECS: Aluminum, powder coated finish, matte black. Height measured from top of base to bottom of ring: **1"** - .935" (23.7mm); **30mm** - .850" (21.6mm). Fits Warne Maxima, Weaver, and MIL-STD 1913 Picatinny bases.

#100-005-554EK 1" Maxima QD Rings 7D47H04 ... \$ 54.99
#100-005-553EK 30mm Maxima QD Rings 7D47H04 . 54.99

BROWNELLS WEAPON LIGHT KIT



Easy-To-Install Upgrade For
A Tactical Rifle Or Shotgun


Convenient kit contains everything you need to mount a powerful tactical light on your rifle or shotgun. High-output **SureFire®** G2® Nitrolon light provides 65 lumens of bright white light. A tactical **TacStar** end cap/pressure switch features a coiled cord that stretches up to 10' to position switch under your fingertips. **VLTOR** aluminum mount holds the light securely and attaches to any MIL-STD 1913 Picatinny accessory rail, while **Manta** rail covers snap over unused sections of rail to protect your hand abrasion. Internal routing channels that help prevent wires from snagging on other gear. The **TacStar** switch can be inserted into the pocket of the large cover for secure retention and easy operation. Kit includes two CR-123 lithium batteries. 

SPECS: Light - Nitrolon® polymer body, black. 5.1" (12.9cm) length, weight 4.1 oz. (116g) weight. Mount - Aluminum, hardcoat anodized, matte black. Steel cross-bolt, black. Switch - Machined Delrin, black. Manta Covers - Molded polymer, black, with stainless steel inserts. Includes 2 CR-123 batteries.

#080-000-826EK Weapon Light Kit 8K131T07..... \$ 145.99

GUNTEC USA RAIL MOUNT LASER KIT

Compact Design Adapts To Virtually Any Weapon

Ultra-compact laser sight provides a bright red pinpoint beam of light for fast, accurate sighting without weighing down your gun. Mounts easily to Picatinny or Weaver rails and the integral under-frame rails now found on many pistols. Lightweight, cylindrical housing guards high-output laser module from shock and recoil; four set screws provide flexible adjustment of laser beam. Includes momentary pressure switch with 6" coil cord and interchangeable, tailcap switch for pistol applications. 

SPECS: Aluminum, matte black finish. Laser - 630-680nm wavelength. 2 3/16" (5.8cm) long x 3/16" (14mm) diameter. Mount - 1 1/2" (3.8cm) long, 1" (2.5cm) wide, 1 1/16" (3cm) high. 2 oz. (57g) wt. with pressure switch and battery. Includes Allen wrenches, interchangeable switches and battery.

#100-006-922EK Rail Mount Laser Kit 5C40A00 ... \$ 49.99

SUREFIRE ST07 REMOTE TAIL SWITCH

Put Switch Exactly Where You
Want It For Instantaneous
Light Activation



Sealed, weatherproof pressure switch lets you remotely activate your SureFire WeaponLight for immediate, on-demand target illumination. Plugs directly into the tail cap switch of a variety of SureFire lights. Comes with a 7" long cable ending in the pressure pad that can be taped to the forearm or vertical grip of a tactical rifle or shotgun. Fits all Surefire lights with a plug-in socket in the tailcap, including the X300, X400, XT, Scout Light, Millennium Universal, and Classic Universal lights. NSN #5930-01-531-2192.


SPECS: Plastic housing, black. 7" long cable w/sealed synthetic rubber pressure switch.

#152-000-065EK ST07 Remote Switch 2E00ZAY ... \$ 69.00

LASERMAX UNI-MAX RAIL MOUNT GREEN LASER SIGHT




Low-Profile, Clamps To
Accessory Rail

Compact, lightweight laser sight outputs a bright green beam that's more visible to the human eye in all lighting conditions and over longer ranges. Mounts in seconds on any pistol, rifle, or shotgun with 1 3/4" or more of Picatinny or Weaver-style rail space. Ambidextrous switch is comfortably positioned for quick engagement when pistol shooter's index finger rests along the slide in the Universal Cover Mode. Beam may be set to constant output or rapidly pulsating mode for even greater visibility. Low-profile housing allows many guns fitted with the Uni-Max to be carried in standard holsters. Integral Picatinny rail on underside of housing allows mounting of tactical weapon light. Windage and elevation adjust easily with the included tools, also used to set beam output mode. Normal battery life is 1 hour; automatically turns off after 10 minutes to extend battery life. Operates in temperatures from 40 to 100° F. 


SPECS: Fiber reinforced nylon, black. 2 1/4" (5.7cm) long, 1" (2.5cm) wide, 3/4" (1.9cm) high. 1 oz. (28g) wt. 532 nm wavelength laser. Beam Diameter - 5/16" (1.6cm) at 7 yards, 3/4" (1.9cm) at 25 yards. Includes polymer hardcase, two (2) DL1/3N Lithium batteries, and adjustment tool.

#100-003-568EK Uni-Max Green Laser Sight, 1B346Z67 \$ 369.99

REPLACEMENT BATTERIES - The exact size and type of batteries that ship from the factory with the Uni-Max Green Laser Sight. 

SPECS: Sold in 2- and 10-paks. **DL1/3N** - 3 volt lithium cell for the Green Uni-Max, two required.

#100-006-295EK DL1/3N Batteries, 2-Pak 1B09Y00 ... \$ 10.49
#100-006-296EK DL1/3N Batteries, 10-Pak 1B00YTP. . 35.99

MOMENTARY ACTIVATION SWITCH - Easy-to-install replacement switch provides momentary on/off control of your Uni-Max. Squeeze the large 3" x 3/4" pressure activation pad to activate the laser when you're ready to acquire a target. Velcro® attachment system lets you position the pad on the forearm or vertical grip of a tactical rifle/shotgun, even the grip panels of some pistols, yet detaches quickly for temporary removal of the sight. Recessed master on/off switch prevents unintentional activation. 

SPECS: Molded plastic and synthetic rubber, black. Available with 6" (15.2cm) or 10" (25.4cm) cord. Kit includes switch assembly, two mounting screws, installation tool, and instructions.

#100-003-319EK Momentary Switch, 6" cord, 1B56Z45 \$ 62.99

#100-003-320EK Momentary Switch, 10" cord, 1B56Z45 62.99

SHOP ONLINE at brownells.com

Search

scope rings

☒ Product Search

Satisfaction Guaranteed!

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 85

STREAMLIGHT AR-15/M16 THUNDER RANCH URBAN RIFLE ILLUMINATION SYSTEM



Quickly Converts Your AR-15
To An Urban Rifle

Installs quickly and securely to any AR-15 standard issue handguard or any other firearm equipped with a Picatinny rail. Steamlight model TL3 utilizes long-lasting lithium batteries and a high-pressure xenon gas-filled, bi-pin bulb to provide tremendous bright-white illumination. The adjustable spot-to-flood reflector conforms quickly to handle any urban tactical situation. TL3 light features a sturdy pocket clip, momentary on-off switch, plus constant on with just a quick twist of the tail cap. Light body is made from machined and extruded, lightweight aluminum. All aluminum light mount attaches to Picatinny rail; includes a rail adapter for AR-15 handguards. Convenient bottom thumbwheel locks the light housing into place and can be removed in an instant. Waterproof and shock proof; green filter cap/flip-up lens cover and Thunder Ranch Urban Rifle Illumination System DVD included.

SPECS: Aluminum, matte, black, anodized finish. 6¼" (1.9 cm) long. 11 oz. (311g) wt. 211 lumens max. output. Uses three CR-123A, 3V lithium batteries, included.

#100-003-041EK Urban Rifle System 1K121V19. . . \$ 199.99

SUREFIRE M952V MILLENNIUM UNIVERSAL WEAPON LIGHT

Powerful Illumination;
White & Infra-Red Output



Powerful, modular weapon light gives either a tightly focused white beam or a tactical infra-red beam. A throw lever clamp lets you mount the M952V on almost any Picatinny rail, even on off-spec rails. White LED outputs 150 lumens of pure, white light for long-range applications, yet with enough surround light for close-quarters illumination. IR mode delivers 120mw of infrared light visible only through night vision gear. Up to 2 hours continuous white output, or 8 hours of IR output, on one pair of CR-123 batteries. Tailcap switch offers momentary or constant on operation. Optional remote pressure switch with 7" cable can be mounted on vertical grip or side rail. Heavy duty, machined aluminum body; O-ring sealed.

SPECS: Aluminum, mil-spec Type III hardcoat anodized, matte black or tan. 6" (15.2cm) long. 9.2 oz. (261g) weight. Requires two CR-123A batteries, included.

#152-000-073EK Millennium Light, Blk 2E00HDZ. \$ 595.00
#152-000-074EK Millennium Light, Tan 2E00YTP. . . 595.00

XM-06 DUAL SWITCH TAILCAP

Replacement tailcap assembly fits all Millennium® Universal Weapon Lights and provides two independently operating switches. Assembly screws directly into your existing light and comes with a 6" long cable with pressure switch and pushbutton on/off/disable feature.

SPECS: Plastic housing, black. Kit includes tailcap assembly, 6" long cable w/ pressure switch, hook-and-loop fastener, alcohol wipe, and operator's manual.

#152-000-033EK XM-06 Tailcap 2E00CHD. \$ 129.00

REPLACEMENT SF-123 BATTERIES - SF 123, three-volt lithium batteries fit all Surefire hand-held and weapon mounted lights.

#152-000-023EK SF-123 Batteries, 2-Pak 2E00XCH. \$ 3.95



ACCUTACT AR-15/M16 ANGLESIGHT™

Engage Targets While You Keep
Out Of The Line Of Fire

Non-magnifying optical sight has a dual-path mirror system that lets you identify targets, aim, and fire around obstacles and corners without exposing yourself to return fire. View the target in line-of-sight

or at a 90° angle through the side port. Rotates 360° to go immediately from 90° "concealment" mode to standard, shoulder-aimed firing without removing the optic. Unlimited eye relief is compatible with iron sights, scopes, EOTech red dot/holographic sights, laser designators and night vision equipment. Clamps to any MIL-STD 1913 Picatinny rail and requires no zeroing or calibration. Weatherproof construction is safe for use in any environment.

SPECS: Stainless steel and polycarbonate resin, matte black. 1.8" (4.6cm) long, 2.8" (5.8cm) wide, 2.6" (7cm) tall. 3.9 oz. (110g) wt. Optical aperture .95" (2.4cm) x .95" (2.4cm).

#100-005-416EK Accutact Anglesight 6D246Z00. . . \$ 279.99

BURRIS RED DOT REFLEX SIGHTS

Fast, Precise Heads-Up Sighting;
Ultra-Robust Design Handles Magnum-Power Recoil

FASTFIRE II - Provides fast, both-eyes-open sighting on handguns, rifles, and shotguns. Stainless steel and aluminum housing handles the recoil of magnum shotgun loads; installed weight under 2 oz. allows mounting on semi-auto pistol slides. Gives a panoramic field of view and unlimited eye relief for an unobstructed view of the area around the target. A high-intensity LED projects a 4 MOA red sighting dot, while a light sensor and integrated control circuitry adjust the dot's brightness. Coated lens resists scratches and scuffs and is parallax-free to 50 yards. 1.07x magnification aids in acquiring long-range targets, without compromising close-in effectiveness. Set the point-of-impact with two flush-mounted screws that provide 3" (190") at 100 yards; windage and elevation adjustments using the included scale disc and adjustment tool. Control switch on the left side resists accidental activation. Powered by one 3-volt CR2032 lithium battery, included; up to 5-year battery life when used in Battery Saver mode. Gasket bottom plate seals unit 100% against water. Available with a mount that fits MIL-STD 1913 Picatinny and Weaver-style rails. For other installations, sight and mounts are available separately.

SPECS: Sight - Steel, aluminum, optic-grade glass. 1¼" (4.5cm) long, 1" (2.5cm) wide, 1" high. Includes snap-on cover, CR 2032 lithium battery, windage/elevation scale disc and adjustment tool.

Mounts - Aluminum, matte black. Mounting screws included.

#118-000-020EK FastFire II, only 8A202P12. \$ 239.99

#118-000-019EK FastFire II, w/Picatinny/Weaver Mount, 8A210P15. 249.99

#118-000-013EK 1911 Std FastFire Mnt 8A39P28. . . 49.99

#118-000-014EK 1911 Novak FastFire Mnt 8A39P28. 49.99

#118-000-015EK 1911 Bo-Mar/Kimber FastFire Mount, 8A39P28. 49.99

#118-000-011EK Glock FastFire Mount 8A39P28. . . 49.99

#118-000-012EK Sprgld XD FastFire Mnt 8A39P28. 49.99

PICATINNY PROTECTOR MOUNT - Lightweight mount with raised "wings" protects your FastFire sight from damage. Mounting platform is contoured for a perfect fit and attaches with two Allen head screws. Extra-large, steel cross-bolt and clamping bar provide a tight, positive lock on Picatinny and Weaver-style rails.

SPECS: 6061 T6 aluminum, black, matte, anodized finish. 2" (10cm) long, 1½" (3.5cm) wide, 1¼" (3.2cm) high. 1.3 oz. (36.8g) weight.

#118-000-016EK Picatinny Protector Mnt 8A74P95. \$ 99.95



Shown with Picatinny/
Weaver Mount



BURRIS AR-332 PRISM SIGHT



Accurate
Close-Quarters
Sight Plus Bullet
Drop Compensation
To 500 Yards

Multi-purpose tactical prism scope with close-quarters sight from zero to 500 yards. Fully coated optics minimize glare, and Ballistic/CQ™ illuminated reticle enhances target acquisition in low-light conditions. Bracketed cross hairs subtend 18" at 100 yards, with additional dots to provide immediate elevation adjustment from 100 to 500 yards. Control knob provides five reticle brightness levels in red or green; reticle appears black in the off position. Removable accessory rails on the top and sides allow mounting of open sights, red dot sights, lasers, or other accessories. Fully-machined aluminum body is hardcoat anodized for extra surface strength, with a non-reflective, matte black finish. Integral mount clamps securely to MIL-STD 1913 Picatinny rail, and also allows easy installation on AR-15/M16 carry-handle receivers. Flip-up lens cap/sunshades included.

SPECS: Aluminum, hardcoat anodized, matte black. 40mm tube, 32mm objective lens, 3x magnification. 5.3" (13.4cm) long, 14.2 oz. (403g) wt. 2½" (6.3mm) eye relief, ¼" MOA click adjustment, 32 ft. (80m) field of view at 100 yds. Requires one (1) CR-2032 lithium battery, included. Battery life: 200 hours (high), 500 hours (low).

#118-000-021EK AR-332 Prism Sight 8A299P99. . . \$ 319.99

BUSHNELL RED DOT SIGHTS

Single-Focus Sighting Plane Gets You On Target Fast

Fast, accurate, battery-powered red dot sighting with fogproof, shock resistant Amber-Bright™ multi-coated optics. Aluminum body with built-in Weaver-style mount and easy-to-grasp brightness adjustment knob. Unlimited eye relief.

TROPHY TRS-25 - Compact but rugged design is perfect for rifle, shotgun, and handgun use. Bright red 3 MOA dot provides precise, both-eyes-open shooting to get you on target fast without sacrificing accuracy. Eleven position rheostat allows the shooter to match the brightness of the dot to specific shooting conditions.

Clamps securely to Weaver-style mounts with a single Allen screw. Low-consumption electronics give extra-long battery life for up to 3,000 hours of operation on a single lithium battery.

SPECS: Aluminum body, anodized, black finish. 25mm (1") dia. objective lens. 2½" (6.4cm) long. 4 oz. (113g) weight. Uses one CR-2032 battery. Lens covers and battery included.

#593-000-054EK 1x25mm Trophy Scope 1K84P99. . . \$ 89.99

TROPHY 1x32mm - Designed specifically for rifle and shotgun use with the exclusive green and red "T Dot" reticle. Use the red setting in bright light conditions, then easily switch to the green setting in low light. Large 32mm objective lens helps define your target even in cluttered backgrounds. Fixed rear sight and white dot front sight on top of scope body provide fast "snap shot" point-and-shoot capability. Ten position rheostat control (5 red, 5 green) lets you adjust reticle intensity. Dual thumbscrews allow quick installation or removal with little to no loss of zero. Snap-on lens covers protect both objective and ocular lenses from dust and water.

SPECS: Aluminum body, anodized, black finish. 32mm (1.25") dia. objective lens. 6½" (16.5cm) long. 15.6 oz. (442g) weight. Uses one CR-2032 battery. Lens covers and battery included.

#593-000-061EK 1x32mm Trophy Scope 1K175P13. \$ 282.95

INSIGHT TECHNOLOGY MRDS RED DOT SIGHT



Ruggedized For Tactical
Operations;
3.5 MOA Dot With Manual &
Auto Intensity Settings

Lightweight reflex sight combines lightning-fast target acquisition with military-grade durability specifications that meet or exceed those used by special operations personnel working in extreme combat conditions. The non-magnifying lens is crafted from lightweight, impact resistant polymer with an anti-reflective coating for a clear, crisp field of view. Sealed pushbutton conveniently located on the rear of the housing lets you choose between four pre-set intensity levels for the 3.5 MOA dot, or the default Auto mode that automatically adjusts to ambient light conditions. The MRDS fits any mount designed for Docter® red dot sights. The sealed housing is molded from advanced polymers to reduce weight without sacrificing strength, and is waterproof down to 66 feet for up to 2 hours. Extensive salt, fog, drop, vibration, and shock testing ensures this sight meets MIL-STD 810G standards, and will operate at temperatures ranging from -104° F to 120° F. Adjustable for windage and elevation in 1 MOA clicks. Powered by one 3-volt CR-1632 lithium battery, included; depending on output setting, continuous run time on one battery is up to one year. Top-loading battery compartment eliminates loss of zero by allowing battery change without removing sight from mount. Comes with a slip-on protective rubber cover and Insight MiniPro II compact cleaning system for lens maintenance.

SPECS: Optic-grade polymer lens and molded polymer housing. Black or Tan. 1.9" (4.8cm) long, 1.1" (2.9cm) wide, 1.5" (3.8cm) high. Weight .85 oz. Includes rubber cover, CR-1632 lithium battery, windage/elevation adjustment tool, mounting screws, lens cleaning pen, and instructions. Fits mounts that accept Docter red dot sights (not included).

#100-004-749EK MRDS Red Dot Sight, Black, 6B00VBX. \$ 489.99

#100-004-758EK MRDS Red Dot Sight, Tan, 9K00YTP. 489.99

YOUR SOURCE FOR AR-15/M16 ACCESSORIES, TOOLS & SUPPLIES

GG&G

EOTECH LENS COVER MODULE



Protects The Lenses
From Weather & Damage;
Flips Open Instantly

Flexible rubber body with spring-loaded, ABS plastic covers help seal out dirt, dust and moisture to keep the lens surfaces of your EOTech holographic sight clean, scratch-free, and ready for use in all shooting conditions. Tabs on the right and left sides of the covers allow a fast, ambidextrous flip-open action with thumb or finger pressure. Front cover opens to near horizontal position to help block rain or sunlight. Rear cover folds back on top of the EOTech's protective hood to ensure an unobstructed view through the sight. Body section installs under the EOTech protective hood, so it's not even visible. Noise-absorbing neoprene pads dampen the sound of the rear lens cover contacting the hood during covert operations.

SPECS: Rubber body, ABS plastic covers, neoprene pads, matte black. 1 oz. (28.4g) weight. Includes Torx wrenches for installation. **511/512/551/552** - 2½" (5.9cm) long, 1½" (4.8cm) wide, 1¼" (3.6cm) high. Fits EOTech models 511, 512, 551, and 552. **XPS2/3** - 2½" (5.9cm) long, 2¼" (5.7cm) wide, 1½" (3.8cm) high. 1 oz. (28.4g) weight. Fits EOTech models XPS2 and XPS3 only.

#336-000-007EK 511/512/551/552 Lens Cover, 6C34V48. \$ 39.99

#336-000-038EK XPS2/3 Lens Cover 6C39X29. 42.99



For more choices of SUREFIRE LIGHTS
visit brownells.com



For more choices of BUSHNELL SIGHTS
visit brownells.com

-AIMPOINT RED DOT OPTICAL SIGHTS-



Rugged, No-Fail Sight Systems For Hunting, Target Shooting & Tactical Applications

Parallax-free aiming with a single, bright glowing red dot; proven to be the fastest, most accurate sighting system available. Exclusive Advanced Circuit Efficiency Technology (ACET) greatly improves the useable life of the single 3-volt battery. ACET sights can last nearly 50,000 hours (over five years on setting 7 out of 10) of constant use. AA battery model can last up to 80,000 hours with a single battery. All sight housings are machined or extruded from 6000 series aluminum for maximum strength without unnecessary added weight. Lens surfaces are optically ground (not cast) for superior clarity. Proprietary housing and lens sealing material keeps electronic and lens surfaces dry, fog-free and fully functional regardless of weather conditions. All models feature non-reflective, Mil-Spec anodized finishes.

MICRO SERIES - Ultra Compact to reduce weight and bulk, plus easy to remove and install on multiple firearms. Provides an easy-to-see, bright red LED aiming dot for hunting and tactical applications. Both models include an integral Weaver-style mount that attaches easily without knobs, and is keyed to the sight body to absorb recoil. Fully adjustable for windage and elevation; adjustment tool is an integral part of the adjustment knob caps so you never lose it. **Micro H-1** is designed for hunting/sporting applications and is submersible to 15 feet. Can be mounted on shotguns, rifles, handguns, and bows, and includes 12 daylight settings and one extra-bright setting. **Micro T-1** is designed for tactical use; includes band pass lens coating with 6 night vision/7 daylight settings, so it's fully compatible with all generations of Night Vision Devices, and submersible to 80 feet. Features integral Picatinny base.

SPECS: Anodized, matte black. 2.4" (6.2cm) long x 2.4" wide x 1.6" (3.6mm) high, including mount. 3.7 oz. (105g) wt including mount. 1X magnification. 4 MOA dot. 1/2" adjustment @ 100 yds (13mm @ 100m). ACET = 50,000 hrs on one battery. Includes lithium battery (3v, DL2032) and rubber flip-up lens covers.

#100-003-004EK **Micro H-1** 7A565V00 \$ 639.99
#100-003-003EK **Micro T-1** 7A633V00 716.99

MICRO H-1 W/AR-15 FLATTOP MOUNT - AR-specific version of the popular Micro H-1 has an integral, quick-release riser mount, ready to install on any AR-15/M16/M4 flat-top rifle. Riser aids in comfortable, heads-up aiming, while providing the correct elevation to co-witness with mil-spec "iron" sights. Positions the backup sights in the lower 1/3 of the Micro's field of view for instant transition to them. Quick-detach LRP (Lever Release Picatinny) mount lets you remove the H-1 from the rifle with a flip of the locking lever and return it without loss of zero.

SPECS: Aluminum, anodized finish, matte black. 2.4" (6.1cm) long, 1.6" (4.1cm) wide, 2.6" (6.7cm) high, including mount and spacer. 6 oz. (170g) wt.

#100-006-838EK **Micro H-1 w/LRP Mnt** 7A00YTP . . \$ 565.00

MICRO MOUNTS - Precision machined aluminum and steel components provide more mounting options to increase the versatility of your Aimpoint Micro series red dot sight. **LRP Quick-Release Conversion Kit** converts the mount that came with your Micro to a quick release configuration that allows the sight to be removed from the firearm with the flip of the locking lever. Return sight to firearm without loss of zero in just seconds. **QD Riser Mount** allows mounting the Micro on any flattop AR-15/M16/M4 at the ideal height for quick, precise, head-up target acquisition. Lets you to retain and co-witness your rifle's factory iron sights through the lower 1/3 of the Micro's field of view, so they won't interfere with the Micro's sight picture. Locking, quick-release lever for fast attachment and removal from rail; machined recoil lug and side rail clamp ensure a rock solid installation. Provides the cor-

rect height for use with Aimpoint 3XMag Magnifier. Requires 2 1/2" (5.4cm) of rail space. **Dovetail Mount** replaces the base that came with your Micro sight so you can mount it on any gun with a nominal 3/8" dovetail on the receiver.

SPECS: LRP - Steel, matte black finish. **LT660 & Dovetail** - Aluminum, hard anodized, matte black.

#100-003-575EK **LRP Quick-Release Conversion Kit**, 7A33Z80 \$ 38.99

#100-003-578EK **LT 660 QD Riser Mount** 7A118Z14 . 135.99

#100-003-576EK **Dovetail Mount** 7A71Z92 82.99

9000SC - Medium length sight has nine daylight brightness settings, and is ideal for use with any semi-auto firearm and weapons that produce extra heavy recoil. 30mm exterior tube diameter helps provide unlimited field of view and eye relief, plus parallax-free aiming at all distances. Available with a 4MOA dot and submersible to 15 feet.

SPECS: Anodized finish, matte black. 6.3" (16 cm) long x 2.2" (5.5cm) wide. 7.4 oz. (210 g) wt. 1X magnification. Windage & Elevation: 1/2" adjustment @ 100 yds. (13mm @ 100m). ACET = 50,000 hrs on one battery. Includes lithium battery (3v, CR 1/3N), rubber flip-up lens covers, two (2) 30mm Weaver-style mounting rings and Allen wrench. Minimum/Maximum C-To-C Ring Spacing: 2" (5cm)/4.5" (11cm).

#100-002-968EK **9000SC 4MOA** 7A393C56 \$ 441.99

9000L SERIES - Provides fast, both eyes open aiming; increased length of body tube provides proper ring spacing on most firearms. Built to shrug off the heaviest recoil. 1X magnification with a 2 MOA dot and submersible to 15 feet. Features an exterior tube diameter of 30mm for maximum field of view and eye relief, plus parallax-free aiming at all ranges with 9 daylight settings.

SPECS: Anodized finish, matte black. 7.9" (20 cm) long x 2.2" (5.5cm) wide. 8.1 oz. (230 g) wt. 1X magnification. Windage & Elevation: 1/2" adjustment @ 100 yds (13mm @ 100m). ACET = 50,000 hrs on one battery. Includes lithium battery (3v, CR 1/3N), rubber flip-up lens covers, two (2) 30mm Weaver-style mounting rings and Allen wrench. Minimum/Maximum C-To-C Ring Spacing: 2.4" (6cm)/6.1" (15.5 cm).

#100-002-972EK **9000L 2MOA** 7A393Y56 \$ 441.99

COMPMP2/COMPML2 SERIES - Both models feature a 4 MOA dot for close quarter combat and require an Aimpoint 30mm ring or equivalent for installation, ring not included. **CompMP2** was the first red dot sight rated rugged enough to be adopted by the U.S. Military. Its band pass coated objective lens is fully compatible with all generations of night vision devices, but built for optimum performance with 3rd generation NV technology. Includes 4 NVD and 6 daylight settings. **CompML2** has 9 daylight settings and is designed for law enforcement and other tactical applications where NV capability is not required.

SPECS: Anodized finish, matte black. 5.1" (130 cm) long x 2.2" (5.5cm) wide. 7.8 oz. (220 g) wt. 1X magnification. Windage & Elevation: 1/2" adjustment @ 100 yds. (13mm @ 100m). ACET = 10,000 hrs on one battery on daylight setting, 50,000 hrs on NV setting (M2 only). Includes lithium battery (3v, DL 1/3N) and rubber flip-up lens covers. Both models submersible to 75 feet (25 m).

#100-002-960EK **CompMP2 4MOA** 7A487C93 \$ 562.99

#100-002-961EK **CompML2 4MOA** 7A437C67 504.99

COMPMP3 SERIES - Compact red dot sight with 2 MOA dot for up-close shooting that demands both speed and accuracy. Built to the same exacting tolerances as the entire Aimpoint line for fail-proof performance. Short length allows easy mounting for a variety of applications; 30mm Weaver-style ring is included. Has nine daylight brightness settings, removable lens covers, dial covers, and a cushioned, rubber ocular lens.

SPECS: Anodized, matte, black. 4.7" (12cm) long x 2.2" (5.5cm) wide x 2.2" high. 7.1 oz. (200g) wt. Windage & Elevation: 1/2" adjust-

ment @ 100 yds (13mm @ 100m). ACET = 50,000 hrs on one battery. Includes lithium battery (3v, CR 1/3N). Includes 30mm Weaver-style mounting ring and Allen wrench. Submersible to 15 feet (5m).

#100-002-976EK **CompMP3 2MOA** 7A412H53 \$ 475.99

COMPMP3/COMPML3 SERIES - **CompMP3** is a fully redesigned version of the CompMP2 and provides up to five years of constant power-on usage from a single battery. Band pass coated objective lens is fully compatible with all generations of night vision devices, but works especially well with 3rd generation NV technology used by military and law enforcement personnel. **CompML3** includes multi-layer, anti-reflective lens coatings designed for low light or daylight tactical operations where NV capability is neither required nor practical. Both models are available with 4MOA dot for close combat application or 2MOA dot for improved accuracy at longer distances. Both models include a removable, outer, black rubber armor cover for added protection. All models require an Aimpoint 30mm ring or equivalent for installation. Ring not included.

SPECS: Anodized finish, matte black. 5.1" (130 cm) long x 2.2" (5.5cm) wide. 7.8 oz. (220 g) wt. 1X magnification. Windage & Elevation: 1/2" adjustment @ 100 yds (13mm @ 100m). ACET = 50,000 hrs on one battery on daylight setting, 500,000 hrs on NV setting (CompMP3 only). Includes lithium battery (3v, DL 1/3N), rubber flip-up lens covers and rubber sight body shield. Submersible to 150 feet (45m).

#100-002-963EK **CompMP3 2MOA** 7A562C00 \$ 637.99

#100-002-964EK **CompMP3 4MOA** 7A562C00 637.99

#100-002-965EK **CompML3 2MOA** 7A506C00 572.99

#100-002-966EK **CompML3 4MOA** 7A506C00 572.99

REPLACEMENT RUBBER COVER FOR COMPMP3/ML3 - Factory replacement for the removable rubber cover that comes with CompMP3/ML3. Replace a worn or damaged cover, or put a Coyote tan cover on your sight to help it blend in on a rifle with a desert camo pattern.

SPECS: Synthetic rubber, Black or Coyote (tan). Fits Aimpoint CompMP3/ML3 series red dot optical sights.

#100-003-607EK **Rubber Cover for CompMP3/ML3**, Black, 7A26Z99 \$ 30.99

#100-003-606EK **Rubber Cover for CompMP3/ML3**, Coyote, 7A26Z99 30.99

COMPMP4/COMPMP4S - The latest civilian version of the U.S. Army's M68 CCO (Close Combat Optic), and the most advanced sight produced by Aimpoint. Super efficient electronics deliver up to eight years of continuous use from a single AA battery. Optics feature band pass objective lens coating for superb light transmission and optimum 3rd generation NV compatibility. Newly improved rotary brightness switch provides 7 NVD settings and 9 daylight settings, plus one extra-bright setting for outdoor use with anti-reflective goggles. Excellent choice for varmint hunters needing a rugged red dot optic with low light capabilities. Integral, QRP2 mount (no additional mount ring required) features a single, oversize thumbscrew for fast installation and removal from Picatinny rails. Mount includes a separate vertical spacer for fast adaptation to a wide range of firearms. Available with versatile 2MOA dot. Can be quickly converted to a 3X, long-range red dot reticle scope by installing the optional Aimpoint 3XMag magnifying module listed below. **COMPMP4S** has the same great operating features as the COMPMP4, but positions the battery compartment low, on the right side of the unit for less chance of snagging and improved view over the top of the optic.

SPECS: Anodized finish, matte black. 4.7" (120 cm) long x 2.8" (72mm) wide x 2.8" high. 11.8 oz. (335 g) wt. including mount. 1X magnification. Windage & Elevation: 1/2" adjustment @ 100 yds (13mm @ 100m). ACET = 80,000 hrs on one battery on daylight setting, 500,000 hrs on NV setting. Includes alkaline battery (1.5v, AA). Submersible to 150 feet (45m).

#100-003-002EK **CompMP4 2MOA** 7A759V00 \$ 859.99

#100-003-734EK **CompMP4S 2MOA** 7A759V00 859.99

3XMAG MAGNIFIER - Mounts on a Picatinny rail directly behind any Aimpoint red dot optical sight to provide 3X magnification for improved accuracy when engaging small targets at long ranges. Durable rubber housing improves gripping surface and shields the module from damage caused by shock. Mounts to rail using a 30mm scope ring or the quick-detach Aimpoint TwistMount listed below. Mounting or dismounting will not change point-of-impact of your sight. Internal adjustments allow alignment with your pre-zeroed sight.

SPECS: Aluminum, anodized, dark grey, rubber coated, black. 4.3" (11cm) long x 1.7" (4.4cm) high, 1.6" (4.1cm) diameter. 7.1 oz. (200g) wt. Submersible to 67 feet (20m). Requires 30mm mounting ring for installation.

#100-002-981EK **3XMag Magnifier** 7A540Y00 \$ 612.99

TWISTMOUNT FOR 3X MAGNIFIER - Quick-detach mount for Aimpoint 3x Magnifier lets you change instantly from long-range to CQB mode. Depress the release lever, twist the Magnifier, and lift it off for an unencumbered close-range sight picture. Low-profile base clamps to Picatinny-style rail; extra-long scope ring provides ample surface contact for a no-slip grasp on the magnifier body. May also be used as a quick-detach mount for other 30mm optics. Extra TwistMount bases sold separately, so you can quickly move your Magnifier from one rifle to another. **Co-Witness Spacer** raises sight axis for proper co-witnessing with factory-height backup iron sights. Comes with four, extra-length hex head screws and Allen wrench.

SPECS: Aluminum, hardcoat anodized, matte black.

#100-003-597EK **TwistMount Complete** 7A169P86 . \$ 195.99

#100-003-599EK **TwistMount Base**, only 7A107P47 . 123.99

#100-004-137EK **Co-Witness Spacer** 7A26Y00 29.99

TENEBRAEX KILLFLASH*ARD - Anti-Reflection Device screws into front lens opening of 9000SC and Comp series sights. Honeycomb filter disperses light to prevent reflections from front lens giving away your position without adversely affecting sight picture. Fits under the lens cover without modification.

SPECS: Polymer, black. Fits 9000SC and Comp series sights.

#100-003-624EK **KillFlash*ARD** 7A36Z68 \$ 41.99

REPLACEMENT LENS COVERS - Replace lost or broken lens cover with the factory original part. **Flip-Up Covers** - Spring-loaded polymer covers flip open with finger pressure. Available in black or see-through clear. Tight, friction-fit installation. Fit non-magnifying (1x) 9000 and Comp series, including C3, MP3S, and M4/M4S. Rear covers fit all Aimpoints with 30mm rear objectives, including Comp and 9000 series. **Military** - One-piece, rubber, slip-on style with loop that fits over quick-release knob on QRP and QRW mounts. Fits Comp M2, ML2, M3, ML3, M4, and M4S. **Micro** - One-piece, rubber, "bikini"-style cover for Micro series sights.

SPECS: Fits Aimpoint Red Dot sights as indicated above. **Flip-Up Covers** - Molded polymer, black. Clear models have clear polymer windows in lid. **Military & Micro** - Rubber, black.

#100-003-612EK **Flip-Up Front Cover**, Blk 7A17P33 . \$ 19.99

#100-003-618EK **Flip-Up Front Cover**, Clear 7A17B33 . 19.99

#100-003-616EK **Flip-Up Rear Cover**, Blk 7A17P33 . . 19.99

#100-003-621EK **Flip-Up Rear Cover**, Clear 7A17P33 . 19.99

#100-003-623EK **Military Lens Cover** 7A11Z46 12.50

#100-003-625EK **Micro Lens Cover** 7A17Z00 18.99

REPLACEMENT DL1/3N BATTERY - Factory recommended lithium battery fits 9000 series, CompC3, CompC SM, CompMP2, CompML2, CompMP3, CompML3, Laser Imaging Device LPI, 1000 series, 3000 series, 5000 series, 7000 series, Comp, CompC, Comp XD, CompMP, CompM XD, CompML, CompML XD.

SPECS: 3-volt DL1/3N lithium battery.

#100-005-215EK **DL1/3N Lithium Battery** 5Z04V75 . \$ 4.99

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 87



EOTECH

HOLOGRAPHIC SIGHT

Provides Extremely Fast, Heads Up Target Engagement For Close Quarters & Long Range Shooting

Weatherproof, shockproof, night vision compatible sight provides competitive, military and law enforcement shooters a versatile, all-weather sighting system. Holographic, variable-intensity reticle is visible in any light. As long as the operator can see through any portion of the window, the entire reticle is visible on target. All models (except 552.XR308) feature a dot-within-a-circle reticle that presents a see-through pattern for lightening-quick target acquisition. Heads-up display eliminates blind spots and tunnel vision. Gives true, both eyes open shooting for instant target identification. Electronics are encapsulated in a shock absorbing resin compound and sealed against dirt and water. Shatterproof lens has an anti-reflective coating. Light signature is not visible from the front. All user controls are flush with the housing, no protruding knobs or mounting rings to snag or block vision. Integral mount fits Weaver-style and Picatinny bases. Aluminum "roll bar" hood protects display. **Model 553** incorporates ARMS® dual quick-release throw levers for instant on/off capabilities. Zero is repeatable to 1 MOA after re-mounting. Sight body sets 7mm (.275") higher to provide operator with a consistent cheek weld with all other standardized optics. **Model 552, 552.XR308, and 553** are night vision compatible with a night vision brightness range of 1,000:1 with NV switch engaged. **Model 552.XR308** has a ballistic drop compensated reticle for .308 caliber with hash marks calibrated for 600, 900, and 1200 meters. **Model 512** has no provisions for night vision equipment. 512, 552, and 552.XR308 use two, AA batteries; 553 uses two, CR123A (3v) batteries. All include batteries.

SPECS: Polycarbonate body, aluminum hood, matte, black. Lens - $\frac{3}{16}$ " thick, 3-layer, shatterproof laminate glass. Reticle size: 1 MOA dot and 65 MOA ring. **512, 552 & 552.XR308** - 5 $\frac{3}{16}$ " (13.5cm) long, 1 $\frac{15}{16}$ " wide, 2 $\frac{3}{8}$ " high. 11.5 oz. (326g) wt. **553** - 4 $\frac{15}{16}$ " (12.4cm) long, 1 $\frac{15}{16}$ " wide, 2 $\frac{3}{8}$ " (7.1cm) high, 12.2 oz. (345g) wt.

#100-001-738EK 512 Holographic Sight 9K00CHD \$ 409.00
#100-000-909EK 552 Holographic Sight 9K00YTP . . . 509.00
#100-003-196EK 552.XR308 Holographic Sight, 9K00YTP . . . 559.00

#100-002-871EK 553 Holographic Sight 9K00PUA . . . 659.00

REPLACEMENT PARTS - Genuine factory replacement parts fit perfectly and help you keep your EOTech sight running like new. Aluminum **Protective Hoods** for 511/512/551/552 series and model 553 are available in matte black. Hood installation requires the four, T-15 Torx®-head screws in the **Hood Mounting Screw Kit**, available separately. Polymer **Battery Compartments** are available for N-cell powered 500 series, pre-2009 model 512/552 sights that use AA-cells, and model 553 (two CR-123A cells). **Mounting Hardware** kit contains an Allen head cross-bolt and wrench, Weaver-style slotted mount bolt, plastic washer, and Weaver lock bar. Fits 511, 512, 551, 552 sights only.

SPECS: Protective Hoods - Aluminum, anodized, matte black. Hood Screws/Mounting Hardware Kit - hardened steel, matte black. Battery Compartments - Reinforced molded polymer.

#100-005-846EK 511/512/551/552 Protective Hood, Black, 9K2A00 . . . \$ 32.00
#100-005-845EK 553 Protective Hood, Black 9K13A35 18.00
#100-005-847EK Hood Mounting Screw Kit 9K02A00 . 3.00
#100-005-848EK 511/512/551/552 Mounting Hardware, 9K16Y00 . . . 22.00
#100-005-843EK 502/511/551 Battery Compartment, 9K13A35 . . . 18.00
#100-005-842EK Pre-2009 512/552 Battery Compartment, 9K15A00 . . . 20.00
#100-005-844EK 553 Battery Compartment, 1an, 9K13A35 . . . 18.00

MODELS 516, 517 & 556 - Flush-mounted control buttons positioned on the left side of the unit ensure easy, fast access when back-up iron sight or EOTech Magnifier is installed. Integral mount with knurled cross-bolt locks securely MIL-STD 1913 Picatinny and Weaver-style rails; zero is repeatable to 1 MOA after removing and re-mounting. Front one-third of the base underside is elevated .275" (7mm) for clearance over delta ring and standard military-style plastic handguard. Submersible to 33 ft. depth. **Models 516 and 556** occupy only 3/4" of rail space, leaving adequate room for a backup iron sight. Both have an easy-to-acquire tactical reticle with a 1 MOA dot inside a 65 MOA ring and provide up to 1,100 hours of continuous operation on two (2) 3 volt CR123A lithium batteries, included. **Model 556** is also compatible with Gen I-III+ night vision systems; 1000:1 night vision brightness range with NV switch engaged. Full-size **Model 517** is powered by two common 1.5 volt AA batteries for 600 hours of continuous operation with alkaline batteries or 1,000 hours with lithium cells. Reticle is a 65 MOA circle with a 1 MOA center aiming dot. Requires 3/4" of rail space. Buttons positioned on left side of housing for easy access when G23 Magnifier is mounted behind sight.

SPECS: Polycarbonate body, aluminum hood, matte, black. Lens - $\frac{3}{16}$ " thick, 3-layer, shatterproof laminate glass. **516/556** - 5 $\frac{3}{16}$ " (13cm) long, 2 $\frac{1}{8}$ " (5.4cm) wide, 2 $\frac{3}{4}$ " (7cm) high. 11.9 oz. (337g) weight. **517** - 5 $\frac{3}{16}$ " (14.6cm) long, 2 $\frac{1}{8}$ " wide, 2 $\frac{3}{4}$ " high. 12.3 oz. (349g) weight. **516/517/556** - Reticle: 1 MOA dot inside 65 MOA ring.

#100-003-473EK 516 Holographic Sight, 9K00ZAY . . . \$ 479.00

#100-004-280EK 517 Holographic Sight 9K00HDZ . . 449.00
#100-003-475EK 556 Holographic Sight 9K00BXC . . 569.00

XPS/EXPS SERIES - The most compact EOTech holographic weapon sight series yet. Runs on a single CR-123 battery, yet delivers up to 600 hours of continuous operation. Overall sight length is less than 3" because the battery is mounted crossways, at the front of the housing. Sealed, waterproof buttons let you activate the high-visibility red reticle and precisely adjust the brightness level for any ambient light conditions. Automatically shuts off after 8 hours (user may reset to 4 hours) to preserve battery life. Fully adjustable for windage and elevation in 1/2 MOA clicks. Non-magnifying, fogproof optics of shatter-resistant, anti-glare coated laminate provide exceptional clarity. Base requires only 2 1/4" of rail space; fits MIL-STD 1913 Picatinny or Weaver rail.

O-ring sealed battery cap keeps out moisture (submersible to 10-ft. depth). Standard XPS models have rear-mounted control buttons. **XPS2-0** model features a reticle with an easy-to-see 65 MOA circle with a 1 MOA aiming dot in the center. **XPS3-0** is night-vision compatible with a night vision brightness range of 1,280:1 with NV switch engaged. **Extreme-XPS (EXPS)** models are both Gen I-III+ night-vision compatible and feature a battery compartment positioned above the base so the sight can be mounted closer to the Delta ring. A slightly higher base positions the viewing window to co-witness with iron sights. Quick-release rail mounting system has a release lever that fits flush along the side of the sight, so the EXPS is no bulkier than the XPS. A locking tab prevents accidental lever release. Control buttons on the left side of the housing. **EXPS3-0** has a 65 MOA circle/1 MOA center dot reticle. **EXPS3-2** reticle has 65 MOA circle with two, vertically aligned 1 MOA dots, the top dot for targeting out to 200 yards, the lower dot for ranges out to 500 yards.

SPECS: Aluminum housing, hardcoat anodized, matte black. Windage and elevation adjustment range +/-40 MOA in 1/2 MOA clicks (1/2" at 100 yards). Brightness adjustment range: 146,000:1, brightest to lowest. 20 brightness settings; night-vision compatible models have additional 10 NV settings. Brightness range in NV mode: 1,280:1. **XPS** - 3.675" (9.3cm) long x 2.125" (5.4cm) wide x 2.375" (6cm) high. 8.8 oz. (250g) weight. **EXPS** - 3.675" long x 2.25" (5.7cm) wide x 2.75" (7cm) high. 11.2 oz. (317g) weight.

#100-004-277EK XPS2-0 Sight 9K00VBX . . . \$ 479.00
#100-004-498EK XPS3-0 Sight 9K00YTP . . . 569.00
#100-005-734EK EXPS3-0 Sight 9K00UAV . . . 599.00
#100-005-735EK EXPS3-2 Sight 9K00XCH . . . 599.00

LEUPOLD

MARK 4® LR/T SCOPE

30mm Tube, High-Resolution Optics & Repeatable Tracking For Long-Range Accuracy

Variable-power, precision tactical scopes have 30mm tubes, Leupold's legendary high-resolution optics, and repeatable tracking for long range accuracy. They feature side parallax adjustment for fast, easy focusing from 50 yards to infinity. Large, easy-to-grasp target turrets with repeatable tracking allow an easy return to zero once you're sighted in. **M5-FF** front focal plane scopes maintain the exact spacing of the Mil-Dot subtensions regardless of the magnification selected. All other models are rear focal plane scopes that change subtension spacing at each different magnification setting. **M1/M5/Tgt** models have 1/4 MOA elevation and windage adjustments; **M3** models have 1 MOA elevation and 1/2 MOA windage adjustments. Choose from Mil-Dot, Illuminated Mil-Dot and Illuminated Tactical Milling Reticle (TMR) similar to a Mil-Dot reticle but with finer stadia for more precise range estimation. Available reticle styles and magnification options listed below.

SPECS: Aluminum tube, anodized, matte black finish. 30mm tube diameter.

STOCK #	MAGNIF (mm)	RETICLE	WT.	PRICE
#526-000-064EK	4.5-14x50	M1 Mil-Dot	122oz (624g)	6B00YTP \$ 1,199.99
#526-000-149EK	3.5-10x40	M5-FF Mil-Dot	19.5oz (553g)	6B00YTP \$ 1,499.99
#526-000-150EK	4.5-14x40	Tgt Mil-Dot	19.5oz (553g)	6B00AVB \$ 879.99
#526-000-151EK	4.5-14x50	M1 Illum Mil-Dot	16oz (454g)	6B00HDZ \$ 1,379.99
#526-000-152EK	4.5-14x50	M1 Illum TMR	22oz (624g)	6B00YTP \$ 1,379.99
#526-000-153EK	6.5-20x50	M1 Mil-Dot	22oz (624g)	6B00AVB \$ 1,299.99
#526-000-154EK	6.5-20x50	M1 Illum TMR	22oz (624g)	6B00HDZ \$ 1,479.99
#526-000-155EK	8.5-25x50	M1 Mil-Dot	22oz (624g)	6B00YTP \$ 1,399.99
#526-476-380EK	10x40	M3 Mil-Dot	22oz (624g)	6B00VBX \$ 1,499.99
#526-518-500EK	3.5-10x40	M3 Mil-Dot	21oz (595g)	6B00VBX \$ 1,179.99

G23.FTS MAGNIFIER - Add-on optic system increases the reach of any EOTech Holographic Weapon Sight (HWS) out to 600 meters without compromising close-range effectiveness. 3x Magnifier mounts directly behind the HWS on the receiver rail and requires no adjustments to the HWS itself. Point of aim is unchanged, and the center dot remains 1 MOA in diameter, while the angular size of the target is magnified. Sealed fogproof optics are submersible to a 33 ft. depth and fully adjustable for windage and elevation. Flip-To-Side mount lets you transition back to direct, unmagnified viewing through the HWS by hitting the release lever to flip the Magnifier out of the line of sight. Mount can be installed with the lever and flip path on the left or right side. Quick-release ARMS® locking system secures the mount to any MIL-STD 1913 Picatinny receiver rail, and lets you remove the magnifier and mount from the weapon as a single unit. Provides clearance for most low-profile flip-up rear sights; add-on 7mm riser included if additional height is needed.

SPECS: Aluminum, hardcoat anodized, matte black. 4.4" (11.3cm) long x 2" (5.1cm) diameter at widest point. 16.5 oz. (500g) weight. Actual magnification: 3.25x. Eye relief: 2" (5.1cm). Field of view: 6°. Operating temperature range: -40° to 160° F.

#100-004-286EK G23.FTS Magnifier 9K00VBX . . . \$ 549.00



LASER DEVICES/EOTECH

EOLAD-1V LASER/HOLOGRAPHIC SIGHT SYSTEM

Dual-Mode System Gives Choice Of Red Dot Or Laser To Address Almost Any Target

Advanced dual-mode sighting system gives the operator the choice of a holographic red dot sight or a powerful laser sight to address almost any tactical situation. Combines the fast acquisition, heads-up versatility, and long-range capabilities of an EOTech Model 552 holographic sight with the precision of a powerful 635nm/5mW red laser sight in one compact, flat-top-mounted unit. Systems may be operated independently and are separately adjustable for windage and elevation. Laser has two output settings and draws power from the 552's battery pack; two, included 1.5 volt AA batteries give five hours of continuous laser operation. Eye-safe low-power setting is for force-on-force training and CQB; high-power setting for daylight and long-distance target illumination. Pressure switch on housing activates laser; a separate plug-in remote switch is provided for use on handguard or vertical grip. Both switches allow easy tactile selection of momentary or continuous operation. Master lock-out switch prevents accidental operation and allows selection of Low or High setting. Removable safety screw prevents accidental High mode activation. LED on rear of housing indicates when laser is on and flashes to indicate low battery. Materials and construction meet MIL-STD-810F for adverse environmental conditions. Aluminum housing is built to withstand shock, vibration, and temperature extremes of the harshest law enforcement and military operations. Aluminum "roll bar" hood protects display of holographic sight from impact; captive rubber plug protects laser lens when not in use. Electronics are sealed against dirt and are waterproof to a depth of 33 feet (10m). Flush-mounted, rubber-sealed, all-weather push-button switches are built to withstand thousands of on/off cycles. Integral mount locks securely to Picatinny and Weaver-style rail. 552 sight is night vision compatible with a brightness range of 1,000:1 with NV switch engaged. **USA**

SPECS: Housing/Hood - 6061 T6 aluminum, anodized, matte black. Polycarbonate battery compartment. 5 1/2" (14cm) long, 2 3/8" (7.3cm) wide, 2 3/8" (6cm) high. 15.8 oz. (448g) weight. Lens - 3/16" thick, 3-layer, shatterproof laminate glass. Reticle size: 1 MOA dot and 65 MOA ring. Laser - Visible Class IIIa pointer, 5mW power output, 635nm wavelength. 8mm beam diameter at 25m. Maximum laser range approximately 33 yards (30m) in daylight, 492 yards (450m) in low light. Uses two AA 1.5 volt alkaline, lithium, or rechargeable batteries.

#100-003-514EK EOLAD-1V Holographic/Laser Sight, 9A1281Z33 . . . \$ 1,479.99

YANKEE HILL

EOTECH REPLACEMENT SCREW

Oversize Head Makes Attaching Your HoloSight Easier

Fully machined, heat-treated thumbscrew with oversize, slotted head protrudes farther out from the side of your EOTech holographic sight. Provides increased surface area for more positive sight retention than the small-headed factory screw. Makes attaching and removing your sight much easier to do, even when wearing gloves. **USA**

SPECS: Steel, matte blue. 2 1/8" (5.3cm) long. Head - .562" (14.2mm) diameter, 375" (9.5mm) thick.


#100-002-898EK EOTech Repl. Screw 9A06B85 . . . \$ 9.00

View our How-To Video Guides at
brownells.com

Office/Tech: 641-623-5401


J. P. ENTERPRISES J POINT™ SIGHT

**Provides Fast Target Acquisition
For All Weapon Types**

Compact and lightweight, this micro-electronic reflex sight provides a nearly unrestricted field of view for rapid target acquisition. Small size doesn't affect gun balance and handling. Features an always-on, micro-chip control that requires no switches or adjustments. LED insert senses light level and automatically sets dot brightness for optimum visibility in all ambient light conditions. Snap-on, protective cover extends battery life, protects lens from dust and dirt. Has 25 inches of windage and elevation adjustment at 20 yards. Fits the same bases and mounts as the Fire Point and Tasco Optima sights. 4MOA dot for precision shooting. 

SPECS: Polymer body, black, matte finish. 1" (2.5cm) wide, 1.6" (4.1cm) long, .9" (23mm) high. 1/2 oz. (14g) weight. Uses (1) CR2032 lithium battery, included. 2 to 3 years of battery life.

#452-000-016EK 4 MOA J Point Sight 2E241T61... \$ 299.99

J POINT 1" SHIM PIECE - Molded polymer shim solves adjustment problems for JPoint sights that have run out of travel at the top or bottom end of their elevation range. Built-in, 1" taper allows shim to be mounted high end forward or rearward to gain up or down adjustment as needed. Integral "feet" make shim alignment easy and provide a no-shift fit to bottom side of sight. Can also be used to raise sight height by stacking multiple shims with thick ends alternated to maintain zero angle of adjustment. Available singly and in 3- and 5-Paks. Mounting screws included. Shims made in U.S.A. 

SPECS: Polymer, black. 1" (2.5cm) wide x 1 1/8" (4.1cm) long. Tapers from .08" (2.1mm) to .06" (1.6mm) thick.

#452-000-030EK J Point 1" Shim, each 2E04P00... \$ 4.95

#452-000-031EK J Point 1" Shim, 3-pak 2E10P25... 12.95

#452-000-032EK J Point 1" Shim, 5-pak 2E15P00... 18.95

MEPROLIGHT

MEPRO 21 REFLEX SIGHTS



Mepro 21-I

**Glowing Reticle Works
In All Light Conditions**

Light-gathering, fiber optics and a tritium insert provide a crisp reticle in bright daylight or low light that's easy to see for quick target acquisition. No batteries to fail at

the wrong time, no switches to break, always on and ready to use. 30mm lens gives an excellent field of view and has a multi-layered coating to enhance light transmission. **Mepro 21-I** is ultra bright, with fiber optics both above the sight and below the lens, giving it three times more light-gathering capabilities than the discontinued Mepro 21-C. Available in your choice of either a 5.5 MOA dot or a 12 MOA triangle. Dual-lever, quick-release mounting system provides accurate return-to-zero on Picatinny rails.

SPECS: Alloyed casting, matte black. 4 1/2" (11.4cm) long, 1 1/2" (4.2cm) wide. 13 oz. (368 g) weight.

#387-000-033EK Mepro 21-I 5.5 QR 7H484B00... \$ 605.00

#387-000-035EK Mepro 21-I 12 QR 7H506B00... 632.00

TRIJICON TRIPOWER TACTICAL SIGHT

**Three Light Sources, Ensures
Aiming Point Is Always Visible**


Multiple light source, optical sight makes sure the chevron reticle is always illuminated for reliable target engagement. Integrated fiber optic system automatically adjusts brightness to match light conditions. In total darkness, tritium-illumination provides a distinct aiming point. Battery backup system lets you set reticle brightness for tactical entry and critical, low-light situations. Features fifteen day and five night vision settings, auto shut-off and push button



**Compact, Ruggedized Red Dot
Sight System For Fast,
Accurate Targeting**



As tough as Trijicon's legendary ACOG® scopes, the low-profile RMR™ (Ruggedized Miniature Reflex) sight enables fast, both-eyes-open, target acquisition—even in poor lighting conditions.

Unlimited eye relief allows natural presentation from almost any shooting position, plus clear, unobstructed panoramic views for maximum situational awareness. Mount an RMR on your rifle to supplement your ACOG, and you're ready to address targets at any range. Performs in the harshest operating conditions thanks to a computer-optimized geometric housing of high-strength, forged, military-grade, aluminum that absorbs shock and diverts stress away from the lens. Simple to operate, no switches to toggle, or forget to activate under stress, because the sight is always on. The True-Color 28-layer coated, non-magnifying lens delivers a crisp, clear shooting picture. Fully adjustable for windage and elevation, 1 MOA per audible click. Each RMR is pre-adjusted at the factory to be parallax-free at 50 meters. LED models run over 17,000 hours on one CR-2032 lithium battery (included) or up to 4 years in dark storage. **RM01** projects a 4 MOA red dot, while **RM02** features an 8 MOA red dot. Battery-free **Dual-Illuminated** models use a combination of powerful, light-gathering fiber optics and self-illuminating Tritium to project a bright amber dot on the sight in any light conditions from pitch darkness to broad daylight. Automatically adjusts brightness and contrast of reticle to ambient light. **RM03** - 13 MOA dot; **RM04** - 7 MOA dot; **RM05** - 9 MOA dot. All RMR models come shipped in a water-resistant, dustproof, and crushproof Pelican™ case. Mounts sold separately, below. 

SPECS: 7075 T6 aluminum housing, hardcoat anodized, matte black. Acrylic lens. 1 3/4" (4.5cm) long, 1 1/8" (2.8cm) wide, 1" (2.5cm) high. 1.2 oz (34g) weight. Waterproof to 66 feet (20m). Carry case, CR-2032 battery (LED models), and instructions included; mounts sold separately, below. **RM01** - 4.0 MOA LED red dot. **RM02** - 8.0 MOA LED red dot. **RM03** - 13.0 MOA amber dot. **RM04** - 7.0 MOA amber dot. **RM05** - 9.0 MOA amber dot.

#892-000-050EK RM01 LED RMR Sight, 4 MOA, 2H484D00... \$ 531.25

#892-000-051EK RM02 LED RMR Sight, 8 MOA, 2H484D00... 531.25

#892-000-063EK RM03 Dual-Illum. RMR Sight, 13 MOA, 2H425T33... \$ 467.50

#892-000-064EK RM04 Dual-Illum. RMR Sight, 7 MOA, 2H425T33... 467.50


#892-000-065EK RM05 Dual-Illum. RMR Sight, 9 MOA, 2H425T33... 467.50

RMR SIGHT MOUNTS - Strong, lightweight aluminum mounts provide a secure, solid platform for Trijicon's RMR™ red dot sights. **RM33** provides a low-profile mount on Picatinny rails; attaches to rail with a full-length locking rail and two recessed hex-head setscrews. **RM34** offers Picatinny rail mounting with extra elevation; attaches to rail with a full-length locking bar and an easy to grasp, grooved, thumbscrew for fast attachment.

SPECS: Aluminum, hardcoat anodized matte black Heights measured from top of rail to bottom of sight. Fits Picatinny rails. **RM33** - 1/4" (6.4mm) high. **RM34** - 7/8" (2.2cm) high.

#892-000-057EK RM33 Mount 2H77D33... \$ 84.15

#892-000-058EK RM34 Mount 2H105D33... 114.75

controls. Reticle is 14.4 MOA tall and 16.6 MOA wide, equals standard military silhouette at 100 meters to help determine range. 30mm tube, includes Weaver-style mounting ring. Sealed against dust and waterproof to a depth of 100 feet. 

SPECS: Aluminum body, black, matte finish. 5 1/4" (13.3cm) long. 4.7 oz. (132 g) wt. Uses (2) CR1/3N lithium batteries. Includes (4) batteries, LensPen, Scopecoat, 30mm mounting ring, fiber optic cover, and hard carry case.


#892-000-010EK Tripower Tactical Sight, 2H616V00... \$ 676.60

TRIJICON RMR SIGHT

MICHIGUNS

EOTECH ADJUSTMENT DECALS

**Elevation & Windage Calibrated
Decals For Fast Adjustments**


Calibrated decals are placed on the outside of the EOTech protective housing, around the elevation and windage knobs to allow fast, precise sight adjustments on distant targets. Large, easy to see arrows avoid confusion by pointing in the direction of turn to change elevation and windage. Transparent with tan colored lettering and markings that are easy to see. Each calibrated "tic" mark is the equivalent of 1/2" of bullet point-of-impact at 100 yards. Constructed of waterproof, high-strength vinyl, with an adhesive backing that holds tight. 

SPECS: Vinyl decal. Calibration - 1/2" @ 100 yards.

#100-003-668EK Adjustment Decals 3Z06Y95... \$ 9.99

TRIJICON MS19 RED DOT MOUNT

**Mounts Red Dot Sights
To Accessory Rails**

Precision machined aluminum mount fits standard Picatinny and Weaver-style accessory rails to provide a secure, solid platform for the original Trijicon RedDot, J-Point, Optima, and Fire Point sights. Will not fit Trijicon RMR™ red dot sight. Large, deeply grooved thumbscrew serves as a recoil lug and pulls the steel locking bar tightly against the rail for a zero-movement installation. 

SPECS: Aluminum, hardcoat anodized, matte black. Fits Picatinny and Weaver-style rails. Accepts original Trijicon RedDot, J-Point, Optima, and Fire Point red dot sights. **Will not accept Trijicon RMR red dot sight.**

#892-000-048EK MS19 Red Dot Mount 2H56V00... \$ 68.95

LEUPOLD PRISMATIC RIFLE SCOPE



**Combines The Speed Of A
Red Dot With The Reliability
Of A Traditional Scope**

Compact, 1x magnifying optic combines the fast target acquisition, accuracy, and low-light capability of a red dot sight with

the reliability and clarity of a traditional rifle scope. Allows easy, both-eyes-open sighting that preserves depth perception and peripheral vision for quick reaction to changes in target—perfect for tactical operations or hunting applications that require a low-magnification scope. Battery powered illumination module clamps to the side of the tube and illuminates the reticle in red for maximum contrast with target. Eight brightness settings let you adjust the intensity of the etched circle-and-crosshairs reticle. Illumination module can be removed for minimal weight and bulk. Fully adjustable for windage and elevation in precise 1/2 MOA clicks, with a 70 MOA adjustment range. DiamondCoat 2™ lens treatment enhances light transmission and helps protect lens surface. Includes integrated base with three optional height spacers to accommodate mounting on almost any firearm with Picatinny or Weaver-style rails. Also compatible with standard 30mm scope rings and A.R.M.S. #22 quick-detach throw-lever rings. Heavy duty, extra-thick walled tube, plus sealed, fogproof and waterproof construction stands up hard use.

SPECS: Aluminum, anodized, matte black. 4 3/8" (11.1cm) long, 2" (5.1cm) maximum width with Illumination Module installed. 30mm diameter tube. 8.4 oz. (237g) weight without base. Eye relief: 3" (76cm). Uses (1) DL1/3N button-type battery, included.

#526-000-090EK Prismatic Rifle Scope 6B00AVB... \$ 499.99

NIKON AR-15/M16 M-223 SCOPES

**Legendary Clarity Of Nikon Optics;
Calibrated For .223/5.56 Ammo**

Rugged, variable-power scopes are specifically engineered to help shooters get the most from the AR platform, with quick, accurate hits at a wide variety of distances. These scopes are ballistically calibrated at the factory at the factory to match the trajectory of .223/5.56mm, 55-grain polymer-tipped bullets traveling at 3,240 fps. Or, you can recalibrate the scope for different bullet/velocity combinations. High-resolution optics and multi-layer coated lenses give superb clarity and light-gathering capacity, especially at dusk and dawn. All models provide an extra-wide range of windage and elevation click adjustments in 1/4 or 1/2 MOA increments. **Nikoplex** models feature Nikon's classic Nikoplex cross-hair reticle and a Rapid Action Turret that lets you dial your elevation in 50 yard increments from 100 to 600 yards in less than one revolution. **BDC 600** reticle allows instant range and target adjustments without taking your eyes out of the scope and losing the target. Open-circle aiming points at 200, 300, 400, 500, and 600 yards, with hash marks between them for mid-range targeting between those settings.

1-4 x 20mm - Point Blank reticle offers a wide field of view for fast, accurate, instinctive shooting from 0 to 200 yards—ideal for 3-gun matches. Reticle is similar to a standard duplex crosshair with 3 MOA dot; just cover the target with the reticle dot and squeeze the trigger; Large easy-to-grasp target turrets with 120 MOA windage/elevation adjustment range in 1/2 MOA clicks.

SPECS: Aluminum tube, hardcoat anodized, matte black. 10 3/8" OAL. 1" O.D. tube. Variable 1x-4x magnification, 20mm diameter objective lens. Parallax 100 yds, fixed; 4" long eye relief. 12 oz. wt.

#100-006-122EK 1-4x 20 Point Blank 6Z00YTP... \$ 289.95

2-8 x 32mm - Variable 2x to 8x magnification with 80 MOA windage/elevation adjustment range in 1/4 MOA increments for extra-precise targeting. Available with Nikoplex or BDC 600 reticle.

SPECS: Aluminum tube, hardcoat anodized, matte black. 11 1/2" OAL. 1" O.D. tube. Variable 2x-8x magnification, 32mm diameter objective lens. Parallax 100 yds, fixed; 4" long eye relief. 13.4 oz. wt.

#100-006-123EK 2-8x 32 Nikoplex 6Z00AVB... \$ 329.95

#100-006-124EK 2-8x 32 BDC 600 6Z00CHD... 349.95

3-12 x 42mmSF - Long-range models feature a side focus knob for instant parallax adjustment without taking your eye away from the rear objective. 60 MOA windage/elevation adjustment range in precise 1/4 MOA increments. Includes anti-reflective lens cover that helps eliminate glare. Available with Nikoplex or BDC 600 reticle.

SPECS: Aluminum tube, hardcoat anodized matte black. 13 1/8" OAL. 1" O.D. tube. Variable 3x-12x magnification, 42mm diameter objective lens. Parallax adjustable from 50 yds to infinity. 18.7oz. wt.

#100-006-125EK 3-12x 42SF Nikoplex 6Z00AYT... \$ 449.95

#100-006-126EK 3-12x 42SF BDC 600 6Z00UAV... 459.95

M-223 MOUNT - Clamps to flattop receiver to provide correct height and eye relief for all M-223 scopes. Positions the scope for a comfortable head position; cantilever extends 2" forward of receiver for plenty of eye relief. Built-in 20 MOA elevation. Can be used on other scopes with 1" O.D. tubes.

SPECS: Aluminum hardcoat anodized, matte black. Steel mounting hardware, black oxide finish. 5" O.A.L. 3 1/2" center-to-center ring spacing; 3.125" between ring edges. 20 MOA built-in elevation. Requires 3 1/2" of rail space. 5.5 oz. wt.

#100-006-127EK M-223 Scope Mount 6Z00XCH... \$ 99.95

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 89




TRIJICON® ACOG REFLEX SIGHT

Bright, Glowing, Aiming Dot In All Conditions,
Without Batteries

RX01/RX34 REFLEX SIGHT - Uses ambient light reflected through a fiber optic system, combined with glow-in-the-dark Tritium, to create an easy-to-see amber-colored aiming dot with excellent contrast in all light conditions. No batteries to weaken or wear out, no switches to turn on and off. **RX01** has a large 6.5 MOA dot and 24mm diameter objective; **RX34** has a 4.5 MOA dot and 42mm diameter objective. Combat tested, all-machined, aluminum housing is rugged enough to protect the optics in the toughest conditions without failure. Separate mounts allow one Reflex Sight to be used in several applications. No-gunsmithing, clamp-on mounts return to zero after installation and removal. 


SPECS: **RX01 Reflex Sight** - Aluminum housing, gray, hard-anodized finish, 4 1/4" (10.7cm) long, 4.2 oz. (119 g) wt. 24mm objective diameter. 6.5 MOA dot. **RX34 Reflex Sight** - Aluminum housing, gray, hard-anodized finish, 4 7/8" (12.4cm) long, 8.2 oz. (232g) wt. 42mm diameter objective, 4.5 MOA dot. **Mounts** - Aluminum, black, anodized finish. **RX10** fits AR-15/M16 carry handle. **RX11** fits Weaver-style rails, dual locking screws. **RX14** fits Picatinny flat-top AR-15/M16 receivers, dual locking thumbscrew.

#892-110-001EK	RX01 Reflex Sight, 2H384V00	\$ 420.75
#892-000-068EK	RX34 Reflex Sight, 2H445T00	\$ 505.75
#892-110-010EK	RX10 Reflex Mount, 2H122V67	134.30
#892-110-011EK	RX11 Reflex Mount, 2H57V33	62.05
#892-110-014EK	RX14 Reflex Mount, 2H104V00	113.05


RX30 REFLEX SIGHT & FLATTOP MOUNT - Same non-magnifying, dual-illumination system and 6.5 MOA amber dot as RX01, with larger 42mm objective for maximum light-gathering capability and fast target acquisition. Multi-layer, dichroic-mirror coated lens for outstanding heads-up, both-eye-open targeting. Adjustable for windage and elevation +/-30 MOA, one click per inch at 100 yards. Housing is investment cast from A357-T6 aluminum alloy; mount of forged 7075-T6 aluminum provides rock-solid mounting to any MIL-STD 1913 Picatinny flattop rail, with return to zero after removal and reinstallation. 

SPECS: Aluminum housing and mount, hard-anodized, dark gray, matte finish. 4 7/8" (cm) long, 2 1/16" (5.2cm) wide. 12.3 oz. (348g) weight. 42mm objective diameter. Includes lens cleaning pen, Allen wrench, and instruction booklet.

#892-000-038EK	RX30 Reflex Sight w/Mount, 2H564V00	\$ 618.80
----------------	---	-----------

RX06 REFLEX II SIGHT - Advanced optics provide enhanced, wide-band, light transmission for faster target acquisition in a broad range of shooting situations. 12.5 MOA Triangle reticle gives lightning fast, very precise aiming in bright daylight or total darkness at any distance. Includes polarizing filter, rubber lens cover and lens cleaning pen. Select from sight models above. 

#892-112-125EK	RX06 Reflex II Triangle Sight, 2H384V00	\$ 420.75
----------------	---	-----------

TENEBAEX KILLFLASH GUARD - Anti-reflection device prevents glare and reflected images from interfering with sight picture on Reflex sights. **SPECS:** Aluminum, matte, black. Honeycomb screen. .76" (19.3mm) long 1.1" (2.8cm) diameter. 

#892-802-022EK	Killflash 2H00DZA	\$ 32.30
----------------	--------------------------	----------


TRIJICON® AR-15/M16 ACOG SCOPES



Advanced Combat Optical Gunsight



Ultra strong, lightweight, forged aluminum housing and the compact design make this the strongest, most technically advanced, combat gun sight available. Tremendous


light transmission and unbelievable optical clarity rivals many high-quality hunting scopes. Mounts on the AR-15/M16 or AR-10/SR25 carry handle without modifications. **TA01 4x32** - The exclusive Trijicon, self-luminous reticle has a built-in range-finding feature that's ballistically matched to the 5.56 X 45 NATO cartridge and clearly shows "center-of-mass" aiming points for ranges up to 800 yds. Easy-to-see reticle glows red in low-light conditions. Sight tunnel in mount allows use of standard issue sights. **TA01B 4x32** - Features the Trijicon, self-luminous reticle calibrated for 7.62mm NATO ammunition. **TA51 Bracket** converts standard ACOG for easy mounting on flat top receivers and Weaver-style rails. 

SPECS: 7070-T6 alum. housing, black, anodized. 5.8" (14.7cm) long, 9.9 oz. (280 g) wt. 4X magnification, 32mm objective lens.		
#892-800-432EK	TA01 4x32 2H873A10	\$ 1,089.99
#892-800-433EK	TA01B 4x32 2H855A40	1,099.99
#892-810-051EK	TA51 Bracket 2H56A00	72.00


TA01NSN4x32SPECIALFORCES - Includes integral peep rear with tritium dot front sight for fast, close range sighting; TA51 mounting bracket easily mounts the ACOG Special Forces on flat top receivers; Includes "bikini"-style scope covers and yellow center, range finding reticle to match M4A1 Carbine NSN 1240-01-412-6608. 

SPECS: 7070-T6 alum. housing, black, anodized. 5.8" (14.7cm) long, 9.9 oz. (280 g) wt. 4X magnification, 32mm objective lens.


#892-810-432EK Spec. Forces ACOG 2H974A99 . . . \$ 999.99

TA11 3.5x35 - A larger ACOG with the exclusive Bindon Aiming Concept (BAC) for "quick-as-thinking" aiming. Built-in range-finding reticle for ranges up to 800 yds. Mounts on the AR-15/M16 handle without modifications; allows use of standard issue sights. **SPECS:** Forged 7070-T6 aluminum housing, black, anodized, coated lenses. 8" (20cm) long, 14 oz. (396 g) wt. 3.5X magnification, 35mm objective lens. Adjustable for windage and elevation. 


#892-800-335EK	3.5x35 ACOG 2H1061A69	\$ 1,349.99
----------------	------------------------------	-------------

TA44 1.5X16 - The smallest, lightest ACOG we offer, the ultra-compact TA44 delivers fast targeting and outstanding mobility on lightweight tactical carbines. Perfect for entry teams and other tactical operators. Dual-illuminated reticle is a bright, easy-to-acquire, red dot within a circle, and modest 1.5x magnification ensures a wide field of view (7.4°, 39 ft. at 100 yards) for fast target acquisition under stress. Mounts directly to A2-type carry handle; tunnel in the integral base allows use of standard-issue sights. 

SPECS: Forged 7070-T6 aluminum housing, black, anodized, coated lenses. 4.1" (cm) long. 5.1 oz. (145g) weight. 1.5X magnification, 16mm objective lens. Adjustable for windage and elevation.		
#892-000-052EK	1.5x16 Red Circle/Dot ACOG, 2H926A50	\$ 1,090.00

ACOG BIKINI COVER - Flexible rubber lens covers seal out unwanted moisture and debris; comes equipped with a rubber pull tab for fast installation and removal. 

SPECS: Rubber, black. 5½" (14cm) long. Fits 4x32 ACOG scopes only.	
#892-801-052EK	ACOG Bikini Cover 2H09A33 \$ 12.00

TA47 2.0x20 - Lightweight, Compact ACOG, with the exclusive Bindon Aiming Concept (BAC) for quick, both eyes open, aiming. Mounts on the AR-15 carry handle without modifications; allows use of standard issue sights. Dual illumination; fiber optic rod with glowing amber tritium illuminates the aiming Triangle Dot reticle in bright daylight and low light. 


SPECS: Forged 7070-T6 aluminum housing, black, anodized, coated lenses. 5.3" (13.4cm) long, 5.8 oz. (164 g) wt. 2.0X magnification, 20mm objective lens. Adjustable for windage and elevation.

#892-803-220EK 2.0x20 Tri. ACOG 2H862T66 \$ 946.90


TA33 3X30 - Lightweight, compact ACOG combines ample 3x magnification with Bindon Aiming Concept (BAC) for quick, instinctive, both-eyes-open aiming—perfect for a patrol rifle or military carbine. Battery-free, dual illumination system uses a fiber optic rod and glowing tritium lamp to illuminate the reticle in bright daylight and low light. Available with two reticle styles. **Amber Chevron** reticle resembles an upside down "V" and provides the benefits of a triangle reticle while covering less of the target. Also available with **Green Horseshoe** reticle with a single center dot. Clamps securely to a flattop receiver with the integral base. Available in two models, with a choice of a bullet drop compensated (BDC) reticle specifically calibrated to the trajectory of the .223 or .308 cartridge. 

SPECS: Forged 7075-T6 aluminum housing, matte black anodized; coated lenses. 6 1/8" (15.6cm) long, 11.8 oz. (334g) total weight. 3x magnification, 30mm objective lens. Adjustable for windage and elevation.	
TA33-8 - Amber chevron BDC reticle calibrated for .223 AR-15/M16.	
TA33G-H Green inverted horseshoe BDC reticle for .223 AR-15/M16.	
TA33-9 - Amber chevron BDC reticle calibrated for AR-style .308 rifles.	


#892-000-030EK	TA33-8, 3x30 Amber Chevron ACOG for .223 2H944D00	\$ 1,036.99
#892-000-069EK	TA33G-H, 3x30 Green Horseshoe ACOG for .223 2H920T00	1,037.00
#892-000-029EK	TA33-9, 3x30 Amber Chevron ACOG for .308 2H944D00	1,036.99

TA50 3x24 - Lightweight, compact scope attaches right to AR-15/M16 carry-handle rifles. Allows use of iron sights. 3X magnification power helps identify targets 300 meters away and farther. Includes tritium and fiber optics to provide an excellent, magnified sight picture. Features the Bindon Aiming concept (BAC) to provide rapid target acquisition. Available with a red triangle reticle. 

SPECS: Forged 7075-T6 aluminum housing, black, anodized; coated lenses. Approx. 5" (12.7cm) long, 5.9 oz. (167 g) wt. 3X magnification, 24mm objective lens. Adjusts for windage and elevation.		
#892-000-019EK	3x24 Red Triangle ACOG, 2H862V66	\$ 946.90

TA31F 4x32 - Compact, 4x magnification scope clamps to a MIL-STD 1913 Picatinny receiver rail and features a bright, red Chevron reticle that is lit by both fiber optics and Tritium. Gives a vivid sight picture at distances up to 800 meters. Uses the Bindon Aiming concept (BAC) for excellent, both-eyes-open, target acquisition. Reticle looks like an upside down "V" and provides benefits similar to a triangle reticle, while covering less of the target. Sight tunnel retains use of iron sights. 

SPECS: Forged 7075-T6 aluminum housing, black, anodized; coated lenses. Approximately 5.8" (14.7cm) long, 10 oz. (284 g) weight. 4X magnification, 32mm objective lens. Adjustable for windage and elevation.		
#892-000-021EK	4x32 Red Chevron ACOG, 2H1078V00	\$ 1,218.05

TA31RCO4x32 - Currently in service as the Rifle Combat Optic (RCO) of the United States Marine Corps, the TA31RCO is designed specifically for the 14.5" barreled M4 carbine. The bright, red, upside down "V" reticle gives fast, instinctive target acquisition at close range, and is bullet drop compensated (BDC) to the trajectory of military-issue 5.56 NATO ammunition for high hit probability out to 800 meters. Features the original TA31's long eye relief, ample 4x magnification, superior lens clarity, low-light capability, and Bindon Aiming Concept (BAC) for quick, both eyes open, aiming. Mounts to MIL-STD 1913 Picatinny and similar flattop rails; base may be removed to allow installation on carry-handle rifles. Comes with Tenebraex® Killflash® shield to stop reflections from the front lens giving away your position, plus rugged, MOLLE-compatible nylon carry case, slip-on Scopecot for protection during storage and transport, Lenspen, and adjuster cap lanyards. 


question at close range and to detect drop compensated (BDC) to the trajectory of military-issue 5.56 NATO ammunition for high hit probability out to 800 meters. Features the original TA31's long eye relief, ample 4x magnification, superior lens clarity, low-light capability, and Bindon Aiming Concept (BAC) for quick, both eyes open, aiming. Mounts to MIL-STD 1913 Picatinny and similar flattop rails; base may be removed to allow installation on carry-handle rifles. Comes with Tenebraex® Killflash® shield to stop reflections from the front lens giving away your position, plus rugged, MOLLE-compatible nylon carry case, slip-on Scopelite for protection during storage and transport, Lenspen, and adjuster cap lanyards.

SPECS: Forged 7075-T6 aluminum housing, matte black anodized; coated lenses. Approximately 5 7/8" (14.9cm) long, 6 7/8" (17.5cm) with Killflash installed. 15.9 oz. (451 g) weight. 4x magnification, 32mm objective lens. Adjustable for windage and elevation. Includes KILL-FLASH, nylon carrying case, Scopelite, Lenspen, and manual.

TA648 6x48 - Designed to fulfill the requirements of military and law enforcement precision shooters for outstanding long-range target identification and hit probability. Features ample 6x magnification, superb lens clarity, unbeatable low-light capability, and integral topside MIL-STD 1913 Picatinny rail for mounting a red dot reflex sight or other supplementary sight. Manual override lets you adjust reticle brightness by rotating the sleeve on the rear eyepiece. The bright, red, chevron (upside down "V") reticle aids in fast, instinctive target acquisition, with additional bullet drop compensated (BDC) estimated aiming points marked in 100 meter increments starting at 400 meters. **.223/5.56** model is calibrated for U.S. military M855 cartridge out to 800 meters. **.308/7.62** model is calibrated for U.S. M80 cartridge out to 1,200 meters. Dry nitrogen filled to eliminate fogging, and waterproof to 328 feet (100m). Mounts to MIL-STD 1913 Picatinny and similar flattop rails with the included TA75 base; scope/base may be removed and reinstalled as a unit without loss of zero. 

low-light capability, and integral topside MIL-STD 1913 Picatinny rail for mounting a red dot reflex sight or other supplementary sight. Manual override lets you adjust reticle brightness by rotating the sleeve on the rear eyepiece. The bright, red, chevron (upside down "V") reticle aids in fast, instinctive target acquisition, with additional bullet drop compensated (BDC) estimated aiming points marked in 100 meter increments starting at 400 meters. **.223/5.56** model is calibrated for U.S. military M855 cartridge out to 800 meters. **.308/7.62** model is calibrated for U.S. M80 cartridge out to 1,200 meters. Dry nitrogen filled to eliminate fogging, and waterproof to 328 feet (100m). Mounts to MIL-STD 1913 Picatinny and similar flattop rails with the included TA75 base; scope/base may be removed and reinstalled as a unit without loss of zero.

SPECS: Forged 7075-T6 aluminum housing, matte black anodized; coated lenses. Approximately 9" (22.9cm) long. 36 oz. (1,021 g) weight. 6x magnification, 48mm objective lens. Adjustable for windage and elevation. Includes TA75 rail adapter, Pelican hardshell carrying case, Lenspen, and manual.

RUBBER EYEPiece FOR ACOG'S - Shades the rear ocular lens for even better definition of the reticle. **SPECS:** Black rubber. Fits 1 1/8" (28.6mm) - 1 1/4" (31.8mm) dia. lens. 

#291-060-100EK	ACOG Eyepiece 1B13X82	\$ 18.08
----------------	------------------------------	----------

FOLLOW US



FOR EXCLUSIVE OFFERS & INFORMATION

SATISFACTION GUARANTEED
SINCE 1939

Office/Tech: 641-623-5401

TRIJICON AR-15/M16 ACOG TACTICAL SIGHTING SYSTEM COMBOS

Fully Assembled ACOG/Reflex Tactical Sighting System
Ready To Clamp On Your Flattop

Complete, fully assembled tactical sighting system comes ready to install on a flattop AR-15/M16/M4 rifle and equips you to engage targets at almost any range. Each kit is built around the combat-proven ACOG scope for long-range targets, and a Trijicon RM01 RMR (Ruggedized Miniature Reflex) red dot reflex sight for heads-up engagement of close-in targets. Each kit includes the correct Picatinny mount for installing the ACOG on a flattop upper receiver and a minimal-profile mount that secures the red dot to the top of the ACOG.

SPECS: ACOGs – Forged 7075 T6 aluminum housing, hardcoat anodized, matte black finish, unless otherwise indicated. Coated, optic-grade glass lenses. **RM01 Reflex Sight** – 7075 T6 aluminum housing, hardcoat anodized, matte black finish. Acrylic lens. 1 3/4" (4.5cm) long, 1 1/8" (2.8cm) wide, 1" (2.5cm) high. 1.2 oz (34g) weight. 4.0 MOA LED red dot reticle. Waterproof to 66 feet (20m). CR-2032 lithium battery included. **Picatinny Mounts** – Aluminum, hardcoat anodized, with steel cross-bolts and hardware.

TA33H-RMR – Contains a 3 x 30 ACOG with an amber "upside down horseshoe" reticle ballistically compensated for rifles chambered in .223/5.56mm, RM01 RMR sight with a 4 MOA LED red dot, and a rugged TA60 mount that clamps to any Picatinny flattop rail. TA33H-ACOG offers a battery-free dual-illumination system that combines powerful fiber optics with Tritium for a reticle that's visible in any light conditions from bright sunlight to total darkness.

SPECS: 14.6 oz. (414g) total weight.

#892-000-061EK TA33H-RMR ACOG/RMR01 Combo,
2H1605T33 \$ 1,763.75

TA01NSN-RMR – Includes the popular TA01NSN 4 x 32 "Special Forces" ACOG (NSN 1240-01-412-6608) with a range-finding reticle calibrated for the M4A1 carbine and clones, an RM01 reflex sight with a 4 MOA LED red dot, and a TA51 Picatinny mount. Self-illuminating Tritium ACOG reticle appears black in daylight, and glows amber in low-light conditions.

SPECS: 16.7 oz. (474g) total weight.

#892-000-062EK TA01NSN-RMR ACOG/RMR01 Combo,
2H1546T66 \$ 1,699.99

TA31-ECOS – Enhanced Combat Optical Sight system originally developed for the U.S. military Special Forces (NSN 1240-01-540-1186) includes a TA31 4 x 32 ACOG, RM01 reflex sight with a red, 4 MOA LED reticle, and an A.R.M.S. #19 quick-detach Picatinny mount. ACOG has a bright red, dual-illuminated (fiber optic and Tritium) Bullet Drop Compensated (BDC) reticle for precise aiming of M16A4/M4 rifles out to 1,000 meters. A set of off-axis backup "iron" sights on the ACOG provide a third sighting option that can be mounted on the left or right side of the ACOG body. A.R.M.S. mount locks down to the receiver rail simply by closing the quick-release levers; open the levers, remove the mount, and reinstall any time without loss of either sight's zero. ACOG and mount have a desert-ready, non-reflective Dark Earth Brown finish; RMR sight is black.

SPECS: 15.6 oz. (442g) total weight.

#892-000-066EK TA31-ECOS ACOG/RM01 Combo,
2H1605T25 \$ 1,806.25



VORTEX OPTIC RED DOT SCOPES

Fast, Both-Eyes-Open Aiming,
Unlimited Eye Relief, Wide Field Of View

Compact, low-profile optics allow fast, both eyes-open sighting with the option of 1x or 2x magnification for added versatility. A bright red or green aiming dot, a wide field of view, unlimited eye relief, and multi-coated lenses that are parallax-free past 50 yards help you lock onto your target quickly. The non-magnifying internal optics can be supplemented by the included, screw-on, 2x magnifier. Machined aluminum body is O-ring sealed and nitrogen-purged to be water-, fog-, and shockproof. Fits MIL-STD 1913 Picatinny rails and Weaver-style bases found on a wide variety of guns, including flattop AR-15/M16s, tactical shotguns, sporting rifles, and competition pistols. Rear-facing, rubber-sealed buttons let you control the aiming dot brightness (10 position) and ultra-low-intensity night vision mode, with a separate side control for power on/off.

SPARC – Ideal for the AR-15/M16 platform or a tactical shotgun, the compact "Speed Point Aiming for Rapid Combat" sight features a 2 MOA red aiming dot with 10-step adjustable brightness for operation in a wide range of lighting conditions. Multi-height mount clamps to any MIL-STD 1913 Picatinny rail. For an AR-15 installation, interchangeable adapters let you position the SPARC for absolute center co-witness or lower 1/3 co-witness with factory height "iron" sights. Click adjustable in 1 MOA increments for windage and elevation, with a 90 MOA maximum range of adjustment. Runs on two CR-2354 lithium batteries (included) that provide up to 120 hours run time at maximum brightness setting.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. Fully coated optics. 2 MOA red aiming dot. 22mm obj. dia. x 3" long. 5.2 oz. weight. Includes screw-on 2x magnifier, bikini cover, two CR-2354 lithium batteries, and instructions. Fits MIL-STD 1913 Picatinny rails and Weaver-style bases.

#100-005-947EK SPARC Red Dot Sight,
3B176Y55 \$ 199.99

STRIKEFIRE – Compact scope with an adjustable-intensity 4 MOA dot, wide field of view, and unlimited eye relief. Rugged, one-piece aluminum alloy body was recoil tested to survive the pounding of 1,000 rounds of .375 H&H Magnum hunting ammo. Click adjustable in 1/2 MOA increments for windage and elevation, with a 100 MOA maximum range of adjustment. Compatible with night vision optics. **SF-BR-AR15** – Tactical model with a red aiming dot, and an extra-height ring mount to position the scope at the correct height on a flattop AR-15. **SFRD-HUNT** – Lets you switch between a red dot and a green dot at the touch of a button to set the best color for the prevailing light conditions. Comes with a low mount for installation on close-range hunting or tactical rifles. Both models run on one CR-2 lithium battery (included) that provides up to 130 hours (red) or 420 hours (green) run time at maximum brightness setting.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. Fully coated optics. 4 MOA aiming dot. 30mm obj. dia. x 6.1" long. 7.2oz. weight. Includes screw-on 2x magnifier, flip-up scope covers, CR2 lithium battery, and instructions. Fits MIL-STD 1913 Picatinny rails and Weaver-style bases.

#100-005-948EK SFRD-HUNT Strikefire Red/Green
Dot Scope 3B133Y24 \$ 149.99

#100-005-949EK SF-BR-AR15 Strikefire Red Dot Scope,
3B133Y24 149.99



VORTEX VIPER® PST RIFlescOPES

Dependable, Precise Accuracy;
Variety Of Reticle Patterns &
Magnification Levels

Variable-power "Precision Shooting Tactical" scopes are built to deliver consistent accuracy at extreme ranges in harsh environments and stressful situations. Waterproof, dustproof, shockproof, argon-gas-purged scopes are built on one-piece 30mm tubes machined from aircraft-grade 6061 T6 aluminum for optimum strength and rigidity. All models feature fully coated glass, with exterior lens surfaces protected with scratch-resistant ArmorTek™ coating. Turret stops prevent turrets from traveling more than one revolution below the sight-in zero. Illuminated reticles are glass etched, not wired, and are sandwiched between two layers of glass. Ten illumination intensity levels, with an "off" position between each setting, powered by a single CR-2032 lithium battery (included). A variety of reticle patterns and features are available: **EBR** (Enhanced Battle Rifle) reticles feature subtenon lines for ranging, holdover, and windage corrections. **MOA** (Minute of Angle), with subtenon lines that equal approximately 1" at 100 yards, and **MRAD** (milliradian), with subtenon lines that equal approximately 3.6" at 100 yards; **TMCQ** (Tactical Milling Close Quarters) hybrid reticle is designed for rapid, close- and mid-range shooting, with MOA or MRAD subtenon lines. **FFP** (Front Focal Plane) models have MOA reticle lines that remain valid at all magnifications, eliminating the need to recalculate holdover data.

SPECS: 6061 T6 aluminum, Type III hardcoat anodized, matte black. 30mm O.D. tube, all models. **1-4x24** – 9.7" (25cm) long. 16 oz. (453g) wt. **2.5-10x44** – 12" (30.5cm) long. 18.4 oz. (522g) wt. **4-16x50** – 13" (33cm) long. 22 oz. (624g) wt. **6-24x50** – 15.5" (39cm) long. 23 oz. (652g) wt.

#100-005-956EK 1-4x24 Viper Scope, TMCQ/MOA,
3B466Y65 \$ 499.95

#100-005-955EK 1-4x24 Viper Scope, TMCQ/MRAD,
3B466Y65 499.99

#100-005-954EK 2.5-10x44 Viper Scope, EBR/MOA,
3B559Y99 599.99

#100-005-953EK 4-16x50 Viper Scope, EBR/MOA,
3B653Y32 699.99

#100-005-951EK 4-16x50 FFP Viper Scope, EBR/MOA,
3B793Y32 849.99

#100-005-952EK 6-24x50 Viper Scope, EBR/MOA,
3B699Y98 749.99

#100-005-950EK 6-24x50 FFP Viper Scope, EBR/MOA,
3B839Y98 899.99



ADVANCED TECHNOLOGY UNIVERSAL FEATHERWEIGHT BIPOD

Provides Rock Solid Support
Without Weighing Down Your Rifle



Solid, glass-filled nylon bipod mounts to any sling swivel stud to provide superior forend support, yet is so lightweight you'll hardly know it's there. Telescoping legs with non-skid rubber feet adjust from 9" to 13" high to accommodate shooting prone or from the bench. Snap-n-lock button allows legs to conveniently fold and lock to the front or rearward position. Interchanging swivel collars let you assemble the unit for swivel motion or a locked position. Included neoprene pad protects the mounting surface of your stock. Includes hardware to mount on round, mil-spec AR-15 handguards without modification. **SPECS:** Glass filled nylon, black, matte finish. 8.4 oz. (238g) wt. Adjusts from 9" (22.9cm) to 13" (33cm) high.

#019-000-016EK Featherweight Bipod 9A26P95 ... \$ 34.95



HARRIS BIPODS

Closest Thing To A Traveling Benchrest

Mounts to QD swivel studs on bolt action and single-shot rifles for ultimate field accuracy. Won't change zero; added weight steadies gun. Spring-loaded, telescoping legs have fixed notch and sliding adjustments for leg height; fold parallel to barrel for carrying. Series 1A2 bipods have solid base and do not swivel or rotate. Series S bipods rotate 45° for instant leveling on uneven ground. Buffer springs and adjustable tension on hinged base help eliminate tremor. All Adapters fit either Series bipods. Not recommended for lever actions.

SPECS: Aluminum and high carbon steel, anodized, black finish. Adjustment height range is from resting surface to center of bore.

Model BR: For benchrest use. **BRM** has equally spaced height adjusting notches. **Model H:** For prone/sitting. **Model L:** For bench or prone. **Model LM:** Notch only height adjustments. **Model 25:** Three Section legs. **Model 25C:** Extra tall three section legs. **#9 Adapter** requires swivel stud mounted to stock.

STOCK #	STYLE	MODEL	HEIGHT	PRICE
#416-005-001EK	1A2	BR	6" to 9"	6A67Z44 \$ 90.99
#416-005-000EK	S	BR	6" to 9"	6A97Z66 \$ 130.99
#416-005-101EK	1A2	BRM	6" to 9"	6A67Z44 \$ 90.99
#416-005-100EK	S	BRM	6" to 9"	6A97Z66 \$ 109.99
#416-001-121EK	1A2	L	9" to 13"	6A67P44 \$ 90.99
#416-001-221EK	S	L	9" to 13"	6A99P65 \$ 133.99
#416-002-123EK	1A2	LM	9" to 13"	6A67P44 \$ 90.99
#416-002-223EK	S	LM	9" to 13"	6A97P66 \$ 130.99
#416-025-225EK	1A2	25	11" to 25"	6A83Z11 \$ 111.99
#416-025-226EK	S	25	11" to 25"	6A115Z03 \$ 121.99
#416-002-122EK	1A2	H	13" to 23"	6A67P44 \$ 90.99
#416-025-227EK	1A2	25C	13" to 27"	6A83Z11 \$ 111.99
#416-025-228EK	S	25C	13" to 27"	6A115Z03 \$ 121.99
#416-004-000EK	#4 Universal Adapter clamps to barrels from .550" to .812" diameter			6A20Z37 \$ 26.99
#416-003-015EK	#5 Adapter fits AR-15 round hand-guard includes sling swivel			6A10P31 \$ 13.99
#416-014-140EK	#14 Adapter fits Ruger Mini-14 and Mini-30 serial # above 181			6A20Z37 \$ 26.99
#416-102-100EK	#2 Flange Nut rectangular flange mounts swivel stud on hollow plastic forends			6A08Z07 \$ 9.99
#416-102-102EK	#2R Flange Nut radiused flange for mounting to wood forends under magazine or gas tubes			6A08Z07 \$ 9.99
#416-006-100EK	#6 Stud fits accessory rails approximately 3/8" across slot			6A08Z07 \$ 9.99
#416-109-100EK	#9A Flat Bottom Adapter mounts bipod to flat bottom benchrest & tactical stocks 2" to 4" wide			6A20Z37 \$ 26.99

BIPOD ADAPTER – Mounts a swivel stud on forend accessory rails. Fits rails approximately 3/16" wide. **SPECS:** High carbon steel, anodized, black finish.

#416-106-101EK #6A Stud Adapter 6A08Z07 \$ 9.99



Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 91

KENG'S FIREARMS
VERSA POD
Tactical & Hunting Shooting Rest System



Modular, two-piece design provides easy, push-button bipod removal. In the field you can carry the legs on your rifle or in a backpack. Multi-pivot head pans right and left; cants to compensate for uneven ground. Height adjustable legs may be folded to the front or rear. Mounting adapter included, additional adapters let you quickly interchange bipods between rifles. **Model 50, 51, 52** - bench/prone, has rubber feet. Mounts to QD swivel stud. **Model 1** - bench/prone, has grooved metal feet. Mounts to QD swivel stud. **Model 2** - bench/prone, has rubber feet. Mounts to QD swivel stud. **Model 3** - sitting, has rubber feet. Mounts to QD swivel stud. **Model 17** - has metal feet, mounts to round handguard vent hole. **Model 2T** - has rubber feet, mounts to round handguard vent hole. **Mounting Adapters** let you change your Versa Pod's mounting system and feature an integral hand stop for a comfortable hold, plus a push-button, QD sling swivel. **SPECS:** Bipod - Steel and aluminum, black, matte finish. Adapter - Polycarbonate, black.

STOCK #	MODEL	HEIGHT	PRICE
#100-003-383EK	50	5" to 7"	3K74X72 \$ 100.95
#100-003-384EK	51	7" to 9"	3K74X72 \$ 100.95
#100-003-385EK	52	9" to 12"	3K76X84 \$ 103.95
#100-000-299EK	1	9" to 12"	3K57A77 \$ 80.95
#100-000-300EK	2	9" to 12"	3K57A77 \$ 80.95
#100-000-301EK	3	15½" to 23¾"	3K63A93 \$ 85.95
#100-000-302EK	1T	9" to 12"	3K60A31 \$ 80.95
#100-000-303EK	2T	9" to 12"	3K60A31 \$ 80.95
#100-000-304EK	Universal Adapter w/o sling swivel Attaches to QD swivel stud		3K18A04 \$ 26.95
#100-005-575EK	Universal Adapter w/sling swivel Attaches to QD swivel stud		3K24D18 \$ 35.95
#100-000-306EK	Pre-Ban AR-15 Adapter Attaches to bayonet lug		3K18A04 \$ 26.95
#100-000-307EK	Post-Ban AR-15 Adapter Attaches to handgrd vent hole		3K24A18 \$ 35.95
#100-000-560EK	Picatinny/Weaver Rail Adapter Attaches to Accessory Rails		3K30A34 \$ 43.95

PICATINNY RAIL VERSA PODS - Two, distinctly different bipods attach quickly to any Mil. Std. 1913 Picatinny rail for faster deployment when changing from field to bench shooting. **Lightweight Picatinny (LW)** features a convenient flip lever that locks securely to the rail, but can be flipped back for complete bipod removal in just seconds. Pan and tilt adjustments are controlled by tightening the dual lock-nuts with a wrench. **Heavy Duty Picatinny (HD)** attaches to Picatinny rails with a dual-screw, locking dovetail mount. Pan and tilt feature includes an instantly-adjustable, friction-locking thumbscrew that adjusts to expand or limit movement. Both models feature spring-loaded legs with non-skid rubber feet; legs are individually adjustable from 7" to 9" height. **SPECS:** Steel, matte black. **Lightweight** - 17 oz. (.48kg) wt. **Heavy Duty** - 1½ lb. (.68kg) wt.
#100-002-874EK LW Picatin. Versa Pod 3K156B53 \$ 211.95
#100-002-875EK HD Picatin. Versa Pod 3K191B07 \$ 264.95

VERSA POD BATTLE PACK - Combines the highly adaptable Model 52 Versa-Pod with three interchangeable sets of legs that let you configure the bipod for a wide variety of terrain and shooting applications. Kit includes legs with non-skid rubber feet for bench, range, or vehicle hood; "ski" feet for wet, porous terrain like mud, clay, or wet grass; and raptor feet for the roughest, slipperiest conditions. Quick-deploy legs can be adjusted anywhere from 9" (fully retracted) to 12" (fully extended) high. Pan-and-tilt mechanism lets you pivot the rifle left, right, up, or down to compensate for uneven ground.



PRO-MAG LIGHTWEIGHT TACTICAL BIPOD
Simple, Quick-Deploying & Reliable; Weighs Less Than 8 Oz.




Tactical bipod clamps securely to a Picatinny handguard rail and weighs less than 8 ounces. Non-adjustable 9" legs deploy quickly and easily, while the pivoting mechanism in the mount makes it easy for you to level the bipod on uneven terrain. Non-skid, grooved polymer foot pads. Folds against the handguard for compact storage when not in use. **SPECS:** Mount - Steel, matte black finish. 2" (5cm) long, 1½" (3.8cm) wide, 1½" (3.8cm) high. Legs - Aluminum, anodized, matte black. 9⅞" (24.5cm) long. 7.1 oz. (202g) total weight.
#687-000-066EK Lightweight Tactical Bipod, 7H43T08 \$ 56.00


An adjustable, friction-locking thumbscrew limits the range of pivot movement or even locks in the setting completely. Mounts to almost any rifle using any Versa Pod adapter. **SPECS:** Steel and aluminum, matte black finish. Leg height adjustment: 9" (22.9cm) to 12" (30.5cm). 20.4 oz (578g) weight. Separately available adapter required to mount on rifle.
#100-004-397EK Versa-Pod Battle Pack 5A109H95 \$ 139.95

PICATINNY BATTLE PACK - Same features as the standard Battle Pack listed above, with a Model 50 Versa-Pod that comes with an integral adapter for clamping directly to a MIL-STD 1913 Picatinny handguard rail. Available with two different leg height adjustability ranges: **7"-9"** legs are excellent for an AR-15/M16 rifle fitted with a straight 20 round magazine; **9"-12"** legs are best for AR-15/M16 with a standard USGI 30-round magazine. Kits come with a zippered MOLLE-compatible carry pack of heavy duty, digital camo pattern, woven nylon to hold the main bipod assembly and all three sets of legs. **SPECS:** Steel and aluminum, black, matte finish. Carry Pack - Woven nylon, digital camouflage pattern. Approx. 10" (25.4cm) long x 6" (15.2cm) wide x 4" (10.2cm) deep. Available with two leg height adjustment ranges: **7" to 9"** (17.8cm to 22.9cm) or **9" to 12"** (22.9cm to 30.5cm).
#100-005-526EK Picatinny Battle Pack, 7"-9" Legs, 3S214B27 \$ 234.99
#100-005-527EK Picatinny Battle Pack, 9"-12" Legs, 3S214B27 \$ 234.99


PICATINNY RAIL ADAPTER - Attaches to rail with an oversized, ½" knob; tighten by hand or a wrench for rock-solid stability. **SPECS:** Steel, matte black. ½" clamping knob. Attaches to Picatinny rail systems with no permanent modifications.
#100-002-144EK Picatinny Rail Adapter 3K35X20 \$ 49.95



ACCURACY INTERNATIONAL® ADAPTER - Adapts the Accuracy International rifle or chassis to mount a Versa Pod bipod. Includes a 360° rotating quick-detach sling swivel. **SPECS:** Steel matte black. 3.5 oz. (99.9g) wt. Attaches to Accuracy International rifles or chassis with no permanent modifications.
#100-005-576EK Accuracy International Adapter, 3B68B01 \$ 89.95



AR-STYLE RIFLE FREE FLOAT TUBE ADAPTER - Provides secure mounting of Versa-Pod to any AR-15 style rifle with a tube-type free float forend with an Uncle Mike's or similar design sling swivel stud. This adapter will fit ArmaLite® T-Series rifles, Rock River Arms Varmint models, and similar rifles with stud positioned on underside of tube. Comes with a 360° rotating quick-detach sling swivel that fits receptacles on both sides and bottom of mount. No gunsmithing required. **SPECS:** Steel and hard, reinforced polymer composite, black finish.
#100-003-760EK Free Float Tube Adapter 3K34P95 \$ 44.95



COMMAND ARMS
PICATINNY RAIL BIPOD
Compact, Streamlined, Fast-Deploying; Clamps Directly To Handguard Rail



Compact bipod clamps directly to handguard bottom rail and deploys instantly to provide a stable shooting platform wherever you need it. Legs conveniently fold forward, parallel to handguard, to provide a stable purchase on the support surface. A 3" Picatinny rail on the underside allows installation of a vertical grip or other tactical accessory. Legs may be removed completely, leaving the locking hub and any attached accessory still on the handguard. No external springs to snag on other gear; tactile release button is easy to activate by feel, without taking your eyes off a potential target. **SPECS:** Stainless steel and reinforced polymer, black. 178 oz. (504g) weight.
#100-004-541EK Picatinny Rail Bipod 6C99T00 \$ 124.99

TANGODOWN
ADVANCED COMBAT BIPOD
Fast, Simple, No-Fail Design With Variable Height Adjustment




Sometimes the simplest design works the best. This compact bipod has legs that fold down and back up with the push of a button, silently and smoothly, allowing you to stay focused and on target. Individual leg height is set with a recessed push-button that totally eliminates any chance of an accidental release. Legs are preset for the optimum traverse angle and left/right cant; will never require adjustment. Non-slip, molded feet grab and hold the surface, so you won't drift off target during rapid fire. Minimum leg length is 8" from bottom of rail, adjustable in three positions up to 2½" longer to fit individual shooters. Machined aluminum base with durable, polymer composite legs. Secures to Picatinny rail with steel latch and Allen head screws. Includes wrench. **SPECS:** Aluminum base, steel hardware, polymer composite legs, matte black. 9" (22.9cm) long, 3⅞" (9.9cm) wide, 1" (2.5cm) high.
#100-003-402EK Advanced Combat Bipod, 9B191P37 \$ 237.94

DOUBLE STAR
PICATINNY RAIL BIPOD ADAPTER
Ultra-Secure Attachment Of Stud-Mounted Bipod To Railed Handguard



Precision machined aluminum and steel adapter clamps securely to bottom of railed handguard to let you mount a bipod that requires a sling swivel stud attachment point. Steel locking bar and three hardened steel hex head screws that also serve as recoil lugs attach to Picatinny and Weaver-style rails for an ultra-solid platform that won't slip even under heavy recoil. Streamlined design adds minimal bulk and weight to your weapon. **SPECS:** Hardcoat anodized aluminum and parkerized steel, matte black. 2⅞" (6.7cm) long, approx. 1⅞" (2.9cm) wide, extends ⅞" (1.1cm) below rail. 2.9 oz. (81g) weight.
#100-003-741EK Bipod Adapter 2Z25B00 \$ 29.99

BROWNELLS
PICATINNY BIPOD ADAPTER
Provides Secure Bipod Attachment For Railed Handguards



Low-profile adapter clamps solidly to any Picatinny rail handguard to provide a secure mounting point for bipods that attach to sling swivel studs. Increases your accessory mounting options without making permanent alterations to gun. Stud and base are precision machined from a single billet of high-grade 6061 T6 aluminum for maximum strength to handle the rigors of tactical deployment. Two robust cross-bolts and oversized, slotted hex nuts of heat-treated 4140 carbon steel lock the full-contact clamping bar tightly to the rail, and ensure the mount won't shift position even under heavy recoil. Also accepts a standard quick-release sling swivel, for rapid transition from bipod operation to sling use. **SPECS:** Body - 6061 T6 aluminum, hardcoat anodized, matte black. Thumbscrews & Bolts - 4140 carbon steel, black oxide finish. 2.125" (5.4cm) long, 1" (2.5cm) wide. Mount extends .357" (9.5mm) below rail. 2.7 oz. (76g) weight.
#080-000-540EK Picatinny Bipod Adapter 8K32B95 \$ 42.95

VLTOR
MODPOD SYSTEM
Quick-Deploy Bipod Provides A Stable Shooting Platform; Adds Minimal Weight & Bulk



Quick-deploy tactical bipod system gives the operator an exceptionally stable shooting platform for long-range targeting, while adding minimal bulk and weight to the weapon. Innovative two-piece design clamps directly to Picatinny side rails on forearm—no separate mounting hardware to misplace, lose, or accidentally leave back at base. Each leg is completely self-contained with captive clamp, locking bar, cross-bolt, and thumbscrew. Leaves bottom rail free for mounting other accessories, and ModPod is a perfect bipod option for weapons fitted with a grenade launcher, shotgun, or tear gas launcher. The absence of a complicated pivot mechanism under the handguard means the ModPod also keeps the weapon's center of gravity low, providing an exceptionally secure shooting stance. Telescoping legs have three positive-locking height positions—fully retracted, mid-point, and fully extended—to help you set the exact amount of elevation you need or adapt to uneven ground. Large, silent, push-button releases the leg and frees it to rotate a full 360° with positive locking points every 90°. For added versatility, legs can be mounted at the front of the handguard and folded to the rear, or at the rear and folded forward to avoid interfering with ejection port or operator's access to weapon controls on carbines and short-barreled rifles. Aggressively textured foot pads bite into the ground for firm support and resistance to slippage under recoil. **SPECS:** Steel pivot mechanism, aluminum rail clamps, and reinforced molded polymer legs, matte black and tan. Leg length: 9" (22.9cm) retracted, 11¼" (28.6cm) fully extended.
#100-004-291EK Modpod System 3A164Y95 \$ 189.95

FA ENTERPRISES
BIPOD ADAPTER
Versatile Bipod & Sling Mounting



Swivel stud mounted to an aluminum block slides onto Picatinny and Weaver-style accessory rails. Lets you mount a sling or bipod where you want it. Clamps tightly with no external nuts to snag. Great on AR-15s and rifles with accessory rails. **SPECS:** 6061-T6 alum., Anodized, matte black. 2¾" (6.9cm) long.
#246-000-018EK Bipod Adapter 6D31Z31 \$ 379.99

COMMAND ARMS UNIVERSAL EQUIPMENT MOUNT

Drop-On Installation;
Lets You Mount Accessories
To A Railed Handguard



Molded, RX-18 polymer, equipment mount lets you attach slings, bipods, and anything else that fastens, using a sling swivel stud, right to your handguard. Attaches easily to Weaver-style and Picatinny-rail handguards with a push-button catch/release. Accepts swivel stud-mounted bipods. **■**

SPECS: RX-18 polymer, black, matte finish. 2 1/2" (6.4cm) long, 1 1/8" (2.8cm) wide, 1 3/16" high (swivel stud to top of mount). Drop-on installation. Accepts swivel stud-mounted bipods.

#100-001-154EK Universal Equip. Mount 9C12U86 \$ 15.99

GG&G BIPOD ADAPTER

Mounts Harris Bipods & Other
Stud-Mounted Accessories
To Railed Forearm



Bolt-on, low-profile adapter clamps to the Picatinny rail on the underside of a tactical rifle's forearm to allow mounting of a swivel stud-mounted bipod. Expands the accessory mounting versatility of your rifle without requiring permanent alterations to the weapon. Cross-bolt and locking bar mechanism provides secure rail engagement, even on worn or undersize rails. Radiused edges, counter-sunk bolt head, and locking bar recessed into the mount body give a smooth, streamlined profile and help resist catching on sling, vegetation, or other gear. Locking bar, cross-bolt, and stud are steel for maximum strength and durability.

SPECS: Body - 6061 T6 aluminum, hardcoat anodized, matte black. Locking Bar, Cross-Bolt, Stud - Hardened steel, black oxide finish. 2 1/4" (5.7cm) long, 1 1/4" (3.2cm) wide. Mount body extends 3/8" (9.5mm) below rail. 2.3 oz. (64g) weight.

#336-000-028EK Bipod Adapter 6C23B70 \$ 29.95

PRO MAG BIPOD RAIL ADAPTER

Clamps To Bottom
Handguard Rail For Installation Of
Swivel-Mounted Bipod



Machined aluminum mount clamps to Picatinny handguard rail to provide a secure attachment point for a swivel-stud mounted Harris or ATK folding bipod. Knurled, steel crossbolt and locking bar can be quickly tightened with two fingers, or secure the rail with a slot-head screwdriver for solid, no-slip operation. Steel swivel rotates 360°.

SPECS: 6061 T6 aluminum, hardcoat anodized, black. Approximately 2" (5cm) long, 1 5/16" (3.3cm) long, extends 3/4" (1.9cm) below rail. 2.5 oz. (69g) weight.

#687-000-046EK Bipod Rail Adapter 7H18T85 \$ 24.75

YANKEE HILL BIPOD ADAPTER

Rock Solid Platform
For Bipod Attachment



Lightweight, slimline design eliminates the "clunky" extra baggage look that goes along with trying to mate a bipod to a railed handguard. The rugged, aluminum platform with fixed attachment stud provides a superior fit to Weaver or Picatinny, accessory rails. Two hex-head crossbolts give uniform clamping pressure, so adapter remains rock solid while shooting. Specifically contoured to accept Harris and similar bipods that attach to a swivel stud. **■**

SPECS: Aluminum, hardcoat anodized, matte black finish. 2 5/8" (6.7cm) long, 1 1/4" (3.2cm) wide, 5/8" (1.6cm) high. 2.2 oz. (62g) wt.

#100-002-072EK Bipod Adapter 9A21T79 \$ 30.99

DPMS AR-STYLE .308 LR-308 UPPER RECEIVER

Build Your Custom .308
With A Genuine
DPMS Factory Upper

High-quality, extruded upper receiver comes in A3 flattop configuration that offers plenty of flexibility in both open and optical sighting options. MIL-STD 1913 Picatinny rail has 17 cross-slots that accept popular AR-15/M16 accessories and scope mounts. Shell deflector and forward assist are machined as a single unit. **Assembled** receiver has the charging handle, ejection port cover, and forward assist already installed. **Stripped** upper is receiver only.

SPECS: Extruded 7129-T5 aluminum, hardcoat anodized and Teflon coated, matte black finish. .275" dia. pivot and takedown pin holes. Compatible with DPMS LR-308 lower receivers and barrels only.

#231-000-266EK LR-308 Upper Receiver, Assembled 3B16A08 \$ 184.95

#231-000-282EK LR-308 Upper Receiver, Stripped 1C121V31 124.95



DPMS AR-STYLE .308 BOLT/CARRIER ASSEMBLIES



Factory Original Components Used In LR-308 Rifles

Complete AR-style .308 bolt and carrier assemblies are drop-in ready for replacement of worn components in existing DPMS LR-308 rifles or for a new custom build. Both components are machined from heat-treated 8620 steel, with a matte black Parkerized finish. Bolt comes fully assembled with firing pin, cam pin, firing pin retaining pin, ejector, extractor, and gas rings installed. Available alone or in a complete bolt-plus-carrier assembly; carrier comes with gas key installed and staked.

SPECS: Bolt/Carrier - 8620 heat-treated carbon steel, Parkerized, matte black finish. Fits DPMS LR-308 upper receivers and clones.

#231-000-265EK AR-308 Bolt/Carrier Assembly, Complete 3B210A98 \$ 259.95

#231-000-283EK AR-308 Bolt, Only 1C78V60 99.95

WILSON COMBAT AR-15/M16 6.8 SPC RECON BARREL



Convert Your AR To 6.8 SPC Cartridge For Improved
Terminal Ballistics

Fully chambered stainless steel 16" barrel lets you convert a standard .223/5.56 AR to the harder-hitting 6.8 SPC cartridge for enhanced down-range stopping power. Four-groove button rifling with 1-11" twist rate gives excellent performance from a range of bullet weights from 85 to 115 grains. Includes M4-type feed ramps and mid-length position for the pre-drilled gas port to delay bolt unlocking and help ensure positive extraction. Extra thickness under handguard to resist heat warping. **■**

SPECS: 416 stainless steel, matte silver finish. 16" (41cm) long, .750" O.D. at gas port. 2 lbs. (9 kg) wt. 5/8"-24 tpi muzzle threads. Fits mil-spec AR-15 receivers. Requires a mid-length gas system. Accepts both 6.8mm SPC and higher-pressure 6.8 SPC II ammo.

#965-000-148EK 6.8 SPC Recon Barrel 5F225Y00 \$ 249.95

NEW

SPIKE'S TACTICAL AR-15/M16 NICKEL-BORON COATED BOLT/CARRIER GROUP

Wear-Resistant FailZero
Coating For Reliable,
Trouble-Free Service



Matched bolt/carrier set for .223/5.56mm rifles has a FailZero nickel-boron finish applied using proprietary EXO Technology. Nickel-boron is smoother than hard chrome and will not chip, peel, or flake off. Helps reduce friction, so gun cycles more smoothly with minimal lubrication, and allows carbon and fouling to be wiped off easily. Tool steel extractor uses a mil-spec extractor spring with black insert and Viton O-ring to provide highly reliable extraction even with short barrels. Carrier has M16-type full-length shroud on the underside to trip the auto sear on full-auto/burst rifles. Bolt has been shot peened, high pressure tested, and magnetic particle inspected to ensure the highest level of quality control.

SPECS: Bolt - 158 Carpenter steel alloy, .223/5.56 bolt face. Carrier - 8620 tool steel. Extractor - tool steel. All components have FailZero EXO nickel-boron coating, silver finish. Fits AR-15.

#100-008-575EK N-B Coated .223/5.56 Bolt/Carrier, 3B203P03 \$ 219.99

NEW

ADAMS ARMS AR-15/M16 MID-LENGTH GAS PISTON UPPER RECEIVER



Drop-On Your Existing Lower To Make A Clean-Running,
Reliable-Cycling Carbine

Complete, carbine-length upper receiver with mid-length piston system taps gas from farther up the barrel than a standard carbine-length gun for extra-smooth cycling and easier extraction. Gun also stays much cleaner because the piston eliminates the usual problem of hot gas and powder residue being blown into the bolt and receiver as in the original design. The unique Adams Arms adjustable gas block allows three levels of gas release: normal fire, firing with a suppressor attached, or a single round fired without cycling. Chrome-lined barrel, chambered for 5.56mm NATO, finished with the Melonite® process for excellent resistance to wear and corrosion. The forged aluminum receiver features M4 feed ramp cuts and a 13-slot Picatinny-cut flattop rail. Picatinny rail on top of gas block accepts a variety of clamp-on tactical sights. Comes with standard M4-style handguard and A2 flash hider. **■**

SPECS: Receiver - 6061 T6 aluminum, hardcoat anodized, matte black. Barrel - Chrome-moly steel, Melonite finish, matte black. 16" long. 1-7" rifling. Chambered for 5.56mm NATO. Gas Block, Piston Tube, Bolt Carrier - Steel, black oxide finish. Piston - Stainless steel. Handguard - Reinforced polymer composite, black. Includes bolt carrier group and charging handle.

#100-009-248EK Mid-Length Gas Piston Upper Receiver 4Z626U70 \$ 639.99

NEW

DPMS AR-STYLE .308 BOLT CATCH

Genuine DPMS Factory Part



Parkerized steel bolt catch is a direct replacement for the factory catch on DPMS LR-308 and Remington R-25 rifles. A "must have" for finishing a custom build or refurbishing an existing rifle. Requires 1/16" hex head bolt catch screw, sold separately below.

SPECS: Hardened carbon steel, Parkerized, matte black. Fits DPMS LR-308 and Remington R-25 rifles.

#231-000-273EK Bolt Catch, Only 3B06V83 \$ 8.95

#231-000-274EK Bolt Catch Screw, Only 3B03V79 4.95

NEW

GEISSELE AUTOMATICS AR-15/M16 TRIGGERS

Precise, Fixed Pull-Weight Triggers
For Combat & Competition



Non-adjustable, semi-auto triggers are precision-machined from tool steel for extreme reliability. A lightweight hammer driven by a full-power spring ensures exceptionally fast locktime and positive ignition of all ammo types. A secondary "safety sear" captures the hammer if the primary sear accidentally releases due to hard impact, ensuring the rifle can fire only when the shooter actually pulls the trigger. Direct replacement for factory trigger; may be installed without removing the safety. Operation and parts layout is similar to the USGI M16 trigger for easy maintenance. All springs are captive to simplify field disassembly for cleaning. **■**

SPECS: Steel, black finish. Fits semi-automatic AR-15/M16 receivers with .154" diameter hammer and trigger pin holes. May be installed in AR-style .308 rifles that accept AR-15 triggers. Does not fit HK416 weapons with firing pin safety. Kit includes trigger and hammer assemblies, springs, hammer pin, tube of grease, and illustrated instructions.

SUPER SEMI-AUTOMATIC-ENHANCED (SSA-E) - Two-stage combat trigger offers a fixed 3 1/2 lb. total pull weight, making it an excellent choice for precision Squad Designated Marksman type rifles where both accuracy and reliability are critical. The first stage builds gradually to 2.3 lbs., followed by a 1.2 lb. second stage with a crisp, "candy cane-like" break. This is a semi-automatic-only version of the Geissele full-auto combat trigger presently used in the U.S. Special Operations community.

#100-006-357EK .154" SSA-E Trigger 7B00YTP \$ 209.99

SDTRIGGER - The Super Dynamic (SD) triggers have the same body geometry as the SSA models and feature a flat trigger shoe that reduces perceived pull weight, improves control, and gives excellent tactile feedback. **Super Dynamic Combat (SD-C)** trigger has a 2.5 lb. first stage and a 2 lb. second stage for a 4.5 lb. total pull weight with a sharp, repeatable trigger release. **Super Dynamic Enhanced (SD-E)** trigger has a combined 3.5 lb. total pull weight, with a 2.3 lb. first stage and a 1.2 lb. second stage. **Super Dynamic 3-Gun (SD-3G)** single-stage trigger has 3.5 lb. pull weight with a short pull length and short reset - excellent for fast-action competitions.

#100-007-543EK .154" SD-C Trigger 7B216U00 \$ 219.99

#100-007-544EK .154" SD-E Trigger 7B230U67 234.99

#100-007-545EK .154" SD-3G Trigger 7B240U00 244.99

DPMS AR-STYLE .308 PIVOT & TAKEDOWN PINS

Genuine DPMS Factory Parts



Parkerized steel pins are direct replacements for the factory front pivot and rear takedown pins on DPMS LR-308 and Remington R-25 rifles. Easy, fast way to improve the looks of an older rifle; replace unsightly, dinged-up pins.

SPECS: Hardened carbon steel, Parkerized, matte black. .275" O.D. shanks. Pivot - 1.640" long; Takedown - 1.222" long. Fits DPMS LR-308 and Remington R-25 rifles.

#231-000-271EK Front Pivot Pin 3B06A15 \$ 7.95

#231-000-272EK Rear Takedown Pin 3B05V79 7.24

DEDICATED TO BETTER GUNSMITHING
Join **Gunsmiths.com**

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 93

AR-15/M16

BIPODS

LATE NEW ARRIVALS

NEW

IMPACT WEAPONS AR-15/M16 MOUNT-N-SLOT SLING ATTACHMENT

Enables Attachment Of A QD Sling
To A Magpul MOE Stock



Add-on aluminum receptacle lets you attach a pushbutton QD sling to a Magpul MOE® buttstock. Quickly installs in the webbing slot at the rear of the stock, and accepts both heavy-duty and standard QD sling swivels. Limits sling rotation to prevent wrapping and twisting, keeping your rifle accessible and ready for quick deployment. Rounded edges resist snagging on clothing and equipment. Mounts on either side of stock and blends in seamlessly with overall appearance.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. 1.3" (33mm) long. .84" (21mm) wide. .5 oz. (14g) wt. Includes mounting hardware.

#100-008-453EK Mount-N-Slot For MOE Stock, 2C25Y67 . . . \$29.95

NEW

MAGPUL AR-15/M MSA™ MOE® SLING ATTACHMENT

Low-Profile Attachment Point
For Clip-On Slings



Sturdy steel sling loop quickly bolts to any MOE handguard to provide the front attachment point for a Magpul MS2, MS3, or similar clip-on sling system. The MSA's low profile resists snagging on other gear and clothing and keeps handguard uncluttered. Hard Melonite® QPQ finish resists corrosion.

SPECS: Steel, matte black Melonite QPQ finish. 1.7" (44mm) long, .9" (24mm) wide. 1.1 oz. (31g) wt. Includes hex-head screw and mounting plate.

#100-008-882EK MOE Sling Attachment 3K18U93 . . \$23.70

NEW

MAGPUL AR-15/M16 ACS-L™ CARBINE STOCK



Slimmed-Down Version Of
Magpul's Popular ACS Stock

The Adaptable Carbine Stock-Light (ACS-L) is a slimmed-down, lightweight, version of Magpul's popular ACS stock. The ACS-L provides more maneuverability by eliminating the ACS's side

storage compartments, while still retaining a wide, sloping area for a firm, comfortable cheekweld. Also retained is the storage compartment in the tail of the stock, and the friction locking system that prevents unwanted wobble extending the stock. Includes a reversible socket for QD pushbutton sling swivels and a 1" sling loop molded in the toe of the stock. The .3" thick rubber recoil pad can be replaced by Magpul Extended Tactical Recoil Pads (sold separately). Models available to fit **Mil-Spec** (1.14" O.D.) or **Commercial** (1.17" O.D.) carbine buffer tubes. Buffer tube, carbine buffer, receiver extension nut, and carbine-length action spring not included.

SPECS: Reinforced molded polymer, Black or Dark Earth. 8" OAL, 2 1/4" wide, 5 1/2" high. 12.8 oz. wt. Length of pull adjustment range: 3 1/4"; 15" LOP, extended; 11 3/4" LOP, retracted. **Mil-Spec** fits 1.14" O.D. buffer tube; **Commercial** fits 1.17" O.D. buffer tube. Measure your rifle's tube before ordering.

#100-009-325EK Mil-Spec ACS-L Stock, Black, 3K83V53 . . . \$4.95
#100-009-326EK Mil-Spec ACS-L Stock, Dark Earth, 3K83V53 . . . \$4.95
#100-009-327EK Commercial ACS-L Stock, Black, 3K83V53 . . . \$4.95
#100-009-328EK Commercial ACS-L Stock, Dark Earth, 3K83V53 . . . \$4.95

NEW

MIDWEST INDUSTRIES AR-15/M16 "GEN 2" FREE- FLOAT FOREND



Eliminates Stress On Barrel;
Fits Most Gas Piston Systems

Free-float forend system clamps firmly in place without clamps or front sight. Helps improve accuracy by eliminating stress placed on the barrel by the standard handguard. Simply cut off the delta ring and install the handguard over the barrel nut. Plenty of internal clearance for gas piston conversion systems. Four MIL-STD 1913 Picatinny rails with 15 slots laser-etch T-marked for precise mounting/remounting of accessories. Four sockets for QD pushbutton sling swivels.

SPECS: Machined 6061 T6 aluminum, hardcoat anodized, matte black. Mounts over existing barrel nut without removing front sight base. Requires removal of Delta ring. **Carbine** - 7" (17.7cm) long. Fits 16" carbine barrels. **Mid Length** - 8 1/2" (21.5cm) overall length. Fits carbine-length barrels with extended gas system as made by Rock River Arms and ArmaLite.

#100-008-588EK Carbine FF Forend 2A135X72 . . . \$149.95
#100-008-891EK Mid-Length FF Forend 2A157U15 . . \$165.00

NEW

TROY INDUSTRIES AR-15/M16/AR-STYLE .308

TRX BATTLE RAIL HANDGUARDS

Easy-To-Align Free-Float
Handguards; Fixed Top Rail
With User-Configurable Side/
Bottom Rails



Machined aluminum free-float handguard employs a unique rotary-locking system to ensure proper alignment of top rail with receiver rail. Handguard slides over barrel and gas tube at an offset angle, until the internal grooved channel indexes on the barrel nut for a secure fit. Two hex head screws lock down the handguard, and a built-in stop prevents over tightening. Vent holes let heat escape the barrel and minimize weight. Full-length MIL-STD 1913 Picatinny top rail has white alpha-numeric designators on the cross-slots ensure easy repeatability of accessory positions. Includes three additional bolt-on rails for mounting additional accessories exactly where you need them on the sides or bottom. **Alpha** fits standard factory AR-15/M16 barrel nut. **TRX-308 Extreme** fits DPMS, Remington, and Bushmaster AR-style .308 rifles.

SPECS: Machined 6061 T6 aluminum, hardcoat anodized, Teflon® coated, matte black finish. Each model available in lengths listed below. Mounting hardware and instructions included. **Alpha** fits AR-15/M16 rifles and carbines and attaches to the factory barrel nut. **TRX-308 Extreme** fits DPMS LR-308, Remington R-25, and Bushmaster AR-style .308 rifles with the older style upper receiver where the overhang above the charging handle is 3/16" high. Measure your rifle before ordering. Does not fit ArmaLite® AR-10® or Rock River Arms LAR-8.

#100-009-689EK TRX Alpha Rail, 9" 3B143T00 . . . \$159.99
#100-009-694EK TRX Alpha Rail, 11" 3B151T70 . . . \$169.99
#100-009-696EK TRX Alpha Rail, 13" 3B164T00 . . . \$179.99
#100-009-698EK TRX Alpha Rail, 15" 3B172T50 . . . \$189.99
#100-009-030EK TRX-308 Extreme BattleRail, 12", 3B183A80 . . . \$199.99
#100-009-031EK TRX-308 Extreme BattleRail, 13", 3B205A30 . . . \$219.99

NEW

SUREFIRE AR-15/M16 Z70 RAIL COVERS



Protects Rails From Dings &
Your Hand From Abrasion

Durable, low-profile, soft-rubber covers easily snap onto the unused portion of a Picatinny handguard rail. Protects the integrity of the rail and the user's

NEW



BROWNELLS CQB T-DOT HOLOGRAPHIC SIGHT

"T" Aiming Point Calibrated To Eliminate Guesswork In Close-Range Targeting



The Brownells CQB T-Dot Sight is designed for combat and competition shooters who frequently address targets at close quarters. It corrects a common problem with combat-zeroed optics mounted on an AR-type rifle: the point of impact is significantly lower than the point of aim at close quarters distances. Based on the popular EOTech EXPS2, the CQB T-Dot eliminates the "guess-timating" when aiming at these targets. It retains the

parent design's 65 MOA circle illuminated reticle with two aiming points calibrated for 50-200 yards and 500 yards. The bottom of the T-Dot's circle is left open, with a "T" indicating a precise aiming reference zeroed for about 7 yards. All aiming points are calibrated for 5.56mm NATO ammunition. Windage and elevation are adjustable in 1/2 MOA increments.

SPECS: Aluminum housing, hardcoat anodized, matte black. 3.5" long x 2.4" wide x 2.8" high. 11.2 oz. (317g) wt. Windage and elevation adjustment range +/- 40 MOA in 1/2 MOA clicks (1/2" at 100 yards). Brightness adjustment range: 146,000:1, brightest to lowest. 20 brightness settings. Uses one (1) CR-123A lithium battery; approx. 600 hour battery life. Operating temperature range -40° to +150° F. Submersible to 10 ft depth.

#080-000-971EK CQB T-Dot Sight 8K00UAV . . . \$549.99

NEW

TROY INDUSTRIES AR-16/M16 BATTLEMAG™

Battle-Ready 30-Rd Magazine With Removable
"Grab-Knob" To Aid Removal From Pouches



Rugged, 30-round magazine molded from military-grade impact resistant polymer with reinforced feed lips for no-fail performance in strenuous conditions. The floorplate fits flush with the sides of the mag body to prevent snagging on other gear or when pulling from a pouch. Optional protruding grab-knob can be installed or removed in seconds, and aids in extracting the mag from a tight pouch. Aggressive scale pattern on sides of the slim-profile mag body give you an excellent grasp during fast reloads. Anti-tilt polymer follower provides even support of the round stack for smooth feeding. A distinct ledge on the spine prevents over-insertion in the mag well.

SPECS: Reinforced hard polymer, black, with green polymer follower. Capacity: 30 rds of .223/5.56. Includes one flush fit and one grab-knob extended floor plate lock. Fits AR-15/M16/M4, HK416, FN SCAR, and other rifles that accept mil-spec M16 magazine.

#100-008-084EK 30-Rd BattleMag, Each 3B13A45 . . . \$14.50
#100-008-083EK 30-Rd BattleMag, 3-Pak 3B37A66 . . . \$42.00

hand from pointed edges while adding an extra layer of protection from a hot handguard. Low profile keeps bulk to a minimum. Simple, snap-on design allows for quick attach/detach without removing installed accessories.

SPECS: Soft-rubber, black. 5 1/4" (13.5cm) long. 1" (2.5cm) wide. .35 oz. (10g) wt., each. Sold in 3-Pak.

#100-008-906EK Z70 Rail Covers, 3-Pak 2E13A72 . . \$15.99

NEW

VORTEX VIPER® PST RIFLESOPES

Dependable, Precise Accuracy;
Variety Of Reticle Types &
Magnification Levels



Variable-power "Precision Shooting Tactical" scopes are built to deliver consistent accuracy at extreme ranges in harsh environments and stressful situations. Waterproof, dustproof, shockproof, argon-gas-purged scopes are built on one-piece 30mm tubes machined from aircraft-grade 6061 T6 aluminum for optimum strength and rigidity. All models feature fully coated glass, with exterior lens surfaces protected with scratch-resistant ArmorTek™ coating. Turret stops prevent turrets from traveling more than one revolution below the sight-in zero. Illuminated reticles are glass etched, not wired, and are sandwiched between two layers of glass. Ten illumination intensity levels, with an "off" position between each setting, powered by a single CR-2032 lithium battery (included). The **EBR** (Enhanced Battle Reticle) features subtenation lines for ranging, holdover, and windage corrections that are graduated in **MRAD** (milliradian) units - 3.6" at 100 yards. **FFP** (First Focal Plane) models have reticle lines that remain valid at all magnifications, eliminating the need to recalculate holdover data; subtenation lines equal approximately 1" at 100 yards.

SPECS: 6061 T6 aluminum, Type III hardcoat anodized, matte black. 30mm O.D. tube, all models. **2.5-10x44** - 12" (30.5cm) long. 18.4 oz. (522g) wt. **4-16x50** - 13" (33cm) long. 22 oz. (624g) wt. **6-24x50** - 15.5" (39cm) long. 23 oz. (652g) wt.

#100-007-285EK 2.5-10x44 Viper Scope, EBR/MRAD 3B559P99 . . . \$599.99
#100-007-284EK 4-16x50 Viper Scope, EBR/MRAD 3B653P32 . . . 699.99
#100-007-282EK 4-16x50 FFP Viper Scope, EBR/MRAD 3B840P00 . . . 899.99
#100-007-283EK 6-24x50 Viper Scope, EBR/MRAD 3B699P98 . . . 749.99
#100-007-281EK 6-24x50 FFP Viper Scope, EBR/MRAD 3B887P00 . . . 949.99

NEW

MAGPUL AR-15/M16 MOE+™ GRIP

Rubber-Coated Surface Provides Maxi-
mum Control In Adverse Environments



The MOE+ grip has the same contours and hard-molded polymer construction as the original MOE Grip with the addition of an anti-slip overmolded rubber coating for enhanced weapon control in wet conditions or when hand is sweaty. A polymer cap storage secures small items inside the internal compartment, and the MOE+ accepts Magpul MIAD grip cores (sold separately). Rubber coating is not applied to bottom edge of grip to reduce risk of snagging on other gear. Mounting hardware included.

SPECS: Reinforced molded polymer, Black, Dark Earth, O.D. Green, and Foilage Green. Drop-in replacement for AR-15/M16/M4 A2-type pistol grip. Can be installed on most AR-style .308 rifles; however, depending on model, there may be gap between the grip's beavertail and the receiver.

#100-006-786EK MOE+ Grip, Black 1S17B97 . . . \$22.75
#100-007-570EK MOE+ Grip, Dark Earth 1S17B97 . . . \$22.75
#100-007-572EK MOE+ Grip, O.D. Green 1S17B97 . . . \$22.75
#100-007-571EK MOE+ Grip, Foilage Green 1S17B97 . . . \$22.75

TOLL FREE: 800-741-0015

BROWNELLS AMMUNITION

ABBREVIATIONS - BULLET TYPES

BT = BOATTAIL	LHP = LEAD HOLLOW POINT
CP = COPPER PLATED	LRN = LEAD ROUND NOSE
FB = FLAT BASE	PSP = POINTED SOFT POINT
FMC = FULL METAL CASE	RN = ROUND NOSE
FMJ = FULL METAL JACKET	SBT = SPITZER BOATTAIL
FN = FLAT NOSE	SP = SOFT POINT (OR SPIRE POINT)
HP = HOLLOW POINT	SWC = SEMI-WADCUTTER
JHP = JACKETED HOLLOW POINT	TC = TRUNCATED CONE
JSP = JACKETED SOFT POINT	WC = WADCUTTER

NEW



FEDERAL AMERICAN EAGLE AMMUNITION

Economical Practice With Full-Strength Loads

Offering outstanding performance at an economical price, American Eagle ammo lets you practice with the same-strength loads you'll actually use on the hunt or in competition. Available in a variety of popular calibers with standard bullet weights that ensure your gun shoots the same when punching paper as it does in the field, when every shot is critical.

STOCK #	CARTRIDGE	BULLET WT/TYPE	COUNT	PRICE
#105-200-355EK	223 Rem	55 gr FMJBT	20	2E07X49 \$ 8.49
#105-200-939EK	5.56mm NATO	55 gr FMJ	20	2E07H80 \$ 8.49
#105-200-940EK	5.56mm NATO	55 gr FMJ	200	2E73H13 \$ 75.49
#105-200-327EK	9mm Luger	115 gr FMJ	50	2E12T57 \$ 13.89
#105-200-360EK	308 Win.	150 gr FMJBT	20	2E00XCH \$ 14.99
#105-200-326EK	9mm Luger	124 gr FMJ	50	2E13T15 \$ 14.49

NEW



FEDERAL FUSION® RIFLE AMMUNITION

Hunting Ammo With High Terminal Energy & Lethal Shock

One of the most lethal bullets in its class, specifically designed for hunting. The lead core is precision-formed under extreme pressure before the pure copper jacket is electrochemically "fused" to it. This construction prevents separation at high velocities to deliver high terminal energy and lethal shock on impact. A proprietary tip skiving process ensures proper expansion for maximum tissue damage without breaking up.

STOCK #	CARTRIDGE	BULLET WT/TYPE	COUNT	PRICE
#105-200-441EK	223 Rem	62 gr PSP	20	2E18P55 \$ 19.29
#105-200-458EK	30-30 Win.	170 gr PSP BT	20	2E18P20 \$ 19.99
#105-200-459EK	308 Win.	150 gr PSP	20	2E22P26 \$ 23.99
#105-200-460EK	308 Win.	165 gr PSP BT	20	2E22P26 \$ 23.99
#105-200-461EK	308 Win.	180 gr PSP BT	20	2E25P61 \$ 27.99

WARNING: You must be 18 or older to purchase shotgun or rifle ammunition and 21 or older to purchase handgun ammunition. All ammunition must be shipped Domestic Ground. Shipping not available for International, DC, and MA residents. Residents of CA, DE, IL, NY and OH, may have additional restrictions. Always make sure you use the correct ammunition for your firearms. Check your state and local laws for any other applicable firearms and ammunition regulations. Visit our website for additional information.

NEW



HORNADY TAP® FPD™ RIFLE AMMUNITION

Consistent & Reliable Self-Defense Loads

Accurate and consistent TAP FPD self-defense ammunition offers enhanced terminal performance, rapid expansion and fragmentation, and reduced risk of over-penetration. Carefully selected Hornady bullets that and top-quality components to ensure reliable performance and a long shelf life. Nickel-plated cases eliminate corrosion and improve feeding reliability. A superb choice for personal defense, TAP ammo has been chosen by many tactical teams, snipers, and police officers around the world because it performs flawlessly.

STOCK #	CARTRIDGE	BULLET WT/TYPE	COUNT	PRICE
#105-201-316EK	223 Rem	55 gr	20	3H19T90 \$ 21.49
#105-201-199EK	223 Rem	75 gr	20	3H19A40 \$ 19.99
#105-201-231EK	308 Win	110 gr	20	3H28V07 \$ 29.99
#410-000-004EK	308 Win	155 gr	20	1C00ZAY \$ 28.99
#105-201-235EK	308 Win	168 gr	20	3H28V86 \$ 29.99

NEW



REMINGTON UMC® RIFLE AMMUNITION

Consistent, Value-Priced, Factory New In Popular Rifle Calibers & Loads

Available in today's most popular rifle calibers with metal case (MC) or jacketed hollow point (JHP) bullets, UMC ammunition is made from all-new Remington components right here in the USA. It offers outstanding performance without any compromise in quality to provide the shooter with an excellent value

for target practice, varmint hunting, or preparing for that major hunt or competition without burning up expensive premium ammo. Some of the most sought-after calibers are available in convenient bulk packs. You'll be hard-pressed to find a better value anywhere.

STOCK #	CARTRIDGE	BULLET WEIGHT/TYPE	COUNT	PRICE
#105-201-708EK	223 Rem	45 gr JHP*	20	6G12T38 \$ 13.09
#105-201-710EK	223 Rem	45 gr JHP	40	6G25T25 \$ 26.84
#105-201-709EK	223 Rem	45 gr JHP	200	6G122T16 \$ 134.28
#105-201-711EK	223 Rem	50 gr JHP*	20	6G11T90 \$ 12.99
#105-201-712EK	223 Rem	50 gr JHP	40	6G24T41 \$ 26.84
#105-201-705EK	223 Rem	55 gr MC	20	6G08T97 \$ 10.99
#105-201-707EK	223 Rem	55 gr MC*	50	6G22T49 \$ 23.99
#105-201-713EK	223 Rem	62 gr CTFB**	20	6G13T77 \$ 15.29
#105-201-721EK	308 Win	150 gr MC	20	6G17T26 \$ 17.99
#105-201-722EK	308 Win	150 gr MC	40	6G35T21 \$ 38.70
#105-201-625EK	30 Rem AR	123 gr Metal Core	20	6G18B95 \$ 21.49
#105-201-759EK	9mm Luger	115 gr MC	50	6G12Z14 \$ 14.39

* #7½ primer

** Closed Tip Flat Base

NEW

ULTRAMAX REMANUFACTURED RIFLE AMMUNITION



Reloaded To Strict SAAMI Specs

Ultramax provides high-quality, economical, remanufactured ammunition using previously-fired brass that goes through a 10-step quality assurance system so that only the best cases are chosen for reloading. SAAMI specifications are strictly maintained throughout the production process. Available in soft point (SP), hollow point (HP), Nosler Ballistic Tip (NBT), or full metal jacket (FMJ).

STOCK #	CARTRIDGE	BULLET WT/ TYPE	COUNT	PRICE
#105-202-345EK	223 Rem	40 gr NBT	50	3E28Z87 \$ 30.99
#105-202-339EK	223 Rem	55 gr FMJ	50	3E20A40 \$ 21.99
#105-202-356EK	223 Rem	55 gr FMJ	250	3E94Z50 \$ 99.99
#105-202-340EK	223 Rem	55 gr SP	50	3E21A13 \$ 22.99
#105-202-357EK	223 Rem	55 gr SP	250	3E108Z97 \$ 119.99

NEW

CCI RIMFIRE AMMUNITION



Economical, Reliable Fuel For Your AR-15 .22 LR Conversion

CCI has been a leader in rimfire ammunition for 50 years and offers products ideal for the plinking, hunting, or target shooting. Available with a variety of bullet types including traditional lead, copper-plated, and hollow point configurations - with bulk packs for high-volume shooters.

STOCK #	CARTRIDGE	BULLET WT/ TYPE	BRAND/LINE	COUNT	PRICE
#105-200-105EK	22 LR	36 gr CPHP	Mini-Mag	100	2E06B25 \$ 6.99
#105-200-095EK	22 LR	40 gr LRN	Blazer	50	2E02B12 \$ 2.49
#105-200-130EK	22 LR	40 gr LRN	Blazer	525	2E18D19 \$ 21.19
#105-200-106EK	22 LR	40 gr LRN	Std Velocity	100	2E07B05 \$ 8.95
#105-200-107EK	22 LR	40 gr LRN	Green Tag	100	2E15B01 \$ 18.95
#105-200-104EK	22 LR	40 gr CPRN	Mini-Mag HV	100	2E05B75 \$ 5.99
#105-200-113EK	22 LR	40 gr CPHP	Velocitor	100	2E05D59 \$ 6.95

NEW

FEDERAL RIMFIRE AMMUNITION



Plenty Of Performance & Price Options

Federal offers a great variety of loads and price options in rimfire ammunition, for whatever rimfire shooting you do - including your AR-15 .22 LR conversion. The advanced Game-Shok® bullet is excellent for varmint and small game hunting. For general shooting or plinking, there's the American Eagle® line.

STOCK #	CARTRIDGE	BULLET WT/ TYPE	BRAND/LINE	COUNT	PRICE
#105-200-309EK	22 LR	36 gr HP/CP	Champion Target	525	2E22Z46 \$ 26.99
#105-200-350EK	22 LR	38 gr HP/CP	American Eagle	40	2E02U11 \$ 2.19
#105-200-324EK	22 LR	40 gr Solid HV	American Eagle	50	2E02C11 \$ 2.19
#105-200-296EK	22 LR	40 gr Solid HV	Champion Target	50	2E02C11 \$ 2.19
#105-200-381EK	22 LR	40 gr Solid	Automatch 10/22	325	2E15V04 \$ 15.99
#105-200-301EK	22 LR	40 gr Solid CP HV	Game-Shok	50	2E03X03 \$ 3.29
#105-200-317EK	22 LR	40 gr Solid CP HV	Game-Shok	100	2E00TPU \$ 5.29

NEW

AMMUNITION + MAGAZINE COMBOS



Shoot Your AR-15 More With Money Saving Deals On Ammo & 30-Rd Magazines

We've packaged up two types of AR-15 ammunition preferred by high-volume shooters, with several combinations of popular 30-round magazines to help you get the most out of your range time. Choose from the Remington/UMC "Green Box" .223 load with a 55gr Metal Case (FMJ) bullet or Federal American Eagle 5.56mm M193 55gr FMJ. For magazines, select the Brownells military-style model with the chrome-silicon spring, black hard-polymer Magpul PMAG, or the Tangodown ARC magazine. Got enough mags? Choose a huge 1,000 round bulk box of Federal 5.56 with a Maglula Benchloader to load it up fast.

STOCK #	AMMUNITION QTY/LOAD	MAGAZINES	PRICE
#100-007-778EK	200 Rds Rem .223 55gr MC	3 Brownells 30-Rd	8K112Z46 \$ 119.99
#100-007-779EK	200 Rds Rem .223 55 gr MC	3 PMAG 30-Rd	8K104Z46 \$ 109.99
#100-007-777EK	200 Rds Federal 5.56 M193	3 Brownells 30-Rd	8K104Z00 \$ 110.39
#100-007-780EK	200 Rds Federal 5.56 M193	3 PMAG 30-Rd	8K113Z00 \$ 119.48
#100-007-786EK	180 Rds Federal 5.56 M193	6 ARC 30-Rd	8K00PUA \$ 159.99
#100-007-785EK	300 Rds Federal 5.56 M193	10 ARC 30-Rd	8K245P32 \$ 249.99
#100-007-782EK	1,000 Rds Federal 5.56 M193	Maglula Benchloader	8K763P67 \$ 839.98

NEW

FEDERAL 5.56 M855 AMMO CAN + MAGAZINE COMBOS



Load 'Em Up: 420-Rounds Of Federal Ammo & Magazines

AR shooters like to shoot A LOT. We know that - judging by the pace that high-cap magazines and these 420-round cans of Federal M855 leave our warehouse. So we thought we'd put together these money-saving combos that let you stock up on ammo and get some new magazines. The ammo is Federal's first run, first-quality 5.56 x 45mm NATO green-tip M855 (NATO SS109), with the 62 grain FMJ steel core "penetrator" bullet. Comes in 10-round stripper clips packed in a steel M19A1 ammo can. Boxer-primed, reloadable cases headstamped with the Federal symbol and date of manufacture. For magazines, choose 6 or 10 of the ever-popular Brownells 30-round model with the chrome-silicon spring, or one SureFire 60- or 100-round ultra-high capacity magazine. Brownells magazine combos also available with a Maglula StripLULA™ loader to make loading up all that ammo fast and easy.

STOCK #	MAGAZINES	PRICE
#100-008-523EK	6 Brownells 30-Rd	8K212V93 \$ 239.99
#100-008-525EK	6 Brownells 30-Rd + StripLULA	8K244V42 \$ 269.99
#100-008-522EK	10 Brownells 30-Rd	8K254V89 \$ 269.99
#100-008-524EK	10 Brownells 30-Rd + StripLULA	8K286V38 \$ 299.99
#100-009-219EK	1 SureFire 60-Rd	8K256T10 \$ 259.99
#100-009-220EK	1 SureFire 100-Rd	8K289P20 \$ 299.99

Want more ammo choices?

Need help selecting the right ammunition?

Visit the **AMMO ADVISOR™** at brownells.com



M-Pro[®] 7



M-PRO 7 GUN CLEANING KIT

Use the same combat-tested cleaning system on your personal firearms that the United States Armed Forces use for machine guns, grenade launchers, and even the complex weapon systems of the F-16 fighter jet - all in a compact, go-anywhere kit. Includes M-Pro 7 Gun Cleaner, ammonia-free M-Pro 7 Copper Remover, and M-Pro 7 Cleaner Lubricant Protectant for superior lubrication and corrosion protection or quick field cleaning. You also get a multi-section cleaning rod, high-quality bronze bore brushes plenty of cleaning patches, and other critical cleaning items.

SPECS: Kit includes: polycarbonate box, 4 fl. oz. (118ml) Gun Cleaner; 2 fl. oz. (59ml) Cleaner Lubricant Protectant; 2 fl. oz. (59ml) Copper Remover; (multi-section cleaning rod; bore brushes that fit .22/.223/5.56mm, .308, 9mm, .45, 12/20 ga. shotgun; shotgun brush adapter; loop; (50) 2½" (6.4cm) square cleaning patches; lint-free gun cloth; utility brush; Weapon Maintenance Guide.

#945-000-021EK Tactical Cleaning Kit 3E32Y34. \$ 44.99



M-PRO 7 GUN CLEANER

Gets gun bores squeaky clean and shining but is harmless to all metal surfaces, including titanium, aluminum and stainless steel. Actually breaks down carbon so copper and lead fouling float free. Completely odorless, non-flammable, non-toxic, biodegradable and environmentally safe to use. Penetrates hydrocarbon-based greases, oils (will remove oil-based stock finishes) and gun powder residues. Strips the metal completely clean with no oily feel. Heat and agitation will accelerate the cleaning action. Can be used as a tank solvent.

SPECS: 4 fl. oz. (118 ml), 8 fl. oz. (237 ml) pump spray bottle, 32 fl. oz. (939 mL), spray bottle, 1 gal. (128 fl. oz./3.8 L) bottle, or 5 gal. (18.9 L) container.

#945-700-004EK Gun Cleaner, 4 oz. Spray 3E08V03 \$ 9.99

#945-700-008EK Gun Cleaner, 8 oz Spray 3E13V11. 16.99

#945-000-001EK Gun Cleaner, 32 oz. Spray 3E24A47 36.99

#945-700-128EK Gun Cleaner, 1 Gallon 3E64V71. 85.99

#945-000-020EK Gun Cleaner, 5 Gallon 3E200A55 365.99



M-PRO 7 GUN OIL LPX

Next-generation formula provides superior lubrication and corrosion protection for advanced military and law enforcement weapons used in extreme operating environments. Produces a thin, long-lasting protective film that repels dust, dirt, and moisture, including salt water. Combines synthetic oils with LPX additives for an extremely low coefficient-of-friction that outperforms traditional gun oils and lubricates from -85° F to +462° F. Surpasses MIL-L-63640 revision "E". Cleaning additives remove surface carbon fouling for quick field cleaning. Resists evaporation, separation, and gumming—excellent for long-term storage.

SPECS: 2 fl. oz. (59 ml) or 4 fl. oz. (120 ml) squeeze bottle, or 1 gallon (3.78 l) jug.

#593-000-080EK Gun Oil LPX, 2 oz. 3E05B50 \$ 6.99

#593-000-081EK Gun Oil LPX, 4 oz. 3E09B20. 11.99

#593-000-082EK Gun Oil LPX, 1 gallon 3E183B93. 209.99

**BROWNELLS** MOBILE

Scan this QR code into your web enabled mobile phone to surf and make purchases at the mobile version of **Brownells.com**. All with the complete security and convenience you've come to expect from Brownells!

BROWNELLS®

200 S. Front St. Montezuma, IA 50171
800-741-0015 • brownells.com


Customer Number



Source Code



PRSR STD
U.S. POSTAGE
PAID
Brownells



Hornady®
Accurate. Deadly. Dependable.

**Hornady****STEEL MATCH™ AMMUNITION**

Loaded With Match-Grade Hornady Components, Disposable Steel Cases

Match-grade ammo is loaded to deliver exceptional performance with the same bullets, powders, and primers as traditional brass-cased Hornady ammunition. Steel Match is an excellent choice for action shooters taking part in competitions where they are not allowed to retrieve their

spent cases. Polymer coating on the case resists corrosion, aids in smooth extraction. Non-corrosive Berdan primed. 308 meets IDPA/IPSC/USPSA "Major" power factor; 223 meets "Minor" factor.

STOCK #	CARTRIDGE	BULLET WT/TYPE	COUNT	PRICE
#105-000-009EK	223 Rem	55 gr HP	50	3H00AYT \$ 17.99
#105-000-013EK	223 Rem	75 gr BTHP	50	3H19X80 \$ 20.99
#105-000-017EK	308 Rem	155 gr BTHP	50	3H00UAV \$ 40.49

**Hornady****ZOMBIE MAX™ AMMUNITION**

Proven Zombie-Stopper Ammo – Just In Case!

Prepare yourself for the Zombie Apocalypse with Zombie Max ammo loaded with Hornady's proven Z-Max™ bullets. Proven? Yes! How many Zombies have you seen lately? Only jacketed Z-Max bullets have the green polymer tip that gives the kind of expansion to stop the Undead in

their tracks for good. Endorsed by the Center For Zombie Awareness. Make sure the ammo in your bug out bag is the best - Zombie Max. **Warning:** Hornady Zombie Max ammunition is NOT a toy. IT IS LIVE AMMUNITION.

STOCK #	CARTRIDGE	BULLET WT/TYPE	COUNT	PRICE
#105-000-029EK	223 Rem	55 gr Z-Max	20	3H19V63 \$ 20.99
#105-000-031EK	308 Win.	168 gr Z-Max	20	3H25D46 \$ 26.99

**Hornady****VARMINT EXPRESS AMMUNITION®**

Deadly Accuracy, Explosive Expansion

Hornady's Varmint Express ammunition is carefully loaded to ensure consistent pressure and meticulous lot-to-lot uniformity, with Hornady's V-Max bullets to achieve reliable fragmentation at all varmint shooting velocities. Only top-grade brass cases are used to ensure smooth

feeding and the ability to withstand maximum chamber pressures for reliable extraction. Varmints don't have a chance when your rifle's loaded with Varmint Express.

STOCK #	CARTRIDGE	BULLET WT/TYPE	COUNT	PRICE
#105-201-312EK	223 Rem	40 gr V-MAX	20	3H17P23 \$ 17.99
#105-201-314EK	223 Rem	55 gr V-MAX	20	3H00PUA \$ 16.99
#105-201-315EK	223 Rem	55 gr V-MAX Moly-Coated	20	3H16B90 \$ 17.99