#### **SHOTGUN INDEX** Replacement Parts............ 203-204 Competition Gear..... 210-212 Magazine Tubes & Parts ..... 204-207 Performance Parts 201-202

## **BIRCHWOOD CASEY** CHOKE TUBE LUBE

#### Eliminates Stuck Choke Tubes, Barrel Damage

Non-evaporating, metallic base, anti-seize lubricant prevents corrosion and galling caused by high pressure loads and extreme

SPECS: A squeeze tube, net wt. 3/4 oz. (21 a)

#167-400-150	Choke Tube Lube, 5C5F10	\$ 7.19
- 3 or More -C	hoke Tube Lube, per each, 5C3H87	\$ 7.20

#### BRILEY CHOKE TUBE SPEED WRENCH

Speed & Leverage To Quickly Remove Tubes

Aluminum fingers accurately align the wrench inside the tube and hold the teeth in place. Crank handle quickly spins tubes in or out. Fits factory choke tubes and Briley X-2 tubes. (Not for Briley special thinwall tubes.) SPECS: Plastic knob, aluminum fingers/handle, stainless steel

#129-070-012	12 Gauge Tube Wrench,	9B25F30	29.99
#129-070-020	20 Gauge Tube Wrench,	9B25I31	31.99

#### CARLSON'S CHOKE TUBE WRENCH

CARLSON'S UNIVERSAL WRENCH - Fits all of the most popular brands of choke tubes. SPECS: Steel, blued. 2" (5cm) long. 12 or 20 ga. only

#155-100-012 12 Ga. Univ. Choke Wrench, 5E14A32... \$ 17.19 #155-100-020 20 Ga. Univ. Choke Wrench, 5E14C32... 17.09

CARLSON'S UNIVERSAL CHOKE TUBE WRENCH - Stronger, and a lot easier on your choke tubes and your fingers. than a quarter. Fits virtually every choke tube slot.

Includes key chain. SPECS: Stainless steel, 21/2" (6.3cm) long with 6" chain.

#155-103-000	Universal Choke Wrench	. 5E3N21	\$ 4.49
--------------	------------------------	----------	---------

CARLSON'S SPORTING CLAYS SPEED WRENCH Crank and handle provide both speed and leverage for quickly removing choke tubes. Large, easy-toarip knob expands the vinyl, non-marking gripping surface that's inserted into the tube. 

#155-102-020 20 Ga. S/C Speed Wrench, 5E16P45 .... \$ 18.99 #155-102-012 12 Ga. S/C Speed Wrench, 5E15K73..... 18.89



## **COLONIAL ARMS** CHOKE TUBE WRENCH


A Quarter With Guts!

"Ears" give the leverage needed to unscrew tight choke tubes damage-free. Good control for installation, too. Sized to fit Colonial brand tubes; fits many others. Pocket-sized. SPECS #198

3-100-001	Choke Tube	Wrench,	8A4N59	\$ 5.9
. <b>3.</b> 31881. 2	/2 (O.JC///) l, 17/4	(3.2CIII) W,		I UTICK.

## **BROWNELLS** SCREW-IN **CHOKE ADAPTER**

Lets "Too-Thin" Barrels Accept Win-Choke®-Style Tubes



**SPECS:** Alloy steel. 2<sup>1</sup>/<sub>2</sub>" (6.3cm) Ig. 12 Ga. .867" (22mm) O.D. Accepts Win-Choke®-style tubes (Colonial "Invisible" Tubes). Maximum bore di-

STOCK #	THREAD	FITS BBL TURNED TO	GAUGE
#514-132-795	.812"-32	.795	12
#514-132-840	.812"-32	.840	12
- Advise # -	Screw-In Cho	ke Adapter, 8A15L42	\$ 20.99

## **BROWNELLS**/CARLSON'S **3-GUN CHOKE TUBE SETS**



Three Different Constrictions So You're Ready For Any Stage Of Competition

Brownells partnered with Carlson's to develop a set of 12 gauge choke tubes specifically optimized for 3-Gun competition. Having one of these sets in your range bag ensures you're equipped with the exact constriction for any stage, from flying

clay pigeons to a troublesome marker next to a "no-shoot." Each set includes Improved Cylinder for close-range targets, Modified for mid-range, and Full for long-distance. These tubes are designed to throw tighter and denser patterns than conventional tubes, so be sure to pattern your shotgun with the shotshell load you plan to use to be sure you know the results you'll get with each of these tubes. Knurled rings give plenty of grasping surface for quick removal, and the constriction is laser marked on the end and body for easy reference. Can be used with lead, steel, or Hevi-Shot.

SPECS: 17-4 stainless steel, matte black. 12 gauge only. Remington -2.875" (7.3cm) long. Fits most Remington shotguns. Winchester/Browning Invector/Mossberg - 2.35" (5.97cm) long. Fits Winchester, Browning Invector, Mossberg 500, Weatherby, and Savage. Benelli Crio® Plus – 3.75" (9.525cm) long. Fits Benelli Crio Plus choke system, including Super Black Eagle II. CrioTech M2 and other models. All models for 12 gauge only. Do not use slugs, sabots, or rifled slugs in constrictions tighter than Improved Cylinder, and do not shoot steel shot larger than BB or any steel load faster than 1.550 feet per second through the Full.

#155-000-220	Remington 3-Gun Choke Tube Set, 5E89C99	÷ 00 00
#4EE 000 340		\$ 99.99
#155-000-219	Winchester/Browning Invector/ Mossberg 3-Gun Choke Tube Set,	
	5E89A99	99.99
#155-000-221	Benelli Crio Plus 3-Gun Choke Tube Set,	
	5E89A99	99.99

#### **BRILEY BROWNING** X-2 SCREW-IN CHOKE TUBE

Extended Length, **Competition Grade Tubes** Improve Pattern & Accuracy

Choke constrictions, from Cylinder to X-Full let you precisely match

your load to the shooting conditions. Long tube extends beyond the length of the muzzle, features highly polished interior for less pellet deformation; reduced fliers and tighter patterns. Knurled grasping band speeds installation and removal. Choke constriction is marked on band, no need to remove tube to verify size.

SPECS: 17-4 stainless steel. Polished, bright finish. Extends beyond muzzle approx. .812" (20.6mm). Use with lead and bismuth shot. Steel shot can be used with constrictions of Modified and larger. Beretta chokes will not fit guns with Optima choke thread.

#### **BROWNING INVECTOR**

	2.1.0 111111111111111		
STOCK #	FITS	TYPE	PRICE
#129-025-001	Beretta/Benelli 12 ga.	Skeet	9B42I62 \$ 50.9
#129-001-001	Browning Invector 12 ga	Skeet	9B44Q09 \$ 48.9
#129-001-002	Browning Invector 12 ga	Imp Cyl	9B45H89 <b>\$ 53.9</b>
#129-001-003	Browning Invector 12 ga	Lt Mod	9B42F62 \$ 50.9
#129-001-004	Browning Invector 12 ga	Mod	9B42I62 <b>\$ 48.9</b>
#129-001-005	Browning Invector 12 ga	Imp Mod	9B43Q34 <b>\$ 50.9</b>
#129-001-007	Browning Invector 12 ga	Full	9B42M62 \$ 50.9

#### **BRILEY SPECTRUM MACH 1 CHOKE TUBE**



Competition Grade Tubes, Extra High Polish Interior Improves Pattern & Accuracy

Minimum gap geometry and high resolution "RMS" interior finish gives less pellet deformation; consistently tighter patterns. Choke constriction is laser marked on color coded band, no need to remove tube to verify size.

Long tube with hidden wrench slots extends beyond the length of the muzzle. Knurled grasping band speeds installation and removal. SPECS: 17-4 stainless steel. Polished bright finish. Extends beyond muzzle approximately .812" (20.6mm). Use with lead and bismuth shot. Steel shot can be used with constrictions of Modified and larger. Available to fit Browning Invector Plus and Beretta/Benelli.

STK#	STK#		
INVECTOR PLUS	BERETTA/BENELLI	CHOKE	GAUGE
#129-000-019	#129-000-055	Skeet	12
#129-000-020	#129-000-056	Imp Cyl	12
#129-000-021	#129-000-057	Lt Mod	12
#129-000-022	NA	Mod	12
#129-000-023	NA	Imp Mod	12

Advise # — Spectrum Mach 1 Choke Tube, 9B58B64... \$ 68.99

## **CARLSON'S BUCKSHOT CHOKE TUBES**

Special Choke Tubes Give **Tight Patterns With Buckshot** 

Steel choke tubes fit popular models of shotguns and give tight patterns with 00 and 000 buckshot. Chokes feature ports to

help tame the recoil and muzzle jump produced by buckshot loads. Can be used with lead, steel and Hevi-Shot. Not for use with any steel shot larger than BB or faster than 1550 fps. SPECS: 17-4 heat treated steel. Matte black finish.

#155-000-225 Rem Choke Buckshot Choke. 5E46K74 .. \$ 54.99 #155-000-226 Beretta//Benelli Mobil Choke Buckshot Choke, 5E46A74...... 54.99

order on the web



## CARLSON'S BROWNING INVECTOR DS **CHOKE TUBE**

Patterns Better Than Standard **Choke Tubes** 

Precision machined from 17-4 stainless steel, these choke tubes fea-

ture a 25% larger parallel section than conventional tubes, resulting in tighter, denser, and more consistent patterns. Choke size is laser etched on each tube for easy identification, and the knurled end makes removal quick and easy. Lead, copperplated, nickel Hevi-Shot™, bismuth, tungsten, or steel shot may be used in these choke tubes. Do not use steel shot larger than BB in any Sporting Clays Choke Tube tighter than full constriction. SPECS: 17-4 stainless steel, polished.

. 200. 17	nam ness steet, p	21101100.			
STOCK#	CHOKE	DIA.	STOCK #	CHOKE	DIA.
155-000-228	Cylinder	.740	#155-000-231	Light Modified	.725
155-000-229	Skeet	.735	#155-000-232	Modified	.720
155-000-230	Improved	.730	#155-000-233	Improved Modified	.715
	Cylinder		#155-000-234	Full	.710

Advise # — Invector DS Choke Tube, 5E38J24 . . . . \$ 44.99

#### **CARLSON'S** WATERFOWL CHOKE TUBE SET



Helps Knock Down Ducks & Geese At Any Range

Three choke set helps you configure your shotgun to match your shooting conditions. Stainless steel chokes feature long parallel internal sections that throw tight, consistent patterns to help

you bag more birds. Laser marked on end and body for easy identification and knurled for quick installation —just screw in the choke that matches your hunting situation. Close-Range choke is ideal for shooting over decoys out to 30 yards. Mid-Range choke is best for 25 to 40 vard shots. Long-Range choke designed for shots 40 vards and beyond. Chokes accept steel shot up to size BB, at velocities less than 1550 fps. Padded hard case fits into your pocket and keeps chokes handy in the field. Available in 12 gauge only, for several different shotgun makes and models.

SPECS: 1704 stainless steel, matte black finish. Chokes extend 3/4" beyond

STOCK#	K# FITS F	
#155-000-203	Most Beretta & Benelli	5E101N99 \$ <b>119.99</b>
#155-000-204	Most Remington	5E101I99 <b>\$ 119.99</b>

#### WIN-CHOKE® or TRU-CHOKE™-STYLE TUBES, WHICH SHOULD ITHREAD BARRELS FOR?

Win-Choke®-style tubes are thicker and generally more available. Tru-Choke™ Standard-style tubes are thinner, and the Tru-Choke™ Thinwall-style tubes thinner yet, so a far wider range of barrels can be threaded to accept them. But, they are less available. Ideally, you would have tooling for all three styles and thread barrels for: Win-Choke®-style tubes when they are thick enough: Tru-Choke™ Standardstyle on thinner barrels; Tru-Choke™ Thinwall-style tubes on the thinnest 12 ga. side-by-side and over-under barrels. But, that's a lot of money. So, measure the barrels of commonly used shotguns in your area, check "Screw-In Choke Installation Requirements" and buy the tooling that will convert the most auns.

**BROWNELLS. PAGE 199** 

#### CARLSON'S CHOKE TUBES —



**Non-Rusting Stainless Steel** 

Flush mount, stainless steel tubes available for the many shotguns using the popular Win-Choke thread size and standard Tru-Chokes, plus Remington, Beretta/

Benelli, Browning Invector Plus, and Mossberg 835 Ultra Mag. These tubes can be used with magnum and steel shot loads. Tru<sup>TM</sup>-Choke Thinwall tubes are recommended for 23/4" lead shot loads ONLY. All X-Full and Turkey constrictions are for use with lead and Hevi-Shot ONLY!

SPECS: 1704 Stainless steel, heat treated. Available for 12 and 20 gauge, depending on model. Tru-ChokeTM-style (T-C): .795"-44 tpi fits 12 ga. Tru-Choke-style, .675"-44 tpi fits 20 ga. Tru-Choke-style. Tru-Choke Thinwall-style: .774"-44 tpi fits 12 ga. barrels altered to accept Thinwall chokes and recommended for 23/4" lead shot loads ONLY. Win-Choke® style: 812-32 tpi (12 ga.) or 687-32 (20 ga.) fits barrels originally equipped with Win-Choke®, Browning Invector, Mossberg Accu-Choke®, Weatherby IMC®, or Savage choke tubes. Rem™Choke-style: .814"-32 tpi (12 ga.) or .702"-32 (20 ga.) fits barrels originally equipped with Rem™Choke factory tubes. **Beretta/ Benelli**: .810"-1mm fits Beretta and Benelli M1 and Super 90. Invector Plus-style: .820"-32 tpi (12 ga.) fits barrels originally equipped with Browning Invector Plus factory tubes.

#### TRU-CHOKE (T-C) & TRU-CHOKE THINWALL

	THE CHERT OF THE CHERT HINNIALL				
STK#	STK#	STK#			
T-C 12 GA.	T-C 20 GA.	THINWALL 12 GA.	CHOKE		
#155-212-008	#155-220-008	#155-412-008	Cyl		
#155-212-007	#155-220-007	#155-412-007	Skeet		
#155-212-006	NA	#155-412-006	Imp Cyl		
#155-212-004	#155-220-004	#155-412-004	Mod		
#155-212-003	NA	#155-412-003	Imp Mod		
#155-212-002	#155-220-002	#155-412-002	Full		
#155-212-001	NA	#155-412-001	X-Full		
#155-212-000	NA	NA	Turkey		
NA	#155-220-006	NA	Imp		

- Advise # - Tru-Choke Std & Thinwall Choke Tubes, 5E16J79.....\$20.99

#### WIN-CHOKE & INVECTOR PLUS

STK#	STK#	STK#	
WIN. 12 GA.	WIN. 20 GA.	INV. PLUS 12 GA.	CHOKE
#155-000-090	#155-000-052	#155-612-008	Cyl
#155-000-091	#155-000-053	#155-612-007	Skeet
#155-000-092	#155-000-054	#155-612-006	Imp Cyl
#155-000-093	#155-000-055	#155-612-004	Mod
#155-000-094	#155-000-056	#155-612-003	Imp Mod
#155-000-095	#155-000-057	#155-612-002	Full
#155-000-096	NA	NA	X-Full
#155-000-097	#155-000-059	#155-612-000	Turkey
— Advise # —	Invector Plus Cho	oke Tube, 5E15B29.	\$ 17.99

#### **REM-CHOKE**

STK# REM. 12 GA.	STK# REM. 20 GA.	CHOKE
#155-712-008	#155-720-008	Cyl
#155-712-007	NA	Skeet
#155-712-006	#155-720-006	Imp Cyl
#155-712-004	#155-720-004	Mod
#155-712-003	#155-720-003	Imp Mod
#155-712-002	#155-720-002	Full
#155-712-001	#155-720-001	X-Full
#155-712-000	#155-720-000	Turkey
#155-712-001	#155-720-001	X-Full

- Advise # - Win- & Rem Choke Tubes, 5E15C29..... \$ 17.99

#### BERETTA/BENELLI

STK#	STK#	
BER./BEN. 12 GA.	BER./BEN. 20 GA.	CHOKE
#155-812-008	#155-820-008	Cyl

#### **CARLSON'S SPORTING CLAYS CHOKE TUBES**



Gives Tight, Consistent Patterns With Minimal Shot Deformation

Parallel section 25% longer than Carlson's conventional tubes helps produce even more consisten, dense shot patterns. Extra smooth interior surface minimizes shot deformation. La-

ser marked constriction provides fast identification. External knurled ring extends approximately 3/4" from end of barrel for fast changes between stations. Can be used with lead, steel, copper-plated, and nickel shot, as well as Hevi-Shot and buck shot. Steel shot larger than BB should not be used in tubes with Extra Full constriction. SPECS: 17-4 stainless steel, natural silver finish. 12 gauge only. Constriction (SIZE) listed in tables below. Threads are as follows: Win-Choke® -.812"-32. Also fits Browning Invector, Mossberg 500, Weatherby, and Savage. Browning Invector-Plus - .820"-32. Beretta - .810"- 1mm. Also fits Benelli M1 and Super 90. **Rem™ Choke -** .812"-32. **Crio-Plus** fit Benelli Criotech® M2 and Super Black Eagle II.

#### 12 GAUGE CLAYS TUBES

STK# WIN-C	HOKE	STK# INVPLUS		CHOKE
#155-000-002	.725"	#155-000-010	.735"	Skeet
#155-000-003	.720"	#155-000-011	.730"	Imp Cyl
#155-000-004	.715"	#155-000-012	.725"	Lt. Mod
#155-000-005	.710"	#155-000-013	.720"	Mod
#155-000-006	.705"	#155-000-014	.715"	Imp Mod
#155-000-007	.700"	#155-000-015	.710"	Full
NA		#155-000-009	.740"	Cyl
NA		#155-000-016	.700"	Extra Full

#### 12 GAUGE CLAYS TUBES

STK# BERE	TTA	STK# REM CHOKE		CHOKE
#155-000-017	.725"	#155-000-025	.730"	Cyl
#155-000-018	.720"	#155-000-026	.725"	Skeet
#155-000-019	.715"	#155-000-027	.720"	Imp Cyl
#155-000-020	.710"	#155-000-028	.715"	Lt. Mod
#155-000-021	.705"	#155-000-029	.710"	Mod
#155-000-022	.700"	#155-000-030	.705"	Imp Mod
#155-000-023	.695"	#155-000-031	.700"	Full

— Advise # — 12 Gauge Clays Tube, 5E33E99 . . . . . . \$ 39.99

#### **CRIO-PLUS TUBES**

STOCK #	CHOKE	SIZE	STOCK#	CHOKE	SIZE
#155-000-068	Cyl	.725"	#155-000-072	Mod	.705"
#155-000-069	Skeet	.720"	#155-000-073	Imp Mod	.700"
#155-000-070	Imp Cyl	.715"	#155-000-074	Full	.695"
#155-000-071	Lt Mod	.710"	#155-000-075	X-Full	.690"
- Advise # -	12 Ga. C	rio-Plus	Tube, 5E36B54		\$ 42.99

STK#	STK#	
BER./BEN. 12 GA.	BER./BEN. 20 GA.	CHOKE
#155-812-007	#155-820-007	Skeet
#155-812-006	#155-820-006	Imp Cyl
#155-812-004	#155-820-004	Mod
#155-812-003	#155-820-003	Imp Mod
#155-812-002	#155-820-002	Full
#155-812-001	NA	X-Full
#155-812-000	NA	Turkey

#### **CARLSON'S** TACTICAL BREACHER CHOKE



Provides An Extra Wide Shot Pattern; Serrated Tip Aids In Door Breeching

Machined steel, extended tactical choke with large diameter bore provides extra wide patterns at close range for home defense or CQB operations. Features a serrated, saw-tooth tip that holds tight against locks and hinges to prevent the muzzle from sliding during forced entry operation. Twelve, equally spaced ports redirect combustion gases to reduce felt recoil and prevent barrel damage when used for forced entry. Knurled gripping surface makes it easy to install and remove the choke without special tools. Precision machined from 1704 stainless steel for maximum strength, then treated with a manganese phosphate finish for improved wear resistance. Models available for Mossberg 835/935, Winchester/ Savage/Browning Invector/Weatherby/Mossberg 500, Remington, and Beretta/Benelli shotguns.12 gauge only. Can be used with lead. buckshot, hevishot, or steel shot without damage.

SPECS: 1704 stainless steel, manganese phosphate finish, matte black, Fits 12 gauge only.

STOCK #	OCK # FITS		CE
#155-000-101	Beretta/Benelli	5E44P79	\$ 55.99
#155-000-100	Remington	5E44Q79	\$ 55.99
#155-000-099	Winchester/Savage Browning Invector/Wthrby Mossberg 500	5E44E79	\$ 55.99

#### **CARLSON'S EXTENDED TURKEY TUBES**

Tight Patterns, Reduced Recoil, More Roast Turkey on Your Table

Hardened stainless steel turkey tubes stand up to the heaviest loads and deliver tight, consistent patterns with less fliers. Super full con-



SPECS: Heat-treat hardened 17-4 stainless steel, matte black finish.

STOCK #	FITS	GAUGE	CONSTRICTION	PRIC	CE
#155-000-089	Benelli Crio-Plus	12	.665"	5E35H69	\$ 41.99
#155-000-084	Beretta/Benelli	12	.640"	5E29L69	\$ 32.99
#155-000-078	Beretta/Benelli	20	.575"	5E32J29	\$ 37.99
#155-000-086	Browning Invector Plus	12	.655"	5E31K44	\$ 36.99
#155-000-080	Rem™-Choke	12	.640"	5E30C59	\$ 33.99
#155-000-081	Rem™-Choke	12	.660"	5E30Q59	\$ 35.99
#155-000-077	Rem™-Choke	20	.575"	5E32E29	\$ 37.99
#155-000-082	Win-Choke®	12	.640"	5E32K29	\$ 37.99
#155-000-083	Win-Choke®	12	.660"	5E32E29	\$ 37.99
#155-000-076	Win-Choke®	20	575"	5F32P29	\$ 37 99

#### DOUBLE STAR KSG ENFORCER

Designed For Breaching & **Close Quarter Combat** 

Specifically made for the Kel-Tec KSG shotgun, the Enforcer's four tapered points lets the shotgun be repositioned when performing breaching operations. Solid steel muzzle device comes with four open slots to help reduce muzzle flash. Knurled exterior allows for simple installation and removal without indexing. Fits 12 ga. KSG shotguns only. SPECS: Steel, matte black. 2 (5.1cm) OAL. 4 oz. (113.4g) wt.

#### **COLONIAL ARMS** "SPECIAL PURPOSE" CHOKE TUBE



External "Special Purpose" Choke Tubes made from high tensile strength e.d.t. 150 carbon steel to withstand the higher pressures created by large shot and the constant

pounding of competitive shooting without bulging at the threads or splitting the barrel. If a tube does fail, simply remove and replace with another.

SPECS: Blued e.d.t. 150 carbon steel choke tubes, Hardened to Rc 32. Approx. 23/4" (6.98cm) long. Dimension shown in price line is nominal I.D. Tru-Choke™ (TC) 12 ga. .795"-44 tpi. 20 ga. .675"-44 tpi. Rem™Choke (RC) 12 ga. .812"-32 tpi. Win-Choke® (WC) .812"-32 tpi.

TURKEY TUBE - Deliver extra tight patterns when used with heavier charges of large size lead shot. Not for use with steel shot!

#198-025-109	<b>12 Ga. TC,</b> .680" full, <i>8A20Q39</i>	23.99
#198-025-110	<b>12 Ga. TC,</b> .675" X-full, <i>8A20F39</i>	23.99
#198-024-410	<b>20 Ga. TC,</b> .570" X-full, <i>8A20Q39</i>	23.99

CARD SHOOTING TUBE - Tru-Choke™, Rem™Choke and Win-Choke®-style tubes with very tight constriction for tightest patterns with #10 lead shot. Not for use with shot sizes larger than #8 lead. Not for use with steel shot!

#198-026-302	12 Ga. RC,	.654" #2 Card,	8A20G39	\$ 23.99
#198-026-002	12 Ga. WC	, .654" #2 Card,	8A20J39	23.99

GUNSMITH BLANKTUBE - Undersized I.D., open up to match customer's needs. Must not be used as sold. Must be opened up. Gun damage or shooter injury may occur if constriction is too tight for the shot size and type being used!

#198-027-044	<b>12 Ga. TC,</b> .635" Blank, <i>8A20J39</i>	23.99
#198-027-332	<b>12 Ga. RC,</b> .635" Blank, <i>8A21N24</i>	24.99
#198-027-032	<b>12 Ga. WC,</b> .635" Blank, <i>8A20J39</i>	23.99

#### **COLONIAL ARMS SCREW-IN CHOKE TUBES**

"Invisible" Replacement Tubes For Popular Screw-In Choke Systems

Beautifully made tubes with an extremely smooth inside finish and an undercut, tubeto-barrel joint to minimize shot and wad fouling buildup. Both Win-Choke® and Tru-Choke™ tubes are "invisible" style, no un-


sightly "knob" sticks out. And, they can't rust; they are stainless steel. Install/remove with a quarter. For use with lead shot only! SPECS: Approximately 11/2" (3.8cm) long. Stainless steel. Threads are as


follows - Thinwall are .774"-44; Tru-Tube 12 ga. are .795"-44, 20 ga. are .675"-44; Tru-ChokeTM-style; Win-Choke® 12 ga. is .812"-32 tpi.

STOCK #	TYPE	GAUGE	CHOKE	PRI	CE
#198-212-730	Thinwall	12	Skt-1	8A16E99	\$ 19.99
#198-212-710	Thinwall	12	Imp Mod	8A19B99	\$ 24.99
#198-212-705	Thinwall	12	Full	8A17Q84	\$ 20.99
#198-212-700	Thinwall	12	X-Full	8A17A84	\$ 20.99
#198-112-730	Tru-Tube	12	Skt-1	8A15J29	\$ 17.99
#198-112-725	Tru-Tube	12	Imp Cyl	8A15I19	\$ 18.99
#198-112-715	Tru-Tube	12	Mod	8A15G29	\$ 17.99
#198-112-705	Tru-Tube	12	Full	8A15F29	\$ 17.99
#198-120-610	Tru-Tube	20	Mod	8A15Q29	\$ 17.99
#198-012-705	Win-Choke	12	Full	8A15Q29	\$ 17.99

#### **COLONIAL ARMS DOUBLE GUN TUBE**

Steel Shot Tubes: Slim Profile Fits EAA Baikal Doubles & Over/Unders





tubes in side-by-side and over/under guns. Extended tube places the choke restriction outside the barrel. Prevents steel shot battering from jamming tube into the barrel. Knurled ring for easy removal without a wrench. Not for use with "F" or "T" size shot!

SPECS: Steel, blue finish. 23/8" (6cm) long. Tru-Tube fits EAA Baikal and other guns. 12 ga. only, .795"-44 tpi.

#198-000-001	<b>12</b> Ga. Imp Cyl Choke, 8A20C79	\$ 25.99
#198-000-002	12 Ga. Modified Choke, 8A21J24	24.99
#198-000-003	<b>12 Ga. Full Choke,</b> 8A21A59	26.99
#198-000-004	<b>12</b> Ga. X-Full Choke, 8A23M19	28.99

## **COLONIAL ARMS** SUPER STEEL SCREW-IN CHOKE TUBE FOR STEEL SHOT



Tough, Blued Steel Designed To Take Steel Shot Abuse

Steel shot will bulge even the toughest, thickest shotgun barrel at the choke ruining both

barrel and choke tube. Colonial solves the problem by locating the choke beyond the barrel and threads. A Super Steel tube will expand, but all that's damaged is the tube, not your barrel. Just unscrew the tube and replace.

SPECS: Blued steel. Approx. 25/8" (6.7cm) long. 12 ga. only. Threads as follows: Win-Choke® Invisible - .812"-32 tpi. Tru Choke™-style Tru-Tube - .795"-44. Tru-Choke™-style Thinwall are .774"-44.

STOCK #	TYPE	GAUGE	CHOKE	PRICE	
#198-412-725	THINWALL	12	Imp Cyl	8A20F79	\$ 25.99
#198-412-715	THINWALL	12	Mod	8A21E59	\$ 26.99
#198-412-705	THINWALL	12	Full	8A21P24	\$ 24.99
#198-412-700	THINWALL	12	X-Full	8A21Q24	\$ 24.99
#198-512-720	TRU-TUBE	12	Mod	8A20D79	\$ 25.99
#198-712-725	WIN-CHOKE	12	Imp Cyl	8A21N59	\$ 26.99
#198-712-715	WIN-CHOKE	12	Mod	8A18N24	\$ 27.99



#### **TRULOCK CHOKES** TACTICAL CHOKE TUBE

**Delivers Excellent Performance** From A Variety Of Law **Enforcement Ammo** 

Multi-purpose, screw-in choke tube gives excellent performance with a variety of law enforcement shotgun ammunition, including rifled slugs, buckshot, and breach



#100-004-579	Remington Choke Tube,	2C4	17D59	\$	55.99
#100-004-578	Benelli/Beretta Choke Tu	ıbe,	2C47N	459	55.99

#### **REM™ CHOKE FACTORY CHOKE TUBE**

**Original Equipment Tubes** 

Genuine Remington seamless choke tubes made of heat-treated steel alloy for uncompromised strength. Fits Remington shotguns threaded for Rem™ Choke only. Invisible Flush Fit models do not protrude from the barrel. Turkey tubes extend beyond the end of the barrel to allow a long, gentle constriction. Turkey chokes are designed for factory overbored barrels only and are for lead shot only!\*



SPÉCS: Fits REM™ Choke, .812"-32 tpi threads. Flush Fit - 17-4 stainless steel, polished, flush fitting. 20-gauge Full and Modified tubes can be used with steel and lead shot. Turkey - Carbon steel, blued, extends beyond muzzle. Wrenches - Carbon steel, blued, 4-notch type.

STK# 12 GA. FL	USH FIT	STK# 20 GA. FLUSH FIT	CHOKE
#767-000-	231	NA	Imp Skeet
#767-000-	229	#767-000-240	Imp Cyl
#767-000-	228	#767-000-239	Mod
NA		#767-000-241	Skeet
NA		#767-000-238	Full
— Advise # —	Flush Fit	<b>Tubes,</b> 8F14Q44	\$ 16.99
#767-000-238	Full Tub	e, <b>20 Ga.</b> , 8F15C19	\$ 18.99
#767-000-236	*X-Full	Turkey Tube, 8F22M94	26.99
#767-000-234	*Super-	Full Turkey Tube, 8F23J39	9 <b>25.99</b>
#767-000-195	12 Ga. V	Vrench, 8F10J45	13.99
#767-000-196	20 Ga. V	Wrench, 8F10M45	13.99

**RIFLED SLUG TUBE** - Quickly convert your REM™ Choke equipped shotgun into a deer gun. Fully-rifled tubes spin the slug for better stability and increased accuracy.

SPECS: Stainless steel. Flush fit, 12 ga. only. .812"-32 tpi. Fits guns threaded for Rem™ Choke tubes only.

#767-000-237	Slug Tube,	8F41J64	. \$ 48.9

#### **SCREW-IN CHOKE INSTALLATION REQUIREMENTS**

Before accepting a barrel for machining to accept screw-in chokes, you must measure the outside diameter (O.D.) to determine if there will be sufficient wall thickness after machining. "Mike" the O.D. of the barrel and the O.D. of the tap for the particular gauge. Subtract the O.D. of the tap from that of the barrel, divide by 2, and this will give the wall thickness after machining, providing the O.D. of the barrel is concentric with the inside diameter (I.D.). A sample calculation appears below.

Barrel O.D. (12 Ga) Tap O.D. (12 Ga) Win-Choke™ - .814"

 $\overline{.036"}$  ÷ 2 = .018"WallThickness

We DO NOT recommend installations in barrels where the resultant wall thickness will be less than .015". providing the I.D. of the barrel is concentric with the O.D. If the I.D. is not concentric with the O.D., you will have to make your own decision as to whether the installation will be safe. In addition, you CANNOT install screwin chokes in barrels whose inside diameters (I.D.) exceed the following dimensions: 10 ga. - .780"; 12 ga. - .735"; 12 ga. Thinwall - .728"; 16 ga. - .666"; 20 ga. - .624". Exceeding these dimensions WILL CAUSE DAMAGED CHOKE TUBES and there is a GREAT POSSIBILITY OF CAUSING A BARREL BLOW-OUT! Check EVERY installation before firing to make sure the tube does not protrude into the bore. Back-bored or jug-choked barrels are usually **NOT** suitable for screw-in choke installation.

## **BROWNELLS MOSSBERG 590 SHOCKWAVE BOOM KIT**



#### Takes the Shock Out of Shooting Your Shockwave

The Mossberg 590 Shockwave has become wildly popular as a unique personal defense firearm that's also fun to shoot on the range. But it can be literally guite a handful to shoot for slighterstatured or recoil-sensitive shooters. That's where our Boom Kit comes in! It features an SBL Stabilizing Brace kit from SB Tactical and a ported barrel from Carlson's with 22 tuned ports that redirect combustion to reduce muzzle rise and felt recoil. Plus, it has a green fiber optic front sight up front to make aiming easier. You just swap your Shockwave's factory barrel for the Carlson barrel, then exchange its stubby "bird's head" grip for SB Tactical's clever adapter that anchor an AR-15-style pistol grip and the SBL Brace to the firearm. It's all easy to install. When you're done, your Shockwave will be a whole lot easier to control, much more comfortable to shoot, AND it'll remain 100% ATF compliant!

SPECS: For use on 12 gauge Mossberg 590 Shockwave only. Barrel: 14' length; matte black finish; cylinder bore choke. Brace: reinforced molded hard polymer, black; 11.75" long.

#100-031-274	Boom Kit for 12 Ga. Moss 590		
	Shockwave.	9Z340I19\$ 377.99	

## **Extra-Large Grasping Surface for** Rapid Charging & Jam Clearance

GG&G BENELLI M1/M2/M3/M4

TACTICAL CHARGING HANDLE

GG&G BENELLI BOLT RELEASE BUTTON

stress situations when you need it most. Features a serrated face

almost 11/4" long for a non-slip grip, with or without gloves. Con-

structed of 4140 ordnance steel with a black manganese phosphate

finish for durability. Fits Benelli M1 Super 90, M3 Super 90, and Model

SPECS: Steel, black, matte finish. Button – 11/4" (3.2cm) long x 5/8" (1.6cm)

#336-000-006 Bolt Release Button, 6C00EJK . . . . . \$ 121.99

Oversized For Quick Operation

button allows quick access during high

121 law enforcement shotguns.

high.1 oz. (28.4g) weight.

Oversized, easy to feel bolt release

Getting a solid grasp on a Benelli M-series shotgun's small

factory bolt handle can be difficult, but you won't have that problem with the GG&G Slotted Tactical Charging Handle. This oversized handle is easy to grab, and the heavy knurling reduces the chance of your hand slipping off, even when wet or wearing gloves. It ensures consistent, reliable handcycling of the bolt, while the rounded edges ensure snag-free operation. Even better, installation is a fast, easy, drop-in process. And the handle is manufactured from hardened (Rockwell "C" 45) 4140

As a bonus, its good looks add a bit of "cool factor" to your Benelli. Separate models for M1/M2/M3 and the M4. #336-000-071 🗞 Benelli M4 Chrgng Hndle, 6C00JFF . . \$ 29.99 #336-000-072 Nenelli M1/M2/M3 Charging Handle,

steel, so it WILL NOT give out on you when the heat is on. Durable,

non-reflective matte black manganese phosphate Parkerized finish.

6C31H49...... 34.99

#### CHOATE COMBAT BOLT HANDLE

Extra Wide, Extra Long Handle Gives Positive Charging For The Remington 1100

Increased size allows you to reach over the receiver and operate the bolt with your "off" hand without taking your finger out of shooting position. Provides extra leverage to help clear a jammed chamber. Reverse contour and open center design gives better grip

with gloved hands. Requires no alteration to gun. SPECS: 4140 Steel, blued finish. Handle is 1.25" (3.1cm) high, 7/8" (22mm) wide. Fits Remington 1100, 11-87 only.

#159-101-112 Combat Bolt Handle, 9E11J04 ..... \$ 12.99

## **BRILEY TACTICAL SHOTGUN BOLT HANDLE**

For Fast, Easy Bolt Cycling

Extra long, easy-to-grasp bolt handle allows fast, positive cycling during tactical operations. Contoured, hour-glass shape provides increased leverage when clearing the action. No modification required, drop-in fit. Models for Benelli SBE/M3, Beretta 303/390/391, and Remington 1100/11-87. Fits 12 gauge only. SPECS: Stainless steel, black, oxide finish. Handle - .96" (24mm) long x .5" (12.7mm) diameter

#129-000-257 Benelli SBE/M3 Bolt Hndle, 9B39G99...\$ 49.99 #129-000-258 Beretta 303/390/391 Bolt Handle. 9B39L99 ..... #129-000-260 Rem. 1100/11-87 Bolt Hndle, 9B45J59. 56.99

#### NORDIC COMPONENTS SHOTGUN SPEED BOLT HANDLE

Oversized, With Fluted Surface For Fast Charging & Jam Clearance

Easy to install, oversized charging handle helps you clear misfeeds and

eject a chambered round quickly and efficiently. Machined steel construction, with a distinctive tubular shape, and deep, corkscrewpattern flutes give an excellent purchase and stylish look. No gunsmithing required.

SPECS: Šteel, matte black finish. Benelli/Beretta fits Benelli M1/M2 and Beretta Extrema. Rem. fits Remington 1100 and 11-87. Win./FN fits Winchester SX2, SX3, and FNH SLP.

#100-005-452 Speed Bolt Handle, Benelli/Beretta, \$ 31.99 #100-005-453 Speed Bolt Handle, Rem. 1100/11-87, #100-005-454 Speed Bolt Handle, Win./FN, 1B00FIB . . 29.99

## RED NECK TACTICAL BENELLI M1/M2/SBE RAPID BOLT RELEASE

Simple-To-Install Tab Speeds Bolt Release

Stamped stainless steel tab quickly installs without gunsmithing onto Benelli M1, M2 and Super Black Eagle shotguns to give large surface area for bolt release. Makes it easy to quickly activiate the bolt release while wearing gloves, or without looking at the release, important in action shooting sports. Fits under forend and retained by friction.

#100-013-938 Benelli Rapid Bolt Release, 6C16C14....\$ 18.99

order on the web

brownells.com

#### TARAN TACTICAL INNOVATIONS **BENELLI M1/M2 ULTIMATE CHARGING HANDLE**



Ideal For Tactical & 3-Gun Use

Streamlined, stainless steel cocking handle features unique knurling and front serrations for a sure grip under all conditions. Perfect for 3-Gun or tactical

operations. Crisp knurling on the outer edge, with pronounced horizontal grooves closer to the receiver give you an excellent purchase on the handle to load a round smartly into the chamber on the first try. Machined from ultra-durable, hardened stainless steel, with a tough, darned-near indestructible IonBond (Rockwell "C" 95) finish. "Used and trusted by the best 3-Gunners on Earth."

SPECS: Stainless steel, silver Ion Bond finish. 2.2" overall length, 1" handle length

#100-012-546 M1/M2 Chrgng Hndle, Silver, 7Z45D89.. \$ 53.99

## **BROWNELLS** MOSSBERG 500/590/835 **ENHANCED SAFETY BUTTON**

Shaped For Easy, No-Slip Operation; Made From Hardened Steel To Last



#080-000-539 Moss. 500 Safety Button, 8K17I84 . . . . \$ 20.99


**SAFETY KIT** - Includes the Brownells Enhanced Safety Button and the other parts in the safety system that get worn, dinged up, or lost. Replace everything at the same time to ensure smooth, positive, reliable operation of this critical component. Safety button screw also sold separately, so you don't have to buy a whole

new kit if the screw gets damaged during installation.

SPECS: Kit includes enhanced safety button, button screw, detent plate, detent ball, detent spring, and installation instructions. Fits Mossberg 500/590/835 shotauns.

#080-000-564	Moss. 500 Enhanced Safety Kit,	
	8K38I19	\$ 39.99
#631-000-014	Safety Button Screw, 1C5J99	7.99

#### **INNOVATIVE INDUSTRIES REMINGTON 870/1100/11-87** HONEY COMB" EXTENDED SAFETY



Replacement for the factory safety button has an oversized .425" dia. head with a neat, non-slip honeycomb pattern milled into the surface. Great for your competition shotgun

or for positive operation of a field gun in rainy weather! Made of machined, heat-hardened steel with a satin black oxide finish. .100" extended. Does not have the red ring of the factory button. Can also be installed on the model 740, 742 and 760 rifles.

#100-036-365 Rem 870/1100 "Honey Comb" Safety,



#### **MOSSBERG MOSSBERG 500 METAL SAFETY BUTTON**

#### Replace Factory Plastic With Genuine Factory Metal Button

A genuine Mossberg replacement for the factory plastic part made to their specs from tough, durable aluminum. Won't fail when you really need it. Drops right in with no modification to the receiver or the detent settings. Safety button screw also available, so you can replace everything at the same time to ensure smooth, positive, reliable operation of this critical part.

SPECS: Button - Aluminum, black. 1.19" (30mm) long, .30" (7.6mm) wide. May require minor fitting. Kit includes safety button, button screw, detent plate, detent ball, detent spring, and instructions.

#631-000-287	Moss. 500 Safety Button, 1C19P54 \$	22.99
#631-000-014	Safety Button Screw, 1C5J99	7.99

## **SCATTERGUN TECHNOLOGIES TACTICAL RESPONSE® JUMBO HEAD SAFETY**



#### Easy-To-Find, Oversized Button For Remington

Jumbo size head with undercut grooves is drop-in replacement for the small factory button. Makes it easier to find and operate, even with gloves on. SPECS: 4140 steel, hardened and blued, right-hand only, Fits Rem-ington: 7600, 7400, 6, 4, 48, 58, 552, 572, 740, 742, 760, 870, 1100, 11-48, 11-87, SPT-10. 12. 74. 76. with or without ISS safety.

#800-100-002 Jumbo Head Safety, 8Z15B29...... \$ 17.99

#### TARAN TACTICAL INNOVATIONS **BENELLI SHOTGUN OVERSIZED SAFETY BUTTON**



**Designed For Faster Operation** 

Solid steel safety with oversized head was originally designed for 3-gun and tactical gun shooters for fast and positive operation, even

when wearing gloves. Also great for hunting, home defense, and any other situation where seconds count. Clean, smooth disengagement; reassuring, positive "click" when engaging. Long enough to operate without repositioning your trigger finger, with an extended "safe" side to give you more leverage to engage the safety quickly. Easy, userfriendly, no-gunsmithing installation. How can you afford not to make this simple, valuable upgrade to your shotgun's controls?

SPECS: Machined billet stainless steel, with natural silver finish OR black nitride finish. Fits Benelli M1, M2, M3, M4, Super Black Eagle, Montefeltro, and Remington VersaMax®.

#100-012-548 Benelli Ovrszed Safety, Sil, 7Z31M99 . . . . \$ 39.99 #100-026-276 Ultimate Ovrszed Safety, Blk, 7Z30P39.. 37.99

## VANG COMP SYSTEMS REM 870/1100/11-87 **BIG SPEED SAFETY**

Easy-To-Locate, Quick-To-Disengage

Large, dome-shaped button is quick to locate. Just a quick push with the side of your trigger finger will disengage the safety. Round profile does not snag clothing or guncase liner. Drop-in installation, right-hand use only.

SPECS: Steel, blue, polished finish. .960" (24.4mm) long. Head - .350" tall (8.9mm .433" (11mm) diameter.

#100-000-569 Big Speed Safety, 6K13G59 ..... \$ 16.99

#### VANG COMP SYSTEMS MOSSBERG 500/590 **OVERSIZED SAFETY**



**Provides Easier Safety Engagement** 

Oversized, aluminum safety is larger than the factory part in every dimension to give your thumb more surface area for engagement. Taller height, wide back end and more pronounced steps give you more pushing leverage.

SPECS: Aluminum, black, anodized. Approximately 13/4" (4.4cm) long, 31/64" (12.3mm) wide. 17/64" (6.7mm) high.

**DOMED SAFETY** 

Easy To Locate & Operate Under Stress -

And Your Finger Won't Slip Off

Unlike the flat-topped factory safety but-

ton, the head of Wilson's safety sits a little

idly locate it and positively operate is as you

mount the gun for a guick shot. Multiple, deep

concentric grooves cut into the surface mean

factory receiver finish. Easy to install.

#100-040-576 Rem 870/1100/11-87 Dome Head

more "proud" of the receiver so you can rap-

#100-001-364 Mossberg Oversized Safety, 6K22D09 .. \$ 25.99

that once your finger locates the button, it will not slip off, even

if it doesn't quite land spot on the center of the button. Great for

competition and tactical/self-defense guns, as well as your field

gun. Made of steel, not plastic, with a blued finish that matched the

ARIDUS INDUSTRIES BERETTA 1301

SHELL LATCH UPGRADE KIT

a law enforcement or self-defense emergency! When under stress,

a shooter can inadvertently move the latch lever to the rear rather

easily, causing the problem. Based on an original design by Tom Jones of Tau Development Group, Aridus's upgrade is a two-part

solution: a redesigned lever PLUS a shroud that further protects it

from accidental activation. Both latch and shroud are machined

from 6061 T6 aluminum alloy and given a matte black Type III hard-

coat anodized finish, so they're ready to stand up to intensive use.

Simply remove the factory latch and install the Aridus replacement

parts using the included mounting screw (a spare screw is included

because... screws can be damaged or stripped), thread locker, and

hex wrench. When you're done, you now have the peace of mind of

knowing your 1301 won't sabotage (and embarrass) you in competi-

tion or leave you high-and-dry when the chips are down on duty or

Brownells Gun Tech™ Note: Because the second-generation Be-

retta 1301 was redesigned to eliminate the shell dump malfunction,

Aridus's parts are NOT compatible (or needed) on a Gen 2 gun.

when you hear the wrong kind of "bump" in the night.

Safety, 8Z14A24 ..... \$ 14.99

Eliminates a Design Flaw So

Your Gen1 1301 Won't Let You

Down at the Wrong Time

the "catastrophic shell dump"

problem that plaques first-gen-

eration Beretta 1301 shotguns. This

malfunction occurs when the factory

shell stop latch is accidentally acti-

vated, releasing multiple shells into

the gun's receiver and locking up the

action. NOT good for a competition

shooter's times and far more serious in

Aridus's upgrade part solves



#### ARRENDONDO BENELLI CARRIER RELEASE BAR

Oversized For Quick Release

Plastic, oversized bar gives you a large area to hit for fast release of the carrier in Benelli semi-auto shotguns. Speeds up the reloading process. Bar mounts to existing release button and requires drilling and tapping button.

SPECS: Plastic, black. 17/8" (47.5mm) long, 9/16" (14.2mm) wide, 1/4" (6.3mm) high. Screw included. Gunsmith installation recommended.

#069-000-015 Carrier Release Bar, Benelli, 9F19A54... \$ 22.99

#### **WILSON COMBAT BRILEY BERETTA REMINGTON 870/1100/11-87 EZ BOLT RELEASE LEVER SCATTERGUN TECHNOLOGIES** Extra Long For Quick, Easy Access



Extra long, easy-to-reach bolt release lever replaces the original factory button for fast, painless reloading during combat or competition. Made of aluminum, then is hardcoat anodized for durability: includes a diamond pattern, textured face for a non-slip grip. High strength, steel cartridge latch is titanium nitride coated for superior wear resistance. Fits Beretta 301/302/303/390/391/3901/A400 Xplor/Xtrema/Xtrema2, 12 and 20 gauge shotguns.

SPECS: Lever - Aluminum, black, anodized finish. Cartridge Latch - Steel, gold, titanium nitride finish, Lever -  $1^{3}/64^{\circ}$  (2.6cm) long x  $7/16^{\circ}$  (1.1cm) wide. 3 oz. (8.5a) weiaht.



#### TARAN TACTICAL INNOVATIONS **BENELLI SHOTGUN** OVERSIZED BOLT RELEASE

The Right Size for Defense or Competition

Oversized bolt release button is the perfect size for competition but still small enough to stay out of the way on a tactical or defensive shotgun. Easy-to-hit, large pad helps you get the gun back into action quickly when seconds count. A must-have enhancement for your 3-gun shotgun. Fits Benelli and other brands shotguns that have a similar-design bolt release. **Note:** Installation requires drilling and tapping of the release - #38 drill and 5-40 tap (not included, available separately). Gunsmith installation recommended.

SPECS: Aircraft-grade aluminum, hard-anodized, matte black OR matte gray finish. 1" (2.54cm) long, 9/16" (1.43cm) wide, 5/32" (.4cm) thick. Requires drilling and tapping for installation.

#100-012-547 Oversized Bolt Release, Gray, 7Z23B79. . \$ 27.99 #100-025-691 Oversized Bolt Release, Blk, 7Z23B79 ... 27.99

## TARAN TACTICAL INNOVATIONS **BENELLI ACCUGUIDE EXTENDED CARRIER**

Eases Loading And Helps Increase **Speed For Competition** 

Stainless steel extended carrier

drops into Benelli semi-automatic shotguns and provides extended rails on both sides that help perfectly center the shell during the reload. Helps make reloading fast and easy and protects your thumb against cuts and abrasions. Installs quickly and elminates the need to weld together a custom carrier.

SPECS: SAE 304 Stainless steel. Fits Benelli M1/M2/M3/SBE and Remington Versamax

#100-015-582 Benelli Accuguide Extended Carrier, 7Z76F49.....\$101.99

#100-027-574 ( Beretta 1301 Shell Latch Upgrade Kit, 2A56Q99.....\$ **59.99** 

**BROWNELLS** PAGE 202


**GUARANTEED. FOREVER.® SINCE 1939** 

Office/Tech: 641-623-5401

## TIMNEY TRIGGERS REM 870/1100/11-87 TRIGGER FIX

For A Light, Smooth, Adjustable Trigger Pull

Drop-in kit replaces original factory sear and spring for a smoother, lighter, fully adjustable



color-coded for easy identification. SPECS: Steel sear. Includes 2 lb. (blue), 3 lb. (white), and 4 lb. (red) springs, plus hex-head wrench. Fits Remington 870, 1100, and 11-87 shotguns, all gauges. Also fits 740, 742, 760, 7400, and 7600 rifles.

#883-000-022 Rem Trigger Fix, 3H00PPM ..... \$ 102.99

## **BROWNELLS** REMINGTON 1100/11-87 INTERCEPTOR LATCH RETAINER

Oversized To Minimize Latch Wobble

Thicker-than-factory replacement decreases the amount of play in the latch body to improve feeding and ensure positive operation. Available in three different thicknesses.



#080-000-156	.025" Int. Latch Retainer, 8K2M24	\$ 2.99
#080-000-157	.030" Int. Latch Retainer, 8K2B24	2.99
#080-000-158	.035" Int. Latch Retainer, 8K2N24	2.99
#080-000-159	3-Pak Int. Latch Retainer, 8K6L74	8.99

0

# Don't let broken or badly carboned-up barrels seals keep your 1100 or 11-87 from working its best. Long-lasting Teflon replacements for

	factory barrel s	seals make your Rem-	
i	ington shoot go	ood as new. 🗮	
	#655-110-001	<b>12 Ga. Barrel Seal,</b> 1-pak, <i>5E3B74</i>	\$ 4.99
	#655-110-004	<b>12 Ga. Barrel Seal,</b> 10-pak, <i>5E20F99</i>	27.99
	#655-110-005	<b>12 Ga. Barrel Seal,</b> 25-pak, <i>5E37Q59</i>	46.99
	#655-000-002	<b>20 Ga. Barrel Seal,</b> 4-pak, <i>5E9P74</i>	12.99
	#655-110-007	<b>20 Ga. Barrel Seal,</b> 10-pak, 5E22B49	29.99

#### Remington factory gas system seals keep 1100s and 11-87s functioning their best. Available for 12 and 20 gauge models in a single pak and money-saving six and twelve paks. SPECS: Teflon seal. **#767-158-990 12** Gauge Bbl Seal, 1-pak, 7F5H94 . . . . . \$ **6.99**

**REMINGTON 1100/11-87** 

BARREL SEALS

Improve Reliability & Function

#### **#078-000-014 12** Gauge Bbl Seal, 6-pak, 8G31N44..... **36.99 #078-000-015 12** Gauge Bbl Seal, 12-pak, 8G62Q99... **69.99 #767-144-370 20** Gauge Bbl Seal, 1-pak, 7F5D94 . . . . . **6.99 #078-000-016 20 Gauge Bbl Seal**, 6-pak, 8G33/14 . . . . **38.99 #078-000-017 20** Gauge Bbl Seal, 12-pak, 8G62G04... **72.99**

**GLEND ARMS WINCHESTER MODEL 12** 

FIRING PIN

Ready for installation by gunsmith. Precision workmanship.

Duplicates original. Saves waiting for, or having to make, one.

#350-100-102 Win. Mod. 12 Firing Pin, 5C23Q39.....

SPECS: Heat treated steel, blued. Fits Winchester Model 12 chambered in

**NU-LINE WINCHESTER 101** 

#### **VOLQUARTSEN REMINGTON 870/1100 EXACT EDGE EXTRACTOR**

An Inexpensive Upgrade For Smooth Function & Long-Term Reliability

> Upgraded extractor is EDM cut from highgrade tool steel that's been hardened to Rc 58-60, maintaining your Remington's reliable

WWW

MANAM

and dependable function. Cut to tolerances of +/-.0001" with a very precise hook point, and the edges won't get dull and "roll off" with hard use to cause extraction problems, like inferior stamped steel extractors. Drop-in replacement for factory part.

SPECS: A2 tool steel, hardened to Rc 58-60. Fits both Remington 870 and 1100 chambered for 12 or 20 gauge.

#930-000-144 Rem 870/1100 Exact Edge Ext., 3Z22J49.. \$ 24.99

## **BROWNELLS PUMP & SEMI-AUTO SHOTGUN** FIELD REPAIR KIT



Make Your Field Repairs With **Genuine Factory Parts** 

Don't get caught short or let a broken shotgun ruin your hunt. Convenient, pre-pack-

aged kits contain the parts most often required for emergency, field repairs. All parts are Remington, Mossberg and Winchester Factory, tagged with the Brownells stock number, and current factory parts number.

SPECS: Kits contain one each of parts listed unless noted.

**REMINGTON 11-87** - Firing pin, firing pin spring, firing pin retaining pin, bolt buffer, right-hand extractor, extractor plunger, extractor spring, operating handle, barrel seal, front and rear trigger plate pins. Fits 12 ga. only.

#000-070	000	11-87 Field Repair Kit.	0V71C00	¢ 70 00

**REMINGTON 1100** - Firing pin, firing pin spring, firing pin retaining pin, breech bolt buffer, bolt buffer, extractor, extractor plunger, extractor spring, barrel seal, front and rear trigger detent springs, operating handle. Fits 12 ga. only.

#080-937-000	1100 Field Repair Kit,	8K76Q49	\$ 84.99
--------------	------------------------	---------	----------

REMINGTON 1100/11-87 PISTON/SEAL FIELD SERVICE KIT -Two barrel seals, one piston and one piston seal. Fits all 12 ga., plus large-frame 16/20 ga. guns with X or N in serial number.

#080-936-000	1100/11-87 Piston Field Service Kit,	
	8K30J59	)

**REMINGTON 870** - Firing pin, firing pin spring, firing pin retaining pin. 12/16/20 gauge extractor, extractor plunger, extractor spring. magazine spring retainer (old style), magazine spring retainer (new style), front and rear trigger detent springs.

#080-935-000	870 Field Repair Kit.	8K63K74	\$ 74.99
--------------	-----------------------	---------	----------

## **BROWNELLS** REMINGTON 1100/11-87 **GAS O-RING PAKS**



**REMINGTON 1100/11-87** 

**GAS SYSTEM KIT** 

Replacement Piston, Piston Seal &

**NU-LINE REMINGTON** 

1100/11-87

**BARREL SEALS** 

Restores Function & Reliability

Graphite-Coated For Lasting Performance

These high-quality O-rings are perfect for replacing old, cracked or worn O-rings in your 12 gauge 1100/11-87 Remington. Restores the airtight seal on your semi-auto so the gas system will function efficiently and reliably. Also works with other shotguns that use an O-Ring barrel seal such as: Pro Bore Guns, G-3 models, Beretta shotguns, Franchi shotguns, Winchester shotguns, Charles Daly shotguns, Tri Star shotguns, EAA shotguns and many others. Available in packs of 3, 10 and 25.

SPECS: Rubber, graphite-coated O-rings. Fits 12 gauge Remington 1100/11-87 and other shotguns that use an O-ring barrel seal.

#080-155-003	<b>Gas O-Ring,</b> 3-Pak, <i>8K5D59</i> <b>\$ 6.99</b>	
#080-155-010	<b>Gas O-Ring,</b> 10-Pak, <i>8K14P99</i> <b>19.99</b>	
#080-155-025	<b>Gas O-Ring,</b> 25-Pak, <i>8K37E49</i> <b>49.99</b>	

Barrel Seal To Maintain Performance, Cycling & Reliability

Factory components replace worn out, carboned-up factory

gas system components to restore the reliability and performance

of your shotgun. Includes corrosion-resistant, 300 series stainless

steel piston and piston seal, plus Teflon coated barrel seal for dura-

bility and long service life. Drop-in, long-lasting replacement parts

SPECS: Teflon barrel seal, stainless steel gas piston and piston seal, Kit

contains piston, piston seal, and barrel seal. Fits 12 gauge Remington

#767-000-930 Rem 1100/11-87 Gas Systm Kit, 7F27F19. \$ 33.99

require no gunsmithing. Installation instructions included.

## FIRING PIN SET Better-Than-Factory

12 gauge only. Gunsmith fitting may be required.

Precision machined from stainless steel and heat treated for long ( life. Big improvement over the factory part.

SPECS: Stainless steel. Rc 45-50. Includes upper and lower pin and 2 springs. 12 ga. ONLY. Will fit Classic Doubles.

#655-101-000 Win 101 Firing Pin, 12 Ga., 5E51H29.... \$ 56.99

## **BROWNELLS** SHOTGUN **ANTI-WALK TRIGGER HOUSING PIN**

Prevents Pin & Housing Movement For Repeatable Trigger Performance

Eliminates pin drift in the receiver holes so your trigger housing stays in the same place for every shot. Slotted, truss head screws at each end of

pin keeps trigger housing properly aligned and free of wobble. Helps deliver reliable trigger performance in tactical and competition guns. Remington includes both front and rear, anti-walk trigger pins. SPECS: Steel, blued finish, Reminaton - Fits Reminaton 870/1100/11-87. Mossberg - Fits Mossberg 500/590. Winchester - Fits Winchester 1200/1300/1400. Benelli - Fits Benelli Super 90, Winchester Super X and Brownina Gold.

#079-000-049 Domington Anti Walk Trigger Dine

#0/8-000-048	8G12G79	\$ 15.99
#078-000-049	Mossberg Anti-Walk Trigger Pin, 8G6J39	7.99
#078-000-050	Winchester Anti-Walk Trigger Pin, 8G6J39	7.99
#078-000-051	Benelli Anti-Walk Trigger Pin, 8G6A39	7.99
#078-000-057	Replacement Screws pair, 8G2C24	2.99

**QUESTIONS BEFORE YOU BUY?** 

## CARLSON'S SEMI-AUTO SHOTGUN GAS O-RING REPLACEMENT PAK

Replace Worn Out O-Rings To Help **Restore Proper Gas System Function** 



20-gauge rings will fit many 28 gauge shotguns, too. SPECS: Rubber, black. Fits Remington 1100/11-87, Beretta, Winchester, Franchi, Charles Daly, Tri-Star, EAA, and others. Kit contains (4) 12 gauge rings and (2) 20 gauge rings.

#155-000-102 Gas O-Ring Pak, 5E10H39 ..... \$ 12.99

## **REMINGTON 1100/11-87** PISTON & PISTON SEAL ASSEMBLY



**Factory Replacement Part Keeps Your Semi-Auto Functioning** 

Steel piston and piston seal replaces worn parts for proper functioning and

reliability. Drop-in, long-lasting factory replacement part requires no gunsmithing and comes with factory installation instructions. SPECS: Steel, Installation instructions included.

#767-200-295 Piston/Piston Seal Assembly, 7F17H99 . . \$ 19.99

#### **CARLSON'S MOSSBERG 590 SHOCKWAVE PORTED BARREL**



Helps Shooters Ride the 'Wave With Less Shock Mossberg's Shock-

Precision-Made -

**Duplicates Original** 

wave self-defense shotgun has become wildly popular, and it's great fun

to shoot, except... the recoil and muzzle rise can be a bit much for some shooters. So Carlson's came up with this drop-in, factorylength (14") upgrade barrel with 22 ports up front (11 per side) to redirect a bit of combustion gas to counteract muzzle rise AND reduce felt recoil. Takes a lot of the "shock" out of shooting your Shockwave! A green Hi-Viz fiber optic sight up front helps you make the most of your new-found enhanced control over the firearm, and the cylinder bore choke keeps its patterning - and slug friendliness - essentially unchanged. Matte blued finish. For use on 12 gauge Mossberg 590 Shockwaves only.

<b>‡100-027-786</b>	Ported 12 Ga Mossberg 590				
	Shockwave Barrel,	5E189B54	\$ 222.99		

order on the web

brownells.com

**BROWNELLS. PAGE 203** 

Orders: 800-741-0015

Ask Our Full-Time Tech Staff

# REPLACEMENT PARTS

### **CARLSON'S** REPLACEMENT SHOTGUN BARRELS



#### Converts Sporting Pump Shotgun Into A Slug Gun

Smoothbore 181/2" barrels quickly convert a Remington 870 or Benelli Nova/SuperNova into a fast-handling slug gun or home defense shotgun. Features chrome-lined bore and Carlson cylinderbore choke tube installed. **Remington 870** barrels are threaded for standard Rem Choke and have 3" chambers. Does not fit 870 Tactical models. #155-000-253 has rifled bore. Benelli barrels have 31/2" chambers and are threaded for Benelli Mobil choke. Both are available with a choice of ramped blade front sight only or adjustable front/rear rifle sights.

SPECS: 4140 steel, bead-blasted, matte black finish. Chrome-lined bore 181/2 (47cm) long. 3 lbs (1.3kg) wt.

STOCK #	SIGHTS	FITS	PRICE
#155-000-199	Front Blade	Remington 870	5E166E59 \$ 195.99
#155-000-200	Rifle F/R	Remington 870	5E202L29 \$ 237.99
#155-000-253	Adj. Rifle F/R	Remington 870	5E211P64 \$ 248.99
#155-000-201	Front Blade	Benelli Nova/SuperNova	5E203C14 \$ 238.99
#155-000-202	Rifle F/R	Benelli Nova/SuperNova	5E237J14 <b>\$ 278.99</b>

## CARLSON'S REPLACEMENT **VENT RIB SHOTGUN BARRELS**

#### **Enhance The Versatility Of Your Shotgun**

High quality vent rib replacement barrels for Remington 870 and Benelli Nova shotguns. Barrels are made from certified ordinance grade 4140 steel, with chrome lined bores and a satin matte blue finish. Red fluorescent front sight includes a brass center bead. Each barrel comes with a Carlson modified choke tube, manufactured from 17-4 stainless steel. Remington 870 barrels are threaded for the standard Rem Choke system. Benelli barrels are threaded for the Benelli Mobil choke style system. Barrels are available for 12ga only. SPECS: 4140 steel, chrome lined bores, satin matte blue finish. Red fluorescent front sight, brass center bead.

STOCK #	FITS	LGTH	CHAMBER	CHOKE	PRICE
#155-000-213	Rem 870	24"	3"	Mod.	5E167H20 \$ 176.00
#155-000-214	Rem 870	26"	3"	Mod.	5E167C20 \$ 176.00
#155-000-215	Rem 870	28"	3"	Mod.	5E167I20 <b>\$ 176.00</b>
#155-000-218	Nova	28"	3.5"	Mod.	5E229J49 \$ 269.99

#### MOSSBERG 500 STANDOFF BARREL



Gives Your Shotgun An Integrated "Breacher" Muzzle Device & Self-Defense Tool

Compact, 181/2" long factory barrels feature a tough-looking, crenelated muzzle that serves as a self-defense tool and a door breaching device for law enforcement/military personnel. Permanent cylinder bore, chambered for 3" shells - buckshot or slugs. Fiber optic red-dot front sight.

SPECS: Steel, matte blued (MB) or semi-gloss blued (SGB) finish. 181/2" long when installed, 12 gauge only, 3" chamber. Not threaded for choke tubes.

#631-000-338	Moss 500 Standoff Barrel, MB,	
	1C173G69	\$ 192.99
#631-000-360	Moss 500 Standoff Barrel, SGB,	
	1C00JFB	189.99

**BROWNELLS** PAGE 204

# **MOSSBERG**

# REPLACEMENT SHOTGUN BARRELS



#### Mossberg Factory Barrels Give Factory Fit & Finish

Genuine factory replacement barrels let you pick the barrels you need. Choose short or long, smoothbore or rifled, bead, rifle sights or integral scope base, even a ported barrel that takes the kick out of heavy duck and goose loads. All with the full assurance of Mossberg quality.

SPECS: Steel. Finish: Blue (B), Matte Blue (MB), Extras: Vent Rib (VR). Ported (PR) Rifled Bore (RB). Choke: Cylinder (C), Sights: Rifle Sight (RS), Plain Bead (PB). Integral Scope Base (ISB). Accu-Mag is choke set for turkey and waterfowl.

STOCK #	LENGTH/GA./STYLE	PRICE					
500 AND MAVERICK BARRELS							
#631-000-302	28" 12 Ga., B, VR, PR	1C218H57	\$ 240.99				
#631-000-307	26" 20 Ga., B, VR	1C218H57	\$ 240.99				
#631-000-314	20" 12 Ga., B, RS, C, 8 shot	1C00EZR	\$ 160.99				
#631-000-358	20" 12 Ga. B, VR, PB	1C218C57	\$ 240.99				
#631-000-306	18.5" 12 Ga., B, PB, C	1C114L29	\$ 126.99				
	MOSSBERG 835 BARRELS	;					
#631-000-355	28" 12 Ga. MB, VR, PR,	1C00FGD	\$ 258.99				
	Accu-Mag						
#631-000-362	24" 12 Ga. B, RS, PR	1C158B57	\$ 170.99				
#631-000-361	24" 12 Ga. B, RB, ISB	1C253F29	\$ 297.99				
	MOSSBERG 935 BARRELS	;					
#631-000-353	24" 12 Ga. MB, RB, ISB	1C00PWR	\$ 251.99				
	MOSSBERG 930 BARRELS	;					
#631-000-359	18.5" 12 Ga. MB, PB	1C114E29	\$ 126.99				
#631-000-350	18.5" 12 Ga. MB, PB	1C183N59	\$ 203.99				

#### **REMINGTON 870** RIFLED SLUG & POLICE BARRELS



Remington factory Police Barrel is a 12 gauge, smooth, cylinder bore barrel with ramp-style front sight topped by a silver bead. The Slug Barrel is fully-rifled for best accuracy with saboted slugs. Includes an integral cantilever scope base that ensures the scope will always be properly aligned with the bore, even if the barrel is removed for bird hunting and later reinstalled for deer season.

SPECS: Steel, black oxide finish. Fits Remington 870 only. Chambered for 23/4" and 3" shells. 12 Gauge - 20" long, gloss finish. 20 Gauge - 181/2" length, matte finish. Police - Smooth bore 12 gauge (Cyl.). 181/2" length. Read-blasted matte finish

#767-000-957	<b>12 Ga. Rem 870 Police Barrel,</b> 8F145K34. \$ <b>170.99</b>
#767-000-935	<b>20 Ga. Rem 870 Slug Barrel</b> , <i>8F00DQF.</i> <b>224.99</b>

#### FRIEND US ON FACEBOOK!

#### **MOSSBERG 500/590** TRIGGER HOUSING ASSEMBLY



#### All-Metal Factory Replacement Stands Up To Hard Use

All-metal replacement for factory triggerguard and fire-control system substitutes metal parts for plastic for a

more solid feel and extra strength, durability, and reliability to stand up to hard field or tactical use. Self-contained module is precision manufactured to original factory dimensions for an exact fit and easy, drop-in installation. One-piece aluminum housing with integral triggerguard provides exceptional strength, while hardened steel internal parts, including trigger and hammer, ensure years of reliable function. Adds only 1.7 oz. to help preserve your gun's original balance.

SPECS: Aluminum housing, steel trigger components, black matte finish. Fits Mossberg 500 and 590, 12 ga. only.

#631-000-337 Mossberg Trigger Assy, 1C172G89 . . . . \$ 181.99

#### **MOSSBERG BARRELS FOR REMINGTON 870**

#### Lengths & Styles To Customize Your Remington 870

Mossberg is well-known in the industry as a manufacturer of high-quality barrels for other gun makers. These steel barrels for Remington 870 shotguns come in several different lengths and styles for multiple uses. 12 gauge only. Choose from short or long, smoothbore or fully-rifled, bead sight, rifle sights and even integral scope base

SPECS: SPECS: Steel, blue or matte blue finish. Cylinder bore unless rifled.

IL Ga. Only.						
STOCK #	BORE	SIGHTS	FINISH	LGTH	PRI	CE
#631-000-344	Rifled	Integral	Blue	24"	1C218A57	\$ 240.99
		Scope Base				
#631-000-347	Cylinder	Bead	Blue	181/2"	1C118G99	\$ 139.99
#631-000-348	Cylinder	Bead	Matte Blue	181/2"	1C114Q29	\$ 126.99

# **D**

## OPSOL MOSSBERG 500/590/590A1/ **MAVERICK 88**

# MINI-CLIP™ SHELL ADAPTER



Lets You Shoot Short, Lighter-Recoiling Mini-Shells in Your Mossy AND Fit More Round in the Tube

Looking for an easy, inexpensive way to enhance the capacity and lower the recoil of your 12-gauge shotgun? It's possible with the

addition of the OPSol Mini-Clip! This small aftermarket adapter fits easily into the opening located under the receiver of any Mossberg 500, 590 590A1, Shockwave, or Maverick 88 12-gauge shotgun. Once installed, the clip allows for reliable cycling of short, 13/4" personal-defense shotshells, such as those from Challenger and Aquila. straight from the magazine. Want to shoot longer shells? The clip comes out just as easily as it went in, taking mere seconds. Another benefit of the Mini-Clip™ is that by enabling the reliable feeding of mini-shells, it allows smaller-statured and recoil-sensitive shooters to shoot the tried-and-true Mossberg 12 gauge platform without the wrestling with full 12 gauge recoil. No need to hunt down a more expensive 20 or 28 gauge gun. The OPSol folks like to say this: with a Mini-Clip™ and 1<sup>3</sup>/<sub>4</sub>" ammo, ANY shooter can stay "in the game" without all the pain.

#100-026-444 OPSol Mini-Clip Shell Adapter, 

#### **NU-LINE GUNS WINCHESTER 37A FOREARM SPACER**



#### **Restore Your 37A To Shooting Condition**

An impossible to get factory part that's necessary to keep that 37A shooting. Locates the forearm on the barrel and keeps the barrel from coming off. SPECS: Plastic, black.

#655-003-037 37A Forearm Spacer, 5E14P99...... \$ 19.99



#### KALASHNIKOV USA KS-12/KS-12T **MAGAZINES**

**Factory Replacements for** Your Kalashnikov Shotgun

These are factory magazines for the KS-12, KS-12T, and Saiga-12 shotguns. Made from durable yet lightweight reinforced polymer and available in 5- or 10 round capacities. Accept both 2<sup>3</sup>/<sub>4</sub>" and 3" shells, 12 gauge only.

#100-034-974 KS12 Magazine, 10-Rd, Black, 3C33M24.....

**#100-034-975** KS12 Magazine, 5-Rd, Black, 3C26J59... **27.99** 



#### **PW ARMS** PANZER SHOTGUN MAGAZINE



**Factory Replacement for Panzer** & Shotguns from Other Mfrs - Just Don't Use It To Invade France!

This rugged 10-round magazine fits the Panzer Arms AR-12, AR-12 Pro, and BP-12 Bullpup, as well as the MKA 1911, BR-99, FR-99, and the Rock Island Armory VR60 and VR80. 12 gauge only! C'mon, who ever has enough spare mags on hand, especially if you own one of these fast-cycling semiauto competition/tactical shotguns?

#100-034-502 PW Panzer 12 ga. Shotgun Mag, 10-Rd, 3Z25E49 ..... \$ 29.99

## PRO MAG SAIGA 12 DRUM MAGAZINE

Super-High-Capacity Mag For Competition Or Recreation

High-capacity drum magazines are great for three-gun competition-fewer mag changes mean faster times and better scores. Made from hard-wearing, injection-molded

polymer for reliable service. Access cover keeps out dirt, dust, and debris, yet can be removed for cleaning or maintenance. Due to varying tolerances on Saiga shotguns, minor fitting may be required; fitting instructions included. 20-Rd model features a thumb activated slide assist to retain the spring to help you load rounds quickly. 12-Rd features a translucent cover to see how many rounds remain. SPECS: Polymer, black/translucent. Fits Saiga 12 gauge shotguns only. Accepts 23/4" shells only. Instructions included. 20-Rd – 7" (17.8cm) dia. 3" (7.6cm) thick. 2 lbs., 4 oz. (1 kg) wt. 12-Rd - 5" (12.7cm) dia., 3" thick. 1 lb., 3 oz. (538 a) wt.

#687-000-061	<b>Saiga 12 Drum Magazine,</b> 20-Rd, 7H92Q64	\$ 108.9
#687-000-062	<b>Saiga 12 Drum Magazine,</b> 12-Rd, 7H73C09	85.9

#### PRO MAG SAIGA-12 **10-ROUND MAGAZINE**

Lightweight & Reliable-Feeding, **Ideal For Competition** 

Lightweight, molded polymer magazine has reinforced steel feed lips to ensure reliable delivery of all 10 rounds to the chamber of your 12 gauge Saiga shotgun. Ideal for the three-gun competition shooter, with deep, "waffle" texturing on the outside for a secure grasp during high-speed mag changes. Extra length ensures that even when fully loaded there's extra compressibility to the round stack so the magazine can be inserted with the bolt closed.

SPECS: Reinforced injection-molded polymer, black. 10-round capacity Fits Saiga 12 gauge shotguns only.

#687-000-029 Saiga-12 Magazine, 7H32B29 ...... \$ 37.99

## MOSSBERG 590M FACTORY REPLACEMENT MAGAZINES



What Good's Extra Capacity If You Have To Keep Stopping To Reload Mags? Problem Solved.

The 590M wasn't the first detachable box magazine-fed 12 gauge shotgun. But we're pretty sure it is the first that uses double-stack polymer mags to keep the bulk below the receiver to a bare minimum. These are the same Mossberg factory-original magazines that came with your 590M, so you know they'll feed and function reliably. The mag body is molded from tough, reinforced hard polymer that is so slick inside it's self-lubricating, so it keeps the anti-tilt curved-

face polymer follower moving smoothly. A heavy-duty ASTM-A-228 music wire spring provides plenty of force to keep that follower - and the shells sitting on top of it moving. A round limiter prevents overloading the mag to preserve spring life. On the outside, that slickness isn't a liability because of the deep, "easy-grip" ridges molded into the surface so you'll get plenty of purchase for fast mag swaps. The floorplate comes off easily for cleaning. Of course, you can't send plastic to do steel's job, so the feed lips are made of hardened steel to they will not crack, break, or otherwise deform if you need to keep a loaded mag sitting for a while. Anti-corrosion black oxide finish on all the steel parts. For use with 23/4" 12 gauge shells only.

#631-000-370	5-Rd Moss 590M Mag, 1C100N79	\$ 111.99
#631-000-371	<b>10-Rd Moss 590M Mag,</b> 1C95A19	111.99
#631-000-372	<b>15-Rd Moss 590M Mag</b> , 1C107K94	126.99
#631-000-373	<b>20-Rd Moss 590M Mag,</b> 1C100L79	111.99

#### SGM TACTICAL SAIGA 12 12-ROUND MAGAZINE

Rugged, Smooth-Feeding, All-Polymer Construction

High-capacity magazine of tough, lightweight polymer composite lets you load up and fire 12 rounds before reloading your Saiga 12-gauge shotgun—ideal for home defense or three-gun competition. Reinforced. injection molded Dupont™ polymer construction ensures durability and a slick, self-lubricating interior for fast, reliable feeding. Raised horizontal ridges on the grasping areas ensure a secure grip when removing and

inserting mag into the gun. Removable floorplate for easy cleaning; precision wound steel spring is treated with a corrosion-inhibiting coating for long-lasting protection from rust. Counts as three parts for compliance with U.S. Code Title 18 Section 922(r) part-source requirements.

SPECS: Fiberglass-reinforced, injection-molded Dupont polymer, black. 12 round capacity. Fits Saiga 12 gauge shotguns only.

#100-005-783	12-Rd Saiga Shotgun Magazine,
	4D50A14

## **BROWNELLS** "FITS-ALL" SHOTGUN MAGAZINE PLUG



Universal - "Snaps" At Notches To Fit All Gauges & Lengths; Fits More Guns Than Other Plugs - Orange, Poly Plastic

Ever spent the better part of an afternoon "manufacturing" a new magazine plug for a customer? It's a trial-and-error process that keeps the customer happy but makes you poor. With our universal "Fits-All" Plug, all that's required is a simple "snap" at the correct notch to fit all popular shotguns. For those oddball guns with non-standard length magazines, simply "notch" the "Fits-All" with a shop knife at the length required and "snap"! It's that easy! Complete instructions and convenient "Snap-To- Fit Chart" included. Made of unbelievably tough polypropylene with an oversize head to position it correctly in all magazines - Won't slide or rattle. Bright, safetyorange color is easy to see and find. Fast, economical way to help your customers comply with migratory game bird laws.

SPECS: 10°/16" (26.8cm) long. °/16" (14.3mm) diameter head. 3/8" (9.5mm)

#084-115-001	1 Shotgun Mag. Plug, 4H4L99	\$ 8.99
#084-115-006	6 Shotgun Mag. Plugs, 4H39P74	52.99
#084-115-012	12 Shotgun Mag. Plugs, 4H79H49	105.99

## **BROWNELLS** SHOTGUN FOLLOWERS



Tough, Durable Replacement For Factory Followers

Lightweight aluminum or stainless steel followers for Remington, Mossberg, and Benelli shotguns. Tough construction holds up to years of competitive and law enforcement

shooting and won't wear out after thousands of rounds, break under spring pressure, or degrade when cleaning solvents are used. Bright colors let you see immediately if the magazine is empty. Vented design reduces weight to help promote smooth feeding. Stainless steel (SS) followers are natural finish. Aluminum followers are available in red, orange, green and black, depending on model and gauge. SPECS: Aluminum or stainless steel. Benelli does not fit Nova or Super Nova, fits 12-gauge 3" Magnum guns. Remington fits 870, 1100 and 11-87.

STOCK #	FITS	MATERIAL	COLOR	PRI	CE
#080-000-172	BENELLI 12	Alum	Red	8K16E49	\$ 21.99
	GA3"				
#080-000-233	MOSS12 GA.	Alum	Green	8K16I49	\$ 21.99
#080-000-167	MOSS12 GA.	SS	Natural	8K16I49	\$ 21.99
#080-000-232	MOSS12 GA.	Alum	Orange	8K16P49	\$ 21.99
#080-000-168	MOSS12 GA.	Alum	Red	8K16F49	\$ 21.99
#080-000-175	REM 12 GA.	Alum	Green	8K16D49	\$ 21.99
#080-000-226	REM 12 GA.	SS	Natural	8K16M79	\$ 20.99
#080-000-237	REM 12 GA.	Alum	Orange	8K15C74	\$ 20.99
#080-000-227	REM 12 GA.	Alum	Red	8K16P49	\$ 21.99
#080-000-229	REM 20 GA.	SS	Natural	8K16D49	\$ 21.99
#080-000-238	REM 20 GA.	Alum	Orange	8K16C49	\$ 21.99
#080-000-166	REM 20 GA.	Alum	Red	8K16D49	\$ 21.99

#### NORDIC COMPONENTS LOW DRAG SHOTGUN **FOLLOWERS**

Teflon-Coated Follower Helps **Smooth Feeding** 

Machined aluminum shotgun follower features Teflon coating for smooth feeding. Bright wine-red color makes it easy to tell when magazine is empty. Available in 12 and 20 gauge, follower fits most shotgun magazine tubes. Will not fit Mossberg shotguns.

SPECS: SPECS: Aluminum, Teflon coated, wine red. 12 Gauge 1.1 (2.7cm) long. 9 (2.2cm) O.D. 20 Gauge 1.1 (2.7cm) long. 7 (1.7cm) O.D.

#100-011-061	Low Drag Follower, 12 Ga.,	1B15C30\$	18.00
#100-011-062	Low Drag Follower, 20 Ga.,	1B15A30	18.00

## **SCATTERGUN TECHNOLOGIES REMINGTON MAGAZINE SPRING PACKAGE**



#### For Law Enforcement & Self-Defense Shotguns

Easy-to-install kit includes long-wearing, ABS nylon, high-visibility, fluorescent green follower for improved feeding. Plus, the Wolff spring relieves spring bind, and won't "set". SPECS: Fits Rem. 870, 1100, 11-87, SPT-12. Springs and follower will fit

most 12 ga. shotguns with standard magazine tubes, plus those equipped with one- or two- round (6 or 7 shot) extensions.

800-120-005	5 Shot Perf. Packages,	8Z12E74	\$ 14.99
800-120-007	7 Shot Perf. Packages,	8Z12A74	14.99

## PHASE 5 TACTICAL **LOW-DRAG HIGH-VISIBILITY**

**FOLLOWER** Helps Shell Feed Smoothly; Provides Visual & Tactile Verification of Weapon Clear

Here's a replacement for your 12 gauge scattergun's factory follower that'll help your gun feed more reliably. This fol-

lower has about one-third the bearing surface of a standard cylindrical follower. That means less friction and less risk of binding for smoother movement of rounds through a mag tube. Plus, the cutouts provide a conduit for fouling and crud to exit, so if it's been a bit too long since you cleaned the gun,

you're less likely to suffer a failure to feed during that critical stage of the competition! The bright color - your choice of red, blue or green - and the center hole help you verify both VISUALLY and by FEEL that the weapon is clear. Machined from 7075 T6 aluminum billet, which is 80% stronger than the much softer 6061 alloy, so these followers will last a long time. 12 gauge only. Fits most shotguns that do not have detents on the magazine tube.

	ie inagazine tabe. —	
#100-036-032 🗞	<b>L-D High-Vis Follower,</b> Red, 1C18N99	\$ 19.99
#100-036-030	L-D High-Vis Follower, Blue,	
	1С18Н99	19.99
#100-036-031	L-D High-Vis Follower, Green,	
	1C18N99	19.99

## **SCATTERGUN TECHNOLOGIES** TACTICAL RESPONSE FOLLOWER

Smooth-Feeding; Highly Visible

Fluorescent green, combat-style follower with projection on the head, instantly shows by sight, or by touch, if mag is empty. Molded from non-rusting, high-impact grade ABS with tapered tail

to help prevent magazine spring bind and improve reliability. SPECS: 1.7" (4.5cm) long. .91" (23mm) diameter, 12 ga. only. Fits Remington 870, 1100 and other miscellaneous shotguns with no detents in

#800-100-004 Magazine Follower, 8Z7E99...... \$ 9.99

## **VANG COMP SYSTEMS** REM 870/11-87 STAINLESS STEEL FOLLOWER



Strong, Dependable Replacement For Factory Followers

High-visibility stainless steel follower replaces the factory follower in Remington 870 and 11-87 shotguns. Won't break under spring pressure, won't rust and holds up to years of shooting. Bright stainless steel

makes it easy to see how many rounds are left in the magazine tube. Ribbed side and drilled out center hole reduce weight without jeopardizing overall strength. SPECS: Stainless steel. 5/8" (1.6cm) long.

#100-002-463 12 Ga. Stnls Steel Follower,

## **BRILEY SHOTGUN MAGAZINE EXTENSION TUBE**

Increases Round Capacity; Easy To Install; Rugged, All-Metal Construction



retta, or Winchester shotgun. Each tube has an extra-thick wall for added rigidity and strength. Ideal for shooting competitions, law enforcement, and home defense. Screws onto the factory magazine threads for fast installation in minutes. Knurled grasping surfaces aid

installation and removal for cleaning. SPECS: 6061 T6 aluminum, black finish. Fits 12 gauge only. Includes tube extension, tube connector, spring, and follower.

STOCK # #129-000-267	FITS	RDS	PRI	ICE
	Benelli M1/M2/Super 90/ SBE/SBE II	5	9B81J59	\$ 95.99
#129-000-264	Beretta Extrema I/II, Benelli Nova/Super Nova	3	9B78A84	\$ 82.99
#129-000-266	Beretta Extrema I/II, Benelli Nova/Super Nova	5	9B84J99	\$ 99.99
#129-000-263	Winchester Super X3	3	9B86N69	\$ 101.99

order on the web

brownells.com

# MESA TACTICAL REMINGTON/BENELLI TACTICAL BARREL/MAGAZINE CLAMP



#### Secures Extended Mag Tube & Mounts Accessories Up Front

Lightweight, aluminum clamp locks barrel and extended magazine tube together to form a rigid, rock-solid assembly. Can be used as a tactical light mount: install a 1<sup>th</sup> diameter light in one side of the clamp and

secure the other side to the barrel or magazine. Left- and right-side sling swivel sockets accept standard pushbutton swivels. Two steel Allen head screws pull the clamp halves together for a tight, non-slip hold. Also available with a 2" long, 4-slot, MIL-STD 1913 Picatinny rail that can be installed in the 3- or 9- o'clock position, for mounting additional accessories. Fits Remington 870, 1100, 11-87 and Benelli M1, M2, M4, M1014, 12 gauge shotguns.

SPECS: 6061 T6 aluminum, mil-spec Type 3 hardcoat anodized, matte black. Clamp - 1½\* (5.8cm) long, 1½\* (3.5cm) wide, 1½\* (4.1cm) high. Rail - 2\* (5.1cm) long. Includes mounting hardware. Fits Remington 870/1100/11-87 and Benelli MI/M2/M4/M1014, 12 qauge only.

#100-004-032 Barrel/Mag Clamp, w/Rail, 5A87F29.... \$ 96.99 #100-005-447 Barrel/Mag Clamp, Only, 5A62C09.... 68.99

# CHOATE SHOTGUN MAGAZINE EXTENSION



#### **Screw-On Tubes For Increased Capacity**

Gives you additional magazine capacity in only a minute. Quick and simple to install and remove. Threaded tube replaces magazine cap. Perfect for action shooting events or Law Enforcement. Remington and Benelli/ Beretta models only come with sling swivel clamp that secures the extension to the barrel for extra support. Provides a convenient front mounting point for carry strap or sling. SPECS: Extension - Steel, blued (B) or Parkerized (P), matte finish. Models for 12 ga. and 20 ga. only. Includes extended spring, follower and swivel clamp. Sling Swivel Clamp - Blued or Parkerized steel, front and rear 1' swivel rings with studs. Chart indicates number of ROUNDS (RDS) in addition to factory magazine capacity for each model.

	_			
STOCK #	RDS	FITS	PRIC	CE
12	GA. B	LUE MAGAZINE EXTENSI	ONS	
#159-000-025	2	Benelli Nova, Beretta Extrema	9E42Q49	\$ 49.99
#159-000-026	4	Benelli Nova, Beretta Extrema	9E44E19	\$ 51.99
#159-000-027	4	Benelli SBE/SBE II/M1/M2	9E51J19	\$ 63.99
#159-102-870	2	Rem. 870/1100/11-87*	9E45F04	\$ 52.99
#159-102-874	4	Rem 870/1100/11-87*	9E45M14	\$ 49.99
20	GA. B	LUE MAGAZINE EXTENSI	ONS	
#159-000-007	3	Remington (B)	9E43M19	\$ 47.99
#159-000-008	4	Remington (B)	9E45C14	\$ 48.99
#159-000-009	5	Remington (B)	9E48M44	\$ 56.99
12 GA.	PARE	ERIZED MAGAZINE EXTE	NSIONS	
#159-104-872	2	Rem. 870/1100/11-87*	9E44F19	\$ 51.99
#159-104-873	3	Rem. 870/1100/11-87*	9E44B19	\$ 51.99





# NORDIC COMPONENTS — MXT EXTENDED SHOTGUN MAGAZINE TUBES



#### Screw-On Extender Bumps Up Your Shotgun's Mag Capacity

Nordic's strong, lightweight, extruded aluminum tubes increase the capacity of your shotgun's magazine. Each has a machined clamp groove that eliminates clamp slip due to recoil and helps prevent point of impact shifts or damage to the barrel's finish. Reinforced end cap resists heavy impacts, and threads on both ends of the tube body allow the user to flip it to best match the clamp groove location to the shotgun. Installs in minutes using a machined union nut that attaches to the end of the factory tube. Retains your gun's factory follower. Some models may require removal of factory magazine tube crimp.

Initial Setup: To expand the capacity of your shotgun's factory magazine tube, you'll need the correct Extension Tube Nut for your gun and the Extension Tube Kit that gives the capacity increase you want. Sold separately, below.

Later on...The Good News: If you want to change the capacity of your MXT assembly, you don't have to purchase another complete set - just get the MXT tube that gives you the capacity you need (and possibly a new spring - both sold below). ■

SPECS: CNC machined aluminum, hardcoat anodized, matte black. Benelli fits M1/M2, Super Black Eagle I & II. Benelli Nova fits Nova/Super Nova, Beretta X-trema/X-trema 2, Tx4, A400 and CZ 712. Beretta fits Benelli Nova, Super Nova, Beretta 1301/391 Xtrema/Xtrema 2, A400/A400 Extereme. Mossberg fits 590, 930 and 935. Remington fits 870, 1100, 11-87 and 105 CTi. Stoeger fits Model 2000, Franchi I-12, Affinity, Intensity. Extension for M3000/M3500 fits those models only. Winchester fits SX2/SX2, Browning Gold/Silver, FN SLP. NOTE: Tube threads not compatible with Nordic XX. Li, and XXL end cabs.

#### **EXTENSION TUBE NUTS**

STOCK #	FITS	GAUGE	PRI	CE
	12 GAUGE			
#100-501-001	Benelli M1/M2/SBE/SBE II	12	1B29N69	\$ 32.99
	(Not Nova/Super Nova)			
#100-501-003	Beretta 1301/A400/TX4/	12	1B29K69	\$ 32.99
	Xtrema/Xtrema2 also			
	Benelli Nova/Super Nova,			
	CZ 712/912 & Weatherby			
	SA-08			
#100-501-002	Browning BPS & Auto-5	12	1B29M69	\$ 32.99
	(old model)			
#100-501-006	Browning Auto-5 (new	12	1B29C69	\$ 32.99
	model)			
#100-501-005	Mossberg 590/835/930/935	12	1B29P69	\$ 32.99
#100-501-007	Remington 870/1100/11-87	12	1B29C69	\$ 32.99
	& VersaMax			
#100-501-008	Remington 887	12	1B28C90	\$ 32.99
#100-501-009	Stoeger M2000 Franchi	12	1B29F69	\$ 32.99
	I-12/Affinity/Intensity			
#100-501-004	Stoeger M3000/M3500	12	1B29Q69	\$ 32.99
#100-501-011	Winchester 1200/1300	12	1B28E90	\$ 32.99
	Stevens 320			
#100-501-012	Winchester SXP	12	1B29K69	\$ 32.99
#100-501-010	Winchester SX2/SX3	12	1B29P69	\$ 32.99
	Browning Gold/Silver			
	FN SLP			
	20 GAUGE			
#100-501-014	Benelli M1/M2	20	1B38Q94	\$ 40.99
#100-501-016	Benelli Nova CZ-720	20	1B37B29	\$ 39.99

Weatherby SA-08

BENELLI VINCI EXTENSION ASSEMBLY - Replaces the factory

magazine tube so the 12 gauge Vinci (3" chamber) and Super Vinci (3.5" chamber) can accept an MXT mag extension.

cept an MXI mag extension. You must then add the Extension Tube Kit with the number of additional rounds you need.

**EXTENSION TUBE KITS** - Each kit includes the magazine extension tube, end cap, and replacement magazine spring. Must be used in conjunction with the correct **Extension Tube Nut** (not included, sold above) for your gun.



STOCK #	CAPACITY	GAUGE	PRIC	^F	
12 GAUGE					
#100-501-031	+1	12	1B41N59	\$ 51.99	
#100-501-032	+2	12	1B00PTC	\$ 47.99	
#100-501-033	+3	12	1B00LAS	\$ 47.99	
#100-501-040	+3 (flush fit for Benelli M1/ M2/SB/SBE II w/18.5" bbl)	12	1B00MIP	\$ 47.99	
#100-501-034	+4	12	1B00MTP	\$ 47.99	
#100-501-035	+5	12	1B00LDS	\$ 47.99	
#100-501-041	+5 (flush fit for Benelli M1/M2 w/21" bbl)	12	1B00EGG	\$ 47.99	
#100-501-036	+6	12	1B00JFD	\$ 47.99	
#100-501-037	+7	12	1B00DLF	\$ 47.99	
#100-501-042	+7 (flush fit for Benelli M1/M2 w/26" bbl)	12	1B00EKR	\$ 47.99	
#100-501-038	+8	12	1B00IRP	\$ 47.99	
#100-501-039	+9	12	1B00JCL	\$ 47.99	
	20 GAUGE				
#100-501-044	+4	20	1B66F49	\$ 69.99	
#100-501-045	+5	20	1B66B49	\$ 69.99	
#100-501-046	+6	20	1B66L49	\$ 69.99	
#100-501-047	+7	20	1B66l57	\$ 69.99	

MXT MAGAZINE EXTENSION TUBE (ONLY) - When you already have a complete MXT magazine extension assembly on your shotgun and want to change the capacity of the extension, you can simply purchase a replacement tube with the capacity you want. NOTE: Installing a larger capacity tube may require also replacing the magazine spring (sold below).


STOCK #	CAPACITY	GAUGE	PRI	CE
#100-501-018	+1	12	1B24F64	\$ 28.99
#100-501-019	+2	12	1B30B59	\$ 33.99
#100-501-020	+3	12	1B30F59	\$ 33.99
#100-501-027	+3 (flush fit for Benelli M1/ M2/SB/SBE II w/18.5" bbl)	12	1B30L17	\$ 33.20
#100-501-021	+4	12	1B30I59	\$ 33.99
#100-501-022	+5	12	1B30A59	\$ 33.99
#100-501-028	+5 (flush fit for Benelli M1/ M2 w/21" bbl)	12	1B37G21	\$ 39.99
#100-501-023	+6	12	1B30L59	\$ 33.99
#100-501-024	+7	12	1B30G59	\$ 33.99
#100-501-025	+8	12	1B30N59	\$ 33.99
#100-501-026	+9	12	1B30D59	\$ 33.99

<u>COUPLER</u> - Enables you to connect two MXT extension tubes to get the exact number of additional rounds and/or tube length you need. Also makes it easy to temporarily remove the extension tube

so your gun will fit in a standard-length shotgun case for storage or transport.

#100-501-048 MXT Ext Tube Coupler, 1B00DJF . . . . . \$ 28.99

# CARLSON'S SHOTGUN MAGAZINE EXTENSION TUBES



Ideal for competition shooting, home defense, and law enforcement, these extension tubes increase the magazine capacity on your Remington, Benelli, CZ, and Beretta shotguns. Constructed of blued steel, extensions come with spring, base clamp, and a high visibility follower. No modification needed, simply remove the magazine

cap and replace it with one of these threaded extension tubes. Benelli M4 7 shot extension tube does not include clamp or follower. Remington extensions require removal of tabs in magazine on newer model shotguns. Extensions available in 12 gauge only. SPECS: Steel, blued finish. Includes spring, base clamp, and follower. Magazine round count based on 2 3/4 shells. Fits 12 ga. only.

STOCK #	FITS	+RDS	PRI	CE
#100-013-348	Benelli Nova/Super Nova, CZ	7	5E49B79	\$ 54.99
	712/912, Beretta Extrema I/II			
#155-000-222	Benelli M4	7	5E49F79	\$ 53.99
#100-013-351	Benelli Nova/Super Nova,	8	5E48P59	\$ 53.99
	Beretta 1301			
#100-013-347	Benelli M1/M2/SBE	8	5E51Q29	\$ 56.99
#100-013-350	Remington 870/1100/11-87	7	5E49P79	\$ 53.99
#100-013-346	Remington 870/1100/11-87	8	5E50N37	\$ 54.99
#100-013-349	Remington 870/1100/11-87	10	5E54M50	\$ 58.99

MXT MAGAZINE SPRINGS - May be needed if you upgrade your existing MXT assembly with a longer tube for higher capacity. Springs come in one size with instructions as to how to cut to



size to fit your tube. **Heavy Duty** spring offers extra oomph for your 12 gauge MXT assembly.

#100-501-051	<b>MXT Ext Tube Mag Spring,</b> 12 Ga., 1811A39	1.99
#100-501-053	Heavy Duty MXT Ext Tube Mag Spring, 12 Ga., 1B00Q/Q	1.99
#100-501-052	MXT Ext Tube Mag Spring, 20 Ga., 1B11124	1.99

MAGAZINE TUBE END CAP - Same machined aluminum cap that comes with the Extension Tube Kit. Matte black anodized finish.



SUPPORT CLAMP - Strong, lightweight aluminum clamp attaches securely to barrel to provide extra support for extended magazine tube. Eliminates unwanted vibration under recoil to ensure smooth, reliable feeding of rounds. Low-profile design, rounded edges, and flush-mounted hex-head machine screws prevent snags and damage to patrol

chine screws prevent snags and damage to patrol car interiors; hardcoat anodized surface adds strength and exceptional resistance to surface abrasion. Available in **Standard** model and **Tactical Rail** configuration with Picatinny-type accessory rail that may be positioned on left or right side of clamp for mounting flashlights and other accessories.

SPECS: Aluminum, hardcoat anodized, black, matte finish. Fits shotguns equipped with Nordic and DPMS extension tubes. 12 gauge only.

#100-003-183	Magazine Extension Clamp, 1B29D44.	\$ 30.99
#100-003-182	Mag. Extension Clamp w/Tactical Rail,	
	1B41Q39	45.99



#### **SCATTERGUN TECHNOLOGIES** REM 870/1100/11-87 **EXTENDED MAGAZINE TUBE**

Adds One Or Two Additional Rounds To Your Remington Shotgun

Machined steel magazine extensions increase capacity without gunsmithing or permanent alterations to



your Remington 870, 1100 or 11-87 shotgun. Knurled, threaded collar screws onto the end of the mag tube. Includes high-performance, extended length magazine spring and an unbreakable, high-visibility, nylon follower. Loop models features a stationary loop on either the bottom or left side of the extension to accept direct attachment of tactical-style slings without swivels. QD stud models include a quick-detach, swivel stud mounted either in the center of the magazine cap or at the front of a plate below the extension to accept slings with quick-detach swivels. All models fit 12 gauge only. SPECS: Steel, gray parkerized finish. Fits Remington 870/1100/11-87, 12 ga. only.1-Shot - 2" (5cm) long, 2-Shot - 6" (15.2cm) long.

STOCK#	EXTRA ROUNDS	SLING LOOP LOCATION
#800-720-700	1	Loop, bottom
#800-710-990	1	Loop, left-side
#800-000-003	1	QD stud, mag cap
#800-730-080	2	Loop, left-side
#800-000-004	2	QD stud, front

- Advise # - Extended Magazine Tube, 8Z45N00.... \$ 48.99

## **BROWNELLS** REMINGTON 870 STAINLESS STEEL EXTENDED MAGAZINE TUBE SPRING

#### **Eliminates Magazine Spring Corrosion**

Long-lasting, magazine springs are made from 17-7 stainless steel to help prevent malfunctions caused by rusty magazine springs. Heat treated for durability and superb performance. Fits Remington 870 with two-round magazine extension. Can replace standard magazine tube springs but will require trimming. SPECS: 17-7 stainless steel. 23" (58.4cm) OAL.

#084-000-154 S/S Extended Magazine Tube Spring, 6Z8L49......\$ 9.99

## **BROWNELLS** PRO-SPRINGS **FOR SAVAGE/STEVENS 311**

Kit SS-311 provides the highest quality action-tuning springs by Wolff to help the model 311 shotgun "hang" open for reloading, gives less cocking effort. Contains (2) factory standard hammer springs, (1) 15% RP sear spring, (2) 30% RP hammer springs, and (1) 15% RP top lever spring.

SPECS: RP = Reduced Power

#080-665-311 Kit SS-311, 8K23D24 ...... \$ 30.99

## **VANG COMP SYSTEMS SHOTGUN MAGAZINE TUBE EXTENSION**

**Increased Round Capacity For** Reminaton & Mossberg Shotauns

Short, screw-on magazine extensions add one or two additional rounds to tactical and sporting shotguns without increasing overall gun length. Replaces factory magazine cap with no permanent modifications. Machined from solid steel bar stock for a much stronger system to resist dents. Included sling loop can be installed for left- or right-handed shooters. Smooth-feeding, unbreakable follower is molded in bright green for easy inspection upon loading/unloading. Models available for Remington 870/1100/11-87 and Mossberg 590A1 shotguns. ■

SPECS: Steel, black matte finish. Includes extension tube, follower, and extended magazine spring. Accepts 1<sup>1</sup>/<sub>4</sub>" slings. 12 ga. only. **1-Shot** – 2<sup>1</sup>/<sub>4</sub>" (5.9cm) long. Models for Remington 870/1100/11-87 and Mossberg 590A1. **2-Shot –** 6<sup>3</sup>/<sub>16</sub>" (15.7) long. Fits Remington 870/1100/11-87.

#100-003-057 1-Shot Rem Mag Tube Ext., 6K65K44 . . \$ 76.99 **#100-003-058 1-Shot Moss Mag Tube Ext**, 6K65F44... **76.99** #100-003-056 2-Shot Rem Mag Tube Ext, 6K65F44...

## **BROWNELLS** REMINGTON 870 XP MAGAZINE SPRING & FOLLOWER

Feeds Shells Smoothly: **Bright Follower Indicates Magazine Is Empty** 



requires no special tools. Instructions included. SPECS: Steel magazine spring. Aluminum follower, orange. Fits Remington 870, 12 gauge

#080-000-083 XP Mag. Sprg w/ Fllwr, 8K19B49...... \$ 25.99

## WOLFF SHOTGUN SPRINGS

#### Improves Function & Reliability

High-tensile strength, precision-made, carbon steel springs from Wolff help you achieve reliable cycling and top performance from both hunting and competition shotguns. Replace weakened springs for better performance or use as part of a custom project for ultimate reliability.

SPECS: High-tensile, heat-treated spring steel. Gunsmith fitting required for some springs as indicated.

XP MAGAZINE TUBE SPRING - Provides 20% extra power (XP) over factory original magazine spring for 12 gauge shotguns. Measures 40" long and will fit all 3- to 5-round factory magazine tubes. All springs may require gunsmith fitting.

**#969-000-155 12 Ga. XP Mag. Spring,** Each, *9F5L24*.....\$ **6.99 #969-651-660 12 Ga. XP Spring,** 10-Pak, 9F23N63 . . . . . **27.99** 

PRE-FIT REM 870 XP MAGAZINE TUBE SPRING - Wolff's exceptional quality, extra power shotgun magazine tube springs ready to drop-in to the models listed below - no aunsmithing required. 10% extra power and fits 3- to 5-round 12 gauge magazine tubes.

#969-000-067 Rem 870 XP Mag. Spring, each, #969-000-068 Rem 870 XP Mag. Spring, 5-pak, 

BENELLI RECOIL SPRING - Use 25% extra power (XP) recoil spring for heavy loads; 25% reduced power (RP) for light, trap/skeet loads to ensure maximum performance and service life from hunting and competition shotguns. Fits Super 90, Super Black Eagle, Montefeltro and M1 models

#969-000-090	Benelli XP Recoil Spring,	9F11A24	\$ 14.99
#969-000-091	Benelli RP Recoil Spring,	9F11I24	14.99

## WOLFF STEVENS 311 TRIGGER & HAMMER SPRING PERFORMANCE PAK

Lighten Trigger Pull, WWWWWW Hammer Weight & Break-Open Pressure

STATE OF THE STATE TATALOG SALAGO S

Lighten trigger pull, hammer weight and break-open pressure with these Wolff springs designed for Stevens 311 series and similar shotguns used for action shooting. Sear spring lightens trigger pull for improved trigger control and the two hammer springs work with the top-snap spring to reduce cocking and break-open pressure for quick, smooth operation. Gunsmith installation recommended.

SPECS: Spring steel. Kit includes sear spring, two (2) hammer springs, and top-snap spring. Fits Stevens 311 A,C,D,E,F and H, 5100, 530, A; Springfield 511 and Series A; Savage Fox BDE, BSE C,D,E,F and H; BST B-C, B-D,

#969-000-085 Stevens 311 Spring Pak, 9F15P74 . . . . . \$ 20.99

## LEE'S GUNSMITHING STOEGER IGA GUNSLINGER TOP LEVER SPRING KIT

Lessens The Effort Required To Open The Action; Smoothes Operation

High-quality top lever spring with washer provides smoother function of the lever and lessens the effort required to break open the action for reloading. Speeds your reload time for improved cowboy action scores. Coils are slightly reduced in diameter to eliminate spring bind on the rod.

SPECS: Spring steel. Includes top lever spring, washer, and instructions. #100-000-513 Stoeger IGA Spring Kit, 5K14B24 ..... \$ 18.99

## **SHOTGUN** MAINSPRING KIT

Universal Fit

"V" mainsprings for sideby-side and over/under shot-

guns. Will handle most of your needs for foreign guns. Can be fitted to different length requirements. SPECS: Kit contains 8 springs, 1 each of these spring types: I-124, I-125,

S-39, 654, 12840, 12842, 12850, 12854

#754-900-000 Mainspring Kit 9MK, 4E101G99......\$ 119.99

# Accessories

SHOTGUN FOREND **Easily Converts Shotgun** For Tactical Applications &

Ultra-strong, lightweight, slide assembly replaces your shot-qun's forend with three MIL-STD 1913 Picatinny rails positioned at 3, 6, and 9 o'clock for mounting tactical lights and other accessories. Nine, removable rubber rail covers let you expose the exact parts of the rail needed for accessory attachment, while covering the rest of the rails with a comfortable, no-slip gripping surface that protects your hand when shooting and cycling rounds. 💻 SPECS: Extruded aluminum, matte black. Rubber rail covers, black. 61/4"

FALCON INDUSTRIES ERGO GRIP® 3-RAIL

(15.9cm) lona.

#573-000-039 Rem. 870 Forend, 3G73H94..... \$ 86.99

#### **ERGO GRIPS MOSSBERG 500/590/SHOCKWAVE** M-LOK® RAIL



Need a Light or Laser on Your Shockwave? Here's the Place To Put 'Em

Ergo's machined aluminum forend brings M-LOK® accessory mounting versatility to the Mossberg Shockwave. It easily replaces the factory forend to give you three M-LOK® accessory mounting slots each in the 3, 6 and 9 o'clock positions, so a light, laser sight. clamp-on sling swivel mount, and any other accessories can be mounted easily. It adds zero additional bulk to the gun and - due to its all-aluminum alloy construction - the bare minimum of extra weight. "All aluminum" means this forend won't flex, bend, break, or otherwise let you down in a critical self-defense emergency. While specifically designed for the Shockwave, this forend will fit any Mossberg 500 or 590 shotgun. Overall length is 5.8" (vs. 6.9" for Ergo's full-size Mossberg 500/590 M-LOK Rail). An excellent option for folks who prefer a shorter, more compact forend and the speed, ease, and convenience of M-LOK® accessory attachment.

SPECS: Machined 6061 T6 aluminum, with a durable Type III hardcoat anodized finish, matte black, 5.8" OAL

#573-000-091 Moss 500/590/Shockwave M-LOK Rail, 

**ERGO GRIPS REMINGTON TAC-13** 

**AR-15 BRACE/PISTOL GRIP** 

# SHOTGUN TOP LEVER KIT Over-Length For Custom Fit

Top lever shotgun springs, made extra long, so they can be cut to fit most European shotguns. SPECS: Kit contains 5 springs, 1 each of these spring types: I-121, S-30,

12944, 12948, 12952.

**#754-800-000** Top Lever Kit, 4E81G59......\$ 95.99

## WOLFF H&R TOPPER **HAMMER SPRING**

Restores Reliability & Performance

Double torsion spring restores reliable hammer strike and positive ignition on older Topper-series guns. SPECS: Steel. Fits Topper shotguns using a double torsion hammer spring. Will not fit

newer guns with a single torsion spring. **#969-000-069 H&R Hammr Sprg,** Each, *9F5F99* . . . . . . **\$ 7.99** 

tubes. Works equally well with an optic or "iron" sights. Machined from solid aluminum for rock-solid strength, with a non-reflective black hardcoat anodized finish. All necessary mounting hardware included, but you'll have to supply your own receiver extension, stock, and pistol grip! #573-000-094 Remington TAC-13 AR-15 Stock

ADAPTER

Give Your TAC-13 AR-15

Ergonomics & Handling

Ergo's adapter attaches to the rear

of your TAC-13's receiver to serve as

a sturdy mounting point for an AR-15

pistol grip and an AR pistol arm brace.

It accepts both pistol and M4 carbine

receiver extensions, AND both Com-

mercial and Mil-Spec (1.13" O.D.) carbine

Adapter, 3G80M75..... \$85.00

order on the web

brownells.com

**BROWNELLS. PAGE 207** 

#### **PHOENIX TECHNOLOGY** UNIVERSAL SHOTGUN FOREND



Rugged One-Piece Forend For Tactical Upgrade

Rugged, shock-proof polymer replacement for factory forend upgrades your Remington, Mossberg, or

Winchester pump shotgun with a heavily textured tactical forend for home defense or competition. Deep grooves give a secure purchase for fast, positive racking and enhanced recoil control. Installation requires some disassembly of shotgun, including barrel, forend, and forend nut. Mossberg model comes with a forend extender. SPECS: Injection-molded polymer, matte black. 17/8" (4.7cm) diameter. Remington/Winchester - 6" (15.2cm) long, 5.6 oz. (158g) wt. Mossberg - 6¾4" (17.1cm) long, 6.1 oz. (173g) wt. Fits Remington 870 - 12 gauge only: Mossberg 500/590/835 - 12 gauge: Winchester 1200/1300 - 12/20 gauge. Mounting hardware and instructions included.

#100-008-788	Remington/Winchester Forend,	
	3P12D79 \$ <b>15.99</b>	
#100-008-789	Mossberg Forend, 3P12F74 14.99	



#### ARMSTECH, LLC REMINGTON 870 TACTICAL STOCK ADAPTER

Converts Your Shotgun To A Tactical Workhorse

Impact-resistant, Tactical Stock Adapter provides a strong, lightweight coupler to attach pistol grips and CAR-15 style butt stocks to the popular, Remington 870 shotgun. 33% fiberglassreinforced nylon provides superior strength with minimal weight increase; won't warp, crack, or shrink in extreme weather conditions. Tight-tolerance, molding process ensures proper fit and virtually eliminates unsightly mold seams. Slight, 7° angle drops the butt stock for an improved sight path with barrel-mounted sights. Allows 10" to 13" length-of-pull adjustment when used with a collapsible. "shorty" stock.

SPECS: Fiberglass-reinforced nylon, matte black. 23/4" (7cm) long, 11/2 (3.8cm) wide, 3" (7.6cm) high. Includes locking ring and grip hardware. 5 oz. (142g) wt. Fits Rem 870, 12 ga.

#432-000-002 Tactical Stock Adapter, 2C34B84..... \$ 40.99

#### HOGUE REMINGTON/MOSSBERG TAMER PISTOL GRIP & FOREND

Hand Filling For Maximum Grip & Control

Comfortable, rubber over-molded pistol grip and forend provide maximum performance and recoil



control in all types of shooting scenarios. Advanced Tamer technology features an internal Sorbothane cushion that helps dampen felt recoil in the web of the hand. Pistol grip design includes dual palm swells and equally proportioned finger grooves, allowing both right- and left-handed operators to shoot with confidence. Pebble textured rubber surface provides a firm grip even when wet. Models available for Remington 870, Mossberg 500, 590, and 835. Rem. model includes 11/8" wide sling loop molded into pistol grip.

SPECS: Molded polymer, overmolded rubber, black. Rem. - Forend is 7<sup>1</sup>/<sub>2</sub>" (19cm) long, 1<sup>3</sup>/<sub>4</sub>" (4.4cm) wide, 1<sup>3</sup>/<sub>4</sub>" (4.4cm) high. Grip - 6" (15.2cm) long. Mossberg - Forend is 7<sup>3</sup>/<sub>4</sub>" (19.7cm) long, 1<sup>7</sup>/<sub>8</sub>" (4.7cm) wide, 1<sup>3</sup>/<sub>4</sub>" high. Grip - 5<sup>3</sup>/<sub>4</sub>" (14.6cm) long.

#408-000-054	Rem. Tamer Grip & Forend,           8K28P89	\$ 33.99
#408-000-076	Moss. Tamer Grip & Forend, 8K28A89	33.99

#### **TACSTAR REMINGTON 870** TACTICAL GRIP



Forend & Rear Pistol Grips For Popular Pumps

Grip width, angle and backswell all combine to spread recoil over both hands. Finger grooves and the pebble texture give a posi-

tive grip. No alterations to the gun are required. Rear grip includes sling loop. Sold separately with all necessary mounting hardware and instructions.

SPECS: Black, ABS polymer. Forend Grip - Approximately 61/4" (15.9cm) long, 55/8" (14.3cm) high. Rear (Pistol) Grip - Approximately 41/4" (10.8cm) long, 55/8" high.

#867-100-870	Rem 870 Forend Grip,	5K26B99	\$ 29.99
#867-101-870	Rem 870 Pistol (Rear)	<b>Grip,</b> 5K26D99	29.99

## ADVANCED TECHNOLOGY PUMP SHOTGUN TACTICAL SHOTGUN SYSTEM

Improves Control & Handling Convenience

Tough, synthetic stock provides secure handling in all weather conditions. Furnished with adapters and spacers for installation on various Mossberg, Remington, and Winchester pump shotguns. Easy to install, drop-in installation.

PUMP SHOTGUN FOLDING STOCK - Nylon-resin folding stock

quickly flips open/closed for maximum maneuverability and compactness. Pistol grip provides additional control. Latch can be reversed for right- or left- handed shooters. Includes sling swivel.

SPECS: Nylon polymer, black. Pistol grip - 23/8" (6cm) wide, 31/2" (9cm) tall, 13/16" (3cm) thick. Approximately 13<sup>3</sup>/<sub>4</sub>" (35cm) L.O.P. Fits Moss. 500/535/590/835/Maverick 88, Rem. 870, Win.1200/1300. 12 ga. models only.

#019-000-010 Folding Shotgun Stock, 9A64J27..... \$ 74.99

HEAT SHIELD

. . . . . . . . . . . . . . . Formed steel with elongated cool-

ing slots protects your hands from burns. Provides a secure, nonslip, grasping surface, plus maximum heat dissipation. Simply slide over barrel and secure with supplied hardware. Black oxide finish matches most shotgun finishes. No gunsmithing required to fit most popular 12 ga. pump guns.

SPECS: Steel, black oxide, matte finish, 133/4" (35cm) long.

#019-000-004 Heat Shield, 9A22N09...... \$ 25.99

HEAT SHIELD W/GHOST RING SIGHT - Self-centering rear ghost

ring with large, .122" I.D. aperture for fast target acquisition. Formed steel with elongated cooling slots protects your hand from burns and provides maximum heat dissipa-



tion. Front blade with side guards protects the blade from damage. Easy installation, simply slide over barrel and secure with supplied hardware. Fits 12/16/20 ga. and .410 pump shotguns. SPECS: Shield - Steel, black. 13" (35cm) long. Sights - Polymer, matte black.

Aperture - .122" (3.1mm) ID. Fits 12/16/20 ga. and .410 pump shotguns.

#019-000-018 Heat Shield w/Sights, 9A24K64...... \$ 28.99

For more choices of ADVANCED TECH SHOTGLIN STOCKS visit brownells com

#### **CHOATE REMINGTON 870** SHOTGUN FOLDING STOCKS



Top & Side Fold Models Adapt To Your Tactical Application

Impact-resistant, high strength, Zytel stock with solid steel, mounting block folds at the hinge to provide compact carry and trans-

portation of your 12-gauge, tactical shotgun, Improves maneuverability in close quarter, combat zones and withstands blows that would shatter less durable stock materials. Stock pivots horizontally; folds to the side by pushing it downward to unlock the hinge. M16style pistol grip improves muzzle control; diamond-cut checkering molded into the grip ensures a positive hold, wet or dry. Includes two, fixed loops for sling or lanyard attachment. Must be used with short, combat forend included with buttstock, 1" pad helps tame heavy recoil and keeps buttstock planted in your shoulder.

SPECS: 4140 steel and Zytel, black. 1.9 lb. (.86 kg) wt. 13" (33 cm) LOP. Fits 12-gauge Remington 870 only.

#159-000-015	Remington 870 Side Fold Stock,	
	9E90I09	\$ 105.99

#### **CHOATE 12 GAUGE SHOTGUN** FIBERGLASS PISTOL-GRIP STOCK



#### Weatherproof & Adjustable Length of Pull for a Custom Fit; Choice of Law Enforcement Agencies

Fiberglass-filled, plastic stocks stand up to the roughest handling your Remington scattergun can take, without denting or chipping. Two, half-inch thick spacers that let you choose from a 13", 13-1/2", or 14" length of pull. Pistol grip provides a natural hold. Features a swivel stud and a hard rubber, vented, recoil pad, Forend for 1100 tapers slightly for a natural hold and is checkered to give you an excellent hold. Includes sling swivel stud. Stock and forend sold separately. Available for 12 gauge only. 🥌

SPECS: Fiberglass, black matte finish. Unless otherwise specified, components fit 12 gauge only. Pistol Grip - Approximately 1-1/4" (3.2cm) wide, extends 3-1/2" (9cm). Stock - 20 oz. (567g) weight; 14" (36cm) length of pull, adjustable to 13" (33cm) and 13-1/2" (34.3cm), 1100 Forend - 11" (27.9cm) long, 1.825" (4.7cm) diameter, 8 oz. (227g) wt.

#159-000-002	Remington 870 Adj. Length Stock, 9E72L89.	\$ 80.99
#159-000-003	Remington 1100 Adj. Length Stock, 9E70154	82.99
#159-101-110	<b>Rem. 1100 Forend,</b> 9E32E29	37.99

#### CHOATE H&R SYNTHETIC STOCK



A Replacement Stock **That Never Wears Out** 

Synthetic buttstock fits just like the factory original to keep these popular,

built-like-a-tank, single-shots shooting. SPECS: Black polypropylene. Weighs 1 lb. 3 oz. (526 g). Fits H&R/ N.E.F. 12, 20, 28, .410 ga., and all rifles (Topper, etc.) #159-190-108 H&R Synthetic Stock, 9E33N14...... \$ 38.99

## **HOGUE OVERMOLDED SHOTGUN STOCKS**



Fiberglass-reinforced, polymer stock and forend provide added durability and are overmolded with rubber for a sure grip. Rubber is pebble-textured in the gripping areas. Includes recoil-cushioning buttpad and sling swivel stud. Available in factory length-of-pull or in ShortShot that has 12" length-of-pull for use with body armor or for smaller shooters. Sets includes stock and forend. Sets and individual components fit 12 gauge only.

SPECS: Polymer w/overmolded rubber, black. Stock sets and components fit 12 gauge only. ShortShot stocks have a 12" L.O.P. Mossberg Forend Adapter Nut required for Mossberg 500/835 with 63/4" forend tubes

#408-000-044	Rem. 870 Stock Set, 8K50E99 \$ 59.99
#408-000-059	Moss. 500 Stock Set, Black, 8K50H99 59.99
#408-000-060	Win. 1300 Stock Set, 8K50D99 59.99
#408-000-055	Rem. 870 ShortShot Stock Set, 8K57K79
#408-000-056	Moss. 500 ShortShot Stock Set, 8K57Q79
#408-000-057	Win. 1300 ShortShot Stock Set, 8K57D79
#408-000-058	<b>Rem. 870 Stock,</b> only, <i>8K43A34</i> <b>50.9</b>
#408-000-061	Moss. 500 Stock, only, 8K43E34 50.99
#408-000-063	<b>Rem. 870 ShortShot Stock</b> , only, <i>8K50E99</i>
#408-000-064	<b>Moss. 500 ShortShot Stock,</b> only, <i>8K50D99</i> <b>59.9</b> !
#408-000-066	<b>Rem. 870 Forend,</b> only, 8K19Q54 <b>22.9</b> 9
#408-000-067	Moss. 500 Forend, only, 8K19F54 22.99
#408-000-069	Mossberg Forend Adapter Nut,
	8K9H49 9.99

#### **MESA TACTICAL** URBINO TACTICAL SHOTGUN STOCK

Improves Comfort & Maneuverability With **Body Armor** 



Pistol grip stock of rugged, fiberglass-reinforced nylon polymer has a short 121/21

(31.7cm) length of pull that makes it easy to shoulder and maneuver when you're wearing body armor. The removable, five-position cheek riser helps you position your head for best alignment with an optic while maintaining a solid cheekweld. Pistol grip has ample contact surface with deep horizontal grooves for a secure grasp and excellent weapon control. Shock-absorbing padding on the backstrap helps protect your hand from recoil, while the Limbsaver® recoil pad helps reduce felt recoil. Includes a 11/2" slot rear sling loop, plus a stud on the underside for a QD sling swivel.

SPECS: Injection-molded, glass-filled nylon, black. 121/2" (31.7cm) length of pull. 21/8" (5.4cm) wide, 71/2" (19cm) tall with cheek riser at highest elevation. 1 lb., 10 oz. (748g) wt. Mounting hardware and installation instructions included. Benelli M1/M2 also fits M3. Super Nova, and Super Black Eagle; will not fit SBE II and some older M1 variants. Benelli M4/M1014 includes forearm

#100-006-706	Benelli M4/M1014 Urbino Stock, Black, 5A147D59	163.99
#100-009-246	Benelli M1/M2, Black, 5A147K59	163.99
#100-014-657	Mossberg 930 Urbino Stock, 5A156P59	173.99
#100-006-707	<b>Remington 870 Urbino Stock,</b> Black, <i>5A130G89</i>	153.99

#### MAGPUL **REM 870/MOSSBERG 500 SERIES**

SGA™ STOCK & ACCESSORIES

#### New Versatility For The World's Most Popular Shotguns

Innovative, integrated accessory system lets you apply the "Magpul Method" to make the tried-and-true 12 gauge 870 and Mossberg pump actions into state-of-the-art tactical shotguns exactly fitted to your mission requirements. Major components are made from the same tough, hard polymer Magpul uses for their AR-15 stocks to ensure superb durability under harsh conditions.

**SGA STOCK** - User-configurable stock offers improved ergonomics, including a spacer system that lets you tailor the length of pull to the individual shooter in 1/2" increments from 121/2" to 141/2". Er-



gonomically enhanced grip area is similar to a pistol grip and a recoil-absorbing buttpad delivers excellent control and pointability. Accepts optional cheek risers (sold below) to change the comb height. Both sides have a slot for threading on a 11/4" wide sling.

SPECS: Reinforced, hard-molded polymer, Black, Dark Earth, Stealth Gray, or Orange. Rem fits Remington 870, 12 gauge only. Moss fits 12 gauge 500, 590 and 590A1. Mounting hardware and instructions included

#100-009-619 #100-009-620	Rem SGA Stock, Black, 3K97Q19 Rem SGA Stk, Dark Earth, 3K94D49	-
#100-015-242	Rem SGA Stock, Stealth Gray,	
	3K94C49	104.99
#100-009-621	Rem SGA Stock, Orange, 3K94H49	104.99
#100-011-605	Moss SGA Stock, Black, 3K97l19	107.99
#100-011-606	Moss SGA Stk, Dark Earth, 3K94C49	104.99
#100-015-243	Moss SGA Stock, Stealth Gray,	
	3K94D49	104.99
#100-011-607	Moss SGA Stock, Orange, 3K94F49	104.99

SGA STOCK + RECEIVER-MOUNT SHELL HOLDER - Handy combo deal contains the SGA buttstock, plus

an easy-to-install, all-aluminum, receivermounted, 6-round, 12 gauge shotshell holder from Mesa Tactical.

#078-000-291 Rem SGA Stock + 6-Rd Shell Holder, 9Z156J59....

. . . . . . . . . . . . . . . . . \$ 173.99 #078-000-292 Moss SGA Stock + 6-Rd Shell Holder. 

SGA CHEEK RISER KITS - Easy to install modular risers fit on the comb of the SGA Stock to change the comb height for a better cheek weld and to position the shooter's head at the proper height for various sights and optics. Low kit includes two inserts that raise the comb 1/4" or 1/2" above the standard SGA comb. High kit's two



inserts raise the comb 1/2" or 3/4" above the standard comb. SPECS: Reinforced, hard-molded polymer, Black or Dark Earth. Recommendations: low-profile bead sights, ghost rings, or similar – no riser or 1/4"; red dot, standard holographic, or mini-red dot – 1/4" or 1/2"; magnified optic - 1/2" or 3/4".

#100-009-610	Low SGA Cheek Riser Kit, Blk, 3K13E59 \$	15.99
#100-009-611	Low SGA Cheek Riser Kit, DE, 3K13B59	15.99
#100-009-607	High SGA Cheek Riser Kit, Blk, 3K13K59	15.99
#100-009-608	High SGA Cheek Riser Kit, DE, 3K13M59	15.99

SGA RECOIL PAD ADAPTER - Lets you replace the standard SGA recoil pad with a Remington factory or aftermarket pad for even more comfort and ver-

SPECS: Reinforced, hard-molded polymer, Black. Mounting hardware and instructions included.

#100-009-579 SGA Recoil Pad Adapter, 3K8L99 . . . . . . \$ 9.99

SLING MOUNT KIT - TYPE 1 - Steel sling swivel mount allows slings equipped with pushbutton QD swivels to attach to the SGA shotgun stock. Easy-to-install because it fastens securely to

#### **MAGPUL** MOE® M-LOK™ SHOTGUN FOREND

**Enhances Control Plus** Super-Quick Attachment Of **Tactical Accessories** 



cure grasping surface, and easy

control of the original MOE shotgun forend - with the addition of the increasingly popular and versatile Magpul M-LOK accessory attachment points. Extra length gives you a secure purchase to rack the next round in one smooth motion, aided by front and rear hand stops. Excellent pointability and muzzle control. Compatible with all M-LOK accessories.

SPECS: Reinforced molded polymer, Black, Flat Dark Earth (FDE), Stealth Gray, Orange. Moss fits 12 gauge Mossberg 590/590A1 with 75/8" action tube assembly. Will not fit Mossberg 500 with 61/2" action tube assembly. Maverick, or current-production 500 synthetics with pinned-in action tube assembly Rem 870 fits 12 gauge Reminaton 870 only

tube asserribly. I	terring to 113 12 gauge herrington 670 only.	
#100-016-435	Moss M-LOK Forend, Black, 3K25H49	\$ 29.99
#100-016-438	Moss M-LOK Forend, FDE, 3K24B64	28.99
#100-016-440	Moss M-LOK Forend, Gray, 3K24N64	28.99
#100-016-444	Moss M-LOK Forend, Orange, 3K24E64	28.99
#100-016-420	Rem 870 M-LOK Forend, Blk, 3K25M49	29.99
#100-016-421	Rem 870 M-LOK Forend, FDE, 3K24E64	28.99
#100-016-422	Rem 870 M-LOK Forend, Gray, 3K24I64	28.99
#100-016-423	Rem 870 M-LOK Forend, Orange,	
	3K24G64	28.99



This kit is built around the Mesa Tactical Urbino buttstock to transform your Remington 870 into a versatile, fast-handling tactical shotgun. Includes the stock, a 6-round receiver mount shell holder, replacement magazine cap with sling loop, and a sling loop for the Urbino stock.

#100-011-407 Urbino Stk Upgrade Pkge, 5A199J74...\$ 234.99

mounting points already molded into both sides of the stock.

SPECS: Heavy-duty phosphate steel, Black. Fits SGA Remington 870 and Mossberg 500/590/590A1 shotgun stocks. Also fits Magpul MOE AR-15 stock. Mounting hardware included. Swivels not included.



SGA SLING MOUNT - Installs between the receiver and the SGA Stock to provide a secure attachment point for clip-on sling systems, including HK-style, MASH hook, Magpul MS3® Paraclip™, and others.


May be installed with the loop on left or right side of receiver. SPECS: Steel, with Melonite® coating for strength and wear-resistance, matte black. Compatible with SGA Stocks for Remington 870 and Mossberg 500/590/590A1.

#100-009-581 Remington SGA Sling Mnt, 3K18P04....\$ 18.99 #100-011-573 Mossberg SGA Sling Mnt, 3K18Q04..... 18.99

#### **ARIDUS INDUSTRIES BERETTA 1301 ASA-1301 STOCK ADAPTER**

Lets You Upgrade Your Beretta Compeitition Gun With a Magpul® SGA® Stock

This simple adapter enables you to install the Magpul® SGA® buttstock for the Mossberg® 500/590 on your Beretta 1301 Tactical or 1301 Competition shotguns. So yes, now you can use the best shotgun stock ever designed on one of the best semi-



#100-027-575 SGA Stock Adapter, 2A62L70...... \$ 66.00

## **MESA TACTICAL REMINGTON 870** TELESCOPING STOCK CONVERSION



Gives A Tactical Shotgun M4 Carbine Handling; Optional Recoil **Reduction System** 

KITS

Bolt-on replacement stock gives your shotgun the control and adaptability of a collapsible M4 carbine stock. Telescoping, five position buttstock allows fast length-of-pull adjustment to adapt to body armor and heavy tactical clothing. Aluminum receiver adapter bolts to rear of receiver with included mounting hardware and requires no permanent alterations to your gun. Accepts the included M4 SOPMOD buttstock or any aftermarket stock that fits a mil-spec (1.14" O.D.) buffer tube. Hoque overmolded rubber pistol grip with palm swells and finger grooves bolts solidly to the receiver adapter to reduce recoil shock and give the shooter better control. Includes one push-button sling swivel that fits sockets on either side of the receiver adapter. Models for Remington 870 and Mossberg 500, 12 gauge only. Basic LEO (Law Enforcement) model positions the buttstock low enough to allow use of the original shotgun bead or iron sights. Four-position stock offers length of pull adjust from 10<sup>1</sup>/<sub>2</sub>" to 13<sup>1</sup>/<sub>2</sub>". **Recoil Reducing** model combines the low tube position and M4 buttstock with an Enidine hydraulic energy absorber to reduce felt recoil by as much as 70%. Gives you oustanding control to ensure fast, accurate follow-up shots. L.O.P. adjusts from 111/2" to 141/2" in five, pre-set locking positions. Stock Adapters also sold separately; accepts standard AR-15 pistol grips and M4-type carbine

receiver exteris	1013.	
#100-005-558	Rem 870 LEO Stock Kit, 5A155B93	\$ 169.99
#100-003-175	Rem 870 Recoil-Reducing Stock Kit, 5A271Q14	318.99
#100-011-373	Moss 500 Recoil-Reducing Stock Kit, 5A287Q09	318.99
#100-011-374	Rem 870 Stock Adapter, Only, 5A70I54	82.99
#100-011-375	Moss 500 Stock Adapter, Only, 5A77F34	90.99

ASK ABOUT **OVERNIGHT** DELIVERY!



#### PHOENIX TACTICAL KICKLITE TACTICAL STOCK

**Built-In Recoil Suppression System Reduces Shoulder** Battering



Easy-to-install kit turns an ordinary pump shotgun

into an easy-to-control tactical/self-defense gun. Adjustable, sixposition, M4-style buttstock has a generous rubber recoil pad and built-in spring-loaded recoil suppression system that reduces felt recoil 40-50%. Aids shooters of all sizes, skill levels, and body types to shoot more accurately, with faster follow-up shots. Ergonomic pistol grip has a non-slip surface to further enhance control. Includes sling swivel adapter and five-shot shell carrier that mounts on either side of stock. Drop-in installation: just unbolt factory buttstock and install the KickLite components with the included mounting hardware. Remington, Mossberg, and Winchester models come with a deeply grooved tactical forend.

SPECS: Glass-reinforced, injection-molded nylon, black, Length of pull adjustment: 111/2" to 15". Includes buttstock, shotshell holder, mounting hardware, and instructions. Moss models fit 500, 590, and Maverick 88. Win fits 12 gauge Winchester 1200 and 1300. Saiga fits 12/20 gauge and 410 bore shotguns, as well as 7.62/.308 rifles, in original factory configuration - i.e. guns that have **not** had the trigger moved forward

ration i.e., gans t	nachave nochad are argger moved forward.	
#100-016-005	Rem 870/12 Ga. KickLite Stock, 3P76G49	\$ 89.99
#100-016-010	<b>Rem 870/20 Ga. KickLite Stock,</b> 3P74C29	86.99
#100-016-004	Moss 500/12 Ga. KickLite Stock, 3P76Q49	89.99
#100-016-009	Moss 500/20 Ga. KickLite Stock, 3P78Q19	91.99
#100-016-006	Win 1200/1300 KickLite Stock, 3P80M74	94.99
#100-016-007	Saiga KickLite Stock, 3P00FEF	72.99

## **SB TACTICAL REMINGTON TAC-13** SBA3 & SBA4 PISTOL BRACES





#### Provides Extra Comfort, Stability & Control When Shooting Your TAC-13

The comfort, control, and shootability improvements of SB's AR-15 pistol braces is now extended to the TAC-13 self-defense shotgun! These kits contain everything you need to "brace yourself" for easier, more comfortable shooting of your '13. The minimalist SBA3 provides plenty of support with as little bulk as possible. It offers 5-position length-of-pull adjustability (9.5" to 11.5") for the perfect fit - and it still offers all the enhanced weapon support from the forearm of the original AR-15 pistol Brace. It has ambidextrous QD sling swivel sockets, and of course the nylon forearm strap is nicely adjustable. Compact, too - the entire SBA3 is only 6.1" long and weighs slightly under 7 oz. A mil-spec AR-15 carbine receiver extension is included. SBA4 - If you want your TAC-13 to have even more of an AR-15 feel to it, go with the SBA4 brace, which is shaped and proportioned more like a skeletonized M4 carbine stock, with a more comfortable cheekweld and a balanced feel. 10" to 12" LOP. Both models come with all necessary hardware, including receiver adapter, and Ergo flattop SureGrip pistol grip.

#100-039-624	TAC-13 SBA3 Pistol Brace, BLK,	
	<i>5Z183G59</i>	215.99
#100-039-625	TAC-13 SBA4 Pistol Brace, BLK,	
	5Z183N59	215.99

order on the web

brownells.com

STOCKS

#### **REMINGTON 870/11-87** SYNTHETIC SHOTGUN STOCK



The same tough, durable, synthetic stocks that the Remington factory uses on their all-weather, Police, and home defense shotguns. Injection molded from fiberglass-filled, thermoplastic material that's lightweight and stands up to all extreme weather conditions. **Sport** is a classic stock design built for comfort. Includes molded-in checkering on the wrist and forend for an improved gripping surface. Neoprene rubber recoil pad helps reduce felt recoil for better follow-up shots. Includes rear sling swivel stud. ShurShot™ has an extra-large thumbhole, plus both left- and right-side palm swells and cheek rests for comfortable ambidextrous use. Raised comb provides perfect eye alignment with scopes or iron sights. Advanced Supercell™ recoil pad sets a new standard in recoil reduction with an amazing 54% less felt recoil than an autoloader with standard factory pad. Helps prevent flinching for guick, accurate follow up shots, and ensures all day shooting comfort. Molded-in texture on the wrist and forend allows a non-slip grip. Includes molded-in rear sling swivel stud. Models available for Remington 870 and 11-87, both 12 gauge only.

SPECS: Nylon plastic, as-molded finish. Sport/Police - Available in Black only. Factory drop at comb and length of pull. Includes buttstock, forend & rear sling swivel stud. Police stock does not include sling swivel stud. 1 lb. 5 oz. (595g) wt. ShurShot - Available in Black, Mossy Oak Obsession® (870), or Realtree Hardwood APF® (11-87) camo pattern. Factory length of pull. Includes buttstock, forend, and rear sling swivel stud. 1 lb. 6 oz.

(624g). Models for Rem 8/0 and 11-8/, both 12 gauge only.			
#768-186-140	Rem 870 Sport Stock, Black, 8F69F69 \$	81.99	
#768-186-100	<b>Rem 1100/11-87 Sport Stock,</b> Black, 8F69F69	Q1 QQ	
#767-000-921	Rem 870 ShurShot Stock, Black,	01.99	
	8F65G44	76.99	
#768-000-017	<b>Rem 870 ShurShot Stock,</b> Mossy Oak, <i>8F78M19</i>	91.99	
#767-000-922	Rem 11-87 ShurShot Stock, Black, 8F78M19	91.99	

#### **SB TACTICAL** MOSSBERG SHOCKWAVE & REMINGTON TAC-14 SHOTGUN STABILIZING BRACE



Popular Compact Personal-Defense Shotguns



The BRACE has arrived - for shotgunners. All the benefits of SB's famous Brace for AR-15 pistols (and, now, many other rifle-caliber pistols) is also available for the Mossberg 590 Shockwave and Remington TAC-14 personal defense shotguns. Sure, the factory "Bird's

Head" handle on these guns looks badass and is functional enough - but these are hard-kicking firearms and sometimes you need some extra support. SB's Stabilizing Brace provides a third point of contact to give you even better control, and a more comfortable shooting experience with these guns. The Brace is made of tough, semi-flexible, elasto-polymer that's darned close to indestructible (you really have to work hard to damage it). It's easy to install, too. The readyto-assemble kit includes the Pistol Stabilizing Brace itself, a pistol receiver extension, ERGO Flat Top SureGrip, ERGO Mossberg 590 adapter, castle nut, and an adjustable nylon strap. The whole shebang weighs only about 20 oz. The shotgun Brace is available in two styles: SBM4 closely replicates the look and feel of an M4-type AR-15 buttstock; SBL provides the same support in a futuristic-looking, minimalist package. Like all of the company's braces, SB Tactical's shotgun braces are ATF-approved, designed by U.S. veterans, and

proudly made in t	ine USA.	
#100-026-637 🔘	SBM4 Brace - Moss 590 Shockwave, 12 Ga., 5Z137A69	\$ 161.99
#100-033-458	<b>SBM4 Brace - Moss 590 Shockwave,</b> .410 Bore, <i>5Z135A99</i>	159.99
#100-026-638	<b>SBM4 Brace - Rem TAC-14,</b> 12 Ga., 5 <i>Z</i> 137 <i>P</i> 69	161.99
#100-032-043	<b>SBM4 Brace - Rem TAC-14,</b> 20 Ga., 5 <i>Z</i> 135Q99	159.99
#100-026-789	<b>SBL Brace - Moss 590 Shockwave,</b> 12 Ga., <i>5Z139C39</i>	163.99
#100-033-459	<b>SBL Brace - Moss 590 Shockwave,</b> .410 Bore, <i>5Z135H99</i>	159.99
#100-026-830	<b>SBL Brace - Rem TAC-14,</b> 12 Ga., 5 <i>Z</i> 135 <i>P</i> 99	159.99
#100-032-044	<b>SBL Brace - Rem TAC-14,</b> 20 Ga., 5 <i>Z</i> 135 <i>L</i> 99	159.99

#### **WOOD PLUS** PRE-FINISHED REPLACEMENT **SHOTGUN STOCKS**



Provides A Factory Quality Fit With Hardly Any Work; Matches The Original Contour Of The Factory Stock

Classic, American Walnut stocks are sanded and given a threecoat, Danish oil finish to provide excellent weather resistance and durability. Quality, straight-grained wood looks sharp and is easy to touch up if the stock is nicked or dinged. Includes plastic buttplate. 95% inletted and ready to install; only requires minor fitting. SPECS: Walnut, straight grain, no figure. Accepts original hardware. Matches factory length of pull; Youth models are shorter. **Browning A-5** forend fits 12 ga., 5-shot. Remington 11 forend is 12 ga. only; drilled to accept factory detent. Savage 94 forend comes relieved for .410 bore; can be opened up for 12 and 20 gauge.

STOCK #	FITS	PRIC	CE
	BUTTSTOCK ONLY		
#984-000-036	Browning A-5, 12 Ga.	4H67A14	\$ 78.99
#984-000-055	Mossberg 500 12 Ga.	4H67E99	\$ 79.99
#984-000-054	Rem. 1100/1187 Youth 20 Ga.	4H65D44	\$ 76.99
#984-000-007	Remington 11, 12 Ga. ONLY	4H62K89	\$ 73.99
#984-000-045	Remington 870, 12 Ga.	4H67B99	\$ 79.99
#984-000-008	Savage 311	4H65A44	\$ 76.99
#984-000-010	Savage 94	4H61F19	\$ 71.99
#984-000-011	Winchester Model 12, 12 Ga.	4H62J89	\$ 73.99
#984-000-066	Winchester 12,20 Ga.	4H63K74	\$ 74.99
#984-000-027	Winchester 37	4H65K44	\$ 76.99
#984-000-016	Winchester 97	4H62I89	\$ 73.99
	FOREND ONLY		
#984-000-037	Browning A-5, 12 Ga.	4H52G69	\$ 61.99
#984-000-039	Remington 11, 12 Ga.	4H52K69	\$ 61.99
	BUTTSTOCK/FOREND SE	Т	
#984-000-029	Browning A-5, 12 Ga.	4H111C34	\$ 130.99
#984-000-030	Savage 24	4H100G29	\$ 117.99
#984-000-031	Savage 311	4H103M69	\$ 121.99
#984-000-017	Savage 94, .410 forend	4H99E44	\$ 116.99
#984-000-018	Remington 11, 12 Ga.	4H112J19	\$ 131.99

#### DAVE'S METAL WORKS REMINGTON 1100/11-87 **EASYLOADER** Giant Carrier Release Button

#151-000-030 12 Gauge Stripper, 4-Round, 1E24A29 ... 26.99

ers adapt for shorter rounds.

#151-120-012 12 Gauge Speed Stripper, 6-Round.

**CALIFORNIA COMP WORKS** 


**12 GAUGE SPEED STRIPPER** 

Holds Spare Ammo For Fumble-Free Reloads Provides controlled carry of four or six, 3", 12

gauge shells for fast, fumble-free reloads. Clips to belt, allows spare rounds to be grasped without fumbling or dropping; reduces reload times. Spac-

SPECS: Plastic, black. Stainless steel belt clip. 51/2" (14cm)

long, 25/8" (6.6cm) wide. Fits belts up to 21/4" (5.7cm).



Creates a giant ramp that aligns the shell with the magazine tube for faster and easier reloading with either hand. Completely replaces the small, factory carrier release button. Made from durable stainless

steel; very easy to install, only minor fitting required. SPECS: 17-4 stainless steel. 2<sup>1</sup>/<sub>2</sub>" (6.3cm) long, <sup>5</sup>/<sub>4</sub>" (19mm) wide. Includes roll pins and installation instructions. Fits Rem. 1100, 11-87, Sportsman 12 in 12 ga. onlv.

#260-100-000 1100/11-87 Easyloader, 6B39D59 ..... \$ 43.99

#### **CARBON ARMS BACKBONE SHOTSHELL HOLDER**



Designed To Aid In Quicker **Shotgun Reloads** 

Belt mounted caddy allows you to grab two shells at once for faster reloading. Caddy holds up to 12 shells and the clips are properly spaced to permit quick access to the shells. Made of durable

polymer, the Backbone can be adjusted to your preference. SPECS: Polymer, black. 8 1/2" (21.6cm) OAL.

#100-014-259 Backbone Shotshell Holder, 12rd.,

#### STRIKE INDUSTRIES MOSSBERG 590/590A1 & REMINGTON 870 **VOA HANDGUARD**

Is Discretion the Better Part of Valor? It IS When You Put This Forend on Your Shotgun!

Strike's "Valor of Action" aluminum forend brings the robustness and feel of an AR-15 handguard to the two most popular tactical/competition/selfdefense shotguns. Contoured cuts on the fully dehorned surface give you a

superb consistent grip that won't shift as you cycle the action. Front and rear hand stops ensure your hand doesn't move until you want it to! Ten (10) M-LOK® slots give you plenty of access-mounting options. Extra overall length gives you a larger grasping surface for better control and more leverage for cycling a fresh round into the chamber - yet will not interfere with receiver-mounted side-saddle shell holders. Rugged ALL 6061 T6 aluminum with a tough hardcoat anodized finish. Installation hex wrench included. Factory heat shields must be removed to install the VOA - but don't worry, the VOA's aluminum construction covers for it! Mossberg fits 12 gauge 590/590A1 shotguns. NOT compatible with 500, 535, 590 Shockwave with 14" barrel, Maverick 88, or AOW models. Remington fits 12 gauge 870 only.

#100-036-933	Moss 500 VOA Handguard, BLK, 2H00GTK	\$ 89.99
#100-036-934	Moss 500 VOA Handguard, FDE, 2H00CBE	94.99
#100-036-935	Rem 870 VOA Handguard, BLK, 2H00KLI	89.99
#100-036-936	<b>Rem 870 VOA Handguard,</b> FDE, 2H00IHK	94.99

**Contours of Original Factory Stocks** Classic walnut provides a close match to original factory stocks. Quality wood, has a straight grain pattern. 95% inletted for easy fitting to your action. Ready for final sanding, stain and finish. SPECS: Walnut, straight grain, no figure. Accepts original hardware. Savage 94 forend comes relieved for .410 bore; can be opened up for 12

Real Walnut, Straight Grain; Matches

**WOOD PLUS** REPLACEMENT GRADE STOCKS

STOCK #	FITS	PRICE	
	BUTTSTOCK ONLY		
#984-100-311	Savage 311	4H50G99	\$ 59.99
#984-100-494	Savage 94	4H52N69	\$ 61.99
#984-100-097	Winchester 97	4H54P39	\$ 63.99
В	UTTSTOCK AND FOREND	SET	
#984-110-494	Savage 94 (.410 forend)	4H68M84	\$ 80.99

## CARBON ARMS 6-ROUND PINWHEEL SHOTSHELL HOLDER

Competition Shell Holder Makes For Super-Quick Reloads Using The "Load-Two" Method

injection-molded polymer shotshell holder gives Shells not included

competition shooters an upper hand in the often difficult shotgun stages. Optimized for competitors using the "Load-Two" method, the versatile holder positions 6 shells at your preferred position and angle to maximize reloading speed. Tek-Lok system enables attachment to popular competi-

SPECS: Injection-molded polymer, black. Holds (6) 12 ga. shotshells. Fits belts up to 21/4" (5.7cm) wide.

#100-011-087 6-Rd Pinwheel Shotshell Holder,

#### **ARIDUS INDUSTRIES** Q-DC QUICK-DETACH SHOTSHELL CARRIER

Carry 6 Spare Shells on the Gun When You Need Them: Snaps On & Off Gun in an Instant

Aridus re-engineered the classic receiver-mounted spare-shell carrier to make it more effective and more versatile. Of course, the Q-DC "Quick-Detach Carrier" lets you carry 6 spare rounds right on the side of the receiver. The innovation lies in the adapter that attaches to the shotgun's receiver and the detachable carrier unit that snaps into it. When you don't need the carrier,



Carrier detached from Adapter

simply detach it from the adapter and go to the range - no laborious process of removing your gun's hammer and trigger pins to get the carrier off. The carrier unit itself has stainless steel retention springs to put a generous bear-hug on the shells so they will not pop off under recoil. You can position the shells brass up or brass down, and you can even leave the carrier loaded without loss of spring tension. For the ultimate in speed an versatility, you can get spare carrier assemblies and swap an empty one for a fully loaded between stages.

The Receiver Adapter is machined aluminum and built strong enough to handle extreme use. Steel latch and torsion spring ensure the carrier stays in place on the adapter. Other features: blind tapped holes that can't be over-tightened and a serial number window to make life easier for law enforcement armorers who need to keep tabs on individual weapons. The carrier is also made of aluminum to provide secure metal-on-metal contact with the adapter; grooves at the rear give both visual and tactile indication of the carrier's orientation for easy mounting to the adapter.

All kits are for 12 gauge shotguns only and include the adapter AND one shell carrier. Remington 870 model will also fit 1100 and 11-87 shotguns; you may have to trim some material from the forend. Mossberg fits 500 and 590 shotguns. Universal model will fit the Beretta 1301, Benelli M2 and M4, Mossberg 930, and many similar shotguns. It mounts to receiver with Very High Bond 3M double-sided tape with adhesive that has an operating temperature or -30° F. to +230° F, so failure due to temperature extremes is a nonissue. Large cutout in adapter allows access to receiver pins so the user can still disassemble the shotgun. Not for use on Remington 870/1100/11-87 or Mossberg 500/590.

Brownells Gun Tech™ Note: If your shotgun's forend extends beyond the edge of the receiver when the action is opened, it may interfere with the Q-DC. In most cases, trimming of some material from the forend will solve the problem. The Q-DC is compatible with both Magpul and Surefire forends, and will not interfere with the Magpul single-point sling adapter.

#100-027-570 🔘	Rem 870 Q-DC Shell Carrier, 2A138J69.	\$ 145.99
#100-027-571 🔘	Mossberg 500/590 Q-DC Shell	
	Carrier, 2A138K69	145.99
#100-027-572 🔘	Universal Q-DC Shell Carrier,	
	2A129P19	135.99
#100-027-573 🔘	Spare Q-DC Shell Carrier, ONLY,	
	2A00PTA	43.99

#### PHOENIX TECHNOLOGY SHOT SHELL CARRIER



Hold 5 Shot Shells For Fast, Convenient Reloading

Shell carrier attaches to buttstock and provides guick, con-

venient access to five additional shells for competition, sporting clays, or hunting. Attaches to most synthetic or wooden stocks. Mounting hardware and template included. Requires drilling holes in stock. SPECS: Polymer, black. Approximately 5" (12.7cm) long, 11/2" (3.8cm) wide. 1.1 oz. (32g) wt.

#100-005-355	12-ga. Shell Carrier,	3P8K99	\$ 11.99
--------------	-----------------------	--------	----------

#### **GG&G MOSSBERG SHOCKWAVE & REMINGTON TAC-14** SIDE-SADDLE SHELL HOLDER

Fast, On-Weapon Access to Spare Rounds for Your **Tactical Shotgun** 



The GG&G Side-Saddle Shell Holder gives you quick access to extra ammo during fast-moving tactical situations. It positions the shells at a 15° angle to match the angle of your hand, making loading the magazine or chamber even faster. With the Side-Saddle Shell Holder, shells can also be positioned with the base up or down to match your reloading style. Holding 5 rounds, the Side-Saddle is available for both the Mossberg Shockwave and the Remington TAC-14. It fits the 12 gauge models of both guns ONLY. It's only 6.5" long and constructed of high-grade 6061 T6 aluminum, so it's strong and lightweight, with cutouts in the non-load-bearing areas to keep weight to a bare minimum. Installation requires no permanent modifications to the gun. Looking for more customization? You can get your Side-Saddle in three configurations: a base model that holds the spare ammo only or with two types of QD sling swivel: a Rectangular loop that accepts a 11/4" nylon webbing sling or an

Angled loop for H	K-style quick clips and mash nooks.	
#336-000-059 🗞	Shockwave Side Saddle, 6C89Q29	\$ 93.99
#336-000-060 🗞	Shockwave Side Saddle w/QD Rectangle Sling Attach, 6C91M40	95.99
#336-000-061 🗞	Shockwave Side Saddle w/QD Angle Sling Attach, 6C94L04	98.99
#336-000-066 🗞	TAC-14 Side Saddle, 6C86H39	95.99
#336-000-067 🗞	TAC-14 Side Saddle w/QD Rectangle Sling Attach, 6C107G99	119.99
#336-000-068	TAC-14 Side Saddle w/QD Angle Sling Attach, 6C92H14	96.99

#### RAM SUPERIOR FIREARM SOLUTIONS **RAM SHELL CADDY**

Keeps 6 Shells At The Ready For Fast Reloads

Compact shell caddy in the "grab-two" style helps you complete super-fast reloads for competition or field shooting. Nylon holders retain six 23/4" shells securely during vigorous movement. Durable Tek-Lok belt clip from Blade Tech reliably

fits belts up to 21/4" wide and adjusts vertically and to +20 degrees cant angles for a custom fit.

SPECS: Frame - Aluminum, hardcoat anodized, and molded polymer, matte black. Holds six, 2 3/4" 12-gauge shells. 53/8" (13.65cm) long, 3" (7.62cm) wide, 2" (5.08cm) thick overall. 8.1 oz. (230g) wt. w/o shells.

#100-011-677 Ram 12 Gauge Shell Caddy, 3Z48P59 . . . \$ 53.99

## SAFARILAND DOUBLE SHOTSHELL HOLDER

Puts Two Rounds In Easy Reach



Lightweight, polymer shell holder provides instant access to two spare 12 gauge shotshells for rapid reloads during competition or tactical operations. Compact, low-cut profile allows an easy grasp of exposed shells

for quick removal without hang-ups. Features a one-piece, wrap around belt clip with extra-long bottom hook for worry-free retention. Molded polymer construction. Fits belts up to 21/4" (5.7cm) wide. SPECS: Molded polymer, black. 17/8" (4.7cm) long, 13/4" (4.4cm) wide, 21/2 (6.3cm) high. Fits belts up to 21/4" (5.7cm) wide. 12 gauge only.

#797-000-127 Double ShotShell Holder, 7G8G49 ..... \$ 9.99

## **MESA TACTICAL RECEIVER MOUNT SHOTSHELL HOLDER**







Puts Extra Shotshells Right Where You Need Them For Fast Loading

Rugged and lightweight, aluminum shell holders put extra 12 gauge shotshells on the left side of the receiver for fast tactical reloads. Shells are held in place with a unique, internal Santoprene™ elastomer rib that securely retains even heavy slug shells during vigorous movement or heavy recoil. Available in sidemount (SM) or Picatinny rail (PR) configurations. All necessary installation hardware, tools, and instructions included.

Remington 870/1100/11-87 Sidemount is available in 4-, 6-, and 8-round capacities and uses steel-on-steel, threaded adapters that replace the trigger group pins to anchor the shell holder securely to the receiver. Remington 870 shotguns require a shortened, tacticalstyle forend to accommodate the 6- and 8-round sidemount units. Remington 1100/11-87 require minor forend alterations to fit the 8-round model. Approx. 1<sup>1</sup>/<sub>2</sub>" (3.8cm) high. Lengths: **4-Rd** - 5<sup>1</sup>/<sub>4</sub>": 6-Rd - 61/4" (15.8cm); 8-Rd - 73/4".

Remington 870/1100/11-87 Picatinny is a 6-round model that features an integral Picatinny rail for mounting sights, optics, or other accessories. Wraps around the top and mounts to both sides of the receiver using the same type of attaching system as the sidemount model. Fits Remington 1100/11-87 without modification; requires use of shorter than factory length forearm when used with Remington 870.7" long x 21/2" high. 7.6 oz. wt. Remington VersaMax holds 6 rounds and has an integral Picatinny rail. 67/8" x 2-12/" high.

Mossberg Sidemount is a 6-round unit that attaches in the same manner as the Remington Sidemount, Fits Mossberg 500/590/835. 6<sup>3</sup>/<sub>8</sub>" long x 1<sup>3</sup>/<sub>8</sub>" high, 5.2 oz. wt.

Benelli models all have an integral Picatinny rail and mount to the top of factory drilled/tapped receivers. M1/M2 holds 6 rounds (requires drilling/tapping receiver for M1). 6" long x 2" high. 7.4 oz. wt. M4/M1014 available in 6-Rd (6" long x 2" high, 7.5 oz. wt.) and 8-Rd (7<sup>3</sup>/<sub>4</sub>" long x 2" high, 9.5 oz. wt.). **Supernova** holds 4 rounds, 8" long x 1<sup>3</sup>/<sub>4</sub>" high, 6.2 oz. wt.

SPECS: 6061 T6 aluminum, anodized, matte black. For 12 gauge only All models include mounting hardware, rubber gasket, and installation instructions. **NOTES (for table below): \*** Requires use of shorter forend on Rem 870. + Requires minor forend alterations to fit Rem 1100 & 11-87. † Requires drilling & tapping receiver to fit Benelli M1.

STOCK #	FITS	MODEL	KNDS	PRI	CE
#100-004-031	Rem 870/1100/11-87	SM	4	5A59N39	\$ 65.99
#100-002-648	*Rem 870/1100/11-87	SM	6	5A66M59	\$ 73.99
#100-003-295	*+ Rem 870/1100/11-87	SM	8	5A80G09	\$ 88.99
#100-004-030	* Rem 870/1100/11-87	PR	6	5A116C09	\$ 128.99
#100-013-724	Rem Versa Max	PR	6	5A94L49	\$ 104.99
#100-002-649	Moss. 500/590/835	SM	6	5A70A19	\$ 77.99
#100-003-824	† Benelli M1/M2	PR	6	5A125M99	\$ 139.99
#100-002-650	Benelli M4/M1014	PR	6	5A109N79	\$ 121.99
#100-008-202	Mossberg 930	SM	6	5A68H39	\$ 75.99
#100-003-296	Benelli M4/M1014	PR	8	5A134Q09	\$ 148.99
#100-004-029	Benelli Supernova	PR	4	5A83H53	\$ 95.99

#### **TACSTAR SLIMLINE SIDESADDLE** SHOTSHELL HOLDER

Keeps Shells at the Ready for Fast Reloads or Top-Ups

Here's a simple upgrade that not only increases the versatility of your tactical shotgun, but it gives you a place to hang some extra ammo for quick, easy access. Ultra-rigged, lightweight aluminum mount straddles the shotgun's receiver for a rock solid fit that won't rattle loose under recoil. The Picatinny top rail makes a perfect home for optic accessories, yet the rail is designed to sit low enough to allow continued use of the shotguns bead sight. Constructed



of a proprietary material, the sidesaddle shell holder keeps 6 extra rounds secure and at the ready, yet its low profile wont' snag on gear, clothing, or vegetation. Sidesaddle shell holder is available without the Pictatinny ton rail. Mounts fit 12 ga. shotguns only.

Slimline

Sidesaddle

the rictatining to	op rail. Mounts lit 12 ga. shotguns only.	
#100-028-524	Benelli M2 Rail Mount + Slimline Sidesaddle, 5K68C49	\$ 73.9
#867-000-050	Mossberg 500/590/Maverick 88 Slimline Sidesaddle, 5K29Q99	33.9
#867-000-051	Rem 870/1100/11-87 Slimline Sidesaddle, 5K29K99	33.9
#100-028-526	Mossberg 930 Rail Mount + Slimline Sidesaddle, 5K68A49	74.99
	#100-028-524 #867-000-050 #867-000-051	#867-000-050 Mossberg 500/590/Maverick 88 Stimline Sidesaddle, 5K29Q99 #867-000-051 Rem 870/1100/11-87 Stimline Sidesaddle, 5K29K99 #100-028-526 Mossberg 930 Rail Mount + Stimline

#### **TACSTAR** SIDE SADDLE SHELL HOLDER



Mounts To Receiver: Holds Extra **Rounds For Quick Reloads** Lightweight, molded-nylon

shell carrier puts additional fire power quickly within your reach. Aluminum mounting plate attaches to the side of the receiver using the existing pin/screw holes—no permanent alterations or gunsmithing required. Four- and sixround models available for a variety of popular law enforcement shotguns. Rem. 870/1100/11-87 ESN has a convenient window in the mounting plate that leaves the weapon's serial number exposed for viewing with the shell holder installed. Designed for armorers and law enforcement agencies who track their firearms by serial number for inventory, maintenance, and record keeping.

SPECS: Shell Holder - nylon plastic, black. Mounting Plate - aluminum, black, matte finish. 63/4" (17cm) long, 5.3 oz. (152 g) wt. (6-round). Includes mounting screws, pins and instructions. Field-grade forends that extend onto the sides of the receiver must be modified or replaced to provide adequate clearance for 6-shot shell holders.

STOCK #	FITS/RNDS	GA.	PRICE	
#867-105-870	Rem. 870/1100/11-87/6	12	5K28I99	\$ 32.99
#867-105-874	Rem. 870/1100/11-87/4	12	5K26G99	\$ 29.99
#867-000-018	Rem. 870/1100/11-87 ESN/4	12	5K26M99	\$ 29.99
#867-105-500	Mossberg 500/6	12	5K28I99	\$ 32.99
#867-105-504	Mossberg 500/4	12	5K26H99	\$ 29.99

#### **SCATTERGUN TECHNOLOGIES** SIDE-SADDLE SHELL HOLDER



Attaches To Receiver: Puts 6 Additional Shells Right At **Your Fingertips** 

Puts 6 additional shots right next to your hand for faster reloads. Balances the extra weight between your hands for no change in shouldering and aim. Attaches easily to Remington 870, 11-87 and 1100, 12 ga. receivers with threaded trigger-plate pins. SPECS: Aluminum side plate, black anodized. Nylon-plastic shell holder, black. 63/4" (17cm) long, 5.3 oz. (152 g) wt. Includes screws, washers and

Allen wrench. Extended forearms will require modification. #800-303-780 Side Saddle Shell Holder, 8Z31B49 .... \$ 34.99

order on the web

brownells.com

**BROWNELLS** PAGE 211

# COMPETITION

#### VANG COMP SYSTEMS REM 870/1100/11-87 **DETACHABLE SIDE AMMO CARRIER**



Receiver-Mounted Carrier Puts 6 Additional Shells At Your Fingertips

Lightweight shell carrier puts six additional shots within easy reach for fast reloads. The DSAC (Detachable Side Ammo Carrier) features an aluminum

backing plate that secures to the receiver with the included replacement trigger pins and features. A hook-and-loop attachment system enables fast installation and removal of the separate shell carrier. Elastic webbing holds shells tight even when wet. Cut-out in mounting plate allows viewing of receiver serial number. **Deluxe** model come with two shell carriers. Additional shell carriers available separately.

SPECS: Fits Remington 870/1100/11-87, 12 gauge only. Aluminum side plate, anodized, matte black. Stainless steel pins, natural finish. Elastic web shell holder, black, 63/4, (17cm) long x 11/2, (3,8cm) wide, 3,5 oz. (99a) wt

	Rem 870/1100/11-87 DSAC, 6K92G14	J.
#100-005-247	<b>Deluxe Rem 870/1100/11-87 DSAC,</b> 6K107H34	112.99
#100-005-248	Extra Carrier, 6K00GYI	21.99

## OPSOL MOSSBERG 500/590/590A1/MAVERICK 88 MINI-CLIP™ SHELL ADAPTER Lets You Shoot Short, Lighter-Recoiling Mini-Shells in Your Mossy AND Fit More

Round in the Tube

Looking for an easy, inexpensive way to enhance the capacity and lower the recoil of your 12-gauge shotgun? It's possible with the addition of the OPSol Mini-Clip! This small aftermarket adapter fits easily into the opening located under the receiver of any Mossberg 500, 590 590A1, Shockwave, or Maverick 88 12-gauge shotgun. Once installed, the clip allows for reliable cycling of short, 13/4" personal-defense shotshells, such as those from Challenger and Aguila, straight from the magazine. Want to shoot longer shells? The clip comes out just as easily as it went in, taking mere seconds. Another benefit of the Mini-Clip™ is that by enabling the reliable feeding of mini-shells, it allows smaller-statured and recoil-sensitive shooters to shoot the tried-and-true Mossberg 12 gauge platform without the wrestling with full 12 gauge recoil. No need to hunt down a more expensive 20 or 28 gauge gun. The OPSol folks like to say this: with a Mini-Clip™ and 1¾" ammo, ANY shooter can stay "in the game" without all the pain.

#100-026-444	OPSol Mini-Clip Shell Adapter,
	9Z12Q79



#### **BIRCHWOOD CASEY** SAVE-IT SHELL CATCHER

Holds Empties For Easy Removal

Easy-to-install shell catcher grabs empty hulls being ejected from your 12-gauge shotgun and allows you to stow them away in a pocket or bag. Padded, double-sided tape secures catcher to the receiver and stays firmly in place; removes easily when not needed and won't leave gummy residue behind. Fully adjustable for different guns and loads by opening or closing the wire as needed. Locks in the up position for singles, or down for doubles.

SPECS: Steel. Fits right-hand 12 gauge semi-auto shotguns. Includes

1110000001101			
#167-000-023	Save-It Shell Catcher,	5C14J39	S 15.99

#### T&S SHELL CATCHER



**Catches Shotgun Empties; Saves** Them For Reloading

Spring steel clip stops cases in the ejection port for easy removal. No

more bending/stooping to pick up cases or losing them to ranges with "If it hits the ground, it's ours" policies. Snaps easily to side of receiver just below the ejection port; snaps off when you need to cycle more than one round, as when shooting doubles. SPECS: Spring steel, plastic coated, black. All models fit 12 gauge. TS-

1100 also fits all 20 gauge Rem 1100 models except Youth LT-20 and Rem 1100 Classic Trap.

STOCK #	MODEL	FITS	
#869-012-110	TS-1100	1100 & 11-87	
#869-012-002	TS-AL2	12 ga: Mossberg 500/590, Beretta AL2/	
		A301/302/303/390ST/AL390/AL3901; 20	
		ga: Beretta Urika AL391 & Teknys AL391	
#869-000-001	TS-A391	Beretta AL391, Urika, Urika 2 & Teknys,	
		Mossberg 500/590, 12 ga. ONLY	
#869-000-005	TS-A400	Beretta A400 XCEL	
_ Advise # _	Shell Cate	cher 5C18P69 \$ 21 99	

#### CSP WOOLY SNAP CAPS

#### Prevents Firing Pin & Rust Damage



Spring-loaded primer plunger pre-

vents firing pin damage during dry-firing exercises. Treat the wool, chamber mop with your favorite gun oil to help prevent rusty chambers during storage.

SPECS: Aluminum head, wool mop. 31/2" (8.8cm) long. Available to fit 12 and 20 ga. Sold 2 per package.

#365-115-012 🔘	12 Ga. Wooly Snap Caps,	5F23L14	\$ 32.99
#365-115-020 🔘	20 Ga. Wooly Snap Caps,	5F23B14	31.99



#### GRACO ALL GAUGE COUNTERWEIGHT

**Universal Set Fits** Over/Unders & Singles

Interchangeable weights can be positioned anywhere along the barrel, varying the balance to suit the shooter. Set includes barrel clamp, 4, 6 and 8 oz. weights and adapters for attaching to 12, 20, 16 and 410 barrels ==

**SPECS:** Aluminum clamp 2.25" (5.7cm) long. Weights: **4 oz.** (113 g), 2.7" (6.8cm). **6 oz.** (170 g), 3" (7.6cm). **8 oz.** (226 g), 4.1" (10.45cm) long. 75"

#352-088-000 Counterweight Set, 2E66A59 ..... \$73.99

## TRIPLE-K DELUXE SNAP CAP FOR SHOTGUNS

Save Firing Pins - Shoot Better With Safe, Dry-Fire Practice

The spring-loaded "primers" in these snap caps act much like a live primer and cushion the blow so firing pin and bushing damage won't occur. Bright color and "different" feel to prevent mixing with live rounds or function-testing dummies. (Don't use snap caps as dummies - they don't duplicate loaded round weight/balance). SPECS: Brass base, plastic body.

## **BROWNELLS SHOTGUN DUMP POUCH**



For Fast, Easy Reloading **During Competition** 

Heavy duty, 1000 denier Cordura® nylon pouch hangs at thigh level for quick, easy access to your shells when shooting trap, skeet, and clays. Durable, doublestitched partition divides the pouch into two separate compartments, one to hold a box of shells for 25-round competition, the other to store empties. Side mounted pocket is ideal for storing your shooting glasses, extra choke tubes or other gear and includes an overlap-

ping cover with hook-and-loop latch for a tight seal that won't open unexpectedly. Conveniently located elastic shell holder stores up to three extra shells for quick access. Brass coated "D" ring allows attachment of additional accessories like ear muffs or range cloth. Adjustable belt provides a custom fit to any size shooter.

SPECS: Pouch - 1000 denier Cordura nylon, brown. 7" (17.8cm) long, 5" (12.7cm) wide, 8" (20cm) high. Pocket - 41/4" (10.8cm) long, 1" (2.5cm) wide, 7" (17.8cm) deep. 20 oz. (567g) wt.

#084-000-305 Dump Pouch, 4H40P59 ..... \$ 44.99

## **BROWNELLS** MOSSBERG 500 HIGH-CAPACITY SHOTGUN KIT



#### Converts Your Field Gun To A Personal-Defense Workhorse

High-quality OEM components help you transform a work-aday Mossberg 500 sporter into a reliable, high-capacity, self-defense shotgun. You get a 12 gauge 20" barrel that accepts 3" magnum shells and features a fixed cylinder choke for maximum pattern coverage at self-defense ranges. Extended magazine tube gives you an authoritative 8-rounds of firepower, while the knurled takedown screw anchors it to the barrel, eliminating the need for an aftermarket barrel clamp. Extended-length magazine spring included to ensure reliable feeding. Choose a simple, brass Front Bead Sight for fast, instinctive sight acquisition or **Rifle Sights** (white front bead and adjustable U-notch rear) that give rifle-like accuracy when shooting slugs. The best part? ALL of these parts come from the Mossberg factory, so you can be sure of a drop-in fit to your gun!

SPECS: Kit fits Mossberg 500, 12 gauge receivers only. Barrel - Hardened carbon steel, matte blued finish. 20" (51cm) long. 12 gauge, 3" magnum chamber, smoothbore, fixed cylinder choke. Magazine Tube - Steel, blued finish, 8-rd capacity.

#078-000-162 High-Cap Moss 500 Kit w/Rifle Sights, 1C208Q99.....\$ 219.99 #631-000-339 High-Cap Moss 500 Kit w/Front Bead Sight, 1C178K49 . . . . . . . . . . . . 209.99

#### CAPS PER PAK STOCK # CALIBER/GA. PRICE #055-801-012 6H5E01 \$ 5.99 12 Ga 2 #055-815-016 2 6H5C01 \$ 5.99 16 Ga #055-802-020 🍅 20 Ga 6H5N01 \$ 5.99 #055-803-410 .410 Ga 2 6H5E01 \$ 5.99

#### TACSTARSHOTGUN BARREL SHROUD



#### **Prevents Contact With Hot Barrel**

Stamped, all-steel handguard clamps guickly to plain barreled, self-defense shotguns and protects your hands from contact with a hot barrel. Requires no permanent alterations and adds only a minimum amount of extra weight.

SPECS: Steel, blue, matte finish. 14" (35mm) long. Fits most non-ribbed 12 ga. barrels. Includes instructions.

#867-102-012 Barrel Shroud, 5K32K49 ..... \$ 39.99

#### FALCON INDUSTRIES ERGO GRIP® SURESTOP HANDSTOP

Fast, Precise, Tactile Hand Placement On Railed Forends

During competition or a tactical situation, you can't afford to lose time fumbling to position your hand on the forearm, or, worse yet, have it slide off when racking a pump action shotgun. This rubber-coated, ergonomically shaped handstop attaches to any Picatinny rail forend to provide precise, tactile indexing of the support hand, so you keep your eyes on the target while mounting the weapon. Helps keep hand in position during recoil, too, for fast follow-up shots. Dual cross-bolts clamp the stop tightly to the rail for a solid, movement-free installation. SPECS: Synthetic-rubber coated molded polymer, black. Steel crossbolts, oxide finish, matte black. 11/4" long x 11/4" wide at base. Extends 13/4 (4.5cm) below rail.

#573-000-052 SureStop Rail Handstop, 3G10C19..... \$ 11.99



of the many delivery options. You'll be giving exactly what your favorite gun "tinkerer" wants.

#080-000-816 Brownells Gift Card. 4S00EKG.....\$.00

#080-000-818 Brownells E-Mail Gift Card. 8K00LPD.....

Call or Order at brownells.com

## GG&G **SHOTGUN SLING MOUNT**



#### Secure Sling Attachment With Smooth, **Unrestricted Movement**

Designed for tactical operations, these mounts place the rear sling attachment point in front of the operator, so you can quickly shoulder your weapon without getting tangled. Allows single point sling attachment, or use with a front sling mount for two-point sling installation. Loop accepts slings up to 1<sup>1</sup>/<sub>4</sub>" wide. **Rear Mount** installs directly behind receiver, in front of buttstock. Precision machined from aluminum billet, then hardcoat anodized matte black. Right hand model for Remington 870, 1100, and 11-87 positions sling on left side of stock. Ambidextrous (Amb.) model for Remington 870, 1100, and 11-87 accepts HK-style clasps and other clip-on sling fasteners. Rem Front Mount positions the sling on the right side for shotguns with external retention type magazine caps; a ball-bearing detent locks mount into magazine cap to prevent rotation. Moss Rear mounts fit Mossberg 500/590 and are available with a slot that accepts a sling up to 1½" wide, a loop for HK-style clip-on slings, or a socket for a singlepoint, QD pushbutton sling swivel (swivel included).

SPECS: Rem Rear Mount - Aluminum, matte black, 1/4" (6.4mm) long, 113/16" (4.6cm) wide, 17/8" (4.8cm) high. Fits 870/1100/11-87, Right Hand only. Rem Ambi Rear Mount - Aluminum, matte black. 1/4" long, 21/4" (5.7cm) wide, 17/8" high. Fits 12 gauge Rem 870/1100/11-87. Also fits large-frame 20 gauge Rem. 870. Rem Front Mount - AS-35 Geneva steel, matte black. <sup>7</sup>/64" (2.6mm) long, 2<sup>1</sup>/4" (5.6cm) wide, 1<sup>1</sup>/2" (3.8cm) high. Fits 870/1100/11-87 with early style external retention magazine caps. Moss - all models fit Mossberg 500/590.

#336-000-010 🗞 Rem Right Hand Rear Mnt, 6C28F79\$	31.99
#336-000-029 🗞 Rem Amb. Rear Mount, 6C27C54	28.99
#336-000-009 🗞 Rem Front Mount, 6C17J09	18.99
#336-000-044 Noss Rear Mount w/Slot, 6C28D79	31.99
#336-000-046 Noss Rear Mnt w/HK Loop, 6C29G69	32.99

#### MAGPUL SHOTGUN **FORWARD SLING MOUNT**

Support For Extended Mag Tube & **Mounting Point For Tactical Slings** 



#100-010-976	Rem/Moss Fwd Sling Mount, 3K26H99	\$ 29.99
#100-011-574	Mossberg 590A1 Fwd Sling Mount, 3K24P64	28.99

#### SCATTERGUN TECHNOLOGIES REM 870 TACTICAL RESPONSE SLING MOUNT



**Accepts Popular Web Slings** 

Keep the shooter's hand behind the muzzle on short barreled 870s equipped with extended magazines. Includes detent locking ball. Installs under the magazine cap. Accepts up to 11/4" slings. SPECS: Steel, black Parkerized. 21/2" (6.3cm) high, 11/2"

#800-100-003 Rem 870 Mount, 8Z11E04 . . . . . . . . \$ 12.99

**LEFT SIDE SLING MOUNT** - Side mounting keeps the triggerguard out where you can grab it faster. Accepts up to 11/4" wide slings. SPECS: 4130 steel, black, Parkerized finish. 23/16" (5.5cm) high, 11/2" (3.8cm) wide.



#800-100-005 Rem 870 Left Side Sling, 8Z11C89 . . . . \$ 13.99



